

nvision

OFFICE ENVIRONMENT SOLUTIONS



PRICE LIST

USA PRICING – January 2017

Table of contents

Specifications

Panels	3-5
Panel components	6-8
Electricity/communications	9-12
Work surfaces	12-13
Supports	13-14
Storage furniture	14-18
Configuration guide	19-26
Suggested layouts	27-32

Price list

Section 1 : Panels

Panels	33-42
Panel components	43-52
Electricity	53-57

Section 2 : Work surfaces and supports

Surfaces	58-72
Supports	73-80

Section 3 : Storage furniture

Shelves and overhead storage units	81-92
Metal storage units	93-99
Laminate storage units	100-110

Section 4 : Accessories

Accessories	111-120
-------------------	---------

General

Terms and conditions of sale	121-122
Specials	122
Programs	122
Product reference	123-125
Fabrics and finishes	126

Important note: Any artistic, photographic, clerical, typographical or pricing errors and omissions in this price list are subject to correction. Prices and product specifications are subject to change without notice.

Suggested layouts


Plan NV-11

\$9,668


146" W x 146" D x 44" H overall
72" W x 72" D x 44" H inside cubicles

► Thermofused laminate

Qty	Code	Description	Price	Total
4	VPPA-4442-PP	Acoustical panels, powered, with electrical access, 44" H x 42" W	677	2,708
1	VTCP-4	Four-way top cap	35	35
2	VERC-1	Duplex receptacles, common ground (pack of 6)	140	281
1	VERD-1	Duplex receptacles, isolated ground (pack of 6)	152	152
4	VUCC-2442-1GN	Corner work surfaces, curved front, with grommet, 24" D x 42" W	410	1,639
4	VUER-3050-1N	Conference end surfaces, 30" D x 50" W	407	1,627
4	VACB-1	Corner brackets, non-handed	19	75
4	VACP-2	Standard cantilever brackets, 1 pair	95	379
8	VLGC-QTL1	Table posts	151	1,208
4	VAKW-21	Articulated dial-tilt keyboard trays, 8 1/2" adjustment	391	1,564



Acoustical panels, non-powered



"N" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Acoustical panel accommodates top feeds and cable management poles.

Specify raceway option, fabric and color codes.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 30" (756 mm)	VPPA-3018-N_	18 x 2 x 30	457 x 51 x 756	345
	VPPA-3024-N_	24 x 2 x 30	610 x 51 x 756	381
	VPPA-3030-N_	30 x 2 x 30	762 x 51 x 756	418
	VPPA-3036-N_	36 x 2 x 30	914 x 51 x 756	460
	VPPA-3042-N_	42 x 2 x 30	1067 x 51 x 756	506
	VPPA-3048-N_	48 x 2 x 30	1219 x 51 x 756	556
	VPPA-3054-N_	54 x 2 x 30	1372 x 51 x 756	595
	VPPA-3060-N_	60 x 2 x 30	1524 x 51 x 756	638
Panel height: 37" (934 mm)	VPPA-3718-N_	18 x 2 x 37	457 x 51 x 934	360
	VPPA-3724-N_	24 x 2 x 37	610 x 51 x 934	396
	VPPA-3730-N_	30 x 2 x 37	762 x 51 x 934	436
	VPPA-3736-N_	36 x 2 x 37	914 x 51 x 934	479
	VPPA-3742-N_	42 x 2 x 37	1067 x 51 x 934	527
	VPPA-3748-N_	48 x 2 x 37	1219 x 51 x 934	580
	VPPA-3754-N_	54 x 2 x 37	1372 x 51 x 934	621
	VPPA-3760-N_	60 x 2 x 37	1524 x 51 x 934	664
Panel height: 44" (1112 mm)	VPPA-4418-N_	18 x 2 x 44	457 x 51 x 1112	374
	VPPA-4424-N_	24 x 2 x 44	610 x 51 x 1112	412
	VPPA-4430-N_	30 x 2 x 44	762 x 51 x 1112	454
	VPPA-4436-N_	36 x 2 x 44	914 x 51 x 1112	499
	VPPA-4442-N_	42 x 2 x 44	1067 x 51 x 1112	549
	VPPA-4448-N_	48 x 2 x 44	1219 x 51 x 1112	604
	VPPA-4454-N_	54 x 2 x 44	1372 x 51 x 1112	646
	VPPA-4460-N_	60 x 2 x 44	1524 x 51 x 1112	693
Panel height: 50" (1264 mm)	VPPA-5018-N_	18 x 2 x 50	457 x 51 x 1264	378
	VPPA-5024-N_	24 x 2 x 50	610 x 51 x 1264	430
	VPPA-5030-N_	30 x 2 x 50	762 x 51 x 1264	473
	VPPA-5036-N_	36 x 2 x 50	914 x 51 x 1264	521
	VPPA-5042-N_	42 x 2 x 50	1067 x 51 x 1264	572
	VPPA-5048-N_	48 x 2 x 50	1219 x 51 x 1264	629
	VPPA-5054-N_	54 x 2 x 50	1372 x 51 x 1264	675
	VPPA-5060-N_	60 x 2 x 50	1524 x 51 x 1264	721
Panel height: 56" (1422 mm)	VPPA-5618-N_	18 x 2 x 56	457 x 51 x 1422	408
	VPPA-5624-N_	24 x 2 x 56	610 x 51 x 1422	465
	VPPA-5630-N_	30 x 2 x 56	762 x 51 x 1422	512
	VPPA-5636-N_	36 x 2 x 56	914 x 51 x 1422	564
	VPPA-5642-N_	42 x 2 x 56	1067 x 51 x 1422	620
	VPPA-5648-N_	48 x 2 x 56	1219 x 51 x 1422	680
	VPPA-5654-N_	54 x 2 x 56	1372 x 51 x 1422	728
	VPPA-5660-N_	60 x 2 x 56	1524 x 51 x 1422	779
Panel height: 64" (1620 mm)	VPPA-6418-N_	18 x 2 x 64	457 x 51 x 1620	453
	VPPA-6424-N_	24 x 2 x 64	610 x 51 x 1620	499
	VPPA-6430-N_	30 x 2 x 64	762 x 51 x 1620	549
	VPPA-6436-N_	36 x 2 x 64	914 x 51 x 1620	604
	VPPA-6442-N_	42 x 2 x 64	1067 x 51 x 1620	665
	VPPA-6448-N_	48 x 2 x 64	1219 x 51 x 1620	731
	VPPA-6454-N_	54 x 2 x 64	1372 x 51 x 1620	782
	VPPA-6460-N_	60 x 2 x 64	1524 x 51 x 1620	837


1 Panels

Acoustical panels, non-powered (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 82" (2077 mm)	VPPA-8218-N_	18 x 2 x 82	457 x 51 x 2077	553
	VPPA-8224-N_	24 x 2 x 82	610 x 51 x 2077	608
	VPPA-8230-N_	30 x 2 x 82	762 x 51 x 2077	669
	VPPA-8236-N_	36 x 2 x 82	914 x 51 x 2077	737
	VPPA-8242-N_	42 x 2 x 82	1067 x 51 x 2077	811
	VPPA-8248-N_	48 x 2 x 82	1219 x 51 x 2077	892
	VPPA-8254-N_	54 x 2 x 82	1372 x 51 x 2077	954
	VPPA-8260-N_	60 x 2 x 82	1524 x 51 x 2077	1,021

Raceway options (refer to page 50)	Trim/metal colors	Sample order
N Raceway without openings	TR-E Smoke	VPPA- 37 36- N N, TR-K, 5M-1, 5M-1
P Raceway with 2 sliding covers (on each side) for electrical access	TR-G Grey tone	Product code Width Raceway option Trim/metal color Fabric choice Fabric choice
	TR-K Charcoal	Height Non-powered panel
C Raceway with 2 sliding covers for electrical access (on each side) for electrical access and with 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.	TR-R Beige	
	TR-LE Metallic silver	

Acoustical panels, powered



"C" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Acoustical panel accommodates top feeds and cable management poles.

Specify raceway option, fabric and color codes.

For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 30" (756 mm)	VPPA-3018-P_	18 x 2 x 30	457 x 51 x 756	433
	VPPA-3024-P_	24 x 2 x 30	610 x 51 x 756	475
	VPPA-3030-P_	30 x 2 x 30	762 x 51 x 756	525
	VPPA-3036-P_	36 x 2 x 30	914 x 51 x 756	573
	VPPA-3042-P_	42 x 2 x 30	1067 x 51 x 756	634
	VPPA-3048-P_	48 x 2 x 30	1219 x 51 x 756	697
	VPPA-3054-P_	54 x 2 x 30	1372 x 51 x 756	739
	VPPA-3060-P_	60 x 2 x 30	1524 x 51 x 756	791
Panel height: 37" (934 mm)	VPPA-3718-P_	18 x 2 x 37	457 x 51 x 934	447
	VPPA-3724-P_	24 x 2 x 37	610 x 51 x 934	492
	VPPA-3730-P_	30 x 2 x 37	762 x 51 x 934	543
	VPPA-3736-P_	36 x 2 x 37	914 x 51 x 934	593
	VPPA-3742-P_	42 x 2 x 37	1067 x 51 x 934	655
	VPPA-3748-P_	48 x 2 x 37	1219 x 51 x 934	720
	VPPA-3754-P_	54 x 2 x 37	1372 x 51 x 934	765
	VPPA-3760-P_	60 x 2 x 37	1524 x 51 x 934	818
Panel height: 44" (1112 mm)	VPPA-4418-P_	18 x 2 x 44	457 x 51 x 1112	462
	VPPA-4424-P_	24 x 2 x 44	610 x 51 x 1112	509
	VPPA-4430-P_	30 x 2 x 44	762 x 51 x 1112	562
	VPPA-4436-P_	36 x 2 x 44	914 x 51 x 1112	614
	VPPA-4442-P_	42 x 2 x 44	1067 x 51 x 1112	677
	VPPA-4448-P_	48 x 2 x 44	1219 x 51 x 1112	745
	VPPA-4454-P_	54 x 2 x 44	1372 x 51 x 1112	791
	VPPA-4460-P_	60 x 2 x 44	1524 x 51 x 1112	846


Acoustical panels, powered (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 50" (1264 mm)	VPPA-5018-P_	18 x 2 x 50	457 x 51 x 1264	484
	VPPA-5024-P_	24 x 2 x 50	610 x 51 x 1264	531
	VPPA-5030-P_	30 x 2 x 50	762 x 51 x 1264	586
	VPPA-5036-P_	36 x 2 x 50	914 x 51 x 1264	642
	VPPA-5042-P_	42 x 2 x 50	1067 x 51 x 1264	705
	VPPA-5048-P_	48 x 2 x 50	1219 x 51 x 1264	776
	VPPA-5054-P_	54 x 2 x 50	1372 x 51 x 1264	825
	VPPA-5060-P_	60 x 2 x 50	1524 x 51 x 1264	881
Panel height: 56" (1422 mm)	VPPA-5618-P_	18 x 2 x 56	457 x 51 x 1422	520
	VPPA-5624-P_	24 x 2 x 56	610 x 51 x 1422	572
	VPPA-5630-P_	30 x 2 x 56	762 x 51 x 1422	629
	VPPA-5636-P_	36 x 2 x 56	914 x 51 x 1422	690
	VPPA-5642-P_	42 x 2 x 56	1067 x 51 x 1422	758
	VPPA-5648-P_	48 x 2 x 56	1219 x 51 x 1422	832
	VPPA-5654-P_	54 x 2 x 56	1372 x 51 x 1422	884
	VPPA-5660-P_	60 x 2 x 56	1524 x 51 x 1422	945
Panel height: 64" (1620 mm)	VPPA-6418-P_	18 x 2 x 64	457 x 51 x 1620	556
	VPPA-6424-P_	24 x 2 x 64	610 x 51 x 1620	612
	VPPA-6430-P_	30 x 2 x 64	762 x 51 x 1620	674
	VPPA-6436-P_	36 x 2 x 64	914 x 51 x 1620	736
	VPPA-6442-P_	42 x 2 x 64	1067 x 51 x 1620	810
	VPPA-6448-P_	48 x 2 x 64	1219 x 51 x 1620	888
	VPPA-6454-P_	54 x 2 x 64	1372 x 51 x 1600	943
	VPPA-6460-P_	60 x 2 x 64	1524 x 51 x 1620	1,009
Panel height: 82" (2077 mm)	VPPA-8218-P_	18 x 2 x 82	457 x 51 x 2077	667
	VPPA-8224-P_	24 x 2 x 82	610 x 51 x 2077	734
	VPPA-8230-P_	30 x 2 x 82	762 x 51 x 2077	805
	VPPA-8236-P_	36 x 2 x 82	914 x 51 x 2077	881
	VPPA-8242-P_	42 x 2 x 82	1067 x 51 x 2077	968
	VPPA-8248-P_	48 x 2 x 82	1219 x 51 x 2077	1,061
	VPPA-8254-P_	54 x 2 x 82	1372 x 51 x 2077	1,127
	VPPA-8260-P_	60 x 2 x 82	1524 x 51 x 2077	1,205

Raceway options (refer to page 50)	Trim/metal colors	Sample order
P Raceway with 2 sliding covers (on each side) for electrical access C Raceway with 2 sliding covers (on each side) for electrical access and with 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPPA- 37 36- P P, TR-K, 5M-1, 5M-1 Product code Height Powered panel Raceway option Trim/metal color Fabric choice Fabric choice

1 Panels

Glass panels, non-powered



"N" raceway option is shown.

Top cap with clips, raceway with end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Do **not** accept power feed or cable management pole.

Specify raceway option and color code.


For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 50" (1264 mm)	VPPG-5024-N_, SK-1C	24 x 2 x 50	610 x 51 x 1264	681
	VPPG-5036-N_, SK-1C	36 x 2 x 50	914 x 51 x 1264	756
Panel height: 64" (1620 mm)	VPPG-6424-N_, SK-1C	24 x 2 x 64	610 x 51 x 1620	814
	VPPG-6436-N_, SK-1C	36 x 2 x 64	914 x 51 x 1620	904
Panel height: 82" (2077 mm)	VPPG-8224-N_, SK-1C	24 x 2 x 82	610 x 51 x 2077	974
	VPPG-8236-N_, SK-1C	36 x 2 x 82	914 x 51 x 2077	1,083
Frosted acrylic				
Panel height: 50" (1264 mm)	VPPG-5024-N_, SK-1E	24 x 2 x 50	610 x 51 x 1264	807
	VPPG-5036-N_, SK-1E	36 x 2 x 50	914 x 51 x 1264	901
Panel height: 64" (1620 mm)	VPPG-6424-N_, SK-1E	24 x 2 x 64	610 x 51 x 1620	940
	VPPG-6436-N_, SK-1E	36 x 2 x 64	914 x 51 x 1620	1,049
Panel height: 82" (2077 mm)	VPPG-8224-N_, SK-1E	24 x 2 x 82	610 x 51 x 2077	1,101
	VPPG-8236-N_, SK-1E	36 x 2 x 82	914 x 51 x 2077	1,227

Raceway options (refer to page 50)	Trim/metal colors	Sample order
N Raceway without openings P Raceway with 2 sliding covers (on each side) for electrical access C Raceway with 2 sliding covers (on each side) for electrical access and with 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPPG- 50 36- N N, TR-K, SK-1C Product code Height Width Raceway option Non-powered panel Trim/metal color Glass/acrylic

Glass panels, powered



"C" raceway option is shown.

Top cap with clips, raceway and end caps, side rails and trim cover, panel connectors, glides, carpet grippers and aligners are included.

Do **not** accept power feed or cable management pole.

Specify raceway option and color code.


For "C" raceway option, order VNRC-1 if needed.

Attention: depending on configuration, additional top cap end plugs might be needed. See page 51 for product description.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 50" (1264 mm)	VPPG-5024-P_, SK-1C	24 x 2 x 50	610 x 51 x 1264	824
	VPPG-5036-P_, SK-1C	36 x 2 x 50	914 x 51 x 1264	917
Panel height: 64" (1620 mm)	VPPG-6424-P_, SK-1C	24 x 2 x 64	610 x 51 x 1620	969
	VPPG-6436-P_, SK-1C	36 x 2 x 64	914 x 51 x 1620	1,077
Panel height: 82" (2077 mm)	VPPG-8224-P_, SK-1C	24 x 2 x 82	610 x 51 x 2077	1,141
	VPPG-8236-P_, SK-1C	36 x 2 x 82	914 x 51 x 2077	1,267
Frosted acrylic				
Panel height: 50" (1264 mm)	VPPG-5024-P_, SK-1E	24 x 2 x 50	610 x 51 x 1264	951
	VPPG-5036-P_, SK-1E	36 x 2 x 50	914 x 51 x 1264	1,063
Panel height: 64" (1620 mm)	VPPG-6424-P_, SK-1E	24 x 2 x 64	610 x 51 x 1620	1,095
	VPPG-6436-P_, SK-1E	36 x 2 x 64	914 x 51 x 1620	1,223
Panel height: 82" (2077 mm)	VPPG-8224-P_, SK-1E	24 x 2 x 82	610 x 51 x 2077	1,267
	VPPG-8236-P_, SK-1E	36 x 2 x 82	914 x 51 x 2077	1,411

Raceway options (refer to page 50)	Trim/metal colors	Sample order
P Raceway with 2 sliding covers (on each side) for electrical access C Raceway with 2 sliding covers (on each side) for electrical access and with 1 offset communication opening (on each side). Communication cover sold separately. See VNRC-1 on page 50.	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPPG- 50 36- P P, TR-K, SK-1C Product code Width Raceway option Trim/metal color Glass/acrylic Height Powered panel

Door



ADA lever

Top cap with clips and end plugs, carpet grippers, side rails and trim cover, door sill, carpet gripper, door hinges, hardware, chrome ADA lever handle and keys are included.

Does **not** accept top feed or cable management pole.

Specify codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Door height: 82" (2077 mm)	VPPD-8242	42 x 2 x 82	1067 x 51 x 2077	2,473


Specification notes

- Doors ship with left-hand swing; can be field modified to right-hand swing.
- Top raceway can be used for wire management.
- Both sides of the door will be in high pressure laminate finished in the same color.
- Door opening is 78" H x 34 3/4" W (1981 mm x 864 mm).
- Doors ship with lockable lever handle.
- Lever handle is field installed, and 2 keys are included. No master key available.
- High pressure laminate for door is matching trim/metal colors, except for TR-LE.

Door high pressure laminate colors	Trim/metal colors	Sample order
HC-3E Smoke HC-62 Grey tone HC-8J Charcoal HC-34 Beige	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPPD- 82 42, TR-K, HC-8J Product code Width Trim/metal color Laminate door color Height

1 Panels

Sliding doors



Frosted acrylic, 2 non-locking casters on post legs and attachment brackets are included.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Sliding door height: 47" (1194 mm)	VSDO-4742	42 x 1 x 47	1067 x 25 x 1194	1,160
	VSDO-4748	48 x 1 x 47	1219 x 25 x 1194	1,182
Sliding door height: 63" (1600 mm)	VSDO-6342	42 x 1 x 63	1067 x 25 x 1600	1,399
	VSDO-6348	48 x 1 x 63	1219 x 25 x 1600	1,427

Specification notes

- ▶ Sliding door must mount on a panel taller in height than the height of the sliding door.
- ▶ Sliding door can mount on any panel the same width or wider.
- ▶ Door exceeds by 2" (51 mm) in open position.
- ▶ Sliding door may interfere with components mounted to opposite side of panel.
- ▶ Sliding door is non-handed.
- ▶ Ships partially knocked-down.
- ▶ Brackets must be installed to the panel side rail.

Trim/metal colors	Sample order	Example: VSDO-4748, TR-K, TR-MG
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSDO- 63 48, TR-K, TR-MG Product code Height Width Trim/metal color Casters	

Acoustical stackable panels for acoustical base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Acoustical panels accommodate top feeds and cable management poles.

Do **not** accept up-mount.

Specify fabric and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 14" (350 mm)	VPSA-1418	18 x 2 x 14	451 x 51 x 350	276
	VPSA-1424	24 x 2 x 14	610 x 51 x 350	305
	VPSA-1430	30 x 2 x 14	762 x 51 x 350	334
	VPSA-1436	36 x 2 x 14	914 x 51 x 350	368
	VPSA-1442	42 x 2 x 14	1067 x 51 x 350	405
	VPSA-1448	48 x 2 x 14	1219 x 51 x 350	445
	VPSA-1454	54 x 2 x 14	1372 x 51 x 350	475
	VPSA-1460	60 x 2 x 14	1524 x 51 x 350	510
Panel height: 18" (451 mm)	VPSA-1818	18 x 2 x 18	451 x 51 x 451	288
	VPSA-1824	24 x 2 x 18	610 x 51 x 451	316
	VPSA-1830	30 x 2 x 18	762 x 51 x 451	348
	VPSA-1836	36 x 2 x 18	914 x 51 x 451	384
	VPSA-1842	42 x 2 x 18	1067 x 51 x 451	422
	VPSA-1848	48 x 2 x 18	1219 x 51 x 451	464
	VPSA-1854	54 x 2 x 18	1372 x 51 x 451	497
	VPSA-1860	60 x 2 x 18	1524 x 51 x 451	530

Acoustical stackable panels for acoustical base panels (cont'd.)


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Panel height: 20" (502 mm)	VPSA-2018	18 x 2 x 20	451 x 51 x 502	300
	VPSA-2024	24 x 2 x 20	610 x 51 x 502	331
	VPSA-2030	30 x 2 x 20	762 x 51 x 502	364
	VPSA-2036	36 x 2 x 20	914 x 51 x 502	400
	VPSA-2042	42 x 2 x 20	1067 x 51 x 502	440
	VPSA-2048	48 x 2 x 20	1219 x 51 x 502	484
	VPSA-2054	54 x 2 x 20	1372 x 51 x 502	518
	VPSA-2060	60 x 2 x 20	1524 x 51 x 502	553

Specification notes

- Stack 2 high maximum and load on the first stack.
- Acoustical stackable panels are load bearing at the first level only.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- When base plus stackable panel heights match existing base panel heights, the finish posts are available in those heights.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).
- Connector brackets are field installed.

Trim/metal colors	Sample order
TR-E Smoke	VPSA- 14 36, TR-K, 5M-1, 5M-1
TR-G Grey tone	
TR-K Charcoal	Product code Width Trim/metal color Fabric choice Fabric choice
TR-R Beige	
TR-LE Metallic silver	

Glass stackable panels for acoustical base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Do not accept top feed or cable management pole and any up-mounted storage units.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 14" (350 mm)	VPSG-1418-F, SK-1C	18 x 2 x 14	451 x 51 x 350	415
	VPSG-1424-F, SK-1C	24 x 2 x 14	610 x 51 x 350	444
	VPSG-1430-F, SK-1C	30 x 2 x 14	762 x 51 x 350	474
	VPSG-1436-F, SK-1C	36 x 2 x 14	914 x 51 x 350	509
	VPSG-1442-F, SK-1C	42 x 2 x 14	1067 x 51 x 350	545
	VPSG-1448-F, SK-1C	48 x 2 x 14	1219 x 51 x 350	586
	VPSG-1454-F, SK-1C	54 x 2 x 14	1372 x 51 x 350	617
	VPSG-1460-F, SK-1C	60 x 2 x 14	1524 x 51 x 350	649
Panel height: 18" (451 mm)	VPSG-1818-F, SK-1C	18 x 2 x 18	451 x 51 x 451	426
	VPSG-1824-F, SK-1C	24 x 2 x 18	610 x 51 x 451	457
	VPSG-1830-F, SK-1C	30 x 2 x 18	762 x 51 x 451	489
	VPSG-1836-F, SK-1C	36 x 2 x 18	914 x 51 x 451	524
	VPSG-1842-F, SK-1C	42 x 2 x 18	1067 x 51 x 451	563
	VPSG-1848-F, SK-1C	48 x 2 x 18	1219 x 51 x 451	604
	VPSG-1854-F, SK-1C	54 x 2 x 18	1372 x 51 x 451	638
	VPSG-1860-F, SK-1C	60 x 2 x 18	1524 x 51 x 451	670
Panel height: 20" (502 mm)	VPSG-2018-F, SK-1C	18 x 2 x 20	451 x 51 x 502	440
	VPSG-2024-F, SK-1C	24 x 2 x 20	610 x 51 x 502	471
	VPSG-2030-F, SK-1C	30 x 2 x 20	762 x 51 x 502	503
	VPSG-2036-F, SK-1C	36 x 2 x 20	914 x 51 x 502	540
	VPSG-2042-F, SK-1C	42 x 2 x 20	1067 x 51 x 502	580
	VPSG-2048-F, SK-1C	48 x 2 x 20	1219 x 51 x 502	624
	VPSG-2054-F, SK-1C	54 x 2 x 20	1372 x 51 x 502	658
	VPSG-2060-F, SK-1C	60 x 2 x 20	1524 x 51 x 502	695

1 Panels

Panels

Work surfaces

Storage furniture

Accessories

Glass stackable panels for acoustical base panels (cont'd.)


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Panel height: 14" (350 mm)	VPSG-1418-F, SK-1E	18 x 2 x 14	457 x 51 x 350	470
	VPSG-1424-F, SK-1E	24 x 2 x 14	610 x 51 x 350	502
	VPSG-1430-F, SK-1E	30 x 2 x 14	762 x 51 x 350	532
	VPSG-1436-F, SK-1E	36 x 2 x 14	914 x 51 x 350	572
	VPSG-1442-F, SK-1E	42 x 2 x 14	1067 x 51 x 350	608
	VPSG-1448-F, SK-1E	48 x 2 x 14	1219 x 51 x 350	656
	VPSG-1454-F, SK-1E	54 x 2 x 14	1372 x 51 x 350	685
	VPSG-1460-F, SK-1E	60 x 2 x 14	1524 x 51 x 350	720
Panel height: 18" (451 mm)	VPSG-1818-F, SK-1E	18 x 2 x 18	457 x 51 x 451	482
	VPSG-1824-F, SK-1E	24 x 2 x 18	610 x 51 x 451	515
	VPSG-1830-F, SK-1E	30 x 2 x 18	762 x 51 x 451	547
	VPSG-1836-F, SK-1E	36 x 2 x 18	914 x 51 x 451	588
	VPSG-1842-F, SK-1E	42 x 2 x 18	1067 x 51 x 451	626
	VPSG-1848-F, SK-1E	48 x 2 x 18	1219 x 51 x 451	675
	VPSG-1854-F, SK-1E	54 x 2 x 18	1372 x 51 x 451	706
	VPSG-1860-F, SK-1E	60 x 2 x 18	1524 x 51 x 451	740
Panel height: 20" (502 mm)	VPSG-2018-F, SK-1E	18 x 2 x 20	457 x 51 x 502	494
	VPSG-2024-F, SK-1E	24 x 2 x 20	610 x 51 x 502	529
	VPSG-2030-F, SK-1E	30 x 2 x 20	762 x 51 x 502	563
	VPSG-2036-F, SK-1E	36 x 2 x 20	914 x 51 x 502	604
	VPSG-2042-F, SK-1E	42 x 2 x 20	1067 x 51 x 502	644
	VPSG-2048-F, SK-1E	48 x 2 x 20	1219 x 51 x 502	695
	VPSG-2054-F, SK-1E	54 x 2 x 20	1372 x 51 x 502	728
	VPSG-2060-F, SK-1E	60 x 2 x 20	1524 x 51 x 502	764

Specification notes

- Stack 2 high maximum.
- Glass stackable panels are not load bearing.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- Base plus stackable panel heights must match existing base panel heights when the application is to be combined with finish posts.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPSG- 14 36- F, TR-K, SK-1C Product code Width Height Stacks on an acoustical panel Trim/metal color Glass/acrylic

Glass stackable panels for glass base panels



Connector brackets for stackable panels, trim light block, side rails, trim cover and panel connectors are included.

Do **not** accept power feed or cable management pole and any up-mounted storage units.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tempered clear glass				
Panel height: 14" (350 mm)	VPSG-1418-G, SK-1C	18 x 2 x 14	457 x 51 x 350	426
	VPSG-1424-G, SK-1C	24 x 2 x 14	610 x 51 x 350	456
	VPSG-1430-G, SK-1C	30 x 2 x 14	762 x 51 x 350	486
	VPSG-1436-G, SK-1C	36 x 2 x 14	914 x 51 x 350	520
	VPSG-1442-G, SK-1C	42 x 2 x 14	1067 x 51 x 350	556
	VPSG-1448-G, SK-1C	48 x 2 x 14	1219 x 51 x 350	598
	VPSG-1454-G, SK-1C	54 x 2 x 14	1372 x 51 x 350	627
	VPSG-1460-G, SK-1C	60 x 2 x 14	1524 x 51 x 350	661
Panel height: 18" (451 mm)	VPSG-1818-G, SK-1C	18 x 2 x 18	457 x 51 x 451	439
	VPSG-1824-G, SK-1C	24 x 2 x 18	610 x 51 x 451	469
	VPSG-1830-G, SK-1C	30 x 2 x 18	762 x 51 x 451	500
	VPSG-1836-G, SK-1C	36 x 2 x 18	914 x 51 x 451	535
	VPSG-1842-G, SK-1C	42 x 2 x 18	1067 x 51 x 451	573
	VPSG-1848-G, SK-1C	48 x 2 x 18	1219 x 51 x 451	617
	VPSG-1854-G, SK-1C	54 x 2 x 18	1372 x 51 x 451	648
	VPSG-1860-G, SK-1C	60 x 2 x 18	1524 x 51 x 451	682
Panel height: 20" (502 mm)	VPSG-2018-G, SK-1C	18 x 2 x 20	457 x 51 x 502	451
	VPSG-2024-G, SK-1C	24 x 2 x 20	610 x 51 x 502	483
	VPSG-2030-G, SK-1C	30 x 2 x 20	762 x 51 x 502	515
	VPSG-2036-G, SK-1C	36 x 2 x 20	914 x 51 x 502	551
	VPSG-2042-G, SK-1C	42 x 2 x 20	1067 x 51 x 502	591
	VPSG-2048-G, SK-1C	48 x 2 x 20	1219 x 51 x 502	636
	VPSG-2054-G, SK-1C	54 x 2 x 20	1372 x 51 x 502	669
	VPSG-2060-G, SK-1C	60 x 2 x 20	1524 x 51 x 502	705
Frosted acrylic				
Panel height: 14" (350 mm)	VPSG-1418-G, SK-1E	18 x 2 x 14	457 x 51 x 350	482
	VPSG-1424-G, SK-1E	24 x 2 x 14	610 x 51 x 350	514
	VPSG-1430-G, SK-1E	30 x 2 x 14	762 x 51 x 350	545
	VPSG-1436-G, SK-1E	36 x 2 x 14	914 x 51 x 350	584
	VPSG-1442-G, SK-1E	42 x 2 x 14	1067 x 51 x 350	621
	VPSG-1448-G, SK-1E	48 x 2 x 14	1219 x 51 x 350	667
	VPSG-1454-G, SK-1E	54 x 2 x 14	1372 x 51 x 350	698
	VPSG-1460-G, SK-1E	60 x 2 x 14	1524 x 51 x 350	732
Panel height: 18" (451 mm)	VPSG-1818-G, SK-1E	18 x 2 x 18	457 x 51 x 451	493
	VPSG-1824-G, SK-1E	24 x 2 x 18	610 x 51 x 451	527
	VPSG-1830-G, SK-1E	30 x 2 x 18	762 x 51 x 451	558
	VPSG-1836-G, SK-1E	36 x 2 x 18	914 x 51 x 451	600
	VPSG-1842-G, SK-1E	42 x 2 x 18	1067 x 51 x 451	639
	VPSG-1848-G, SK-1E	48 x 2 x 18	1219 x 51 x 451	685
	VPSG-1854-G, SK-1E	54 x 2 x 18	1372 x 51 x 451	719
	VPSG-1860-G, SK-1E	60 x 2 x 18	1524 x 51 x 451	753

1 Panels

Glass stackable panels for glass base panels (cont'd.)

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Frosted acrylic				
Panel height: 20" (502 mm)	VPSG-2018-G, SK-1E	18 x 2 x 20	457 x 51 x 502	506
	VPSG-2024-G, SK-1E	24 x 2 x 20	610 x 51 x 502	541
	VPSG-2030-G, SK-1E	30 x 2 x 20	762 x 51 x 502	573
	VPSG-2036-G, SK-1E	36 x 2 x 20	914 x 51 x 502	617
	VPSG-2042-G, SK-1E	42 x 2 x 20	1067 x 51 x 502	656
	VPSG-2048-G, SK-1E	48 x 2 x 20	1219 x 51 x 502	705
	VPSG-2054-G, SK-1E	54 x 2 x 20	1372 x 51 x 502	739
	VPSG-2060-G, SK-1E	60 x 2 x 20	1524 x 51 x 502	776

Specification notes

- Stack 2 high maximum.
- Glass stackable panels are not load bearing.
- Utilize top cap from the base panel.
- Top channel of the stackable panel accommodates wire management.
- Base plus stackable panel heights must match existing base panel heights when the application is to be combined with finish posts.
- Base plus stackable panel total height cannot exceed 82" (2077 mm).


Trim/metal colors

Sample order

TR-E Smoke	VPSG-	14	36-	G,	TR-K,	SK-1C
TR-G Grey tone						
TR-K Charcoal						
TR-R Beige						
TR-LE Metallic silver						

Product code | Width | Height | Stacks on a glass panel | Trim/metal color | Glass/acrylic

Wainscot conversion kits for glass panels



Kits to convert a full glass base panel into a semi-glass/semi-fabric panel.

2 recessed fabric panels (1 for each side), 2 rails and attachment hardware are included.

Specify fabric and color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNGK-3024	24 x 1/2 x 30	610 x 12 x 756	268
	VNGK-3036	36 x 1/2 x 30	914 x 12 x 756	294

Specification notes

- Require field assembly.
- Install to both sides of any glass panel.


Trim/metal colors

Sample order

TR-E Smoke	VNGK-	30	24,	TR-K,	5M-1,	5M-1
TR-G Grey tone						
TR-K Charcoal						
TR-R Beige						
TR-LE Metallic silver						

Product code | Width | Height | Trim/metal color | Fabric choice | Fabric choice

Finish posts, 90-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPC-30-F2C	2 x 2 x 30	51 x 51 x 756	52
	VVPC-37-F2C	2 x 2 x 37	51 x 51 x 934	54
	VVPC-44-F2C	2 x 2 x 44	51 x 51 x 1112	57
	VVPC-50-F2C	2 x 2 x 50	51 x 51 x 1264	59
	VVPC-56-F2C	2 x 2 x 56	51 x 51 x 1422	60
	VVPC-64-F2C	2 x 2 x 64	51 x 51 x 1620	61
	VVPC-82-F2C	2 x 2 x 82	51 x 51 x 2077	66
Fabric post	VVFC-30-F2C	2 x 2 x 30	51 x 51 x 756	77
	VVFC-37-F2C	2 x 2 x 37	51 x 51 x 934	80
	VVFC-44-F2C	2 x 2 x 44	51 x 51 x 1112	85
	VVFC-50-F2C	2 x 2 x 50	51 x 51 x 1264	89
	VVFC-56-F2C	2 x 2 x 56	51 x 51 x 1422	92
	VVFC-64-F2C	2 x 2 x 64	51 x 51 x 1620	94
	VVFC-82-F2C	2 x 2 x 82	51 x 51 x 2077	98


Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order painted metal post	Sample order fabric post
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPC- 37-F2C, TR-K Product code Height Cap trim color Top cap alignment tabs	VVFC- 37-F2C, TR-K, 5M-K Product code Height Cap trim color Fabric code Top cap alignment tabs

1 Panel components

Finish posts, 180-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPS-30-F3	2 x 2 x 30	51 x 51 x 756	47
	VVPS-37-F3	2 x 2 x 37	51 x 51 x 934	51
	VVPS-44-F3	2 x 2 x 44	51 x 51 x 1112	53
	VVPS-50-F3	2 x 2 x 50	51 x 51 x 1264	55
	VVPS-56-F3	2 x 2 x 56	51 x 51 x 1422	56
	VVPS-64-F3	2 x 2 x 64	51 x 51 x 1620	57
	VVPS-82-F3	2 x 2 x 82	51 x 51 x 2077	60
Fabric post	VVFS-30-F3	2 x 2 x 30	51 x 51 x 756	72
	VVFS-37-F3	2 x 2 x 37	51 x 51 x 934	75
	VVFS-44-F3	2 x 2 x 44	51 x 51 x 1112	78
	VVFS-50-F3	2 x 2 x 50	51 x 51 x 1264	81
	VVFS-56-F3	2 x 2 x 56	51 x 51 x 1422	84
	VVFS-64-F3	2 x 2 x 64	51 x 51 x 1620	86
	VVFS-82-F3	2 x 2 x 82	51 x 51 x 2077	90

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order painted metal post	Sample order fabric post
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPS- 37-F3, TR-K Product code Height Cap trim color Top cap alignment tabs	VVFS- 37-F3, TR-K, 5M-1 Product code Height Cap trim color Fabric code Top cap alignment tabs

Finish posts, 120-degree connection; full height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPA-30-F2	2 x 2 x 30	51 x 51 x 756	57
	VVPA-37-F2	2 x 2 x 37	51 x 51 x 934	59
	VVPA-44-F2	2 x 2 x 44	51 x 51 x 1112	62
	VVPA-50-F2	2 x 2 x 50	51 x 51 x 1264	66
	VVPA-56-F2	2 x 2 x 56	51 x 51 x 1422	67
	VVPA-64-F2	2 x 2 x 64	51 x 51 x 1620	68
	VVPA-82-F2	2 x 2 x 82	51 x 51 x 2077	72
Fabric post	VVFA-30-F2	2 x 2 x 30	51 x 51 x 756	83
	VVFA-37-F2	2 x 2 x 37	51 x 51 x 934	86
	VVFA-44-F2	2 x 2 x 44	51 x 51 x 1112	92
	VVFA-50-F2	2 x 2 x 50	51 x 51 x 1264	95
	VVFA-56-F2	2 x 2 x 56	51 x 51 x 1422	97
	VVFA-64-F2	2 x 2 x 64	51 x 51 x 1620	99
	VVFA-82-F2	2 x 2 x 82	51 x 51 x 2077	108


Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order painted metal post	Sample order fabric post
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPA- 37-F2, TR-K Product code Height Cap trim color Top cap alignment tabs	VVFA- 37-F2, TR-K, 5W-1 Product code Height Cap trim color Fabric code Top cap alignment tabs

1 Panel components

Finish posts, 90-degree connection; variable height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPC-30-V1	2 x 2 x 30	51 x 51 x 756	52
	VVPC-37-V1	2 x 2 x 37	51 x 51 x 934	54
	VVPC-44-V1	2 x 2 x 44	51 x 51 x 1112	57
	VVPC-50-V1	2 x 2 x 50	51 x 51 x 1264	59
	VVPC-56-V1	2 x 2 x 56	51 x 51 x 1422	60
	VVPC-64-V1	2 x 2 x 64	51 x 51 x 1620	61
Fabric post	VVFC-30-V1	2 x 2 x 30	51 x 51 x 756	77
	VVFC-37-V1	2 x 2 x 37	51 x 51 x 934	80
	VVFC-44-V1	2 x 2 x 44	51 x 51 x 1112	85
	VVFC-50-V1	2 x 2 x 50	51 x 51 x 1264	89
	VVFC-56-V1	2 x 2 x 56	51 x 51 x 1422	92
	VVFC-64-V1	2 x 2 x 64	51 x 51 x 1620	94

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order painted metal post	Sample order fabric post
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPC- 37-V1, TR-K Product Height Cap trim code color Top cap alignment tabs	VVFC- 37-V1, TR-K, 5M-1 Product Height Cap trim Fabric code color code Top cap alignment tabs

Finish posts, 180-degree connection; variable height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify square top cap alignment tabs and fabric and/or color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	WPS-30-V_	2 x 2 x 30	51 x 51 x 756	47
	WPS-37-V_	2 x 2 x 37	51 x 51 x 934	51
	WPS-44-V_	2 x 2 x 44	51 x 51 x 1112	53
	WPS-50-V_	2 x 2 x 50	51 x 51 x 1264	55
	WPS-56-V_	2 x 2 x 56	51 x 51 x 1422	56
	WPS-64-V_	2 x 2 x 64	51 x 51 x 1620	57
Fabric post	WFS-30-V_	2 x 2 x 30	51 x 51 x 756	72
	WFS-37-V_	2 x 2 x 37	51 x 51 x 934	75
	WFS-44-V_	2 x 2 x 44	51 x 51 x 1112	78
	WFS-50-V_	2 x 2 x 50	51 x 51 x 1264	81
	WFS-56-V_	2 x 2 x 56	51 x 51 x 1422	84
	WFS-64-V_	2 x 2 x 64	51 x 51 x 1620	86

Specification notes

- Finish posts are required by UL certification for covering power connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.
- Top cap has alignment tabs for dedicated applications and these are not field-removable.
- Based on the requirements of the application, modifications (i.e., cutting the mold) can be made in the field.

Square top cap alignment tab options	Trim/metal colors	Sample order painted metal post	Sample order fabric post
-1	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPS- 37-V1, TR-K Product code Height Cap trim color Top cap alignment tabs	VVFS- 37-V1, TR-K, 5M-1 Product code Height Cap trim color Fabric code Top cap alignment tabs
-2I			
-2C			

Square top caps



Package of 1.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
One-way in-line	VTCP-1	2 x 2	51 x 51	35
Two-way in-line	VTCP-2I	2 x 2	51 x 51	35
Two-way corner	VTCP-2C	2 x 2	51 x 51	35
Three-way	VTCP-3	2 x 2	51 x 51	35
Four-way	VTCP-4	2 x 2	51 x 51	35


Specification notes

- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VTCP-1, TR-K Product code Alignment tabs Trim/metal color

1 Panel components

Finish posts, 120-degree connection; variable height application



Top cap, finish post and connector cover are included.

Metal finish post comes with 2 black polypropylene connectors to avoid metal-to-metal sounds.

Specify fabric and/or color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Painted metal post	VVPA-30-V1	2 x 2 x 30	51 x 51 x 756	57
	VVPA-37-V1	2 x 2 x 37	51 x 51 x 934	59
	VVPA-44-V1	2 x 2 x 44	51 x 51 x 1112	62
	VVPA-50-V1	2 x 2 x 50	51 x 51 x 1264	66
	VVPA-56-V1	2 x 2 x 56	51 x 51 x 1422	67
	VVPA-64-V1	2 x 2 x 64	51 x 51 x 1620	68
Fabric post	VVFA-30-V1	2 x 2 x 30	51 x 51 x 756	83
	VVFA-37-V1	2 x 2 x 37	51 x 51 x 934	86
	VVFA-44-V1	2 x 2 x 44	51 x 51 x 1112	92
	VVFA-50-V1	2 x 2 x 50	51 x 51 x 1264	95
	VVFA-56-V1	2 x 2 x 56	51 x 51 x 1422	97
	VVFA-64-V1	2 x 2 x 64	51 x 51 x 1620	99

Specification notes

- Finish posts are required by UL certification for covering connectors when power connector covers are not used.
- When the posts are upholstered, the top cap and connector cover are not upholstered and no black connectors are provided.**
- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order painted metal post	Sample order fabric post
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VVPA- 37-V1, TR-K Product code Height Cap trim color Top cap alignment tabs	VVFA- 37-V1, TR-K, 5W-1 Product code Height Cap trim color Fabric code Top cap alignment tabs

Square top caps, 120-degree connection



Package of 1.
Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
One-way 120-degree	VTCP-120-1	2 x 2	51 x 51	35
Two-way 120-degree	VTCP-120-2	2 x 2	51 x 51	35
Three-way 120-degree	VTCP-120-3	2 x 2	51 x 51	35

Specification notes

- Top cap has alignment tabs for dedicated applications and these are not field-removable.

Trim/metal colors	Sample order	Applications
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VTCP- 120-1, TR-K Product code 120-degree Trim/metal color Top cap alignment tabs	

Connector covers, 90-degree connection



Package of 6 covers.
Specify color code.


Specification	Code	Height (in)	Height (mm)	Price
90 degrees	VNVC-KIT	4 ½	114	67

Specification notes

- Required by UL certification for covering base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors	Sample order	
TR-E Smoke	VNVC-KIT, TR-K	
TR-G Grey tone		
TR-K Charcoal	Product code	Trim color
TR-R Beige		
TR-LE Metallic silver		

Connector covers, 180-degree connection



Package of 6 covers.
Specify color code.


Specification	Code	Height (in)	Height (mm)	Price
180 degrees	VNVS-KIT	4 ½	114	67

Specification notes

- Required by UL certification for covering flexible base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors	Sample order	
TR-E Smoke	VNVS-KIT, TR-K	
TR-G Grey tone		
TR-K Charcoal	Product code	Trim color
TR-R Beige		
TR-LE Metallic silver		

Connector covers, 120-degree connection



Package of 6 covers.
Specify color code.

Specification	Code	Height (in)	Height (mm)	Price
120 degrees	VNVA-KIT	4 ½	114	67


Specification notes

- Required by UL certification for covering flexible base raceways and straight-span power connectors when finish post is not used.

Trim/metal colors	Sample order	
TR-E Smoke	VNVA-KIT, TR-K	
TR-G Grey tone		
TR-K Charcoal	Product code	Trim color
TR-R Beige		
TR-LE Metallic silver		

1 Panel components

Raceway covers for communication cabling



Specify color code.

Communication cut-out cover is **not** included. Order separately one VNRC-1 for each side if no data plate is used.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNRP-18	18 x 2 x 4 1/4	452 x 51 x 108	47
	VNRP-24	24 x 2 x 4 1/4	610 x 51 x 108	52
	VNRP-30	30 x 2 x 4 1/4	762 x 51 x 108	58
	VNRP-36	36 x 2 x 4 1/4	914 x 51 x 108	62
	VNRP-42	42 x 2 x 4 1/4	1067 x 51 x 108	70
	VNRP-48	48 x 2 x 4 1/4	1219 x 51 x 108	77
	VNRP-54	54 x 2 x 4 1/4	1372 x 51 x 108	79
	VNRP-60	60 x 2 x 4 1/4	1524 x 51 x 108	84

Specification notes


- ▶ The openings of the raceway enable communication equipment cabling to be routed to the connector modules.
- ▶ The offset openings of the raceway enable communication equipment cabling to be routed to the connector modules.
- ▶ The two sliding doors (on either side) accept electrical receptacles.
- ▶ Information plate opening measures 1 3/8" H x 2 1/16" W (35 mm x 69 mm).
- ▶ Use this product only with 120-volt, 60-hertz power sources.
- ▶ Pre-configured information plates with connector modules, which fit the openings in the raceway cover, must be purchased from a specialized manufacturer.

Trim/metal colors

Sample order

TR-E	Smoke	VNRP- 24, TR-K	Product code	Panel width	Trim color
TR-G	Grey tone				
TR-K	Charcoal				
TR-R	Beige				
TR-LE	Metallic silver				

Raceway communication cut-out cover



Package of 1.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNRC-1	3 1/8 x 1 3/8 x 1/8	80 x 41 x 3	7

Specification notes


- ▶ Required to cover the communication opening of a VNRP-__ and of the "C" raceway option.
- ▶ Metallic silver finish not available. When the bottom channel has a metallic silver finish, it is recommended to use the TR-E (Smoke color) cap.

Trim/metal colors

Sample order

TR-E	Smoke	VNRC-1, TR-K	Product code	Trim color
TR-G	Grey tone			
TR-K	Charcoal			
TR-R	Beige			

Base raceway end caps



Package of 10.
Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Base raceway end caps	VREC-10	2 1/16 x 3 7/16 x 13/32	52 x 91 x 10	17

Specification notes

- Base raceway end caps are used for end-of-run panel applications.
- Raceway end caps are shipped in a ratio of 0.6 per panel order.

Trim/metal colors	Sample order
TR-E Smoke	VREC-10, TR-K
TR-G Grey tone	
TR-K Charcoal	Product code Trim color
TR-R Beige	
TR-LE Metallic silver	

Top cap end plug



Package of 1.
Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Top cap end plug	VTCE-1	2 3/32 x 1 1/16 x 27/32	53 x 18 x 22	15

Specification notes

- Top cap end plugs are for use with Nvision painted top caps.
- Additional top cap end plugs may be needed if finish posts are not specified.
- Top cap end plugs are shipped in a ratio of 0.6 per panel order.

Trim/metal colors	Sample order
TR-E Smoke	VTCE-1, TR-K
TR-G Grey tone	
TR-K Charcoal	Product code Trim color
TR-R Beige	
TR-LE Metallic silver	

Top cap aligner



Package of 1.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Top cap aligner	VTCA-1	1 3/32 x 13/16 x 1 2/32	50 x 20 x 42	20


Specification notes

- Top cap aligner is used to connect 2 top caps in an in-line panel application.
- One top cap aligner is included with each panel.

Trim/metal colors	Sample order
TR-E Smoke	VTCA-1, TR-K
TR-G Grey tone	
TR-K Charcoal	Product code Trim color
TR-R Beige	
TR-LE Metallic silver	

1 Panel components

Wall mounts



Attaches a panel to a structural wall or column.

Specify color code.

See pages 8 and 20 for application details.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNW-30	2 x 1/4 x 25	51 x 6 x 635	80
	VNW-37	2 x 1/4 x 32	51 x 6 x 813	83
	VNW-44	2 x 1/4 x 39	51 x 6 x 991	85
	VNW-50	2 x 1/4 x 45	51 x 6 x 1143	89
	VNW-56	2 x 1/4 x 51	51 x 6 x 1295	90
	VNW-64	2 x 1/4 x 59	51 x 6 x 1499	92
	VNW-82	2 x 1/4 x 77	51 x 6 x 1956	95

Specification notes

- Wall mounting attachment, like the side rail, is 5" (127 mm) shorter than the total panel height.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VNW- 37, TR-K Product code Trim/ Height metal color

Accessories for T-mount



Side rail, center and end mount brackets, glide housing and screws are included.

To install a panel perpendicular to another panel.

Field installed.

Specify color code.

See page 8 for application details.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNT-30	2 x 1/4 x 25	51 x 6 x 635	113
	VNT-37	2 x 1/4 x 32	51 x 6 x 813	116
	VNT-44	2 x 1/4 x 39	51 x 6 x 991	122
	VNT-50	2 x 1/4 x 45	51 x 6 x 1143	126
	VNT-56	2 x 1/4 x 51	51 x 6 x 1295	129
	VNT-64	2 x 1/4 x 59	51 x 6 x 1499	131
	VNT-82	2 x 1/4 x 77	51 x 6 x 1956	136

Specification notes

- The accessory for a T installation, like the side rail, is 5" (127 mm) shorter than the total panel height.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VNT- 37, TR-K Product code Trim/ Height metal color

Hardwire base feeds




3-circuit power connector 4' (1219 mm) or 15' (4572 mm) long, 1/2" (13 mm) painted metal conduit (black) with eight 12-gauge lead wires.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-1	48"	1219	207
	VEB-5	180"	4572	464

Specification notes

- Plug into the power distribution assembly (PDA) in the field.
- For hardwire connection to the floor, column or wall.
- Available in 4' (1219 mm) or 15' (4572 mm).
- Can be field modified to accommodate left or right conditions by unscrewing the housing.
- Use this product only with 120-volt, 60-hertz power sources.
- Housing exceeds 1 1/2" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

Concealed base feeds




3-circuit box with 1/2" (13 mm) knockouts, 8 12-gauge lead wires and attachment hardware.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-4	24"	610	222

Specification notes

- Installs on panels 30" (756 mm) wide or wider.
- For hardwire connection to the floor, column or wall.
- Wire from base to wall must be supplied by an electrician.
- Use this product only with 120-volt, 60-hertz power sources.
- Plugs into the power distribution assembly (PDA) at the receptacle location.
- Meet the standards of the New York City building code.

20-amp plug-in base feeds



Single circuit power connector, 2' (610 mm) cable and plug.


Specification	Code	Length (in)	Length (mm)	Price
	VEB-2	24"	610	227

Specification notes

- Plug into the power distribution assembly (PDA) at the receptacle location.
- Require a 20-amp, 125-volt power receptacle for plug-in (not included).
- Supply power to one circuit only.
- Use this product only with 120-volt, 60-hertz power sources.
- The construction code prohibits the use of this product in Canada.
- Housing exceeds 1 1/2" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

1 Electricity

15-amp plug-in base feeds




Single circuit power connector, 6' (1829 mm) cable and plug.

Specification	Code	Length (in)	Length (mm)	Price
	VEB-3	72"	1829	227

Specification notes

- Plug into the power distribution assembly (PDA) at the receptacle location.
- Require a 15-amp, 120-volt power receptacle for plug-in (not included).
- Supply power to one circuit only.
- Use this product only with 120-volt, 60-hertz power sources.
- Not for use in U.S.A. due to construction code restrictions.
- Housing exceeds 1½" (38 mm) of the raceway. Verify clearance needed prior to installing a fixed pedestal.

Powered top feeds



Top feed pole, transitional box, ceiling cover plate, open square top cap, bracket, screws and a 3-circuit harness are included.

Not for use with glass panels, glass stackable panels or doors.

Specify color code.


Specification	Code	Price
Up to 10' (3048 mm) ceiling		
on 64" (1620 mm) to 82" (2077 mm) panel height (pole length is 70" (1956 mm))	VTF-6482-10	696
Up to 12' (3658 mm) ceiling		
on 30" (756 mm) to 82" (2077 mm) panel height (pole length is 124" (3150 mm))	VTF-3782-12	696

Specification notes

- Use when building power source is accessible from the ceiling.
- Field modification of panel top cap is required.
- Install in left or right vertical channel of an acoustical panel or an acoustical stackable panel.
- Cable capacity: 23 category 5 0.20" diameter cables.
- Single-channel pole with one sliding side and an internal rod to facilitate cable management.
- Field cut the pole to appropriate length if necessary.
- Require an acoustical powered base panel.
- Use this product only with 120-volt, 60-hertz power sources.
- Plug into the power distribution assembly (PDA) at the receptacle location.

Trim/metal colors	Sample order
TR-E Smoke	VTF- 6482- 10 TR-K
TR-G Grey tone	Product code Panel height Ceiling height Trim/metal color
TR-K Charcoal	
TR-R Beige	
TR-LE Metallic silver	

Full-height cable management poles



Pole, transitional junction box, ceiling cover plate, open square top cap, bracelet and screws are included.

Not for use with glass panels, glass stackable panels or doors.

Specify color code.


Specification	Code	Price
10' (3048 mm) ceiling		
on 44"-56" (1118-1422 mm) panel	VCP-44	297
on 64" (1626 mm) panel	VCP-64	291
on 82" (2083 mm) panel	VCP-82	281

Specification notes

- Use to route communications cabling vertically from ceiling or acoustical stackable panels.
- Install in left or right vertical channel of an acoustical panel or of an acoustical stackable panel.
- Field modification of panel top cap is required.
- Cable capacity: 23 communication cables of .20" diameter.
- Single-channel pole with one sliding side and an internal rod to facilitate cable management.
- Field cut the pole to appropriate length if necessary.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VCP- 44, TR-K Product code Panel height Trim/metal color

Duplex receptacles, 3 programmable circuits



Package of 6 receptacles.
Specify color code.



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Common ground	VERC-1	2 7/8 x 2 x 2 3/8	73 x 51 x 60	140
Isolated ground	VERD-1	2 7/8 x 2 x 2 3/8	73 x 51 x 60	152

Specification notes

- Circuit selector uses a color code that enables field selection of any of three circuits.
- The VERC-1 will access the common ground wire in the electrical system.
- The VERD-1 will access the isolated ground wire in the electrical system (not for use with a VEB-2 or VEB-3).
- Use this product only with 120-volt, 60-hertz power sources.
- Two receptacles can be plugged on each side into the power distribution assembly (PDA), when no base feed is plugged in.
- Not available in Metallic silver color; TR-E trim color is recommended.

Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige	VER C- 1, TR-K Product code Receptacle type Ground type Trim color

Work surface height receptacles, with powered table dome



6' (1829 mm) cord is included. Black.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
4 powered outlets	VEPT-4	3 3/8 x 3 3/8 x 3	85 x 85 x 76	397
2 powered/2 communication outlets	VEPT-2	3 3/8 x 3 3/8 x 3	85 x 85 x 76	220


Specification notes

- Provides power and communication access at work surface height.
- To be installed into 3" (76 mm) circular opening in the work surface (to be cut in the field if necessary).
- Communication outlet receptacles are not included.
- Cut-out for connectors are 7/16" x 3/4" (15 mm x 19 mm).
- Use this product only with 120-volt, 60-hertz power sources.
- Not NYC code compliant.
- This product is delivered as 2 half-domes. Once installed 1 3/4 in. (45 mm) above work surface, total width is 3 3/8 in. (86 mm).
- Grommet hole cannot accommodate powered table dome.

Sample order

VEPT- 4
Product code
No. of power outlets

Work surface height powered receptacles with communication outlets



6' (1829 mm) or 12' (3658 mm) cord. Graphite.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Cord length: 6' (1829 mm)	VEPC-6	9 1/2 x 2 1/2 x 3	241 x 64 x 76	315
Cord length: 12' (3658 mm)	VEPC-12	9 1/2 x 2 1/2 x 3	241 x 64 x 76	329


Specification notes

- Include 3 electrical receptacles and a 1 3/8" x 2 23/32" (35 mm x 69 mm) knockout.
- Use this product only with 120-volt, 60-hertz power sources.
- Clip to the back of the surface, no hole drilling required.

Sample order

VEPC- 6
Product code
Cord length

Power conversion kits



Power distribution assembly and 7.55" (192 mm) flexible power connector are included.

Specification	Code	Price
Panel width: 18" (457 mm)	VEKP-18	176
Panel width: 24" (610 mm)	VEKP-24	182
Panel width: 30" (762 mm)	VEKP-30	187
Panel width: 36" (914 mm)	VEKP-36	193
Panel width: 42" (1067 mm)	VEKP-42	199
Panel width: 48" (1219 mm)	VEKP-48	205
Panel width: 54" (1372 mm)	VEKP-54	207
Panel width: 60" (1524 mm)	VEKP-60	210


Specification notes

- Add to a non-powered panel to convert it to a powered panel.
- A raceway with electrical access, if necessary, must be ordered separately.
- VEKP is 6" (152 mm) narrower than the panel width.
- Use this product only with 120-volt, 60-hertz power sources.

Sample order

VEKP- 24
Product code
Panel width

Straight span connector




Specification	Code	Price
	VECT-3	108

Specification notes

- Used for a 3-way or 4-way application where a straight application panel run of powered panels is intersected by one or more non-powered panels, creating a 2" (51 mm) gap.
- The straight-span connector is 9.64" (245 mm) long, which is 2" (51 mm) longer than the flexible power connector that ships with powered panels.

Ported kits



Triple receptacle, telecommunications outlet with 1.38" (25 mm) x 2.71" (69 mm) opening and detachable cover, cover plate, electric cable for connection to base of powered panel, and mounting template included.

Specify codes for circuit and ground.

Charcoal only.

Specification	Code	W x Installation x H (in) Height	W x Installation x H (mm) Height	Price
3-circuit # 1 and 1 common ground	VPPK-1-3C	3 1/4 x 34 x 9	83 x 864 x 229	418
3-circuit # 2 and 1 common ground	VPPK-2-3C	3 1/4 x 34 x 9	83 x 864 x 229	418
3-circuit # 3 and 1 common ground	VPPK-3-3C	3 1/4 x 34 x 9	83 x 864 x 229	418
3-circuit # 1 and 1 isolated ground	VPPK-1-3I	3 1/4 x 34 x 9	83 x 864 x 229	418
3-circuit # 2 and 1 isolated ground	VPPK-2-3I	3 1/4 x 34 x 9	83 x 864 x 229	418
3-circuit # 3 and 1 isolated ground	VPPK-3-3I	3 1/4 x 34 x 9	83 x 864 x 229	418


Specification notes

- Ported kit must be field installed on acoustical powered panels.
- May be installed on the left or right side of the panel face, not back-to-back.
- Telecommunications outlet must be field supplied.
- Communication receptacles must be purchased from a specialized manufacturer.
- Must be installed vertically (communications on top, electrical on bottom).
- Power connection occupies a receptacle connector located in base raceway.
- Select circuit 1, 2 or 3 and common or isolated ground when ordering. Not field programmable.
- Not for use with panels less than 44" (1118 mm) high.
- "Installation height" measures are calculated from the bottom of ported kit to bottom of powered panel's raceway.
- Cable connection module must be purchased from a specialized manufacturer.

Sample order

VPPK-	1-	3	C
Product code	Circuit #	3 circuits	Common ground

Plastic liners



Package of 10
Black plastic.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VNPL-10	1 1/2 x 2 1/2 x 2 1/2	38 x 64 x 64	41

Specification notes

- Required to run wire through the top channel of the panel.
- Two liners are needed per panel.

2 Work surfaces

Rectangular surfaces



Cantilever brackets must be ordered separately (see pages 73 and 74).
Specify finish code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Surface depth: 20" (508 mm)	VUR-2024	24 x 20 x 1	610 x 508 x 25	177	244
	VUR-2030	30 x 20 x 1	762 x 508 x 25	187	270
	VUR-2036	36 x 20 x 1	914 x 508 x 25	203	291
	VUR-2042	42 x 20 x 1	1067 x 508 x 25	224	317
	VUR-2048	48 x 20 x 1	1219 x 508 x 25	244	343
	VUR-2054	54 x 20 x 1	1372 x 508 x 25	255	369
	VUR-2060	60 x 20 x 1	1524 x 508 x 25	276	385
	VUR-2066	66 x 20 x 1	1676 x 508 x 25	307	411
	VUR-2072	72 x 20 x 1	1829 x 508 x 25	333	447
	VUR-2078	78 x 20 x 1	1981 x 508 x 25	343	473
Surface depth: 24" (610 mm)	VUR-2084	84 x 20 x 1	2134 x 508 x 25	354	494
	VUR-2090	90 x 20 x 1	2286 x 508 x 25	374	520
	VUR-2096	96 x 20 x 1	2438 x 508 x 25	380	546
	VUR-2424	24 x 24 x 1	610 x 610 x 25	215	300
	VUR-2430	30 x 24 x 1	762 x 610 x 25	233	326
	VUR-2436	36 x 24 x 1	914 x 610 x 25	251	350
	VUR-2442	42 x 24 x 1	1067 x 610 x 25	270	379
	VUR-2448	48 x 24 x 1	1219 x 610 x 25	291	408
	VUR-2454	54 x 24 x 1	1372 x 610 x 25	304	440
	VUR-2460	60 x 24 x 1	1524 x 610 x 25	328	459
Surface depth: 30" (762 mm)	VUR-2466	66 x 24 x 1	1676 x 610 x 25	353	494
	VUR-2472	72 x 24 x 1	1829 x 610 x 25	382	534
	VUR-2478	78 x 24 x 1	1981 x 610 x 25	390	515
	VUR-2484	84 x 24 x 1	2134 x 610 x 25	406	541
	VUR-2490	90 x 24 x 1	2286 x 610 x 25	426	567
	VUR-2496	96 x 24 x 1	2438 x 610 x 25	468	640
	VUR-3024	24 x 30 x 1	610 x 762 x 25	233	326
	VUR-3030	30 x 30 x 1	762 x 762 x 25	251	350
	VUR-3036	36 x 30 x 1	914 x 762 x 25	270	379
	VUR-3042	42 x 30 x 1	1067 x 762 x 25	291	408
	VUR-3048	48 x 30 x 1	1219 x 762 x 25	328	442
	VUR-3054	54 x 30 x 1	1372 x 762 x 25	339	457
	VUR-3060	60 x 30 x 1	1524 x 762 x 25	353	494
	VUR-3066	66 x 30 x 1	1676 x 762 x 25	382	534
	VUR-3072	72 x 30 x 1	1829 x 762 x 25	411	576
	VUR-3078	78 x 30 x 1	1981 x 762 x 25	426	598
	VUR-3084	84 x 30 x 1	2134 x 762 x 25	442	624
	VUR-3090	90 x 30 x 1	2286 x 762 x 25	458	650
	VUR-3096	96 x 30 x 1	2438 x 762 x 25	489	681


Specification notes

- ▶ A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- ▶ 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU R- 20 24- 1 GN, G-ACA Product code Surface type Depth Width Finish code Grommet option Color code

Applications

Grommet positions



Width: 24" (610 mm)- 30" (762 mm)-
36" (914 mm)- 42" (1067 mm)-
48" (1219 mm)- 54" (1372 mm)




Width: 60" (1524 mm)- 66" (1676 mm)-
72" (1829 mm)- 78" (1981 mm)- 84" (2134 mm)-
90" (2286 mm)- 96" (2438 mm)

Dimensions



Extended rectangular surfaces



Cantilever brackets must be ordered separately (see pages 73 and 74).
Specify finish code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Surface depth: 24" (610 mm)	VURE-2426	26 x 24 x 1	660 x 610 x 25	238	334
	VURE-2432	32 x 24 x 1	813 x 610 x 25	257	362
	VURE-2438	38 x 24 x 1	965 x 610 x 25	279	390
	VURE-2450	50 x 24 x 1	1270 x 610 x 25	312	437
	VURE-2462	62 x 24 x 1	1575 x 610 x 25	349	489
Surface depth: 30" (762 mm)	VURE-3026	26 x 30 x 1	660 x 762 x 25	257	362
	VURE-3032	32 x 30 x 1	813 x 762 x 25	279	390
	VURE-3038	38 x 30 x 1	965 x 762 x 25	300	422
	VURE-3050	50 x 30 x 1	1270 x 762 x 25	336	472
	VURE-3062	62 x 30 x 1	1575 x 762 x 25	378	528

Specification notes

- Designed to bridge a 3-way panel connection.
- A reinforcement bar is recommended for 50" (1270 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 62" (1575 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU RE- 24 26- 1 GN, G-ACA Product code Surface type Depth Width Finish code Grommet option Color code

Applications

Grommet positions




Width: 26" (610 mm)-
32" (813 mm)- 38" (965 mm)-
50" (1270 mm)




Width: 62" (1575 mm)

Dimensions




2 Work surfaces

Rectangular surfaces, radius end



Radius on left



Radius on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

										Price	
Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Thermofused laminate	High pressure laminate
Radius on the left side											
Surface depth: 24" (610 mm)	VURR-2430-__L	30 x 24 x 1			6	762 x 610 x 25			152 290		405
	VURR-2436-__L	36 x 24 x 1			6	914 x 610 x 25			152 313		439
	VURR-2442-__L	42 x 24 x 1			6	1067 x 610 x 25			152 337		473
	VURR-2448-__L	48 x 24 x 1			6	1219 x 610 x 25			152 365		511
	VURR-2454-__L	54 x 24 x 1			6	1372 x 610 x 25			152 379		531
Radius on the right side											
Surface depth: 24" (610 mm)	VURR-2430-__R	30 x 24 x 1			6	762 x 610 x 25			152 290		405
	VURR-2436-__R	36 x 24 x 1			6	914 x 610 x 25			152 313		439
	VURR-2442-__R	42 x 24 x 1			6	1067 x 610 x 25			152 337		473
	VURR-2448-__R	48 x 24 x 1			6	1219 x 610 x 25			152 365		511
	VURR-2454-__R	54 x 24 x 1			6	1372 x 610 x 25			152 379		531
Radius on the left side											
Surface depth: 30" (762 mm)	VURR-3030-__L	30 x 30 x 1			6	762 x 762 x 25			152 297		418
	VURR-3036-__L	36 x 30 x 1			6	914 x 762 x 25			152 322		449
	VURR-3042-__L	42 x 30 x 1			6	1067 x 762 x 25			152 348		488
	VURR-3048-__L	48 x 30 x 1			6	1219 x 762 x 25			152 375		527
	VURR-3054-__L	54 x 30 x 1			6	1372 x 762 x 25			152 388		540
Radius on the right side											
Surface depth: 30" (762 mm)	VURR-3030-__R	30 x 30 x 1			6	762 x 762 x 25			152 297		418
	VURR-3036-__R	36 x 30 x 1			6	914 x 762 x 25			152 322		449
	VURR-3042-__R	42 x 30 x 1			6	1067 x 762 x 25			152 348		488
	VURR-3048-__R	48 x 30 x 1			6	1219 x 762 x 25			152 375		527
	VURR-3054-__R	54 x 30 x 1			6	1372 x 762 x 25			152 388		540

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel or a fixed pedestal. See page 80.

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU RR- 24 36- 1 GN L, G-ACA Product code Surface type Depth Width Finish code Grommet option Radius on left side Color code


Applications

Grommet position




Width: 30" (762 mm)-
36" (914 mm)- 42" (1067 mm)-
48" (1219 mm)- 54" (1372 mm)


Dimensions



Rectangular surfaces, transitional



Transitional on left



Transitional on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish code.

										Price	
Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Thermofused laminate	High pressure laminate
Transitional on the left side											
24" left (610 mm)/	VURT-3036-45	36 x 24/30 x 1			18	914 x 610/762 x 25			457	291	408
30" right (762 mm)	VURT-3042-45	42 x 24/30 x 1			18	1067 x 610/762 x 25			457	315	442
	VURT-3048-45	48 x 24/30 x 1			18	1219 x 610/762 x 25			457	342	478
	VURT-3054-45	54 x 24/30 x 1			18	1372 x 610/762 x 25			457	352	501
	VURT-3060-45	60 x 24/30 x 1			18	1524 x 610/762 x 25			457	367	514
Transitional on the right side											
30" left (762 mm)/	VURT-3036-54	36 x 30/24 x 1			18	914 x 762/610 x 25			457	291	408
24" right (610 mm)	VURT-3042-54	42 x 30/24 x 1			18	1067 x 762/610 x 25			457	315	442
	VURT-3048-54	48 x 30/24 x 1			18	1219 x 762/610 x 25			457	342	478
	VURT-3054-54	54 x 30/24 x 1			18	1372 x 762/610 x 25			457	352	501
	VURT-3060-54	60 x 30/24 x 1			18	1524 x 762/610 x 25			457	367	514

Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Extension depths
1 Thermofused laminate	GN Grommet round black	45 24" (610 mm) on left/30" (762 mm) on right
2 High pressure laminate	GS Grommet rectangular silver	54 30" (762 mm) on left/24" (610 mm) on right
	N No grommet	

Sample order

VU	RT-	30	36-	45	1	GN,	G-ACA
Product code	Surface type	Depth	Width	Extension choice (depth)	Finish code	Grommet option	Color code

Applications

Grommet positions




Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)- 54" (1372 mm)




Width: 60" (1524 mm)

Dimensions




2 Work surfaces

Asymmetrical surfaces




Asymmetrical on left



Asymmetrical on right

Cantilever brackets must be ordered separately (see pages 73 and 74).

Specify finish color code.



Asymmetrical on the right, return position

Cantilever bracket, panel brackets and support column must be ordered separately (see pages 74-79).

Recommended for application without grommet (N).

Specify finish color code.

				Price	
Specification	Code	W x D x H (in)	W x D x H (mm)	Thermofused laminate	High pressure laminate
Asymmetrical on the left side					
24" (610 mm) on left	VUA-3036-45	36 x 24/30 x 1	914 x 610/762 x 25	322	452
30" (762 mm) on right	VUA-3042-45	42 x 24/30 x 1	1067 x 610/762 x 25	348	489
	VUA-3048-45	48 x 24/30 x 1	1219 x 610/762 x 25	380	510
	VUA-3054-45	54 x 24/30 x 1	1372 x 610/762 x 25	390	525
	VUA-3060-45	60 x 24/30 x 1	1524 x 610/762 x 25	406	567
	VUA-3066-45	66 x 24/30 x 1	1676 x 610/762 x 25	421	588
	VUA-3072-45	72 x 24/30 x 1	1829 x 610/762 x 25	452	634
Asymmetrical on the right side					
30" (762 mm) on left	VUA-3036-54	36 x 30/24 x 1	914 x 762/610 x 25	322	452
24" (610 mm) on right	VUA-3042-54	42 x 30/24 x 1	1067 x 762/610 x 25	348	489
	VUA-3048-54	48 x 30/24 x 1	1219 x 762/610 x 25	380	510
	VUA-3054-54	54 x 30/24 x 1	1372 x 762/610 x 25	390	525
	VUA-3060-54	60 x 30/24 x 1	1524 x 762/610 x 25	406	567
	VUA-3066-54	66 x 30/24 x 1	1676 x 762/610 x 25	421	588
	VUA-3072-54	72 x 30/24 x 1	1829 x 762/610 x 25	452	634

Specification notes

- ▶ A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- ▶ 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.


Finish code	Extension depths	Grommet options
1 Thermofused laminate	45 24" (610 mm) on left/ 30" (762 mm) on right	GN Grommet round black
2 High pressure laminate	54 30" (762 mm) on left/ 24" (610 mm) on right	GS Grommet rectangular silver
		N No grommet

Sample order


VU	A-	30	36-	45	1	GN,	G-ACA
Product code	Surface type	Depth	Width	Extension choice (depth)	Finish code	Grommet option	Color code

Applications

Grommet position




Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)-
54" (1372 mm)




Width: 60" (1524 mm)-
66" (1676 mm)-
72" (1829 mm)

Dimensions



Rectangular conference surfaces



Flat brackets and screws included.

Cantilever brackets and the post or VCBEL storage support must be ordered separately (see pages 73-79 and 108).

Specify finish color code.

Spécification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Surface width:	VURC-2436	24 x 36 x 1	610 x 914 x 25	338	395
24" (610 mm)	VURC-2442	24 x 42 x 1	610 x 1067 x 25	359	421
	VURC-2448	24 x 48 x 1	610 x 1219 x 25	380	452
	VURC-2454	24 x 54 x 1	610 x 1372 x 25	395	473
	VURC-2460	24 x 60 x 1	610 x 1524 x 25	421	499
	VURC-2466	24 x 66 x 1	610 x 1676 x 25	447	525
	VURC-2472	24 x 72 x 1	610 x 1829 x 25	478	551
Surface width:	VURC-3036	30 x 36 x 1	762 x 914 x 25	359	473
30" (762 mm)	VURC-3042	30 x 42 x 1	762 x 1067 x 25	380	504
	VURC-3048	30 x 48 x 1	762 x 1219 x 25	421	541
	VURC-3054	30 x 54 x 1	762 x 1372 x 25	432	556
	VURC-3060	30 x 60 x 1	762 x 1524 x 25	447	593
	VURC-3066	30 x 66 x 1	762 x 1676 x 25	478	634
	VURC-3072	30 x 72 x 1	762 x 1829 x 25	510	681
Surface width:	VURC-3636	36 x 36 x 1	914 x 914 x 25	395	520
36" (914 mm)	VURC-3642	36 x 42 x 1	914 x 1067 x 25	421	556
	VURC-3648	36 x 48 x 1	914 x 1219 x 25	463	593
	VURC-3654	36 x 54 x 1	914 x 1372 x 25	473	608
	VURC-3660	36 x 60 x 1	914 x 1524 x 25	494	655
	VURC-3666	36 x 66 x 1	914 x 1676 x 25	525	702
	VURC-3672	36 x 72 x 1	914 x 1829 x 25	556	749

Specification notes

- ▶ A reinforcement bar is recommended is recommended for conference surfaces of 48" (1219 mm) or wider. See page 80.
- ▶ Surface width (W) corresponds to panel width.

Finish code	Grommet options	Sample order
1 Thermofused laminate	GN Grommet round black	VU RC- 24 36- 1 GN G-ACA
2 High pressure laminate	GS Grommet rectangular silver	
	N No grommet	
		Product code Surface type Depth Width Finish code Grommet option Color code


Applications

Dimensions



2 Work surfaces

Trapezoidal conference surfaces



Flat brackets and screws included

Panel brackets and the post or VCBEL storage support must be ordered separately (see pages 74-79 and 108).

Specify finish color code.

Specification	Code	W1/W2 x D x H (in)	W1/W2 x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Surface width: 30" (762 mm)	VUAC-3036	30/24 x 36 x 1	762/610 x 914 x 25	432	567
	VUAC-3042	30/24 x 42 x 1	762/610 x 1067 x 25	458	603
	VUAC-3048	30/24 x 48 x 1	762/610 x 1219 x 25	504	650
	VUAC-3054	30/24 x 54 x 1	762/610 x 1372 x 25	520	666
	VUAC-3060	30/24 x 60 x 1	762/610 x 1524 x 25	536	712
	VUAC-3066	30/24 x 66 x 1	762/610 x 1676 x 25	572	759
	VUAC-3072	30/24 x 72 x 1	762/610 x 1829 x 25	614	816
	VUAC-3636	36/30 x 36 x 1	914/762 x 914 x 25	473	624
	VUAC-3642	36/30 x 42 x 1	914/762 x 1067 x 25	504	666
	VUAC-3648	36/30 x 48 x 1	914/762 x 1219 x 25	556	712
	VUAC-3654	36/30 x 54 x 1	914/762 x 1372 x 25	567	728
	VUAC-3660	36/30 x 60 x 1	914/762 x 1524 x 25	593	785
	VUAC-3666	36/30 x 66 x 1	914/762 x 1676 x 25	629	842
	VUAC-3672	36/30 x 72 x 1	914/762 x 1829 x 25	666	900

Specification notes

- ▶ A reinforcement bar is recommended is recommended for conference surfaces of 48" (1219 mm) or wider. See page 80.
- ▶ Surface width (W1) corresponds to panel width.


Finish code	Grommet options	Sample order
1 Thermofused laminate	GN Grommet round black	VU AC- 30 36- 1 GN G-ACA
2 High pressure laminate	GS Grommet rectangular silver	
	N No grommet	
		Product code Surface type Depth Width Finish code Grommet option Color code

Applications

Dimensions



Trapezoidal surface extensions



Flat brackets and screws included. Post(s) must be ordered separately (see page 76 and 77).

No grommet.

Specify finish color code.

— Price —


Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Thermofused laminate	High pressure laminate
20" (508 mm)	VUEA-2042	42 x 20 x 1	20	34		1066 x 508 x 25	508	863		416	562
double surface	VUEA-2442	42 x 24 x 1	20	34		1066 x 610 x 25	508	863		426	588
	VUEA-3042	42 x 30 x 1	20	34		1066 x 762 x 25	508	863		442	614
24" (610 mm)	VUEA-2050	50 x 20 x 1	24	42		1269 x 508 x 25	610	1066		458	629
double surface	VUEA-2450	50 x 24 x 1	24	42		1269 x 610 x 25	610	1066		473	655
	VUEA-3050	50 x 30 x 1	24	42		1269 x 762 x 25	610	1066		489	681
30" (762 mm)	VUEA-2062	62 x 20 x 1	30	54		1574 x 508 x 25	762	1371		494	697
double surface	VUEA-2462	62 x 24 x 1	30	54		1574 x 610 x 25	762	1371		515	723
	VUEA-3062	62 x 30 x 1	30	54		1574 x 762 x 25	762	1371		536	749

Specification notes

- Installed at the junction of two 20" (508 mm), 24" (610 mm) or 30" (762 mm) deep surfaces.

Finish code	Sample order	Applications
1 Thermofused laminate 2 High pressure laminate	VU EA- 20 42- 1 N, G-ACA Product code Surface type Depth Width No grommet Color code	Dimensions

Surface extensions with rounded corners



Flat brackets and screws included. Post(s) must be ordered separately (see page 76 and 77).

No grommet.

Specify finish color code.

— Price —

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Thermofused laminate	High pressure laminate
20" (508 mm)	VUER-2042	42 x 20 x 1	20			1066 x 508 x 25	508			416	562
double surface	VUER-2442	42 x 24 x 1	20			1066 x 610 x 25	508			426	588
	VUER-3042	42 x 30 x 1	20			1066 x 762 x 25	508			442	614
24" (610 mm)	VUER-2050	50 x 20 x 1	24			1269 x 508 x 25	610			458	629
double surface	VUER-2450	50 x 24 x 1	24			1269 x 610 x 25	610			473	655
	VUER-3050	50 x 30 x 1	24			1269 x 762 x 25	610			489	681
30" (762 mm)	VUER-2062	62 x 20 x 1	30			1574 x 508 x 25	762			494	697
double surface	VUER-2462	62 x 24 x 1	30			1574 x 610 x 25	762			515	723
	VUER-3062	62 x 30 x 1	30			1574 x 762 x 25	762			536	749


Specification notes

- Installed at the junction of two 20" (508 mm), 24" (610 mm) or 30" P (762 mm) surfaces.

Finish code	Sample order	Applications
1 Thermofused laminate 2 High pressure laminate	VU ER- 20 42- 1 N, G-ACA Product code Surface type Depth Width No grommet Color code	Dimensions

2 Work surfaces

D-shape surfaces




Cantilever supports, flat brackets and column must be ordered separately (see pages 76 and 77).


Specify finish color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Surface depth: 30" (762 mm)	VUD-3060	30 x 60 x 1	762 x 1524 x 25	388	543
	VUD-3072	30 x 72 x 1	762 x 1829 x 25	445	623
Finish code	Grommet options	Sample order		Applications	
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU	D- 30 60- 1 GN, G-ACA	Dimensions *Surface width is identified to match the panel's width.	
		Product code	Width Surface type	Depth Finish code	Grommet option Color code

Extended D-shape surfaces



Left surface



Right surface

Cantilever supports, flat brackets and column must be ordered separately (see pages 73, 74, 76 and 77).

Specify finish color code.

*VAKW keyboard tray recommended.

										Price	
Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Thermofused laminate	High pressure laminate
Left surface											
Connection	VUDE-4272-4-__L	42 x 72 x 1	24	30	11 ¾	1067 x 1829 x 25	610	762	300	656	918
24" (610 mm) deep extension	VUDE-4860-4-__L	48 x 60 x 1	24	30	11 ¾	1219 x 1524 x 25	610	762	300	706	991
	VUDE-4872-4-__L	48 x 72 x 1	24	30	11 ¾	1219 x 1829 x 25	610	762	300	763	1,068
Connection	VUDE-4860-5-__L	48 x 60 x 1	30	30	11 ¾	1219 x 1524 x 25	762	762	300	706	991
30" (762 mm) deep extension	VUDE-4872-5-__L	48 x 72 x 1	30	30	11 ¾	1219 x 1829 x 25	762	762	300	763	1,068
Right surface											
Connection	VUDE-4272-4-__R	42 x 72 x 1	24	30	11 ¾	1067 x 1829 x 25	610	762	300	656	918
24" (610 mm) deep extension	VUDE-4860-4-__R	48 x 60 x 1	24	30	11 ¾	1219 x 1524 x 25	610	762	300	706	991
	VUDE-4872-4-__R	48 x 72 x 1	24	30	11 ¾	1219 x 1829 x 25	610	762	300	763	1,068
Connection	VUDE-4860-5-__R	48 x 60 x 1	30	30	11 ¾	1219 x 1524 x 25	762	762	300	706	991
30" (762 mm) deep extension	VUDE-4872-5-__R	48 x 72 x 1	30	30	11 ¾	1219 x 1829 x 25	762	762	300	763	1,068


Specification notes

- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.


Finish code	Grommet options	Extension depth options
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	4 24" (610 mm) on extension 5 30" (762 mm) on extension

Sample order	Applications	
VU DE- 48 60- 4 1 GN L, G-ACA	Grommet position Width: 60" (1524 mm)- 72" (1829 mm)	Dimensions *Surface width is identified to match the panel's width.
Product code Surface type		
Width Depth		
Extension choice (depth)		
Finish code		
Grommet option		
Left- or right-hand surface		
Color code		

P-shape surfaces



Left surface



Right surface

Cantilever supports, flat brackets and column must be ordered separately (see pages 73, 74, 76 and 77).

Specify finish color code.

				Price	
Specification	Code	W1/W2 x D x H (in)	W1/W2 x D x H (mm)	Thermofused laminate	High pressure laminate
Left surface					
42" (1067 mm) Ø	VUP-3060-__L	30/42 x 60 x 1	762/1067 x 1524 x 25	610	857
	VUP-3072-__L	30/42 x 72 x 1	762/1067 x 1829 x 25	695	972
Right surface					
42" (1067 mm) Ø	VUP-3060-__R	30/42 x 60 x 1	762/1067 x 1524 x 25	610	857
	VUP-3072-__R	30/42 x 72 x 1	762/1067 x 1829 x 25	695	972

Specification notes


- Depth at connecting end is 30" (762 mm).

Finish code	Grommet options	Sample order					Applications
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU	P-	30	60-	1	GN L, G-ACA
		Product code	Surface type	Width	Depth	Finish code	Left- or right-hand surface
							Grommet option
							Color code

Dimensions

*Surface width (W1) is identified to match the panel's width.

Corner surfaces, straight front



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*Only the VUC-2448 surface will accommodate all Nvision keyboards.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price	
										Thermofused laminate	High pressure laminate
24" (610 mm) deep on both ends	VUC-2436	36 x 36 x 1	24	17		914 x 914 x 25	610	430		366	512
	VUC-2442	42 x 42 x 1	24	25 %		1067 x 1067 x 25	610	646		410	589
	VUC-2448	48 x 48 x 1	24	34 %		1219 x 1219 x 25	610	871		460	660
30" (762 mm) deep on both ends	VUC-3036	36 x 36 x 1	30	8 %		914 x 914 x 25	762	214		366	512
	VUC-3042	42 x 42 x 1	30	17		1067 x 1067 x 25	762	431		410	589
	VUC-3048	48 x 48 x 1	30	25 %		1219 x 1219 x 25	762	656		460	660

Specification notes

- Wood grain application is parallel to the depth on all corner work surfaces.

Optional: Diagonal wood grain


For diagonal wood grain application, add the suffix **D** to the code and add \$131 to list price.

Specify as follows and complete the code with desired laminate code: VUC-2436-1GND, G-ACA

Finish code	Grommet options	Sample order				
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU	C-	24	36-	1
		Product code	Surface type	Width at ends	Width/depth	Finish code
						Grommet option
						Color code


Applications

Grommet position




Width: 36" (914 mm)-
42" (1067 mm)-
48" (1219 mm)

Dimensions




Diagonal wood grain



Optional

2 Work surfaces

Corner surfaces, curved front



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended.

Price										
Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	
24" (610 mm) deep on both ends	VUCC-2436	36 x 36 x 1	24	11 3/4		914 x 914 x 25	610	300	366	512
	VUCC-2442	42 x 42 x 1	24	11 3/4		1067 x 1067 x 25	610	300	410	589
	VUCC-2448	48 x 48 x 1	24	11 3/4		1219 x 1219 x 25	610	300	460	660
30" (762 mm) deep on both ends	VUCC-3048	48 x 48 x 1	30	11 3/4		1219 x 1219 x 25	762	300	460	660

Specification notes

- Wood grain application is parallel to the depth on all corner work surfaces.


Optional: diagonal wood grain

For diagonal wood grain application, add the suffix **D** to the code and add **\$131** to list price. Specify as follows and complete the code with desired option: VUCC-2436-1GND, G-ACA

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU CC- 24 36- 1 GN, G-ACA Product code Surface type Width at ends Width/depth Finish code Grommet option Color code


Applications

Grommet position




Width: 36" (914 mm)-
42" (1067 mm)- 48" (1219 mm)

Dimensions




Diagonal wood grain



Optional

Corner surfaces, dual height



Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

Price										
Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	
24" (610 mm) deep on both ends	VUCD-2442	42 x 42 x 1	24	24 1/2	12	1067 x 1067 x 25	610	623	305	1,628
30" (762 mm) deep on both ends	VUCD-3048	48 x 48 x 1	30	23 3/4	12	1219 x 1219 x 25	762	606	305	1,721


Specification notes

- Keyboard depth is 12" (305 mm).
- Keyboard surface adjusts 8" (203 mm) below surface to 10" (254 mm) above the surface.
- Keyboard mechanism is included and packaged separately.
- Wood grain application is always parallel to the Y dimension on all dual height corner work surfaces.
- PVC stopper is included and has to be field installed.

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU CD- 24 42- 1 GN, G-ACA Product code Surface type Width at ends Width/depth Finish code Grommet option Color code


Applications

Grommet position




Width: 42" (1067 mm)-
48" (1219 mm)


Dimensions



Extended corner surfaces, curved or straight front



Extended on left



Extended on right

Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended for curved fronts.

Price											
Specification	Code	W x D x H (in)	X	Y	Z1 or Z2	W x D x H (mm)	X	Y	Z1 or Z2	Thermofused laminate	High pressure laminate
Left surface											
24" (610 mm) deep	VUWE-3648-44-__L	48 x 36 x 1	24	11 3/4	—	1219 x 914 x 25	610	300	—	463	648
on both ends	VUWE-3654-44-__L	54 x 36 x 1	24	11 3/4	21 3/4	1372 x 914 x 25	610	300	553	490	673
	VUWE-3660-44-__L	60 x 36 x 1	24	11 3/4	21 3/4	1524 x 914 x 25	610	300	553	519	727
	VUWE-3666-44-__L	66 x 36 x 1	24	11 3/4	21 3/4	1676 x 914 x 25	610	300	553	562	785
	VUWE-3672-44-__L	72 x 36 x 1	24	11 3/4	21 3/4	1829 x 914 x 25	610	300	553	605	848
	VUWE-4254-44-__L	54 x 42 x 1	24	11 3/4	25 1/2	1372 x 1067 x 25	610	300	646	519	712
	VUWE-4260-44-__L	60 x 42 x 1	24	11 3/4	25 1/2	1524 x 1067 x 25	610	300	646	535	749
	VUWE-4266-44-__L	66 x 42 x 1	24	11 3/4	25 1/2	1676 x 1067 x 25	610	300	646	579	810
	VUWE-4272-44-__L	72 x 42 x 1	24	11 3/4	25 1/2	1829 x 1067 x 25	610	300	646	624	875
	VUWE-4854-44-__L	54 x 48 x 1	24	11 3/4	33 7/8	1372 x 1219 x 25	610	300	861	532	733
	VUWE-4860-44-__L	60 x 48 x 1	24	11 3/4	33 7/8	1524 x 1219 x 25	610	300	861	550	772
	VUWE-4872-44-__L	72 x 48 x 1	24	11 3/4	33 7/8	1829 x 1219 x 25	610	300	861	631	887
30" (762 mm) deep	VUWE-4854-55-__L	54 x 48 x 1	30	11 3/4	33 7/8	1372 x 1219 x 25	762	300	861	532	733
on both ends	VUWE-4860-55-__L	60 x 48 x 1	30	11 3/4	33 7/8	1524 x 1219 x 25	762	300	861	550	772
	VUWE-4872-55-__L	72 x 48 x 1	30	11 3/4	33 7/8	1829 x 1219 x 25	762	300	861	631	887
Right surface											
24" (610 mm) deep	VUWE-3648-44-__R	48 x 36 x 1	24	11 3/4	—	1219 x 914 x 25	610	300	—	463	648
on both ends	VUWE-3654-44-__R	54 x 36 x 1	24	11 3/4	21 3/4	1372 x 914 x 25	610	300	553	490	673
	VUWE-3660-44-__R	60 x 36 x 1	24	11 3/4	21 3/4	1524 x 914 x 25	610	300	553	519	727
	VUWE-3666-44-__R	66 x 36 x 1	24	11 3/4	21 3/4	1676 x 914 x 25	610	300	553	562	785
	VUWE-3672-44-__R	72 x 36 x 1	24	11 3/4	21 3/4	1829 x 914 x 25	610	300	553	605	848
	VUWE-4254-44-__R	54 x 42 x 1	24	11 3/4	25 1/2	1372 x 1067 x 25	610	300	646	519	712
	VUWE-4260-44-__R	60 x 42 x 1	24	11 3/4	25 1/2	1524 x 1067 x 25	610	300	646	535	749
	VUWE-4266-44-__R	66 x 42 x 1	24	11 3/4	25 1/2	1676 x 1067 x 25	610	300	646	579	810
	VUWE-4272-44-__R	72 x 42 x 1	24	11 3/4	25 1/2	1829 x 1067 x 25	610	300	646	624	875
	VUWE-4854-44-__R	54 x 48 x 1	24	11 3/4	33 7/8	1372 x 1219 x 25	610	300	861	532	733
	VUWE-4860-44-__R	60 x 48 x 1	24	11 3/4	33 7/8	1524 x 1219 x 25	610	300	861	550	772
	VUWE-4872-44-__R	72 x 48 x 1	24	11 3/4	33 7/8	1829 x 1219 x 25	610	300	861	631	887
30" (762 mm) deep	VUWE-4854-55-__R	54 x 48 x 1	30	11 3/4	33 7/8	1372 x 1219 x 25	762	300	861	532	733
on both ends	VUWE-4860-55-__R	60 x 48 x 1	30	11 3/4	33 7/8	1524 x 1219 x 25	762	300	861	550	772
	VUWE-4872-55-__R	72 x 48 x 1	30	11 3/4	33 7/8	1829 x 1219 x 25	762	300	861	631	887

Specification notes

- ▶ A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- ▶ 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.

Finish code	Grommet options	Extension choices (depth)
1 Thermofused laminate	GN Grommet round black	44 24" (610 mm) on left/24" (610 mm) on right
2 High pressure laminate	GS Grommet rectangular silver	55 30" (762 mm) on left/30" (762 mm) on right
	N No grommet	


Optional:

For straight front (Z2 radius), add the suffix **K** to the code (no upcharge).
Specify as follows and complete the code with desired option: VUWE-3660-441GNLK, G-ACA


Sample order	Applications
VU WE- 36 60- 44 1 GN L, G-ACA Product code Depth Extension choice (depth) Finish code Grommet option Left- or Right-hand surface Color code	Grommet position Dimensions Curved front Straight front Width: 48" (1219 mm)- 54" (1372 mm)- 60" (1524 mm)- 66" (1676 mm)- 72" (1829 mm)

2 Work surfaces

Extended transitional corner surfaces, curved or straight front



Extended transitional on left



Extended transitional on right

Cantilever supports must be ordered separately (see pages 73 and 74).

Specify finish color code.

*VAKW keyboard tray recommended for curved front.

											Price	
Specification	Code	W x D x H (in)	X	Y	Z1 or Z2	W x D x H (mm)	X	Y	Z1 or Z2	Thermofused laminate	High pressure laminate	
Left surface												
24" (610 mm)	VUWT-3648-45-__L	48 x 36 x 1	24	30	11 ¾	—	1219 x 914 x 25	610	762	300	—	463 648
deep on left/	VUWT-3654-45-__L	54 x 36 x 1	24	30	11 ¾	—	1372 x 914 x 25	610	762	300	—	490 673
30" (762 mm)	VUWT-4854-45-__L	54 x 48 x 1	24	30	11 ¾	33 ⅞	1372 x 1219 x 25	610	762	300	861	532 733
deep on right	VUWT-4860-45-__L	60 x 48 x 1	24	30	11 ¾	33 ⅞	1524 x 1219 x 25	610	762	300	861	550 772
	VUWT-4872-45-__L	72 x 48 x 1	24	30	11 ¾	33 ⅞	1829 x 1219 x 25	610	762	300	861	631 887
30" (762 mm)	VUWT-3648-54-__L	48 x 36 x 1	30	24	11 ¾	—	1219 x 914 x 25	762	610	300	—	463 648
deep on left/	VUWT-3654-54-__L	54 x 36 x 1	30	24	11 ¾	—	1372 x 914 x 25	762	610	300	—	490 673
24" (610 mm)	VUWT-4854-54-__L	54 x 48 x 1	30	24	11 ¾	33 ⅞	1372 x 1219 x 25	762	610	300	861	532 733
deep on right	VUWT-4860-54-__L	60 x 48 x 1	30	24	11 ¾	33 ⅞	1524 x 1219 x 25	762	610	300	861	550 772
	VUWT-4872-54-__L	72 x 48 x 1	30	24	11 ¾	33 ⅞	1829 x 1219 x 25	762	610	300	861	631 887
Right surface												
24" (610 mm)	VUWT-3648-45-__R	48 x 36 x 1	24	30	11 ¾	—	1219 x 914 x 25	610	762	300	—	463 648
deep on left/	VUWT-3654-45-__R	54 x 36 x 1	24	30	11 ¾	—	1372 x 914 x 25	610	762	300	—	490 673
30" (762 mm)	VUWT-4854-45-__R	54 x 48 x 1	24	30	11 ¾	33 ⅞	1372 x 914 x 25	610	762	300	861	532 733
deep on right	VUWT-4860-45-__R	60 x 48 x 1	24	30	11 ¾	33 ⅞	1524 x 1219 x 25	610	762	300	861	550 772
	VUWT-4872-45-__R	72 x 48 x 1	24	30	11 ¾	33 ⅞	1829 x 1219 x 25	610	762	300	861	631 887
30" (762 mm)	VUWT-3648-54-__R	48 x 36 x 1	30	24	11 ¾	—	1219 x 914 x 25	762	610	300	—	463 648
deep on left/	VUWT-3654-54-__R	54 x 36 x 1	30	24	11 ¾	—	1372 x 914 x 25	762	610	300	—	490 673
24" (610 mm)	VUWT-4854-54-__R	54 x 48 x 1	30	24	11 ¾	33 ⅞	1372 x 914 x 25	762	610	300	861	532 733
deep on right	VUWT-4860-54-__R	60 x 48 x 1	30	24	11 ¾	33 ⅞	1524 x 1219 x 25	762	610	300	861	550 772
	VUWT-4872-54-__R	72 x 48 x 1	30	24	11 ¾	33 ⅞	1829 x 1219 x 25	762	610	300	861	631 887

Specification notes

- ▶ A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See page 80.
- ▶ 60" (1524 mm) and wider surfaces must absolutely be supported mid-span by at least a cantilever, an end support or mid-support panel, a post or a fixed pedestal.


Finish code	Grommet options	Extension choices (depth)
1 Thermofused laminate	GN Grommet round black	45 24" (610 mm) on left/30" (762 mm) on right
2 High pressure laminate	GS Grommet rectangular silver	54 30" (762 mm) on left/24" (610 mm) on right
	N No grommet	

Optional:

For straight front (Z2 radius), add the suffix **K** to the code (no upcharge).
Specify as follows and complete the code with desired option: VUWT-4860-451GNLK, G-ACA

Sample order	Applications
VU WT- 48 60- 45 1 GN L, G-ACA Product code Surface type Width Extension choice (depth) Finish code Grommet option Left- or right-hand surface Color code	Grommet position Dimensions Curved front Straight front Width: 48" (1219 mm)- 54" (1372 mm)- 60" (1524 mm)- 66" (1676 mm)- 72" (1829 mm)

120-degree corner surfaces, curved front



Cantilever supports must be ordered separately (see pages 73 and 74).

For use of VUCA with a "link" work surface (VULA), use the 120-degree cantilever brackets VACA-L or VACA-R, page 74.

Specify finish color code.


* VAKW keyboard tray recommended for curved fronts.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price	
										Thermofused laminate	High pressure laminate
24" (610 mm) deep	VUCA-2436-__	36 x 36 x 1	24	17 1/4		914 x 914 x 25	610	440		718	999
	VUCA-2442-__	42 x 42 x 1	24	17 1/4		1067 x 1067 x 25	610	440		755	1,056
	VUCA-2448-__	48 x 48 x 1	24	17 1/4		1219 x 1219 x 25	610	440		795	1,113
	VUCA-2454-__	54 x 54 x 1	24	17 1/4		1372 x 1372 x 25	610	440		835	1,168
30" (762 mm) deep	VUCA-3036-__	36 x 36 x 1	30	17 1/4		914 x 914 x 25	762	440		718	999
	VUCA-3042-__	42 x 42 x 1	30	17 1/4		1067 x 1067 x 25	762	440		755	1,056
	VUCA-3048-__	48 x 48 x 1	30	17 1/4		1219 x 1219 x 25	762	440		795	1,113
	VUCA-3054-__	54 x 54 x 1	30	17 1/4		1372 x 1372 x 25	762	440		835	1,168

Finish code	Grommet options	Sample order
1 Thermofused laminate 2 High pressure laminate	GN Grommet round black GS Grommet rectangular silver N No grommet	VU CA- 24 36- 1 GN, G-ACA Product code Surface type Depth Width Finish code Grommet option Color code


Applications

Grommet position




Width: 36" (914 mm)- 42" (1067 mm)- 48" (1219 mm)- 54" (1372 mm)

Dimensions



120-degree link surfaces



For this application, use only VACA-L and VACA-R cantilever brackets and one table post.

Specify finish color code.


Cannot accommodate keyboards.

Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price	
										Thermofused laminate	High pressure laminate
24" (610 mm) deep	VULA-2424	24 x 24 x 1		2 1/4	26	610 x 610 x 25		58	660	275	385
30" (762 mm) deep	VULA-3030	30 x 30 x 1		2 1/4	32	762 x 762 x 25		58	812	344	481

Finish code	Sample order	Applications
1 Thermofused laminate 2 High pressure laminate	VU LA- 24 24- 1 N, G-ACA Product code Surface type Depth Width Finish code No grommet Color code	Dimensions 

2 Work surfaces

Straight counter tops



Two sets of counter top brackets must be ordered separately (see page 75). For 60" wide, three sets of counter top brackets are required.

Finished on both faces.

No grommet.

Specify finish color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
On 24" (610 mm) wide panel	VUT-1424	24 x 14 x 1	610 x 356 x 25	170	239
On 30" (762 mm) wide panel	VUT-1430	30 x 14 x 1	761 x 356 x 25	186	260
On 36" (914 mm) wide panel	VUT-1436	36 x 14 x 1	913 x 356 x 25	201	280
On 42" (1067 mm) wide panel	VUT-1442	42 x 14 x 1	1066 x 356 x 25	216	305
On 48" (1219 mm) wide panel	VUT-1448	48 x 14 x 1	1218 x 356 x 25	234	328
On 54" (1372 mm) wide panel	VUT-1454	54 x 14 x 1	1372 x 356 x 25	249	347
On 2 panels totaling 60" (1524 mm) wide	VUT-1460	60 x 14 x 1	1523 x 356 x 25	261	367

Specification notes

- ▶ A counter top is recommended only for use with a 44" (1112 mm) high panel or a combination of panels totaling 44" (1112 mm) in height, and is placed directly on the top finish post.
- ▶ Straight counter top must match the width of panel or be specified a maximum of 6" (151 mm) wider on each end of panel.

Finish code	Sample order	Applications
1 Thermofused laminate 2 High pressure laminate	VU T- 14 30- 1 N, G-ACA Product code Surface type Depth Width Finish code No grommet Color code	Dimensions 36" (913 mm) 48" (1218 mm)

Corner counter tops



Three sets of counter top brackets must be ordered separately (see page 75).

Finished on both faces.

No grommet.

Specify finish color code.


Specification	Code	W x D x H (in)	X	Y	Z	W x D x H (mm)	X	Y	Z	Price	
										Thermofused laminate	High pressure laminate
On 2 x 24" (610 mm) wide panels	VUTC-1424	32 x 32 x 1	14	13 3/4		814 x 814 x 25	356	350	342	478	
On 2 x 30" (762 mm) wide panels	VUTC-1430	38 x 38 x 1	14	13 3/4		966 x 966 x 25	356	350	371	573	
On 2 x 36" (914 mm) wide panels	VUTC-1436	44 x 44 x 1	14	13 3/4		1118 x 1118 x 25	356	350	400	686	

Specification notes

- ▶ A countertop is recommended only for use with a 44" (1112 mm) high panel or a combination of panels totaling 44" (1112 mm) in height, and is placed directly on the top finish post.
- ▶ Corner counter top must match the width of panel and cannot exceed it.

Finish code	Sample order	Applications
1 Thermofused laminate 2 High pressure laminate	VU TC- 14 30- 1 N, G-ACA Product code Surface type Depth at ends Width/depth Finish code No grommet Color code	Dimensions

Standard cantilever brackets



Left

Sold separately or in pairs (1 left, 1 right)..


Black. Small flat bracket and mounting hardware are included (wood screws and machine screws).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Left	VACL-1	1 x 16 1/2 x 9	25 x 419 x 229	51
Right	VACR-1	1 x 16 1/2 x 9	25 x 419 x 229	51
Pair	VACP-2	1 x 16 1/2 x 9	25 x 419 x 229	95

Specification notes

- ▶ Mount into the panel side rail to support work surfaces.
- ▶ For surfaces 60" (1524 mm) wide or more, you must order 3 cantilever brackets.
- ▶ For 20" (508 mm), 24" (610 mm) and 30" (762 mm) deep surfaces.
- ▶ A cantilever cannot support 2 consecutive surfaces. Each surface needs its own set of brackets.

Applications




Layout configuration:

Surface: All rectangular, transitional or asymmetrical surfaces
VUR-VURE-VURR-VURT-VUA

Width: 24" (610 mm) to 50" (1270 mm)
Support: 1 left/1 right cantilever brackets
VACP-2


Width: 60" (1524 mm) to 72" (1829 mm)
Support: 2 left/1 right cantilever brackets
VACP-2 + VACL-1



Layout configuration:

Surface: All D-shape and P-shape surfaces
VUD-VUDE-VUP


Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left or 1 right cantilever bracket
VACL-1 or VACR-1



Layout configuration:

Surface: D-shape and conference end surfaces
VUD and VURC


Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left/1 right cantilever brackets
VACP-2



Layout configuration:

Surface: All corner surfaces, all VUW 48" (1219 mm)
VUC-VUCC-VUCD-VUWE48-VUWT48

Width: 24" (610 mm) to 48" (1219 mm)
Support: 1 left/1 right cantilever brackets
VACP-2



Layout configuration:

Surface: Extended corner surfaces
VUWE-VUWT


Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 left/1 right cantilever brackets
VACP-2 + VACL-1



Layout configuration:

Surface: Pedestal applications

Depth: 24" (610 mm) to 30" (762 mm)
Support: 1 left or 1 right cantilever bracket
VACL-1 or VACR-1 in the middle and use VAPB-1 in the back corners of the pedestal.




Layout configuration:


Surface: Asymmetrical, used in VUA return position VUA
Depth: 36" (914 mm) to 72" (1829 mm)
Support: Cantilever bracket (1 left or 1 right) VACL-1 or VACR-1

2 Supports

120-degree cantilever brackets for link application



Right



Left

Single bracket.


Black. Small flat bracket and mounting hardware are included (wood screws and machine screws).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Left	VACA-L	3 ¾ x 16 ½ x 9	95 x 419 x 229	99
Right	VACA-R	3 ¾ x 16 ½ x 9	95 x 419 x 229	99


Specification notes

- Sold separately.
- Provide cantilever support to link 120 bridge surface and 120 corner surface applications (see Application diagram).
- Mount into the panel side trim rail.

Applications



Panel brackets



Package of 1 pair.


Black. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Pair	VAPB-2	3 x 4 ¼ x 5 ½	76 x 108 x 134	37

Specification notes

- Mount into the panel side rail to support work surfaces where a standard cantilever is not appropriate.
- Used to support rear of surface when a hanging or fixed pedestal is installed, and to support front of surface if a return panel is specified.
- Allow a universal installation (left or right).

Applications



Layout configuration:

Surface: All D-shape and P-shape surfaces
VUD-VUDE-VUP

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of panel brackets
VAPB-2

Note: Use 1 left or 1 right. Re-use the other one in mirror station.



Layout configuration:

Surface: Pedestal applications
Depth: 24" (610 mm) to 30" (762 mm)
Support: 1 left or 1 right cantilever bracket
VACL-1 or VACR-1 in the middle and use VAPB-1 in the back corners of the pedestal.




Layout configuration:

Surface: Extended corner surfaces
VUWE-VUWT


Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of panel brackets
VAPB-2

Note: Use 1 left or 1 right. Re-use the other one in mirror station.



Layout configuration:


Surface: Asymmetrical used in VUA return position
Depth: 36" (914 mm) to 72" (1829 mm)
Support: Cantilever bracket (1 left or 1 right) VACL-1 or VACR-1



Layout configuration:

Surface: Variable height installation


Depth: 24" (610 mm) to 30" (762 mm)
Support: 2 sets of panel brackets
VAPB-2



Layout configuration:

Surface: Trapezoidal conference end surface VUAC
Depth: 36" (914 mm) to 72" (1829 mm)
Support: 1 set of brackets for VAPB-2 panels

Corner bracket



Package of 1.


Black. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VACB-1	1 7/8 x 8 3/4 x 4 3/4	48 x 222 x 121	19

Specification notes

- Used to mount a corner surface into a panel side rail.
- Just one bracket is needed per work surface.


Applications



Layout configuration:

Surface: All corner surfaces, all VUW 48" (1219 mm)
VUC-VUCC-VUWE48-VUWT48-VUCA


Width: 24" (610 mm) to 48" (1219 mm)
Support: 1 corner bracket
VACB-1



Layout configuration:

Surface: Dual height corners
VUCD

Width: 42" (1067 mm) to 48" (1219 mm)
Support: 1 corner bracket
VACB-1




Layout configuration:

Surface: Extended corner surfaces
VUWE-VUWT

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 corner bracket
VACB-1

Counter top brackets



Package of 2.

Black. Small flat bracket and mounting hardware are included (wood screws).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Pair	VABT-2	1 1/2 x 2 1/4 x 3 3/4	38 x 57 x 86	14


Specification notes

- Mount into the panel side rail to support counter top work surfaces.
- Use only on a 44" (1112 mm) high panel or on a panel combination equaling 44" (1112 mm) in height.

Trim/metal colors	Sample order	Applications	
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VABT- 2, TR-K Product code Pair Trim/metal color		
		Layout configuration: Surface: Straight counter tops VUT Width: 30" (762 mm) to 48" (1219 mm) Support: 2 sets of brackets for VABT-2 counter tops Width: 60" (1524 mm) Support: 3 sets of brackets for VABT-2 counter tops. For this type of application, 2 panels must support the counter top.	Layout configuration: Surface: Corner counter tops VUTC Width: 24" (610 mm) to 36" (914 mm) Support: 3 sets of brackets for VABT-2 counter tops. For this type of application, 2 panels must support the counter top.

2 Supports

Flat brackets




Package of 2.
Black. Mounting hardware
(wood screws) included.
Grade 11 steel.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Set of 2	VAFB-2	4 x 3 x 1/16	102 x 43 x 2	25

Specification notes

- Allow the mounting of a D- or P-shape and extension work surfaces to other work surfaces.

Applications




Layout configuration:

Surface: D-shape surface
VUD

Width: 60" (1524 mm) to 72" (1829 mm)
Support: 1 set of flat brackets
VAFB-2

Table post




Package of 1.
Black. Mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VATL-1	3 x 3 x 28	89 x 89 x 711	152

Specification notes

- Glide provides 1 1/2" (38 mm) height adjustment.
- 2 1/4" (57 mm) diameter post.
- 6" (152 mm) centered square plate.

Applications




Layout configuration:

Surface: All D-shape, P-shape surfaces
VUD-VUDE-VUP-VUEA-VUER-VULA

Width: 50" (1270 mm) to 72" (1829 mm)
Support: 1 table post

Table post




Package of 1.
Metallic silver. Mounting
hardware (wood screws)
included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single round post	VLGC-VTL1	2 x 2 x 28	51 x 51 x 713	152

Specification notes

- Glide provides 1 1/4" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 1/4" (130 mm) square flat bracket.

Applications




Layout configuration:

Surface: All D-shape, P-shape and double extension surfaces
VUD-VUDE-VUP-VUEA-VUER-VUCA

Width: 50" (1270 mm) to 72" (1829 mm)
Support: 1 table post

Table post




Package of 1.
Metallic silver. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square post	VLGC-QL1	2 1/2 x 2 1/2 x 28	64 x 64 x 713	151

Specification notes

- Glide provides 1 1/4" (32 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.
- Centered 5 1/4" (130 mm) square flat bracket.

Applications



Layout configuration:

Surface: All rectangular link surfaces
VUR-VURE-VURT-VULA-VUA-VUAC-VURC-VUEA-VUER

Support: 2 table posts for rectangular surfaces

Adjustable table post




Package of 1.
Charcoal. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Adjustable round post	VAAL-1	2 1/4 x 2 1/4 x 27-31	57 x 57 x 686-787	126

Specification notes

- 4" (102 mm) glide adjustment range allows work surface heights from 27" (686 mm) to 31" (787 mm).
- 2 1/4" (57 mm) diameter post.
- 6" (152 mm) round diameter top plate.

Applications




Layout configuration:

Surface: All D-shape and P-shape surfaces
VUD-VUDE-VUP-VUE-VULA

Width: 50" (1270 mm) to 72" (1829 mm)

Support: 1 table post

Table post




Package of 1.
Metallic silver.
Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Square pedestal	VLGC-SB17	17 x 17 x 28	432 x 432 x 711	572

Specification notes

- Glides provide 1/8" (3 mm) height adjustment.
- Finish with metallic silver, ultra-resistant, electrostatic paint.

Applications




Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

2 Supports

Open frame legs




Package of 1.
Metallic silver.
Mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface	VLGC-LP24	23 1/2 x 2 x 28	597 x 52 x 713	406
Leg for 30" (762 mm) surface	VLGC-LP30	29 1/2 x 2 x 28	747 x 52 x 713	432

Specification notes

- ▶ Glides provide 1 1/2" (38 mm) height adjustment.
- ▶ Finish with metallic silver, ultra-resistant, electrostatic paint.


Applications




Layout configuration:

Surface: All rectangular and trapezoidal conference end surfaces as well as asymmetrical surfaces.
VURC-VUAC-VUA

Panel-mounted open frame legs



Left installation



Right installation


Package of 1.
Metallic silver.
Support and
mounting hardware
(wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Leg for 24" (610 mm) surface				
Left installation	VLGC-LP24PL	23 1/2 x 2 x 28	597 x 52 x 713	484
Right installation	VLGC-LP24PR	23 1/2 x 2 x 28	597 x 52 x 713	484
Leg for 30" (762 mm) surface				
Left installation	VLGC-LP30PL	29 1/2 x 2 x 28	747 x 52 x 713	510
Right installation	VLGC-LP30PR	29 1/2 x 2 x 28	747 x 52 x 713	510

Specification notes

- ▶ To be used where an additional work surface support is needed to replace a standard cantilever.
- ▶ Glides provide 2" (51 mm) height adjustment.
- ▶ Finish with metallic silver, ultra-resistant, electrostatic paint.


Applications



Layout configuration:

Surface: All rectangular, transitional rectangular and asymmetrical surfaces.
VUR-VURC- VUA

End support panels



Single end panel, 2 flat brackets, glides and mounting hardware (wood screws) included.

No grommet.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface depth: 20" (508 mm)	VUSE-20	1 x 20 x 28	25 X 508 X 713	265
Surface depth: 24" (610 mm)	VUSE-24	1 x 24 x 28	25 x 610 x 698	281
Surface depth: 30" (762 mm)	VUSE-30	1 x 30 x 28	25 x 762 x 698	314


Specification notes

- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat bracket allows for left, right and centre installation.
- Glides provide 1 1/2" (38 mm) height adjustment.
- A reversible end panel cannot replace a return panel.

Sample order

VU	SE-	24-	1	N,	G-ACA
Product code	Support type	Depth	Finish code	No grommet	Color code

Applications




Layout configuration:

Surface: For any end panel

Width: 20" (508 mm) to 30" (762 mm)

Support: 1 support panel

Mid-support panel



Support panel, flat bracket, glides and mounting hardware (wood screws) included.

Cut-out for wire access.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VUSE-11	1 X 10 3/4 X 28	25 X 272 X 713	172

Specification notes


- Use where extra work surface support is needed to replace a standard cantilever bracket.
- Universal flat plate allows for left, centre or right installation.
- Glide provides 1 1/2" (38 mm) height adjustment.
- A single end panel cannot replace a return panel.

Sample order

VU	SE-	11-	1	N,	G-ACA
Product code	Support type	Laminate	No grommet	Color code	

2 Supports


Wall tracks



Package of 2 wall tracks.
Mounting hardware included.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
60" (1524 mm) high	VBT-60	5/8 x 3/4 x 60	16 x 19 x 1524	126
84" (2134 mm) high	VBT-84	5/8 x 3/4 x 84	16 x 19 x 2134	189
Specification notes		Trim/metal colors	Sample order	
Use to attach panel components to structural walls. See pages 33 to 42.		TR-E Smoke	VBT- 60, TR-K Product Trim/ code metal Height color	
		TR-G Grey tone		
		TR-K Charcoal		
		TR-R Beige		
		TR-LE Metallic silver		


Work surface reinforcement bars



Package of 1.
Black metal. Mounting hardware (wood screws) included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Surface length of 48" (1219 mm)	VLGC-BAR43	43 x 1 1/2 x 1 1/2	1092 x 38 x 38	134
Surface length of 54" (1372 mm)	VLGC-BAR49	49 x 1 1/2 x 1 1/2	1245 x 38 x 38	146
Specification notes	Applications			
- A reinforcement bar is recommended for 48" (1219 mm) and 54" (1372 mm) wide work surfaces, unless the surfaces are supported mid-span by a standard cantilever, an end support panel, or a fixed pedestal. See pages 73, 79 and 93. - Work surface reinforcement bar is not intended to replace cantilevers or other work surface support options.				

Overhead full height shelves



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included. Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-1424	24 x 13 3/4 x 13 3/4	610 x 350 x 337	149
	VSS-1430	30 x 13 3/4 x 13 3/4	762 x 350 x 337	155
	VSS-1436	36 x 13 3/4 x 13 3/4	914 x 350 x 337	161
	VSS-1442	42 x 13 3/4 x 13 3/4	1067 x 350 x 337	168
	VSS-1448	48 x 13 3/4 x 13 3/4	1219 x 350 x 337	174
	VSS-1454	54 x 13 3/4 x 13 3/4	1372 x 350 x 337	181
	VSS-1460	60 x 13 3/4 x 13 3/4	1524 x 350 x 337	188

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).


Trim/metal colors

Sample order

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VSS- 14 30, TR-K
 | |
 Product code Width
 Height Trim/
 metal color

Overhead low height shelves



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, anti-dislodgment clips and mounting hardware included. Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal shelf	VSS-0824	24 x 13 3/4 x 8	610 x 350 x 203	139
	VSS-0830	30 x 13 3/4 x 8	762 x 350 x 203	145
	VSS-0836	36 x 13 3/4 x 8	914 x 350 x 203	151
	VSS-0842	42 x 13 3/4 x 8	1067 x 350 x 203	157
	VSS-0848	48 x 13 3/4 x 8	1219 x 350 x 203	162
	VSS-0854	54 x 13 3/4 x 8	1372 x 350 x 203	170
	VSS-0860	60 x 13 3/4 x 8	1524 x 350 x 203	177

Specification notes

- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors


Sample order

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

VSS- 08 30, TR-K
 | |
 Product code Width
 Height Trim/
 metal color

3 Shelves and overhead storage units

Overhead storage cabinets with flipper door (standard hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips with black lock and hardware included.

Hinges come installed on door.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	338
	VSO-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	356
	VSO-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	373
	VSO-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	392
	VSO-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	412
	VSO-1654	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	434
Metal cabinet/laminate flipper door	VSO-1660	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	454
	VSO-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	459
	VSO-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	482
	VSO-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	504
	VSO-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	530
	VSO-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	557
	VSO-1654-L	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	584
	VSO-1660-L	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	615

Specification notes

- Mount onto the panel side rail or onto the first upholstered stackable panel.
- Field assembly required.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSO- 16 30, TR-K Product code Height Width Trim/metal color	► For a laminate door, specify as follows and complete with laminate finish code: VSO-1630-L, TR-K, G-ACA

Overhead storage cabinets with flipper door (soft-close hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, anti-dislodgment clips and hardware included.

Soft-close hinges come installed on door.


Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSO-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	549
with soft-close hinges	VSO-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	567
	VSO-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	584
	VSO-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	603
	VSO-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	623
	VSO-1654-S	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	644
	VSO-1660-S	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	665
Metal cabinet/laminate flipper door	VSO-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	668
with soft-close hinges	VSO-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	693
	VSO-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	716
	VSO-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	740
	VSO-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	768
	VSO-1654-LS	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	795
	VSO-1660-LS	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	825


Specification notes

- ▶ Mount onto the panel side rail or onto the first upholstered stackable panel.
- ▶ Door stows on top of unit.
- ▶ Field assembly required.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSO- 16 24- S, TR-K Product code Width Trim/metal color Height Soft-close hinges	▶ For a laminate door, specify as follows and complete with laminate finish code: VSO-1624-LS, TR-K, G-ACA



Up-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Hinges come installed on door.


Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	701
	VSM-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	725
	VSM-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	755
	VSM-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	785
	VSM-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	816
Metal cabinet/laminate flipper door	VSM-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	821
	VSM-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	849
	VSM-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	883
	VSM-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	918
	VSM-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	955

Specification notes

- ▶ May not be installed on a stackable panel.
- ▶ Door stows on top of unit.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Shelf dividers must be ordered separately (see page 98).
- ▶ Require field assembly of door and end supports.


Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSM- 16 24, TR-K Product code Width Trim/metal color Height	▶ For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-L, TR-K, G-ACA



3 Shelves and overhead storage units

Panels

Up-mounted storage cabinets with flipper door (soft-close hinges)



Metal. Shelf, full back, end supports, top, sides, door with black lock and hardware are included.

Soft-close hinges come installed on door.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSM-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	912
with soft-close hinges	VSM-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	936
	VSM-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	966
	VSM-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	995
	VSM-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	1,028
Metal cabinet/laminate flipper door	VSM-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	1,031
with soft-close hinges	VSM-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	1,059
	VSM-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	1,094
	VSM-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	1,128
	VSM-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	1,165


Specification notes

- May not be installed on a stackable panel.
- Require field assembly of door and end supports.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSM- 16 24- S, TR-K Product code Width Height Soft-close hinges Trim/metal color	For a laminate door, specify as follows and complete with laminate finish code: VSM-1630-LS, TR-K, G-ACA

Work surfaces

Wall-mounted storage cabinets with flipper door (standard hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock and mounting hardware are included.

Hinges come installed on door.

Anchors are **not** included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624	24 x 14 1/2 x 15 3/4	610 x 368 x 400	390
	VSW-1630	30 x 14 1/2 x 15 3/4	762 x 368 x 400	410
	VSW-1636	36 x 14 1/2 x 15 3/4	914 x 368 x 400	430
	VSW-1642	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	452
	VSW-1648	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	474
	VSW-1654	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	498
	VSW-1660	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	521
Metal cabinet/laminate flipper door	VSW-1624-L	24 x 14 1/2 x 15 3/4	610 x 368 x 400	525
	VSW-1630-L	30 x 14 1/2 x 15 3/4	762 x 368 x 400	532
	VSW-1636-L	36 x 14 1/2 x 15 3/4	914 x 368 x 400	575
	VSW-1642-L	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	586
	VSW-1648-L	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	614
	VSW-1654-L	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	649
	VSW-1660-L	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	682

Specification notes


- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSW- 16 24, TR-K Product code Width Height Trim/metal color	For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-L, TR-K, G-ACA

Storage furniture

Accessories

Wall-mounted storage cabinets (soft-close hinges)



Metal. Shelf with 3/8" (10 mm) high back lip, built-in end supports, top, door with black lock, and mounting hardware are included.

Soft-close hinges come installed on door.

Anchors are **not** included. Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal cabinet/metal flipper door	VSW-1624-S	24 x 14 1/2 x 15 3/4	610 x 368 x 400	601
with soft-close hinges	VSW-1630-S	30 x 14 1/2 x 15 3/4	762 x 368 x 400	621
	VSW-1636-S	36 x 14 1/2 x 15 3/4	914 x 368 x 400	641
	VSW-1642-S	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	662
	VSW-1648-S	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	684
	VSW-1654-S	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	708
	VSW-1660-S	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	720
Metal cabinet/ laminate flipper door	VSW-1624-LS	24 x 14 1/2 x 15 3/4	610 x 368 x 400	735
with soft-close hinges	VSW-1630-LS	30 x 14 1/2 x 15 3/4	762 x 368 x 400	743
	VSW-1636-LS	36 x 14 1/2 x 15 3/4	914 x 368 x 400	769
	VSW-1642-LS	42 x 14 1/2 x 15 3/4	1067 x 368 x 400	796
	VSW-1648-LS	48 x 14 1/2 x 15 3/4	1219 x 368 x 400	824
	VSW-1654-LS	54 x 14 1/2 x 15 3/4	1372 x 368 x 400	860
	VSW-1660-LS	60 x 14 1/2 x 15 3/4	1524 x 368 x 400	893

Specification notes

- Field assembly required.
- Must be properly anchored to a structural wall.
- Door stows on top of unit.
- Accept specified tasklight (see page 116). Sold separately.
- Shelf dividers must be ordered separately (see page 98).
- Optional non-structural back is available for aesthetic purposes (see page 85).

Trim/metal colors	Sample order	Laminate door front option
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSW- 16 24- S, TR-K Product code Height Width Soft-close hinges Trim/metal color	For a laminate door, specify as follows and complete with laminate finish code: VSW-1630-LS, TR-K, G-ACA

Back for wall-mounted storage cabinets



Metal painted back and mounting hardware are included.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Metal back for	VSWB-1624-P	23 3/4 x 3 3/4 x 15 1/4	608 x 19 x 390	139
wall-mounted overhead	VSWB-1630-P	29 3/4 x 3 3/4 x 15 1/4	756 x 19 x 390	149
	VSWB-1636-P	35 3/4 x 3 3/4 x 15 1/4	908 x 19 x 390	161
	VSWB-1642-P	41 3/4 x 3 3/4 x 15 1/4	1060 x 19 x 390	171
	VSWB-1648-P	47 3/4 x 3 3/4 x 15 1/4	1213 x 19 x 390	181
	VSWB-1654-P	53 3/4 x 3 3/4 x 15 1/4	1365 x 19 x 390	193
	VSWB-1660-P	59 3/4 x 3 3/4 x 15 1/4	1518 x 19 x 390	203


Specification notes

- Used to cover wall-mount attachment brackets.
- For use on wall-mounted storage units only (VSW).
- Back must match width of wall-mounted storage units.
- Field assembly required.


Trim/metal colors	Sample order
TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VSWB- 16 24- P, TR-K Product code Height Width Metal paint Trim/metal color

3 Shelves and overhead storage units

Open laminate overhead storage units



Single storage unit



Double storage unit

Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Single	VEO-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	780
	VEO-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	816
	VEO-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	837
	VEO-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	853
Double	VEO-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	957
	VEO-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	978
	VEO-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	988
	VEO-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,014
	VEO-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,040

Specification notes


- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.

Sample order

VEO- 16 24, G-ACA

Product code | Height | Width | Color code

Open laminate overhead storage units with sliding door



Mounting hardware included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOS-1636	36 x 14 1/2 x 15 3/4	914 x 369 x 400	1,097
	VEOS-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,113
	VEOS-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,316
	VEOS-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	1,357
	VEOS-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	1,383
	VEOS-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	1,414
	VEOS-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	1,446

Specification notes


- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Sliding door has no lock and covers half of storage unit.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.

Sample order

VEOS- 16 36, G-ACA, G-ACA

Product code | Height | Width | Color code | Face color code

Open laminate overhead storage units with whiteboard sliding door



Mounting hardware included.
Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Double	VEOSW-1636	36 x 14 ½ x 15 ¾	914 x 369 x 400	1,326
	VEOSW-1642	42 x 14 ½ x 15 ¾	1067 x 369 x 400	1,362
	VEOSW-1648	48 x 14 ½ x 15 ¾	1219 x 369 x 400	1,508
	VEOSW-1654	54 x 14 ½ x 15 ¾	1372 x 369 x 400	1,570
	VEOSW-1660	60 x 14 ½ x 15 ¾	1524 x 369 x 400	1,612
	VEOSW-1666	66 x 14 ½ x 15 ¾	1676 x 369 x 400	1,669
	VEOSW-1672	72 x 14 ½ x 15 ¾	1829 x 369 x 400	1,732

Specification notes

- ▶ Mount onto the panel side rails. May not be installed on a stackable panel.
- ▶ Sliding door has no lock and covers half of storage unit.
- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ Field assembly required.


Sample order

VEOSW- 16 36, G-ACA


Product code Height Width Color code

3 Shelves and overhead storage units


Open laminate center-mounted storage units



Single storage unit



Double storage unit



Shared storage unit

Mounting hardware included.
Specify support and laminate
color codes.



Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEP-0824	24 x 13 3/4 x 8	610 x 350 x 203	572
	VEP-0830	30 x 13 3/4 x 8	762 x 350 x 203	588
	VEP-0836	36 x 13 3/4 x 8	914 x 350 x 203	603
	VEP-0842	42 x 13 3/4 x 8	1067 x 350 x 203	619
Double	VEP-0848	48 x 13 3/4 x 8	1219 x 350 x 203	712
	VEP-0854	54 x 13 3/4 x 8	1372 x 350 x 203	738
	VEP-0860	60 x 13 3/4 x 8	1524 x 350 x 203	749
	VEP-0866	66 x 13 3/4 x 8	1676 x 350 x 203	780
Shared	VEP-0872	72 x 13 3/4 x 8	1829 x 350 x 203	801
	VDEP-0842	42 x 13 3/4 x 8	1067 x 350 x 203	770
	VDEP-0848	48 x 13 3/4 x 8	1219 x 350 x 203	744
	VDEP-0854	54 x 13 3/4 x 8	1372 x 350 x 203	764
Double	VDEP-0860	60 x 13 3/4 x 8	1524 x 350 x 203	780
	VDEP-0866	66 x 13 3/4 x 8	1676 x 350 x 203	816
	VDEP-0872	72 x 13 3/4 x 8	1829 x 350 x 203	832
Height 14" (356 mm)				
Single	VEP-1424	24 x 13 3/4 x 14	610 x 350 x 356	598
	VEP-1430	30 x 13 3/4 x 14	762 x 350 x 356	608
	VEP-1436	36 x 13 3/4 x 14	914 x 350 x 356	629
	VEP-1442	42 x 13 3/4 x 14	1067 x 350 x 356	645
Double	VEP-1448	48 x 13 3/4 x 14	1219 x 350 x 356	754
	VEP-1454	54 x 13 3/4 x 14	1372 x 350 x 356	780
	VEP-1460	60 x 13 3/4 x 14	1524 x 350 x 356	790
	VEP-1466	66 x 13 3/4 x 14	1676 x 350 x 356	827
Shared	VEP-1472	72 x 13 3/4 x 14	1829 x 350 x 356	842
	VDEP-1442	42 x 13 3/4 x 14	1067 x 350 x 356	811
	VDEP-1448	48 x 13 3/4 x 14	1219 x 350 x 356	780
	VDEP-1454	54 x 13 3/4 x 14	1372 x 350 x 356	801
Double	VDEP-1460	60 x 13 3/4 x 14	1524 x 350 x 356	822
	VDEP-1466	66 x 13 3/4 x 14	1676 x 350 x 356	858
	VDEP-1472	72 x 13 3/4 x 14	1829 x 350 x 356	879
Height 16" (400 mm)				
Single	VEP-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	603
	VEP-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	619
	VEP-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	640
	VEP-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	655
Double	VEP-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	764
	VEP-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	790
	VEP-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	806
	VEP-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	837
Shared	VEP-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	858
	VDEP-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	822
	VDEP-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	796
	VDEP-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	816
Double	VDEP-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	837
	VDEP-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	874
	VDEP-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	889

Specification notes



- Accept specified tasklight (see page 116). Sold separately.
- For more details on the finish elements to use, see page 7.
- Field assembly required.

Metal bracket colors	Sample order
TR-K Charcoal	VEP- 08 24- TR-K G-ACA
TR-R Beige	
TR-LE Metallic silver	
	Product code Height Width Bracket color Color code


Open laminate center-mounted storage units with whiteboard on back



Single storage unit



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 8" (203 mm)				
Single	VEPW-0824	24 x 13 3/4 x 8	610 x 350 x 203	629
	VEPW-0830	30 x 13 3/4 x 8	762 x 350 x 203	650
	VEPW-0836	36 x 13 3/4 x 8	914 x 350 x 203	676
	VEPW-0842	42 x 13 3/4 x 8	1067 x 350 x 203	697
Double	VEPW-0848	48 x 13 3/4 x 8	1219 x 350 x 203	806
	VEPW-0854	54 x 13 3/4 x 8	1372 x 350 x 203	837
	VEPW-0860	60 x 13 3/4 x 8	1524 x 350 x 203	858
	VEPW-0866	66 x 13 3/4 x 8	1676 x 350 x 203	894
	VEPW-0872	72 x 13 3/4 x 8	1829 x 350 x 203	920
	VDEPW-0842	42 x 13 3/4 x 8	1067 x 350 x 203	874
Shared	VDEPW-0848	48 x 13 3/4 x 8	1219 x 350 x 203	837
	VDEPW-0854	54 x 13 3/4 x 8	1372 x 350 x 203	842
	VDEPW-0860	60 x 13 3/4 x 8	1524 x 350 x 203	858
	VDEPW-0866	66 x 13 3/4 x 8	1676 x 350 x 203	900
	VDEPW-0872	72 x 13 3/4 x 8	1829 x 350 x 203	910
	VDEPW-0842	42 x 13 3/4 x 8	1067 x 350 x 203	874
Height 14" (356 mm)				
Single	VEPW-1424	24 x 13 3/4 x 14	610 x 350 x 356	671
	VEPW-1430	30 x 13 3/4 x 14	762 x 350 x 356	702
	VEPW-1436	36 x 13 3/4 x 14	914 x 350 x 356	733
	VEPW-1442	42 x 13 3/4 x 14	1067 x 350 x 356	759
	VEPW-1448	48 x 13 3/4 x 14	1219 x 350 x 356	884
	VEPW-1454	54 x 13 3/4 x 14	1372 x 350 x 356	931
Double	VEPW-1460	60 x 13 3/4 x 14	1524 x 350 x 356	952
	VEPW-1466	66 x 13 3/4 x 14	1676 x 350 x 356	1,004
	VEPW-1472	72 x 13 3/4 x 14	1829 x 350 x 356	1,040
	VDEPW-1442	42 x 13 3/4 x 14	1067 x 350 x 356	936
	VDEPW-1448	48 x 13 3/4 x 14	1219 x 350 x 356	910
	VDEPW-1454	54 x 13 3/4 x 14	1372 x 350 x 356	957
Shared	VDEPW-1460	60 x 13 3/4 x 14	1524 x 350 x 356	988
	VDEPW-1466	66 x 13 3/4 x 14	1676 x 350 x 356	1,035
	VDEPW-1472	72 x 13 3/4 x 14	1829 x 350 x 356	1,066
	VDEPW-1442	42 x 13 3/4 x 14	1067 x 350 x 356	936
	VDEPW-1448	48 x 13 3/4 x 14	1219 x 350 x 356	910
	VDEPW-1454	54 x 13 3/4 x 14	1372 x 350 x 356	957
Height 16" (400 mm)				
Single	VEPW-1624	24 x 13 3/4 x 15 3/4	610 x 350 x 400	686
	VEPW-1630	30 x 13 3/4 x 15 3/4	762 x 350 x 400	718
	VEPW-1636	36 x 13 3/4 x 15 3/4	914 x 350 x 400	754
	VEPW-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	785
	VEPW-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	915
	VEPW-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	962
Double	VEPW-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	988
	VEPW-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,040
	VEPW-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,082
	VDEPW-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	962
	VDEPW-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	941
	VDEPW-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	988
Shared	VDEPW-1660	60 x 13 3/4 x 15 3/4	1524 x 350 x 400	1,024
	VDEPW-1666	66 x 13 3/4 x 15 3/4	1676 x 350 x 400	1,066
	VDEPW-1672	72 x 13 3/4 x 15 3/4	1829 x 350 x 400	1,102
	VDEPW-1642	42 x 13 3/4 x 15 3/4	1067 x 350 x 400	962
	VDEPW-1648	48 x 13 3/4 x 15 3/4	1219 x 350 x 400	941
	VDEPW-1654	54 x 13 3/4 x 15 3/4	1372 x 350 x 400	988

Specification notes

- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ For more details on the finish elements to use, see page 7.
- ▶ Field assembly required.

Metal bracket colors


TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPW- 08 24- TR-K G-ACA
 |
 Product code Height Bracket color Color code
 |
 Width

3 Shelves and overhead storage units

Laminate center-mounted storage units with flipper door (standard hinges)



Mounting hardware included.
Hinges come installed on door.
Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624	24 x 14 ½ x 16 ¼	610 x 368 x 413	788
	VEPP-1630	30 x 14 ½ x 16 ¼	762 x 368 x 413	815
	VEPP-1636	36 x 14 ½ x 16 ¼	914 x 368 x 413	838
	VEPP-1642	42 x 14 ½ x 16 ¼	1067 x 368 x 413	865
	VEPP-1648	48 x 14 ½ x 16 ¼	1219 x 368 x 413	981
	VEPP-1654	54 x 14 ½ x 16 ¼	1372 x 368 x 413	1,004
	VEPP-1660	60 x 14 ½ x 16 ¼	1524 x 368 x 413	1,025

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Field assembly required.

Metal bracket colors


TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPP- 16 24, TR-K G-ACA, G-GAN

Product code Height Width Bracket color Color code Face color code

Laminate center-mounted storage units with flipper door (soft-close hinges)



Mounting hardware included.
Soft-close hinges come installed on door.
Specify support and laminate color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VEPP-1624-S	24 x 14 ½ x 16 ¼	610 x 368 x 413	920
	VEPP-1630-S	30 x 14 ½ x 16 ¼	762 x 368 x 413	948
	VEPP-1636-S	36 x 14 ½ x 16 ¼	914 x 368 x 413	970
	VEPP-1642-S	42 x 14 ½ x 16 ¼	1067 x 368 x 413	997
	VEPP-1648-S	48 x 14 ½ x 16 ¼	1219 x 368 x 413	1,114
	VEPP-1654-S	54 x 14 ½ x 16 ¼	1372 x 368 x 413	1,136
	VEPP-1660-S	60 x 14 ½ x 16 ¼	1524 x 368 x 413	1,158

Specification notes

- For more details on the finish elements to use, see page 7.
- When ordering TR-LE, the lock will automatically be silver.
- When ordering TR-K or TR-R, the lock will automatically be black.
- Accept specified tasklight (see page 116). Sold separately.
- Door stows on top of unit.
- Field assembly required.

Metal bracket colors



TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPP- 16 24- S, TR-K G-ACA, G-GAN

Product code Height Width Soft close Bracket color Color code Face color code

Panels



Specify support and laminate color codes for frame and front of storage unit.

Work surfaces


- ▶ Only one sliding door, without a lock, is installed on double storage units.
- ▶ For a shared storage unit, the sliding doors, without a lock, are installed on either side.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ For more details on the finish elements to use, see page 7.
- ▶ Field assembly required.

Storage furniture


3 Shelves and overhead storage units

Open laminate center-mounted storage units with whiteboard back and sliding door

Panels



Double storage unit



Shared storage unit

Mounting hardware included.

Specify support and laminate color codes for frame of storage unit.

Work surfaces

Storage furniture

Accessories

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Height 14" (356 mm)				
Double	VEPSW-1436	36 x 14 1/2 x 14	914 x 369 x 356	1,139
	VEPSW-1442	42 x 14 1/2 x 14	1067 x 369 x 356	1,175
	VEPSW-1448	48 x 14 1/2 x 14	1219 x 369 x 356	1,316
	VEPSW-1454	54 x 14 1/2 x 14	1372 x 369 x 356	1,373
	VEPSW-1460	60 x 14 1/2 x 14	1524 x 369 x 356	1,404
	VEPSW-1466	66 x 14 1/2 x 14	1676 x 369 x 356	1,477
	VEPSW-1472	72 x 14 1/2 x 14	1829 x 369 x 356	1,518
Shared	VDEPSW-1442	42 x 14 1/2 x 14	1067 x 369 x 356	1,924
	VDEPSW-1448	48 x 14 1/2 x 14	1219 x 369 x 356	1,882
	VDEPSW-1454	54 x 14 1/2 x 14	1372 x 369 x 356	1,981
	VDEPSW-1460	60 x 14 1/2 x 14	1524 x 369 x 356	2,054
	VDEPSW-1466	66 x 14 1/2 x 14	1676 x 369 x 356	2,148
	VDEPSW-1472	72 x 14 1/2 x 14	1829 x 369 x 356	2,220
Height 16" (400 mm)				
Double	VEPSW-1636	36 x 14 1/2 x 15 3/4	914 x 369 x 400	1,170
	VEPSW-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,206
	VEPSW-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,352
	VEPSW-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	1,414
	VEPSW-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	1,451
	VEPSW-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	1,524
	VEPSW-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	1,576
Shared	VDEPSW-1642	42 x 14 1/2 x 15 3/4	1067 x 369 x 400	1,986
	VDEPSW-1648	48 x 14 1/2 x 15 3/4	1219 x 369 x 400	1,950
	VDEPSW-1654	54 x 14 1/2 x 15 3/4	1372 x 369 x 400	2,064
	VDEPSW-1660	60 x 14 1/2 x 15 3/4	1524 x 369 x 400	2,142
	VDEPSW-1666	66 x 14 1/2 x 15 3/4	1676 x 369 x 400	2,236
	VDEPSW-1672	72 x 14 1/2 x 15 3/4	1829 x 369 x 400	2,319

Specification notes

- ▶ Only one sliding door, without a lock, is installed on double storage units.
- ▶ For a shared unit, the sliding doors, without a lock, are installed on either side.
- ▶ Non-magnetic whiteboard.
- ▶ Accept specified tasklight (see page 116). Sold separately.
- ▶ For more details on the finish elements to use, see page 7.
- ▶ Field assembly required.


Metal bracket colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VEPSW- 14 36- TR-K G-ACA
 Product code Height Width Bracket color Color code

Panels




Work surfaces

Specification notes

- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.
- ▶ Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Wardrobes with lateral panel attachment bracket



VNW mounting
hardware included.

Specify color code.

Specify support and laminate color codes for frame and front of storage unit.


Specification notes

- ▶ Wardrobe is 26" (661 mm) in depth, equal to the depth of the 24" (610 mm) surface plus the depth of the 2" (51 mm) panel.
- ▶ Allow a return panel to be replaced by a storage module.
- ▶ Mounting hardware enables a universal (left-right) installation.
- ▶ Space between surface and storage unit is 5/8" (8 mm).
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.


USA – JANUARY 2017

3 Laminate storage units

Wardrobes with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Width 18" (457 mm)				
Hinges on left	VPCLB-1850-L	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCLB-1856-L	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCLB-1864-L	18 X 24 X 64	457 X 610 X 1620	1,924
Hinges on right	VPCRB-1850-R	18 X 24 X 50	457 X 610 X 1264	1,836
	VPCRB-1856-R	18 X 24 X 56	457 X 610 X 1422	1,877
	VPCRB-1864-R	18 X 24 X 64	457 X 610 X 1620	1,924
Width 24" (610 mm)				
Hinges on left	VPCLB-2450-L	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCLB-2456-L	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCLB-2464-L	24 X 24 X 64	610 X 610 X 1620	2,028
Hinges on right	VPCRB-2450-R	24 X 24 X 50	610 X 610 X 1264	1,929
	VPCRB-2456-R	24 X 24 X 56	610 X 610 X 1422	1,976
	VPCRB-2464-R	24 X 24 X 64	610 X 610 X 1620	2,028

Specification notes


- ▶ Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- ▶ Assembly by rear allows for the replacement of a return panel.
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.

Handle/lock colors	Bracket colors	Sample order	Use
N Black S Silver	TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPCLB- 18 50- L N, TR-E, G-ACA, G-ACA Product code Width Height Hinge opening Bracket color Color code Face color code Handle/lock color	

Wardrobes/bookshelves with lateral panel attachment bracket



Hinges on left



Hinges on right

VNW mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBES-2450-L	24 x 26 x 50	610 x 661 x 1264	2,033
	VPCBES-2456-L	24 x 26 x 56	610 x 661 x 1422	2,184
	VPCBES-2464-L	24 x 26 x 64	610 x 661 x 1620	2,288
Hinges on right	VPBES-2450-R	24 x 26 x 50	610 x 661 x 1264	2,033
	VPBES-2456-R	24 x 26 x 56	610 x 661 x 1422	2,184
	VPBES-2464-R	24 x 26 x 64	610 x 661 x 1620	2,288

Specification notes


- ▶ Storage module is 26" (661 mm) in depth, equal to depth of 24" (610 mm) surface plus depth of 2" (51 mm) panel.
- ▶ Allow a return panel to be replaced by a storage module.
- ▶ Mounting hardware enables a universal (left-right) installation.
- ▶ Space between surface and storage unit is 5/16" (8 mm).
- ▶ Lock and handle are the same color.
- ▶ Clothes hanger bar and fixed shelf are included.
- ▶ Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves.

Handle/lock colors	Bracket colors	Sample order	Use
N Black S Silver	TR-E Smoke TR-G Grey tone TR-K Charcoal TR-R Beige TR-LE Metallic silver	VPCBES- 24 50- L N, TR-E, G-ACA, G-ACA Product code Width Height Hinge opening Bracket color Color code Face color code Handle/lock color	

Wardrobes/bookshelves with back panel attachment brackets



Hinges on left



Hinges on right

Mounting hardware included.

Specify color code.

Specify handle, support and laminate color codes for frame and front of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Hinges on left	VPCBEB-2450-L	24 x 24 X 50	610 X 610 X 1264	2,033
	VPCBEB-2456-L	24 x 24 X 56	610 X 610 X 1422	2,184
	VPCBEB-2464-L	24 x 24 X 64	610 X 610 X 1620	2,288
Hinges on right	VPBECB-2450-R	24 x 24 X 50	610 X 610 X 1264	2,033
	VPBECB-2456-R	24 x 24 X 56	610 X 610 X 1422	2,184
	VPBECB-2464-R	24 x 24 X 64	610 X 610 X 1620	2,288

Specification notes


- Brackets between panel and storage module are reversible, enabling a universal (left-right) installation.
- Back assembly allows for the replacement of a return panel.
- Lock and handle are the same color.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelves; 50" H (1264 mm) 2 shelves, 56" H (1422 mm) and 64" H (1620 mm) 3 shelves, 68" H (1721 mm).

Handle/lock colors		Bracket colors		Sample order					Use
N	Black	TR-K	Charcoal	VPCBEB-	24	50-	L	N, TR-E, G-ACA, G-ACA	
S	Silver	TR-R	Beige						
		TR-LE	Metallic silver						
				Product code	Width	Height	Hinge opening	Bracket color	
							Handle/lock color	Color code	Face color code

Personal storage towers with open bookcase



Open bookcase on left



Open bookcase on right

Specify handle and laminate color codes.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Open bookcase on left	VPB-2450-L	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-L	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-L	24 x 24 x 64	610 x 610 x 1620	2,116
Open bookcase on right	VPB-2450-R	24 x 24 x 50	610 x 610 x 1264	1,896
	VPB-2456-R	24 x 24 x 56	610 x 610 x 1422	2,006
	VPB-2464-R	24 x 24 x 64	610 x 610 x 1620	2,116

Specification notes





- Lock and handle are the same color.
- Locks on door and drawers.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in box drawer.
- Clothes hanger bar and fixed shelf are included.
- Adjustable shelf on 56" (1422 mm) and 64" (1620 mm) high models.

Handle/lock colors		Sample order				
N	Black	VPB-	24	50-	R	N, G-ACA, G-GAN
S	Silver					
		Product code	Width	Height	Open bookcase	Color code
					Handle/lock color	Face color code

Low storage units with panel attachment brackets



Low open bookcase unit

Low storage unit with 2 box/
2 file drawersLow storage unit with
2 pigeonholes/2 file drawersLow storage unit with box/file
drawers on left, open bookcase
on rightLow storage unit with
open bookcase on left,
box/file drawers on right

Mounting hardware included.

Specify panel mounting
configuration: rear (-2B)
or side (-2S).Specify support and laminate
color codes for frame and front
of storage unit.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VPBEBE-204720	47 1/4 x 19 5/16 x 20	1200 x 488 x 513	1,269	1,394
	VPBEBE-205920	59 1/16 x 19 5/16 x 20	1500 x 488 x 513	1,368	1,498
	VPBEBE-207120	70 7/8 x 19 5/16 x 20	1800 x 488 x 513	1,472	1,596
2 box/2 file drawers	VPULUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,917	3,058
	VPULUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	3,058	3,193
	VPULUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	3,193	3,333
2 pigeonholes/2 file drawers	VPSLF-204720	47 1/4 x 20 x 20	1200 x 508 x 513	2,335	2,470
	VPSLF-205920	59 1/16 x 20 x 20	1500 x 508 x 513	2,460	2,600
	VPSLF-207120	70 7/8 x 20 x 20	1800 x 508 x 513	2,584	2,725
1 box/1 file drawer on left, open on right	VPULBE-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
	VPULBE-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPULBE-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075
1 box/1 file drawer on right, open on left	VPBEUL-204720	47 1/4 x 20 x 20	1200 x 508 x 513	1,815	1,950
	VPBEUL-205920	59 1/16 x 20 x 20	1500 x 508 x 513	1,846	1,986
	VPBEUL-207120	70 7/8 x 20 x 20	1800 x 508 x 513	1,934	2,075

Specification notes


- Supports between storage module and panel are reversible, enabling a universal (left-right) installation.
- Available in thermofused or high pressure laminate.
- Cannot be installed directly beneath a cantilever bracket.
- Lock and handle are the same color.
- Include suspension bar (left-right), letter and legal format.
- Pencil tray is included in utility drawer.
- Open storage units (VPBEBE) include 2 adjustable shelves.
- The combined open storage units [VPULBE et VPBEUL] include 1 adjustable shelf.
- Can accommodate 1 or 2 cushions (see page 109).

Finish options		Handle/lock colors		Bracket colors		Sample order								
1	Thermofused laminate	N	Black	TR-K	Charcoal	VPBEBE- 20 47 20, -2B 1 N, TR-K G-ACA, G-GAN								
2	High pressure laminate	S	Silver	TR-R	Beige									
				TR-LE	Metallic silver									
						Product code	Depth			Finish code	Bracket color			Face color code
								Height						
							Width		Choice of mounting				Color code	
Bracket choice														
2B Back support														
2S Side support														


Use



Extension bookcases



Extension for surfaces or low storage modules



Extension for work surfaces

Flat plates and screws included.

Specify laminate color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
Open bookcase	VBEBEE-204220	42 X 20 X 20	1066 X 500 X 513	1,082	1,217
Height 20"	VBEBEE-205020	50 X 20 X 20	1269 X 500 X 513	1,134	1,274
	VBEBEE-206220	62 X 20 X 20	1574 X 500 X 513	1,357	1,591
Open bookcase	VBEBEE-204229	42 X 20 X 29	1066 X 500 X 735	1,212	1,352
Height 29"	VBEBEE-205029	50 X 20 X 29	1269 X 500 X 735	1,269	1,420
	VBEBEE-206229	62 X 20 X 29	1574 X 500 X 735	1,524	1,763

Specification notes

- Include 2 adjustable shelves.
- Storage modules 20" (508 mm) in height are installed at the junction of two back-to-back low storage units or low surfaces, back to back, with a 2" (51 mm) panel inserted between the two surfaces.
- Storage modules 29" (735 mm) in height are installed at the junction of two back-to-back surfaces, with a 2" (51 mm) panel inserted between the two surfaces.

Finish options


- 1 Thermofused laminate
- 2 High pressure laminate

Sample order

VBEBEE- 20 42 20, 1, G-ACA

Product code Depth Height Width Finish code Color code

Cushions for low storage units



Specify upholstery color code. See grades 1 through 3 from the current United Chair and Arold upholstery selection.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Recommended for modules 47" W (1200 mm)	VCU-2023	23 5/8 x 19 5/16 x 2	600 x 490 x 50	524
Recommended for modules 59" W (1500 mm)	VCU-2029	29 1/2 x 19 5/16 x 2	750 x 490 x 50	540
Recommended for modules 71" W (1800 mm)	VCU-2035	35 7/16 x 19 5/16 x 2	900 x 490 x 50	556

Specification notes

- These prices are applicable for United Chair Grade 1 fabrics. For other grades, add: Grade 2: 10%; Grade 3: 15%.
- Velcro fastener included.
- For use on a 20" high (508 mm) low storage unit. See pages 105 to 107.
- Low storage units may accommodate up to 2 cushions.

Sample order

VCU- 20 29, AE10

Product code Depth Width Upholstery selection

Accessory rails for panels



Metal. Pre-assembled mounting hardware is included.

Specify color code.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24P	23 x ¾ x 4	584 x 19 x 100	170
	VLGC-RA30P	29 x ¾ x 4	736 x 19 x 100	201
	VLGC-RA36P	35 x ¾ x 4	889 x 19 x 100	228
	VLGC-RA42P	41 x ¾ x 4	1041 x 19 x 100	254
	VLGC-RA48P	47 x ¾ x 4	1194 x 19 x 100	279
	VLGC-RA54P	53 x ¾ x 4	1346 x 19 x 100	318
	VLGC-RA60P	59 x ¾ x 4	1499 x 19 x 100	345

Specification note

- To be installed on panel side rail trim allowing the install of accessories.

Trim/metal colors	Sample order
TR-K Charcoal TR-R Beige TR-LE Metallic silver	VLGC- RA24 P TR-R Product code Panel width Trim/metal color Rail for panel

Accessory rails for walls



Metal. Mounting hardware is included and must be field installed.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RA24M	23 x ¾ x 4	584 x 19 x 100	205
	VLGC-RA30M	29 x ¾ x 4	736 x 19 x 100	213
	VLGC-RA36M	35 x ¾ x 4	889 x 19 x 100	220
	VLGC-RA42M	41 x ¾ x 4	1041 x 19 x 100	228
	VLGC-RA48M	47 x ¾ x 4	1194 x 19 x 100	236
	VLGC-RA54M	53 x ¾ x 4	1346 x 19 x 100	242
	VLGC-RA60M	59 x ¾ x 4	1499 x 19 x 100	252


Specification note

- To be installed on a wall, allowing the install of accessories.

Trim/metal colors	Sample order
TR-K Charcoal TR-R Beige TR-LE Metallic silver	VLGC- RA24 M TR-R Product code Panel width Rail for wall Trim/metal color

4 Accessories

Markers tray for rails




Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTR	4 X 3 X 3 3/4	100 x 68 x 85	99
Specification notes ► Compatible with all Lacasse accessory rails. ► Trim/metal colors				
Trim/metal colors	Sample order			
TR-K Charcoal	VLGC	VPTR	TR-R	
TR-R Beige				
TR-LE Metallic silver	Product code	Marker tray for rail	Trim/metal color	

Horizontal paper trays




Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RPT11	12 x 10 x 2	305 x 251 x 50	115
Legal size	VLGC-RPT14	15 x 10 x 2	375 x 251 x 50	130
Specification note ► Compatible with all Lacasse accessory rails.				
Trim/metal colors	Sample order			
TR-K Charcoal	VLGC-	RPT11	TR-R	
TR-R Beige				
TR-LE Metallic silver	Product code	Horizontal letter size	Trim/metal color	

Vertical paper tray




Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Letter size	VLGC-RVPT11	12 x 2 3/4 x 8	300 x 70 x 203	145
Specification note ► Compatible with all Lacasse accessory rails.				
Trim/metal colors	Sample order			
TR-K Charcoal	VLGC-	RVPT11	TR-R	
TR-R Beige				
TR-LE Metallic silver	Product code	Vertical letter size	Trim/metal color	

Accessory trays



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-RAS12	12 x 1 1/4 x 3 7/8	305 x 30 x 96	102
	VLGC-RAS20	20 x 1 1/4 x 3 7/8	505 x 30 x 96	123

Specification note


- Compatible with all Lacasse accessory rails.

Trim/metal colors

Sample order

TR-K	Charcoal	VLGC-	RAS12	TR-R
TR-R	Beige			
TR-LE	Metallic silver			
		Product code		Trim/ metal color
			Accessory tray	

Shelves



Mounting hardware included.

Specify support and finish color codes.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price	
				Thermofused laminate	High pressure laminate
	VSH-0724	24 x 7 x 1	610 x 177 x 25	215	232
	VSH-0730	30 x 7 x 1	762 x 177 x 25	220	242
	VSH-0736	36 x 7 x 1	914 x 177 x 25	226	254

Specification notes

- Mount onto panel side rails.
- Available in thermofused laminate or high pressure laminate.
- Field assembly required.

Finish codes


Trim/metal colors

Sample order

1	Thermofused laminate	TR-K	Charcoal	VSH-	07	24-	1,	TR-K	G-ACA
2	High pressure laminate	TR-R	Beige						
		TR-LE	Metallic silver						
				Product code	Height	Width	Finish code	Bracket color	Color code

4 Accessories

Tackboards



Panel mounting brackets are included.

Specify color code; refer to current Nvision fabric cards.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Tackboard height 5" (127 mm)	VTB-0524	24 x 1 x 5	610 x 25 x 127	98
	VTB-0530	30 x 1 x 5	762 x 25 x 127	102
	VTB-0536	36 x 1 x 5	914 x 25 x 127	106
	VTB-0542	42 x 1 x 5	1067 x 25 x 127	110
	VTB-0548	48 x 1 x 5	1219 x 25 x 127	114
	VTB-0554	54 x 1 x 5	1372 x 25 x 127	118
	VTB-0560	60 x 1 x 5	1524 x 25 x 127	121
Tackboard height 16" (406 mm)	VTB-1624	24 x 1 x 16	610 x 25 x 406	124
	VTB-1630	30 x 1 x 16	762 x 25 x 406	129
	VTB-1636	36 x 1 x 16	914 x 25 x 406	133
	VTB-1642	42 x 1 x 16	1067 x 25 x 406	140
	VTB-1648	48 x 1 x 16	1219 x 25 x 406	145
	VTB-1654	54 x 1 x 16	1372 x 25 x 406	150
	VTB-1660	60 x 1 x 16	1524 x 25 x 406	152

Specification notes


- ▶ Mount onto panel side rails.
- ▶ For wall mount, order the wall track separately (see page 80).

Sample order

VTB- 05 30, 5M-1

Product code | Width | Height | Fabric color

Magnetic whiteboards



White porcelain surface to be used with dry-erase markers. Silver anodized aluminum frame.

Panel mounting hardware included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VMWB-2330	30 x 1/2 x 23	762 x 13 x 584	322
	VMWB-2336	36 x 1/2 x 23	914 x 13 x 584	338
	VMWB-2342	42 x 1/2 x 23	1067 x 13 x 584	421
	VMWB-2348	48 x 1/2 x 23	1219 x 13 x 584	432
	VMWB-2354	54 x 1/2 x 23	1372 x 13 x 584	634
	VMWB-2360	60 x 1/2 x 23	1524 x 13 x 584	645

Specification notes


- ▶ No marker tray included.
- ▶ Field assembly required.

Sample order

VMWB 23 30

Product code | Width | Height

Magnetic markers tray



Metal.

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-VPTM	4 x 3 x 3 3/8	100 x 68 x 85	125

Specification note

- ▶ Compatible with magnetic whiteboards. Magnets included.

Trim/metal colors

Sample order



TR-K Charcoal VLGC VPTM TRR

TR-R Beige

TR-LE Metallic silver

Product code | Magnetic marker tray | Trim/metal color

Articulated dial-tilt keyboard trays



One dial-tilt arm with track, keyboard tray and removable palm rest are included.


Tray in textured black.
Black palm rest.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Dial tilt and positive tilt-lock	VAKW-21	21 x 11 x 4	533 x 279 x 102	391
Dial tilt and positive tilt-lock with mouse tray	VAKW-21-M	28 x 11 x 4	711 x 279 x 102	417

Specification notes

- ▶ Adjustable 2 1/2" (64 mm) above work surface and 6" (155 mm) beneath it; fit all Nvision surfaces.
- ▶ Recommended for corner work surface applications.
- ▶ Positive-tilt lock allows 15-degree tilt adjustment (-15°/ +0°).
- ▶ Rotate 360°.
- ▶ 21" (533 mm) track allows keyboard tray to be fully retracted under all work surfaces.
- ▶ Include gauges that show tilt and height adjustments.
- ▶ Patented dial-tilt adjustment of keyboard tray as knob is turned.
- ▶ Patented spring-assisted Lift-n-Lock™ counterbalancing system.
- ▶ For the VAKW-21-M, mouse pad can be installed on right- or left-hand applications.

Articulated retractable arm



Black.


Can accommodate a keyboard and mouse.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLGC-GBAKD26	26 x 10 x 1/2	650 x 250 x 13	520

Specification notes

- ▶ Slides along runners.
- ▶ Length of mounting plate: 17" (432 mm).
- ▶ Fits underneath surfaces 20" (505 mm) or greater in depth.
- ▶ 5 1/2" (140 mm) adjustable arm.
- ▶ Tray made of 100% post-consumer recycled materials.
- ▶ Retracts, swivels and tilts.
- ▶ 8 1/2" (216 mm) height adjustment.

Keyboard/storage drawer



Mounting hardware and wrist pad are included.

Black plastic.

Non-locking.


Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VOAK-1	29 7/8 x 19 7/8 x 4 1/4	752 x 505 x 108	696

Specification notes

- ▶ Mounts separately under a work surface.
- ▶ Slide travel is 11" (279 mm).
- ▶ Molded organizer specially designed to store a keyboard, hold pens, CDs, etc.
- ▶ Tray tilts 0°, -3°, -7°.

4 Accessories

Storage drawer




Mounting hardware and rail are included.
Black plastic.
Non-locking.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VAD-18	18 x 19 x 1 1/8	457 x 483 x 41	67

Specification note

- Mounts under work surface.

Overhead storage tasklights/electronic ballast




Black metal case.
Attachment brackets,
6' (1829 mm) power cord
and T-8 fluorescent bulb
are included.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VLT-24P	19 1/2 x 4 1/4 x 1 3/8	495 x 108 x 35	119
	VLT-30P	26 x 4 1/4 x 1 3/8	660 x 108 x 35	133
	VLT-42P	37 1/4 x 4 1/4 x 1 3/8	946 x 108 x 35	148
Chicago application	VLT-24PC	19 1/2 x 4 1/4 x 1 3/8	495 x 108 x 35	167
	VLT-30PC	26 x 4 1/4 x 1 3/8	660 x 108 x 35	187
	VLT-42PC	37 1/4 x 4 1/4 x 1 3/8	946 x 108 x 35	207

Specification notes

- Electronic ballast.
- Energy efficient.
- 6' (1829 mm) cord is factory installed on right-hand side.
- For use with 120-volt, 60-hertz electrical systems only.
- Relocating power cord available on VLT-42P and VLT-42PC.
- Chicago application tasklights include a 3-amp plug resettable circuit breaker.

Overhead storage tasklights/LED




Attachment brackets
(magnetic or wood screws)
are included.

Spécification	Code	W x D x H (in)	W x D x H (mm)	Price
24 LED, 6.6W	VLGC-LED17	16 3/8 x 2 x 3/4	417 x 50 x 18	391
48 LED, 14.8W	VLGC-LED31	30 1/16 x 2 x 3/4	465 x 50 x 18	491
72 LED, 21.8W	VLGC-LED44	43 7/16 x 2 x 3/4	1110 x 50 x 18	904

Specification notes

- Clear anodized aluminum frame.
- Black cord included: 9' (2743 mm) with LED17 model and 12' (3658 mm) with LED31 and LED44 models.
- ETL certified (equivalent to UL/CASA). 89% recyclable (based on weight). Aluminum frame 100% recyclable.
- Integrated power switch and dimmer. Most recent setting automatically saved.
- Auto shut-off after 10 hours.
- 3500K, 84 CRI.

All-purpose hooks



Metal. Package of 8.
Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VPH-8	1/2 x 3 1/16 x 1	13 x 78 x 25	80

Specification note

- Snaps over panel top cap.


Trim/metal colors

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VPH-8 TR-K
| |
Product Trim/
code metal color

Work surface grommets



Plastic black.




Plastic; metallic silver.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
Round	VLGC-GR1	2 3/4 Ø x 1	70 Ø x 25	32
Rectangular	VLGC-GS1	1 3/4 x 2 5/32 x 1	45 x 55 x 25	37

Specification note

- Field installation required when additional grommets are needed on an existing work surface.

Horizontal wire channels




Package of 10. Black plastic. Comes in lengths of 15" (381 mm).

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VHCM-15	15 x 3 x 3	381 x 76 x 76	66

Specification notes

- Field installation required.
- 2" W x 3" H (51 mm x 76 mm) of space available in wire channel.

Vertical wire channel



Plastic. Comes in lengths of 72" (1829 mm). Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
	VCAV-1	1 x 1 x 72	25 x 25 x 1829	34

Specification notes

- Routes wires vertically by attaching to the panel side rails.
- Field cut to desired length.
- Not available in TR-LE Metallic silver. We recommend using TR-E colored channels instead.

Trim/metal colors


Sample order

TR-E Smoke
TR-G Grey tone
TR-K Charcoal
TR-R Beige

VCAV-1, TR-K
Product code
Trim/
metal color

4 Accessories

Side rail keyhole concealers



Plastic. Comes in lengths of 58 3/4" (1491 mm).

Specify color code.

Specification	Code	W x D x H (in)	W x D x H (mm)	Price
1 kit of 25 keyhole concealers	VSRK-KIT25TRR	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRK	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	500
1 kit of 25 keyhole concealers	VSRK-KIT25TRLE	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	525
1 kit of 100 keyhole concealers	VSRK-KIT100TRR	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRK	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,776
1 kit of 100 keyhole concealers	VSRK-KIT100TRLE	3/16 x 5/16 x 58 3/4	5 x 8 x 1491	1,866

Specification notes

- Hide side rail keyholes.
- Each rail covers one side of a 64"H (1620 mm) panel.
- Not available in TRG (grey tone) and TRE (smoke).

Trim/metal colors

TR-K Charcoal
TR-R Beige
TR-LE Metallic silver

Sample order

VSRK- KIT25 TRR

Product code | Trim/metal color

Quantity

Locking program



Lock numbers for keyed alike orders will be assigned by the manufacturer.

Lock numbers won't be repeated unless more than 100 lock sets are required per order.

Specification	Code	Application	Price
Master key	VMK-01	To open any lock number.	19
Control key	VCK-01	Tool to change lock plugs.	19
Lock plug (1) and keys (2) – Random	VLCK-KIT-R, LR-BL	Numbers are attributed in random fashion, from 101 through 200.	32
Lock plug (1) and keys (2) – Specific	VLCK-KIT-S, KY-__ __	To do key alike, specify quantity required per office stations. Key numbers are determined by the manufacturer only.	32

Sample order

VLCK-KIT- S, KY- 101

Product code | Key | Specific key #

1. Order placement

The seller sells its products according to the terms set forth in these standard terms of sale. All orders must be submitted in writing as represented by a valid purchase order, which includes the total list and net dollars. The seller reserves the right to refuse any order. Groupe Lacasse LLC cannot be held responsible for dealer's errors, omissions and order duplication due to non-compliance with this procedure.

The following information is required to process an order:

Customer Information

Sold/Ship-to address
Purchase order number
Authorized signature
Contact name and phone
Consignee contact name and phone
Delivery instructions
Bid/Quote # and/or Pricing agreement number
Product total (list/net)
Preferred delivered date
(Specific delivery date not guaranteed)

Product Information

Quantity
Product numbers including options
Trim, fabric and laminate colors

2. Order changes

Any change to an original purchase order must be received in writing no later than 48 hours after receipt of the original order. Any change to the original order after 48 hours, if approved, will result in production rescheduling. The cost variances will have to be approved by the customer before production rescheduling. No changes allowed on Quick Ship orders.

3. Order cancellations

Cancellations must be requested in writing no later than 48 hours after receipt of the original order and are subject to approval by Groupe Lacasse LLC. Cancellations cannot be accepted otherwise. Approved cancellations or partial cancellations requested after more than one business day, from receipt of purchase order, could be assessed a minimum 30% fee. Quick Ship orders may not be cancelled.

4. Order acknowledgment

Orders will be acknowledged by Groupe Lacasse LLC. Please refer to the acknowledgment copy to make sure it agrees with your original purchase order. When corresponding, please refer to the acknowledgment number.

5. Limited lifetime warranty

Groupe Lacasse LLC warrants its products, from the invoice date, to be free from defects in material and workmanship for as long as the original purchaser owns it; proof of delivery being the only official document accepted by Groupe Lacasse LLC for any claim. This warranty is subject to the limitations, exclusions and other provisions below:

- **Twenty-five years:** High-performance thermofused laminate.
- **Twenty years:** Drawer slides.
- **Ten years:** Locks, electrical components and electrical accessories.
- **Five years:** Swing lift mechanisms and adjustable surface mechanisms, high-pressure laminate, casters, fabrics, PVC extrusions and accessories.
- **Exclusions:** Light bulbs, ballasts and C.O.M. are not covered by this warranty.

This warranty is made by Groupe Lacasse LLC only to purchasers acquiring the product directly from Groupe Lacasse LLC, its authorized dealers, or others who are specifically authorized by Groupe Lacasse LLC to sell such products. The purchaser's remedy is limited to repair or replacement, at Groupe Lacasse LLC's option, of products which when used normally, prove to be defective within the period stated. This warranty does not apply to any product which must be replaced because of normal wear and tear, negligence, abuse or accident or which has been modified by someone other than Groupe Lacasse LLC or its authorized dealers. The remedies stated herein are expressly agreed to be exclusive as a condition of sale. Groupe Lacasse LLC's liability with respect to its products or installation services should not exceed that expressly set forth above. Under no circumstances shall Groupe Lacasse LLC be liable for accidental or consequential damages. The following Groupe Lacasse LLC warranty applies to products manufactured after March 1, 2016. Specials may be subject to a limited warranty.

6. Prices

All prices listed are suggested retail prices, F.O.B. our factory in Holland, Michigan, USA, within the continental United States. List prices and dealer discounts are subject to change without notice or approval. Applicable prices are those in effect at the time of the receipt of an order. If shipping date requested is more than 90 days from date of order, Groupe Lacasse LLC shall have the right to use the published list prices effective at the time of shipment. Prices shown in price book have priority over electronic catalog contents.

Specials may be subject to a limited warranty.

6.1 Taxes

The Seller's price lists do not include any sales taxes. The customer is responsible to remit such taxes directly to the Seller. A tax exemption certificate (if applicable) must be on file with the Seller prior to the product shipment; otherwise, sales tax will be due and payable. Prices and taxes are subject to change without notice.

6.2 Services

List prices apply to products only. If, as a result of customer request, the dealer or authorized representative provides planning/design services, storage, special handling, set-up, or installation, the customer will be charged at the local dealer or authorized representative's standard rate.

7. Terms of payment (upon acceptance from our credit department)

Net 30 days from date of invoice. Any product sold shall remain the property of Groupe Lacasse LLC and shall remain the Seller's property until paid for. The buyer agrees to perform all acts which may be necessary to protect and assure retention of title to such products by Groupe Lacasse LLC until such time as goods have been paid for in full.

8. Quotations

Quotations are valid for a period of ninety (90) days. It is the dealer's responsibility to make sure the quotation matches their requests. Groupe Lacasse LLC will consider a quotation approved from the dealer if an order is placed for the quoted item.

9. Changes

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. Groupe Lacasse LLC reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

10. Fabrics standard, Momentum Easy C.O.M. Program and C.O.M.

Description of all fabrics is shown on the back of the actual swatch card. The fabric mills advise that, from time to time, colors may vary with different dye lots. Consequently, Groupe Lacasse LLC cannot accept responsibility for these differences. Acknowledged delivery or ship dates from the Momentum Easy C.O.M. Program or C.O.M. is contingent on supplier's performance and subject to extended lead time.

Special fabric approval:

Special fabric request must be approved for use by Groupe Lacasse/Nvision panels, tackboards, fabric posts and wainscot kits. In order to determine pre-approval and fees, please send your request to quotation@groupe-lacasse.com or contact Customer Service at 1-888-522-2773 for more details about the process, Momentum Easy C.O.M. Program and C.O.M.

11. Packing and shipping

Groupe Lacasse LLC uses 50% recycled corrugated fiberboard for boxes, 100% recycled for protective pads and a polyethylene film for surface protection depending on method of shipment. These costs are included in our price. Certain items are shipped in 2 or 3 boxes.

12. Shipping weights and volumes

Due to our constantly improving packaging methods, shipping weights and volumes are not shown in the price book.

13. Delivery

The scheduled shipping date is specified on our acknowledgment. No shipments have guaranteed delivery time and/or date. Groupe Lacasse LLC is not liable for delay or failure to deliver goods due to causes beyond our control (such as casualty, acts of nature, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the customer). Groupe Lacasse LLC will only make on-site deliveries for a full truck load (2,400 cubic feet) and subject to Groupe Lacasse LLC prior agreement only.

14. Routing

All deliveries shall be F.O.B. your designated facility within the continental United States. Freight charges beyond the continental United States are the purchaser's responsibility. Shipments beyond the continental United States must deliver to a freight forwarder or forwarding carrier of your choice. It is the customer's responsibility to provide this information on purchase orders. Additionally, the Seller has the right to determine the carrier, method of shipment and routing. Customer requests for special carrier, method of shipment and/or routing will be shipped freight collect. The Seller will pay the freight charges for normal surface transportation to destinations within the continental United States.

Surcharge

1. **Inside Deliveries:** Delivery is a dock-to-dock service. Inside delivery is not included in our delivered price.
2. **Expedited Transportation:** Time-sensitive deliveries that require expedited carrier service will result in additional charges that will be passed on to the consignee (dealer).
3. **Chargeable Parts Orders:** Contact Customer Service for availability. Service parts prices are subject to change without notice or approval. Parts orders are subject to a minimum \$15 parts order not including freight charges for normal surface transportation to destinations within the continental United States.

15. Freight claims

The merchandise is carefully packed and thoroughly inspected before leaving the warehouse. Responsibility for its safe delivery is assumed by the carrier upon acceptance of the shipment. Claims for loss or damage must be addressed to Groupe Lacasse LLC as follows:

15.1 Concealed damage or loss

Concealed damage or loss becomes apparent only once a product is removed from its packing or packaging. Contents may be damaged as a result of rough handling during shipping, without the packing or packaging showing any external signs of damage. When such damage or loss is noticed, a written request for inspection must be submitted within 7 calendar days of the delivery date, after which a claim must be filed. Mandatory: the request for inspection must be accompanied by corroborative photographs. If you abide by these instructions, we shall fully support your claims. No agreement shall be concluded without the consent of the manufacturer. Delivery and installation fees for a product associated with concealed damage or loss are not covered by Groupe Lacasse Inc..

15.2 Visible damage or loss

All external traces of damage or loss must be noted on the bill of lading duly signed by the carrier's representative at the time of delivery. An omitted or insufficient description of the damage or loss may result in the refusal of a claim for damage or loss. The claim form must be submitted by the carrier.

16. Returns

Absolutely no returns will be accepted on any non-standard products. No return of standard products will be accepted without prior authorization by Groupe Lacasse LLC. Any shipment returned without prior approval will be refused. Returns must be shipped prepaid.

17. Storage

In the event the purchaser requests postponement of shipment beyond the scheduled shipping date after the goods have become work in process, Groupe Lacasse LLC may store the goods at the purchaser's risk and expense. Such transfer to storage shall be deemed delivery to purchaser for all purposes, including invoicing and payment.

18. Governing law

This contract shall be construed and governed in accordance with the laws of the province of Quebec, Canada.

19. Specials

Some Nvision products are offered as specials.

In order to determine pre-approval request and fees, please send your request to quotation@groupelacasse.com or contact customer service at 1-888-522-2773 for more information.

Here is a list of some of the specials we can do:

Panels:

1. Fabric panels can be specified from 30" to 82" (762 mm to 2083 mm) high, in 1" (25 mm) increments. Fabric stackable panels can be specified from 10" to 24" (254 mm to 610 mm) high, in 1" (25 mm) increments. Finish posts can also be specified to match special heights.
2. For glass panels and stackable glass and acrylic panels, custom color can be specified; however, there is some limitation in sizes.
3. Panels and stackable panels can be specified with high pressure laminate door finishes on both sides or with fabric on one side. Laminate finishes are HC-3E (smoke), HC-62 (grey tone), HC-8J (charcoal), HC-34 (beige) and H-WL (sno).
4. Sliding door can be specified at a maximum height of 79" (2006 mm).
5. Floor-to-ceiling barrier combined with Nvision panels are available. Available on a 82" H (2077 mm) panel where there is a maximum ceiling height of 10' (3048 mm) or on a 64" height panel (1620 mm) where there is a maximum ceiling height of 9' (2743 mm). Ceiling solution can only be installed on panel at 90 degrees. Not available in TR-LE. Send your request to quotation@groupelacasse.com or contact Customer Service for more information.
6. Wainscot kits can be specified up to 48" (1219 mm) height. Fabric or laminate (panel door in selected HPL finishes only) are available.
7. Fabrics may be given an anti-stain treatment.

Work Surfaces:

1. Groupe Lacasse can do almost any specials regarding work surfaces with limit of 96" (2438 mm) long.

Storage units:

1. Metal overhead storage units special heights, widths and depths can be specified; however, there is some limitation in sizes.
2. Metal shelves units at 9 3/4" (248 mm) height can be specified to fit on a 56" (1422 mm) height panel.
3. Pedestals can be specified with laminate fronts and Lacasse pulls.

Casegoods:

1. Lacasse casegoods can be combined with Nvision. Contact Customer Service for specific information on dimensions.

For any specials, please send your request to quotation@groupelacasse.com or contact Customer Service for more information.

20. Programs

A mock-up program is available. For pre-approval, send your request to projcs@groupelacasse.com or contact Customer Service at 1-888-522-2773 for more information. A QuickShip program is available on a separate list price. Contact your representative for more information about conditions of sale and lead time, or Groupe Lacasse Customer Service at 1-888-522-2773.

Finishes

Please refer to Nvision color brochure to visualize current surface finishes and colors, trims and metal components. For fabric, refer to Nvision swatch cards. For cushions for low storage units, refer to United Chair swatch cards. Also available on our Web site.

Environmental responsibility

Groupe Lacasse LLC is committed to pursuing sustainable development practices. We are constantly looking for innovative ways to make our products and manufacturing processes more environmentally, socially, and economically sustainable, while maintaining our ability to satisfy consumer demands for superior product quality and value. The following are a few examples of ways in which our products support sustainable development initiatives:

- We design our furniture primarily of particleboard manufactured from 100% recycled post-industrial material.
- We offer a choice of fabrics that are manufactured from 100% recycled polyester. Please refer to Nvision fabric cards.
- A panel's construction permits a change of fabric if the fabric becomes torn or damaged during its useful life.
- It is easy to reuse components of our products when an office area is reorganized or moved:
 - Modular format of furniture makes it easy to rearrange workspaces;
 - Metal-on-metal assemblies make it easy to assemble furniture then disassemble when its useful life is over.
- We have developed a new type of under-shelf lighting that makes it possible to reduce energy consumption by 40% (compared to our previous task light).
- Designs that use translucent materials, which diffuse natural light and provide users with a view, help reduce energy consumption and improve the aesthetic quality of a workspace.
- When possible, we choose local suppliers.
- To reduce landfill waste in the manufacturing of our products, we:
 - Reuse cuttings in smaller products and packaging;
 - Use sawdust for power cogeneration;
 - Sort and recycle PVC plastic, steel, and aluminum.

All of these actions are some examples that contribute to qualifications for LEED® and similar environmental certifications. For more information about products offered by Groupe Lacasse LLC and our environmental actions, we invite you to visit our web site at www.groupelacasse.com.

Environmental tools

A variety of informative tools which detail how Groupe Lacasse products help support green initiatives are available. All documents are routinely updated and placed on the Groupe Lacasse website under "Environment". Please check this page regularly for the most up-to-date documents.

Available documents: the corporate **Sustainability Policy**, how our products support **LEED Credits** (these documents include information on the percentage of recycled material in each product) and a listing of Groupe Lacasse products that are **GREENGUARD Certified**.

Greenguard certificates

GREENGUARD Indoor Air Quality and Children and Schools certificates can be downloaded. These are found on www.greenguard.org. Search for Groupe Lacasse in the "Find Products > Search by Manufacturer" section. All GREENGUARD certifications are listed by product line.

Further information

For more information on environmental and sustainable procedures in the manufacturing of our products, contact Communications@groupelacasse.com.

All Nvision standard products comply with ANSI/BIFMA standards.

All Nvision standard products are UL listed and certified for use in the USA and UL certified for use in Canada.

Groupe Lacasse LLC is certified ISO 9000 and ISO 14000.



Nvision
GROUPE LACASSE INC. # GS-29F-0105G



Nvision products are GREENGUARD GOLD certified.



Groupe Lacasse is proud to offer **Jade**, a web tool that eases the entry and follow-up of all your office furniture orders. With this system, you are able to visualize the final price of all your products, including the discounts, along with the details of any price agreement established with us. Your orders are validated and sent with all required information, guaranteed. Available 24 hours a day, 7 days a week, Jade allows you to consult your orders' status anywhere, anytime. **We are convinced that you will appreciate this convenient, fast and efficient tool from Groupe Lacasse!**

In order to start using **Jade** and benefit from its many advantages, please schedule a web training time by sending us an email at jade_registration@groupelacasse.com. For any other question concerning **Jade**, please contact us at jade@groupelacasse.com.

* Order status availability can vary for specific brands depending on the region.

Product number	Product description	Page
VAAL-1	Adjustable table post	77
VABT-2	Counter top brackets	75
VACA-L/R	120-degree cantilever brackets for link application	74
VACB-1	Corner bracket	75
VACL-R-1/VACP-2	Standard cantilever brackets	73
VAD-18	Storage drawer	116
VAFB-2	Flat brackets	76
VAKW-21	Articulated dial-tilt keyboard tray	115
VAKW-21-M	Articulated dial-tilt keyboard tray with mouse tray	115
VAPB-2	Panel brackets	74
VATL-1	Table post	76
VB2-__24-__	Metal personal storage towers, open bookcase, File/File, Right or Left door	96
VB3-__24-__	Metal personal storage towers, open bookcase, Box/Box/File, Right or Left door	96
VBEBE-20____	Low storage units, open bookcase	105
VBEBEE-20____	Extension bookcases	109
VBEC-24__	Wardrobes with open bookcase (hinges on right)	101
VBEL-20____	Fixed low storage units, open bookcase	108
VBEUL-20____	Low storage units, open bookcase, Box/File	105
VBT-__	Wall tracks	80
VCAV-1	Vertical wire channel	117
VCBE-24__	Wardrobes with open bookcase (hinges on left)	101
VCBEL-18____	Open bookcases for conference surface support	108
VCK-01	Locking program/control key	118
VCL-____	Wardrobes (hinges on left)	100
VCP-__	Full-height cable management poles	55
VCR-____	Wardrobes (hinges on right)	100
VCU-20__	Cushions for low storage units	109
VCUE-20__	Cushions for extension bookcases	110
VDBEBE-20____	Shared low storage units, open bookcase	106
VDEP-____	Open laminate center-mounted storage units (shared)	88
VDEPS-____	Open laminate center-mounted storage units with sliding door (shared)	91
VDEPSW-____	Open laminate center-mounted storage units with whiteboard back and sliding door (shared)	92
VDEPW-____	Open laminate center-mounted storage units with whiteboard on back (shared)	89
VDSL-20____	Shared low storage units (pigeonhole/file)	106
VDULUL-20____	Shared low storage units (box/file)	106
VEB-1	Hardwire base feed, 48" length	53
VEB-2	20-amp plug-in base feeds	53

Product number	Product description	Page
VEB-3	15-amp plug-in base feeds	54
VEB-4	Concealed base feeds	53
VEB-5	Hardwire base feeds, 180" length	53
VECT-3	Straight span connector	57
VEKP-__	Power conversion kit	56
VEO-16__	Open laminate overhead storage units	86
VEOS-16__	Open laminate overhead storage units with sliding door	86
VEOSW-16__	Open laminate overhead storage units with whiteboard sliding door	87
VEP-____	Open laminate center-mounted storage units (single or double)	88
VEPC-6/VEPC-12	Work surface height powered receptacles with communication outlets	56
VEPP-16__	Laminate center-mounted storage units with flipper door (standard hinges)	90
VEPP-16__-S	Laminate center-mounted storage units with flipper door (soft-close hinges)	90
VEPS-____	Open laminate center-mounted storage units with sliding door	91
VEPSW-____	Open laminate center-mounted storage units with whiteboard back and sliding door	92
VEPT-2/VEPT-4	Work surface height receptacles, with powered table dome	56
VEPW-____	Open laminate center-mounted storage units with whiteboard on back (single or double)	89
VERC-1/VERD-1	Duplex receptacles, 3-programmable circuits	55
VFDV-3	Dividers for lateral file drawers	99
VFHB-2	Front-to-back hanging bars for lateral file drawers	99
VFL-__-__	Metal lateral files	97
VHCM-15	Horizontal wire channels	117
VLCK-KIT-R, LR-BL	Locking program/random key alike	118
VLCK-KIT-S, KY-__	Locking program/specific key alike	118
VLWC-__	Counterweights for lateral files	99
VLGC-BAR__	Work surface reinforcement bars	80
VLGC-GBAKD26	Articulated retractable arm	115
VLGC-GR1/VLGC-GS1	Work surface grommets	117
VLGC-LED__	Overhead storage tasklights/LED	116
VLGC-LP__	Open frame legs	78
VLGC-LP__PL/PR	Panel-mounted open frame legs	78
VLGC-RA__P	Hanging rails for panels	111
VLGC-RA__M	Accessory rails for walls	111
VLGC-RAS__	Accessory trays	113
VLGC-RPT__	Horizontal paper trays	112
VLGC-RVPT__	Vertical paper tray	112
VLGC-SB17	Table post	77

8 Product reference

Product number	Product description	Page
VLGC-QTL1	Table post	77
VLGC-VPTM	Magnetic markers tray	114
VLGC-VPTR	Markers tray for rails	112
VLGC-VTL1	Table post	76
VLLC-__	Compressors for lateral file drawers	99
VLT-__-P_	Overhead storage tasklights/electronic ballast	116
VMK-01	Locking program/master key	118
VMOD-12_	Modesty panels (thermofused laminate)	119
VMODT-12_	Modesty panels (frosted acrylic)	119
VMWB-23_	Magnetic whiteboards	114
VNGK-_____	Wainscot conversion kits for glass panels	42
VNPL-10	Plastic liners	57
VNRC-1	Raceway communication cut-out cover	50
VNRP-__	Raceway covers for communication cabling	50
VNT-__	Accessories for T-mount	52
VNVA-KIT	Two-way connector covers, 120-degree connection	49
VNVC-KIT	Two-way connector covers, 90-degree connection	49
VNVS-KIT	Three-way connector covers, 180-degree connection	49
VNW-__	Wall-mounts	52
VOAK-1	Keyboard/storage drawer	115
VPB-____-L/R	Personal storage towers with open bookcase	103
VPBEBE-20_	Low storage units with panel attachment brackets (open bookcase)	107
VPBECB-24_	Wardrobes/bookshelves with back panel attachment brackets (hinges on right)	103
VPBECS-24_	Wardrobes/bookshelves with lateral panel attachment bracket (hinges on right)	102
VPBEUL-20_	Low storage units with panel attachment brackets (Open/Box/File)	107
VPBW-____-L/R	Personal storage towers with open bookcase and whiteboard	104
VPC1-24	Pedestal cushion	94
VPCBEB-24_	Wardrobes/bookshelves with back panel attachment brackets (hinges on left)	103
VPCBES-24_	Wardrobes/bookshelves with lateral panel attachment bracket (hinges on left)	102
VPCLB-_____	Wardrobes with back panel attachment brackets (hinges on left)	102
VPCLS-_____	Wardrobes with lateral panel attachment bracket (hinges on left)	101
VPCRB-_____	Wardrobes with back panel attachment brackets (hinges on right)	102
VPCRS-_____	Wardrobes with lateral panel attachment bracket (hinges on right)	101

Product number	Product description	Page
VPDV-6	Dividers for metal box drawers	98
VPF_-24-_	Metal fixed pedestals	93
VPH-8	All-purpose hooks	116
VPLF-KIT	Legal conversion kit for metal pedestals	98
VPM_-24-_	Metal mobile pedestals	94
VPPA-____-N_	Acoustical panels, non-powered	33
VPPA-____-P_	Acoustical panels, powered	34
VPPD-_____	Door	37
VPPG-____-N_	Glass panels, non-powered	36
VPPG-____-P_	Glass panels, powered	37
VPPK-_-3_	Ported kits	57
VPPT-1	Pencil tray for metal box drawers	98
VPS1-24-_	Metal hanging pedestals	93
VPSA-_____	Acoustical stackable panels for acoustical base panels	38
VPSG-____-F	Glass stackable panels for acoustical base panels	39
VPSG-____-G	Glass stackable panels for glass base panels	41
VPSLF-20_	Low storage units with panel attachment brackets (Pigeonhole/File)	107
VPULBE-20_	Low storage units with panel attachment brackets (Box/File)	107
VPULUL-20_	Low storage units with panel attachment brackets (Box/File)	107
VREC-10	Base raceway end cap	51
VSAGX-_____	Panel privacy screens	120
VSCCT-_____	Lateral privacy screens	120
VSCT-_____	Modular modesty panels	119
VSD-KIT	Dividers for overhead storage units and shelves	98
VSD0-_____	Sliding doors	38
VSH-07_	Shelves	113
VSLF-20_	Low storage units (Pigeonholes/Files)	105
VSLFL-20_	Fixed storage units (Pigeonhole/File)	108
VSM-16_	Up-mounted storage cabinets with flipper door (standard hinges)	83
VSM-16_-S	Up-mounted storage cabinets with flipper door (soft-close hinges)	84
VSO-16_	Overhead storage cabinets with flipper door (standard hinges)	82
VSO-16_-S	Overhead storage cabinets with flipper door (soft-close hinges)	83
VSRK-KIT_	Side rail keyhole concealers	118
VSS-08_	Overhead low height shelves	81
VSS-14_	Overhead full height shelves	81

Product number	Product description	Page
VSW_16__	Wall-mounted storage cabinets with flipper door (standard hinges)	84
VSW-16__-S	Wall-mounted storage cabinets with flipper door (soft-close hinges)	85
VSWB_16__-P	Back for wall-mounted storage cabinets	85
VT2_--24-	Metal personal storage towers File/File, Right or Left door	95
VT3_--24-	Metal personal storage towers Box/Box/File, Right or Left door	95
VTB-_____	Tackboards	114
VTCA-1	Top cap aligner	51
VTCE-1	Top cap end plug	51
VTCP-1	One-way in-line square top cap	47
VTCP-2I	Two-way in-line square top cap	47
VTCP-2C	Two-way corner square top cap	47
VTCP-3	Three-way square top cap	47
VTCP-4	Four-way square top cap	47
VTCP-120-1	One-way 120-degree square top cap	48
VTCP-120-2	Two-way 120-degree square top cap	48
VTCP-120-3	Three-way 120-degree square top cap	48
VTF-_____-__	Powered top feeds	54
VUA-30_--45/54	Asymmetrical work surfaces	62
VUAC-_____	Trapezoidal conference work surfaces	64
VUC-_____	Corner work surfaces, straight front	67
VUCA-_____-__	120-degree corner work surfaces, curved front	71
VUCC-_____	Corner work surfaces, curved front	68
VUCD-_____	Corner work surfaces, dual height	68
VUD-_____	D-shape work surfaces	66
VUDE-_____-__-L/R	Extended D-shape work surfaces	66
VUEA-_____	Trapezoidal surface extensions	65
VUER-_____	Surface extensions with rounded corners	65
VUF-_____	Lateral file tops	98
VULA-_____	120-degree link work surfaces	71
VULBE-20_____	Low storage units (box/file/open)	105
VULUL-20_____	Low storage units (box/file)	105
VUP-_____-L/R	P-shape work surfaces	67
VUR-_____	Rectangular work surfaces	58
VURC	Rectangular conference work surfaces	59
VURE-_____	Extended rectangular work surfaces	59
VURR-_____-L/R	Rectangular work surfaces, radius end	60
VURT-_____-__	Rectangular work surfaces, transitional	61
VUSE-__	End support panels	79

Product number	Product description	Page
VUSE-11	Mid-support panel	79
VUT-_____	Straight counter tops	72
VUTC-_____	Corner counter tops	72
VUWE-_____-L/R	Extended corner work surfaces, curved front	69
VUWE-_____-L/R-K	Extended corner work surfaces, straight front	69
VUWT-_____-__	Extended transitional corner work surfaces, curved front	70
VUWT-_____-L/R-K	Extended transitional corner work surfaces, straight front	70
VVFA-__-F2	Fabric two-way finish posts, 120-degree connection (full height application)	45
VVFA-__-V1	Fabric two-way finish posts, 120-degree connection (variable height application)	48
VVFC-__-F2C	Fabric two-way finish posts, 90-degree connection (full height application)	43
VVFC-__-V1	Fabric two-way finish posts, 90-degree connection (variable height application)	46
VVFS-__-F3	Fabric three-way finish posts, 180-degree connection (full height application)	44
VVFS-__-V__	Fabric three-way finish posts, 180-degree connection (variable height application)	47
VVPA-__-F2	Painted metal two-way finish posts, 120-degree connection (full height application)	45
VVPA-__-V1	Painted metal two-way finish posts, 120-degree connection (variable height application)	48
VVPC-__-F2C	Painted metal two-way finish posts, 90-degree connection (full height application)	43
VVPC-__-V1	Painted metal two-way finish posts, 90-degree connection (variable height application)	46
VVPS-__-F3	Metal paint three-way finish posts, 180-degree connection (full height application)	44
VVPS-__-V__	Painted metal three-way finish posts, 180-degree connection (variable height application)	47

8 Fabrics and finishes

NVISION STANDARD FABRIC COLLECTIONS

Dune

MD-1	Ambition
MD-2	Zen
MD-3	Hearty
MD-4	Honest
MD-5	Forgiving
MD-6	Dreamer
MD-7	Peaceful
MD-8	Thoughtful
MD-9	Serene

Frenzied

MF-1	Salsa
MF-2	Waltz
MF-3	Flamenco
MF-4	Meringue
MF-5	Mambo
MF-6	Tango
MF-7	Swing
MF-8	Chacha
MF-9	Rumba

Fusion

61-1	Taupe
61-3	Smoke
61-4	Cornflower
61-5	Pewter
61-6	Tobacco
61-7	Amber
61-8	Maize
61-9	Cornsilk

Galet

54-1	Sky Blue
54-2	Grey
54-3	Alabaster
54-4	Stone
54-5	Charcoal
54-6	Copper
54-7	Moss
54-8	Dune

Point

EE-AA	Peak
EE-AC	Decimal
EE-AD	Nib
EE-AE	Vertex
EE-AF	Focal
EE-AG	Compass

Resonance

MR-1	Echo
MR-2	Lyric
MR-3	Chime
MR-4	Chant
MR-5	Harmony
MR-6	Tone
MR-7	Carillon

Stratus

E6-1	Tornado
E6-2	Daylight
E6-3	Diamond Dusk
E6-4	Fog
E6-5	Mist
E6-6	Blue Halo
E6-7	Rain
E6-8	Hail
E6-9	Night Sky

Twigs

5W-1	Ash
5W-2	Buckeye
5W-3	Hickory
5W-4	Jupiter
5W-5	Linden
5W-6	Polar
5W-7	Sassafras
5W-8	Sycamore

Meander (Momentum)

5L-1	Agate Taupe
5L-2	Nightshadow
5L-3	Overcast
5L-4	Sandshell

Universe (Momentum)

5V-1	Cosmic
5V-2	Creme Brulee
5V-3	Depth
5V-4	Mica
5V-5	Milkyway
5V-6	Seneca
5V-7	Wheat
5V-8	Whitecap

MOMENTUM EASY C.O.M.* COLLECTIONS

Backdrop

B20	Mica
B21	Bone
B22	Khaki
B23	Rain
B24	Mocha
B25	Barley
B26	Bonsai

Cameo

C12	Mist
C13	Parchment
C14	Ivory
C15	Coffee
C16	Almond
C18	Linen
C19	Stone
C20	Metal
C23	Smoke
C24	Fawn
C25	Twig

Pact

P02	Putty
P05	Lime
P06	Dove
P07	Calla
P09	Eureka
P10	Fern
P13	Coastal
P14	Nectar
P15	Toasty
P16	Aloe
P18	Azure
P20	Dragon
P39	Rubine
P40	Patina
P43	Sketch
P45	Roma
P46	Taupe
P47	Harbour
P48	Delft
P49	Tanzanite
P50	Lily
P51	Roast
P52	Midnight

LAMINATE FINISHES

Wood Grains

G-ACA	Mahogany
G-BUC	Bourbon Cherry
G-CAR	Caramello
G-CER	Cherry
G-CCL	Classic Chocolate
G-DCH	Dark Chocolate
G-ERH	Hard Rock Maple
G-FOS	Fossil
G-GGI	Grigio
G-HZN	Hazelnut
G-MTA	Musta
G-NTL	Natural Cherry
G-NRM	Natural Mappel
G-RBY	Ruby
G-SLT	Salta
G-TOM	Totem
G-TWT	Tuscany Walnut

Solid Colors

G-CLY	Clay
G-GAN	Anthracite Grey
G-NCN	Crystal Black
G-SNO	Snow
G-WGR	Willow Grey

Patterns

G-GVR	Frost
G-PCM	Parchment

ACCENT COLORS

*Trim/Metal

TR-E	Smoke
TR-G	Grey tone
TR-K	Charcoal
TR-R	Beige
TR-LE	Metallic silver

*Some exceptions apply. See individual product descriptions for a list of available colors.

PANEL/SLIDING DOOR

Glass/Acrylic Options

SK-1C	Tempered clear glass
SK-1E	Frosted acrylic

- Refer to the Nvision color brochure to visualize the current laminate finish selection. Always request an actual sample before ordering.
- Refer to United Chair swatch cards for metal pedestal cushions.
- Refer to Nvision swatch cards for actual fabric representation.

* Momentum Easy C.O.M. and C.O.M. fabrics are not covered by the Groupe Lacasse Limited Lifetime Warranty and subject to extended lead time. Acknowledged delivery or ship dates for these fabrics are contingent on supplier's performance.

nvision

OFFICE ENVIRONMENT SOLUTIONS

GROUPE
LACASSE

1 888 522.2773 | www.groupelacasse.com

3878
N143-6
1/17
PDF