



**OSARC**  
OFFICE OF  
STATE AID ROAD CONSTRUCTION



Harry Lee James, P.E.  
State Aid Engineer  
P.O. Box 1850

112 E. Woodrow Wilson Ave.  
Jackson, Mississippi 39216  
Fax (601) 377-7141

December 10, 2019

Board of Supervisors  
Oktibbeha County  
c/o Chancery Clerk  
Starkville, MS 39759

Gentlemen:

RE: **DEPARTMENT OF ECONOMIC DEVELOPMENT**  
**PROJECT NO. DECD-0053(15)BO**  
**OKTIBBEHA COUNTY**

The Plans and specifications for the above numbered project have been reviewed and are herewith approved. You are, therefore, authorized to advertise this project for bids. The work to be done under this project consists of **Grade, Base, Drain and Surface**.

The date for opening these bids has been set for **Thursday, January 30, 2020 at 10:00 a. m.** in the **City Hall** at **Starkville**.

In accordance with the Provisions of Section 31-7-13, Mississippi Code of 1972 as amended by House Bills numbered 901 and 1306 of the 1991 regular Legislative Session, the advertisement for receipt of bids on this project must be made once each week for two (2) consecutive weeks in a regular newspaper published in your county and, further, that the date as published for the bid opening shall not be less than fifteen (15) working days after the last published notice. The date, as set above, should be no sooner than the sixteenth working day after the last advertisement appears in the newspaper.

We are returning herewith an approved copy of the Plans and Proposal Documents to be filed by your Clerk when advertisement is begun.

Sincerely,

Harry Lee James, P. E.  
State Aid Engineer

*Evelyn Hollins*

By: Evelyn Hollins  
Administrative Assistant

pc: Mr. Clyde Pritchard, P.E., Co. Eng./Project Eng.  
Supervisor District(s) 1,4  
Mark Whitney, P.E.  
F.H.W.A. , 00-01 (if Federal)  
System Consultants Associates  
McGraw Hill Construction Dodge  
**MS Procurement Technical Assistance Program**  
Associated General Contractors of Mississippi, Inc.  
M.R.B.A.  
Project File

OFFICE OF STATE AID ROAD CONSTRUCTION  
MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
AND  
OKTIBBEHA COUNTY BOARD OF SUPERVISORS

SECTION 900

NOTICE TO CONTRACTORS:

Sealed or electronic bids will be received by the Board of Supervisors of Oktibbeha County, Mississippi at the Oktibbeha County Courthouse, Starkville, Mississippi, until \_\_\_\_\_ on the \_\_\_\_\_ day of \_\_\_\_\_ and shortly thereafter publicly opened for the construction of 1.642 miles of GRADE, BASE, DRAIN, AND SURFACE on the BLACKJACK ROAD AND STONE BOULEVARD being known as Project No. DECD-0053(15)BO in Oktibbeha County, Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

<u>ITEM</u>	<u>QUANTITY</u>	<u>UNIT</u>
<u>ROADWAY ITEMS:</u>		
MOBILIZATION	LUMP SUM	LUMP SUM
CLEARING & GRUBBING	LUMP SUM	LUMP SUM
REMOVAL OF OBSTRUCTIONS	LUMP SUM	LUMP SUM
REMOVAL OF ASPHALT, DBST PAVEMENT AND CONCRETE (ALL THICKNESSES)	17,470.0	SQ. YDS.
REMOVAL OF PIPE (ALL SIZES)	1,831.0	LIN. FT.
UNCLASSIFIED EXCAVATION (FM)	15,056.0	CU. YDS.
BORROW EXCAVATION (F.M.E.) (CONTRACTOR FURNISHED) (CLASS 9)	5,083.0	CU. YDS.
EXCESS EXCAVATION (FM)	17,971.0	CU. YDS.
PORTLAND CEMENT CONCRETE PAVED DITCH	20.13	CU. YDS.
GRANULAR MATERIAL (PM) (CLASS 3, GROUP B)	996.0	CU. YDS.
GRANULAR MATERIAL (PM) (CLASS 9, GROUP B)	12,185.0	CU. YDS.
CRUSHED STONE SIZE 610 (PM)	12,295.0	CU. YDS.
PORTLAND CEMENT	21,859.0	CWT.
SOIL-CEMENT-WATER MIXING (MULTIPLE PASS MIXERS)	42,807.00	SQ. YDS.
HOT MIX ASPHALT (ST) ( 9.5 mm)	4,601.0	TON
HOT MIX ASPHALT (ST) (12.5 mm)	9,202.0	TON
COLD MILLING OF BITUMINOUS PAVEMENT, ALL DEPTHS	2,691.00	SQ. YDS.
POLYMERIZED-EMULSIFIED ASPHALT, GRADE CRS-2P	11,825.0	GAL.
COARSE AGGREGATE COVER MATERIAL, SIZE 6, CRUSHED STONE	253.0	CU. YDS.
SEAL AGGREGATE COVER MATERIAL, SIZE 7, CRUSHED STONE	137.0	CU. YDS.
BLOTTER MATERIAL	20.0	CU. YDS.
CLASS B STRUCTURAL CONCRETE	101.852	CU. YDS.
CLASS B STRUCTURAL CONCRETE, MINOR STRUCTURES	635.744	CU. YDS.
REINFORCING STEEL	78,978.0	LBS.
15" REINFORCED CONCRETE PIPE, CLASS III	63.0	LIN. FT.
18" REINFORCED CONCRETE PIPE, CLASS III	1,079.0	LIN. FT.
24" REINFORCED CONCRETE PIPE, CLASS III	317.0	LIN. FT.
60" REINFORCED CONCRETE PIPE, CLASS III	70.0	LIN. FT.
18" REINFORCED CONCRETE PIPE, END SECTION	1.0	EA.

SECTION 900  
PROJECT NO. DECD-0053(15)BO  
OKTIBBEHA COUNTY

29" X 18" REINFORCED CONCRETE ARCH PIPE, CLASS III	40.0	LIN. FT.
51" X 31" REINFORCED CONCRETE ARCH PIPE, CLASS III	8.0	LIN. FT.
6' x 8' PRECAST CONCRETE BOX CULVERT	16	LIN. FT.
16' x 6' PRECAST CONCRETE BOX CULVERT	1,052.0	LIN. FT.
12" CORRUGATED POLYETHYLENE PIPE	8.0	LIN. FT.
15" CORRUGATED POLYETHYLENE PIPE	125.0	LIN. FT.
18" CORRUGATED POLYETHYLENE PIPE	1,442.0	LIN. FT.
24" CORRUGATED POLYETHYLENE PIPE	2,191.0	LIN. FT.
36" CORRUGATED POLYETHYLENE PIPE	70.0	LIN. FT.
18" CORRUGATED POLYETHYLENE PIPE, END SECTION	1.0	EA.
24" CORRUGATED POLYETHYLENE PIPE, END SECTION	5.0	EA.
8" CORRUGATED POLY VINYL CHLORIDE PIPE	113.0	LIN. FT.
8" BRANCH CONNECTION (INTO BOX CULVERT)	4.0	EA.
15" BRANCH CONNECTION (INTO BOX CULVERT)	3.0	EA.
18" BRANCH CONNECTION (INTO BOX CULVERT)	2.0	EA.
24" BRANCH CONNECTION (INTO BOX CULVERT OR HEADWALL)	6.0	EA.
36" BRANCH CONNECTION (INTO BOX CULVERT)	3.0	EA.
51" X 31" BRANCH CONNECTION (INTO BOX CULVERT)	1.0	EA.
CASTINGS	5,411.0	LBS.
GRATINGS	2,500.0	LBS.
6" PERFORATED CORRUGATED POLYETHYLENE DRAINAGE TUBING FOR UNDERDRAINS	700.0	LIN. FT.
FILTER MATERIAL FOR FILTER BEDS, TYPE A	1,105.0	CU. YDS.
GUARD RAIL, W-BEAM	406.0	LIN. FT.
PEDESTRIAN RAILING	654.0	LIN. FT.
CONCRETE DRIVEWAY	2,377.0	SQ. YDS.
COMBINATION CONCRETE CURB AND GUTTER, TYPE 1	19,102.0	LIN. FT.
TEMPORARY CONSTRUCTION FENCE	2,400.0	LIN. FT.
ADJUSTMENT OF WATER LINE	LUMP SUM	LUMP SUM
MAINTENANCE OF TRAFFIC	LUMP SUM	LUMP SUM
ADDITIONAL CONSTRUCTION SIGNS	0.0	SQ. FT.
4" WIDE THERMOPLASTIC EDGE STRIPE (CONTINUOUS WHITE) (60 MILS)	3.356	MI.
4" WIDE THERMOPLASTIC TRAFFIC STRIPE (SKIP YELLOW) (90 MILS)	2.302	MI.
4" WIDE THERMOPLASTIC TRAFFIC STRIPE (CONTINUOUS YELLOW) (90 MILS)	16,044.0	LIN. FT.
THERMOPLASTIC DETAIL STRIPE (4" EQUIVALENT LENGTH) (WHITE) (120 MILS)	4,947.0	LIN. FT.
THERMOPLASTIC DETAIL STRIPE (4" EQUIVALENT LENGTH) (YELLOW) (120 MILS)	2,074.0	LIN. FT.
THERMOPLASTIC LEGEND (WHITE) (120 MILS)	169.0	LIN. FT.
THERMOPLASTIC LEGEND (WHITE) (120 MILS)	2,450.80	SQ. FT.
TWO WAY YELLOW REFLECTIVE HIGH PERFORMANCE RAISED MARKERS	490.0	EA.
REFLECTORIZED TRAFFIC WARNING SIGN (ENCAPSULATED LENS)	12.0	EA.
REFLECTORIZED TRAFFIC REGULATORY SIGN (ENCAPSULATED LENS)	1.0	EA.

SECTION 900  
PROJECT NO. DECD-0053(15)BO  
OKTIBBEHA COUNTY

REFLECTORIZED TRAFFIC WARNING SIGN WITH SUPPLEMENTAL PLATE (ENCAPSULATED LENS)	3.0	EA.
TRAFFIC SIGNAL HEAD, TYPE 1	4.0	EA.
TRAFFIC SIGNAL HEAD, TYPE 6	6.0	EA.
TRAFFIC SIGNAL HEAD, TYPE 7	2.0	EA.
REMOVAL OF EXISTING TRAFFIC SIGNAL EQUIPMENT	LUMP SUM	LUMP SUM
SOLID STATE TRAFFIC CABINET ASSEMBLY, TYPE III CABINET, TYPE 1 CONTROLLER	1.0	EA.
MODIFY EXISTING TRAFFIC SIGNAL CABINET ASSEMBLY	1.0	EA.
TRAFFIC SIGNAL EQUIPMENT POLE, TYPE II, 17' SHAFT, 45' ARM	1.0	EA.
TRAFFIC SIGNAL EQUIPMENT POLE, TYPE III, 17' SHAFT, 45' & 60' ARMS	1.0	EA.
TRAFFIC SIGNAL EQUIPMENT POLE, TYPE VI, 8' SHAFT	3.0	EA.
POLE FOUNDATIONS, CLASS "B" CONCRETE	35.26	CU. YDS.
SLIP CASING, 24" DIAMETER	15.0	LIN. FT.
SLIP CASING, 36" DIAMETER	27.0	LIN. FT.
ELECTRIC CABLE, UNDERGROUND IN CONDUIT, IMSA 20-1, AWG 14, 5 CONDUCTOR	415.0	LIN. FT.
ELECTRIC CABLE, UNDERGROUND IN CONDUIT, IMSA 20-1, AWG 14, 8 CONDUCTOR	315.0	LIN. FT.
ELECTRIC CABLE, UNDERGROUND IN CONDUIT, IMSA 20-1, AWG 8, 3 CONDUCTOR	20.0	LIN. FT.
ELECTRIC CABLE, AERIAL SUPPORTED IN CONDUIT, IMSA 20-1, AWG 14, 8 CONDUCTOR	92.0	LIN. FT.
PULLBOX ENCLOSURE, TYPE 2	3.0	EA.
PULLBOX ENCLOSURE, TYPE 3	2.0	EA.
TRAFFIC SIGNAL CONDUIT, UNDERGROUND, TYPE 4, 2"	40.0	LIN. FT.
TRAFFIC SIGNAL CONDUIT, UNDERGROUND, TYPE 4, 3"	25.0	LIN. FT.
TRAFFIC SIGNAL CONDUIT, UNDERGROUND DRILLED OR JACKED, ROLLED PIPE, 2"	208.0	LIN. FT.
TRAFFIC SIGNAL CONDUIT, UNDERGROUND DRILLED OR JACKED, ROLLED PIPE, 3"	240.0	LIN. FT.
TYPE 1 OPTICAL DETECTOR	3.0	EA.
TYPE 1 OPTICAL DETECTOR CABLE	450.0	LIN. FT.
MULTIMODE PHASE SELECTOR	1.0	EA.
VIDEO VEHICLE DETECTION SENSOR, TYPE 1	3.0	EA.
VIDEO VEHICLE DETECTION CABLE	450.0	LIN. FT.
ACCESSIBLE PEDESTRIAN DETECTION ASSEMBLY	6.0	EA.
STREET NAME SIGN	26.25	SQ. FT.
<u>EROSION CONTROL ITEMS</u>		
AGRICULTURAL LIMESTONE	29.1	TON
COMMERCIAL FERTILIZER (13:13:13)	14.55	TON
AMMONIUM NITRATE	0.146	TON
SEEDING	14.55	AC.
VEGETATIVE MATERIALS FOR MULCH	29.1	TON
SOLID SODDING	1,000.00	SQ. YDS.
EXCELSIOR BLANKET	400.0	SQ. YDS.

SECTION 900  
PROJECT NO. DECD-0053(15)BO  
OKTIBBEHA COUNTY

GEOTEXTILE FABRIC STABILIZATION (TYPE V) (AOS 0.21-0.43)	300.0	SQ. YDS.
TEMPORARY SILT FENCE (TYPE I) (AOS 0.15-0.84)	16,842.00	LIN. FT.
TEMPORARY EROSION CHECKS	320.0	BL.
WATTLES, 20"	3,030.00	LIN. FT.
LOOSE RIPRAP (SIZE 200 LB.)	500.0	TON
GEOTEXTILE UNDER RIPRAP (TYPE V) (AOS 0.21-0.43)	625.0	SQ. YDS.

**NOTICE TO CONTRACTORS:**

**CONTRACT TIME:**           **300 Working Days**

**BASIS OF AWARD**

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Oktibbeha County, the County Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS are being made available via paper or digital copy. Plan Holders are required to log-in or register for an account to view or order bid documents at [www.pritchardengineeringplans.com](http://www.pritchardengineeringplans.com). Bid documents are non-refundable and must be purchased through the website. Questions regarding website registration and online orders please contact Plan House at 662-407-0193. For questions related to the contract documents contact Pritchard Engineering at 662-324-2205. No partial sets of drawings or project manuals will be issued.

Proposal shall be submitted on Bid Forms provided with the specifications. Bids may be submitted in person, or for those interested, bids can be electronically submitted at [www.pritchardengineeringplans.com](http://www.pritchardengineeringplans.com) under the project page. No oral, telegraphic, telephonic, or e-mail proposals will be considered. For sealed bids, the current Certificate of Responsibility Number of the bidder shall appear on the outside of each sealed envelope containing a proposal, said envelope being plainly marked "DECD-0053(15)BO". If submitting electronically, please include this information on a cover sheet with your bid submission.

Each Bid must be accompanied by a bid bond/security deposit or certified check in an amount equal to 5% of the bid, payable to Oktibbeha County and the State of Mississippi as bid security. In the event that an electronic bid is submitted, a copy of the bid bond must be included with the submission. If submitting electronically, a hard copy of all bid documents must be provided within 3 business days if requested after the bid opening.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

Orlando Trainer, President  
Oktibbeha County Board of Supervisors

PUBLISH: