
Oklahoma Sound Today's Technology, Tomorrow's Promise. PRODUCT CATALOG 2018





FEATURES OF THE 2018 CATALOG

The **Oklahoma Sound 2018 Catalog** brings you the most extensive line of *In-Stock Quick Ship* Technology, Presentation and AV Furniture!

CORE STRENGTHS



All orders ship from stock within 48 hours. Our company was founded on this guiding principal 37 years ago, and we remain true to it today.



We strive to use materials of only the highest quality in the construction of our products, delivering the best value for your customers.



We embrace many Eco-friendly practices, making us a "Green" manufacturer. See full Environmental statement on back cover.



We offer the most comprehensive 5-Year Warrantee in the industry. See back cover for details.



We provide a full array of marketing materials to support our dealers' sales efforts. YouTube Videos, Product Sell Sheets and more, are available for print and online use.



149 ENTIN ROAD · CLIFTON NJ 07014 **TEL** 800.261.4112 · **FAX** 888.261.4113

www.oklahomasound.com



Technology Furniture

PAGES 3-5

#TCSC-32 Tablet Charging & Storage Cart

The TCSC-32 from Oklahoma Sound offers a charging and storage solution for a wide range of educational technology from tablets to many popular Chromebooks. In-R-out entry through two wrap-around doors provides users easy access to their devices and a quick, safe return for charging and storage. Protect your valuable computers by securely locking the cart with heavy-duty locks. Cords will always remain safe and secure with a recessed power panel and the slotted panels will provide healthy ventilation during charging. The cart is constructed of high-pressure thermofused cherry/black laminate on particle board, rolling easily on four heavy duty casters. Ships by truck. Fully assembled.



The #TCSC-32 offers a Charging & Storage Solution for a wide range of educational technology including many popular



TCSC-32
TECHNICAL SPECIFICATIONS

Overall Dimensions: 36.25"H x 18.25"D x 23.25"W
Compartment Dimensions: 11.75"D x 11.75"H x 1"W
Surface Dimensions: 23"W x 18"D
Casters: 4" (2 Locking)
Weight: 79 lbs

COLOR OPTIONS MODELS TCSC · LCSC

Recessed



WILD CHERRY ON BLACK



in Modern THE charge SOLUTION

тне charge · store · transport

SOLUTION FOR YOUR SCHOOL'S LAPTOPS AND TABLETS!

#TCSCTablet Charging & Storage Cart

The Tablet Charging & Storage Cart from Oklahoma Sound makes it convenient and easy to charge and store up to 24 tablet computers. In-&-out entry through two wraparound doors provide users easy access to their tablets and a quick, safe return for charging and storage. Protect your valuable tablets by securely locking the cart with heavy-duty locks. Cords will always remain safe and secure with a recessed power panel and the slotted panels will provide healthy ventilation during charging. The cart is constructed of high-pressure thermofused cherry/black laminate on particle board, rolling easily on four heavy-duty casters. Ships by truck. Fully assembled.

24 Individual Compartments FOR STORING AND CHARGING YOUR TABLET/NETBOOKS (TCSC) AND LAPTOPS (LCSC) CORDS ARE SAFE AND SECURE WITH Recessed **Power Panel** COLOR OPTIONS MODELS TCSC · LCSC WILD CHERRY ON BLACK **Slotted Panels** VENTILATION

 2 Storage Compartments for Easy "In-n-Out" Access

 Charge Half or All netbooks/ tablets (TCSC) or laptops (LCSC)

TCSC

TECHNICAL SPECIFICATIONS

Overall Dimensions: 43.25°H x 24"D x 20"W Compartment Dimensions: 14.75°W x 9"D x 2.65°H Surface Dimensions: 26°D x 20"W Casters: 4" (2 Locking) Weight: 135 lbs





TECHNICAL SPECIFICATIONS

Overall Dimensions: 43.25"H x 37"D x 19.25"W
Compartment Dimensions: 16"W x 14"D x 2.65"H
Surface Dimensions: 37"D x 19.5"W Casters: 4" (2 Locking) Weight: 171 lbs

COLOR OPTIONSMODELS TCSC · LCSC











Lectern Teacher's

The industry trendsetting **Edupod**[™] is Oklahoma Sound's newest solution to 21st Century Classroom and **Educational environments.**

Incorporating both a lectern and a teacher's desk in one, the Edupod™ addresses the presentation challenges educators today face. The teacher or presenter can use the Edupod[™] sitting or standing. Incorporating an attractive hammer tone grey steel cabinet with locking storage & adjustable height shelves, the Edupod™ Lectern cabinet connects to a gorgeous lightweight plastic blowmolded desktop in matching grey, mounted on a contemporary frame and leg system with

Preset the adjustable-height grey lectern top with metal bookstop to your personal comfort zone and height requirements. Wire management grommets on Lectern cabinet allow for use of technology equipment such as projectors, laptops or tablets, and built-in attractive mesh front provides venting to prevent overheating.

METAL BOOKSTOP

LOCKING STORAGE CABINET FOR SECURITY

Includes six double wheel hooded, two-inch caster wheels; three locking, for portability.

CONTEMPORARY FRAME AND LEGS PERFORATED MODESTY PANEL 6 DOUBLE WHEEL HOODED, TWO-INCH CASTER WHEELS 3 LOCK FOR STABILITY

Adjust the **Lectern Height** to your Personal **Comfort Zone**

FROM 37" TO 45"

EDPD

non sound

TECHNICAL SPECIFICATIONS Overall Dimensions: 68"L x 24"W

Desk Dimensions: 48"L x 24"W Desk Thickness: 2" Cabinet Dimensions (including casters): 24"L x 20"W x 35"H Lectern Desk: 24"L x 20"W Lectern Thickness: 34" Cabinet Shelves Dimensions: 19"L x 22"W Unit Weight: 115 lbs Lectern Portion Weight: 85 lbs

COLOR OPTIONS



HAMMER TONE GREY

WIRE MANAGEMENT GROMMET FOR TECHNOLOG\ EQUIPMENT

Shelves,

Adjustable

CUSTOMIZABILITY

BUILT-IN ATTRACTIVE MESH FRONT PROVIDES VENTING TO PREVENT OVERHEATING

Use the Edupod™ in a sitting or standing position



The most comprehensive, fully featured, presentation center available!



WZD

TECHNICAL SPECIFICATIONS

Top Surface: 18" L x 21" W Inside Dimensions: 16" L x 14.5" W x 20"H Projector Slide Out Shelf: 16" L x 14" W Built-In Drawer: 10" L x 14" x W x 5" H Height: 40" H Side Pop-Up Shelf: 14" L x 14" W










Now includes storage and charge New: Built-in ventilation slots.





Built-In Full Featured Amplifier for **SCLS** with Technologically Advanced (MP3 Compatible) Media Aux 1/8" Input

COLOR OPTIONS MODELS SCL · SCLS

sound **#SCLS** Smart Cart Lectern with Sound







SCL • SCLS
TECHNICAL SPECIFICATIONS

Dimensions: 41" H x 28" W x 21" D

Power Output: 25 Watts Power Output: 25 Watts
Microphones: 2 Condenser type: Handheld w/ 9' Cable;
Tie-Clip/Lavalier with 10' Cable
Speakers: One 8' Full Range
Inputs: One Mic, One Aux
Output: Extension Speaker

Controls: One Volume, Two Tone, On/Off

SOUND SPECS FOR SCLS

Fuse: Internally Mounted, 2A

Power Supply: 117 Volt AC; 12 V DC w/Optional Battery

Recharger: Internally mounted; w/LED indicator





#MMC Multi Media Cart

The Multimedia Cart from Oklahoma Sound® provides practical solutions for your presentation environment. This functional media cart allows for smooth functional media cart allows for smooth mobility along with practical storage solutions. The cart features a front slideout shelf, perfect for your laptop. Enjoy a large work surface area and dual flip-up side shelves for a document camera, laptop or projector. Storage is available in the locking cabinet (with adjustable-height shelf) and locking drawer. Constructed from high-pressure thermofused laminate in cherry finish on a particle board core. Features 3-inch casters (two locking). Ships UPS. Ready-to-Assemble.

MMC TECHNICAL SPECIFICATIONS

Overall Dimensions: 38"H x 25"W x 19"D Boxed Dimensions: 37"H x 25"W x 19"D Surface Dimensions: 25"W x 19"D Laptop Shelf: 16"W x 13"D Side Shelves: 18"W x 14"D Drawer: 15"W x 15"D x 2.5H Cabinet: 25"H x 18"W x 16.5"D Cabinet Shelf: 18"W x 16.5"D Weight: Unit 93 lbs / Boxed 99 lbs

non sound

#LSS

Laptop Speaker Stand
The Laptop Speaker Stand from Oklahoma
Sound® is your perfect solution for all presentation environments. Functions as a stand-alone lectern or transforms into a laptop/projector presentation center! Featuring a slide-out shelf which provides ample space for your laptop to work together with your projector. Adjustable height (39-49") to accommodate all users and a functional reading surface that can be set at three different angles for your specific presentation needs. Choose from fusion maple or cherry laminate on an MDF core mounted on a powder-coated 18-gauge steel frame. Heavy duty 3-inch casters (two locking) provide easy mobility. Ships UPS. Ready-to-Assemble.

LSSTECHNICAL SPECIFICATIONS

Overall Dimensions: 39"-49"H x 24"W x 24"D Boxed Dimensions: 27"H x 21"W x 21"H Reading Surface: 19"W x 13"H Laptop Slide-out Shelf: 19"W x 12"D Weight: Unit 40 lbs / Boxed 44 lbs





An Expanded PRC Series

5 Unique Options to Choose From!



LARGE PROJECTOR SHELF 12"W x 25"D LOCKABLE CABINET WITH 3 ADJUSTABLE / REMOVABLE SHELVES

6 Outlet **Power Strip** with 25' Cord with Winder

#PRC250

Premium Plus Presentation Cart
This exciting Deluxe Presentation Cart from Oklahoma
Sound® provides multifunctional presentation and storage solutions for all of your audio-visual equipment. Spread out your laptop, projector, and even document camera on its three shelves, including a protruding projector shelf! Your laptop shelf can adjust from 19" to 39.5," allowing you to keep your computer at a desired height for a sitting or a standing position. Featuring a well-placed cabinet with three adjustable (or removable) shelves which provide safe and secure storage. The unit rolls on 3-inch heavy-duty casters (two locking) for easy movement. Wire management and grommets included along with a mounted six-outlet power strip with 25-foot cord winder. Furnished in a black steel frame with attractive ivory wood-grain shelves. Ships UPS. Ready-to-Assemble.



#PRC200 Premium Presentation Cart

This exciting multi-use Presentation Cart, provides a multi-faceted presentation and storage solution for all your Audio-Visual equipment. Spread out your laptop, projector and even document camera on its four shelves including a protruding shelf which adjusts from 19" to 39.5", that allows you to keep a laptop at desired height. Unit rolls on four 3" heavy-duty casters desired rieght. Unit rolls of 100 of 3 nearly 2-usty castes: (two locking) for easy movement. Equipped with wire management grommets and includes a mounted six-outlet power strip. Furnished in Black steel frame with attractive lvory Wood grain shelves.

COLOR OPTIONS

IVORY WOODGRAIN

PRC200 TECHNICAL SPECIFICATIONS

Dimensions: 40.5"H x 18"W x 30"D Top Shelf: 18"W x 16.75"L Laptop Shelf: 18"W x 14"D Middle Projector Shelf: 16"W x 12"D Bottom Shelf: 18"W x 18"D Weight: 40 lbs Carton size: 37"L x 18"W x 5"H Carton weight: 40lbs

Color: Frame- Black; Shelves - Ivory wood grain
Steel: 18 gauge
Paint: 3 mil powder coating

PRC250

non

TECHNICAL SPECIFICATIONS

Dimensions: 40.5"H x 18"W x 30"D Surface Dimensions: 18"W x 16.75"L Laptop Adjustable Shelf: 18"W x 14"D Middle Project Shelf: 25"W x 12"D Locking Cabinet: 20"H x 14"W x 15"D Base Shelf: 23"W x 18"D Weight: 86 lbs

PRC300 TECHNICAL SPECIFICATIONS

Dimensions: 44"H x 32"W x 24"D Higher top: 18"W x 18D"

Higher top: 18"W x 180" Adjusts from 34" to 44" Lower top: 24"W x 18"D Adjusts from 28.5" to 38.5" Storage box: 14"H x 14.5"W x 12.5"D Middle shelf: 19"H x 14.25" x 13"D Weight: 50 lbs Carton size: 30.5"L x 18.5"W x 5.5"H

Carton weight: 54 lbs Class: 85

Color: Frame- Black; Shelves - Ivory wood grain

Steel: 18 gauge Paint: 3 mil powder coating Tops: Laminated on 3/4" MDF

PRC400

TECHNICAL SPECIFICATIONS

Dimensions: 40"H x 33"D x 21"W Surface Dimensions: 27"D x 21"D Middle Projector Shelf: 30.5"D x17.5"W Laptop Adjustable Shelf: 21"W x 18"D Locking Cabinet: 25"D x 19"W x 24.75"H Cabinet Adjustable Shelf: 20"D x 19"D Weight: 111 lbs

PRC450 TECHNICAL SPECIFICATIONS

Dimensions: 40"H x 33"D x 21"W Surface Dimensions: 27"D x 21"D Middle Projector Shelf: 30.5"D x17.5"W Laptop Adjustable Shelf: 21"W x 18"D Side Adjustable Shelf: 24.5"W x 18"D Locking Cabinet: 25"D x 19"W x 24.75"H Cabinet Adjustable Shelf: 20"D x 19"D







Ready-to-Assemble Lecterns

PAGES 14-17

LECTERN TOP CAN BE FLAT OR SLANTED.





Install the Look you Desire!

Your Conversation Lectern comes with two modesty panels. **SLEEK**

and

ACACIA LAMINATE

non sound #CVS

The Conversation Lectern

Built with durable 12-gauge black powder coated steel frame, this sleek mobile lectern will bring a new dimension for your presentation in the most upscale venues. This unit features a lectern surface that is made of black laminate on an MDF core. Recognizing that each presentation venue has its own character, Oklahoma Sound® is pleased to provide your unit with a choice of two modesty panel options. Simply install the look you desire. Use the sleek polycarbonate panel for one setting and simply remove and replace with acacia laminate panel for a second setting. The lectern top can be placed in two positions flat or slanted. The unit is outfitted with a retractable keyboard for use with a laptop. Ready to Assemble.

DURABLE
 12-GAUGE
 BLACK
 POWDER
 COATED
 STEEL
 FRAME

CVS
TECHNICAL SPECIFICATIONS

Dimensions: 26½"W x 18¾"D x 46½"H Keyboard Tray Dimensions: 12" W x 12"D Top Dimensions: 20"W x 16"D Weight: 30 lbs.



#600

Aristocrat Floor Lectern

Perfect lectern for the most demanding upscale look in your conference, training, and formal meeting rooms. Available in five woodgrain thermofused laminates of the highest quality. Two built in shelves for storage and one side mounted slide out shelf for AVP presentation equipment. Accented by attractive T-mold edging. Moves effortlessly on four easy roll casters; two locking. Assembly required.

Now includes a new pull-out keyboard tray







#6010

Aristocrat Floor Lectern

Perfect for the smallest to largest venues. Executive style podium includes 50-watt multimedia, amplifier with two built-in eight inch speakers, surrounded by gold appointments. Includes microphones, holders, digital timepiece and rolls on four casters. For audiences up to 2500. Assembly required. Now available with built in optional wireless microphones.





#6010/LWM-5 Aristocrat Floor Lectern with Wireless Handheld Microphone

#6010/LWM-7





#M6010/LWM-5 Aristocrat Floor Lectern + Rechargeable Battery with Wireless Microphone M6010/LWM-6 #M6010/LWM-7







4 EASY ROLL CASTERS



#6010/LWM-6

6010 TECHNICAL SPECIFICATIONS Dimensions: 46"H x 25"W x 20"D

Weight: 93 lbs. Shelves: (2) 23.5"W x 18"D Power Output: 50 Watts Microphones: 2 Condenser type: Handheld w/ 9' Cable; Tie-Clip/Lavalier with 10' Cable

Speakers: Two 8" High Efficiency

Speakers: Iwo 8 High Efficiency Imputs: Two Miss, One Aux Wireless: Switchable; Two Frequency Outputs: Line out 1 – Extension Speaker Line out 2 – Tape Recorder Controls: Four Volume, Bass/Treble, On/Off Fuse: Internally Mounted, 2A

Power Supply: 117 Volt AC; 12 V DC w/ Optional Battery

Recharger: Internally mounted;


with LED indicator

600


TECHNICAL SPECIFICATIONS

Dimensions: 46"H x 25"W x 20"D Weight: 97 lbs.


Slide out shelf wt. capacity: 35 lbs. Interior shelves: 23.5"W x 18"D



COLOR OPTIONS MODELS 6010



COLOR OPTIONS MODELS 600



WILD CHERRY





AVAILABLE ACCESSORIES WIRELESS READY FOR SOUND LECTERNS ONLY



SHOWN IN CHERRY

#222 Full Floor

Attractive and durable; this full floor lectern is made of 3/4" stain and scratch resistant thermo-fused melamine laminate on PB. Full size reading surface, shelf and paner/ on PB. Full size reading surface, shelf and paper/ book stop built in. Optional Caster kit available. Available

non ◆ SHOWN IN MAHOGANY

#22 Tabletop Lectern

Versatile and portable table top lectern can be used on its own or as a floor lectern with the optional lectern base (sold separately). 34" stain and scratch resistant thermofused melamine laminate on MDF. Paper/book stop included. Available in three colors.

#22/112 Lectern Combo SHOWN IN MAHOGANY -

BUILT IN PAPER/ BOOKSTOP

FOR






#112 Lectern Base

Converts the Table Top to a full floor lectern or use as an A/V cart for your presentation equipment. Includes storage shelf, and four easy roll casters; two locking. Assembly required.

SHOWN IN MEDIUM OAK >







22 TECHNICAL SPECIFICATIONS

Dimensions: 13.75"H x 23.75"W x 19.875"D Weight: 35 lbs.


112

TECHNICAL SPECIFICATIONS

Dimensions: 33.75"H x 21.125"W x 17.5"D Weight: 54 lbs.

TECHNICAL SPECIFICATIONS

Dimensions: 46.5"H x 23"W x 16"D Weight: 63 lbs.



4 EASY ROLL CASTERS

TECHNICAL SPECIFICATIONS

Steel: 1" x 2" — 16 Gauge Paint: 3 Mil Powdercoat Knob: Plastic with Nylon Stud Glides: 4 Adjustable Edge: 5/8" PVC T-Moulding Weight: 19 lbs.

COLOR OPTIONS MODELS 22 · 112 · 222 · 70







Oklahoma Sound® has introduced the perfect lectern solution for customizing logos for your institution or presentation slideshows. Designed with a new sleek curved shape in a modern cherry laminate, which provides a contemporary look for a variety of venues, The Vision is furnished with breakthrough technology; a 15-inch LCD screen built into the front of the unit. The screen has the ability to display images uploaded with a SD-card or flash drive. It includes a remote control, allowing the presenter to switch to various preloaded images with a touch of a button during a presentation or between speeches.

This integrated system can be used to display customized logos for schools, hotels or places of worship. Additionally, it enables a speaker to bring a presentation to life by displaying diagrams and photos for the audience. This beautifully hand crafted lectern is built with a 3/4-inch stain and scratch resistant thermofused melamine laminate on MDF, and is available in a wood grain cherry color. The unit is equipped with two shelves for ample storage. Moves easily with four concealed casters, two locking. Assembly required.

- Double light tube
- Full range of customizable settings: Contrast brightness, saturation, intervals of the slide show, language, picture layout...
- On screen menus available in 7 different languages
- Variable image display intervals in slideshow mode with programmable transitions.
- **AC Power Cord included** DC Port included for optional battery packs, such as Tekkeon MP3450i or similar.





The Vision with Screen Lectern with Wireless Handheld Microphone



#611S/LWM-7



#612S/LWM-6



MOBILE LECTERNS



#M611S/LWM-5
The Vision Lectern
+ Rechargeable Battery
with Wireless
Handheld Microphone

#M612S/LWM-5
The Vision with Screen
Lectern + Rechargeable
Battery with Wireless
Handheld Microphone





#M612S/LWM-6 #M612S/LWM-7



CONCEALED CASTERS, TWO LOCKING

TECHNICAL SPECIFICATIONS

SEE PG 19 FOR MORE

Dimensions: 46"Hx24"Wx21"D / Interior shelf: 14.5"Dx23"W

Dimensions: 46*Tk24*Wk21*D / Interior shelf: 14.5*Dx23*W

AMPLIFIER SPECS
Power Output: 30 Watts, Accommodate Audience up to 900

Microphones: 2 Cendenser type: Handheld w/ 9* Cable;
Tie-Clip/Lavalier with 10* Cable

Controls: Four Volume, Bass/Treble, On/Off
Inputs: Two Mics, One 1/8* Jav. Jack

Wireless: Switchable; Two Frequency
Outputs: Line out 1— Extension Speaker, Line out 2 — Tape Recorder
Fuse: Internally Mounted, ZA
Power Supply: 117 Volt AC; 12 VDC w/Opt. Battery
Recharger: Internally mounted; with LED indicator

SPEAKES OEFC: (DETA/LABLE)

SPEAKER SPECS: (DETACHABLE) 2 Speakers · 1 x 4" Woofer · 1 x 2.5" Dome Tweeter · 8 ohm SCREEN, NO SOUND: Weight: 73 lbs. Screen: 15-inch Supported Formats: JPEG/MPEG/MP3

Weight: 87 lbs.
Screen: 15-inch
Supported Formats: JPEG/MPEG/MP3

NO SCREEN, NO SOUND: Weight: 71 lbs.

#612-S SCREEN, WITH SOUND:

#611-S NO SCREEN, WITH SOUND: Weight: 85 lbs.





#612-S





#612

#611 BASIC VISION PODIUM



#611-S WITH SOUND

#M611S/LWM-6 #M611S/LWM-7



Assembled Lecterns

WIRED: PAGES 18 · 20 / WIRELESS: PAGES 19 · 21

Contemporary Transitional

Style!

WITH BOLD

VENEER



speaker and recording outputs. AC plug and optional battery operation included. Reading Lamp LOOK illuminates generous reading surface. Digital non sound **#910 / 901** Combo Floor MODERN STYLISTIC RADIUS CURVES Non-Sound Lectern GENEROUS Contemporary/Transitional style Rich Veneer Lectern Base and Lectern Top create a full floor Lectern commanding a dignified presence. Modern stylistic radius READING SURFACE curves and contoured edging. Two locking doors conceal an Adjustable Shelf with five adjustment levels. Fingertip cutouts for easy door opening. Rolls easily on four furniture grade casters. Two shelves. Reading lamp illuminates generous reading surface large enough for 3-ring binder. Digital timepiece included. FOR AUDIENCES UP TO 7500 ADJUSTABLE **Built-In Full Featured Amplifier for 950** with Technologically Advanced (MP3 Compatible) Media Aux 1/8" Input 0 0 950 TECHNICAL SPECIFICATIONS TECHNICAL SPECIFICATIONS

Dimensions: 28"H x 24"W x 20"D

Weights '10 Non Sound - 55lbs
950 Sound - 62 lbs.
951 Sound - 62 lbs.
951 Base - 70 lbs.
Shelf (950): 1"H x 16"D x 22"W

Power Output: 75 Watts

Microphones: 2 Condenser type:
Handheld w.9" Cable;
Tie-Clip/Lavaller w/10" Cable

Speakers: Four 4" High Efficiency
Inputs: Two Mics, One Aux

Wireless: Switchable; Two Frequency

Outputs: Line out 1 – Extension Speaker
Line out 2 – Tape Recorder

Controls: Four Volume, Bass/Treble, On/Off
Fuse: Internally Mounted, 22 V

Power Supply: 117 Volt AC; 12 V D


w/Opt. Battery

Recharger: Internally mounted;
w/ LED indicator . 28 1/2" 3 1/2"

TECHNICAL SPECIFICATIONS

Dimensions: 47"H x 22"W x 18"D
Weight: 110 lbs.
Shelf: 20.5"W x 11"D
Power Output: 50 Watts
Microphones: 2 Condenser type:
Handheld w/9" Cable;
The-Clip/Lavalier w/10" Cable
Speakers: Four 8" High Efficiency
Inputs: Two Mics, One Aux
Wireless: Switchable; Two Frequency
Outputs: Line out 1 — Tape Recorder
Controls: Four Volume, Bass/Treble, On/Off
Fuse: Internally Mounted, 2A
Power Supply: 117 Volt AC; 12 V DC w/Opt. Battery
Recharger: Internally mounted; with LED indicator

COLOR OPTIONS MODEL 711



COLOR OPTIONS MODEL 950 · 901 · 910



#LWM-5 WIRELESS N HANDHELD

² ≯ ⊭∕ 910/901



950/901





711

1

Oklahoma Sound offers three Wireless Microphone / Transmitter options that work in conjunction with your Oklahoma Sound Wireless Lecterns. Choose from Model #LWM-5 Handheld or Model #LWM-6 Tieclip/Lavalier or Model #LWM-7 Headset Microphones. Simply activate the built in wireless receiver on your Lectern control panel, turn on your optional wireless microphone and move freely about up to 200 feet from lectern. Switchable A/B channels allow proper local frequency selections. Compatible with Oklahoma Sound Series

100, 700, and 900 Lectern systems. Battery required, not included. Ships UPS, assembled.



#711/LWM-5The Prestige Lectern with Handheld Wireless Microphone





#711/LWM-6

COLOR OPTIONS MODEL 711/LWM



MEDIUM OAK

MAHOGANY





#950/901/LWM-5 Combo Floor Sound Lectern with Handheld Wireless Microphone





#950/901/LWM-6

COLOR OPTIONS MODEL 950/901/LWM



MAHOGANY ON WALNUT

TECHNICAL SPECIFICATIONS

Frequency: 187.190 and 187.827 CHF (channel A & B)

Color: Black

Weight
LWM-5: 2 lbs.
LWM-6: 1 lbs.
LWM-7: 1 lbs.

Dimensions

Introducing a New and Exciting option for all Sound and Wireless Lecterns: our Mobile Lectern category, which adds a Model #PS12V, 5-Amp, 12-Volt Lead Acid Battery, to make your Sound or Wireless Sound Lectern completely mobile – *no need to plug it into a wall outlet.* Mobile Lectern package includes this exciting option!







#M950/901/LWM-5 Combo Floor Sound Lectern + Rechargeable Battery with Handheld Wireless Microphone





COLOR OPTIONS MODEL M950/901/LWM



MAHOGANY ON WALNUT





0 0

111PLS
TECHNICAL SPECIFICATIONS

Dimensions: #111PLS — Floor Lectern 46"H x 22"W x 17"D

Weight: #111PLS — Floor Lectern 58 lbs.
Inside Shelf: 20.5"W x 6"D Power Output: 30 Watts

Power Output: 30 Watts
Microphones: 2 Condenser type: Handheld
w/ 9' Cable; Tie-Clip Lavallier
with 10' Cable
Speakers: #11PL5 — Four 8' Full Range
Inputs: Two Mics, One Aux Line
Wireless: Switchable; Two Frequency
Outputs: Line out 1 — Extension Speaker
Line out 2 — Tape Recorder
Controls: Four Volume, Bass/Treble, On/Off
Fuse: Internally Mounted, 2A
Power Sunply: 117 Volt AC: 12 V DC


Power Supply: 117 Volt AC; 12 V DC w/ Optional Battery Recharger: Internally mounted; w/LED indicator

Minor Assembly Required

COLOR OPTIONS MODEL 111PLS

MEDIUM OAK MAHOGANY

o



800x TECHNICAL SPECIFICATIONS

Dimensions: 46"H x 22"W x 17"D Weight: #800x - 71 lbs. Inside Shelf: 12"W x 4"D

SOUND SPECIFICATIONS

Power Output: 40 Watts Microphones: 2 Condenser type: Handheld w/ 9' Cable; Tie-Clip/Lavalier with 10' Cable

Speakers: Four 6" Full Range Controls: Four Volume, Bass/Treble, On/Off Inputs: Two Mics, One Aux Wireless: Switchable; Two Frequency
Outputs: Line out 1 – Extension Speaker
Line out 2 – Tape Recorder
Fuse: Internally Mounted, 2A

Power Supply: 117 Volt AC; 12 V DC w/ Optional Battery Recharger: Internally mounted; with LED indicator

Minor Assembly Required

COLOR OPTIONS MODEL 800X

MAHOGANY

MEDIUM OAK

CHERRY

810 TECHNICAL SPECIFICATIONS

Dimensions: 42"H (lowered) x 22"W x 17"D Weight: 78 lbs Inside Shelf: 12"W x 4"D

Minor Assembly Required





AVAILABLE ACCESSORIES WIRELESS READY FOR SOUND LECTERNS ONLY









#111PLS/LWM-5 Power Plus Lectern with Handheld Wireless Microphone Mireless Microphon #111PLS/LWM-6 #111PLS/LWM-7 COLOR OPTIONS MODEL 111PLS/LWM MEDIUM OAK MAHOGANY #800X/LWM-5 The Orator Lectern with Handheld Wireless Microphone Mireless Microphone #800X/LWM-6 #800X/LWM-7 COLOR OPTIONS MODEL 800X/LWM **MEDIUM OAK**

MAHOGANY

CHERRY

#M111PLS/LWM-5 Power Plus Lectern + Rechargeable Battery with Handheld Wireless Microphone Heless Micropho #M111PLS/LWM-7 Ae Batter COLOR OPTIONS MODEL M111PLS/LWM MEDIUM OAK MAHOGANY #M800X/LWM-5 The Orator Lectern + Rechargeable Battery with Handheld Wireless eless Micro Microphone #M800X/LWM-7 COLOR OPTIONS MODEL M800X/LWM MEDIUM OAK MAHOGANY CHERRY



Accessories



#300 Extension Speaker

TECHNICAL SPECIFICATIONS

Speaker: Two 8" Full Range: 10W, 8 ohm Cable: 35' with .25" Jack Dimensions: 23"H x 14"W x 8"D



#PS12V 12V 5 Amp Rechargeable Battery

TECHNICAL SPECIFICATIONS

- 4-Hour life, when speaking • 8-Hour life, without speaking
- 8-Hour recharge

environmental statement

Protecting the environment is one of the most important factors affecting the future of the planet. Most people are now aware of the necessity of preserving and protecting nature in order to ensure our well-being and that of our children. Pollution especially that related to the over-consumption of raw materials has reached alarming levels due to our current lifestyle. That is why at Oklahoma Sound® we are constantly striving to minimize the consequences of our activities.

At Oklahoma Sound® the quality of our products and the protection of the environment go hand in hand. As a consumer of raw material, we are committed to the use of pre and post consumer waste (recycled material), while preserving the high quality standards of our products.

Examples of this include:

COMPREHENSIVE 5-YFAR WARRANTY

Our lectern undergoes the most rigid and exacting tests for superior quality and performance before leaving our factory. Oklahoma Sound® warrants all products to be free from defective material and workmanship on the electronic product speakers and microphones for five years from the date of resale by an authorized Oklahoma Sound® distributor. Oklahoma Sound® will replace defective parts and repair malfunctioning products under this warranty when the defect occurs under normal installation and use, provided the unit is returned to our factory via prepaid transportation after direct authorization and approval by Oklahoma Sound®. This warranty provides that examination of the returned product must disclose in our judgement, a manufacturing defect. This warranty does not extend to any product which has been subject to misuse, neglect, accident, improper installation, or where the serial number has been removed or tampered with and is given in lieu of any other warranty implied or expressed and will not cover any consequential damages.

Orders are accepted under the express agreement that under no circumstances will seller be liable for any incidental or consequential damages, or for any other loss, damage or expense of any kind, including loss of profits, arising in connection with the order or with the use or inability to use seller's products furnished under the order. Seller's maximum liability shall not exceed and buyer's remedy is limited to either (i) repair or replacement of the defective part or product, or at seller's option, (ii) return of the product and refund of the purchase price. Such remedy shall be the buyer's entire and exclusive remedy.

- **Wood** 100% of wood used for our products come from non-boreal forests. Our wood products are produced in a factory that is ISO certified for its Environmental Management System and has been awarded a certificate for the compliance with the standard ISO14001:2004.
- Steel All of the steel used for our products contain 30-40% of post- consumer waste (recycled).
- **Corrugated Containers** Are made of recycled fiber. 100% total recycled content and 90% post consumer content minimum.
- **Plastic** Our plastic products are made of materials that are recyclable.
- Powder Coating VS. Liquid Finishes Our products are powder coated and are highly protective to our environment. While liquid finishes contain solvents which have pollutants known as volatile organic compounds (VOCs), powder coating contains no solvents and releases negligible amounts, if any, of VOCs into the atmosphere. In addition, most powder coating overspray that does not adhere to the part is retrieved and reused, virtually eliminating the waste commonly found in liquid finishing processes.
- Energy During November 2008, Oklahoma Sound® completed a retrofit of all its lighting (over 800 fixtures), to eco-friendly units, saving 135,586 kWh annually. This reduction in energy consumption has an environmental impact equivalent to removing 20 cars from the road, 84 tons of greenhouse gas (CO2) and saving 198 barrels of oil annually!
- Solar Energy As the industry leader in institutional-grade audio-visual furniture, including lecterns, public address systems, computer presentation carts, etc., OS® continues to trailblaze in setting the standard for environmental stewardship. In addition to minimizing its eco footprint in the areas of raw material sourcing, energy consumption & air emissions, OS® is proud to announce a major solar panel installation on the roof of its 200,000 square foot factory facility in its corporate headquarters in Clifton, NJ, completed Summer 2011. Via the installation of a 240KW solar PV system on its roof, we will offset most of the local utility's need to burn oil and gas for electrical production in the public grid and therefore reduce greenhouse gas emissions into the atmosphere. Since we will be generating 80% of the electricity that we use with this system, we have cut our carbon footprint significantly.

At Oklahoma Sound® we are committed to providing quality products while preserving the quality of our environment.





149 ENTIN ROAD CLIFTON NJ 07014

TEL 800.261.4112 **FAX** 888.261.4113