




ONE STEP

Crystallizer Spray N' Buff



DESCRIPTION

ONE STEP has been developed as a simple-to-use restoration system for marble, terrazzo and polished limestone floors. ONE STEP CRYSTALLIZER SPRAY N' BUFF produces a very high polish. The newly restored surface will resist scuffs and scratches. This restored surface will be very durable. ONE STEP CRYSTALLIZER SPRAY N' BUFF dries as you buff and therefore requires no messy clean-up.

DIRECTIONS

CAUTION: Since marble and limestone are a product of nature and their components can vary, they may react differently to this product. For this reason, always test in a small inconspicuous area for adverse reactions.

SURFACE PREPARATION:

Surface must be clean and dry. On floor surfaces, make sure all waxes, floor finish or other coatings are removed. If there is a coating on the floor, use NCL Bare Bones® or NCL Bolt™ stripper for removal. Rinse surface thoroughly with water and air dry prior to crystallization. PLEASE NOTE: Worn out or damaged surfaces may require resurfacing prior to crystallization. Make sure to cover any sensitive surfaces such as metals, glass, carpet, etc. that may be exposed to over-spray.

SPECIFICATIONS

Product type Vitrification Compound
Appearance Opaque liquid
Odor Mild, Bland
Specific Gravity (g/cc)..... 1.08 ± 0.01
pH (concentrate) 1.0 - 2.0

APPLICATION

Use a 175 RPM Floor machine designed for crystallization (130 - 180 lbs.), equipped with a #0 or #1 grade steel wool pad. Apply ONE STEP CRYSTALLIZER SPRAY N' BUFF (with a spray bottle with trigger) at a rate of 2 to 3 squirts per square yard (.836 sq. meter) and immediately buff until surface is completely dry. Buff in both directions until desired gloss is achieved.

ONE STEP CRYSTALLIZER SPRAY N' BUFF yields approximately 2000-5000 square feet (185 - 465 sq. meters) per gallon of coverage. For daily maintenance after re-polishing, use the SCS Daily Maintenance System (PATINA-HURRICANE); see the STONE CARE SOLUTIONS brochure for more information.

NOTE: Shake lightly before use.

Flash Point None
Safe on Stone Yes
Scuff Resistance Excellent
Scratch Resistance..... Excellent
Increased gloss Outstanding
UL Classified Yes

SAFETY INFORMATION

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION. KEEP OUT OF REACH OF CHILDREN.



Prevention: Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/

doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

For Commercial and Industrial Use Only

Warranty: Determining the suitability of this product for its intended purpose shall solely be the responsibility of the user. In the event of failure, the sole obligation of National Chemical Laboratories shall be to replace the product deemed defective. User assumes all risk and liability; neither manufacturer nor seller will be held liable for any injury or damage.



Floor Coating and Finishing Material
As to Slip Resistance Only
18EL



World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123
1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail:info@nclonline.com



TDS-2501-0814


SAFETY DATA SHEET

Section 1 - Identification

Product Identifier	ONE STEP Crystallizer Spray N' Buff
Other means of identification	2501
Recommended use	Buffing compound.
Recommended restrictions	For commercial and industrial use only.
Manufacturer / Importer / Supplier / Distributor Information	
Company Name	National Chemical Laboratories of PA, Inc.
Address	401 N. 10th Street - Philadelphia, PA 19123
Telephone	1 (215) 922-1200
Supplier Email	info@ncnline.com
Contact	CHEM-TEL
Emergency Phone	1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

	Classification	Category	
Physical Hazards	Not Classified		
Health Hazards	Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
	Specific target organ toxicity, single exposure	3	TARGET ORGAN: respiratory tract irritation
OSHA defined hazards	Not Classified.		
Label Elements			
Hazard Symbol			
Signal Word	Danger		
Hazard Statement	Causes severe skin burns and eye damage. May cause respiratory irritation.		
Precautionary statement			
Prevention	Do not breathe dust or mist. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area.		
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Magnesium fluosilicate	16949-65-8	10 - 20

Section 4 - First-aid Measures

Inhalation	If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops, apply artificial respiration. CONSULT A PHYSICIAN.
Skin contact	Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact	Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give

SAFETY DATA SHEET

	anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.
Most Important symptoms /effects, acute and delayed	Causes skin and eye burns.
Indication of immediate medical attention and special treatment	Treat symptomatically.
General Information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media	Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	None known.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.
General fire hazards	This product is not flammable or combustible.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.	Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with water.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.
Conditions for safe storage, including any incompatibilities	Store away from incompatible materials. Keep container closed.

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Magnesium fluosilicate (CAS 16949-65-8)	TWA	2.5mg/m ³	

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value	
Magnesium fluosilicate (CAS 16949-65-8)	TWA	2.5 mg.m ³	Dust.

US. ACGIH Threshold Limit Values

Component	Type	Value	Form
Magnesium fluosilicate (CAS 16949-65-8)	TWA	2.5 mg/m ³	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Magnesium fluosilicate (CAS 16949-65-8)	TWA	2.5 mg/m ³

US. ACGIH. BEIs. Biological Exposure Indices

Components	Value	Determinate	Specimen	Sampling Time
Magnesium fluosilicate (CAS 16949-65-8)	3 mg/l	Flouride	Urine	*
Magnesium fluosilicate (CAS 16949-65-8)	2 mg/l	Flouride	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines	Use personal protective equipment as required. Keep working clothes separately.
----------------------------	---

Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water supply and eye wash facilities.
---	--

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear approved chemical safety goggles.
----------------------------	--

Skin protection

Hand protection	Wear chemical-resistant, impervious gloves. Suitable gloves can be recommended by the glove supplier.
------------------------	---

Other	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
--------------	--

SAFETY DATA SHEET

Respiratory protection	Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a supplied respirator may be required.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	Opaque.
Physical state	Liquid.
Form	Liquid.
Color	Off-white
Odor	Mild, bland.
Odor threshold	Not available.
pH	1.3
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Similar to water.
Relative density	1.08 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	10 - 99 % Soluble.
Partition Coefficient n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	< 50 cP
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	Not available.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to Avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous Decomposition Products	Carbon monoxide. Carbon dioxide.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	Irritating to respiratory system.
Skin contact	Causes skin burns.
Eye contact	Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Causes skin and eye burns.

Information on toxicological effects.

Acute toxicity May cause burns.

Components	Level	Type	Code	Species	Results
Magnesium fluosilicate (CAS 16949-65-8)	Acute	Oral	LD50	Rat	291 mg/kg

Skin corrosion/irritation Causes skin burns.

Serious eye damage/ eye irritation Causes serious eye damage.

Respiratory sensitization Not classified.

SAFETY DATA SHEET

Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not available.
Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	Irritating to respiratory system.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.

Section 12 - Ecological Information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Component(s)	033 (CAS MIXTURE), Phosphoric Acid, 7664-38-2		
Aquatic			
Acute	Fish	LC50	Mosquitofish (Gambusia) 138 mg/l, 96 h
Persistence and degradability	The product is expected to be biodegradable.		
Bioaccumulative potential	Not known.		
Mobility in soil	Not available.		
Mobility in general	The product is water soluble and may spread in water systems.		
Other adverse effects	None known.		

Section 13 - Disposal considerations

Disposal instructions	Dispose in accordance with applicable federal, state, and local regulations.
Local disposal regulations	Dispose of in accordance with local regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose in accordance with all applicable regulations.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code	This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)	Not regulated.	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.	
CERCLA Hazardous Substance List (40 CFR 302.4)		
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard Categories	Immediate Hazard	Yes
	Delayed Hazard	No
	Fire Hazard	No
	Pressure Hazard	No
	Reactivity Hazard	No
SARA 302 Extremely hazardous substance	Not listed.	
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting)	Not regulated.	
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List	Not regulated.	
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.	
Food and Drug Administration (FDA)	Not regulated.	
US state regulations		
US.Massachusetts RTK - Substance List		
US.New Jersey Worker and Community Right-to-Know Act	Components	

Magnesium Fluoride (CAS 13968-93-9)

SAFETY DATA SHEET

US.Pennsylvania RTK - Hazardous Substances

Components

Magnesium fluosilicate (CAS 16949-65-8)

US.Rhode Island RTK

US - California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date	5/14/2014
Version #	01
Disclaimer	<p>The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS.</p> <p>Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.</p>

ONE STEP™

Crystallizer Spray N' Buff

ONE STEP™ has been developed as a simple-to-use restoration system for marble, terrazzo and polished limestone floors. ONE STEP™ Crystallizer Spray N' Buff produces a very high polish. The newly restored surface will resist scuffs and scratches. This restored surface will be very durable. ONE STEP™ Crystallizer Spray N' Buff dries as you buff and therefore requires no messy clean-up.

- Immediately restores gloss to marble, terrazzo and polished limestone floors
- Easy single step process

- Resists scuffs and scratches
- No messy clean up
- Provides a hard, durable surface

Directions:

SURFACE PREPARATION

Surface must be clean and dry. On floor surfaces, make sure all waxes, floor finish or other coatings are removed. If there is a coating on the floor, use NCL ENFORCER™ Heavy Duty Stripper for removal. Rinse surface thoroughly with water and air dry prior to crystallization. PLEASE NOTE: Worn out or damaged surfaces may require resurfacing prior to crystallization. Make sure to cover any sensitive surfaces such as metals, glass, carpet, etc. that may be exposed to over-spray.

APPLICATION:

Use a 175 RPM Floor machine designed for crystallization (130 - 180 lb.), equipped with a #0 or #1 grade steel wool pad. Apply ONE STEP™ Crystallizer Spray N' Buff (with a spray bottle with trigger) at a rate of 2 to 3 squirts per square yard (.836 sq. meter) and immediately buff until surface is completely dry. Buff in both directions until desired gloss is achieved. ONE STEP™ Crystallizer Spray N' Buff yields approximately 2000-5000 square feet (185 - 465 sq. meters) per gallon of coverage. For daily maintenance after re-polishing, use the SCS Daily Maintenance System (PATINA™-HURRICANE™); see the STONE CARE SOLUTIONS™ brochure for more information. NOTE: Shake lightly before use.

CAUTION: Since marble and limestone are a product of nature and their components can vary, they may react differently to this product. For this reason, always test in a small inconspicuous area for adverse reactions.

CONTAINS: Magnesium Fluosilicate CAS# 16949-65-8, Calcium Chloride CAS# 1004-52-2

Warranty: Determining the suitability of this product for its intended purpose shall solely be the responsibility of the user. In the event of failure, the sole obligation of National Chemical Laboratories shall be to replace the product deemed defective. User assumes all risk and liability; neither manufacturer nor seller will be held liable for any injury or damage.



Floor Coating and Finishing
Material as to Slip
Resistance Only 18 EL

★★ MADE IN USA ★★

LG-0001-2501-03



FOR COMMERCIAL AND
INDUSTRIAL USE ONLY
QUESTIONS?
Call (800) 628-2436






To learn more
about this
product, scan
this QR code to
visit our website.



ONE STEP™

**CRYSTALLIZER
SPRAY N' BUFF**

Advanced formula produces a very high polished shine. Newly restored surfaces will resist scuffs and scratches. Restored surfaces exhibit maximum durability and slip resistance.



Stone Care Solutions™

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

See side panel for additional precautionary statements

PELIGRO: PROVOCA GRAVES QUEMADURAS EN LA PIEL Y LESIONES OCULARES.

Ver panel lateral para las medidas preventivas adicionales.

Net Contents: 1 Gallon (3.79 Liters)

NCL®

World Class Cleaning Solutions

Product Code # 2501



DANGER:
CAUSES SEVERE SKIN BURNS
AND EYE DAMAGE. MAY CAUSE
RESPIRATORY IRRITATION.
KEEP OUT OF REACH OF CHILDREN.
Precautionary statement

Prevention: Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

Inhalation: If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops, apply artificial respiration. CONSULT A PHYSICIAN.

Skin contact: Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and remove contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

Ingestion: Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call a physician or poison control center immediately.

PELIGRO:
PROVOCA GRAVES QUEMADURAS EN LA PIEL Y LESIONES OCULARES. PUEDE IRRITAR LAS VÍAS RESPIRATORIAS. SUBSISTENCIA FUERA DEL ALCANCE DE NIÑOS.

Consejos de prudencia

Prevención: No respire neblina o vapor. Usar guantes /indumentaria protectora/equipo de protección para los ojos/la cara. Lavarse las manos cuidadosamente después de la manipulación. No comer, beber o fumar al manipular el producto. Usar sólo al aire libre o en lugar bien ventilado.

Respuesta: En caso de ingestión: Enjuagar la boca. NO provocar el vómito. En caso de contacto con la piel (o el pelo): Quitarse inmediatamente toda la ropa contaminada. Enjuagar la piel con agua o tomar un baño. Lave la ropa contaminada antes de volver a usar. En caso de inhalación: Transportar la persona al aire libre y mantenerla en una posición que le facilite la respiración. Llamar inmediatamente a un centro de toxicología o a un médico. En caso de contacto con los ojos: Enjuague cuidadosamente con agua

durante varios minutos. Qútese los lentes de contacto, si los usa y si puede hacerse con facilidad. Continúe enjuagando..

Almacenamiento: Almacenar en un lugar bien ventilado. Mantener el recipiente herméticamente cerrado. Guardar bajo llave.

Eliminación: Eliminación de contenidos / contenedor en consonancia con los reglamentos locales / regionales / nacionales / internacionales pertinentes.. Este producto es calificado como "químicamente peligroso" según el Estándar de Comunicación de Riesgos de la OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Medidas adicional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

Inhalación: En caso de irritación o insuficiencia respiratoria, deberá trasladarse a la víctima al aire libre. Si la respiración es difícil, administre oxígeno. Si se detiene la respiración, administre respiración artificial. CONSULTE A UN MÉDICO.

Contacto cutáneo: Quitar ropa y zapatos contaminados. Lave inmediatamente con mucha agua por lo menos durante 15 minutos. Conseguir atención médica. Lave la ropa contaminada antes de volver a usar. Elimine o limpie a fondo todo zapato contaminado.

Contacto ocular: Enjuague inmediatamente los ojos con abundante agua durante al menos 20 minutos, al mismo tiempo levante ocasionalmente los párpados superiores e inferiores. Revise y quítese los lentes de contacto. Continúe enjuagando durante al menos 10 minutos. Conseguir atención médica inmediatamente.

Ingestión: Enjuáguese la boca cuidadosamente con agua. NO inducir el vómito. Si la víctima está totalmente consciente, déle a beber un vaso de agua. Nunca administre nada por la boca a una persona inconsciente. Si ocurre vómito, mantenga la cabeza de la persona más baja que las caderas a fin de evitar la aspiración. Llame inmediatamente a un médico o centro de control de envenenamiento

NCL®

World Class Cleaning Solutions®

401 N. 10th Street • Philadelphia, PA 19123

1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517
www.nclonline.com • e-mail: info@nclonline.com