

Openest™ Collection

North America Price List / Specification Guide – April 2018



This Haworth North American price book contains US list prices.



Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

Price Book Overview

The following list gives a general overview of the content included within this price book (price list and specification guide) and explains how the book is organized and where information can be found.

- 1 Front Cover**
 - Includes the title and pricing effectivity date.
- 2 Electronic Update Page / Canadian Conversion**
 - Electronic versions of the Price Book (.pdf files) will include an Electronic Update Page listing the most recent updates and addendum added since the original version was created. If this section is blank no updates or addendums have been added.
 - Each update will include a description, page number, date and a link to the updated or new page.
 - The footer contains Canadian conversion information for converting US pricing into the Canadian equivalent.
- 3 Table of Contents**
 - Price List content with page numbers.
- 4 Price List**

Each price list page contains the following:

 - Product Illustration
 - Catalog Number
 - To Order Specify – sequencing for ordering product options and finishes
 - List Prices
 - Product Specification Dimensions
 - Features
 - Specification Tips
 - Class, Discount Group Number (used for discounting) and GSA information
- 5 Specification Guide**
 - Table of Contents – specification guide content with page numbers
 - Statement of Line – provides a pictorial outline of the product offering
 - Product Overview – brief introduction of the product and application intent
 - Easy Planning Steps – basic steps of planning with the product line
 - Product Details – product attributes, dimensions, surface materials and functionality
 - Product Application – vertical and horizontal planning guidelines including support and load, power, and storage
 - Technical Specifications – provides performance ratings, material composition and manufacturing process information
- 6 Finishes, Fabrics and COM**
 - Lists information for material finishes and availability.
 - Provides COM information and requirements (if applicable).
- 7 North American Terms of Sale**
 - Haworth terms for ordering, pricing, shipping and delivery, general terms, and services.
- 8 Index**
 - Products are listed alphabetically by alpha-numeric catalog numbers with price list page number.
- 9 Product Non-Obsolescence and Warranty Policy**
 - Provides Haworth policy for non-obsolescence and warranty.

Additional Information and Resources

Prices are subject to change without notice or approval. Haworth dealers should always submit proposals through Lynx before presenting to customers. See North American Terms of Sale for more information.

Online Resources

haworth.com

- Haworth's corporate website provides access to price books and a variety of other resources and publications.

surfaces.haworth.com

- Website provides access to the most current fabrics and finishes offered across Haworth's various product lines.




Table of Contents

At-A-Glance5
Statement of Line	6-7
Plume Screens	
Plume 3	8
Plume 6	8
Plume 9	8
Feather Sofa	
Feather – Symmetrical	9
Feather – Asymmetrical	9
Chick Pouf	
Chick Pouf with Back	10
Chick Pouf without Back	10
Sprig Tables	
Rectangle	11
Round	11
Single Desk	12
Double Desk	13
Privacy Desk	14
Single Booth	15
Corner Booth	16
Privacy Booth	17
Conference Booth	18
Double Booth	19
Height Adjustable Table	20
Accessories	
Coat Hook	21
Soft Storage	21
Pillows	21
Hideaway Power Module	22
Bezel Utility Module	23
Finishes and Fabrics	
Finish/Color Legend62
Fabrics/Color Legends63-65
COM Information66
Terms of Sale	
North America67-70
Index71
Lifetime Product Warranty	Inside Back Cover

At-A-Glance

Designer Patricia Urquiola - Studio Urquiola

Awards/Achievements NeoCon 2014 - Best of Competition - Collaborative Collections
NeoCon 2014 - Best of NeoCon Gold - Collaborative Collections

Plume Screen


- Available:
 - Plume 3 - (1) screen 57"H, (1) screen 65"H, (1) screen 61"H
 - Plume 6 - (6) screens all 57"H (shown)
 - Plume 9 - (9) screens all 57"H
- Screens always connect

Feather Sofa

- Available: Symmetrical or Asymmetrical (Left Handed Asymmetrical shown)
- With or without attached table
- Specifiable top stitch
- Fabric always applied railroad

Chick Pouf without Back
• Specifiable top stitch

Chick Pouf with Back
• Seat and Inside Back always match
• Base and Backrest always match
• Specifiable top stitch



Note - Plank wood top is designed to be unique, using solid wood planks with a clear, low gloss finish allowing visibility of the natural beauty of each wood plank.


- Spig Tables:**
- Painted MDF
 - Plank White Oak
 - Plank Walnut
 - Leg color specified

Pull Tab
• Color not specified, Orange only



Statement of Line

Plume Screens — page 8



Plume 3



SON-3




SON-6




SON-9

Feather Sofa — page 9

Symmetrical



SOSS-1-RW




SOSS-1-N


SOSS-1-RW

SOSS-1-LW

Asymmetrical – Right Hand — page 9



SOSR-1-RW




SOSR-1-N

SOSR-1-RW

SOSR-1-LW

Asymmetrical – Left Hand — page 9



SOSL-1-RW



SOSL-1-N

SOSL-1-RW

SOSL-1-LW


Chick Pouf — page 10

With Back



SOPB-22

Outer Surfaces Material Specified: • Always Match
Inner Surfaces Material Specified: • Always Match



Without Back



SOPN-22



Puck: Color Specified




Thread: Color Specified
Pull Tab: Color Not Specified, Orange Only

Statement of Line

Sprig Tables — page 11

Rectangle



SORA-5320-P

Round



SODB-2424-P




SODC-1616-P

Single Desk — page 12



HOAS-2

Double Desk — page 13



HOAD-3

Privacy Desk — page 14



HOAP-3

Single Booth — page 15




HOAB-2

Corner Booth — page 16




HOAC-3

Privacy Booth — page 17




HOAE-5

Conference Booth — page 18




HOAW-5

Double Booth — page 19




HOA1-3

Height Adjustable Table — page 20




HOUT-1616


Accessories — pages 21-23



Coat Hook
HOCH




Soft Storage
HOUS



Pillows
HOUP




Hideaway Power Module
HOPD




Bezel Utility Module
EURT-0072-1100
EURT-0072-1010


Plume Screens

<p>Plume 3</p>  <p>SON-3</p>	<p>Dimensions H: 65"(1651mm) D: 34.5"(876mm) W: 125.75"(3194mm) (Outside) 113.5"(2883mm) (Inside)</p>	<p>Features</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> (1) 57"(1448mm)H x 50"(1270mm)W screen, (1) 65"(1651mm)H x 50"(1270mm)W screen, (1) 61"(1549mm)H x 50"(1270mm)W screen. All screens are connected together, not interchangeable. Available in King, Class and Maya fabrics only; COM not available. Floor support and screen connectors in same color. 	<p>To Order, Specify:</p> <ol style="list-style-type: none"> Product number. Inner material. Outer Material. Trim color.
---	--	---	---

	Number	Fabric Grade C	D
	SON-3	\$8355.36	\$9640.80

<p>Plume 6</p>  <p>SON-6</p>	<p>Dimensions H: 57"(1448mm) D: 84"(2134mm) W: 143.75"(3651mm) (Outside) 132"(3353mm) (Inside)</p>	<p>Features</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> (6) 57"(1448mm)H x 50"(1270mm)W screens. All screens are connected together, not interchangeable. Available in King, Class and Maya fabrics only; COM not available. Floor support and screen connectors in same color. 	<p>To Order, Specify:</p> <ol style="list-style-type: none"> Product number. Inner material. Outer Material. Trim color.
---	---	--	---

	SON-6	\$16068.00	\$18210.40
--	-------	------------	------------

<p>Plume 9</p>  <p>SON-9</p>	<p>Dimensions H: 57"(1448mm) D: 128.5"(3264mm) W: 146.75"(3727mm) (Outside) 131.25"(3334mm) (Inside)</p>	<p>Features</p> <ul style="list-style-type: none"> Includes: <ul style="list-style-type: none"> (9) 57"(1448mm)H x 50"(1270mm)W screens. All screens are connected together, not interchangeable. Available in King, Class and Maya fabrics only; COM not available. Floor support and screen connectors in same color. 	<p>To Order, Specify:</p> <ol style="list-style-type: none"> Product number. Inner material. Outer Material. Trim color.
---	---	--	---


	SON-9	\$24102.00	\$26780.00
--	-------	------------	------------

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest Plume screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Feather Sofa

Feather – Symmetrical



SOSS-1-RW

Dimensions

Sofa

SH: 16.5"(419mm)
 TH: 30.25"(768mm)
 SD: 25"(635mm)
 TD: 37"(940mm)
 W: 87"(2210mm)

Table

H: 19.5"(495mm)
 D: 15.75"(400mm)

Features

- Includes: Sofa with specifiable top-stitch thread and optional side mount table.
- Legs: Painted cast aluminum.
- Optional table:
 - Can be right-side or left-side mounted.
 - Rotates 360°
 - Available in Black, Polar, Stormy or Vapor painted MDF or planked wood in White Oak or Walnut.
 - Planked wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
- COM yardage: 6.5

Specification Tips

- Fabric will be applied railroaded.
- Linear or patterned fabric is not recommended due to the manner in which fabric is applied.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather


2 Table Option:

- N No Table
- R Right Hand Table
- L Left Hand Table

- 2) Surface color.
- 3) Thread color.
- 4) Leg color.
- 5) Table finish (if applicable).

Description	Number 1 2	Fabric Grade		C	D	E	F	G	H	Leather Grade A	Leather Grade B
		A	B								
Without Table	SOSS- -N	\$3213.60	\$3395.70	\$3599.23	\$3749.20	\$4070.56	\$4231.24	\$4579.38	\$4686.50	\$6346.86	\$7632.30
With Painted MDF Table	SOSS- -P	3845.61	4027.71	3845.61	4381.21	4702.57	4863.25	5211.39	5318.51	6978.87	8264.31
With Wood Table - White Oak	SOSS- -W	4445.48	4627.58	4831.11	4981.08	5302.44	5463.12	5811.26	5918.38	7578.74	8864.18
With Wood Table - Walnut	SOSS- -W	4525.82	4707.92	4911.45	5061.42	5382.78	5543.46	5891.60	5998.72	7659.08	8944.52

Feather – Asymmetrical



SOSR-1-RW

Dimensions

Sofa

SH: 16.5"(419mm)
 TH: 30.25"(768mm)
 SD: 25"(635mm)
 TD: 37"(940mm)
 W: 92"(2337mm)

Table

H: 19.5"(495mm)
 D: 15.75"(400mm)

Features

- Includes: Sofa with specifiable top-stitch thread and optional side mount table.
- Legs: Painted cast aluminum.
- Optional table:
 - Can be right-side or left-side mounted.
 - Rotates 360°
 - Available in Black, Polar, Stormy or Vapor painted MDF or planked wood in White Oak or Walnut.
 - Planked wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
- COM yardage: 6.75

Specification Tips

- Fabric will be applied railroaded.
- Linear or patterned fabric is not recommended due to the manner in which fabric is applied.
- Handedness determined when seated on sofa.

To Order, Specify:

1) Product number, including:

1 Handedness:

- R Right hand
- L Left hand

2 Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

3 Table Option:

- N No Table
- R Right Hand Table
- L Left Hand Table

- 2) Surface color.
- 3) Thread color.
- 4) Leg color.
- 5) Table finish (if applicable).

Description	Number 1 2 3	Fabric Grade		C	D	E	F	G	H	Leather Grade A	Leather Grade B
		A	B								
Without Table	SOS - -N	\$3267.16	\$3459.98	\$3668.86	\$3883.10	\$4204.46	\$4391.92	\$4766.84	\$4847.18	\$6395.06	\$7712.64
With Painted MDF Table	SOS - -P	3899.17	4091.99	4300.87	4515.11	4836.47	5023.93	5398.85	5479.19	7027.07	8344.65
With Wood Table - White Oak	SOS - -W	4499.04	4691.86	4900.74	5114.98	5436.34	5623.80	5998.72	6079.06	7626.94	8944.52
With Wood Table - Walnut	SOS - -W	4579.38	4772.20	4981.08	5195.32	5516.68	5704.14	6079.06	6159.40	7707.28	9024.86


The following options require modification of the product number.

Stain Repellent

To specify, add **P** to the end of the product number; **Example:** SOSS-2-NP (add \$159.91 list)

Chick Pouf

Chick Pouf with Back



SOPB-22

Dimensions

SH: 18"(457mm)
 TH: 37.75"(959mm)
 SD: 18.75"(476mm)
 TD: 25.2"(640mm)
 W: 26"(660mm)

Features

- Includes: Seat and back with specifiable top-stitch thread and puck colors.
- Seat back flips up and down.
- Pull tab to flip back up or down available in orange only.
- COM yardage:
 Inner/Outer surfaces matching: 3.5
 Inner Back and Seat only: 1.5
 Outer Back and Base only: 2.0

Specification Tip

- Linear or patterned fabric is not recommended due to the manner in which fabric is applied.

To Order, Specify:

1) Product number, including:

1 Inner Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

2 Outer Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

2) Inner Surface Color (Seat, inside back).

3) Outer Surface Color (Base, outer back).

4) Thread color.

5) Puck color.

Number 1 2	Fabric Grade		C	D	E	F	G	H	Leather Grade A	Leather Grade B
	A	B								
SOPB-■ ■	\$1874.59	\$1981.71	\$2126.33	\$2260.23	\$2474.47	\$2586.95	\$2838.67	\$2919.01	\$3534.97	\$4204.47

Chick Pouf without Back



SOPN-22

Dimensions

H: 18"(457mm)
 D: 22.5"(572mm)
 W: 23.25"(591mm)

Features

- Includes: Seat/Base only with specifiable top-stitch thread color.
- COM yardage:
 Seat and Base matching: 2.0
 Seat only: .75
 Base only: 2.0

Specification Tip

- Linear or patterned fabric is not recommended due to the manner in which fabric is applied.

To Order, Specify:

1) Product number, including:

1 Inner Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

2 Outer Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

2) Inner Surface Color (Seat).

3) Outer Surface Color (Base).

4) Thread color.

Number 1 2	Fabric Grade		C	D	E	F	G	H	Leather Grade A	Leather Grade B
	A	B								
SOPN-■ ■	\$905.16	\$964.08	\$1055.13	\$1151.54	\$1280.08	\$1353.99	\$1526.46	\$1569.30	\$2088.11	\$2595.86

The following options require modification of the product number.


Stain Repellent

To specify, add **-P** to the end of the product number; **Example:** SOPB-22-P; SOPN-22-P (add **\$80.50** list for Chick Pouf with Back or **\$46.00** for Chick Pouf without Back)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Sprig Tables

Rectangle



SORA-5320-P

Features

- Includes: Table top and legs.
- Top available in Black, Polar, Stormy or Vapor painted MDF or planked wood in White Oak or Walnut.
- Planked wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
- Legs: Painted cast aluminum.

To Order, Specify:

1) Product number, including:

① Surface Material:

- P** Painted MDF
- W** Planked Wood

2) Top color.

3) Leg color.

Height	Depth	Width	Number ①	Painted	White Oak	Walnut
12"(305mm)	20"(508mm)	53"(1346mm)	SORA-5320-■	\$889.10	\$2222.74	\$2704.78

Round



SODC-1616-P



SODB-2424-P

Features

- Includes: Table top and legs.
- Top available in Black, Polar, Stormy, or Vapor painted MDF or planked wood in White Oak or Walnut.
- Planked wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
- Legs: Painted cast aluminum.

To Order, Specify:

1) Product number, including:

① Surface Material:

- P** Painted MDF
- W** Planked Wood

2) Top color.

3) Leg color.

Height	Diameter	Number ①	Painted	White Oak	Walnut
17"(432mm)	16"(406mm)	SODC-1616-■	\$632.01	\$1285.44	\$1392.56
14"(356mm)	24"(610mm)	SODB-2424-■	696.28	1724.63	1981.72

Single Desk



HOAS-2

Overall Dimensions

H: 58"(1473mm)
 D: 28"(711mm)
 W: 65"(1651mm)

Features

- Includes: Two screens, one attached worksurface with painted steel structure.
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height 29"(737mm).
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Ships unassembled.

Specification Tips

- Screens are non-load bearing.
- Not reconfigurable.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- P** Painted MDF
- L** Laminate
- W** Wood

2) Screen inner material.

3) Screen outer material.

4) Desk surface and color.

5) Edgeband color (if applicable).

6) Trim color.


Number 1	Screen Grade C	Laminate Worksurface		Wood Worksurface	
	Painted MDF Worksurface Price	Grade A	Grade B	Grade A	Grade B
HOAS-2-N NNS	\$7072.00	\$6760.00	\$6812.00	\$7124.00	\$7176.00

Number 1	Screen Grade D	Laminate Worksurface		Wood Worksurface	
	Painted MDF Worksurface Price	Grade A	Grade B	Grade A	Grade B
HOAS-2-N NNS	\$7592.00	\$7280.00	\$7332.00	\$7644.00	\$7696.00

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Double Desk



HOAD-3

Overall Dimensions

H: 58"(1473mm)
 D: 28"(711mm)
 W: 117"(2972mm)

Features

- Includes: Three screens, one attached worksurface with painted steel structure and monitor mount (if applicable).
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height 29"(737mm).
- Monitor mount accepts 40"(1016mm)-42"(1067mm) monitors.
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Monitor mount.
 - Table mounting bracket mounts unit to worksurface and supports monitor in a viewing position. Standard in black.
 - Front and rear trim match trim specification and hides cables and wires behind the monitor.
- Ships unassembled.

Specification Tips

- Not reconfigurable.
- Soft Storage cannot be used on the Double Desk.
- Coat Hook not to be used with mounted monitor.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- P** Painted MDF
- L** Laminate
- W** Wood

2 Monitor Mount:

- N** No Monitor Mount
- M** Monitor Mount, add **\$1040.00** list

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Desk surface and color.
- 5) Edgeband color (if applicable).
- 6) Trim color.

Number 1 2	Screen Grade C	Laminate Worksurface		Wood Worksurface	
	Painted MDF Worksurface Price	Grade A	Grade B	Grade A	Grade B
HOAD-3-N NS	\$10608.00	\$10088.00	\$10192.00	\$10660.00	\$10764.00

Number 1 2	Screen Grade D	Laminate Worksurface		Wood Worksurface	
	Painted MDF Worksurface Price	Grade A	Grade B	Grade A	Grade B
HOAD-3-N NS	\$11336.00	\$10816.00	\$10920.00	\$11388.00	\$11492.00

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Privacy Desk



HOAP-3
(Right-hand shown)

Dimensions

H: 58"(1473mm)
D: 65"(1651mm)
W: 55"(1397mm)

Features

- Includes: Three screens, one attached worksurface and steel structure.
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height 29"(737mm).
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Painted steel structure.
- Ships unassembled.

Specification Tips

- Screens are non-load bearing.
- Not reconfigurable.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- Handedness determined by return location.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

1) Product number, including:

1 Surface Material:

- P** Painted MDF
- L** Laminate
- W** Wood

2 Handedness:

- R** Right-Hand
- L** Left-Hand

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Desk surface and color.
- 5) Edgeband color (if applicable).
- 6) Trim color.

Number 1 2	Screen Grade C Painted MDF Worksurface Price	Laminate Worksurface		Wood Worksurface	
		Grade A	Grade B	Grade A	Grade B
HOAP-3-N <input type="checkbox"/> N <input type="checkbox"/> S	\$10296.00	\$9880.00	\$9958.00	\$10348.00	\$10426.00

Number 1 2	Screen Grade D Painted MDF Worksurface Price	Laminate Worksurface		Wood Worksurface	
		Grade A	Grade B	Grade A	Grade B
HOAP-3-N <input type="checkbox"/> N <input type="checkbox"/> S	\$11024.00	\$10608.00	\$10686.00	\$11076.00	\$11154.00

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Single Booth



HOAB-2

Dimensions:

- SH: 18"(457mm)
- H: 58"(1473mm)
- SD: 20"(508mm)
- TD: 30"(762mm)
- SW: 44"(1118mm)
- TW: 65"(1651mm)

Features

- Includes: Two screens, one attached sofa with specifiable top-stitch thread and painted steel structure.
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Ships unassembled.
- COM yardage/sq. footage (sofa): 3.25 / 58.5

Specification Tips

- Screens are non-load bearing.
- Not reconfigurable.
- Screens are not tackable or pinnable.
- Sofa accepts separately specified and field installed Hideaway Power Module.
- Sofa fabric applied railroaded.
- Linear or patterned fabric not recommended due to the manner in which fabric is applied.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

1) Product number, including:

1 Seat Surface Material:

- 1** Leather
- 2** Fabric
- 3** Faux Leather

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Sofa material and color.
- 5) Thread color.
- 6) Trim color.

Number 1	Screen Grade C Seat Grade								Leather Grade A	Leather Grade B
	A	B	C	D	E	F	G	H		
HOAB-2- NNNN	\$8580.00	\$8736.00	\$8762.00	\$8840.00	\$8944.00	\$9022.00	\$9204.00	\$9261.20	\$10660.00	\$11180.00

Number 1	Screen Grade D Seat Grade								Leather Grade A	Leather Grade B
	A	B	C	D	E	F	G	H		
HOAB-2- NNNN	\$9100.00	\$9256.00	\$9282.00	\$9360.00	\$9464.00	\$9542.00	\$9724.00	\$9781.20	\$11180.00	\$11700.00

The following options require modification of the product number.

Stain Repellent

To specify, add **P** to the end of the product number; **Example:** HOAB-2-2NNNNP (add \$74.75 list)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Corner Booth



HOAC-3
(Right-hand shown)

Dimensions:

SH: 18"(457mm)
H: 58"(1473mm)
SD: 20"(508mm)
TD: 55"(1397mm)
SW: 44"(1118mm)
TW: 65"(1651mm)

Worksurface Dimensions:

H: 29"(737mm)
D: 24"(610mm)
W: 29"(737mm)

Features

- Corner Booth must be **ordered as two individual items**:
 - Item 1 includes: Three screens, one attached sofa with specifiable top-stitch thread and painted steel structure.
 - Item 2 includes: Corner worksurface.
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height is 29"(737mm).
- Ships unassembled.
- COM yardage/sq. footage (sofa): 3.25 / 58.5

Specification Tips

- Screens are non-load bearing.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Not reconfigurable.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- Sofa accepts separately specified and field installed Hideaway Power Module.
- Handedness determined from a seated position.
- Sofa fabric applied railroaded.
- Linear or patterned fabric not recommended due to the manner in which fabric is applied.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

ITEM #1

1) Product number, including:

1 Seat Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

2 Handedness:

- R Right-Hand
- L Left-Hand

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Sofa surface and color.
- 5) Thread color.
- 6) Trim color.

To Order, Specify:

ITEM #2

1) Product number, including:

1 Surface Material:

- P Painted MDF
- L Laminate
- W Wood

2 Handedness:

- R Right-Hand
- L Left-Hand

- 2) Surface and color.
- 3) Edgeband color (if applicable).

ITEM #1 – Screens and Sofa

Number ① ②	Screen Grade C Seat Grade								Leather Grade A	Leather Grade B
	A	B	C	D	E	F	G	H		
HOAC-3-■ NN ■ N	\$11440.00	\$11596.00	\$11622.00	\$11700.00	\$11804.00	\$11882.00	\$12064.00	\$12121.20	\$13520.00	\$14040.00

Number ① ②	Screen Grade D Seat Grade								Leather Grade A	Leather Grade B
	A	B	C	D	E	F	G	H		
HOAC-3-■ NN ■ N	\$12168.00	\$12324.00	\$12350.00	\$12428.00	\$12532.00	\$12610.00	\$12792.00	\$12849.20	\$14248.00	\$14768.00

ITEM #2 – Worksurface

Number ① ②	Painted MDF Worksurface Price		Laminate Worksurface Grade A Grade B		Wood Worksurface Grade A Grade B	
	HOAC-W-N ■ N ■ S	\$598.00		\$390.00	\$426.40	\$598.00

The following options require modification of the product number.


Stain Repellent

To specify, add **P** to the end of the product number; **Example:** HOAC-3-2NNRNP (add \$74.75 list)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Privacy Booth



HOAE-5
(Left-hand shown)

Dimensions:

- SH: 18"(457mm)
- H: 58"(1473mm)
- SD: 20"(508mm)
- TD: 67"(1702mm)
- SW: 44"(1118mm)
- TW: 94"(2388mm)

Worksurface Dimensions:

- H: 29"(737mm)
- D: 25"(635mm)
- W: 57"(1448mm)

Features

- Privacy Booth must be **ordered as two individual items**:
 - Item 1 includes: Five screens, one attached sofa with specifiable top-stitch thread and painted steel structure.
 - Item 2 includes: Worksurface.
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height is 29"(737mm).
- Open space between the sofa and worksurface is 42"(1067mm).
- Ships unassembled.
- COM yardage/sq. footage (sofa): 3.25 / 58.5

Specification Tips

- Screens are non-load bearing.
- Not reconfigurable.
- Handedness determined by sofa side.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- Sofa accepts separately specified and field installed Hideaway Power Module.
- Sofa fabric applied railroaded.
- Linear or patterned fabric not recommended due to the manner in which fabric is applied.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

ITEM #1

1) Product number, including:

1 Seat Surface Material:

- 1** Leather
- 2** Fabric
- 3** Faux Leather

2 Handedness:

- R** Right-Hand
- L** Left-Hand

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Sofa surface and color.
- 5) Thread color.
- 6) Trim color.

To Order, Specify:

ITEM #2

1) Product number, including:

1 Surface Material:

- P** Painted MDF
- L** Laminate
- W** Wood

- 2) Surface and color.
- 3) Edgeband color (if applicable).

ITEM #1 – Screens and Sofa

Number	Screen Grade C Seat Grade		A	B	C	D	E	F	G	H	Leather Grade A	Leather Grade B
	1	2										
HOAE-5- <input type="checkbox"/> NN <input type="checkbox"/> N			\$16380.00	\$16536.00	\$16562.00	\$16640.00	\$16744.00	\$16822.00	\$17004.00	\$17061.20	\$18460.00	\$18980.00

Number	Screen Grade D Seat Grade		A	B	C	D	E	F	G	H	Leather Grade A	Leather Grade B
	1	2										
HOAE-5- <input type="checkbox"/> NN <input type="checkbox"/> N			\$17316.00	\$17472.00	\$17498.00	\$17576.00	\$17680.00	\$17758.00	\$17940.00	\$17997.20	\$19396.00	\$19916.00

ITEM #2 – Worksurface

Number	1	Painted MDF Worksurface Price	Laminate Worksurface Grade A	Laminate Worksurface Grade B	Wood Worksurface Grade A	Wood Worksurface Grade B
		HOAE-W-N <input type="checkbox"/> NNS		\$806.00	\$494.00	\$546.00

The following options require modification of the product number.


Stain Repellent

To specify, add **P** to the end of the product number; **Example:** HOAE-5-2NNRNP (add \$74.75 list)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Conference Booth



HOAW-5
(shown with monitor mount)

Dimensions:

SH: 18"(457mm)
H: 58"(1473mm)
SD: 20"(508mm)
TD: 67"(1702mm)
SW: 44"(1118mm)
TW: 94"(2388mm)

Worksurface Dimensions:

H: 29"(737mm)
D: 46"(1168mm)
W: 40"(1016mm)

Features

- Conference Booth must be **ordered as two individual items**:
 - Item 1 includes: Five screens, two attached sofas with specifiable top-stitch thread and painted steel structure.
 - Item 2 includes: Worksurface and monitor mount (if specified).
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Worksurface available in painted MDF, laminate or wood veneer.
- Worksurface fixed height is 29"(737mm).
- Monitor mount accepts 30"(762mm)-32"(813mm) monitor only.
 - Table mounting bracket mounts unit to worksurface and supports monitor in a viewing position. Standard in black.
 - Front and rear trim match trim specification and hides cables and wires behind the monitor.
- Ships unassembled.
- COM yardage/sq. footage (sofa): 3.25 / 58.5

Specification Tips

- Not reconfigurable.
- Will not accept monitor arms, keyboard pads or attached or suspended pedestals.
- Screens are not tackable or pinnable.
- Separately specified power or USB module field installed.
- Sofa accepts separately specified and field installed Hideaway Power Module.
- Sofa fabric applied railroaded.
- Linear or patterned fabric not recommended due to the manner in which fabric is applied.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

ITEM #1

- 1) Product number, including:

1 Seat Surface Material:

- 1 Leather
- 2 Fabric
- 3 Faux Leather

- 2) Screen inner material.
3) Screen outer material.
4) Sofa surface and color.
5) Thread color.
6) Trim color.

To Order, Specify:

ITEM #2

- 1) Product number, including:

1 Surface Material:

- P Painted MDF
- L Laminate
- W Wood

2 Monitor Mount:

- N No Monitor Mount
- M Monitor Mount, add \$1040.00 list

- 2) Surface and color.
3) Edgeband color (if applicable).
4) Trim color.

ITEM #1 – Screens and Sofa

Number 1	Screen Grade C								Leather Grade A	Leather Grade B
	Seat Grade									
	A	B	C	D	E	F	G	H		
HOAW-5-NNNN	\$20488.00	\$20800.00	\$20852.00	\$21008.00	\$21216.00	\$21372.00	\$21736.00	\$21850.40	\$24648.00	\$25688.00

Number 1	Screen Grade D								Leather Grade A	Leather Grade B
	Seat Grade									
	A	B	C	D	E	F	G	H		
HOAW-5-NNNN	\$21424.00	\$21736.00	\$21788.00	\$21944.00	\$22152.00	\$22308.00	\$22672.00	\$22786.40	\$25584.00	\$26624.00

ITEM #2 – Worksurface

Number 1 2	Painted MDF Worksurface		Laminate Worksurface		Wood Worksurface	
	Price		Grade A	Grade B	Grade A	Grade B
HOAW-W-N NS	\$910.00		\$494.00	\$572.00	\$962.00	\$1040.00

The following options require modification of the product number.

Stain Repellent

To specify, add **P** to the end of the product number; **Example:** HOAW-5-2NNNNP (add \$149.50 list)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Double Booth



HOA1-3

Dimensions:

- SH: 18"(457mm)
- H: 58"(1473mm)
- SD: 20"(508mm)
- TD: 30"(762mm)
- SW: 96"(2438mm)
- TW: 108"(2743mm)

Features

- Includes: Three screens, attached double sofa with specifiable top-stitch thread and painted steel structure. Double sofa shipped in two pieces.
- Screens available in King, Class, and Maya fabrics only. COM not available.
- Ships unassembled.
- COM yardage/sq. footage (sofa): 6 / 108

Specification Tips

- Screens are non-load bearing.
- Not reconfigurable.
- Screens are not tackable or pinnable.
- Separately specified Hideaway Power Module field installed.
- Sofa fabric applied railroaded.
- For more detailed dimensions, refer to specification guide.

To Order, Specify:

1) Product number, including:

1 Seat Surface Material:

- 1** Leather
- 2** Fabric
- 3** Faux Leather

- 2) Screen inner material.
- 3) Screen outer material.
- 4) Sofa surface and color.
- 5) Thread color.
- 6) Trim color.
- 7) Table color/finish (if applicable).

Description	Number 1	Screen Grade C Seat Grade								Leather Grade A	Leather Grade B
		A	B	C	D	E	F	G	H		
No Table	HOA1-3-NNNN	\$16120.00	\$16432.00	\$16484.00	\$16640.00	\$16848.00	\$17004.00	\$17368.00	\$17482.40	\$20280.00	\$21320.00
Painted Table	HOA1-3-PNHN	16983.20	17295.20	17347.20	17503.20	17711.20	17867.20	18231.20	18345.60	21143.20	22183.20
White Oak Table	HOA1-3-WNHN	18491.20	18803.20	18855.20	19011.20	19219.20	19375.20	19739.20	19853.60	22651.20	23691.20
Walnut Table	HOA1-3-WNHN	18678.40	18990.40	19042.40	19198.40	19406.40	19562.40	19926.40	20040.80	22838.40	23878.40

Description	Number 1	Screen Grade D Seat Grade								Leather Grade A	Leather Grade B
		A	B	C	D	E	F	G	H		
No Table	HOA1-3-NNNN	\$16848.00	\$17160.00	\$17212.00	\$17368.00	\$17576.00	\$17732.00	\$18096.00	\$18210.40	\$21008.00	\$22048.00
Painted Table	HOA1-3-PNHN	17711.20	18023.20	18075.20	18231.20	18439.20	18595.20	18959.20	19073.60	21871.20	22911.20
White Oak Table	HOA1-3-WNHN	19219.20	19531.20	19583.20	19739.20	19947.20	20103.20	20467.20	20581.60	23379.20	24419.20
Walnut Table	HOA1-3-WNHN	19406.40	19718.40	19770.40	19926.40	20134.40	20290.40	20654.40	20768.80	23566.40	24606.40

The following options require modification of the product number.


Stain Repellent

To specify, add **P** to the end of the product number; **Example:** HOA1-3-2NNNNP (add \$138.00 list)

Note: For mixed grade fabric surfaces, please refer to the electronic design and specification tools for these prices.

Note: The Openest screen is made with polyester fabric adhered to a polyester core. The screen is compliant with UL-1286 flammability requirements and California Technical Bulletin TB-117-2013 requirements. The fabric covering is compliant with NFPA 701 requirements. Consult your local code authority to assure that screens are compliant prior to installation.

Height Adjustable Table



HOUT-1616

Dimensions

H: 20-24"(508-610mm)
 D: 16"(406mm)
 W: 16"(406mm)

Features

- Includes: Table top and height adjustable leg.
- Top available in painted MDF or plank wood.
- Planked wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
- Legs: Painted cast aluminum.
- Top rotates 360°.
- Height adjustment range is 4"(102mm).

Specification Tip

- For use on all Openest sofas.

To Order, Specify:

1) Product number, including:

1 Sofa Type:

B Booth

F Feather

2 Surface Material:

P Painted MDF

W Planked Wood

2) Surface and color.

3) Trim color.

Number 1 2

HOUT-1616-■ ■

Painted

\$964.08

Wood White Oak


\$1628.22

Walnut

\$1821.04

Accessories

Coat Hook



HOCH

Dimensions:

H: 7.7"(196mm)
 D: 1.6"(41mm)
 W: 3"(76mm)

Features

- Includes: One white oak coat hook.
- Painted steel bracket with white oak wood surface.
- Maximum weight load is 10 lbs.

To Order, Specify:

- 1) Product number.
- 2) Trim color.

Specification Tips

- Can be used on Plume screens.
- Cannot be hung on the backside of Double Desk with monitor mount.

Number

HOCH-0000

Price

\$160.68

Soft Storage



HOUS

Dimensions:

H: 12"(305mm)
 D: 16"(406mm)
 W: 8.5"(216mm)

Features

- Includes: One soft storage unit with attachment hardware.
- Maximum weight capacity is 30 lbs.
- Available in Big Arrow fabric only. COM not available.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.

Specification Tips

- Can be used on worksurfaces 16"(406mm) or deeper.
- Not for use on sofas.
- Not for use on Double Desk.


Number

HOUS-0000

Price

\$267.80

Pillows



HOUP

Features

- Includes: One pillow with 100% polyester fill.
- Available in square or rectangle.
- COM yardage: 0.75

To Order, Specify:

- 1) Product number.
- 2) Fabric color.

Description	Height	Width	Number	Fabric Grade							
				A	B	C	D	E	F	G	H
Square	18"(457mm)	18"(457mm)	HOUP-S	\$166.04	\$349.22	\$366.35	\$383.49	\$400.63	\$450.91	\$568.20	\$605.06
Rectangle	16"(406mm)	20"(508mm)	HOUP-R	166.04	349.22	366.35	383.49	400.63	450.91	568.20	605.06

The following options require modification of the product number.

Stain Repellent

To specify, add **-P** to the end of the product number; **Example:** HOUP-S-P (add \$17.25 list)

Hideaway Power Module



HOPD

Features

- Includes: Power drawer, soft drawer pull, power and/or USB ports and mounting hardware.
- Power options include: One power port and one USB port, two power ports, or two USB ports.
- UL listed power outlet provides one NEMA 5-15R outlet.
- USB outlet consists of two USB outlets with 1000mA of charging per USB outlet powered from UL listed transformer.
- Can be used on Openest booth sofa or Feather sofa.
- Mounts to under structure of sofa.
- Tray slides 6"(152mm) forward.
- Drawer available in supplier white only.
- Drawer pull in orange only.

To Order, Specify:

- 1) Product number, including:
(No finish specification required.)

1 Sofa Type:


- B Booth
- F Feather

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Drawer has one cord with plug (NEMA 5-15P) and one cord with 2"(51mm) x 1"(25mm) x 3"(76mm) voltage transformer plug. Transformer may block adjacent outlets (see illustration).
- Cord reach is 30"(762mm) from back of hideaway power module.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

Description	Height	Depth	Width	Number 1	Price
1 Power, 1 USB Port	3.2"(81mm)	15.5"(394mm)	9.2"(234mm)	HOPD-0006- <input type="checkbox"/> 11100	\$717.70
2 Power Ports				HOPD-0006- <input type="checkbox"/> 12000	664.14
2 USB Ports				HOPD-0006- <input type="checkbox"/> 10200	867.67

Bezel Utility Module



EURT-0072-1100
EURT-0072-1010



Features

- Includes: Either a round or square faced Power Module and mounting hardware.
- For use on surfaces 0.75”(19mm) - 2.0”(51mm) thick.
- Available with either:
 - One power outlet (NEMA 5-15R)
 - One two port USB charger. Consists of two USB outlets with 1000mA of charging power (5 volts) per USB outlet.
- Available in black or supplier white only.

Specification Tips

- For use with 120 volt 60 hertz power source only.
- Power configuration has one cord with plug (NEMA 5-15P).
- USB configuration has one cord with 2”(51mm) x 1”(25mm) x 3”(76mm) voltage transformer plug. Transformer may block adjacent outlets (see illustration).
- Requires field cut 1.75”(44mm) hole and field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

To Order, Specify:

1) Product number, including:

1 Shape:

S Square

C Round


2 Color Options:

B Black


W White

Description	Height	Depth	Width	Number	1 2	Price
6' Cord						
Power		1.75”(44mm)		EURT-0072-1100	■ ■	\$ 73.53
USB				EURT-0072-1010	■ ■	220.59
12' Cord						
Power		1.75”(44mm)		EURT-00E4-1100	■ ■	\$126.05
USB				EURT-00E4-1010	■ ■	273.11

Data Bezel



EURT-0000-N001CB
EURT-0000-N001CW



EURT-0000-N001SB
EURT-0000-N001SW

Description	Number	Price
Round		
Black	EURT-0000-N001CB	\$73.53
White	EURT-0000-N001CW	73.53
Square		
Black	EURT-0000-N001SB	\$73.53
White	EURT-0000-N001SW	73.53

Feature

- Includes one round or square bezel for the Bezel Utility Module.
- Available in black or supplier white only.

To Order, Specify:

1) Product number.
(No finish specification required.)

This page intentionally left blank.

Specification Guide Openest Collection


Table of Contents – Openest Collection Specification Guide

Product Statement of Line – Openest Collection	
Statement of Line	28
Product Details – Openest Collection	
Overview	32
Plume Screens	33
Feather Sofa	34
Chick Pouf	35
Sprig Table.....	36
Single Desk	37
Double Desk	38
Privacy Desk	39
Single Booth	40
Corner Booth	41
Privacy Booth	42
Conference Booth	43
Double Booth	44
Height Adjustable Table	45
Accessories – Coat Hook, Soft Storage and Pillows	46
Power Components	
Hideaway Power Module.....	47
Bezel Utility Module	48
Worksurface Edge Details.....	49
Product Application – Openest Collection	
Tips and Tricks	
Collaborative Spaces	52
Thinking Spaces	53
Touchdown Spaces	54
Social Spaces.....	55
Technical Specifications – Openest Collection	
Technical Specifications.....	58


Product Statement of Line – Openest Collection

Product Statement of Line – Openest Collection


Plume Screens



Plume 3




Plume 6




Plume 9

Feather Sofa




Feather – Symmetrical
(Shown with optional right handed Side Mount Table)



Feather – Asymmetrical
(Right handed sofa shown with optional right handed Side Mount Table)

Chick Pouf




Chick Pouf with Back



Chick Pouf without Back

Sprig Tables



Rectangle




Round
16" Diameter




Round
24" Diameter


Desks



Single Desk




Double Desk
(Shown with optional Monitor Mount)




Privacy Desk
(Right Hand Shown)

Product Statement of Line – Openest Collection


Booths




Single Booth




Corner Booth
(Right Hand Shown)



Privacy Booth
(Left Hand Shown)




Conference Booth
(Shown with optional
Monitor Mount)




Double Booth


Accessories




Height
Adjustable Table



Coat Hook



Soft Storage




Pillows


Power Components



Hideaway
Power Module



Bezel Utility
Module - USB



Bezel Utility
Module - Power

This page intentionally left blank.

Product Details – Openest Collection

Product Details – Openest Collection


Overview

Plume Screen

- Available with 3, 6 or 9 Screens
- Screens always connect

Chick Pouf without Back

- Specifiable top stitch thread color



Feather Sofa

- Available: Symmetrical or Asymmetrical (Left Handed Asymmetrical shown)
- With or without attached table
- Specifiable top stitch thread color
- Fabric always applied railroad

Sprig Tables:

- Painted MDF
- Plank White Oak
- Plank Walnut
- Leg color specified

Chick Pouf with Back

- Seat and Inside Back always match
- Base and Backrest always match
- Specifiable top stitch thread color

Note

• For all available height, width and functional configurations refer to the price list for product offerings.


Product Details – Openest Collection

Plume Screens

- Freestanding unit includes floor support, screen connectors and are available with three, six or nine screens.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.

Plume 3


- Includes three screens – each screen is 50" wide with variable heights.



Component Materials/Finishes


COMPONENT NAME	MATERIALS/ FINISHES
Floor Support and Screen Connectors	Painted Metal – Same as trim Color
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen.

Top View




Plume 6

- Includes six screens – each screen is 57" high and 50" wide.




Top View




Plume 9

- Includes nine screens – each screen is 57" high and 50" wide.



Top View



Product Details – Openest Collection

Feather Sofa


- Includes: Asymmetrical or Symmetrical Sofa with specifiable top-stitch thread color and optional side mount table.
- Optional side mount table may be attached on the right-side or left-side of the sofa and can rotate 360°.

Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Legs	Painted Cast Aluminum	
Sofa Seat and Back	(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread is specifiable • Fabric will be applied railroaded • COM yardage: 6.5 • Linear or patterned fabric is not recommended due to the manner in which fabric is applied.
	(2) Fabric	
	(3) Faux Leather	
Side Mount Table (Optional)	Painted MDF	<ul style="list-style-type: none"> • Available in Black, Polar, Stormy or Vapor. • Wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
	Plank White Oak	
	Plank Walnut	

Symmetrical

- Top seam is centered on the sofa and both sides are symmetrical.



Top View




Table Option:
(N) No Table




Table Option:
(R) Right Hand Table





Table Option:
(L) Left Hand Table

Asymmetrical – Right Handed

- Top seam is offset from the center making the sofa asymmetrical, with the seated user's right hand side larger than the left hand side.



Top View




Table Option:
(N) No Table




Table Option:
(R) Right Hand Table





Table Option:
(L) Left Hand Table

Asymmetrical – Left Handed

- Top seam is offset from the center making the sofa asymmetrical, with the seated user's left hand side larger than the right hand side.



Top View




Table Option:
(N) No Table




Table Option:
(R) Right Hand Table






Table Option:
(L) Left Hand Table

Dimensions – Side View



Power Options

- A separately specified Hideaway Power Module may be field installed under the sofa.




Product Details – Openest Collection

Chick Pouf

- Available with a back that flips down or without a back.

With Back


- Includes seat and back that flips up and down.
- The inner and outer surfaces are specified separately. Top stitch thread color is specified.




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Seat and Back with ABS bottom closeout with glides	(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread is specifiable. • Material for inner and outer surfaces may specified the same or different. • COM yardage: Inner/Outer surfaces matching: 3.5 Inner Back and Seat only: 1.5 Outer Back and Base only: 2.0
	(2) Fabric	
	(3) Faux Leather	
Puck	<ul style="list-style-type: none"> • Painted Metal – matches trim color 	
Pull Tab	<ul style="list-style-type: none"> • Polypropylene Strap • Standard with orange color only. 	

Dimensions Side View




Front View



Without Back


- Includes Seat without a back.




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Seat with ABS bottom closeout with glides	(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread is specifiable. • Material for inner and outer surfaces may specified the same or different. • COM yardage: Inner/Outer surfaces matching: 2.0 Seat only: .75 Base only: 2.0
	(2) Fabric	
	(3) Faux Leather	

Dimensions Side View



Front View



Product Details – Openest Collection


Sprig Table

- Includes table top and legs.
- Tops available with wood tops or with painted MDF.


Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Legs	Painted Cast Aluminum – matches Trim Color	
Table Top	Painted MDF	• Available in Black, Polar, Stormy or Vapor
	Plank White Oak	• Wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.
	Plank Walnut	


Rectangle Top




Dimensions – Top View




Front View




Round Top – 24" Diameter




Dimensions – Top View




Front View




Round Top – 16" Diameter



Dimensions – Top View




Front View




Product Details – Openest Collection

Single Desk


- Freestanding unit includes two screens and one attached worksurface with a painted metal support structure.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.
- Not for use with monitor arms, adjustable keyboard pads, attached pedestals or suspended pedestals.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 	
Worksurface	(P) Painted MDF	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)
	(L) Laminate	
	(W) Wood Veneer	
Worksurface Support Structure	Painted Metal – Matches Trim Color	


Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.

One Power Outlet (NEMA 5-15P)




Two Port USB Charger




Accessories

- A separately specified Soft Storage Unit or Coat Hook can be used with this unit.

Soft Storage




Coat Hook




Product Details – Openest Collection

Double Desk


- Freestanding unit includes three screens and an attached worksurface with a painted metal support structure. Optional Monitor Mount may be specified.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.
- Not for use with monitor arms, adjustable keyboard pads, attached pedestals or suspended pedestals.
- Monitor mount accepts 40"-42" monitors.



Dimensions – Top View



Front View




- Note** • The separately specified Coat Hook should not be used with the Double Desk if it is specified with the optional Monitor Mount.

Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 	
Worksurface	(P) Painted MDF (L) Laminate (W) Wood Veneer	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)
Worksurface Support Structure	Painted Metal – Matches Trim Color	
Monitor Mount (Optional)	Table Mounting Bracket	Painted Metal – Standard in Black
	Front and Rear Trim	Painted Metal – Matches Trim Color

Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.



Accessories




Soft Storage

- Cannot be used with the Double Desk due to interference with the worksurface under structure.



Monitor Mount Option


- The optional monitor mount is designed to accommodate most brands of 40" or 42" monitors with centrally located VESA® mounting patterns with widths between 200mm-400mm and heights between 200mm-400mm.
- The monitor and any other mounted equipment such as video conferencing camera may not exceed the 70lbs. maximum load capacity.
- The Monitor can be adjusted vertically in 1/2" increments.



Product Details – Openest Collection

Privacy Desk

- Freestanding unit includes three screens and an attached worksurface with a painted metal support structure.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.
- Not for use with monitor arms, adjustable keyboard pads, attached pedestals or suspended pedestals.




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 	
Worksurface	(P) Painted MDF	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)
	(L) Laminate	
	(W) Wood Veneer	
Worksurface Support Structure	Painted Metal – Matches Trim Color	


Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.

One Power Outlet (NEMA 5-15P)




Two Port USB Charger




Accessories

- A separately specified Soft Storage Unit or Coat Hook can be used with this unit.


Soft Storage




Coat Hook



Dimensions – Top View




Front View




Orientation Options

- Handedness is determined from a seated position.



(L) Left Hand Option




(R) Right Hand Option


Product Details – Openest Collection

Single Booth


- Freestanding unit includes two screens and an attached sofa with a painted metal support structure.
- Different fabric may be specified for inner and outer screen.
- The unit is not reconfigurable. Screens are not load bearing, tackable or pinnable.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES				
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 				
Sofa	<table border="0"> <tr> <td>(1) Leather</td> <td rowspan="3"> <ul style="list-style-type: none"> • Top-stitch thread color is specifiable. • Sofa fabric applied railroad. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 </td> </tr> <tr> <td>(2) Fabric</td> </tr> <tr> <td>(3) Faux Leather</td> </tr> </table>	(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread color is specifiable. • Sofa fabric applied railroad. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 	(2) Fabric	(3) Faux Leather
(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread color is specifiable. • Sofa fabric applied railroad. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 				
(2) Fabric					
(3) Faux Leather					
Sofa Support Structure	Painted Metal – Matches Trim Color				

Power Options

- A separately specified Hideaway Power Module may be field installed under the sofa.


Hideaway Power Module




Accessories

- Separately specified Pillows or Coat Hook can be used with this unit.

Pillows




Coat Hook




Product Details – Openest Collection

Corner Booth


- Corner Booth must be ordered as two individual items:
 - Item 1 includes: Three screens and one attached sofa
 - Item 2 includes: Corner worksurface
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.
- Not for use with monitor arms, adjustable keyboard pads, attached pedestals or suspended pedestals.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES				
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 				
Sofa	<table border="1"> <tr> <td>(1) Leather</td> <td rowspan="3"> <ul style="list-style-type: none"> • Top-stitch thread Color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 </td> </tr> <tr> <td>(2) Fabric</td> </tr> <tr> <td>(3) Faux Leather</td> </tr> </table>	(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread Color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 	(2) Fabric	(3) Faux Leather
(1) Leather	<ul style="list-style-type: none"> • Top-stitch thread Color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5 				
(2) Fabric					
(3) Faux Leather					
Worksurface	<table border="1"> <tr> <td>(P) Painted MDF</td> <td rowspan="3">Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)</td> </tr> <tr> <td>(L) Laminate</td> </tr> <tr> <td>(W) Wood Veneer</td> </tr> </table>	(P) Painted MDF	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)	(L) Laminate	(W) Wood Veneer
(P) Painted MDF	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)				
(L) Laminate					
(W) Wood Veneer					
Sofa/Worksurface Support Structure	Painted Steel – Matches Trim Color				


Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.
- A separately specified Hideaway Power Module may be field installed under the sofa.

One Power Outlet (NEMA 5-15P)



Two Port USB Charger




Hideaway Power Module



Accessories

- Separately specified Pillows or Coat Hook can be used with this unit.

Pillows



Coat Hook




Note

The separately specified Soft Storage cannot be used with the Corner Booth.

Orientation Options

- Handedness is determined from a seated position.



(L) Left Hand Option




(R) Right Hand Option


Product Details – Openest Collection

Privacy Booth


- Corner Booth must be ordered as two individual items:
 - Item 1 includes: Five screens and one attached sofa
 - Item 2 includes: Worksurface
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.
- Not for use with monitor arms, adjustable keyboard pads, attached pedestals or suspended pedestals.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 	
Sofa	(1) Leather	<ul style="list-style-type: none"> • Sofa top-stitch thread color is specifiable. • Sofa fabric applied railroad. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 3.25 / 58.5
	(2) Fabric	
	(3) Faux Leather	
Worksurface	(P) Painted MDF	Worksurface includes Knife Edge on user side. (See Worksurface Edge Detail Page)
	(L) Laminate	
	(W) Wood Veneer	
Sofa/Worksurface Support Structures	Painted Steel – Matches Trim Color	


Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.
- A separately specified Hideaway Power Module may be field installed under the sofa.

One Power Outlet (NEMA 5-15P)



Two Port USB Charger




Hideaway Power Module




Accessories

- Separately specified accessories like Pillows, Soft Storage or Coat Hook may be added.


Pillows



Soft Storage




Coat Hook




Orientation Options

- Privacy Booth may be specified right or left handed.



(L) Left Hand Option




(R) Right Hand Option


Product Details – Openest Collection

Conference Booth


- Conference Booth is ordered as two individual items:
 - Item 1 includes: Five screens and two attached sofas
 - Item 2 includes: Worksurface and optional Monitor Mount.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES	
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 	
Sofa	<ul style="list-style-type: none"> (1) Leather (2) Fabric (3) Faux Leather 	<ul style="list-style-type: none"> • Sofa top-stitch thread color is specifiable. • Sofa fabric applied railroad. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • Total COM yardage/ sq. footage: 6.5 / 117
Worksurface	<ul style="list-style-type: none"> (P) Painted MDF (L) Laminate (W) Wood Veneer 	
Sofa/Worksurface Support Structures	Painted Metal – Matches Item 1 Trim Color	
Monitor Mount (Optional)	Table Mounting Bracket	Painted Metal – Standard in Black
	Front and Rear Trim	Painted Metal – Matches Item 2 Trim Color

Power Options

- A separately specified Bezel Utility Module may be field installed on the worksurface.
- A separately specified Hideaway Power Module may be field installed under the sofa.

One Power Outlet (NEMA 5-15P)



Two Port USB Charger




Hideaway Power Module




Accessories

- Separately specified accessories like the Pillows or the Coat Hook may be added.



Monitor Mount Option


- The optional Monitor Mount is designed to fit most brands of 32" monitors with centrally located VESA® mounting patterns with widths between 100mm-300mm and heights between 100mm-300mm.
- The monitor and any other mounted equipment such as video conferencing camera may not exceed the 70lbs. maximum load capacity.
- Monitor can be adjusted vertically in 1/2" increments.




Product Details – Openest Collection

Double Booth


- Freestanding unit includes three screens and an attached Double Sofa with a painted steel support structure.
- Different fabric may be specified for inner and outer screen.
- Screens are not load bearing, tackable or reconfigurable.



Dimensions – Top View



Front View




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES				
Screens	<ul style="list-style-type: none"> • Screen is constructed of fabric adhered to a polyester shell. • Available in King, Class and Maya fabrics only. • Different fabric may be specified for inner and outer screen. 				
Sofa	<table border="1"> <tr> <td>(1) Leather</td> <td rowspan="3"> <ul style="list-style-type: none"> • Sofa top-stitch thread color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 6 / 108 </td> </tr> <tr> <td>(2) Fabric</td> </tr> <tr> <td>(3) Faux Leather</td> </tr> </table>	(1) Leather	<ul style="list-style-type: none"> • Sofa top-stitch thread color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 6 / 108 	(2) Fabric	(3) Faux Leather
(1) Leather	<ul style="list-style-type: none"> • Sofa top-stitch thread color is specifiable. • Sofa fabric applied railroaded. • Linear or patterned fabric not recommended due to the manner in which fabric is applied. • COM yardage/ sq. footage: 6 / 108 				
(2) Fabric					
(3) Faux Leather					
Sofa Support Structure	Painted Steel				
Height Adjustable Table (Optional)	Painted MDF	<ul style="list-style-type: none"> • Available in Black, Polar, Stormy or Vapor 			
	Plank White Oak	<ul style="list-style-type: none"> • Wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation. 			
	Plank Walnut				


Height Adjustable Table Option

- The Booth may be specified with a Height Adjustable Table which replaces the center leg under the sofa.
- The table is installed at the center of the sofa to function as a support leg and may not be repositioned.




Power Components

- A separately specified Hideaway Power Module may be field installed under the sofa.



Accessories


- Separately specified accessories such as Pillows or a Coat Hook may be added.




Product Details – Openest Collection

Height Adjustable Table

- Includes table top with height adjustable leg.
- Top Rotates 360° with a 4" height adjustment range.
- May be attached below all Openest sofas.



Dimensions



Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES
Height Adjustable Leg	Painted Cast Aluminum – Specified Trim Color
Table Top	Painted MDF
	Plank White Oak
	Plank Walnut


• Available in Black, Polar, Stormy or Vapor

• Wood tops are designed to be unique, using solid wood planks with a clear, low-gloss finish showing natural variation.


Sofa Type Options

(F) Feather Sofa Option:

- The Height Adjustable Table with option (F) for Feather Sofas, is a field installed retrofit kit that can be used to replace one of the legs on the front of the Feather Sofa.



Feather Sofa – Symmetrical
(Shown with left hand Leg replaced with the Height Adjustable Table retrofit kit)




Feather Sofa – Asymmetrical
(Shown with right hand Leg replaced with the Height Adjustable Table retrofit kit)


(B) Booth Sofa Option:

- The Height Adjustable Table with option (B) for Booth Sofas, is a field installed Table that attaches to the front of a sofa on a Single Booth or Double Booth.
- The table may only be installed on the sofa in the pre-drilled locations shown below.

Single Booth – Table Locations (Top View)



Double Booth – Table Locations (Top View)




Product Details – Openest Collection

Accessories

Coat Hook


- Includes one coat hook with painted metal bracket and white oak wood surface.
- Maximum weight load is 10 lbs.
- Can be used on screens.



Coat Hooks mount on inside or outside of screens.

Soft Storage


- Includes soft storage unit with attachment hardware.
- Maximum weight capacity is 30 lbs.
- Available in Big Arrow fabric only. COM not available.
- Can be used on worksurfaces 16" deeper.



Soft Storage may be mounted below the Openest Single Desk or the Privacy Desk.

Pillows

- Includes one pillow with 100% polyester fill.
- Available in square or rectangle shapes.




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES
Coat Hook Bracket	Painted Metal – matches Trim Color
Wood Disk	White Oak

- Note** • The separately specified Coat Hook should not be used with the Double Desk if it is specified with the optional Monitor Mount.

Dimensions




Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES
Soft Storage Unit	<ul style="list-style-type: none"> • Available with Big Arrow fabric only. • COM not available.
Attachment Bracket	White Plastic

- Note** • Not for use on with Openest sofas.
• Not for use on Openest Double Desk or Corner Booth.


Dimensions



Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES
Pillow	<ul style="list-style-type: none"> • Specify fabric and color • 100% Polyester Fill • COM Yardage: 0.75

Dimensions



Product Details – Openest Collection


Power Components

Hideaway Power Module

- Includes power drawer, soft drawer pull, one power outlet, one two port USB outlet, cord with plug, cord with transformer and plug, and mounting hardware.
- UL listed power outlet provides one NEMA 5-15R outlet.
- USB outlet consists of two USB outlets with 1000mA of charging per USB outlet powered from UL listed transformer.
- Can be used on Openest booth sofa or Feather sofa.
- Mounts to under structure of sofa.
- For use with 120 volt 60 hertz power source only.
- Requires field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

Component Materials/Finishes


COMPONENT NAME	MATERIALS/ FINISHES
Power Drawer	• Standard with supplier white only.
Soft Drawer Pull	• Polypropylene Strap • Standard with orange color only.
USB Outlet	• White Bezel • UL Listed provides one NEMA 5-15R Outlet.
Power Outlet	• White Bezel • USB outlet consists of two USB outlets with 1000mA of charging per USB outlet powered from UL listed transformer.
Mounting Bracket	• Painted Metal – Standard in Black
Cord with Transformer and Plug	• Black cord, transformer/plug
Cord with Plug	• White cord/plug




Sofa Types

Field installed module must be specified for (F) Feather Sofas or (B) Booth Sofas.


(F) Feather Sofa




(B) Booth Sofa



Side View



Dimensions



Product Details – Openest Collection


Power Components

Bezel Utility Module

- Includes: Either a round or square faced Power Module and mounting hardware.
- Power configuration includes one cord with plug (NEMA 5-15P) round or square faced Power Module and mounting hardware.
- USB configuration includes one cord with voltage transformer plug round or square faced Power Module with two USB ports providing 1000mA of charging power (5 volts) per USB outlet and mounting hardware.
- For use on surfaces 0.75"-2.0" thick.
- Available in black or supplier white only.
- For use with 120 volt 60 hertz power source only.
- Requires field cut 1.75" (44mm) hole and field installation.
- Application may require approval of local authority having jurisdiction (AHJ); ensure compliance before placing orders and installing.

Component Materials/Finishes

COMPONENT NAME	MATERIALS/ FINISHES
USB Outlet	<ul style="list-style-type: none"> • Available with a (B) Black or (W) White Bezel. • UL Listed provides one NEMA 5-15R Outlet.
Power Outlet	<ul style="list-style-type: none"> • Available with a (B) Black or (W) White Bezel. • USB outlet consists of two USB outlets with 1000mA of charging per USB outlet powered from UL listed transformer.
Cord with Transformer and Plug	<ul style="list-style-type: none"> • Black cord, transformer/plug
Cord with Plug	<ul style="list-style-type: none"> • White cord/plug



Product Details – Openest Collection


Worksurface Edge Details

- Openest worksurfaces may be specified as Painted MDF, Laminate or Wood Veneer.
- The User Edge is the edge facing the user (always knife edge).
- The Screen Edge is the edge facing the screen (edge shape varies by finish).


Painted MDF

- Worksurface is one piece with no Edgebanding.
- User edge is Knife Edge and the Screen Edges are angled.

User Edge




Screen Edges



Laminate

- User edge is Knife Edge with 3mm laminate edgeband.
- Screen edges are straight with 1mm laminate edgebanding.

User Edge




Screen Edges




Wood

- User edge is Knife Edge with 3mm wood edgeband.
- Screen edges are angled with wood edgebanding.

User Edge




Screen Edges




User Edge/Screen Edge Locations By Product


Single/Double Desk




Corner Booth




Privacy Desk



Privacy Booth



Conference Booth



This page intentionally left blank.


Product Application – Openest Collection

Product Application – Openest Collection

Tips and Tricks - Collaborative Spaces

Where people come together for group conversations, formal meetings, breakout sessions, and casual chats

- Be mindful of whether individual spaces face toward or away from each other and adjacent benching areas.
- Consider multiple sets of Plume 3 screens for flexibility and configurability.
- Use Plume screens to break up open spaces into smaller group work areas.
- Be mindful of activities in spaces next to screens to help people on both sides maintain focus.
- Offer choices to workers with a mix of individual nooks, casual spaces, and assigned benching areas.
- Repeat a row of booths or desks to enclose the front and back of spaces.



Additional items to consider:


- Openest is not recommended for frequent relocation. Plan to install at final location.
- Openest is not meant to be user relocated. Assembled product must be moved by professionally trained installers.
- Verify power and data locations. Access Flooring allows power and data to be easily located at installation site.
- Workware Wireless is the recommended technology solution, requires building power and data at the installation location.
- When designing a floorplate; plan for various privacy needs.
- Finish spaces with appropriate accessories. Please refer to the Product Details section or Price Book pages by component for accessory options.

Product Application – Openest Collection

Tips and Tricks - Thinking Spaces

Private spaces that provide a retreat for thinking, research, focus, and strategic conversations.

- Use Openest components to add interest with functional and inviting spaces.
- Combine lounge pieces with workware™ technology solutions to lend a casual feeling to group workspaces.
- Use Chick Poufs to create inviting spaces where people can work in various postures.
- Take advantage of the integrated hideaway power to support mobile technology.
- Consider 5' of space between each booth or desk to maintain visual geometry and allow easy circulation.
- Leave breathing room between Plume screen sets to enhance the landscape.




Product Application – Openest Collection

Tips and Tricks - Touchdown Spaces

Unassigned spaces for mobile workers, visitors and quick or casual collaborations.

- Plan screen placement strategically, leveraging existing walls to help enclose spaces or create sitting areas on both sides of a single screen.
- When placing screens, consider whether you want to allow or block sunlight.
- Use a set of Plume 9 Screens with a table to enclose a small group area.
- Keep acoustics in mind when incorporating screens as they can provide some acoustical privacy.
- Add a Conference Booth with workware™ technology to support impromptu meetings and collaboration.
- Plan 5' of space between booths and desks to maintain visual geometry and allow easy circulation.



Additional items to consider:


- Openest is not recommended for frequent relocation. Plan to install at final location.
- Openest is not meant to be user relocated. Assembled product must be moved by professionally trained installers.
- Verify power and data locations. Access Flooring allows power and data to be easily located at installation site.
- Workware Wireless is the recommended technology solution, requires building power and data at the installation location.
- When designing a floorplate; plan for various privacy needs.
- Finish spaces with appropriate accessories. Please refer to the Product Details section or Price Book pages by component for accessory options.

Product Application – Openest Collection

Tips and Tricks - Social Spaces

Casual areas where people come together for social conversations and refreshments.

- Use screens or booths to form cozy settings for casual collaboration.
- Combine two Double Booths with two round tables to create a restaurant-style environment.
- Mix Openest lounge pieces with existing architecture elements to divide areas.
- Use a set of Plume 3 Screens to shield a group area from activities in the room.
- Blend Chick Poufs with sofas and screens to create relaxed settings for conversations.
- Place two or three Chick Poufs around a table for quick drop-in meetings.



This page intentionally left blank.

Technical Specifications Openest Collection

Technical Specifications – Openest Collection

Wood Composite Materials

Wood composite materials in Openest products are engineered composite panels with a minimum 90% wood fiber content with at least 10% post-consumer and 80% pre-consumer wood fiber bonded with resin. All parts with a wood composite core are 3rd party certified compliant with GREENGUARD® and ANSI/BIFMA Standards for low emitting products. The composite core is 3rd party certified compliant with California Air Resource Board requirements for Phase 2 formaldehyde emission levels.

Steel

Steel Gauge Overview

ACCESSORY	MATERIAL
Plume Screen	Base: 0.250" CRS & 0.56" dia. steel rod
Feather Sofa	N/A
Chick Pouf	Base pivot: 0.250" CRS Pivot back: 0.312" dia. steel rod
Sprig Table	N/A
Desk	Mount: 11 ga CRS Frame: 16 ga steel tubing
Booths	Mount: 11 ga CRS Frame: 16 ga steel tubing
Height Adjustable Table	Mount: 7 ga CRS Adjustment mech: 1.0" steel tubing, 304 SS shaft
Coat Hook	16 ga CRS
Soft Storage	N/A
Pillows	N/A
Hideaway Power Module	16 & 18 ga CRS
Monitor Mount	16 & 20 ga CRS

Plume Screens

Screens are made of compression formed, non-woven polyester fiber, with polyester fabric laminated to the front and back. Bases are powder coated 0.250" thick CRS plates with 0.56" diameter pins that when fully assembled, protrude into the bottom of the screen. Connectors are a combination of; powder coated aluminum, powder coated steel, zinc plated steel, and synthetic rubber O-rings.

Feather Sofa

Upholstered seats and backs have plywood frame construction. Multi-density molded foam and Sytex webbing is used to achieve seating comfort. Varying types of polyester blended fabrics are used in combination with lofted polyester fiber conjugate for final covering. Vertical sofa support is established through use of powder coated die cast aluminum legs, containing 95% recycled material and black ABS glides.

The Feather Sofa can be ordered with an optional table composed of; 100% recycled wood content CARB compliant MDF, clear low gloss finished white oak, or clear low gloss finished walnut. Vertical table support is established through use of a powder coated die cast aluminum leg, containing 95% recycled material and a black ABS glide.

Technical Specifications – Openest Collection

Chick Pouf

The flip down back is composed of a high-density polyethylene inner shell with a 0.312" diameter CRS welded wire inner frame. This shell is over-molded with polyurethane foam. Varying types of polyester blended fabrics are used in combination with lofted polyester fiber conjugate for final covering. A two-inch polypropylene strap is sewn in location to assist with positioning the back.

The Chick Pouf base features an upholstered seat which is made of plywood frame construction. Multi-density molded foam and Sytex webbing is used to achieve seating comfort. Varying types of polyester blended fabric are used in combination with lofted polyester fiber conjugate for final covering. The base pivot mount is made of 0.250" thick CRS with 0.628" diameter CRS pivot pins and bolts directly to the base frame. The pivot spacer between the back and base is powder coated die cast aluminum containing 95% recycled material. Bottom closeout cover is 0.060" thick black ABS. Glides are black nylon and thread into to the base.

Sprig Table

Sprig Tables are available in three different types of wood; 100% recycled wood content CARB compliant MDF, clear low gloss finished white oak, and clear low gloss finished walnut. Vertical table support is established through use of powder coated die cast aluminum legs, containing 95% recycled material and black ABS glides.

Desks

Desk screens are made of compression formed, non-woven polyester fiber, with polyester fabric laminated to the front and back. Connectors are a combination of; powder coated aluminum, powder coated steel, zinc plated steel, synthetic rubber o-ring, and ABS. Framing consist of 16 ga. CRS powder coated tubing and die cast aluminum. Adjustments are made using steel cored polypropylene levelers. Work surface top construction: Standard core consists of 1.125" thick particleboard. Laminate top face is 0.028" thick high-pressure laminate and underside is 0.028" thick backer for balanced construction. Veneer top face is 0.020" thick natural or recon veneer and 0.020" thick backer for balanced construction.

Edges for laminate tops: Edge options include 0.118" thick edge band made of Acrylonitrile Butadiene Styrene (ABS); knife edge (on Green core only), constructed with 0.0118" thick edge band that runs 0.375" down the perimeter of the edge before transitioning to a taper; 0.118" thick T-mold and 0.625" thick contoured (Cascade) plastic t-mold. Edges for wood tops: Edge options include 0.100" thick wood edge band; knife edge (on Green core only), constructed with 0.100" edge band that runs 0.375" down the perimeter of the edge before transitioning to a taper; and 0.625" thick stick stock with cascade profile.

Booths

Booth screens are made of compression formed, non-woven polyester fiber, with polyester fabric laminated to the front and back. Connectors are a combination of; powder coated aluminum, powder coated steel, zinc plated steel, synthetic rubber O-ring, and ABS. Framing consist of 16 ga. CRS powder coated tubing and die cast aluminum. Adjustments are made using steel cored polypropylene levelers. Work surface top construction: Core options include Standard and Green core. Standard core consists of 1.125" thick particleboard. Green core is constructed of 1.125" thick medium density fiberboard (mdf). Laminate top face is 0.028" thick high-pressure laminate and underside is 0.028" thick backer for balanced construction. Veneer top face is 0.020" thick natural or recon veneer and 0.020" thick backer for balanced construction.

Edges for laminate tops: Edge options include 0.118" thick edge band made of Acrylonitrile Butadiene Styrene (ABS); knife edge (on Green core only), constructed with 0.0118" thick edge band that runs 0.375" down the perimeter of the edge before transitioning to a taper; 0.118" thick T-mold and 0.625" thick contoured (Cascade) plastic t-mold. Edges for wood tops: Edge options include 0.100" thick wood edge band; knife edge (on Green core only), constructed with 0.100" edge band that runs 0.375" down the perimeter of the edge before transitioning to a taper; and 0.625" thick stick stock with cascade profile.

Booth seating is made of plywood frame construction. Multi-density molded foam is used to achieve seating comfort. Varying types of polyester blended fabrics are used in combination with lofted polyester fiber conjugate for final covering.

Technical Specifications – Openest Collection

Accessories

Height Adjustable Table

Height Adjustable Tables are available in three different types of wood; 100% recycled wood content CARB compliant MDF, clear low gloss finished white oak, and clear low gloss finished walnut. Vertical table support is established through use of a powder coated die cast aluminum leg, containing 95% recycled material and an adjustable black ABS glide.

Coat Hook

The Coat Hook is formed 16 gauge steel and aluminum with a powder coat finish. The round end stop is clear low gloss finished white oak

Soft Storage

Soft storage options are made of two polyethylene extrusions sewn to a polyester blend fabric.

Pillows

Openest Pillows feature an outer shell of blended polyester fabric and a cotton-polyester micro-fiber filler.

Monitor Mount

Monitor Mounts are fabricated and formed 16 gauge steel, 20 gauge steel, and 0.190" aluminum. Finish is powdercoat paint.

Hideaway Power Module

Hideaway Power Modules include two USB-B charging ports and one NEMA 5-15P outlet. Each USB port is capable of 1,000 mA 5V charging power. Power modules are available with either a 6 foot or 12 foot (3.6m) cord, having NEMA 5-15 two prong polarized plug or built in transformer. The slide system is made of 16 gauge formed steel and bottom cover is high impact polystyrene with a 2" wide polypropylene access strap.

Bezel Utility Module (Power Module)

Power module available with two USB-B charging ports or one NEMA 5-15P outlet. Each USB port is capable of 1,000 mA 5V charging power. Power modules are available with either a 6 foot or 12 foot (3.6m) cord, having a NEMA 5-15 two prong polarized plug.

This page intentionally left blank

Finish/Color Legend

Wood Finishes

Grade A
Double Cut

2P-RL	Applegate
WL-RL	Beachwood
2R-RL	Butternut
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
WE-RT	Melba
WC-RW	Wenge

Grade B
Anegre Quarter Cut

NP-W15	Espresso
NP-W08	Golden
NP-W07	Light

Cherry

VC-CA1	Amber
VC-W23	American
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific

Cherry Quarter Cut

NX-U	Medium
------	--------

Maple

VP-LM	Light
VP-N	Natural
VP-AD	Sand

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-W42	Brindle
VJ-W05	Natural

Rift Cut White Oak

NR-W15	Espresso
NR-W37	Fawn
NR-W40	Mocha
NR-W38	Tuxedo

Walnut

VR-W15	Espresso
VR-W31	Retro

Walnut Quarter Cut

NW-W15	Espresso
NW-W31	Retro
NW-W41	Verdant

Planked Wood

VB-W35	Plank Oak
VH-W35	Plank Walnut

Laminate

Grade A
Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Wood

H-AM	Amber Cherry
H-AE	Maple
H-AD	Medium Cherry

Grade B
Premium Wood Grain

H-KA	Brazilwood
H-KG	Columbian Walnut
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-KL	Neo Walnut
H-KC	New Age Oak
H-KR	Phantom Ecru
H-KS	Phantom Pearl
H-KD	River Cherry
H-KE	Sanara
H-KF	Williamsburg Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Wood Grain

HP-KA	Brazilwood
HP-AM	Cherry
HP-KG	Columbian Walnut
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-AD	Medium Cherry
HP-KL	Neo Walnut
HP-KC	New Age Oak
HP-KR	Phantom Ecru
HP-KS	Phantom Pearl
HP-KD	River Cherry
HP-KE	Sanara
HP-KF	Williamsburg Cherry

Trim Color

Solid

TR-IE	Accent Orange
TR-F	Black
TR-RR	Rusty Red
TR-PLS	Smooth Plaster

Painted MDF

PW-R	Beige
PW-F	Black
PW-AK	Chalk
PW-G	Graytone
PW-PL	Polar
PW-RR	Rusty Red
PW-1J	Sky Blue
PW-SP	Sparrow
PW-SY	Stormy
PW-ST	Straw
PW-1H	Terra
PW-VA	Vapor

Thread Colors

NS-1E	Accent Orange
NS-F	Black
NS-RR	Rusty Red
NS-PLS	Smooth Plaster

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood:
VR-W21 Mahogany Satin on Walnut
VR-W12 Naturally
WF-RC Sorrel Double Cut

Laminate:
H-DH Barley Grain
H-22 Gray Spex
H-DA Oats Grain
H-EK Owl Nest
H-EC Quail Nest
H-ED Rhea Nest
H-EA Robin Nest
H-DE Wheat Grain
H-21 White Spex

Forest Stewardship Council (FSC) Statement:
In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably.

Haworth will provide to you the necessary FSC-certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC.

Fabrics/Color Legends

Ⓧ = Directional fabric

Fabric and finish availability as well as technical information are subject to change; refer to Surfaces.Haworth.com for current information.

Haworth seating models are restricted to fabric patterns that meet applicability standards for tailoring. A dot in the matrix below indicates fabric acceptability on seating series or specific models listed. Fabrics are listed alphabetically by grades.

Grade: Pattern (Surface Code)	Model		
	Seating	Pillows	Screens
Fabrics			
A: Barque (7)		●	
A: Blanket (4H)	●	●	
A: Dottie (ME)		●	
A: Gauge (1X)	●	●	
A: Horizon (1N)		●	
A: Morse (4J)	●	●	
A: Pixel (2A)		●	
A: Tellure (3A)	●	●	
A: Twist (MM)		●	
A: Wellington Faux Leather (XJ)	●		
A: Zinger (NI)		●	
B: Align (4F)		●	
B: Cocktail (1W)		●	
B: Diagonale (4N)	●	●	
B: English Tweed (4E)		●	
B: Jewel (MN)		●	
B: Leef (ML)		●	
B: Ramie (4V)	●	●	
B: Tech (MV)	●		
C: King (LH)	●	●	●
C: Maya (LM)	●	●	●
C: Small Arrow (4L)		●	
D: Big Arrow (4D)	●	●	
D: Big Diagonale (1K)	●	●	
D: Class (LE)	●	●	●
D: Cotswold (JB)	●	●	
D: Dots (6K)	●	●	
D: Element (4Z)	●	●	
D: Main Line Flax (6M)	●	●	
D: Notable (4K)	●	●	
D: Tangram (LV)		●	
E: Brisa Faux Leather (XG)	●		
Leathers			
A: Plains Leather (XP)	●		
B: Nature Leather (XE)	●		

Fabric Grade: A Ⓧ
BLANKET
50% Post Consumer Recycled Polyester, 50% Virgin Polyester

- 4H-BE Beach
- 4H-BD Bindle
- 4H-CL Cloak
- 4H-FE Feather
- 4H-FW Firewheel
- 4H-FT Fort
- 4H-GR Grass
- 4H-HD Hood
- 4H-MA Mackinaw
- 4H-MT Manta
- 4H-PN Picnic
- 4H-PC Poncho
- 4H-SW Swag
- 4H-SP Sweep
- 4H-TK Tuck
- 4H-YA Yawn

Fabric Grade: A Ⓧ
HORIZON
100% Polyester

- 1N-001 Beeline
- 1N-004 Birdseye
- 1N-003 Border
- 1N-002 Compass
- 1N-005 Panorama
- 1N-008 Skyline
- 1N-006 Sweep
- 1N-007 Vista

Fabric Grade: A Ⓧ
MORSE
100% Polyester

- 4J-BP Blip
- 4J-CA Cable
- 4J-CD Code
- 4J-DA Dash
- 4J-DT Dot
- 4J-MA Marconi
- 4J-RA Radio
- 4J-SS S.O.S.
- 4J-SC Scribe
- 4J-TA Tap
- 4J-TE Telegraph
- 4J-TR Transmit
- 4J-WL Wireless

Fabric Grade: A Ⓧ
PIXEL
51% Polyester, 32% Post Industrial Recycled Polyester, 17% Post Consumer Recycled Polyester

- 2A-BY Byte
- 2A-DC Dice
- 2A-DT Dot
- 2A-EA Easel
- 2A-FT Flaunt
- 2A-FC Focus
- 2A-FL Folio
- 2A-HM Home
- 2A-IK Ikon
- 2A-IM Imagine
- 2A-ND Node
- 2A-PM Pomp
- 2A-RA Raster
- 2A-SP Spectral
- 2A-TA Tab
- 2A-VE Vertex

Fabric Grade: A
TELLURE
100% Polyester

- 3A-31 Aegean
- 3A-18 Black
- 3A-45 Buff
- 3A-53 Cayenne
- 3A-40 Chocolate
- 3A-49 Dove
- 3A-28 Dynamo
- 3A-54 Goose
- 3A-23 Jodhpurs
- 3A-33 Miami
- 3A-19 Navy
- 3A-06 Nickel
- 3A-34 Ocean
- 3A-46 Parrot
- 3A-50 Peel
- 3A-47 Pumpkin
- 3A-44 Roan
- 3A-51 Rust
- 3A-37 Spring
- 3A-48 Sprout
- 3A-52 Sunset
- 3A-43 Tomato

Fabric Grade: A Ⓧ
TWIST
80% Post Consumer Recycled Polyester, 20% from Rayon Bamboo

- MM-AS And Shout
- MM-C Coil
- MM-CS Corkscrew
- MM-CU Curl
- MM-D DNA
- MM-I Ivy
- MM-P Plot
- MM-SW Sidewinder
- MM-S Snail
- MM-SP Spire
- MM-WH Whirlpool
- MM-W Winding

Fabric Grade: A
WELLINGTON FAUX LEATHER
100% Polyurethane

- XJ-BL Black
- XJ-BU Buff
- XJ-EL Elephant
- XJ-JA Java
- XJ-PA Pacific
- XJ-SA Sage
- XJ-ST Storm
- XJ-TA Tangelo
- XJ-WI Wine

Fabric Grade: B
ALIGN
97% Post Industrial Recycled Nylon, 3% Post Consumer Recycled Nylon

- 4F-AR Array
- 4F-FC Focus
- 4F-LM Limerick
- 4F-OR Orient
- 4F-PK Picket
- 4F-RT Root
- 4F-SC Scrimmage
- 4F-SP Spring
- 4F-TA Tangent
- 4F-TL Tree Line
- 4F-WR Wire

Fabric Grade: B Ⓧ
DIAGONALE
16% Nylon, 84% Polyester

- 4N-AC Across
- 4N-BA Bias
- 4N-CH Chevron
- 4N-CR Crosscut
- 4N-DA Diamond
- 4N-FE Featherstitch
- 4N-HT Half Timber
- 4N-KC Kitty Corner
- 4N-MA Matrix
- 4N-OB Oblique
- 4N-SE Serge
- 4N-ST Slant
- 4N-SH Slash
- 4N-SL Slope
- 4N-WC Whipcord
- 4N-ZZ Zig Zag

Fabric Grade: B Ⓧ
ENGLISH TWEED
92% Polyester, 5% Post Industrial Recycled Polyester, 3% Post Consumer Recycled Polyester

- 4E-BS Biscuit
- 4E-BL Blimey
- 4E-BN Bonnet
- 4E-CT Cottage
- 4E-DW Doctor Who
- 4E-FX Fox
- 4E-ML My Lady
- 4E-XD Oxford
- 4E-PE Pipe
- 4E-SH Sherry
- 4E-SN Stilton
- 4E-ST Stout
- 4E-TE Tea
- 4E-TU Tudor

Fabric Grade: B Ⓧ
JEWEL
77% Post Industrial Recycled Polyester, 23% Post Consumer Recycled Polyester

- MN-AM Amber
- MN-A Aquamarine
- MN-C Citrine
- MN-E Emerald
- MN-G Garnet
- MN-J Jade
- MN-M Malachite
- MN-R Ruby
- MN-S Sapphire
- MN-TE Tiger's Eye

Fabric Grade: B Ⓧ
LEEF
49% Post Industrial Recycled Polyester, 51% Post Consumer Recycled Polyester

- ML-A Aspen
- ML-B Beet
- ML-C Coca
- ML-CN Coconut
- ML-F Fennel
- ML-HE Henna
- ML-H Hosta
- ML-HY Hydrangea
- ML-M Moonflower
- ML-PE Petunia
- ML-P Pumpkin
- ML-S Sunflower
- ML-V Violet

Fabric Grade: B Ⓧ
RAMIE
62% Polyester, 25% Post Industrial Recycled Polyester, 13% Post Consumer Recycled Polyester

- 4V-BS Basket
- 4V-BT Bast
- 4V-FX Foxtail
- 4V-GN Gunnie
- 4V-HY Hay
- 4V-MC Macrame
- 4V-ML Millet
- 4V-MB Mulberry
- 4V-RN Rain
- 4V-RD Reed
- 4V-RT Root
- 4V-SC Sack Cloth
- 4V-SH Sisal
- 4V-TH Thatch
- 4V-WT Water
- 4V-WD Weed

Fabric Grade: B Ⓧ
TECH
100% Post Consumer Recycled Polyester

- MV-AI A.I.
- MV-AN Anatomy
- MV-A Aviation
- MV-B Bionics
- MV-C Cosmos
- MV-D Disc
- MV-E Electric
- MV-F Forestry
- MV-L Logic
- MV-P Optics
- MV-RA Radio
- MV-R Rocket
- MV-SF Sci-Fi
- MV-S Skill
- MV-T Theory
- MV-Z Zoology

Fabrics/Color Legends

Fabric Grade: C ^(d) KING

100% Polyester

LH-BE	Beige
LH-DB	Dark Blue
LH-DG	Dark Green
LH-DM	Dark Mustard
LH-GD	Gold
LH-GL	Light Green
LH-LG	Light Grey
LH-MB	Medium Blue
LH-MG	Medium Grey
LH-RG	Orange
LH-RD	Red
LH-WG	Warm Grey

Fabric Grade: C ^(d) MAYA

100% Polyester

LM-DB	Dark Blue
LM-GY	Golden Yellow
LM-GR	Green
LM-MG	Medium Cool Grey
LM-WG	Medium Warm Grey
LM-RG	Orange

Fabric Grade: C ^(d)

SMALL ARROW 46% Virgin Nylon, 54% Post Industrial Recycled Nylon

4L-AR	Archer
4L-BA	Barb
4L-CR	Crossbow
4L-DA	Dart
4L-FL	Fletcher
4L-MA	Mark
4L-NK	Nock
4L-QU	Quiver
4L-RE	Reed
4L-RL	Release
4L-ST	Shaft
4L-SH	Sharp
4L-TA	Target

Fabric Grade: D ^(d) BIG ARROW

100% Post Consumer Recycled Polyester

4D-BS	Bisque
4D-BL	Blue
4D-CN	Cool Neutral
4D-DB	Dark Blue
4D-GD	Gold
4D-GR	Green
4D-MG	Medium Grey
4D-RE	Red
4D-SA	Salmon
4D-WN	Warm Neutral

Fabric Grade: D ^(d) BIG DIAGONALE

60% Post Consumer Recycled Polyester 34% Post Industrial Recycled Polyester

1K-AM	Amber
1K-BL	Balsam
1K-CR	Carbon
1K-ER	Earth
1K-HN	Henna
1K-MN	Mineral
1K-PR	Parrot
1K-RD	Red
1K-RS	Rose
1K-SE	Sea
1K-TR	Terracotta
1K-ZF	Zaffer

Fabric Grade: D ^(d) CLASS

100% Polyester

LE-DG	Dark Grey
LE-GR	Green
LE-GM	Green Multi
LE-LN	Light Cool Neutral
LE-MB	Medium Blue
LE-MN	Medium Warm Neutral
LE-RR	Reddish Orange

Fabric Grade: D COTSWOLD

100% Wool

JB-AN	Anquilla
JB-BR	Bottlegrass
JB-CA	Camp
JB-DN	Dandelion
JB-ED	Editor Blue
JB-GS	Goldfish
JB-HA	Heart
JB-KE	Kokanee
JB-NE	Nettle Bellflower
JB-PL	Pickeral Weed
JB-SA	Sand
JB-SC	Soft Charcoal
JB-SD	Silver Dollar
JB-SU	Silverbush
JB-TR	Tree
JB-WE	Wheaton

Fabric Grade: D ^(d)

DOTS

72.7% Post Consumer Recycled Polyester

27.3% Post Industrial Recycled Nylon

6K-CL	Clay
6K-VY	Ivy
6K-LM	Lemon
6K-MN	Mandarin
6K-MS	Mist
6K-NG	Night
6K-SH	Shadow
6K-WT	Water

Fabric Grade: D ^(d) ELEMENT

76% Post Consumer Recycled Polyester

24% Rayon

4Z-ER	Earth
4Z-ES	Essence
4Z-FR	Fire
4Z-FS	Fossil
4Z-HR	Herbal
4Z-LG	Logic
4Z-LY	Lyrical
4Z-PL	Pillar
4Z-PT	Poetic
4Z-RR	Rare
4Z-RT	Root
4Z-SC	Scenic
4Z-TH	Thread
4Z-TM	Timeless
4Z-TR	Truth
4Z-WN	Wind

Fabric Grade: D ^(d) MAIN LINE FLAX

70% Virgin Wood 30% Flax

6M-AL	Aldgate
6M-AR	Archway
6M-BN	Bank
6M-BY	Bayswater
6M-BT	Bethnal
6M-BR	Brompton
6M-CM	Camden
6M-GL	Goldhawk
6M-LM	Lambeth
6M-LY	Leyton
6M-MN	Monument
6M-ST	Stanmore
6M-TM	Temple
6M-TW	Tower
6M-TF	Tufnell
6M-WS	Westminster

Fabric Grade: D ^(d)

NOTABLE

28% Virgin Nylon, 72% Post Industrial Recycled Nylon

4K-BR	Bravo
4K-CT	Concert
4K-DR	Dramatic
4K-EN	Entertain
4K-MA	Magic
4K-MT	Matinee
4K-PA	Pantomime
4K-PE	Perform
4K-PL	Play
4K-PT	Plot
4K-PR	Practice
4K-SC	Script
4K-SH	Show
4K-SK	Skit
4K-ST	Star
4K-TH	Theatrical

Fabric Grade: D ^(d) TANGRAM

57% Polyester, 28% Post Industrial Recycled Polyester, 15% Post Consumer Recycled Polyester (43% REPREVE)

LV-CL	Clue
LV-EN	Enigma
LV-GU	Guess
LV-MA	Maze
LV-MU	Muse
LV-MT	Mystery
LV-MY	Mystify
LV-UT	Outline
LV-PE	Perplex
LV-PC	Pieces
LV-PU	Puzzle
LV-RD	Riddle
LV-SC	Scrabble
LV-SL	Solve
LV-TE	Teaser
LV-TR	Trick

Fabric Grade: E ^(d) BRISA FAUX LEATHER

100% Polyurethane face, 65% Polyester, 35% Rayon Backing

XG-23	Apple Green
XG-22	Ash
XG-3	Aztec
XG-28	Birch
XG-12	Black Onyx
XG-25	Blossom
XG-5	Cambridge Blue
XG-26	Coffee Bean
XG-20	New Sand
XG-18	Night Navy
XG-21	Pompeian Red
XG-1	Salsa
XG-27	Shitake
XG-24	Skyway
XG-17	Sterling Blue
XG-13	White

Leather Grade: A PLAINS LEATHER

XP-0KX	Atlantis
XP-0KC	Black
XP-0KY	Brown
XP-0KZ	Smoke
XP-0KW	Storm

Leather Grade: B NATURE LEATHER

XE-0AS	Bark
XE-0AR	Bittersweet
XE-0AP	Chocolate
XE-0AJ	Cream
XE-0AH	Flint
XE-0AK	Ink
XE-0AX	Oats
XE-0AT	Saddle
XE-0AM	Seal
XE-0AL	Shadow
XE-0AW	Truffle
XE-0AN	White

Fabrics/Color Legends

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Fabric Grade: A (d)

BARQUE
69% Polyester,
31% Recycled Polyester
(31% REPREVE')

07-AH Ash
 07-AS Aspen
 07-BR Birch
 07-BW Black Walnut
 07-CN Chestnut
 07-GO Golden Oak
 07-RB Redbud
 07-WL Willow

Fabric Grade: A (d)

DOTTIE
89% Post Industrial
Recycled Polyester,
11% Post Consumer
Recycled Polyester

ME-CA Calico
 ME-C Chads
 ME-DD Dew Drops
 ME-F Flecks
 ME-M Morse
 ME-P Pip
 ME-PD Polka Dots
 ME-R Roulette
 ME-T Tabby
 ME-Y Yahtzee

Fabric Grade: A (d)

GAUGE
100% Recycled Polyester

1X-05 Depth
 1X-04 Gas
 1X-11 Narrow
 1X-08 Pressure
 1X-02 Rain
 1X-12 Sea
 1X-13 Standard
 1X-10 Test
 1X-03 Time
 1X-09 Water
 1X-06 Weather
 1X-01 Wind
 1X-07 Wire

Fabric Grade: A (d)

ZINGER
37% Recycled Polyester,
63% Polyester
(13% REPREVE')

NI-2 BBQ
 NI-17 Beluga
 NI-10 Bluegill
 NI-8 Chips
 NI-11 Classic
 NI-16 Concord
 NI-13 Frog
 NI-15 Glade
 NI-9 Grain
 NI-12 Granny
 NI-4 Gravel
 NI-18 Kiwi
 NI-20 Mulberry
 NI-3 Onion
 NI-6 Pacific
 NI-1 Roan
 NI-21 Tar
 NI-7 Wagon
 NI-19 Wicker
 NI-5 Wolf

Fabric Grade: B (d)

COCKTAIL
100% Eco-Intelligent'
Polyester
MBDC Cradle to Cradle Gold

1W-12 Black Cow
 1W-08 Blue Moon
 1W-13 Boilermaker
 1W-01 Bubbly
 1W-03 Gibson
 1W-04 Grasshopper
 1W-07 Lounge
 1W-16 Margarita
 1W-10 Martini
 1W-14 Mojito
 1W-11 Old Fashion
 1W-06 Pink Squirrel
 1W-15 Sidecar
 1W-09 Stinger
 1W-02 Stout
 1W-05 Swizzle

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to:
Haworth.com > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to:
Haworth.com > Surface Collection > Resources > COM
 For information on approved COM's, please refer to:
Haworth.com > Surface Collection > COM Library

COM Yardage Requirements

Procedure To determine if a COM fabric has been approved for use on Haworth product, contact the Haworth Inquiry Center (1.800.426.8562), your local Haworth dealer, or go to Haworth.com/surfaces > COM Library. Haworth will calculate and order fabric unless instructed otherwise. If the dealer is to provide the fabric, they will calculate the yardage needed themselves.

If the fabric is approved, and the directional orientation (directional rightway, directional railroad, or non-directional) of the tested fabric has been confirmed, then refer to the appropriate price page for yardage requirements.

COM Fabric Requirements


The fabric yardage requirements for COMs given for each model are in lineal yards and are based on 54”(1372mm) usable fabric widths. Approximate yardage requirements are shown for each model within the price pages.

For fabrics already approved, with a COM order entry code assigned, Haworth will determine and purchase the yardage needed. If the fabric will be provided by the dealer, and the pattern has a large repeat or stripes, additional yardage will be needed; see the COM Yardage Requirements at the end of this price guide OR contact the COM Department for more information.


Find total number of linear yards required for the order. Add the appropriate percentage shown below to the total yardage to accommodate fabric flaws, wrinkles and other imperfections.

- | | |
|----------------------|---------|
| Up to 500 yards | Add 10% |
| 501 to 1000 yards | Add 5% |
| More than 1000 yards | Add 3% |


Directional Rightway:



Directional Railroad:



Non-Directional:



North American Terms of Sale

These Terms of Sale are part of a quotation, bid response, or other sales document issued by Haworth, Inc., Haworth, Ltd. ("Haworth").

These Terms of Sale do not cover products manufactured in North America shipping to non-North American countries nor do they cover products manufactured in non-North American countries shipping to North America. For those terms of sale, please contact Haworth's Global Trade and Compliance Department at 616.393.3000 or through Haworth.com.

A. Ordering Information

Haworth sells its products on the terms set forth in these standard Terms of Sale:

ORDERS MUST BE SUBMITTED IN WRITING OR ELECTRONICALLY (Lynx) AS REPRESENTED BY A VALID PURCHASE ORDER, WHICH INCLUDES PRODUCT TOTAL.

An order is not binding upon Haworth until Haworth issues an order acknowledgment to the customer (the "Customer"), which will include price information and an anticipated delivery date.

1. Order Changes/Cancellations

For Specials, Customer's Own Material (C.O.M.), finish matches, custom colors, custom products, Master lock and key orders, and RUSH orders, no changes or cancellations are allowed 24 hours after order placement. All other products require approval for changes or cancellations. A change/cancellation fee may apply. Contact Order Services for applicable charges.

Ship-to addresses changed within five (5) business days of delivery will incur fees to cover administrative costs due to re-labeling of product and/or reconsignment fees with the carrier.

Order cancellations are complete annulments of orders. Order changes are the deletion of line items or a change in size, color, quantity, ship-to address, or scope of work. There is no penalty for additions; however, any change may cause the order or the line items affected to be rescheduled. Order changes involving additional product and services which increase the value must be accompanied by an amended Purchase Order or other document as agreed.

ALL CHANGES MUST BE IN WRITING, REGARDLESS OF THE (DOLLAR) VALUE. CHANGES ARE NOT BINDING UPON HAWORTH UNTIL HAWORTH ISSUES AN ACKNOWLEDGMENT OF THE CHANGE.

2. C.O.M. (Customer's Own Material)

A Customer who requests a fabric, surface or finish material (C.O.M.) not in Haworth's standard finish offering must first confirm approval of or request new approval for the C.O.M.

Haworth will determine feasibility of the material for manufacturability. For a description of the procedure to submit C.O.M. samples, contact Haworth's Order Services department. For testing information, see the C.O.M. section of the catalog, or call Haworth Order Services.

If Haworth agrees to use the C.O.M., (1) Haworth shall have no responsibility for the condition, quality, value, performance, physical properties, or any other aspect of the C.O.M.; and (2) Haworth shall have no liability for any damages, injuries, or losses to the Customer or to any third party that shall be caused by any C.O.M., and the Customer shall hold Haworth harmless for all such liability.

3. Valid/Complete Purchase Order

The following information is required in order to process an order with Haworth:

a. Customer Information

- i. **Sold To:** Legal name, complete address (if Haworth is to bill the end user, provide end user Purchase Order made out to Haworth, Inc., Haworth, Ltd.) and phone and fax number.
- ii. **Ship To:** Legal name and address.
- iii. **Purchase Order Number:** From the party Haworth will be billing.
- iv. **Authorized Signature:** All Purchase Orders must be signed by a duly authorized representative if a signature line is present. Electronically transmitted Purchase Orders will be accepted without a signature if dealer billed and the dealer has an electronic purchase payment agreement on file.
- v. **Contact Name and Phone Number:** Person Haworth should contact with any questions regarding the order.
- vi. **Shipping Contact:** Name and phone number of person to be contacted regarding shipping and delivery matters.
- vii. **Tagging Instructions:** This information will appear on all documentation received from Haworth including: cartons, acknowledgments, and invoices.
- viii. **Price Agreement or National Sales Agreement Number**
- ix. **Product Total:** Net dollars.
- x. **Installation, Design, Project Management, and/or Service Fees**

b. Product Information

- i. **Quantity**
- ii. **Product Numbers**
- iii. **Colors**
- iv. **Specials:** Specify special part number for new special products.
- v. **Customer's Own Material:** Order entry code, manufacturer, pattern, and color.

- vi. **Approval Drawings:** An authorized signature by a duly authorized representative is required for shop drawings when applicable.
- vii. A deposit may be required for custom materials.

c. Order Confirmation

All orders will be acknowledged.

B. Pricing Policies

1. Terms of Payment

Terms of payment and credit limits will be established based on financial information. Standard payment terms on open credit are net thirty (30) days from invoice date. Advance payments or other payment security may be required by Haworth. The account balance must be at or below the credit limit and current at all times (no past-due balances). Haworth reserves the right to delay or cancel any delivery to a Customer whose Haworth account balance is over the credit limit and/or past due. For walls and floors a deposit will be required.

2. Terms of Credit

Customer hereby authorizes Haworth to obtain such credit reports, financial information or other information as Haworth may request, including, without limitation, credit information from any financial institutions or others having a business relationship with the Customer. Customer hereby authorizes any credit references to answer Haworth's inquiries and provide such credit information and documentation as Haworth may request.

The Customer hereby releases and holds Haworth harmless for any inconvenience whatsoever, caused by any temporary or permanent withdrawal or restriction of credit privileges hereunder, or the enforcement of any of the provisions contained in this paragraph.

3. Past-Due Charges

Past-due balances will be increased by a maximum of 1.5% per month, or 18% annually, without forfeit of Haworth's right to immediate payment.

4. Applicable Prices

The price of any product sold to Customer by Haworth will be based upon the North American Price List (Catalog).

Prices and discounts are subject to change without notice or approval. In the event of an adjustment to pricing, National Sales Agreement (NSA) Customers will be notified in advance according to the terms of the NSA.

Applicable prices and currency exchange rates are those in effect at the time of the RECEIPT of an **ORDER**; Haworth reserves the right to use the published pricing effective at the time of shipment, if the requested delivery date is more than 120 days after the order receipt date.

North American Terms of Sale

Haworth Flooring products are sold using the North American price list in US dollars. Currency exchange rates at the time of the transaction will be used to convert the USD amount into the alternate currency. Should the currency exchange rate between the USD and alternate currency change between a quote and the receipt of an order, the alternate currency amount will also change to equal the current, equivalent USD amount.

5. C.O.M. (Customer's Own Material) Charges

Refer to appropriate Customer's Own Material (C.O.M.) form for applicable surface material charges.

6. Taxes

Haworth prices do not include customs duty, sales, use, value added or similar taxes. Any federal, state/provincial or other taxes or assessments based upon the sale or delivery of products or services sold applicable to the customer at present or later imposed by federal, state/provincial or municipal agencies, shall be added and paid by the customer. Customer is responsible for all such taxes.

NOTE: For all countries a valid sales tax exemption certificate must be approved by and on file with Haworth prior to product shipment. Otherwise, sales tax will be due and payable to Haworth when such tax is invoiced to Customer.

7. Services

If, as a result of Customer request, the Haworth dealer or Haworth subsidiary provides planning/design services, storage, project management, special handling, set-up, installation and/or other services, the Customer will be charged at the local Haworth dealer/subsidiary's prevailing rates.

8. Termination by Haworth

Haworth may immediately terminate an order upon written notice in the event bankruptcy or insolvency proceedings are instituted by or against the Customer, or the Customer is adjudicated as bankrupt, becomes insolvent, makes an assignment for the benefit of creditors, or proposes or makes any arrangements for the liquidation of its debts, or a receiver or receiver and manager is appointed with respect to all or any part of the assets of the Customer.

C. Shipping and Delivery

Haworth will have the right to determine the method of shipment and routing of product.

This section does not apply to any of Haworth's Flooring products. All Haworth Flooring products are sold freight collect.

If, for any reason, a delivery has to be made to an intermediate location (i.e. a location other than the "Ship To" location noted on the order or ultimate end user location), all handling and re-delivery costs incurred would be at the Customer's expense.

1. U.S.A. - Contiguous

All deliveries will be CPT (Carriage Paid To) (ICC Incoterms 2010) Haworth's manufacturing facilities or distribution centers. Freight charges will be prepaid by Haworth on all orders to locations within the continental United States. Customer bears all risk of loss or damage to the goods when they are placed on Haworth's means of transport.

2. U.S.A. - Non-contiguous (Alaska, Hawaii and Puerto Rico)

All deliveries will be CIF (Cost, Insurance and Freight) (ICC Incoterms 2010). Haworth's catalog prices include ocean freight and insurance to the port of the final destination. Haworth has the right to determine the carrier, method of shipment and routing. Haworth will contract with the insurer and provide minimal insurance coverage (CIF @ 110%) made payable to the Customer. Customer is responsible to obtain greater insurance if so desired.

Customer bears all risk of loss or damage to the goods when the goods are effectively at the disposal of the Customer on board the vessel at the named port of destination. Proof of delivery is a clean on board bill of lading. Customer will be responsible for all on-carriage from the receiving port to the final destination.

3. Canada

All deliveries will be DDP (Delivered Duty Paid) (ICC Incoterms 2010). Haworth's catalog prices include delivery to Customer's named place, not unloaded from any arriving means of transport. Customer bears all risk of loss or damage to the goods when they are delivered to the Customer's named facility not unloaded. Haworth will assume responsibility to file all freight claims with the carrier for any loss/damage which may occur while product is in transit, and will promptly repair or replace any damaged or lost product. Haworth requires the Customer to report all freight damage and/or loss to both the carrier and to Haworth.

NOTE: Under all delivery terms (U.S.A. and Canada), any additional expense resulting from Customer's request for expedited transportation, special services, packaging, handling, routing, and/or shipping method will be billed to Customer.

4. Mexico

All deliveries will be DAP (Delivered to Place) (ICC Incoterms 2010). Haworth's catalog prices include freight charges for normal surface transportation to a United States point of exportation within the 48 contiguous states. Haworth has the right to determine the carrier, method of shipment and routing.

Customer bears all risk of loss or damage to the goods when the goods are delivered to the named United States point of exportation. Haworth will provide customs clearance facilitation and arrangement of local delivery through an Authorized Dealer in Mexico, on a separately negotiated basis. Otherwise the Customer will be responsible for all customs clearance formalities and on-carriage from the United States point of exportation to the final destination in Mexico.

5. Delivery Dates and Delay

If Haworth cannot deliver products as scheduled due to causes beyond its reasonable control (such as casualty, labor disputes, or accident; inability to obtain necessary labor, material or transportation; or changes requested by the Customer), the delivery date will be extended to compensate for the delay as determined by Haworth.

6. Delivery Shortages and Damage

Product shortages and damage must be noted on delivery receipts at the time of delivery and reported to the carrier for correction.

Claims against Haworth for shortages, errors, or damage must be made within ten (10) days of the date of delivery or the Customer waives the right to make such a claim. Signed Bill of Ladings or Delivery Receipt must be sent in with claims. See the Haworth/Haworth Dealers Roles and Responsibilities document for further details.

7. Storage

Haworth may transfer product to storage at the Customer's risk and expense if the Customer is unable or unwilling to take delivery of product as originally scheduled. Upon such transfer to storage, the Customer assumes risk of loss. Haworth will invoice the Customer for storage fees and the Customer will make payments in accordance with Haworth's standard payment terms.

North American Terms of Sale

D. General Terms

1. Governing Law

For products purchased for delivery in the U.S. pursuant hereto, this Agreement shall be governed by and construed according to the laws of the State of Michigan. Where Products are purchased for delivery in Canada pursuant hereto, this Agreement shall be governed by and construed according to the laws of the Province of Alberta. In either case, the parties attorn to the exclusive jurisdiction of the courts of Michigan and Alberta, respectively for the purpose of hearing any disputes arising under this Agreement or with respect to any Products sold pursuant hereto, and agree that the provisions of the United Nations Convention on Contracts for the International Sale of Goods and any other provision or law which would have the effect of applying the laws of any jurisdiction other than Michigan or Alberta, as the case may be, shall be excluded.

2. Force Majeure

In the event that the performance of Customer or Haworth or its participating dealer assignee(s) would be prevented, restricted, interfered with or rendered commercially impracticable by reason of Force Majeure, then upon the giving of notice to the other parties, the party affected by the Force Majeure shall be excused from performing hereunder until the Force Majeure no longer prevents, restricts, interferes with, or renders such performance commercially impracticable.

"Force Majeure" shall mean: fire, explosion, breakdown of plant, epidemic, hailstorm, snow/ice storms en route, hurricane, tornado, cyclone, flood or power failure; war, revolution, civil or military disturbances, acts of public enemies, acts of terrorism, blockade or embargo; any law, order, proclamation, regulation, ordinance, demand or requirement of any applicable governmental authority or any subdivision, authority, or representative of any such government; labor difficulties, including without limitation, strikes, slowdowns, picketing or boycotts; or difficulties beyond Haworth's reasonable control in obtaining necessary raw materials, labor, fuels and electric power, components or facilities, and any other circumstances beyond the control of the party affected.

3. Delays by Customer

Where Haworth has not received adequate site dimensions, Product specifications, shipping information, installation particulars or other information required by Haworth to permit the efficient manufacture of any Products, or where site conditions are not in accordance with the Installation Requirements set forth, or are not otherwise suitable to permit effective and efficient installation, the manufacture and/or delivery of Products may be delayed, and such event shall constitute a delay by the Customer. When manufacture, delivery or installation is delayed by the Customer or at the Customer's request: (i) Haworth may, at its option, present the invoice for the full price of the Products to the Customer as then due and payable; (ii) the Customer shall pay to

Haworth all reasonable storage, handling and other reasonable incidental expenses incurred by Haworth in connection with such delay; and (iii) the Customer shall bear all risk of loss or damage to the Products being held by Haworth for the Customer.

4. Use and Installation of Products

Haworth recommends that its products be installed by certified, qualified and approved installers according to Haworth's written installation procedures. The Customer agrees to use Haworth products properly; not to remove or alter safety devices, warnings, or operation instructions placed on products by Haworth, and to instruct employees as to the proper care and use of the products according to printed instructions.

5. Warranty

Haworth's standard North American Warranty will apply as appropriate. All product line warranty specifics are available in each catalog or upon request.

E. Services

Service requests for design, installation, relocation, storage, etc. are handled by the local Haworth dealer on a separately negotiated basis. Contact the local Haworth dealer, affiliate or area sales office for more details.

Scope of Work - Design

Customer acknowledges that the Products to be manufactured or procured by Haworth in connection with the order are or may be custom manufactured for the Customer and that Haworth may be required to perform extensive work in relation to the design and specification of such Products. Where Customer requests that Haworth create as-built drawings or make more than two material revisions to any particular Product design or specification, Customer agrees that Haworth shall be entitled to invoice Customer with respect to such additional work on the basis of Haworth's then prevailing rates for related design and specification services.

Installation Requirements

Where installation services are to be provided by Haworth, its authorized dealer or subcontractor, a document will be provided setting forth the scope of installation work to be performed (the "Scope of Work") and the price to be charged therefore. Unless otherwise specified in the scope of work, Haworth's installation services are limited to products sold by Haworth with the exception of lighting, under floor electrical and data.

General Conditions

(a) Sufficient time shall be allocated by the Customer following delivery of Products and prior to Customer's occupation of the premises to allow the installation of all Products during conventional working hours, Monday through Friday, 7:30 a.m. to 4:30 p.m. Where sufficient time is not allocated and Haworth is required or requested to perform installation work outside of such times, overtime charges shall be charged at Haworth's then prevailing rates. (b) Haworth shall be given free and exclusive access to; (i) a loading dock within 150' of the freight elevator or hoist, which loading dock shall be of sufficient size to enable full-size tractor-trailer deliveries to the premises (where required by Haworth); (ii) a freight elevator or hoist of sufficient size and capacity to allow the efficient movement of the Products; (iii) an unobstructed and safe pathway to the area where Products are to be stored or staged; (iv) a secure storage / staging area; (v) convenient trash facilities; (vi) adequate lighting; (vii) a work site that complies with applicable health and safety legislation. Where such areas and facilities are not available, Haworth shall be entitled to bill Customer for all amounts incurred by Haworth for double-handling, product movement, lifting, hoisting, trash removal and any other resulting charges. (c) The installation site shall be free and clear of existing furniture, debris, or other obstructions (including construction in progress) and shall otherwise be in the reasonable opinion of Haworth ready for installation of the Products. Any building where Products are to be installed shall be fully closed in, dry and protected from the natural elements, with temperatures between 40°F and 90°F (4°C and 32°C) and relative humidity not to exceed 70% at all times including receipt of products, during and after installation and shall be adequately heated and/or air-conditioned. Where unusual site conditions exist which impede or prevent the normal installation of any Products, applicable extra charges shall apply at prevailing rates. (d) Haworth's installation pricing is based upon the installation occurring as one continuous delivery and installation project. Phased installation pricing shall be provided by Haworth on a case by case basis. (e) Electrical hardwiring, plumbing and mechanical work is not included and shall be the responsibility of the Customer. (f) Except as may be otherwise specifically indicated, installation pricing does not apply to projects where union labor is required. Where Haworth has provided installation pricing on the basis that non-union labor be utilized, and where Haworth is required to use union labor or it otherwise becomes impractical to use non-union labor, or where Haworth is required by law to use prevailing wages, Haworth shall be entitled to charge the Customer for any cost differential between the anticipated cost of non-union labor and the actual cost of utilizing union or prevailing wage labor. (g) Haworth shall not be responsible for obtaining permits.

North American Terms of Sale

Project / Site Conditions

Lateral load bracing is not included in the scope of Haworth's work and shall not be performed by Haworth. In areas where flooring Products are to be installed by Haworth overhead construction must be completed prior to the commencement of such work to avoid damage to the panels and finishes. The existing subfloor must be smooth, mopped clean, free of moisture, dust, dirt and debris. Once installed, the access floor must be maintained in the same manner. The subfloor must have a maximum vertical elevation deviation of 0.375" (10mm) over a horizontal span of 10'-0" (3m), and without discontinuities in floor slope. For greater certainty, the scope of Haworth's installation work in such areas shall not be deemed to include any work required to level such subfloor, remove protrusions, remove pre-existing floor coverings or adhesives, or any other work which is required to remedy any conditions which may impede the efficient installation of flooring. Except as may be otherwise specifically indicated in the order, installation pricing for flooring Products and the Scope of Work in relation thereto shall not include any work required to remove and replace floor panels following their initial installation to provide tradespersons or others with access to the underpanel cable management cavity. In areas where movable walls are to be installed, all flooring (including carpeting) and ceiling components (including dropped ceiling grid components) shall be fully complete and ready for the installation of the movable wall products. Further, the existing floor (or other surface on which the movable wall panels are to be installed) shall have a maximum vertical deviation of 1.25" (30mm) and the dropped ceiling grid shall have a maximum vertical deviation of 0.375" (10mm) from the specifications to which such movable wall panels were designed and manufactured (collectively the "Permitted Tolerances"), and shall otherwise comply with any site condition assumptions made known to Haworth prior to the manufacture of such Products (the "Site Assumptions"). Where the Permitted Tolerances or Site Assumptions are not strictly adhered to or met, additional charges may be incurred in connection with site remediation and/or the modification or remanufacture of affected movable wall products, together with all resulting shipping and labor charges at Haworth's then prevailing rates for such Products and services.

Installation Change Orders

Where Customer requests work to be performed or materials to be provided which are not contemplated in the Scope of Work, or Customer otherwise requests Products or services not contemplated in the order (collectively "Extras"), prior to providing such Extras Haworth reserves the right to require the Customer to provide and sign a written Purchase Order or Change Order acceptable to Haworth describing the Extras and the amounts to be charged therefore, and the Customer agrees to pay such charges.

Entire Agreement

The order and this Agreement (including applicable Schedules) constitute the sole agreement between the parties and supercede any prior understanding or written or oral agreements between the parties (excluding National Sales Agreements). No waiver of any of the provisions of these Standard Terms and Conditions shall be binding on Haworth unless expressly agreed in writing.

Revision Date: June 1, 2015

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
EURT-0072-1010	Bezel Utility Module23
EURT-0072-1100	Bezel Utility Module23
HOA1-3	Double Booth19
HOAB-2	Single Booth15
HOAC-3	Corner Booth16
HOAD-3	Double Desk13
HOAE-5	Privacy Booth17
HOAP-3	Privacy Desk14
HOAS-2	Single Desk12
HOAW-5	Conference Booth18
HOCH	Accessories – Coat Hook21
HOPD	Hideaway Power Module22
HOUP	Accessories – Pillows21
HOUS	Accessories – Soft Storage21
HOUT-1616	Height Adjustable Table20
SODB-2424-P	Sprig Tables – Round11
SODC-1616-P	Sprig Tables – Round11
SON-3	Plume Screens – Plume 38
SON-6	Plume Screens – Plume 68
SON-9	Plume Screens – Plume 98
SOPB-22	Chick Pouf – Chick Pouf with Back10
SOPN-22	Chick Pouf – Chick Pouf without Back10
SORA-5320-P	Sprig Tables – Rectangle11
SOSR-1-RW	Feather Sofa – Feather – Asymmetrical9
SOSS-1-RW	Feather Sofa – Feather – Symmetrical9

PRODUCT NON-OBSOLESCENCE AND WARRANTY POLICY

This North American Haworth Product Non-Obsolescence and Warranty Policy (the "policy") applies to products manufactured after May 8, 2015. For products manufactured before this date please refer to the policy published in the NA Price List when purchased or contact your local Authorized Haworth Dealer. All Haworth products are warranted for 24 hour / 7 day use over the length of the Applicable Warranty Period as set forth below.

Haworth, Inc. or Haworth, Ltd., (each called "Haworth") will make a good faith effort to maintain product compatibility within our various generations of integrated product platforms to provide our customers with spaces that adapt to change. Under our non-obsolescence policy, we commit to provide our customers with products of comparable function or operational characteristics for a term equal to the Applicable Warranty Period. Haworth fabrics and finishes must be updated periodically to maintain the market appeal of our products and respond to the demands and changing preferences of our customers. As a result, we or the manufacturer may discontinue some fabrics and finishes before expiration of the Applicable Warranty Period.

If a new product purchased or leased from Haworth or from an Authorized Haworth Dealer proves to be defective (as defined below) while the product is still in the possession of the initial purchaser or lessee and if they, within the Applicable Warranty Period, inform Haworth of the defect by contacting the local Authorized Haworth Dealer, then, except as provided below, Haworth will, at Haworth's option, either repair or replace the product, at Haworth's expense, or refund the purchase price of the product. Except as provided below, a product shall be considered "defective" if Haworth finds that it is defective in material or workmanship and if the defect materially impairs the use of the product to the purchaser or lessee. The applicable warranty period begins on the day the product is manufactured. If a product that the purchaser or lessee references in a notice of defect was not installed by a Haworth Certified installer and/or reconfigured by a Haworth-trained installer, then the product may not be considered defective and Haworth will not be obligated to repair or replace it or to refund its price.

PRODUCTS / APPLICABLE WARRANTY PERIOD

LIFETIME

All Haworth products are warranted for lifetime *except products, components and materials described below:*

TWELVE YEARS

All Haworth NA manufactured seating is warranted for 24/7 multiple shift use by persons up to 325 lbs and includes the framework, mechanisms, seating foam, seat & back mesh and seating glides & casters.

All wood or wood framed products.

TEN YEARS

All wall products (excluding soft close door mechanisms warranted for Two Years), electrical components (excluding Power Base™ AI, USB receptacles and workware products), electrical accessories, fixed task lighting (excluding LED lighting), adjustable keyboard pads, monitor arms and products that are at any time used in a classroom or educational environment (other than administration areas) *except as limited or described below:*

FIVE YEARS

Fabric scrims and fabrics rated Heavy Duty (A) under the Association of Contract Textiles Guidelines, leather, vertical use markerboard laminates, user-adjustable worksurface mechanisms, gel arm caps, thermofused laminates, slow close mechanisms, LED lighting, Power Base™ receptacles with USB charging outlets, electronic ballasts used in task lighting, horizontal glass or thermoplastic table assemblies and Systems Accessories.

THREE YEARS

Power Base AI Electrical products, workware™ products, Hoop products (excludes any warranty for surface damage such as scratches, dents or abrasions), plastic ultraviolet light color fastness and fabrics rated General Contract (a) under the Association of Contract Textiles Guidelines.

ONE TO FIVE YEARS*

Products that are manufactured outside North America and sold into the North American market.

ONE YEAR

Horizontal use markerboard laminate, Openest™ Plume Screens, soft palm rest, mouse pad insert and translucent edging.

Haworth "Specials" products that involve simple modification of a standard based product will be warranted for the same period as the standard catalog product it is based on. Haworth "Specials" products that deviate from standard catalog product in the form of features, construction, function, or aesthetic will be warranted for 1 year.

All software is without warranty of any kind, either expressed or implied.

All service parts are warranted for two years or the remaining balance of the assembly's original warranty period, whichever is longer.



*The Applicable Warranty Period for each such product is specified in Haworth's price list for the product.

A product will not be considered to be defective, and Haworth will not repair, or replace it or refund its price if the product (1) is a consumable product, such as a lamp; (2) is "Customer's Own Material" (i.e. material specified by the purchaser or lessee that is not a standard Haworth product offering, such as Haworth Alliance fabrics); (3) is not installed and used as recommended in Haworth's written specification, installation, care, maintenance and user guides; (4) has been otherwise misused or suffered abusive damage or (5) is a product that is manufactured by a third-party supplier from whom Haworth purchases it for resale without incorporating it into Haworth product (in which case Haworth will assign to the purchaser or lessee any warranty that the manufacturer provides), unless otherwise specified by Haworth in writing. At all times the Covered Product must have been located in a building that is (i) dry, fully closed-in and protected from the natural elements, and (ii) adequately heated, ventilated and air conditioned in order to maintain an internal temperature between 40°F and 90°F (4°C and 32°C) and relative humidity levels between 25% and 55%.

A defect in material or workmanship does not include damage to a product, or failure of a product to operate or perform properly or to maintain appearance, caused by (a) normal wear and tear; (b) an Act of God or transportation; (c) a product alteration made without Haworth's express written authorization; (d) the natural variation of color, grain or texture found in wood and leather; (e) the natural aging found in materials such as wood, fabric and leather which results in colors shifting during use; (f) dye lot variations in fabric, leather or wall covering (g) the natural patina of leather during use; (h) "puddling" of leather or faux leather; or (i) reverse crocking of dyes from clothing onto our seating materials.

EXCEPT AS STATED ABOVE, HAWORTH DOES NOT MAKE A WARRANTY AS TO ANY PRODUCT AND, IN PARTICULAR, DOES NOT MAKE A WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. Product repair or replacement or refund of the price, at Haworth's option, in accordance with this Policy, is the purchaser's or lessee's exclusive remedy for a product defect. Haworth shall not have tort liability with respect to a product, and Haworth shall not be liable for any consequential, economic, indirect, special, punitive or incidental damages arising from a product defect. Haworth shall not be liable for repair or product placement due to improper installation or any defect in materials used for installation which are not manufactured, sold or supplied by Haworth.

Released May 8, 2015



HAWORTH®

For more information call 800.344.2600 or 616.393.3000.

Haworth is a registered trademark of Haworth, Inc.

©Haworth, Inc. 2017 4.18 Item # 6064

haworth.com | haworth-europe.com | haworth-asia.com