

## OPT4® SEATING

PRICE LIST January 3, 2011 Updated October 3, 2022

800.424.2432

Contents Refer to KI Terms & Conditions document or visit ki.com.

### Ordering C.O.M., C.O.L., and C.O.V.

	Bonduel, Green Bay, Ontario, Tupelo and Shipping Locations		3
Opt4®			
•	General Information		4
	Technical Specifications		8
	Product Color Options		12
	Four-Leg		13
	High Density Chair		17
	Cafe Stools		18
	Dolly		19
	-		

# Refer to KI Terms & Conditions document or visit ki.com.

14

# Ordering COM, COL and COV

### How to Specify C.O.M. Upholstery Textile designs often have intricate patterns Not all individuals will interpret fabric

direction in the same manner. As a standard procedure, KI cuts fabrics off

the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M. must be supplied in continuous yardage

### C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to uphol ster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

### Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

### C.O.M., C.O.L. and C.O.V. Production Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L, and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

### C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test
requests and production orders. Please fill it out
completely, and, if your order has been
acknowledged, provide the acknowledgement
number.

Purchasing Agent (Dealer or buying organization)

Type of seating and number of units of each type

Attentio

Address

Project Name

City

By providing KI with a completely filled-out
copy of the form on this page, we will be
able to expedite your order. We find it partic-
ularly helpful with directional or patterned
upholstery material. It is critical that copies
of this form accompany test quantities as
well as production quantities of C.O.M.
· ·

KI recommends that leather be ordered in For products shipped from Bonduel, WI facility, vardage. Leather must be usable. The outer edges ship material to: cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call

1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

кі
Attn: C.O.M. Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Zip

State

-Selvaa

Ø

ROH

N

Attn: C.O.M. Storage

Bonduel, WI 54107

ship material to:

Intricate Patterns

and backrests,

sketch noting

requirements.

as in Diagram

B, along with

materials for

testing, and

with the order.

provide a

204 West South Street

Laboratory Stools/Pilot

Attn: C.O.M. Storage

1110 S. Mildred Ave.

Ontario, CA 91761

For products shipped from Ontario, CA facility,

Avail/Impress/Kismet/Medical &

In the event of specific requirements for position-

ing of intricate patterns or pattern repeats on seats

Diagram B

### Treated Materials

Direction o

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

### Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

**Excess Upholstery Material** 

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

### Please see information below and check the appropriate box.

backrest

left to

right &


top to bottom on seat

Submitted for testing.

Purchase Order Number

Test approved. Submitted for production.

KI Acknowledgement Number



| | A

Selvage Top and Bottom






### C.O.M. SHIPPING LOCATION

Architectural Walls		System 3000	MN	LaResta Day Beds	HN
Evoke	MN	Universal Overheads	MN	LimeLite	
Genius Walls	MN	Wireworks	MN	Lyra Lounge Seating	H
		Unite	MN	Maestro Stack Chairs	GE
Casegoods				Matrix Stack Chairs	GE
Aristotle Tackboards	MN	Residence Hall Furniture		Medical & Laboratory Stools	ON
Likha Tackboards	MN	RoomScape Furniture	MN	MyPlace Lounge Seating	H
				MyWay Seating	H
Classroom Furniture		Screens		Oath Task Chairs and Stools	Gl
Intellect Wave Chairs	GB	All Terrain	KP	Opt4	GE
Learn2	GB	Connection Zone	BW	Pilot Task Chairs	ON
Ruckus	GB	True/Volition	KP	Promenade Seating System	BV
		Genesis	KP	Ruckus	GE
Desking		Tattoo	MN	Sela Lounge Seating	H
700 Series Desking	KP	Universal	BW	Sift Task Chairs	GE
Balance Overheads	MN			Signia Task Chairs and Stools	ON
Genesis Desking	MN	Seating		Soltice Metal Collection	H
True Desking	KP	400 Series Folding Chairs	BW	Soltice Multiple, Healthcare & Gu	est.H
Universal Overheads	MN	600 Series Folding Chairs	BW	Soltice II Healthcare Seating	H
WorkZone Desking	MN	600 Series Stools	BW	Strive Multiple, Stack & Task	GE
		Affina Collection	HN	Sway	BV
Files & Storage		Altus Task Chairs	GB	Tattoo	HN
700 Series Pedestal Cushion	GB	Apply Stack Chairs	GB	Torsion-on-the-Go! Nesting Chair	s Gl
Connection Zone Pads	BW	Auditorium Folding Chairs	BW	Torsion Air Stack and Task Seatin	g Gl
U-Series Pedestal Cushion	GB	Calida Lounge Seating	HN	Zoetry	HN
Tattoo	BW	Diem Task Chairs	OM		
		Doni Collection	GB		
Fixed Seating		FourC Seating	GB		
Concerto Auditorium Seating	BW	Gladly Lounge Seating	VQ		
Single Pedestal Seating	GB	Grazie Seating	GB		
Jury Base Seating	GB	Hiatus Sleeper Bench	HN		
Lancaster Auditorium Seating	BW	Hub Modular Lounge Seating	HN		
Sequence Seating	GB	Impress Task Chairs	OM		
University Seating	GB	Impress Ultra Task Chairs	OM		
		Jessa Lounge Seating	HN		
Panel Systems		Jubilee Lounge Seating	VQ		
All Terrain	KP	Katera Guest Chair	GB		
Balance Overheads	MN	Kurv Benches	HN		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

HN	MN
KI High Point	KI Manito
Attn: COM Storage	Attn: CO
217 Feld Avenue	1400 S. 4
High Point, NC 27263	Manitowo
<u>KP</u> KI Pembroke	<u>OM</u> KI
	KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263 KP

GB	<u>KP</u>
KI Green Bay	KI Pembroke
Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7
010011 Bdy, 111 0 1002	



# Ordering COM, COL and COV



owoc OM Storage 41st St. voc, WI 54220 VQ ΚI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

Attn: COM Storage 1110 S. Mildred Ave. Ontario CA 91761







Four-Leg Chair, Mesh Seat (O4LNAMSMB and O4LNAMSPB))

Four-Leg Chair, Poly Seat (O4LNAPSMB and O4LNAPSPB)



Four-Leg Chair, Upholstered Seat (O4LNAUSMB and O4LNAUSPB)

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

	Chair, Mesh Seat and O4LWAMSPB)	
	•	
and back	•	

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-1/2"	22-1/2"	22-1/2"
Overall depth	37"	37"	37"
Quantity/height	15 Chairs/68" High	15 Chairs/68" High	15 Chairs/68" High
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High







Four-Leg Arm Chair, Upholstered Seat (O4LWAUSMB and O4LWAUSPB)


### INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com



Four-Leg Chair with Casters, Mesh Seat (O4LNAMSMBC and O4LNAMSPBC)





Features			
Stackable	•	•	•
Mesh, poly, or upholsterd seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	20-1/2"	20-1/2"	20-1/2"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High

Features			
Stackable	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	24-5/8"	24-5/8"	24-5/8"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on floor			
Quantity/height	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High	6 Chairs/43-1/2" High



14

 $Opt4^{
ext{transformation}}$ 





Four-Leg Arm Chair with Casters, Poly Seat (O4LWAPSMBC and O4LWAPSPBC) Four-Leg Arm Chair with Casters, Upholstered Seat (O4LWAUSMBC and O4LWAUSPBC)

### INFORMATION

Warranty Refer to KI Terms & Conditions document or visit ki.com





High Density Stack Chair, Mesh Seat (O4MSMB and O4MSPB)

High Density Stack Chair, Poly Seat (O4PSMB and O4PSPB)

### High Density Stack Chair, Upholstered Seat (O4USMB and O4USPB)

Features			
Stackable	•	•	•
Ganging	•	•	•
Mesh, poly, or upholstered seat and back	•	•	•
General Dimensions			
Seat width	17-1/2"	17-1/2"	17-1/2"
Seat depth	17-3/4"	17-3/4"	17-3/4"
Seat height	17-3/4"	17-3/4"	18-1/2"
Overall Dimensions			
Width	19-3/4"	19-3/4"	19-3/4"
Depth	21-13/16"	21-13/16"	21-13/16"
Height	32-3/16"	32-3/16"	33"
Stacking on dolly			
Overall width	22-3/8"	22-3/8"	22-1/2"
Overall depth	38-1/4"	38-1/4"	37"
Quantity/height	38 Chairs/80" High	38 Chairs/80" High	20 Chairs/69" High
Stacking on floor			
Quantity/height	10 Chairs/40-1/4" High	10 Chairs/40-1/4" High	5 Chairs/40-1/2" High

Features	
Stackable	•
Ganging	•
Mesh, poly, or upholstered seat and back	•
General Dimensions	
Seat width	17-1/2"
Seat depth	17-3/4"
Seat height	24" / 30"
Overall Dimensions	
Width	20-1/8"
Depth	23"
Height - 24"	33-5/16"
Height - 30"	44-3/16"
Stacking on dolly	
Overall width	24"
Overall depth	52"
Quantity/height - 24"	26 Stools/74"H
Quantity/height - 30"	26 Stools/80"H
Stacking on floor	
Quantity/height - 24"	8 Stools/45" H
Quantity/height - 30"	8 Stools/51" H

Cafe Stool, Mesh Seat (O4SMSMB and O4SMSPB)


4



Transport Dolly for All Four-leg Chairs (O4LD.BL)




Transport Dolly for High Density Chairs with Upholstered Seat (04DAU.BL)



Transport Dolly for All Cafe Stools (O4SD.BL)

Overall Dimensions				
Width	22-1/2"	22-3/8"	22"	22-3/8"
Depth	26-1/8"	32"	30-1/4"	25-5/8
Height	15-1/2"	16-3/4"	21-3/8"	14"
Quantity/height	15 Chairs/68" High	38 Chairs/80" High	20 Chairs/69" High	See specifications chart



### Cafe Stool, Poly Seat (O4SPSMB and O4SPSPB)





# $Opt4^{ encodesigned{Brain}}$ General Information



### Opt4<sup>®</sup> 4-Leg Armchair or Armless Chair with Glides or Casters

March 2020

### **TECHNICAL SPECIFICATIONS**

### 4-Leg Glide & Caster Frames

Frame is fabricated from  $\frac{7}{8}$  O.D. by 17-guage tubular steel. All joint are welded.

### **Optional Upholstered Seat**

Upholstered seat pad consist of an injection molded polypropylene liner board,  $\frac{1}{2}$  thick urethane slab foam and an upholstery covering, all held together with a draw-string process. Upholstered seat pad is attached to the seat with eight screws that extend through the seat and are screwed into poly bosses that are molded in the liner board.

### Seat and Back

Seat and back are available in six combinations of mesh or polypropylene backrests and mesh, polypropylene or upholstered seats. Polypropylene frame and mesh are monochromatic. Poly backrest models have an integral handle. Mesh material is made from 100% post-consumer PET bottles. All resin parts (backrest, seat, and glides) are 100% recycled polypropylene.

### Arms

Optional armrests are available. When equipped with arms, a formed steel tube  $\frac{7}{8}$  OD by 17-guage tubular steel is welded directly to the chair frame. Arm caps are polypropylene material.

### Casters/Glides

Glides are molded from nylon with glass fill. Glides are Stone Grey or Black in color. 4-Leg chairs may be ordered with casters instead of glides. Casters are 50 mm diameter, double-wheel high-impact thermoplastic, available with hard or soft wheel surface, in Black only.

### Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

### Transport Dolly

Frame construction is welded tubular steel with black powder-coated finish and 5" wheels (two swivel and two fixed).

### **TECHNICAL SPECIFICATIONS**

### Sled Base Frame

1

Frame and cross members are fabricated from  $\frac{1}{2}$ " O.D. by 16-gauge tubular steel. All joints are welded. Stools are available in two heights (24" and 30"), and have footrest made of  $\frac{1}{2}$ " O.D. by 16-gauge tubular steel.

### **Optional Upholstered Seat**

Upholstered seat pad consist of an injection molded polypropylene liner board, 1/2" thick urethane slab foam and an upholstery covering, all held together with a draw-string process. Upholstered seat pad is attached to the seat with eight screws that extend through the seat and are screwed into poly bosses that are molded in the liner board.

### Seat and Back

Seat and back are available in six combinations of mesh or polypropylene backrests and mesh, polypropylene or upholstered seats. Mesh material is made from 100% post-consumer PET bottles. All resin parts (backrest and seat) are 100% recycled polypropylene.

### Glides

Frames are available with either nylon, steel, felt or PVC/non-skid glides. Nylon glides are available with or without integral ganging clips. Nylon glides are Stone Grey. PVC/non-skid glides are Black. Steel glides have a stainless steel cap that fits over a non-ganging nylon glide. Felt glides have a replaceable (snap-fit) felt cap that is black nylon with a neutral-colored felt. All glides are attached with one screw.

### Frames and Finishes

Frames are finished in either baked-on electrostatically-applied powder-coat paint or bright nickel-chrome plating.


### Transport Dolly

Powder-coated tubular steel frame. Two swivel casters and two fixed casters.

### Opt4<sup>®</sup> High-Density Sled Base Stack Chair & Stool


November 2020

### Opt 4 4-Leg Armless Chairs with Glides




04LNAPSPB







04LNAMSMB



### Opt 4 4-Leg Armchairs with Glides



04LWAPSPB





04LWAPSMB




04LWAMSPB










14










04LWAMSMB



04LWAUSPB

04LWAUSMB

Opt4 4-Leg Armless Chair with Glides - Mesh Seat & Mesh Backrest



Opt4 4-Leg Armless Chair with Glides - Upholstered Seat & Mesh Backrest


Opt4 4-Leg Armchair with Glides - Mesh Seat & Mesh Backrest

Opt4 4-Leg Armchair with Glides - Upholstered Seat & Mesh Backrest

### Opt 4 4-Leg Armless Chairs with Casters

6


04LNAMSMBC



04LNAPSPBC








04LNAPSMBC



### Opt 4 4-Leg Armchairs with Casters



04LWAUSPBC

01 04LWAMSMBC

0


04LWAUSMBC










14











Opt4 4-Leg Armless Chair with Casters - Mesh Seat & Mesh Backrest





Opt4 4-Leg Armless Chair with Casters - Upholstered Seat & Mesh Backrest

Opt4 4-Leg Armchair with Casters - Mesh Seat & Mesh Backrest

Opt4 4-Leg Armchair with Casters - Upholstered Seat & Mesh Backrest








Opt4 HD Sled Base Stack Chair - Upholstered Seat & Mesh Backrest


### 24" High Opt4 HD Sled Base Stack Stools



04S24PSPB







### 30" High Opt4 HD Sled Base Stack Chairs



04S30PSPB




04S30MSMB










14













04S30USMB






04S30MSPB

24" High Opt4 HD Sled Base Stack Stool - Mesh Seat & Mesh Backrest

24" High Opt4 HD Sled Base Stack Stool - Upholstered Seat & Mesh Backrest

30" High Opt4 HD Sled Base Stack Stool - Mesh Seat & Mesh Backrest

30" High Opt4 HD Sled Base Stack Stool - Upholstered Seat & Mesh Backrest



# 12 Opt4<sup>®</sup> Product Color Options

Frame Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	СН
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

### Seat and Back Color - Poly and Mesh

Black	04BL
Stone Grey	04SG
White	04WH

4

			MODEL NUMBER										
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl
	Four-Leg Armless Chair, Mesh Seat	Mesh Seat, Mesh Back	04LNAMSMB						12.0#	\$ 474			
	<ul><li>Stacking</li><li>350 lb. weight rating</li></ul>	Mesh Seat, Poly Back	04LNAMSPB		NFR				12.0#	429			
	Stacking bumper												
U													
OPT4L													
	Four-Leg Armless Chair, Poly Seat	Poly Seat, Mesh Back	04LNAPSMB		NFR					\$ 429			
	<ul><li>Stacking</li><li>350 lb. weight rating</li></ul>	Poly Seat, Poly Back	04LNAPSPB		NFR				12.0#	374			
	Stacking bumper												
U													
OPT4L													
	Four-Leg Armless Chair, Upholstered Seat	Uph Seat, Mesh Back	04LNAUSMB		NFR				14.0#	N/A	\$ 585	\$ 610	\$ 624
	Stacking	Uph Seat, Poly Back	04LNAUSPB		NFR				14.0#	N/A	528	553	568
	350 lb. weight rating												
	Stacking bumper												
00411													
OP4LU								-					
			A	0	O	D	•	G					

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

# Select basic model.Bselect frame color.

HOW TO BUILD A MODEL NUMBER

Refer to the **Product Color Options** page in this price list.

 Select fire code. (Available on mesh seat/mesh back model only)
 NFR - Compliance to TB 117-2013

- Compliance to TB 133

Oselect poly and/or mesh seat and back color. Refer to the **Product Color Options** page in this price list.

Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

FR

Select glide option. GBL - Black GSG - Stone Grey glide

### INFORMATION

### INFORMATION


**California TB133 Fire Safety Code** For California Technical Bulletin 133 compliant models, add the following upcharge:

\$

**Cartoning** 4 chairs per carton

Model=Mesh Seat, Mesh Back Only Added Lead Time=none Added List Price=\$0

### Opt4<sup>®</sup> Four-Leg



### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUMB	ER										
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Caster Type	Approx. Packaged Weight	Delivered Pricing	Delive Pricin Fabric 1 & C.	g : Grade	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl
	Four-Leg Armless Chair with Casters,	Mesh Seat, Mesh Back, Casters	04LNAMSMBC						13.0#	\$ 523				
	Mesh Seat	Mesh Seat, Poly Back, Casters	04LNAMSPBC		NFR				13.0#	478				
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>													
	ing chair and frame)													
	Stacking on dollies NOT recommended				_	_								
	<ul><li> 350 lb. weight rating</li><li> Stacking bumper</li></ul>													
- 0					_									
OPT4L														
	Four-Leg Armless Chair with Casters,	Poly Seat, Mesh Back, Casters	04LNAPSMBC		NFR				13.0#	\$ 478				
	Poly Seat	Poly Seat, Poly Back, Casters	04LNAPSPBC		NFR				13.0#	420				
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>													
	ing chair and frame)													
	Stacking on dollies NOT recommended													
	<ul> <li>350 lb. weight rating</li> <li>Stacking bumper</li> </ul>													
ື ຈ														
OPT4L														
	Four-Leg Armless Chair with Casters,	Uph Seat, Mesh Back, Casters	04LNAUSMBC		NFR				15.0#	N/A	\$ 6	335	\$ 659	\$ 673
	Upholstered Seat	Uph Seat, Poly Back, Casters	04LNAUSPBC		NFR				15.0#	N/A	5	576	600	616
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>													
	ing chair and frame)													
	Stacking on dollies NOT recommended													
<b>S</b>	<ul> <li>350 lb. weight rating</li> <li>Stacking bumper</li> </ul>													
- u														
OP4LU														
UF4LU									]					
			A	₿	O	D	0	G						

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER A Select basic model.

Belect frame color.

Refer to the **Product Color Options** page in this price list.

• Select fire code. (Available on mesh seat/mesh back model only).
NFR - Compliance to TB 117-2013

- Compliance to TB 133 FR

OSelect poly and/or mesh seat and back color. Refer to the Product Color Options page in this price list.

Belect upholstery grade/color. Refer to ki.com/fabrics

 Select caster option. - Carpet casters - Hard floor casters S

### INFORMATION

### INFORMATION

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge:


6

Model=Mesh Seat, Mesh Back Only Added Lead Time=none Added List Price=\$0

Cartoning

4 chairs per carton

### Opt4<sup>®</sup> Four-Leg



### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUM	BER									
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl
	Four-Leg Arm Chair, Mesh Seat <ul> <li>Stacking</li> </ul>	Mesh Seat, Mesh Back	04LWAMSMB							\$ 568			
	<ul> <li>Stacking</li> <li>350 lb. weight rating</li> </ul>	Mesh Seat, Poly Back	04LWAMSPB		NFR				12.0#	523			
	Stacking bumper												
U													
OPT4L	Four-Leg Arm Chair, Poly Seat	Poly Seat, Mesh Back	04LWAPSMB		NFR				12.0#	\$ 523			
	Stacking	Poly Seat, Poly Back	04LWAPSPB		NFR				12.0#	465			
	<ul><li> 350 lb. weight rating</li><li> Stacking bumper</li></ul>	- <b>,</b> , <b>,</b>						-					
U .													
OPT4L													
	Four-Leg Arm Chair, Upholstered Seat <ul> <li>Stacking</li> </ul>	Uph Seat, Mesh Back	04LWAUSMB		NFR				14.0#	N/A	\$ 678	\$ 703	\$ 718
	<ul> <li>350 lb. weight rating</li> </ul>	Uph Seat, Poly Back	04LWAUSPB		NFR				14.0#	N/A	620	645	660
	Stacking bumper												
u    {													
u OP4LU													
-			•	6	G	D	Ð	G	1				
			w	U.	U.	U U	G	J					

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER A Select basic model.

Belect frame color. Refer to the **Product Color Options** page in this price list.

• Select fire code. (Available on mesh seat/mesh back model only).
NFR - Compliance to TB 117-2013

- Compliance to TB 133 FR

OSelect poly and/or mesh seat and back color. Refer to the Product Color Options page in this price list.

Belect upholstery grade/color. Refer to ki.com/fabrics

Select glide option. GBL - Black GSG - Stone Grey glide

### INFORMATION

### INFORMATION


California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge:

6

Cartoning 4 chairs per carton

Model=Mesh Seat, Mesh Back Only Added Lead Time=none Added List Price=\$0

### Opt4<sup>®</sup> Four-Leg



### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL NUMB	ER									
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Caster Type	- Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl
	Four-Leg Arm Chair with Casters, Mesh	Mesh Seat, Mesh Back, Casters	04LWAMSMBC						13.0#	\$ 616			
	Seat	Mesh Seat, Poly Back, Casters	04LWAMSPBC		NFR				13.0#	571			
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>												
	ing chair and frame)												
	Stacking on dollies NOT recommended												
6	<ul><li> 350 lb. weight rating</li><li> Stacking bumper</li></ul>												
<b>o</b> o													
Ø.													
OPT4L								_		A			
	Four-Leg Arm Chair with Casters, Poly Seat	Poly Seat, Mesh Back, Casters	04LWAPSMBC		NFR					\$ 571			
	• Stacking (Caution should be used if	Poly Seat, Poly Back, Casters	04LWAPSPBC		NFR				13.0#	514			
	stacking to prevent casters from damag-												
	ing chair and frame) <ul> <li>Stacking on dollies NOT recommended</li> </ul>												
	<ul> <li>Stacking on domes NOT recommended</li> <li>350 lb. weight rating</li> </ul>												
	Stacking bumper												
OPT4L													
		Uph Seat, Mesh Back, Casters	04LWAUSMBC		NFR				15.0#	N/A	\$ 727	\$ 751	\$ 767
	stered Seat	Uph Seat, Poly Back, Casters	04LWAUSPBC		NFR				15.0#	N/A	670	694	710
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>												
	ing chair and frame)												
	Stacking on dollies NOT recommended												
6	<ul><li> 350 lb. weight rating</li><li> Stacking bumper</li></ul>												
©	- ···· ·······························												
Ø													
0P4LU													
				•	•		•	•					
			A	0	œ	D	9	()					

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number". 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### A Select basic model. Belect frame color.

HOW TO BUILD A MODEL NUMBER

Refer to the **Product Color Options** page in this price list.

• Select fire code. (Available on mesh seat/mesh back model only).
NFR - Compliance to TB 117-2013

- Compliance to TB 133

OSelect poly and/or mesh seat and back color. Refer to the Product Color Options page in this price list.

Belect upholstery grade/color. Refer to ki.com/fabrics

 Select caster option. - Carpet casters - Hard floor casters S

FR

### INFORMATION

### INFORMATION


California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge:

6

Cartoning 4 chairs per carton

Model=Mesh Seat, Mesh Back Only Added Lead Time=none Added List Price=\$0

### Opt4<sup>®</sup> Four-Leg



### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER															
	MODEL	Features	Basic Model	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	High Density Stacking Chair, Mesh Seat		04MSMB						10.0#	\$ 421									
	<ul> <li>Stacking</li> <li>350 lb. weight rating</li> <li>Ganging</li> </ul>	Mesh Seat, Poly Back	04MSPB		NFR				10.0#	356									
Ŵ																			
OPT4	llink Danaiky Glasking Chair Daly Cast	Data Cast Mash Dask	O 4 D C M D		NED				10.0#	ф о <u>г</u> о									
	<ul> <li>High Density Stacking Chair, Poly Seat</li> <li>Stacking</li> <li>350 lb. weight rating</li> <li>Ganging</li> </ul>	Poly Seat, Mesh Back Poly Seat, Poly Back	04PSMB 04PSPB		NFR NFR				10.0# 10.0#	\$356 279									
OPT4																			
	High Density Stacking Chair, Upholstere	d Uph Seat, Poly Back	04USPB		NFR				12.0#	N/A	\$ 435	\$ 460	\$ 474	\$ 435	\$ 485	\$ 527	\$ 540	\$ 565	\$ 596
	Seat Stacking 350 lb. weight rating Stacking bumper Ganging	Uph Seat, Mesh Back	O4USMB		NFR				12.0#	N/A	513	538	552	513	563	606	618	643	673
0P4U																			
			4	6	G	D	Ð	Ĵ	_										

HOW TO ORDER	HOW TO BUILD A MODEL NUMBER	NS	- PVC/Non-skid glides, non-ganging	INFORMATION	INFORMATION
<ul> <li>Indicate the following information on order form: <ol> <li>Quantity of each item.</li> <li>Model number, including options. See "How To Build a Model Number".</li> <li>Any special service required.</li> </ol> </li> <li>Note: • The □ indicates that a choice is required. <ul> <li>The absence of the □ indicates that no choice is required.</li> <li>Alpha-numeric characters in place of □ indicate that no other alternatives are available.</li> </ul> </li> </ul>	<ul> <li>Select basic model.</li> <li>Select frame color. Refer to the Product Color Options page in this price list.</li> <li>Select fire code. (Available on mesh seat/mesh back model only).</li> <li><u>NFR</u> - Compliance to TB 117-2013 FR - Compliance to TB 117-2013 FR - Compliance to TB 133</li> <li>Select poly and/or mesh seat and back color. Refer to the Product Color Options page in this price list.</li> <li>Select upholstery grade/color. Refer to <u>ki.com/fabrics</u></li> <li>Select glide option.</li> <li><u>F</u> - Replaceable Felt Glides <u>G</u> - Nylon glides, non-ganging <u>S</u> - Steel glides, non-ganging</li> </ul>			California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Mesh Seat, Mesh Back Only Added Lead Time=none Added List Price=\$0	<b>Cartoning</b> 4 chairs per carton

# $Opt4^{ extsf{R}}$ High Density Chair

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

			MODEL N	UMBER																
	MODEL	Features	Basic Model	Seat Height	Frame Color	Fire Code	Seat & Back Color	Upholstery Color	Glide Option	Appr Packa Weig	aged	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Group 2V Vinyl	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	C F C
	Cafe Stool, Mesh Seat	Mesh Seat, Mesh Back	04SMSMB							18	3.0#	\$ 596								
	<ul> <li>Two seat heights (24" &amp; 30")</li> <li>24" H stools specified for use with 36" H</li> </ul>	Mesh Seat, Poly Back	04SMSPB			NFR				18	3.0#	532								
	tables     30" H stools specified for use with 42" H	н																		
	tables • Stacking																			
	<ul><li> 350 lb. weight rating</li><li> Ganging</li></ul>																			
IS	Cofe Steel, Bally Coet	Date Coat Mach Doole	0.4CDCMD			NED				10	0.4	¢ 500								
	Cafe Stool, Poly Seat • Two seat heights (24" & 30")	Poly Seat, Mesh Back Poly Seat, Poly Back	04SPSMB 04SPSPB			NFR NFR					3.0# 3.0#	\$ 532 450								
	<ul> <li>24" H stools specified for use with 36" H tables</li> </ul>																			
	<ul> <li>30" H stools specified for use with 42" H tables</li> </ul>	H																		
K	<ul><li>Stacking</li><li>350 lb. weight rating</li></ul>																			
	• Ganging																			
3																				
-	Cafe Stool, Upholstered Seat <ul> <li>Two seat heights (24" &amp; 30")</li> </ul>	Uph Seat, Mesh Back	04SUSMB			NFR NFR				20		N/A N/A	\$ 688	\$ 712	\$ 727	\$ 688	\$ 737	\$ 781	\$ 793	\$
	<ul> <li>24" H stools specified for use with 36" H tables</li> </ul>	Uph Seat, Poly Back H	04SUSPB			NFR				20	0.0#	N/A	607	632	646	607	657	699	712	
	<ul> <li>30" H stools specified for use with 42" H tables</li> </ul>	Н																		
K	<ul> <li>Stacking</li> <li>350 lb. weight rating</li> </ul>																			
	Stacking bumper																			
	• Ganging																			
U			•	6	G	D	Ð	J	G											
			W	U	U	9	G	<b>U</b>	U											

HOW TO ORDER	HOW TO BUILD A MODEL NUMBER	NG	- Nylon glides, non-ganging - Replaceable Felt Glides	INFORMATION	INFORMATION
<ol> <li>Indicate the following information on order form:</li> <li>Quantity of each item.</li> <li>Model number, including options. See "How To Build a Model Number".</li> <li>Any special service required.</li> </ol>	<ul> <li>Select basic model.</li> <li>Select seat height.</li> <li>24 - 24" Seat Height 30 - 30" Seat Height</li> </ul>	S     - Steel glides, non-ganging       NS     - PVC/Non-skid glides, non-gangin	California TB133 Fire Safety Code For California Technical Bulletin 133 compliant models, add the following upcharge: Model=Mesh Seat, Mesh Back Only Added Lead Time=none	<b>Cartoning</b> 2 stools per carton	
<ul> <li>Note: • The □ indicates that a choice is required.</li> <li>• The absence of the □ indicates that no choice is required.</li> </ul>	Select frame color. Refer to the <b>Product Color Options</b> page in this price list.			Added List Price=\$0	
<ul> <li>Alpha-numeric characters in place of □ indicate that no other alternatives are avail- able.</li> </ul>	OSelect fire code. (Available on mesh seat/mesh back model only). NFR - Compliance to TB 117-2013 FR - Compliance to TB 133				
	Select poly and/or mesh seat and back color. Refer to <u>ki.com/fabrics</u>				
	Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>				
	G select glide option. G - Nylon glides, ganging				



### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

				 •
		MODEL NUMBER		
			Approx.	
		Basic	Packaged	Delivered
	MODEL	Model	Weight	Pricing
	Transport Dolly for Four-Leg Chair	04LD.BL	30.0#	\$ 522
HRDPT	<ul> <li>Easy maneuverability with 5" casters; two fixed, two swivel</li> </ul>			
	<ul> <li>Black powder-coated finish</li> </ul>			
	<ul> <li>For chairs with poly, mesh or uph seat</li> </ul>			
	Not for use on chairs with casters			
	Transport Dolly for High Density Chair,	04DA.BL	30.0#	\$ 522
$\mathbb{A}$	Poly or Mesh Seat			
	<ul> <li>Easy maneuverability with 5" casters; two fixed, two swivel</li> </ul>			
	<ul> <li>Black powder-coated finish</li> </ul>			
	<ul> <li>For chairs with poly or mesh seats</li> </ul>			
Ť Ť				
-				
HRDPT				
112227	Transport Dolly for High Density Chair,	04DAU.BL	30.0#	\$ 522
HRDPT	<ul> <li>Uph Seat</li> <li>Easy maneuverability with 5" casters;</li> </ul>			
	two fixed, two swivel			
	<ul> <li>Black powder-coated finish</li> </ul>			
	For chairs with uph seat only	0.400.01	00.0#	
~	Transport Dolly for Cafe Stool <ul> <li>Easy maneuverability with 5" casters;</li> </ul>	04SD.BL	30.0#	\$ 552
	two fixed, two swivel			
	Black powder-coated finish			
	• For stools with poly, mesh or uph seat			
Ø				
HRDPT	Universal Dolly Handle	UDH.BL	8.0#	\$ 199
	<ul> <li>Field installable</li> </ul>		0.0#	φ I33
	<ul> <li>Provides convenient handle for relocat-</li> </ul>			
	ing dolly when empty or loaded • Overall dolly height with handle is 37"			
E Contraction of the second seco				
HRDPT				
		Α		
		w w		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required.

 $\bullet$  The absence of the  $\Box$  indicates that no choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

# Opt4®

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000428/KI/PDF

