



# **BOOK RETURN MODULE**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
CIRCBR403029	40	30	29	150	150
CIRCBR403629	40	36	29	160	150
CIRCBR403039	40	30	39	160	150
CIRCBR403639	40	36	39	170	150



# **DEPRESSIBLE BOOK CART**

Model #	Width	Depth	Height	Weight	Freight Class
	(in)	(in)	(in)	(lbs)	(Qty 1)
DBC	28.75	21.5	23.625	100	125

Available in the following laminates: Kensington Maple, River Cherry, Studio Teak, Xanadu, Folkstone, Frost, Black




FILE-IT

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
FILE-IT	15.5	21.5	25	80	125
FILE-IT-HANG	15.5	21.5	27	80	125

Available in standard FILE-IT colors. See page 163







# **INFINITY LIBRARY SHELVING**

Paragon Furniture's Infinity Library Shelving stands the test of time. Classic, stylish  $\vartheta$  traditional, the shelving is offered using a starter/adder system that allows you to configure stacks as your environment needs. A variety of different shelving options available that include flat, magazine  $\vartheta$  picture book.



# **FEATURES**

#### STRUCTURE

Constructed of heavy-duty 1" thick Thermally Fused Melamine (TFM) panels & shelves & reinforced with Steel Unitzer Braces for maximum durability.

#### INFINITY SHELVING WEIGHT CAPACITY (lbs)

	Single	Double
36"	180	360
42"	270	540
48"	270	540
60"	360	720
72"	450	900
84"	340	1080

# WEIGHT CAPACITY PER SHELF

120 lbs.



# **SPECIFICATIONS**

#### O INFINITY WOOD SHELVING

Infinity Shelving is constructed of 1" thick industrial grade panel cores covered on both sides with Thermally Fused Melamine (TFM). All shelves are edge-banded on the front with 3mm PVC with a radius edge. Each shelf comes standard with a 16 gauge steel Deflecta-Stop anti-deflection stiffener that doubles as a book stop. Shelves are adjustable & secured to panels with 4 Posi-Lock connectors. All of these components increase the overall structural integrity of the shelving & help make Infinty Shelving the most sturdy & durable on the market.

# STARTER & ADDER PANELS

All sizes are constructed of 1" thick industrial grade panel cores covered on both sides with TFM. Standard depth is 12" on Singles & 24" on Doubles.

#### EDGE TREATMENTS

Edges consist of matching 3mm PVC edge-banding with a smooth radius.

#### UNITIZER BRACE

The Unitizer Braces on all Infinity Shelves are truly unique  $\vartheta$  make this shelving the strongest on the market. Every Unitizer Brace is constructed of 18 gauge powder-coated cold-rolled steel for maximum strength  $\vartheta$  durability.

#### O INFINITY METAL SHELVES

Infinity metal book shelves are constructed of 18 gauge cold-rolled steel  $\vartheta$  utilize the16 gauge Deflecta-Stop anti-deflection stiffener which doubles as a book stop. Shelves attach to the panels using 5mm steel, bronze plated shelf supports.

#### MOBILE SHELVING

All Infinity mobile shelving have the same specifications  $\vartheta$  structural integrity as the Infinity shelving line with the addition of a 1" x 2" 18 gauge tubular continuous welded frame with black powder coat finish. 2 locking  $\vartheta$  2 non locking 4" industrial grade rubber casters are available on 42"h  $\vartheta$  48"h double faced shelving only.










# **CONFIGURING A MODEL NUMBER**


Infinity Shelving is configured using a Starter/Adder concept. When configuring a shelving run, first select a Starter model number. Extend the shelving by adding additional Adder models as needed. In this example, we used part number **60-SFS-566**. The structure of this new part number can be broken up with parenthesis like this:



# **COLOR & FINISH OPTIONS**

STEP 1
SHELVES, SIDES
& TOP COLOR

Select one of the four color combinations. for STEP 1



FAMILY - SHELF, SIDES PART - STOP COLOR









If ordering with metal shelves, they come paired with the following textured powder coat colors.











# **MODEL NUMBERS & PRODUCT SPECS**

# **INFINITY-SINGLE STARTER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
36-SFS (2 Shelves)	37	12	36	110	85
36-SFSM (2 Shelves)	37	12	36	110	85
42-SFS (3 Shelves)	37	12	42	115	85
42-SFSM (3 Shelves)	37	12	42	115	85
48-SFS (3 Shelves)	37	12	48	120	85
48-SFSM (3 Shelves)	37	12	48	120	85
60-SFS (4 Shelves)	37	12	60	145	85
60-SFSM (4 Shelves)	37	12	60	145	85
72-SFS (5 Shelves)	37	12	72	165	85
72-SFSM (5 Shelves)	37	12	72	165	85
84-SFS (6 Shelves)	37	12	84	190	85
84-SFSM (6 Shelves)	37	12	84	190	85



M at the end of the model # is for metal shelves

# **INFINITY-SINGLE ADDER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
36-SFA (2 Shelves)	36	12	36	95	85
36-SFAM (2 Shelves)	36	12	36	95	85
42-SFA (3 Shelves)	36	12	42	100	85
42-SFAM (3 Shelves)	36	12	42	100	85
48-SFA (3 Shelves)	36	12	48	105	85
48-SFAM (3 Shelves)	36	12	48	105	85
60-SFA (4 Shelves)	36	12	60	125	85
60-SFAM (4 Shelves)	36	12	60	125	85
72-SFA (5 Shelves)	36	12	72	140	85
72-SFAM (5 Shelves)	36	12	72	140	85
84-SFA (6 Shelves)	36	12	84	165	85
84-SFAM (6 Shelves)	36	12	84	165	85



**M** at the end of the model # is for metal shelves

# **INFINITY-SINGLE PICTURE BOOK STARTER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
42-PBSFS (2 Shelves)	37	12	42	130	85
42-PBSFSM (2 Shelves)	37	12	42	130	85
48-PBSFS (3 Shelves)	37	12	48	130	85
48-PBSFSM (3 Shelves)	37	12	48	130	85



**M** at the end of the model # is for metal shelves





# **INFINITY-SINGLE PICTURE BOOK ADDER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
42-PBSFA (2 Shelves)	36	12	42	115	85
42-PBSFAM (2 Shelves)	36	12	42	115	85
48-PBSAS (3 Shelves)	36	12	48	120	85
48-PBSFAM (3 Shelves)	36	12	48	120	85

M at the end of the model # is for metal shelves



# **INFINITY-DOUBLE STARTER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
36-DFS (2 Shelves)	37	24	36	190	85
36-DFSM (2 Shelves)	37	24	36	190	85
42-DFS (3 Shelves)	37	24	42	200	85
42-DFSM (3 Shelves)	37	24	42	200	85
48-DFS (3 Shelves)	37	24	48	210	85
48-DFSM (3 Shelves)	37	24	48	210	85
60-DFS (4 Shelves)	37	24	60	255	85
60-DFSM (4 Shelves)	37	24	60	255	85
72-DFS (5 Shelves)	37	24	72	300	85
72-DFSM (5 Shelves)	37	24	72	300	85
84-DFS (6 Shelves)	37	24	84	340	85
84-DFSM (6 Shelves)	37	24	84	340	85

**M** at the end of the model # is for metal shelves



# **INFINITY-DOUBLE ADDER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
36-DFA (2 Shelves)	36	24	36	160	85
36-DFAM (2 Shelves)	36	24	36	160	85
42-DFA (3 Shelves)	36	24	42	170	85
42-DFAM (3 Shelves)	36	24	42	170	85
48-DFA (3 Shelves)	36	24	48	180	85
48-DFAM (3 Shelves)	36	24	48	180	85
60-DFA (4 Shelves)	36	24	60	215	85
60-DFAM (4 Shelves)	36	24	60	215	85
72-DFA (5 Shelves)	36	24	72	250	85
72-DFAM (5 Shelves)	36	24	72	250	85
84-DFA (6 Shelves)	36	24	84	280	85
84-DFAM (6 Shelves)	36	24	84	280	85

M at the end of the model # is for metal shelves



# **INFINITY-DOUBLE PICTURE BOOK STARTER**

Model #	Width (in)	Depth (in)	Height	Weight (lbs)	Freight Class
42-PBDFS (2 Shelves)	37	24	42	225	85
42-PBDFSM (2 Shelves)	37	24	42	225	85
48-PBDFS (3 Shelves)	37	24	48	235	85
48-PBDFSM (3 Shelves)	37	24	48	235	85





# **INFINITY-DOUBLE PICTURE BOOK ADDER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
42-PBDFA (2 Shelves)	36	24	42	195	85
42-PBDFAM (2 Shelves)	36	24	42	195	85
48-PBDAS (3 Shelves)	36	24	48	200	85
48-PBDFAM (3 Shelves)	36	24	48	200	85

**M** at the end of the model # is for metal shelves



# **INFINITY-MOBILE SHELVING**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
42-M-DFS (3 Shelves)	37	24	46	240	85
42-M-DFSM (3 Shelves)	37	24	46	240	85
48-M-DFS (3 Shelves)	37	24	52	230	85
48-M-DFSM (3 Shelves)	37	24	52	230	85

M at the end of the model # is for metal shelves



# **ACCESSORY BACK**


Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
36-AB	37	3/4	36	55	85
42-AB	37	3/4	42	60	85
48-AB	37	3/4	48	65	85
60-AB	37	3/4	60	75	85
72-AB	37	3/4	72	90	85
84-AB	37	3/4	84	100	85

M at the end of the model # is for metal shelves




W: paragoninc.com





# CORNER FILLER (FOR SINGLE FACE SHELVING)

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
CFP	12	1	12	10	85



# **FLAT SHELF**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
FSA	35	11	1	15	85
FSAM	35	11	1	15	85


M at the end of the model # is for metal shelves



# **BOOK SUPPORT**

Model #	Width	Depth	Height	Weight	Freight Class
	(in)	(in)	(in)	(lbs)	(Qty 1)
BSA	35	N/A	N/A	10	85

(Includes track & 4 wire supports) BSA cannot be used on metal shelves



# **MAGAZINE SHELF**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class
MSA	35	11	1	15	85
MSAM	35	11	1	15	85

**M** at the end of the model # is for metal shelves



# PICTURE BOOK SHELF

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
PBSA	35	11	1	20	85
PBSAM	35	11	1	20	85

M at the end of the model # is for metal shelves. (Includes track & 4 wire supports)





# **INFINITY CIRCULATION DESK**

Classic wood style design brings warmth to any space. Create a circulation desk with a variety of components that fit together seamlessly from work centers to corner units to book returns.



# **FEATURES**

Paragon Infinity Circulation Desks are designed & manufactured specifically for educational environments. They are flexible, functional, durable, & look great too!

#### COMPONENTS

Infinity Circulation Desk is made up of:

- Desk Shell
- Desk Shell With Transaction Shelf
- Two Drawer Unit
- ADA Unit
- Corner Display
- Closed Corner Unit
- Working Corner
- Hinged Door Unit
- Open Storage
- Book Return
- Depressible Book Cart

#### SURFACE

1 1/4" High Pressure Laminate (HPL) top.

#### FRAME

Thermally Fused Melamine (TFM) sides & back with matching 3 mm PVC edge banding.

#### FEATURES


Cable Wire Management. Grommets & wire management channel.






# **CONFIGURING A MODEL NUMBER**

The Infinity Circulation Desk consists of several different components that work together to create a workstation that is configured to your specifications. Each piece is configured separately & in this example, we start with the desk shell using model number **3260-DS-29** & the model number can be broken up with parenthesis like this:



# **COLOR & FINISH OPTIONS**

STEP 1 LAMINATE COLOR Top, front, back, sides, & edge are all finished in the same laminate color. Specify one of the laminates below by using the number next to the laminate name.



# [FAMILY]-[LAMINATE] PART]-[COLOR]













# **MODEL NUMBERS & PRODUCT SPECS**



# **DESK SHELL**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
3236-DS-29	36	30	32	175	85
3236-DS-32	36	30	32	175	85
3248-DS-29	48	30	32	220	85
3248-DS-32	48	30	32	220	85
3260-DS-29	60	30	32	250	85
3260-DS-32	60	30	32	250	85
3272-DS-29	72	30	32	270	85
3272-DS-32	72	30	32	270	85
3936-DS-29	36	30	39	195	85
3936-DS-32	36	30	39	195	85
3948-DS-29	48	30	39	230	85
3948-DS-32	48	30	39	230	85
3960-DS-29	60	30	39	265	85
3960-DS-32	60	30	39	265	85
3972-DS-29	72	30	39	300	85
3972-DS-32	72	30	39	300	85

<sup>-29</sup>  $\uptheta$  -32 Indicate the work surface height. -29 Includes a privacy panel  $\uppha$  -32 does not



# TRANSACTION DESK SHELL

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
3936-TDS-29	36	30	39	215	85
3936-TDS-32	36	30	39	215	85
3948-TDS-29	48	30	39	250	85
3948-TDS-32	48	30	39	250	85
3960-TDS-29	60	30	39	295	85
3960-TDS-32	60	30	39	295	85
3972-TDS-29	72	30	39	330	85
3972-TDS-32	72	30	39	330	85

<sup>-29 &</sup>amp; -32 Indicate the work surface height



# **COMPUTER WORK STATION**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
32-CWS	36	30	32	220	85
39-CWS	36	30	39	240	85



# TWO DRAWER UNIT

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class
32-2D (1 Adjustable Shelf)	36	30	32	250	125
39-2D (1 Adjustable Shelf)	36	30	39	270	125



# **ADA UNIT**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
32-ADA	36	30	32	130	85



# **CORNER DISPLAY**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
32-CD (1 Adjustable Shelf)	42	22	32	140	85
39-CD (2 Adjustable Shelves)	42	22	39	165	85




# **CLOSED CORNER UNIT**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class
32-CC	42	22	32	155	150
39-CC	42	22	39	175	150



# **WORKING CORNER**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class
32-WC	66	36	32	250	85
39-WC	66	36	39	270	85







# **HINGED DOOR UNIT**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
32-HD (1 Adjustable Shelf)	36	30	32	240	85
39-HD (2 Adjustable Shelves)	36	30	39	265	85



# **OPEN STORAGE**

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
32-OS (1 Adjustable Shelf)	36	30	32	215	85
39-OS (2 Adjustable Shelves)	36	30	39	255	85



# **BOOK RETURN**

Model #	Width	Depth (in)	Height	Weight (lbs)	Freight Class (Qty 1)
32-BR	36	30	32	175	85
39-BR	36	30	39	195	85



# **DEPRESSIBLE BOOK CART**

Model #	Width	Depth	Height	Weight	Freight Class
	(in)	(in)	(in)	(lbs)	(Qty 1)
DBC	29	21.5	24	100	125

Available in the following laminates: Kensington Maple, River Cherry, Studio Teak, Xanadu, Folkstone, Frost, Black

# PENCIL DRAWER ACCESSORY

Model #	Width	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
PDA	17.5	17	3	10	85





# MAKER™ IDEA BOARD

E: paragonfurniture@paragoninc.com

The Paragon MAKER $^{\text{\tiny M}}$  Idea Board offers a canvas for interactive learning, brainstorming & connection. Move the board to a small group discussion to help ideate. Move the board to the front of the room to share the ideas with the larger group. Mobile, double-sided dry erase finish provides a large writing surface & perforated bottom panels allow for easy storage & access of tools & writing utensils.



# **FEATURES**

There's an innate difference when you specify Paragon Furniture. We're dedicated to designing safe & ecofriendly furniture that lasts. Our products are tested to meet & exceed ANSI/BIFMA certifications, we are committed to complying with MAS Certified Green criteria & our products are assembled in the U.S.A.

#### FRAME

The frame & leg assemblies are constructed from welded 16-gauge steel tube & the base is equipped with  $\frac{1}{4}$ " holes on 1" centers designed for standard pegboard hook accessories.

#### MOBILE

All Idea Boards include 4 heavy-duty locking A&D Casters to move the board easily while in use, & remain stationary when necessary.

#### FLEXIBLE

Idea Boards come standard with a white magnetic dry erase surface or clear acrylic panel on both sides. Use as a mobile whiteboard, clear partition, or both!

#### STORAGE


The bottom half of the board is constructed using 16-gauge steel  $\vartheta$  is equipped with  $^{1}\!4$ " holes on 1" centers designed for standard pegboard hook accessories which allow for tools  $\vartheta$  writing utensils to be stored using optional  $^{1}\!4$  inch peghooks.





# **CONFIGURING A MODEL NUMBER**

Idea Boards can be configured in different sizes, colors, & styles, including a white markerboard or clear acrylic panel. To specify white markerboard, use CWS & for acrylic, use A15. In this example we used model number IDEABOARD3371-CWS & the new part number can be broken up into parenthesis like this:




# **COLOR & FINISH OPTIONS**











WISDOM




# STEP 2 ACCENT PAINT

# [FAMILY]-[FRAME][METAL PART]-[COLOR][ACCENTS]














# STEP 3 PLASTIC ACCENTS

# [FAMILY]-[FRAME][METAL][PLASTIC] PART]-[COLOR][ACCENTS]














# MODEL NUMBERS & PRODUCT SPECS

# MAKER-IDEABOARD

Model #	Width (in)	Depth (in)	Height (in)	Weight (lbs)	Freight Class (Qty 1)
IDEABOARD3353-CWS	33	21	53	55	125
IDEABOARD3371-CWS	33	21	71	65	125
IDEABOARD7553-CWS	75	21	53	100	125
IDEABOARD7571-CWS	75	25	71	125	175
IDEABOARD3353-A15	33	21	53	55	125
IDEABOARD3371-A15	33	21	71	65	125
IDEABOARD7553-A15	75	21	53	100	125
IDEABOARD7571-A15	75	25	71	125	175



CWS specifies a white markerboard panel  $\vartheta$  -A15 specifies a clear acrylic panel

