



**PARACLETE®**  
P R O V E N   U N D E R   F I R E



2018  
CATALOG







## MISSION STATEMENT

### Protect & Enhance Lives

We design, produce and deliver the highest quality protective solutions in the world.

We accomplish this by driving innovation, continuously improving our quality management system and exceeding customer expectations.



# CONTENTS

## 2 MISSION STATEMENT

3 Table of Contents

## 4 BALLISTICS

5 About Us  
6 Proven Under Fire  
7 Ballistic Specifications  
8 How Body Armor Works

## 10 TACTICAL BODY ARMOR

10 Introduction  
12 Options / Accessories / Upgrades  
14 ARMORVENT®  
16 Laser Cut Technology  
17 Bikini Plate Carrier  
18 RMV GEN IV  
20 ARMIS GEN II  
21 ARMIS GEN II Laser Cut  
22 SOHPC GEN IV  
23 SOHPC GEN IV Laser Cut  
24 APC GEN IV  
25 APC GEN IV Laser Cut

## 26 TACTICAL ACCESSORIES

28 Chest Rig / Pylon-Lite Belt  
29 Ballistic Blanket / GOSHIELD®  
30 HopLite IIIA Shield  
31 Bellator IIIA+ Shield  
32 Phalanx IIIA+ Shield  
33 Phalanx III Shield  
34 ASPIS IIIA+ Shield  
35 ASPIS-X III Shield  
36 ASPIS-X GEN II Level III Shield  
37 Trifecta X III+ Shield  
38 S.O.B. - Special Ops Bunker  
40 Hard Armor Plates Chart  
42 Hard Armor Plates  
52 Helmets  
54 Helmet Accessories  
56 Batons  
58 Protective Eyewear  
60 Bags / Packs / Pouches







# PARACLETE®

PROVEN UNDER FIRE®

## ABOUT US

PARACLETE® is committed to developing, manufacturing and delivering the most advanced tactical body armor and other protective solutions. Our products are world-renowned for their specialized designs and extreme adaptability in form, fit and function. PARACLETE® continues to break new ground in developing technologically advanced, mission-specific equipment by not only working closely with members of the law enforcement, special operations and military communities, but also by adapting their needs to meet tomorrow's emerging threats.

As hostile conditions continue to intensify globally, PARACLETE® will continuously drive the development of next-generation, tactical body-armor systems while rapidly responding to the needs of our customers. Our products are thoroughly field tested to exacting requirements and consistently surpass industry standards. Never standing still, PARACLETE® is leading the charge against emerging threats and ensuring unparalleled ballistic performance for those who serve to protect society.

Since the value of body armor has become more evident in light of today's hostile conditions, our engineering team and ballistic specialists take extraordinary measures in ensuring that our armor is consistent with the needs of our customers.

We continuously monitor the law enforcement and corrections communities to assess the potential of new street and institutional threats. Once a new product is available, our highly trained technical support specialists routinely perform live-fire shoot demonstrations nationwide. These events allow law enforcement officials and our distributors an opportunity to experience the exceptional performance of our ballistic systems first-hand.





# PROVEN UNDER FIRE®

- **EXCEEDS NIJ.06 TESTING REQUIREMENTS**
- **SURPASSES INDUSTRY STANDARDS**
- **PROTECTS BEYOND YOUR EXPECTATIONS**

Protecting your community starts with equipping yourself with body armor that not only meets the highest level of protection but also exceeds your expectations for lightweight comfort and performance. At PARACLETE®, we're constantly pushing the limits in ballistic technology.

As part of Point Blank Enterprises' family of brands, we currently have more NIJ .06 certified products than any other ballistics company in the industry with a key emphasis of providing our customers with lighter, more flexible body armor systems with greater ballistic capabilities. More officers trust the PARACLETE® brand because when it comes to meeting your needs for life protecting technology, expectations can never be too high.



## NIJ LEVEL II

| MODEL  | SIZE  | WEIGHT | THICKNESS | V50 9MM | V50 .357 MAG |
|--------|-------|--------|-----------|---------|--------------|
| SP+2LE | C1/C5 | 0.79   | 0.19      | 1775    | 1708         |
| AXII   | C1/C5 | 0.63   | 0.18      | 1794    | 1761         |

## NIJ LEVEL IIIA

| MODEL     | SIZE  | WEIGHT | THICKNESS | V50 .357 SIG | V50 44 MAG |
|-----------|-------|--------|-----------|--------------|------------|
| CIIIA-2   | C1/C5 | 1.47   | 0.30      | 1721         | 1660       |
| BCIIIA    | C1/C5 | 1.25   | 0.30      | 1847         | 1636       |
| XPIIIA-1  | C1/C5 | 1.25   | 0.30      | 1848         | 1723       |
| DX-IIIA*  | C1/C5 | 1.26   | 0.27      | 1913         | 1786       |
| FLXIIIA-1 | C1/C5 | 1.04   | 0.30      | 1773         | 1652       |
| AXIIIA**  | C1/C5 | 0.87   | 0.20      | 1870         | 1745       |
| AXBIIIA   | C1/C5 | 0.79   | 0.19      | 1863         | 1713       |

\*Exceeds NIJ, DEA and FBI Testing Requirements  
\*\* Exceeds New FBI 4.1 Requirements

Inside our world-class Point Blank Technology and Testing Center, a state-of-the-art ballistic laboratory allows us to continuously develop maximum-performance products which consistently exceed National Institute of Justice (NIJ), U.S. Military, Government (DEA and FBI) and International testing requirements. The Center also includes a dedicated R&D Garment Design Department that designs cutting-edge tactical carriers and a host of tactical accessories with the highest level of ergonomic fit and finish. This combination of ballistic expertise and garment design provides a seamless culmination of the most advanced body armor systems that are unparalleled in ballistic protection and comfort.

At PARACLETE®, we know the complex and ever changing threats law enforcement, federal and corrections officers face each day and intrinsically understand your needs for optimum ballistic protection. We strive to produce systems that combines maximum comfort and mobility with split-second adaptability. We are excited to offer you the latest advancements in ballistic technology and more options according to your required threat level and specifications for weight and performance.








# HOW DOES

## SOFT BODY ARMOR

### PROTECTION AGAINST BALLISTIC THREATS

When a bullet or projectile strikes body armor, it is caught in a “web” of high performance fibers that are layered and stitched to exceed certain bullet resistant specifications. The engaged fibers absorb and disperse the impact energy that is transmitted to the vest from the bullet, causing the bullet to deform or “mushroom”. Additional energy is absorbed by each successive layer of material in the vest, until such time as the bullet has been stopped. Because the fibers work together in both the individual layer and with other layers of material in the vest, a large area of the garment becomes involved in preventing the bullet from penetrating, as well as dissipating the forces which can cause non-penetrating injuries to internal organs.




WE UTILIZE A BLEND OF HIGH STRENGTH FIBERS, WHICH IS 6 TO 9 TIMES STRONGER THAN STEEL ON AN EQUAL WEIGHT BASIS.

According to research conducted by The Federal Bureau of Investigation (FBI), the risk of fatal injuries for officers who do not routinely wear body armor is 14 times greater than for those who do. As a company dedicated to serving the law enforcement and corrections community, a startling statistic such as this is the driving force behind our primary commitment, to provide the safest, most comfortable body armor in the world. To date, the lives of over 3,000 law enforcement officers have been saved by the use of bullet-resistant body armor.

Officers trust our line of tactical body armor because they know they don't have to compromise comfort for performance. As street threats increase in number and capacity, our experts in the Point Blank Enterprises (PBE) Technology and Testing Center are continuously testing and evaluating new advancements in ballistic technology to produce vests which not only offer superior protection but optimum comfort for daily wear. PBE is proud to stand at the forefront of this endeavor and will work diligently to communicate the importance of body armor, so that officers will WEAR IT FOR LIFE®.


### PROTECTION AGAINST BLUNT TRAUMA




Since soft body armor deforms backward upon impact, it also deforms backward into the wearer of the vest. The damage to tissue caused by this transfer of kinetic energy is called blunt trauma. Minimizing blunt trauma helps save lives, since it not only reduces internal injury, but prevents temporary incapacitation during the initial hit, allowing the wearer to respond immediately in a high threat situation. In testing against a soft clay backstop, a 1.7” (44 mm) deformation is the maximum indication of blunt trauma allowed by the National Institute of Justice (NIJ).

# IT WORKS?


## HARD BODY ARMOR



Ceramic plates are designed to stop rifle rounds and armor-piercing rounds which have a penetrating steel pin in the bullet. Plates are engineered by bonding a layer of ceramic to a hard panel made of multiple layers of ballistic material wrapped in a fabric covering.



As the bullet hits the plate, the hard ceramic strike face begins to break up the bullet while the ballistic material begins to absorb the energy of the penetration.



The round continues to break apart as the ballistic material extracts energy, decelerating the projectile and catching the fragments while limiting the effect of blunt trauma, the injury caused by an impacting bullet.

Hard body armor typically incorporates an ultra-hard, ballistic ceramic top layer combined with a laminated blend of unidirectionally oriented fiber bundles which work together to stop bullets and fragments. Some ultra lightweight plates do not incorporate ceramics in their construction. These nonceramic designs are effective against Level III threats. Ceramic hard armor works by disrupting the aerodynamic shape of the bullet and dissipating the energy through the shattering of the ceramic top layer. The blunted or shattered bullet and the ceramic fragments (secondary projectile) are caught in the laminated blend of high performance fibers, thereby inhibiting penetration.



### NIJ 0101.06 STANDARD FOR BULLET RESISTANCE

In the United States, body armor levels are certified by the National Institute of Justice (NIJ). The levels are IIA, II, IIIA, III, and IV. The body armor classes are often described by what sort of weaponry they guard against. The lowest level body armor can only be relied on to protect against bullets with relatively low energy, which tend to have less force on impact. Some higher level body armor can protect against higher energy bullets (i.e. 44 magnum and 357 magnum). Categories IIA through IIIA are soft and concealable. Type III and Type IV use hard or semi-rigid plates to defeat high energy rifle rounds.

### NIJ STANDARD

| LEVEL      | CALIBER                           | NIJ STANDARD 0101.06 VELOCITIES |
|------------|-----------------------------------|---------------------------------|
| LEVEL IIA  | 9mm 124 gr. FMJ RN                | 1225 ft/s                       |
|            | 40 S&W                            | 1155 ft/s                       |
| LEVEL II   | 9mm 124 gr. FMJ RN                | 1305 ft/s                       |
|            | .357 Magnum 158 gr. JSP           | 1430 ft/s                       |
| LEVEL IIIA | .357 Sig 125 gr. FN               | 1470 ft/s                       |
|            | .44 Magnum 240 gr. JHP            | 1430 ft/s                       |
| LEVEL III  | 7.62mm NATO 148 gr.               | 2780 ft/s                       |
|            | (.308 Caliber) FMJ                | 2880 ft/s                       |
| LEVEL IV   | 30.06 166 gr.                     | 2880 ft/s                       |
|            | (.30 Caliber) M2AP Armor Piercing | 2880 ft/s                       |

### 0101.06





# TACTICAL BODY ARMOR

Our full-line of mission adaptable Tactical Body Armor Systems are exclusively designed to meet the demanding needs of high-risk tactical teams. Each vest features a fully-integrated modular design that offers instant adaptability, time-tested reliability and the most technologically advanced ballistic systems available today.

## Load Bearing System

PARACLETE® Tactical Carriers are available with load bearing MOLLE compatible webbing or exceptionally strong laser-cut material which provides quick and secure attachment of various pouches and accessories — in just about any location on the vest. This interchangeable system offers convenient customization according to your individual requirements, while giving you the opportunity to utilize other magazine pouches and issue gear.

## Even Weight Distribution

Ballistics are evenly distributed to eliminate pressure points at protruding locations like hip bones and shoulders, thus providing greater comfort, wear duration and mobility.

## Armor Protection Enhancement System

Designed for the active assaulter, PARACLETE® tactical vests provide optimal scalability. Each vest can accommodate NIJ .06 Level II or IIIA ballistic collar, throat, biceps and groin protection, as well as Level III or IV hard armor plates. Ergonomically shaped to contour to the body, these additional protective enhancement components providing maximum protection while offering greater maneuverability.



**Bikini Plate Carrier**  
Exceptionally lightweight  
and durable construction.



**SOHPC GEN IV**  
Versatile Plate Carrier  
with modular features.



**APC GEN IV**  
Fully Scalable Plate Carrier that  
Accepts M8AV Style Ballistics.



**ARMIS GEN II**  
Light Coverage  
for Greater Maneuverability.



**RMV GEN IV**  
Medium Coverage  
and Fully Scalable.







## OPTIONS / ACCESSORIES



BICEPS



THROAT / COLLAR



TRAPEZIUS



LOWER AB / BACK



GROIN



HARD ARMOR PLATES



These options, accessories and upgrades are not available on all carriers. Each product page will describe what is available for a particular carrier.

## UPGRADES

WARSOC™ H3 Buckles



QUICK RELEASE



ARMORVENT™



Laser Cut



ELECTROSHOCK PROTECTION



### COLORS



Ranger Green Multi-Cam O.D. Green Coyote Black Wolf Grey

Tactical Body Armor





# ARMORVENT®

Featuring EVAP™ Technology

ARMORVENT® mitigates the negative effects of wearing body armor for sustained periods of time while improving the operational effectiveness and comfort for operators. EVAP™ Technology, ergonomic design and patent-pending air channel ventilation pattern delivers continuous comfort, regardless of temperature operational environment or duration of operation.

## FEATURES

### Evaporation of sweat

Convective airflow rapidly evaporates and removes sweat to keep you drier.

### Pulls heat away from skin

Conducts heat away from the skin and stores it on the armor carrier surface.

### Moisture vapor transport

Ventilated, pressurized serpentine surface structure creates natural vertical pathways.

### Ultra comfort

Compression of air chambers provides improved ergonomics between torso and armor.

### Odor-control

Keeping the armor carrier drier prevents the growth of microbes and bacteria.

### Passive technology

No chemicals, no batteries, no vehicle air conditioning –Your body fuels performance.

### Seamless integration

Compatible with all body armor carriers.

### All seasons

Not a hot weather only product – Works year round to keep you drier and more comfortable.



## Police Officer Feedback

*The ARMORVENT® panels have been a big hit here at MPD. They fit well, are comfortable and very functional. All the patrol personnel, bike officers and SWAT operators who are using them enjoy them and especially enjoy how they assist in keeping them cooler in the summer, reduce heat rash and regulate their body temperature regardless of the weather. The product is an excellent one.*

Sgt. Shawn Harper  
SRO/SWAT/Bike Patrol Unit  
Meridian Police Department



## INTEGRATED

System is integrated into the carrier.




## RETROFIT KIT

System can be added to carriers with hook tape.

## Ventilation & Evaporation Performance

- Inflated, symmetrical serpentine pattern creates a heat sink device that enables more efficient conduction/convection.
- Wide, vertical air channels promote air volume and air movement between you and your armor – Acts as a diaphragm pushing/pulling air during normal locomotion / body movements.
- Over 100 ventilation holes creates increased moisture vapor transport – in turn, creating better evaporative performance.







# Laser Cut

PARACLETE® now offers a patented, ultra-lightweight, laser-cut fabric for select tactical carriers which has the highest rip-stop and strength performance of any competing fabric on a weight-by-weight and thickness basis. This high performance material breaks new ground in composite fabrics. Engineered to withstand extreme environmental conditions while providing lightweight comfort for extended wear, our laser-cut fabric is ideally suited for tactical operations. Combining the latest carrier designs with advanced fabric technology results in the development of tactical armor systems, unparalleled in adaptability, functionality, and performance.

## FEATURES

### One of the lightest weight laser-cut materials available

- Best strength to weight ratio
- On average, PARACLETE® Laser Cut carriers are 15%-20% lighter and Laser Cut pouches are 25%-30% lighter weight compared to other traditional materials
- Ultra-thin fabric flexes without losing strength and replaces MOLLE webbing without sacrificing durability

### Highly durable and exceptionally strong

- 3 times more puncture resistant and 5 times greater abrasion resistant than traditional CORDURA® carriers
- Maintains the same strength as traditional MOLLE webbing without added weight
- Holds maximum load bearing equipment pouches without sagging

### Performs in demanding environments

- Unparalleled water resistance
- Compare to 50% water absorption for traditional MOLLE Webbing making PARACLETE® Laser cut carriers and pouches extraordinarily resistant to wet environments
- Withstands extreme fluctuations in temperatures



# BIKINI PLATE CARRIER

## FEATURES

- Ultra-light weight plate carrier
- Laser cut, web-less design
- Carrier fabric: CT9 500/200
- Custom Agency ID Placards
- Laser cut MOLLE openings (Tank Tread)
- Front and Back top loading plate pockets
- Adjustable hook/loop shoulders
- Comfort shoulder pads (set of 2)
- Adjustable bungee laced cummerbund located in the back
- Back adjustment cover flap
- WARSOC™ H3 buckle (Warrior Special Operation Carrier H3 buckle).
- Hook and Loop adjustable plate wrap
- Comfort shoulder pads
- Also available with standard SR buckle



## OPTIONS

- Comfort foam inserts (set of 2)
- Impact Reduction Ventilation Frame (set of 2)
- Accepts ballistic plate backer

## COLORS

- Multicam
- Black
- Ranger Green
- Coyote
- Wolf Grey







# RMV **GEN IV**

The revolutionary RMV GEN IV tactical armor system offers high-performance ballistic protection integrated in a fully functional and scalable design to meet the strategic needs of your specific mission. For immediate doffing of the vest, the RMV GEN IV vest can be rigged for release using three different styles of release. It also provides multiple points of adjustability for greater comfort and maximum freedom of movement. This gives it the versatility to adapt to any condition.

## FEATURES

- Multiple release options including cable pull and SPRS Release allow you to select one of three available release position options
- Hidden cable-routing openings
- Internal cummerbund for enhanced stabilization
- Bungee external cummerbund stabilizer
- Ballistic Insertable cummerbunds
- Adjustable-plate height strap
- Hook and Loop attachment area for Collar Protector and Throat Protector
- Built-in, over-shoulder cable/hydration routing
- Release/Non-release throat and collar
- All accessories have the ability to insert ballistics
- Shoulder strapping system offers two points of adjustability
- Removable front flap features Kangaroo pocket that accommodates three AR15/M16 mag inserts
- Front and back, bottom-loading plate pocket accepts 8" x 10" or 10" x 12" hard-armor plates and ESAPI



Standard Base Vest



Front Complete System with options

## OPTIONS

- Side plate pouch
- Groin, Trap, Bicep, Collar, and Throat ballistic accessories
- WARSOC™ H3 Buckle System
- Cummerbund ballistic inserts
- ARMORVENT®
- ThorShield®

## COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

## ACCESSORIES

Throat &amp; Collar



Biceps



Groin




Trap



Selective Point Release System (SPRS) allows you to select the exact location the vest releases

Magazine divider inserts (Standard with Triple M4/AR15)



Tactical Body Armor







# ARMIS **GEN II**

The ARMIS offers a new, innovative approach to body armor design. This highly scalable, side-opening carrier allows tactical units the flexibility to configure the body armor system to meet mission specific needs. This includes the capability to release the complete vest in one quick motion, select the specific level of protection needed, while enhancing mobility, agility and substantially improved range of motion for the operator.

## FEATURES

- Ergonomic carrier shape offers optimum protective coverage while maintaining maximum maneuverability (Front, Back, and Sides)
- Can be easily changed to non-release or adapted for right or left handed release
- Available with WARSOC™ H3 Buckle system for easy donning and doffing (Optional)
- Exceptionally strong and durable outershell construction
- Integrated torso mesh padding system placed within Tweave lining improves airflow and breathability
- Raised air channel padding with Durable Water Repellant (DWR) inner material
- Padded shoulder strapping system provides adjustability and load bearing support
- Ambidextrous cable channel openings on the chest
- Hidden wire routing channels
- Release system only requires pull cable and cummerbund adaptor
- Internal cummerbund helps stabilize the vest and provides a secure fit (kit)
- Sleeves inside each External Cummerbund accommodates ballistic inserts
- Removable Front Flaps to secure the External Cummerbund
- Kangaroo pocket on Front Flap includes 3 rifle magazine inserts
- Heavy duty, reinforced "man down" strap
- External, bottom loading, hard armor plate pocket in the front and rear
- Plate pocket per carrier size:  
Small: 8" x 10", Medium – 3XL: 10" x 12"
- MOLLE Compatible Webbing Attachment System
- Removable 3" x 9" ID Panels in the front and back
- Bottom drainage
- Custom Agency ID Placards



Standard Base Vest




Front Complete System with options

**GEN II**

Release system allows doffing in one quick motion (Optional)

Internal and external cummerbund helps stabilize the vest and provides a secure fit




## OPTIONS

- Laser Cut
- Side plate pouch
- Lower abdomen, Groin, Lower Back, Trapezius, Bicep, Collar, and Throat ballistic accessories
- WARSOC™ H3 Buckle System
- Release Kit
- ARMORVENT®
- ThorShield®

## COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

## ACCESSORIES



# ARMIS LASER CUT **GEN II**

ARMIS GEN II is available in our advanced laser-cut fabric. Engineered to provide superior puncture, abrasion and water resistance, the lightweight construction is also exceptionally strong and has maximum load bearing capabilities.

## FEATURES

- Highly durable laser-cut fabric construction
- Laser cut material flexes without losing strength
- Accepts laser cut and standard MOLLE compatible pouches
- Ergonomic carrier shape offers optimum protective coverage while maintaining maximum maneuverability (Front, Back, and Sides)
- Can be easily changed to non-release or adapted for right or left handed release
- Available with WARSOC™ H3 Buckle system for easy donning and doffing (Optional)
- Integrated torso mesh padding system placed within Tweave lining improves airflow and breathability
- Raised air channel padding with Durable Water Repellant (DWR) inner material
- Padded shoulder strapping system provides adjustability and load bearing support
- Ambidextrous cable channel openings on the chest
- Hidden wire routing channels
- Release system only requires pull cable and cummerbund adaptor (sold separately)
- Internal cummerbund helps stabilize the vest and provides a secure fit (kit)
- Sleeves inside each External Cummerbund accommodates ballistic inserts
- Removable Front Flaps to secure the External Cummerbund
- Kangaroo pocket on Front Flap includes 3 rifle magazine inserts
- Laser cut one piece drag handle for maximum strength
- External, bottom loading, hard armor plate pocket in the front and rear
- Plate pocket per carrier size:  
Small: 8" x 10", Medium – 3XL: 10" x 12"
- MOLLE Compatible Webbing Attachment System
- Removable 3" x 9" ID Panels in the front and back
- Bottom drainage
- Custom Agency ID Placards



Standard Base Vest



Complete System

Release system allows doffing in one quick motion (Optional)

Internal and external cummerbund helps stabilize the vest and provides a secure fit

## COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

## OPTIONS

- Side plate pouch
- Lower abdomen, Groin, Lower Back, Trapezius, Bicep, Collar, and Throat ballistic accessories
- WARSOC™ H3 Buckle System
- Release Kit
- ARMORVENT®
- ThorShield®

## ACCESSORIES







# SOHPC

## GEN IV


The SOHPC is PARACLETE's latest hard plate carrier. It has been innovatively designed to provide unmatched comfort, protection and flexibility to meet the needs of every mission. Through the addition of an adjustable cummerbund and optional side plate pouches for hard armor plates, the SOHPC is the operator's choice for today's missions.

### FEATURES

- Extra durable, 500 denier Cordura construction
- MOLLE compatible webbing throughout the vest
- Adjustable two point shoulder strapping system with rear quick release buckles
- Bottom loading front and back hard armor plate pockets accommodates 10" x 12" or ESAPI plates
- External cummerbund system accommodates soft ballistic inserts
- Foam padded trap protector available with soft ballistic inserts (Optional)
- Ballistic backer inserts for hard armor plate pockets (Optional)
- 3 Mag pouch included in the front flap
- ID panels in the front and back
- Rear drag handle
- Removable front flap secures cummerbund and accommodates kangaroo pocket with removable mag inserts
- Removable Internal Buckle waist strap



Front Vest



Back Vest



### ADD HARD ARMOR



### OPTIONS

- Trap protector soft ballistic inserts
- Ballistic backer inserts for hard armor plate pockets
- WARSOC™ H3 Buckle System
- ARMORVENT®
- Laser Cut

### COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

# SOHPC LASER

## GEN IV

Taking performance to a higher level, the SOHPC is now available in a patented laser cut fabric which provides maximum load bearing capabilities and exceptional abrasion, puncture and water resistance. Ultra strong and durable, the laser cut material maintains the same strength as traditional MOLLE webbing without added weight.

### FEATURES

- Highly durable laser-cut fabric construction
- Laser cut material flexes without losing strength
- Accepts laser cut and standard MOLLE compatible pouches
- Adjustable two point shoulder strapping system with rear quick release buckles
- Bottom loading front and back hard armor plate pockets accommodates 10" x 12" or ESAPI plates
- External cummerbund system accommodates soft ballistic inserts
- Foam padded trap protector available with soft ballistic inserts (Optional)
- Ballistic backer inserts for hard armor plate pockets (Optional)
- 3 Mag pouch included in the front flap
- ID panels in the front and back
- Rear drag handle
- Removable front flap secures cummerbund and accommodates kangaroo pocket with removable mag inserts
- Internal Buckle waist strap



### ADD HARD ARMOR



### OPTIONS

- Trap protector soft ballistic inserts
- Ballistic backer inserts for hard armor plate pockets
- WARSOC™ H3 Buckle System
- ARMORVENT®

### COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey



Front Vest



Back Vest





# APC

## GEN IV

Designed to allow the operator to gain immediate protection against high powered assault weapons, the Advanced Plate Carrier (APC) takes performance to new levels. Blending the functionality of a tactical vest with the simplicity of a plate carrier, the APC accommodates soft ballistic panels, Level III or IV hard armor plates and equipment pouches.

### FEATURES

- Able to accept three distinct release options:
  1. Center Pull Release
  2. Right or Left Shoulder Pull Release
  3. Right or Left Chest Pull Release
- External, bottom loading hard armor plate pockets in the front and back for additional protection
- Accepts soft armor inserts
- Adjustable 2-piece cummerbund system
- Internal "belly band" provides additional adjustability
- Removable front flap secures cummerbund and accommodates kangaroo pocket with removable mag inserts
- Reinforced rescue strap
- Ballistic Collar, Throat, Yoke, Biceps, Abdomen, Lower Back and Groin Protection (Optional)
- High abrasion inner tweave material
- Admin Pocket
- ID panels in the front and back
- Name Plaque on Front and Back bodies
- Two Point Adjustable Shoulder Straps
- Cable routing
- Push-to-talk / Chest rig attach webbing
- Able to fit MBAV cut ballistics (Optional)
- Side plate pockets can be ordered separately
- Accommodates standard 8" x 10", 10" x 12" hard armor plates and ESAPI
- Back pocket can accept rectangle hard armor plates



Standard Base Vest



Complete System

#### ADD HARD ARMOR



#### OPTIONS

- Side plate pouch
- Lower abdomen, Groin, Lower Back, Bicep, Yoke, Collar, and Throat ballistic accessories
- WARSOC™ H3 Buckle System
- Cummerbund ballistic inserts
- ARMORVENT®
- ThorShield®
- Laser Cut

#### COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

### ACCESSORIES



# APC LASER

## GEN IV

### FEATURES

- Constructed of exceptionally strong and lightweight laser cut material
- Able to accept three distinct release options:
  1. Center Pull Release
  2. Right or Left Shoulder Pull Release
  3. Right or Left Chest Pull Release
- External, bottom loading hard armor plate pockets in the front and back for additional protection
- Accepts soft armor inserts
- Adjustable 2-piece cummerbund system
- Internal "belly band" provides additional adjustability
- Removable front flap secures cummerbund and accommodates kangaroo pocket with removable mag inserts
- Reinforced rescue strap
- Ballistic Collar, Throat, Yoke, Biceps, Abdomen, Lower Back and Groin Protection (Optional)
- High abrasion inner tweave material
- Admin Pocket
- ID panels in the front and back
- Name Plaque on Front and Back bodies
- Two Point Adjustable Shoulder Straps
- Cable routing
- Push-to-talk / Chest rig attach webbing
- Able to fit MBAV cut ballistics (Optional)
- Side plate pockets can be ordered separately
- Accommodates standard 8" x 10", 10" x 12" hard armor plates and ESAPI
- Back pocket can accept rectangle hard armor plates




Standard Base Vest



Complete System

#### ADD HARD ARMOR



#### OPTIONS

- Side plate pouch
- Lower abdomen, Groin, Lower Back, Bicep, Yoke, Collar, and Throat ballistic accessories
- WARSOC™ H3 Buckle System
- Cummerbund ballistic inserts
- ARMORVENT®
- ThorShield®

#### COLORS

- Ranger Green
- Multi-Cam
- O.D. Green
- Coyote
- Black
- Wolf Grey

### ACCESSORIES







## ENHANCE OPERATIONAL READINESS AND MISSION CAPABILITIES WITH OUR TACTICAL ACCESSORIES

Enhance operational readiness and mission capabilities with our cutting edge tactical equipment. We deliver superior products that enhance the safety and performance of law enforcement, military and corrections professionals.

### TACTICAL HELMETS

Constructed of high performing and lightweight aramid fibers in a composite matrix, our helmets provide solid protection against handgun bullets (9mm and .44 Magnum) and fragments. Our highly innovative helmet designs incorporate the latest bullet-resistant safety standards, customized sizing, ergonomic comfort, and technical functionality, developed specifically for law enforcement and military operations.



#### INTRODUCING



Page 38



### WARSOC™ H3 BUCKLE

Available as an optional upgrade.



Our exclusive WARSOC™ H3 (Warrior Special Operation Carrier) Buckle System is specially engineered for tactical body armor and plate carriers. It utilizes a patented, slim "H" shape with a unique locking mechanism which allows an operator to secure his vest while providing a faster deployment option. Easy to operate, the WARSOC™ H3 buckles are available via cummerbund or integrated into specific tactical carriers. This system alleviates the conventional front cummerbund flap typically available on standard tactical vests. The operator can permanently leave the front panel pouches loaded with gear and doff the vest in seconds without moving any equipment. It's fast, easy and highly effective.

### HARD ARMOR



Engineered to meet the unique needs of the first responder, we offer a variety of hard armor plates ranging in construction from ceramic/aramid to ultra-lightweight polyethylene. Offered in NIJ Level III, III+, IV or Level III/IV In-Conjunction with Level IIIA, these plates provide superior protection from high velocity rounds. Available in different sizes, shapes and curvature options, our hard armor plates can meet the needs of any mission in the most extreme operating environments.



### BALLISTIC SHIELDS

Ground breaking in design and unparalleled in functionality, maneuverability and overall performance, PARACLETE® offers a full line of ballistic shields available in different sizes, shapes and threat levels. Specially designed to provide greater agility for handgun deployment the Hoplite, Aspis, Aspix X, Bellator, Phalanx and Trifecta X Shields provide multiple design features and offer exceptional protection against a variety of special threats.

### PACKS AND POUCHES

Our extensive line of load bearing packs and pouches are unparalleled in craftsmanship and superior in construction. Made of 100 % Nylon Cordura® DWR, this high-tenacity material defies the rigors of daily use while providing maximum tear and abrasion resistance. Increase functionality, reduce fatigue and improve efficiency by placing load bearing equipment (radios, handcuffs, magazines, etc.) in Paraclete's MOLLE- compatible or laser cut pouches. PARACLETE® pouches are designed to optimize longevity, durability, weight and comfort, while ensuring equipment stability under the most severe conditions.



### BATONS

Our complete line of batons are exceptionally durable and comfortable to carry and operate. The ergonomic design makes each model easy to access, open, control and retain due to the special grip options offered. Several different design configurations are available including a three-stage telescopic collapsible baton, alpha-lock baton, side handle baton, and straight batons in a variety of sizes that are engineered to meet your performance requirements.







# CHEST RIG

For instant access to essential gear, the PARACLETE® Chest Rig allows an operator to quickly don over existing body armor and deploy equipment with split second precision. The chest rig can accommodate a variety of pouches to hold pistol/rifle mags, med kit and a variety of emergency items. The PARACLETE® Chest rig is simple to use, convenient for any assignment and highly adaptive according to your specific needs.

## FEATURES

- One size fit most Chest rig
- 4 points of adjustment in shoulder straps
- Adjustable back strap
- Shoulder straps can be positioned narrow, regular, or wide fit
- Shoulders have split buckle connection holes
- Adjustable and removable shoulder pads
- Can be worn stand alone with suspenders
- Can be worn via MOLLE attachment to the vest
- Can be worn with quick detach buckles



### COLOR

Black  
Multi-Cam  
Ranger Green



# PYLON-LITE Belt

## FEATURES

- Designed to hug the wearer's hips and prevent the load from sliding down
- Distributes weight throughout pelvic area
- Works with the body to offer full articulation
- Removable foam layer for added comfort
- Ballistic inserts available
- Adaptable to multiple riggers/gun/instructor belt models

Can be sold with or without the Support structure.

### COLOR

Black  
Multi-Cam  
Ranger Green  
Coyote  
O.D. Green



Pylon-Lite with MOLLE



Pylon-Lite Laser Cut

Improve weight distribution while minimizing fatigue by adding the PARACLETE® Pylon-Lite Belt to tactical vests. The Pylon-Lite Belt is a dynamic load dispersal structure that works by redistributing the weight from the shoulders to the pelvic area. It works with the vertebrae to facilitate torsional flex and compression. Ergonomically designed to contour to the body, the Pylon-Lite Belt not only improves the comfort of the vest, it also allows the operator to load additional equipment as needed.

# BALLISTIC BLANKET

Our Ballistic Blankets are manufactured from high-strength, lightweight ballistic fabrics which are designed to provide a protective barrier against (Level IIIA) ammunition.



## FEATURES

- Constructed of 1000 denier Cordura® outershell
- Abrasion and water resistant
- 6 heavy-duty, nylon carry handles
- Available Colors: Black

## SIZES

- 32" x 72"
- 36" x 72"
- 48" x 72"

Special sizes available upon request.

# GOSHIELD®

## FEATURES

- Total 40 inches in length
- Soft ballistic panels allow shield to unroll and provide instant protection. (Separate storage bag included)
- Upper flap unrolls and suspends from vehicle door, boat rail, or support for breaching
- Front two plate pockets for use with 10" x 12" stand alone certified hard armor plates in Level III or IV (Hard armor plate not included)
- Easy access long pockets for housing of rods
- Rigid rods provide framing reinforcement of shield
- Return-to-Center mechanism for maintaining upper rod placement when shooting hands-free
- Elastic tension for long rod pockets for securing rods in an active environment
- Rigid rubber upper handle for maintaining grip integrity
- Lower strap handle allows for two handle application
- Sling permits hands-free shooting with pistol
- Several points of attachment for slings enables cross-point or backpack style carry
- MOLLE Compatible webbing allows for adjustments of slings and shield height
- Folding positions to 30" or 25" allows for use in confined spaces
- Bottom loading flap for ballistic panel insertion
- Available Colors: Black and Ranger Green
- 1000 denier Cordura® outershell







# HOPLITE

LEVEL IIIA

Designed for immediate active shooter response, this exceptionally lightweight shield provides the ultimate combination of high performance protection, optimal functionality and usability.

## FEATURES

- Tested to Federal Standard NIJ-STD-0108.01 Level IIIA
- Shield construction available in flat or curved shape
- Designed for maximum defensive capability
- Durable Polyurea coating
- Unique Forearm Strap attachment system
- Weight of the shield system w/ optional features does not exceed 19 lbs.
- Shield body thickness is .3"
- Reinforced Bolt system for added protection

## OPTIONS

- 900 lumens Light kit
- Viewport — Constructed of 1" thick polycarbonate that provides a viewable area while maintaining Level IIIA protection
- Flat viewport has a viewable area of 8" x 2.75"
- Curved viewport has a viewable area of 12" x 3"

| Description             | Weight (lbs.) |
|-------------------------|---------------|
| 20X30 FLAT              | 9.8 lbs.      |
| 20X30 FLAT W/VP         | 13.1 lbs.     |
| 20X30 FLAT W/VP, W/LT   | 15.1 lbs.     |
| 20X30 CURVED            | 9.9 lbs.      |
| 20X30 CURVED W/VP       | 13.3 lbs.     |
| 20X30 CURVED W/VP, W/LT | 15 lbs.       |
| 24X36 FLAT              | 13.5 lbs.     |
| 24X36 FLAT W/VP         | 15.6 lbs.     |
| 24X36 FLAT W/VP, W/LT   | 17.6 lbs.     |
| 24X36 CURVED            | 14.6 lbs.     |
| 24X36 CURVED W/VP       | 16.5 lbs.     |
| 24X36 CURVED W/VP, W/LT | 18.22 lbs.    |



Flat



Curved

# BELLATOR

LEVEL IIIA+

The Bellator Shield is specially designed to meet the demanding needs of high-risk tactical teams. Providing greater vertical protective coverage and a dynamic shape for long gun deployment, the Bellator offers the perfect combination of protection and performance.

## FEATURES

- Level IIIA+ protection
- Federal Standard NIJ-STD
- Accurate long-gun deployment
- Ballistic Material – Hybrid composite
- Polyurea coating for enhanced durability and longevity
- 24" x 36" with viewport weighs only 14.40 lbs.
- Lightweight 24" x 40" with viewport weighs only 16.10 lbs.
- Mitigates ricochets when deployed on the ground
- Unique Hook and Loop forearm strap attachment system
- Thick high density foam pad 11" x 7" x 1.5"
- Silhouette shape provides firearms deployment on both shoulders
- Better peripheral view
- Stationary handle

## Special Threats Rounds Tested:

- 9mm Fiocchi, 115-grain FMJ projectiles.
- 9mm, 124-grain full metal jacketed (FMJ) projectiles.
- .357 SIG 115-grain jacketed hollow point (JHP) projectiles.
- .357 SIG 125-grain gold dot hollow point (GDHP) projectiles.
- 44-mag., 240-grain semi-wadcutter gas checked (SWGC) projectiles
- 9mm +P+, 127-grain supreme expansion technology (SXT) projectiles.
- 5.7 x 28mm 27-grain SS195 lead free hollow point (LFHP) projectiles.
- 5.7 x 28mm 40-grain Hornady V-Max (Blue Tip) projectiles.
- 7.62 x 25mm, 95-grain TOKAREV FMJ projectiles.
- .40 cal., 95-grain Aguila projectiles

## OPTIONS

- LED light with strobe (900 lumens)
- Transport Bag



Inside

Outside



24" x 36"

24" x 40"

All models, data and specifications are subject to modification by manufacturer without notice.







# PHALANX

LEVEL IIIA+

The Phalanx is considered the most agile Level IIIA+ shield for hand gun and long gun deployment. A wide, trapezoid shaped viewport provides excellent viewing capabilities while the mounted platform on each side allows the operator to position their weapon for optimum firing position.

## FEATURES

- Level IIIA+ protection
- 100% bottless system
- More functional view port
- Polyurea coating for enhanced durability and longevity
- Lightweight (26" x 36" with viewport) is only 20 lbs.
- Best agile performing shield for handgun and rifle deployment
- Wider ballistic protection at top
- V-shape added strength to the entire center length of the shield
- Weapon mount platform on both sides
- Better view at 12 o'clock and conversely when held inverted 6 o'clock position
- Mitigates ricochets and diverts away from center
- Unique Hook and Loop forearm strap attachment system
- Thick high density foam pad
- Accurate handgun and long-gun deployment
- Stationary handle

## Special Threats Rounds Tested:

- Level IIIA+ 44mag, 240-grain Semi- wadcutter Gas Checked (SWCGC) projectiles.
- 9mm, 124 grain Full Metal Jacketed (FMJ) projectiles.
- .357 SIG 115 grain Jacketed Hollow Point (JHP) projectiles.
- .357 SIG 125 grain Gold Dot Hollow Point (GDHP) projectiles.
- 9mm +P+, 127 grain Supreme Expansion Technology (SXT) projectiles.
- 5.72 x 28mm 40-grain Hornady V-Max (Blue Tip) projectiles.
- 5.7 x 28mm 27grain SS195 Lead free Hollow Point (LFHP) projectiles.
- 7.62 x 25-mm, 95grain TOKAREV FMJ projectiles.
- 9mm Fiocchi, 115 grain FMJ projectiles.
- .40 cal., 95 grain Aguila projectiles



Outside

Inside


## OPTIONS

- With or Without View Port
- LED light with strobe (450 lumens)
- Transport Bag

## Technical Specifications:

- Federal Standard NIJ-STD
- View port (Trapezoid Shape)
- Ballistic material - hybrid composite
- Must come w/ 3 components: Handle, foam pad, and forearm strap system

Standard Phalanx Model



# PHALANX X

LEVEL III

## FEATURES

- Rifle rated Level III Protection
- Components offered on the interior of the shield
- Stationary handle
- Thick high density foam pad
- Unique hook/loop fastener forearm strap attachment system
- Integrated Non-Ballistic weapon mount system
- Three positional shooting platforms

## Technical Specifications:

- Federal Standard NIJ-STD-0108.01 Level III Compliant
- Ballistic Material - Hybrid Composite
- Size is 20" x 36" (+/- 1/2")
- Weight with Viewport and light do not exceed 26 lbs.
- Viewport - 3" x 9"
- LED 900 Lumens light system
- Shield thickness is 1" (+/- .1")

## Rounds Tested:

- 7.62 x 51-mm, 149-grain M80 FMJ
- 7.62 x 39-mm, 123-grain PS ball

## OPTIONS

- With or Without Viewport
- LED light with Strobe
- Transport carry bag

Inside



Outside



All models, data and specifications are subject to modification by manufacturer without notice.







# ASPIS

**LEVEL IIIA+**

The ASPIS Shield is ideal for quick deployment in tight quarters. Exceptionally lightweight, this high performing Level IIIA+ shield delivers optimal protective coverage with enhanced maneuverability for left or right handed operators.

## FEATURES

- Level IIIA+ protection
- Federal Standard NIJ-STD
- Accurate long-gun deployment
- Ballistic Material - Hybrid composite
- Polyurea coating for enhanced durability and longevity
- 20"x 30" with lights weighs only 15.75 lbs.
- 20"x30" without lights weighs only 14.00 lbs.
- 20"x30" without viewport weighs only 11.50 lbs.
- Mitigates ricochets when deployed on the ground
- Unique Hook and Loop forearm strap attachment system
- Thick high density foam pad 7"x7"x 1.5"
- Silhouette shape provides firearms deployment on both shoulders
- Better peripheral view
- Stationary handle

## Technical Specifications:

- Federal Standard NIJ-STD
- Ballistic Material - Hybrid composite
- Must come with 3 components:  
Handle, Foam Pad and Forearm strap system
- View Port - (Trapezoid Shape)

## Special Threats Rounds Tested:

- 9mm Fiocchi, 115-grain (FMJ) projectiles
- 9mm, 124-grain full metal jacketed (FMJ) projectiles
- .357 SIG 115-grain jacketed hollow point (JHP) projectiles
- .357 SIG 125-grain gold dot hollow point (GDHP) projectiles
- 44-mag., 240-grain semi-wadcutter gas checked (SWCGC) projectiles
- 9mm +P+, 127-grain supreme expansion technology (SXT) projectiles
- 5.7 x 28mm 27-grain SS195 lead free hollow point (LFHP) projectiles
- 5.7 x 28mm 40-grain Hornady V-Max (Blue Tip) projectiles
- 7.62 x 25mm, 95-grain TOKAREV (FMJ) projectiles
- .40 cal., 95-grain Aguila projectiles



## OPTIONS

- With or Without View Port
- LED light with strobe (450 lumens)
- Transport Bag

# ASPIS X

**LEVEL III**

Exceptionally lightweight at only 17lbs, the ASPIS X Shield provides superior maneuverability for handgun and long gun deployment. Available in Level III protection, the ASPIS X delivers high performance protection and optimal functionality.

## FEATURES

- Lightweight (20" x 30" standard class) weighs only 17 lbs
- Best agile performing shield for handgun deployment
- 3" x 9" Reinforced Viewport
- Weapon Mount System (WMS)
- Two shooting platforms for accurate handgun and long-gun deployment
- 3 important components offered on the interior of the shield
  - Stationary handle
    - Thick high density foam pad
    - Unique Hook and Loop forearm strap attachment system

## Special Threats Rounds Tested:

- 7.62 x 39-mm, 123-grain PS Ball
- 7.62 x 51mm 149gr M80
- 5.56 x 45-mm, 55-grain M193 Ball

## Weights:

- With Light with Viewport: 17.9 lbs.
- With Light without Viewport: 13 lbs.
- Without Light with Viewport: 17 lbs.
- Without Light without Viewport: 12 lbs.

## Technical Specifications:

- Federal Standard NIJ-0108.01
- Ballistic Material - Hybrid composite
- Weight of the shield not to exceed 18 lbs
- View Port Reinforced on all edges for added protection
- Must come w/ 3 components: Handle, Foam Pad, and Forearm strap system
- Reinforced Bolt System for added protection
- Recessed Viewport to provide additional protection against Abrasive contact

## OPTIONS

- With or Without View Port
- LED light with strobe (900 lumens)
- Transport Bag



Outside



Inside







# ASPIS X **GEN II** LEVEL III

## FEATURES

- Level III protection
- Multi-Hit
- Federal Standard NIJ-STD
- Accurate long-gun deployment
- Ballistic Material - Hybrid composite
- Polyurea coating for enhanced durability and longevity
- 20" x 30" Full System WEIGHT = 17.9 LBS
- Mitigates ricochets when deployed on the ground
- Unique Hook and Loop forearm strap attachment system
- Thick high density foam pad 7"x7"x1.5"
- Flat Design - Lower Weapon Mount System
- Stationary handle

## Technical Specifications:

- Federal Standard NIJ-STD
- Ballistic Material - Hybrid composite
- Must come with 3 components:  
Handle, Foam Pad and Forearm strap system
- View Port

## Special Threats Rounds Tested:

- 7.62 x 39-mm, 123gr PS Ball
- 7.62 x 51mm, 149gr M80
- 5.56 x 45-mm, 55gr M193 Ball

Outside



Inside



## OPTIONS

- With or Without View Port
- LED light with strobe (450 lumens)
- Transport Bag

# TRIFECTA X LEVEL III+

This high-performance shield has been both internally and externally validated to ballistic performance levels that meet the requirements—NIJ Level III plus.

## FEATURES

- Level III+ Protection
- Components offered on the interior of the shield:
  - Stationary handle
  - Thick high density foam pad
  - Unique hook/loop fastener forearm strap attachment system

## Special Threats Rounds Tested:

- 7.62 x 51-mm, 149-grain M80 FMJ
- 7.62 x 39-mm, 123-grain PS Ball
- 5.56 x 45-mm, 62-grain M855
- 5.56 x 45-mm, 62 grain Tactical Bonded

## Technical Specifications:

- Federal Standard NIJ-STD-0108.01 Level III Compliant
- Ballistic Material - Hybrid Composite
- Size is 21" x 36"
- Weight with Viewport and light is less than 35 lbs.
- Viewport - 3" x 9"

## OPTIONS

- LED light with strobe
- Transport Bag

Inside



Outside



All models, data and specifications are subject to modification by manufacturer without notice.







## SOB™

## The Original Collapsible Defense System

The SOB™ is the only personal defense system of it's kind, offering the ideal mix of ballistic protection and mobility. It is designed for easy transport and quick deployment. After all, armor is worthless if you can't take it with you.

Unlike hand-carry shields, the SOB™ offers full-body coverage against extreme ballistic threats. It is freestanding, allowing the operator to maintain use of both hands when necessary.

Our unique patented design allows the SOB™ to collapse into a single compact unit, small enough to fit in the trunk of a patrol car for transport or storage. When you need the SOB™ it can be fully deployed in less than 20 seconds!

Modular side panels can be attached when additional coverage is needed. Side panels can also function as hand-carry shields.

The SOB™ armor system is rigorously tested and certified to exceed NIJ Level IV requirements. Wheels, axles, and run-flat tires can also withstand multiple gunshots.

## Ballistic Options

NIJ Level III (7.62 NATO Ball M80 149 gr.)

NIJ Level III+ (7.62x39mm MSC 123 gr. 5.56x45mm M855 62 gr.)

NIJ Level IV (.30 CAL AP M2 7.62x63mm 166 gr.)

## Total Armor Area

10 square feet without side panels

19 square feet with side panels

## Dimensions

Deployed: 33" W x 34" D x 72" H

With Side Panels: 46" W x 34" D x 72" H

Stowed: 33" W x 34" D x 15" H

Footprint (stowed horizontal): 33" x 34"

Footprint (stowed vertical): 15" x 33"

## Weight

Chassis (NIJ Level IV): 237 lbs (108 kg)

Removeable Viewport (NIJ Level IV): 93 lbs (42 kg)

Chassis + Viewport: 330 lbs (150 kg)

Side Panel (NIJ Level III+): 46 lbs (21 kg)

Side Panel (NIJ Level III): 37 lbs (17 kg)



## SOB II™

## Second Generation Collapsible Defense System

The SOB II™ is an evolution of the legendary collapsible defense system pioneered by Special Ops Bunker. It is designed for efficient transport and quick deployment. After all, armor is worthless if you can't take it with you.

Our unique patented design allows the SOB II™ to collapse into a single compact unit, small enough to fit in the trunk of a patrol car for transport or storage. When you need the SOB II™ it can be fully deployed in one minute or less. This makes the SOB II™ ideal for a broad range of tactical deployments.

The SOB II™ comes standard with modular side panels that can be quickly removed to function as hand-carry shields. The side panels swing back offering added protection on the sides, and also allows the SOB II™ to pass easily through a single doorway. When placed in the forward position the side panels offer a wider overall ballistic protection area.

The SOB™ armor system is rigorously tested and certified to exceed NIJ Level IV requirements. Wheels, axles, and run-flat tires can also withstand multiple gunshots.

## Ballistic Options

NIJ Level III (7.62 NATO Ball M80 149 gr.)

NIJ Level III+ (7.62x39mm MSC 123 gr. 5.56x45mm M855 62 gr.)

NIJ Level IV (.30 CAL AP M2 7.62x63mm 166 gr.)

## Total Armor Area

11 square feet without side panels

21 square feet with side panels

## Dimensions

Deployed: 27" W x 36" D x 74" H

With Side Panels (Narrow): 27" W x 36" D x 74" H

With Side Panels (Extended): 42" W x 36" D x 74" H

Stowed: 27" W x 36" D x 12" H

Footprint (stowed horizontal): 27" x 36"

Footprint (stowed vertical): 12" x 27"

## Weight

Chassis (NIJ Level IV): 224 lbs (102 kg)

Removeable Viewport (NIJ Level IV): 90 lbs (41 kg)

Chassis + Viewport: 314 lbs (142 kg)

Side Panel (NIJ Level IV): 50 lbs (23 kg)

Side Panel (NIJ Level III+): 40 lbs (18 kg)

Side Panel (NIJ Level III): 29 lbs (13 kg)







# HARD ARMOR PLATES

Made in  
the USA



















































































## LEVEL III PLATES

## IN-CONJUNCTION (ICW) PLATES

In-Conjunction (ICW) plates with IIA Armor

## LEVEL IV PLATES

## SPECIAL THREAT PLATES

|   |  |   |  |  |   |  |   |  |  |  |   |   |   |   |  |   |
|---|--|---|--|--|---|--|---|--|--|--|---|---|---|---|--|---|
| <div>MODEL #10260</div> <div>NIJ .06 CERTIFIED</div> <div></div> <div>SPECIAL THREATS</div> <div>7.62mm x 51mm<br/>147gr FMJ (M80)</div> <div>5.56mm x 45mm<br/>55gr (M193)</div> | <div>MODEL #20260-X</div> <div>NIJ .06 CERTIFIED</div> <div></div> <div>SPECIAL THREATS</div> <div>7.62mm x 51mm,<br/>147gr FMJ (M80)</div> <div>5.56mm x 45mm, 55gr (M193)<br/>5.56mm x 45mm, 62gr (M855)<br/>7.62mm x 39mm,<br/>123gr PS Ball (MSC)</div> | <div>MODEL #30260-X</div> <div>NIJ .06 CERTIFIED</div> <div></div> <div>SPECIAL THREATS</div> <div>7.62mm x 51mm,<br/>147gr FMJ (M80)</div> <div>5.56mm x 45mm, 55gr (M193)<br/>7.62mm x 39mm,<br/>123gr PS Ball (MSC)</div> | <div>Model #10046</div> <div>NIJ Standard 0101.06</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 165-grain APM2<br/>7.62mm x 51mm,<br/>149-grain M80 FMJ</div> <div>7.62mm x 39mm,<br/>123-grain PS Ball<br/>7.62mm x 39mm,<br/>123-grain BZ API<br/>5.56mm x 45mm,<br/>62-grain M855</div> | <div>Model #10048</div> <div>NIJ Standard 0101.04</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 165-grain APM2<br/>7.62mm x 51mm,<br/>149-grain M80 FMJ</div> <div>7.62mm x 39mm,<br/>123-grain PS Ball<br/>7.62mm x 39mm,<br/>123-grain BZ API<br/>5.56mm x 45mm,<br/>62-grain M855</div> | <div>Model #10006</div> <div>NIJ Standard 0101.04</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 165-grain APM2</div> | <div>Model #10079</div> <div>NIJ .06 CERTIFIED</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 165-grain APM2<br/>5.56 x 45mm, 60-grain Partition<br/>(223 Remington)</div> <div>7.62 x 39mm PS BALL/MSC<br/>7.62 x 51mm,<br/>149-grain M80 FMJ<br/>7.62 x 39mm API BZ</div> | <div>Model #10025</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>5.7mm x 28MM, 27gr (SS195)<br/>5.7mm x 28MM 40gr<br/>(HORNADY BLUE TIP)<br/>.357 SIG 115gr (JHP)<br/>.357 SIG 125gr (GDHP)<br/>9mm FIOCCHI 115gr FMJ<br/>9mm WINCHESTER RANGER<br/>127gr (SXT)<br/>.40 CAL 95gr (HP)<br/>7.62mm x 25m TOKAREV NORIN-<br/>CO 85gr FMJ (STEEL JACKET)<br/>7.62mm x 25mm TOKAREV<br/>FOREIGN 85gr FMJ<br/>(STEEL JACKET)<br/>7.62mm x 25mm TOKAREV S&amp;B<br/>85gr FMJ (STEEL JACKET)</div> |  | <div>Model #30025</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>7.62mm x 39mm,<br/>123-grain PS Ball<br/>5.56mm x 45mm, 62-grain M855<br/>5.56mm x 45mm, 55gr (M193)</div> | <div>Model #OMEGA</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>Stand-Alone Threat Testing:<br/>.357-cal. SIG Full metal jacketed<br/>Flat nosed (FMJ FN)<br/>.44-mag. 240-grain Semi-<br/>jacketed Hollow Point (SJHP)<br/><br/>ICW Rifle threats:<br/>5.56mm x 45mm (M193)<br/>7.62mm x 39mm (PS Ball)<br/>7.62mm x 39mm (Ball LC)<br/>7.62mm x 51mm (M80)</div> | <div>Model #9900</div> <div>(ICW) (MIL SPEC)</div> <div></div> <div>SPECIAL THREATS</div> <div>5.56mm x 45mm, 62-grain M855<br/>7.62 x 54mm (LPS)<br/>7.62 x 51mm,<br/>149-grain M80 FMJ<br/>7.62 x 54Rmm API B32<br/>7.62 x 63mm (M2AP)</div> | <div>Model #LV6900-X</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>5.56mm x 45mm, 62-grain M855<br/>7.62mm x 39mm,<br/>123-grain PS Ball<br/>7.62 x 39mm API BZ</div> | <div>Model #LV7000</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>5.56mm x 45mm, 55-grain Ball<br/>(M193) Velocities up to 3050 FPS<br/>7.62mm x 39mm, 123-grain<br/>(PS Ball/MSC) Velocities up to<br/>2250 FPS</div> | <div>Model #LV7150</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 165-grain APM2<br/>308 WIN, 167gr (Lapua)</div> | <div>Model #LV7200</div> <div>(NATO)</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 166-grain APM2<br/>7.62 x 54Rmm,<br/>155-grain API B32<br/>.300 WM RWS TUG, 11.7ga.</div> | <div>Model #LV7250</div> <div>Special Threats</div> <div></div> <div>SPECIAL THREATS</div> <div>.30-06 Cal., 166-grain APM2<br/>7.62 x 54Rmm,<br/>155-grain API B32<br/>.30R Blaser Uni Classic,<br/>180-grain</div> |
| MULTI-HIT PLATE   | MULTI-HIT PLATE  | MULTI-HIT PLATE   | MULTI-HIT PLATE  | MULTI-HIT PLATE  | SINGLE-HIT PLATE  | SINGLE-HIT PLATE   | MULTI-HIT PLATE   |  | MULTI-HIT PLATE  | MULTI-HIT PLATE  | MULTI-HIT PLATE   | MULTI-HIT PLATE   | MULTI-HIT PLATE   | MULTI-HIT PLATE   | MULTI-HIT PLATE  | MULTI-HIT PLATE   |
| 1" THICK  | 1.25" THICK  | 1.07" THICK   | 1.2" THICK   | 0.79" THICK  | 0.80" THICK   | 1" THICK   | .35" THICK  |  | .70" THICK   | .50" THICK   | .90" THICK  | .60" THICK  | .80" THICK  | 1" THICK  | 1.1" THICK   | 1.2" THICK  |
|   |   |    |   |   |   |   |    |  |   |   |    |    |    |    |   |    |
| <br>3 lbs.<br>BASED ON 10"x12"  | <br>5 lbs.<br>BASED ON 10"x12"  | <br>2.3 lbs.<br>BASED ON 10"x12"   | <br>7.1 lbs.<br>BASED ON 10"x12"  | <br>6.4 lbs.<br>BASED ON 10"x12"  | <br>8.0 lbs.<br>BASED ON 10"x12"  | <br>7.8 lbs.<br>BASED ON 10"x12"  | <br>1.3 lbs.<br>BASED ON 10"x12"   |  | <br>5 lbs.<br>BASED ON 10"x12"  | <br>2.1 lbs.<br>BASED ON 10"x12"  | <br>5.7 lbs.<br>BASED ON MD  | <br>4.2 lbs.<br>BASED ON MD  | <br>2.2 lbs.<br>BASED ON 10"x12"   | <br>7.6 lbs.<br>BASED ON MD  | <br>7.7 lbs.<br>BASED ON 10"x12"  | <br>7.2 lbs.<br>BASED ON 10"x12"   |
|   |   |    |   |   |   |   |    |  |   |   |    |    |    |    |   |    |
| COMPOSITE   | COMPOSITE,<br>CERAMIC  | COMPOSITE   | COMPOSITE,<br>CERAMIC  | COMPOSITE,<br>CERAMIC  | COMPOSITE,<br>CERAMIC   | COMPOSITE,<br>CERAMIC  | COMPOSITE   |  | COMPOSITE,<br>CERAMIC  | COMPOSITE<br>WITH POLYUREA<br>PROTECTIVE COVER   | COMPOSITE,<br>CERAMIC   | COMPOSITE,<br>CERAMIC   | COMPOSITE,<br>CERAMIC   | COMPOSITE,<br>CERAMIC   | COMPOSITE,<br>CERAMIC  | COMPOSITE,<br>CERAMIC   |
|  7<br>AVAILABLE<br>SIZES  |  11<br>AVAILABLE<br>SIZES   |  16<br>AVAILABLE<br>SIZES  |  2<br>AVAILABLE<br>SIZES  |  5<br>AVAILABLE<br>SIZES  |  1<br>AVAILABLE<br>SIZE   |  5<br>AVAILABLE<br>SIZES  |  11<br>AVAILABLE<br>SIZES  |  |  13<br>AVAILABLE<br>SIZES   |  5<br>AVAILABLE<br>SIZES  |  8<br>AVAILABLE<br>SIZES   |  6<br>AVAILABLE<br>SIZES   |  1<br>AVAILABLE<br>SIZE  |  1<br>AVAILABLE<br>SIZE  |  3<br>AVAILABLE<br>SIZES  |  2<br>AVAILABLE<br>SIZES   |







# HARD ARMOR PLATES

## SPEED PLATE

SPEED plates are the ultimate in lightweight armor protection against special threat rounds. Designed to be worn in the chest pocket of our vests, SPEED plates are ultra thin and weigh only two pounds or less. These SPEED plates feature 100% polyethylene construction.



**Special Threats Rounds Tested:**

- Winchester 9mm 127gr SXT
- SPEER .357 Sig 125gr
- FN 5.7 x 28 (SS195)
- Aguila .40 S&W 95gr
- Tokarev 7.62 25 85gr
- Corbon .357 Sig 115gr

**Threats Defeated When Tested  
ICW NIJ Certified IIIA Armor**

- Winchester 12ga 1oz slug

| Size       | Weight<br>lbs. | Thickness<br>inches |
|------------|----------------|---------------------|
| Female 5x7 | 0.45           | 0.35                |
| Female 6x8 | 0.60           | 0.35                |
| 5x7        | 0.45           | 0.35                |
| 5x8        | 0.50           | 0.35                |
| 6x8        | 0.60           | 0.35                |
| 7x9        | 0.70           | 0.35                |
| 7x10       | 0.75           | 0.35                |
| 8x10       | 0.85           | 0.35                |
| 10x12      | 1.30           | 0.35                |
| 11x14      | 2.00           | 0.35                |



## SPEED PLATE PLUS

Engineered to protect against high energy bullets, our SPEED Plate Plus is ultra-light, multi-hit protective inserts that consistently delivers exceptional ballistic performance against a wide-range of "special threats" bullets. As a Stand-Alone plate, it provides additional stopping power along with a high degree of trauma reduction, equaling unparalleled ballistic protection.



- Designed specifically with the patrol officer and first responder in mind to provide advanced rifle threat protection with their existing vest system.
- Stand -Alone Multi-Hit rifle threat protection in an ultra thin, light-weight package.
- Designed specifically to defeat the most common rifle threats found on the street today (AR15/AK47)
- Multiple shapes and sizes to easily upgrade your current trauma plate protection.
- The Speed Plate PLUS takes armor protection to the next level.

**Testing Standard:**

**Multi-Hit / Special Threat Testing:**

- 5.56mm x 45mm 55gr Ball (M193)
- 5.56mm x 45mm 62gr Ball (M855)
- 7.62mm x 39mm 123gr PS Ball (Mild Steel Core)

|                          |  |
|--------------------------|--|
| Protection Type / Level: | Special (Rifle)                          |
| Configuration:           | Stand-Alone                              |
| Curvature:               | Multi-Curve                              |
| Construction:            | Uni-Directional Polyethylene and Ceramic |

| Size<br>inches | Weight<br>lbs. | Thickness<br>inches |
|----------------|----------------|---------------------|
| 5x7            | 1.5            | 0.70                |
| 5x8            | 1.7            | 0.70                |
| 6x6            | 2.1            | 0.70                |
| 6x8            | 2.2            | 0.70                |
| 7x9            | 2.7            | 0.70                |
| 8x10           | 3.2            | 0.70                |
| 10x12          | 5.1            | 0.70                |
| 7.5x11.75      | 3.5            | 0.70                |
| 8.75x11.75     | 4.3            | 0.70                |
| 9.5x12.75      | 5.0            | 0.70                |
| 10.5x13.5      | 5.8            | 0.70                |
| 11x14          | 6.6            | 0.70                |

\*All weights are approximate





# HARD ARMOR PLATES

We offer several types of Hard Armor Plates capable of defeating high-powered Level III & IV rifle rounds either in combination with soft body armor systems or as a stand-alone. These plates are available in a choice of two shapes (full-size or shooter's cut), designed to meet your individual needs for comfort and function. Additional options include the choice of ultra-light polyethylene or ceramic plates which will affect weight and thinness.

\*All weights are approximate

## Model 10260 – NIJ 0101.06 Level III Stand Alone Plate



Average V50: 3130 fps  
Sizes Available: 10"x12" Shooter's Cut or 10"x12" Full Size Cut  
Curvature: Multi Curve  
Construction: Ultra high molecular weight polyethylene  
Thickness: 1"  
Weight for 10" x 12": Shooter's Cut is 3.0 lbs.  
Full-Size Cut is 3.2 lbs.  
Weight for 8" x 10": Shooter's Cut is 2.1 lbs.  
Full-Size Cut is 2.3 lbs.  
Also available in 5"x7", 6"x6" and 6"x8"

### BALLISTIC PERFORMANCE

Rounds defeated:  
• 7.62mm x 51mm (M80)  
• 5.56mm x 45mm (M193)

## Model 20260-X – NIJ 0101.06 Level III+ Stand Alone Plate



Sizes Available: 8" x 10", 10"x12"  
Curvature: Multi-Curve (8"x10" and 10"x12")  
Construction: Polyethylene and Ceramic Thickness: 1.25"

|                 |               |          |
|-----------------|---------------|----------|
| 8" x 10"        | Shooter's Cut | 3.5 lbs. |
| 8" x 10"        | Full Size     | 3.8 lbs. |
| 10" x 12"       | Shooter's Cut | 5.0 lbs. |
| 10" x 12"       | Full Size     | 5.5 lbs. |
| 7.25" x 11.5"   | SAPI/ESAPI    | 3.6 lbs. |
| 8.75" x 11.75"  | SAPI/ESAPI    | 4.5 lbs. |
| 9.5" x 12.5"    | SAPI/ESAPI    | 5.2 lbs. |
| 10.25" x 13.25" | SAPI/ESAPI    | 6.1 lbs. |
| 11" x 14"       | SAPI/ESAPI    | 6.9 lbs. |

Also available in 6"x6" and 6"x8"

### BALLISTIC PERFORMANCE

Rounds defeated:  
• 5.56mm x 45mm (M855 / SS109)  
• 7.62mm x 39mm (PS Ball / MSC)  
• 7.62mm x 51mm (M80)  
• 5.56mm X 45mm (M193)

## Model 30260-X – NIJ 0101.06 Level III Stand Alone Plate



Sizes Available: 6" x 6", 6" x 8", 8" x 10", 10"x12"  
Curvature: Multi-Curve  
Construction: Polyethylene  
Thickness: 1.05"

| Sizes     |               | *Weight  |
|-----------|---------------|----------|
| 6" x 6"   | Full Size     | 0.8 lbs. |
| 6" x 8"   | Full Size     | 1.0 lbs. |
| 8" x 10"  | Shooter's Cut | 1.6 lbs. |
| 8" x 10"  | Full Size     | 1.7 lbs. |
| 10" x 12" | Shooter's Cut | 2.3 lbs. |
| 10" x 12" | Full Size     | 2.7 lbs. |

### BALLISTIC PERFORMANCE

Round defeated:  
• 7.62mm x 51mm (M80)  
• 7.62mm x 39mm (PS Ball/MS)  
• 5.56mm X 45mm (M193)

# HARD ARMOR PLATES

## 555 Steel Plates – NIJ 0101.06 Level III Stand Alone Plate

Curvature: Single Curve  
Construction: Steel  
Thickness: 0.38"

| Sizes     |               | *Weight    |
|-----------|---------------|------------|
| 5" x 8"   | Full-Size Cut | 2.80 lbs.  |
| 6" x 6"   | Full-Size Cut | 2.65 lbs.  |
| 7" x 9"   | Full-Size Cut | 4.50 lbs.  |
| 8" x 10"  | Shooter's Cut | 5.60 lbs.  |
| 8" x 10"  | Full-Size Cut | 5.70 lbs.  |
| 10" x 12" | Shooter's Cut | 7.85 lbs.  |
| 10" x 12" | Swimmer's Cut | 7.65 lbs.  |
| 10" x 12" | Full-Size Cut | 8.69 lbs.  |
| 11" x 14" | Shooter's Cut | 10.66 lbs. |
| 11" x 14" | Swimmer's Cut | 10.43 lbs. |



### BALLISTIC PERFORMANCE

Rounds defeated:  
• 5.56mm x 45mm, 62-grain FMJ (M855)  
• 7.62mm x 51mm, 147-grain FMJ (M80)  
• 7.62mm x 39mm, 123-grain (PS Ball/MS)  
• 5.56mm x 45mm, 55-grain Ball (M193) Velocities up to 2960 FPS

## Model OMEGA – Level III ICW Level IIIA Soft Armor

Protection Type / Level: Special (Rifle)  
Configuration: ICW  
Thickness: .50" ± 0.125"  
Curvature: Multi-Curve  
Construction: Composite  
(with Polyurea protective cover)

| Size           | Shape     | Weight    |
|----------------|-----------|-----------|
| 5" x 8"        | Full-Size | 0.79 lbs. |
| 6" x 8"        | Full-Size | 0.95 lbs. |
| 6" x 8" Female | Full-Size | 0.95 lbs. |
| 7" x 9"        | Full-Size | 1.20 lbs. |
| 7" x 9" Female | Full-Size | 1.20 lbs. |
| 8" x 10"       | SAPI      | 1.47 lbs. |
| 10" x 12"      | SAPI      | 2.1 lbs.  |

### BALLISTIC PERFORMANCE

#### Testing Standard:

##### Stand-Alone Threat Testing:

- .357-cal. SIG Full metal jacketed Flat nosed (FMJ FN)
- .44-mag. 240-grain Semi-jacketed Hollow Point (SJHP)

##### ICW Rifle threats:

- 5.56mm x 45mm (M193)
- 7.62mm x 39mm (PS Ball)
- 7.62mm x 39mm (Ball LC)
- 7.62mm x 51mm (M80)



Male

Female

\*All weights are approximate





# HARD ARMOR PLATES

## Model 10046 – Level III/IV Plate in-Conjunction with Level IIIA Soft Armor

NIJ 0101.06 III/IV in conjunction with IIIA Soft Armor

Size: 10" x 12"

Curvature: Triple Curve

Construction: Alumina Ceramic / Aramid

\*Weight: 10046-01 Shooter's Cut: 7.1 lbs.

10046-04 Rectangular Cut: 7.5 lbs.

Thickness 1.2"



### BALLISTIC PERFORMANCE

Rounds defeated:

- 7.62mm x 51mm (M80)
- 7.62mm x 39mm PS Ball/MSB
- 7.62mm x 39mm (API/BZ)
- 5.56mm x 45mm (M855)
- .30-06-cal., 166-grain M2AP

## Model 10048 – Level III/IV Plate in-Conjunction with Level IIIA Soft Armor

NIJ 0101.04 III/IV in conjunction with IIIA Soft Armor

Construction: Alumina / Aramid

Thickness 0.79"

|           |               |              |           |
|-----------|---------------|--------------|-----------|
| 10" x 12" | Shooter's Cut | Triple-Curve | 6.40 lbs. |
| 10" x 12" | Full-Size     | Triple-Curve | 6.80 lbs. |
| 8" x 10"  | Shooter's Cut | Triple-Curve | 4.50 lbs. |
| 8" x 10"  | Full-Size     | Triple-Curve | 4.75 lbs. |
| 6" x 8"   | Full-Size     | Single-Curve | 2.90 lbs. |



### BALLISTIC PERFORMANCE

Rounds defeated:

- 7.62mm x 51mm (M80)
- 7.62mm x 39mm PS Ball/MSB
- 7.62mm x 39mm (API/BZ)
- 5.56mm x 45mm (M855)
- .30-06-cal., 166-grain M2AP

## Model 10079 – NIJ 0101.06 Level IV Stand Alone Plate

Sizes Available: 6"x8", 8"x10", 10"x12"

Curvature: Triple Curve

Construction: Alumina Ceramic / Aramid

Thickness: 1.0"

\*Weight for 6"x8": Full-Size Cut is 3.2 lbs.

\*Weight for 8"x10": Shooter's Cut is 4.9 lbs.

Full-Size Cut is 5.3 lbs.

\*Weight for 10" x 12": Shooter's Cut is 7.5 lbs.

Full-Size Cut is 7.9 lbs.



### BALLISTIC PERFORMANCE

Rounds defeated:

- 7.62mm x 63mm (.30-06-CAL), 166-grain M2AP
- 5.56mm x 45mm, 60-grain Partition (.223 Remington)
- 7.62mm x 39mm PS BALL/MSB
- 7.62mm x 51mm, 149-grain M80 FMJ
- 7.62mm x 39mm API BZ
- 5.56mm x 45mm (M855)

## Model 10082 / 2092 – NIJ 0101.04 Level IV Stand Alone Plate

NIJ 0101.04 Threat Level: IV Stand Alone

Construction: Composite/Ceramic

Size: 10" x 12"

Shape: Shooter's Cut

Curvature: Triple Curve

\*Weight: 7.3 lbs.

Thickness: 0.8"



### BALLISTIC PERFORMANCE

Round defeated:

- .30-06-CAL 166 grain M2AP



\*All weights are approximate





# HARD ARMOR PLATES

## Model 10006 – NIJ 0101.04 Level IV Stand Alone Plate

NIJ 0101.04 IV Stand Alone

Size: 10" x 12"

Curvature: Single Curve

Construction: Ceramic / Composite

10"x12" Full-Size Cut \*Weight: 8.9 lbs.

10"x12" Swimmer's Cut \*Weight: 8.02 lbs.

Thickness: 0.8"



### BALLISTIC PERFORMANCE

- Rounds defeated:
- .30-06-cal., 166 grain M2AP

## Model LV6900-X – Special Threat Stand Alone Plate

Construction: Hybrid Ceramic-Polyethylene

| Size       | Shape     | Weight    | Thickness | Curvature    |
|------------|-----------|-----------|-----------|--------------|
| 6"x6"      | Full Size | 1.35 lbs. | 0.6"      | Single-Curve |
| 7¼"x 11½"  | SAPI      | 2.95 lbs. | 0.6"      | Multi-Curve  |
| 8¼"x 11¼"  | SAPI      | 3.6 lbs.  | 0.6"      | Multi-Curve  |
| 9½"x 12½"  | SAPI      | 4.2 lbs.  | 0.6"      | Multi-Curve  |
| 10¼"x 13¼" | SAPI      | 4.9 lbs.  | 0.6"      | Multi-Curve  |
| 11"x 14"   | SAPI      | 5.6 lbs.  | 0.6"      | Multi-Curve  |

### BALLISTIC PERFORMANCE

- Rounds defeated:
- Two Rounds of 7.62X39mm API BZ
  - Two Rounds of 7.62X39mm PS Ball/MSD
  - Two Rounds of 5.56X45mm M855



## Model LV7000 – NIJ-STD: Special Threat Stand Alone Plate

Curvature: Multi-Curve

Construction: Polyethylene

Constructed of the latest generation of Ultra-High Molecular Weight Polyethylene  
Durable Ballistic Nylon Cover

| Size    | *Weight  | Thickness<br>inches |
|---------|----------|---------------------|
| 10"x12" | 2.2 lbs. | 0.80"               |

### BALLISTIC PERFORMANCE

- Rounds defeated:
- 5.56mm x 45mm, 55-grain Ball (M193) Velocities up to 3050 FPS
  - 7.62mm x 39mm, 123-grain (PS Ball/MSD) Velocities up to 2250 FPS



\*All weights are approximate





# HARD ARMOR PLATES

## Model LV7200 – Level IV+ Stand Alone Plate

Construction: Ceramic & Backing Fiber

Finish: Black Polyurea Coating

Dimensions:  
6"x6"

Weight: 2.0 lbs.

Thickness: 1"

Single-Curve Design



### BALLISTIC PERFORMANCE

Rounds defeated:

- .30-06AP M2
- 7.62X54R API
- .300 WM RWS TUG 11.7 ga.

Dimensions: 10"x12"

Weight: 7 lbs.

Thickness: 1"

Single-Curve Design

Dimensions: 10"x12"

Weight: 7.7 lbs.

Thickness: 1"

Multi-Curve Design

## Model 8800

Construction: Uni-directional Polyethylene and Ceramic

| Size          | Shape     | Weight    | Curvature    |
|---------------|-----------|-----------|--------------|
| 6"x6"         | Full-Size | 1.50 lbs. | Single-Curve |
| 6"x8"         | Full-Size | 1.90 lbs. | Single-Curve |
| 7"x8"         | Full-Size | 2.30 lbs. | Single-Curve |
| 7.25"x11.50"  | SAPI      | 3.00 lbs. | Multi-Curve  |
| 8.75"x11.75"  | SAPI      | 3.75 lbs. | Multi-Curve  |
| 9.50"x12.50"  | SAPI      | 4.30 lbs. | Multi-Curve  |
| 10.25"x13.25" | SAPI      | 4.95 lbs. | Multi-Curve  |
| 11.00"x14.00" | SAPI      | 5.75 lbs. | Multi-Curve  |



### BALLISTIC PERFORMANCE

Rounds defeated:

- 5.56mm x 45mm 62gr Ball (M855)\*
- 7.62mm x 51mm 149gr FMJ (M80)\*
- 7.62mm x 54R 148gr Light Projectile Steel (LPS)\*

## Model 9900 Series



Protection Type: Special (Military)

Construction: Uni-directional Polyethylene and Ceramic


| Size | *Weight   | Thickness inches |
|------|-----------|------------------|
| 6x6  | 1.90 lbs. | 0.90             |
| 6x8  | 2.60 lbs. | 0.90             |
| 7x8  | 3.10 lbs. | 0.90             |
| XS   | 3.95 lbs. | 0.90             |
| SM   | 5.00 lbs. | 0.90             |
| MD   | 5.75 lbs. | 0.90             |
| LG   | 6.60 lbs. | 0.90             |
| XL   | 7.50 lbs. | 0.90             |

### BALLISTIC PERFORMANCE

Rounds defeated:

- 5.56mm x 45mm (M855 / SS109)
- 7.62mm x 51mm (M80)
- 7.62mm x 54Rmm (LPS)
- 7.62mm x 54Rmm (API B32)
- .30-06-cal., 166 grain M2AP

\*All weights are approximate







# PARACLETE TACTICAL HELMET

Manufactured to meet stringent quality standards, the PARACLETE® Tactical helmet delivers the level of ballistic and impact head protection demanded for tough tactical operations. The helmet is made of aramid materials and built in the ACH shape. Helmets are available in a full range of cuts (full, mid and high), sizes (small to x-large) and colors (black, foliage green, olive green and tan). They come standard with 0.75" liner pads and 4-point harness with nape pad.



High Cut shown in Foliage Green



Mid Cut shown in Black



Full Cut shown in Tan

## PTH-III A Specifications:

- Significantly exceeds 2200 ft/s (670 m/s), 1.1 g (17 gr) FSP
- Stops NIJ IIIA level threats (9mm and 44 mag) (NIJ 0106.01)
- Meets U.S Army Standard for impact protection (CO/PD-05-04)

## \*\*Weight:

- Full Cut System 1465 grams (Size Medium)
- High Cut System 1355 grams (Size Medium)

## Shell Geometry and Construction:

- Low-profile design
- Designed for comfort
- Compatible with standard face shields, NVGs,
- Chem/Bio Masks and communication devices
- Offers unsurpassed impact protection and ballistic-rated hardware
- Tested for ballistic performance from -40°F to 158°F (-40°C to 70°C)
- 3 cut styles provide variable coverage options

## Suspension / Liner System:

- Provides superior comfort by distributing the helmet's weight evenly
- Meets all the chemical-resistant tests required by the U.S. Army
- Lightweight, sweat-wicking material resists moisture buildup

## Retention System:

- 4-point attachment system with supportive neck pad
- Easily adjusted for a comfortable fit

## COLORS

- Tan
- Foliage Green
- Black
- Olive Green

## Ballistic Resistant Bolt Technology

Tested against 9mm 124gr. FMG

### With 3/4 pads - Standard Suspension

SM up to 21.25"  
MD 21.25" - 22.5"  
LG 22" - 23.25"  
XL 22.5" - 24.5"

### With the MSS Suspension Upgrade

SM up to 20"  
MD 20.75" - 21.75"  
LG 21.75" - 23.25"  
XL 22.5" - 23.5"

Made in  
  
the USA

\* Additional ballistic data and 3rd party test reports are available upon request.

\*\* Includes full cut helmet, liner, retention system and hardware.

# ARCH

## Advanced Riot Control Helmet



Standard



Grid



Gas Mask

## FEATURES

- Material: Acrylonitrile butadiene styrene (ABS) plastic
- Colors: Black
- Polycarbonate with rubber seal (spill proof)
- Interior Liner: removable foam liner
- NIJ complaint quick release buckles
- Detachable .150" (3.8mm) thick face shield with liquid seal prevents liquid from seeping into officer's eyes
- Molded lip on top edge of face shield to prevent shield from closing over integral visor and striking the wearer's face
- Powder coated aluminum Face Guard for maximum strength and safety
- Snap-on nape pad with Kydex® penetration shield, shock absorbent foam pads and chemical-resistant black
- Cordura® cover

## ARCH Accessories

Face Shields - Standard, Grid and Gas Mask

## Retention System

- 4-point attachment system with supportive neck pad allows for additional comfort and helps stabilize the helmet with the face shield in all positions
- Easily adjusted for a comfortable fit
- Picatinny attachment on both sides allows for placement of light and body camera leaving hands free for weapons (Light and Camera not included)
- Nape curtain attachment

## Performance

- Meet or exceeds NIJ Standard for Blunt Trauma for Riot Helmets - NIJ-STD-0104.02

Made in  
  
the USA

\*The U.S. Department of Transportation Standard, D.O.T. FMVSS218, establishes performance requirements for helmets designed for use by motorcyclists. This helmet is not intended for vehicular use.





# HELMET ACCESSORIES



## 7 Pad Liner System Pad Liner System 0.5" Thickness

Movable sweat-wicking comfort pads provide impact protection and superior comfort by distributing the helmet's weight evenly. The 7-Pad Liner System includes 1 circular crown pad, 2 trapezoidal pads, and 4 oblong pads which are available in various thicknesses.

## Retention System

Easily adjustable 4-point attachment system provides optimal retention and fit. Retention System includes nape pad, adjustable tensioners on straps, chin cut and buckle. The system accommodates small, medium, large and extra-large helmets. Available in Black, Olive Green, Foliage Green and Tan.



## Helmet Bag

Helmet storage bag composed of durable, water resistant fabric with drawstring opening and a personalized name tag.



## Modular Suspension System

The Modular Suspension System (MSS) is comprised of an impact liner, dial fit band, comfort pad system and retention system. The impact liner is made of low profile impact material and exceeds U.S. Army ACH impact standard. An adjustable crown net allows for sweat wicking and comfort. It suspends the helmet shell on the wearer's head, meaning the impact liner does not come into contact with the head, providing a free flow of air for cooling benefits. The system accommodates small, medium, large and extra-large helmets. Available in Black and Tan.



## Precision Basic, Full, Mid, and High Cut Helmet Cover

Full cut helmet cover includes elastic drawstring and 4 hook and loop tabs that allow the cover to stay securely in place on helmet. The system accommodates small, medium, large and extra large helmets. Available in Black, Multi-cam and ACU.



## Precision Fit Enhanced Helmet Cover

Precision Fit Enhanced Helmet Cover for Full Cut helmets includes elastic drawstring and 4 hook and loop tabs that allow the cover to stay securely in place on helmet, elastic accessory loops and hook and loop for attaching patches, counterweights, etc. The system accommodates small, medium, large and extra-large helmets. Available in Black, Multi-cam and ACU.



## Precision Fit Premium Helmet Cover

Precision Fit Premium Helmet Cover for Full and High Cut helmets includes elastic drawstring and 4 hook and loop tabs that allow the cover to stay securely in place on helmet, elastic accessory loops and hook and loop for attaching patches, counterweights, mesh covering for increased camouflaging and cable runs to reduce snagging. The system accommodates small, medium, large and extra-large helmets. Available in Black, Multi-cam and ACU.



## Interlocking Long Rails

Interlocking Long Rails offer a system upgrade enabling quick and easy head borne accessory attachment. Offering the ability to tailor the helmet depending on the mission at hand, the rail system allows for cameras, lights, and other accessories to be outfitted. The rails have multiple entry points and accept widely used rail bases, such as the Desert Locust Goggle Swivel Clip, Picatinny and Winged Rail Bases. Interlocking Long Rails seamlessly integrate with the Front Mount and can be used simultaneously with the visor and mandible guards.



## Three Position Visor

Engineered for superior performance, the visor provides optimum high-impact protection, flawless optics and maximum field-of-view. Designed for quick donning and doffing, it is scratch, fog and chemical resistant.



## Mandible Guards

Offering lightweight blunt force protection for lower jaw in a durable, low-profile design. Mandible Guards attach to the Front Mount, minimizing training while enabling rapid attachment and removal of the system. Mandible and Visor are compatible with red dot sighting systems.



## Visor / Mandible Guard Storage Case

Visor-Mandible Guard Storage Case is made of durable Cordura fabric with a brushed nylon inner lining to protect visor lens and elastic strap wraps to retain mandible guard. Available in Black and Multi-cam.



## NVG Shock Cord

NVG Shock Cord is made of durable bungee material. It includes two clips and split rings which offers supplemental retention support of NVG device to the Front mount and stabilizes NVG and reduces rattling of device during use.







# BATONS

## ALPHA-LOCK

The Alpha Locking Baton offers an increased diameter construction for more effective street performance. It has a higher kinetic energy potential and greater feeling of balance in the hand.

**Features:**

- The locking mechanism ensures the baton will stay locked open while striking, blocking or jabbing
- Closes with a push of a button - no need to strike the baton on the ground
- Increased diameter compared to the standard Auto-Locking baton
- Rotating shafts help maintain control of the baton during a struggle
- Open passively or in a high-profile manner



**21" Expandable Automatic Locking Baton**

**Product Details**

- Open - 21"
- Closed - 8.750"
- Handle Diameter - 1.085"
- Middle Tube Diameter - 0.755"
- Small Tube Diameter - 0.550"
- Material - 4130 Seamless Steel
- Finish - Black Chrome
- Weight - 23.2 oz.

## FRICTION LOCK

The Friction Lock Baton is a durable three-stage telescopic collapsible baton. It has an adjustable retention clip within a barrel bore guide, which eliminates clip breakage during closing. This baton is comfortable to carry and easy to open with a flick of the wrist.

**Features:**

- Basic Foam Grip - for a more traditional feel, a sure grip, and cushioning against shock
- Super-Grip - a fluted surface texture that enhances control and retention
- Safety Tip - crafted of urethane that allows passive drawing of the baton, useful for turning a suspect's pockets inside out without the risk of injury from needles, knives, or other sharp objects



**21" Friction Lock**

**Foam Grip**

- Finish - Black Chrome
- Open - 21"
- Closed - 8.750"
- Handle Diameter - 1.085"
- Middle Tube Diameter - 0.755"
- Small Tube Diameter - 0.550"
- Material - Steel 4130

**26" Friction Lock**

**Foam Grip**

- Finish - Black Chrome
- Open - 26"
- Closed - 10.375"
- Handle Diameter - 1.085"
- Middle Tube Diameter - 0.755"
- Small Tube Diameter - 0.550"
- Material - Steel 4130



## ELITE SIDE HANDLE

This control baton has been engineered with safety in mind. The design has been field tested and has been found to be highly effective for blocking, controlling, and striking.

**Features:**

- The locking mechanism ensures the baton will stay locked open while striking, blocking or jabbing
- Closes with a push of a button - no need to strike the baton on the ground
- Increased diameter compared to the standard Auto-Locking baton
- Open passively or in a high-profile manner
- Rotating shafts help maintain control of the baton during a struggle



**21" Side Handle Expandable Baton**

**Product Details**

- OD Frame - 1"
- Shaft - 0.6875"
- Open - 21"
- Closed - 13"
- Finish - Black Hardcoat Anodized Coating
- Material - 6061 Aluminum 7075 Aluminum Shaft

# BATONS

## NYLON STRAIGHT BATON

This durable baton is made of a weather resistant material that will not crack or peel. In addition, it is strong, lightweight, and affordable. It can be used with all standard baton techniques, tactics, and training programs.



| Model                    | Length Closed | Diameter    | Grip            |
|--------------------------|---------------|-------------|-----------------|
| 24" Riot Baton           | 24" (60.96cm) | 1" (2.54cm) | Nylon Foam      |
| 26" Riot Baton           | 26" (66.04cm) | 1" (2.54cm) | Nylon Foam      |
| 36" Riot Baton           | 36" (91.44cm) | 1¼"(3.18cm) | Nylon Two Knurl |
| 36" Riot Baton with Ball | 36" (91.44cm) | 1¼"(3.18cm) | Nylon Two Knurl |

## POLYCARBONATE STRAIGHT BATON

These durable batons are made out of a weather resistant material, which makes it stronger than conventional batons and will not crack or peel. In addition, these batons are affordable and can be used with all standard baton techniques, tactics or training programs.



| Model                    | Length Closed | Diameter    | Grip            |
|--------------------------|---------------|-------------|-----------------|
| 24" Riot Baton           | 24" (60.96cm) | 1" (2.54cm) | Foam Grip       |
| 26" Riot Baton           | 26" (66.04cm) | 1" (2.54cm) | Foam Grip       |
| 24" Riot Baton           | 24" (60.96cm) | 1¼"(3.18cm) | Foam Grip       |
| 36" Riot Baton           | 36" (91.44cm) | 1¼"(3.18cm) | Two Knurl-Grips |
| 36" Riot Baton with Ball | 36" (91.44cm) | 1¼"(3.18cm) | Two Knurl-Grips |





# PROTECTIVE EYEWEAR



**sawfly**  
MILITARY EYEWEAR SYSTEM



**exoshield**  
EXTREME LOW-PROFILE EYEWEAR

**MISSION CRITICAL EYEWEAR®**

The Sawfly Eyewear System is proven to be the top performing impact eyewear system available.

DESIGNED FOR FIT, function and comfort, this unmatched level of protection is specifically designed for the military. The curved lens provides an unrestricted field-of-view and maximum ventilation, while the adjustable arms and head strap ensure a perfect fit, every time. The Sawfly's lightweight frame and ultra-thin arms ensure a perfect fit with hearing protection and communications headsets while the lens provides optimum high impact protection with flawless optics. The result is a system that offers best-in-class performance: comfort, compatibility, optics and ballistic protection.

## KEY FEATURES

**THREE SIZES** — Correct size ensures fit, comfort and optical performance. U.S. Army Authorized Protective Eyewear

List: Small: NSN 4240-01-607-7512 Regular: NSN 4240-01-527-4051 Large: NSN 4240-01-527-4018

**SUPERIOR BALLISTICS** — High-impact polycarbonate lenses exceed military ballistic impact requirements for spectacles and goggles

**FLAWLESS OPTICS** — Precision manufactured lenses ensure distortion-free vision, full side impact protection and anti-fog performance

**INTERCHANGEABLE** — Lenses made of indestructible, optical grade polycarbonate that can be interchanged quickly for various light conditions and provide 100% protection from harmful UV-A, UV-B and UV-C rays

**TOUGH** — Scratch-resistant coating on both sides of lens; resists wide variety of chemicals, including DEET

**COMMS-COMPATIBLE ARMS** — Lean, extendable arms guarantee the utmost comfort, equipment compatibility and stay-put fit. Slimline ergonomically designed arms ensure hearing protection and head sets work as designed while the over molded underframe provides shock absorption and grip

**RUGGED DURABILITY** — Eye protection that lasts, performs and protects through all the rigors of combat — in a lightweight package that's just 1 ¼ ounces

**PRESCRIPTION READY** — Optional Rx insert is also compatible with Desert Locust®, Bullet Ant® Goggles and Wolfspider® Goggles.

REVISION PROTECTIVE EYEWEAR IS TOUGH ENOUGH TO WITHSTAND A SHOTGUN BLAST FROM 16 FEET (5 METRES)

**FIREARM** — Maverick Model 88, 26 inch barrel with improved cylinder choke

**AMMUNITION** — Remington 12 gauge, 1 ounce #6 shot

**VELOCITY** — 1300 fps ± 30 fps (396 m/s ± 9 m/s) at 16ft (5m)

**RESULT** — 25 strikes, no penetrations

## OPTICAL PERFORMANCE

Sawfly eyewear has passed stringent military optical tests for visual clarity.

Easy-to-change high-impact lenses offer the ultimate defense against changing light conditions and harmful UV.

## HIGH-CONTRAST LENSES

**CLEAR LENSES** — Maximize light transmittance.

Use indoors or at night.

**SOLAR LENSES** — Reduce extreme glare and squinting.

Use outdoors in bright conditions.



U.S. Military Kit



Optional RX Carrier

Low-profile defense for fast-moving, dynamic missions.



Ballistic eye protection designed by and for operators to provide extreme low-profile defense for fast-moving, dynamic missions.

## EXOSHIELD EXTREME LOW-PROFILE SYSTEMS

- **SUPERIOR BALLISTICS** High impact system exceeds ANSI Z87.1 and U.S. military (MIL-DTL-43511D, clause 3.5.10 and MIL-PRF-31013, clause 3.5.1.1) ballistic impact requirements
- **LOW-PROFILE** Close-fitting lens optimizes NVG and gear compatibility during air and ground assaults
- **ANTI-FOG / HARDCOAT** Flow-coat lens technology provides powerful OcuMax® fog and high-endurance anti-scratch protection
- **QUICK-RELEASE** Adjustable quick-release strap for ambidextrous, single-handed operation during fast-moving, dynamic missions
- **FLAWLESS OPTICS** Optical-grade polycarbonate lenses provide superior visual clarity and 100% UV-A-B-C protection

Exoshield shown withstood a shotgun blast from 16 feet using a Remington 870 12 gauge pump action shotgun, a 51cm bore with 1-¼ ounce #6 lead shot.



BE REVISION READY.®





# PACKS AND POUCHES

Our extensive line of load bearing packs and pouches are unparalleled in craftsmanship and superior in construction. Made of 100 % Nylon Cordura® DWR, this high-tenacity material defies the rigors of daily use while providing maximum tear and abrasion resistance. Increase functionality, reduce fatigue and improve efficiency by placing load bearing equipment (radios, handcuffs, magazines, etc.) in Paraclete's MOLLE-compatible or laser cut pouches. PARACLETE® pouches are designed to optimize longevity, durability, weight and comfort, while ensuring equipment stability under the most severe conditions.

\*Pouch inner material is 500D Cordura unless stated "Diamond Skid" next to item.



# GEAR BAG

This no-nonsense gear hauler combines traditional styling with modern functionality, designed to carry and organize all your essential equipment, body armor and tactical essentials. Exceptionally sturdy and highly versatile, the PARACLETE Gear bag offers ample storage capabilities, easy carry options and optimal transportability.

## FEATURES

- Highly durable, abrasion resistant 500 denier outershell construction
- Multi-carry system allows user to select 3 different carry options:
  - 1) Dual end handles for 2-man carry and easy loading
  - 2) Reinforced, top carry handle
  - 3) Removable, shoulder carry strap with support pads for improved comfort
  - 4) Three anchor points for backpack style carry
- Six side compression straps stabilizes load
- Six external zipper pockets for convenient access to small items
- Large, top zipper opening allows greater accessibility
- One large internal lid zipper pocket
- Three internal side zipper pockets
- Interior removable divider for load compression
- MOLLE webbing on divider to attach additional pouches and bungee panels to safely secure items
- Back open sleeve for optional luggage style rolling frame
- Length: 32" Width: 17" Height: 11.25"
- Colors: Black, Ranger Green, OD Green, Coyote and Multi-Cam



Divider with MOLLE on one side and bungee panels on the other.







# DAYPACK

Tactical operations can take its toll on gear, but the PARACLETE Daypack is specially designed to withstand tough conditions due to its extra durable construction. Throw everything you need and keep all your daily essentials organized in this highly functional Daypack. Easy access pockets, heavy duty zippers and ample storage compartments make it ideally suited for combat helmets and a variety of equipment.

## FEATURES

- Abrasion and water resistant, 500 denier outershell construction
- Multi-carry, hybrid design allows operator to carry the bag via backpack straps or permanently attach to vest
- Quickly deployable with instant reconnection to vest in seconds
- Raised padding and spacer mesh on yolk provides increased airflow and comfort
- Large front bottom pocket capable of fitting combat helmet with attachments
- Front upper pocket for equipment storage
- Lower MOLLE compatible webbing for additional pouch attachment
- Side compression straps
- Heavy duty zippers
- Cord/Plastic zipper pulls
- Main compartment has Hydration pocket and suspensions
- Bottom pocket drainage
- Back Length: 16.5" | Back Wide: 9.75" | Back Depth: 3.25"  
Front Top Pocket: 8.25" W x 8.75" L x 3.5" D  
Front Bottom Pocket 9.75" W x 11" L x 4.25" D
- Colors: Black, Ranger Green, OD Green, Coyote and Multi-Cam



Shoulder Strap



MOLLE Strap



## LESS LETHAL / GRENADE

### Double Flash Bang Pouch

PCHFBO

ACCOMMODATES  
UNIVERSAL,  
7290 AND 7290MDimensions:  
5.5" H x 4.75" W x 1.75" D

- Holds 2 Flash Bangs
- HOOK AND LOOP Flap Closure
- Elastic Retention
- Drainage Holes
- 2x MOLLE Tuck Strap Attachment
- Rubberized inner lining

### Single Flash Bang Pouch

PCHFB1



Diamond Skid material on inside.

Dimensions:  
5.25" H x 2" W x 2.5" D

- Hook and Loop Flap
- Pull tabs on end of flap
- Holds single flash bang from mini to DEFTEC
- Nonskid backer
- Elastic Retention
- Drainage hole
- Tuck strap MOLLE attachment

### Single Smoke Canister Pouch

PCHSKO



Diamond Skid material on inside.

Dimensions:  
5.25" H x 3.25" W x 2.75" D

- Nonskid backer
- Hook and Loop backer
- Pull tab flap
- Tuck strap MOLLE Attachment
- Elastic retention
- Drainage hole
- Fits most smoke canister sizes

### Single 4oz Spray Pouch

PCHSPO

Dimensions:  
4.75" H x 1.75" W x 1.5" D

- HOOK AND LOOP Flap closure
- Pull tab for HOOK AND LOOP flap
- Holds 4 oz spray cans
- Rubberized pocket liner
- 1x Tuck strap MOLLE attachment
- Drainage hole

### Single 2oz Spray Pouch

PCHSP1

Dimensions:  
3.25" H x 1.75" W x 1.5" D

- HOOK AND LOOP Flap closure
- Pull tab for HOOK AND LOOP flap
- Holds 2 oz spray cans
- Rubberized pocket liner
- 1x Tuck strap MOLLE attachment
- Drainage hole

### SR Buckle Taser® Holster

PCHTZO

Dimensions:  
5.25" H x 3.375" W x 1.5" D

- SR Buckle strap retention of Taser®
- Elastic retention for stabilization
- SR Buckle can Hook/Loop detach for quick draw
- Stiffened rim for easy re-holstering
- 2x MOLLE Tuck strap attachment
- Can fit all X26 models







LESS LETHAL / GRENADE

SR Buckle X2 Taser® Holster

PCHTZ1



Dimensions:  
5.75" H x 3.75" W x 1.75" D

- SR Buckle strap retention of Taser®
- Elastic retention for stabilization
- SR Buckle can Hook/Loop detach for quick draw
- Stiffened rim for easy re-holstering
- 2x MOLLE Tuck strap attachment
- Can fit X2 models

EQUIPMENT

Stacked Handcuff Pouch

PCHHC0



Dimensions:  
3.5" H x 3.25" W x 1.875" D

- Holds 2 hand cuffs
- Elastic retention for single cuff
- HOOK AND LOOP flap closure
- 2x MOLLE tuck strap attachment

UTILITY

Zipper Small Misc Utility Pouch

PCHUP0



Dimensions:  
5.5" H x 5" W x 2.5" D

- Internal Elastic MOLLE
- Heavy duty ambidextrous zipper
- Drainage hole
- 2x tuck strap MOLLE attachment

UTILITY

Zipper 4x8 Vertical Utility Pouch

PCHUP3



Dimensions:  
8.5" H x 4.5" W x 2.375" D

- External MOLLE
- Internal Elastic MOLLE
- Heavy duty ambidextrous zipper
- Drainage hole
- 2x tuck strap MOLLE attachment

FLASHLIGHT / BATON

Double 37-40mm Pouch

PCHGLO



Dimensions:  
4" H x 4" W x 1.375" D

- Holds two 37 to 40 mm explosive or non-lethal rounds
- HOOK AND LOOP flap closure
- Rubberized liner
- 2x MOLLE tuck strap attachment
- Elastic retention

Single Buckle Radio Pouch

PCHRD0



Dimensions:  
5" H x 3.5" W x 1.5" D

- Holds most personal radios
- Adjustable height Buckle flap closure
- Bungee retention option included
- Drainage hole
- 2x tuck strap MOLLE attachment

Zipper Large Misc Utility Pouch

PCHUP1



Dimensions:  
8" H x 8.5" W x 2.5" D

- External MOLLE
- Internal Elastic MOLLE
- Heavy duty ambidextrous zipper
- Drainage hole
- 4x tuck strap MOLLE attachment

Open Top Large Flash Light Pouch

PCHFL1



Dimensions:  
7.625" H x 3.25" W x 2" D

- Fits larger flashlights
- Strap at top opening tightens
- 2x Tuck strap MOLLE attachment
- Rubberized backing in pocket
- Padded exterior to protect flashlight

Single 37-40mm Pouch

PCHGL1



Diamond Skid material on inside.

Dimensions:  
3.75" H x 2" W x 2" D

- Holds one Projectile Grenade of 37-40mm in diameter
- Elastic retention
- HOOK AND LOOP closure Flap
- Closure Flap pull tab
- Drainage
- Tuck strap MOLLE Attachment
- Non skid material in back to hold round in place

Zipper Hydration Pouch

PCHHY0



Dimensions:  
16" H x 6" W x 3" D

- Heavy duty ambidextrous zipper
- 2x Tuck strap MOLLE Attachment
- External MOLLE
- Button hole to route hydration tube
- One-wrap hydration bladder suspension
- Drainage hole
- Holds up to 100oz bladder

Zipper 8X4 Horizontal Utility Pouch

PCHUP2



Dimensions:  
5.25" H x 8.5" W x 2.5" D

- External MOLLE
- Internal Elastic MOLLE
- Heavy duty ambidextrous zipper
- Drainage hole
- 4x tuck strap MOLLE attachment

Flash Light Pouch

PCHFL0



Dimensions:  
6.25" H x 1.75" W x 1.25" D

- Fits mid sized flashlights
- Fits tactical batons
- Adjustable height flap
- Flap pull tab
- Bottom drainage
- 1x Tuck strap MOLLE attachment







# GAS MASK

## Zipper Bottom Std Gas Mask Pouch

PCHGM0



Dimensions:  
8" H x 9.25" W x 4.375" D

- Bottom opening zipper
- Heavy duty ambidextrous zipper
- 4x Tuck strap MOLLE attachment
- External MOLLE

## Zipper Bottom Large Gas Mask Pouch

PCHGM1



Dimensions:  
11" H x 9.25" W x 4.375" D

- Heavy duty ambidextrous zipper
- Bottom opening
- External MOLLE
- 4x Tuck strap MOLLE Attachment

## Std Gas Mask Pouch

PCHGM2



Dimensions:  
8" H x 9.375" W x 4.375" D

- Side deploy
- 4x Tuck strap MOLLE Attachment
- HOOK AND LOOP flap closure
- Pull tab on flap

# PISTOL

## Snap Pistol Holster

PCHPH0



UNIVERSAL PISTOL,  
MOST SEMI AUTOS

Dimensions:  
6.5" H x 3.75" W x 1.25" D

- Adjustable securing straps
- Holds most standard side arms
- Ambidextrous MOLLE for left/right side
- Can be rigged to be worn on pistol belt
- Secure straps for hammer/thumb cradle
- Stiffened and foam lined
- 1x tuck strap MOLLE attachment

## Double Pistol Mag Pouch

PCHMP0



ACCOMMODATES  
1911, GLOCK,  
M&P, HK

Dimensions:  
5.25" H x 3.5" W x 1.125" D

- Holds 2 pistol magazines
- Drainage hole
- 1911 single stack to Glock 21 double stack
- HOOK AND LOOP flap closure
- Rubberized liner
- 2x MOLLE tuck strap attachment
- Elastic magazine retention

## Triple Pistol Mag Pouch

PCHMP1



ACCOMMODATES  
single stack to  
double stack .45 cal

Diamond Skid material on inside.

Dimensions:  
5" H x 4.75" W x 1.5" D

- Hook and Loop flap
- Pull tab on Hook and Loop flap
- Drainage hole
- Elastic retention
- Nonskid backer to hold in magazines
- Tuck strap attachment
- Holds 3 pistol magazines

# RIFLE / SUB

## Single Rifle Mag Pouch

PCHMR0



ACCOMMODATES  
M4/M16, G3, AK, FAL

Dimensions:  
6" H x 3.25" W x 1.125" D

- Holds 1 rifle magazine
- Holds any rifle mag from 5.56 to 7.62 or .308
- Adjustable Height and removable flap closure
- Bungee mag retention included
- 2x MOLLE Tuck Strap attachment
- Rubberized liner
- Drainage hole
- Elastic mag retention

## Triple Rifle Mag Pouch

PCHMR1



ACCOMMODATES  
M4/M16, G3,  
AK, FAL

Dimensions:  
4" H x 9.75" W x 1.5" D

- Adjustable height HOOK AND LOOP flaps
- Elastic expanding pockets for multiple calibers
- Bungee retention option for open top configuration
- Pull tabs on closure flaps
- Drainage holes
- Rubberized pocket liner
- 3x Tuck strap MOLLE attachment

## Tiered Rifle Mag Pouch

PCHMR2



ACCOMMODATES  
M4/M16, G3, AK, FAL

Dimensions:  
4" H x 3.25" W x 2.75" D

- Adjustable height HOOK AND LOOP flaps
- Elastic expanding pockets
- Bungee retention option for open top
- Magazines can be tiered
- Holds 2 magazines of any rifle type
- 2x Tuck strap MOLLE attachment
- Pull tabs on closure flaps
- Rubberized pocket liner

# RIFLE / SUB / COMBO

## Double Horizontal Mag Pouch

PCHMR3



Dimensions:  
4.875" H x 5.25" W x 1.125" D

- Carries 2 Rifle Magazines horizontally positioned
- Magazines cinched and secured with Bungee retention
- 2x Tuck strap MOLLE attachment
- Holds 4 Pistol magazines with Elastic retention
- Drainage holes
- Can be changed for left or right hand use

## Single Horizontal Mag Pouch

PCHMR4



Dimensions:  
3.75" H x 2.75" W x 1.125" D

- Fits 1 AR15/M16/M4 magazine horizontally
- Bottom and top can be reversed
- 2x MOLLE tuck strap attachment
- Holds 2 Pistol magazines with rubberized liner and elastic retention
- Bungee Magazine retention

## Triple Rifle / Triple Pistol

PCHMR5



ACCOMMODATES  
5.56 to .308 rifle mags,  
Single to double stack  
.45 pistol mags

Diamond Skid  
material on inside.

Dimensions:  
5.75" H x 9.25" W x 3" D

- Holds 3 to 6 rifle magazines
- Holds 3 pistol magazines
- Elastic retention
- Bungee retention for rifle magazines
- Hook/Loop flap retention for pistol mags
- Nonskid backer to maintain magazines
- Tuck strap attachment MOLLE Compatible webbing system





## Double Sub Mag Pouch

PCHMS0

ACCOMMODATES  
HK, MP5, UMP, UZIDimensions:  
7.625" H x 4" W x 1.25" D

- HOOK AND LOOP flap closure
- Rubberized Liner
- Fits 2 Submachine Gun magazines - (MP5, UMP, etc.)
- Elastic magazine retention
- 2x MOLLE Tuck strap attachment

## Bandolier Shotgun Pouch

PCHS60

Dimensions:  
3.375" H x 6.25" W x 2" D

- HOOK AND LOOP flap closure
- Fits 12 shotgun shells (any standard gauge)  
in 2 HOOK AND LOOP removable elastic bandoliers
- 2x MOLLE tuck strap attachment

## MEDICAL

## Zipper Medical Pouch

PCHMD0

Dimensions:  
8.5" H x 4.5" W x 2.5" D

- Heavy duty ambidextrous zipper
- External MOLLE
- 1.5" x 3.5" ID panel
- Drainage hole
- 2x Tuck strap MOLLE Attachment
- Internal elastic MOLLE
- Includes Bungee secures
- Two internal Pockets

## MEDICAL

## Medical Trauma Pouch

PCHMD1

Dimensions:  
5" H x 3" W x 1.5" D

- Slides on to 4" Elastic cummerbund or internal belly band
- Fully opening ambidextrous zipper
- 2x2 ID panel on front
- Elastic retention for internal items

## RIFLE / SUB

## Dump Pouch

PCHDP0

Dimensions:  
9" H x 9.75" W x 3" D

- Hook and Loop closure
- Additional secure Hook and Loop strap in center
- Holds over 6 rifle magazines
- Attaches with tuck strap MOLLE
- Can attach to gunbelt or waist belt
- Roll up and secure with additional Hook/Loop strap
- Drainage hole

## SHOTGUN

## Shotgun Scabbard

PCHSB0

Dimensions:  
24" H x 8.5" W x FlatADJUSTABLE,  
ENTRY SHOTGUN TO  
18" COMBAT SHOTGUN

- 6x6 ID panel
- SR Buckle strap to secure weapon or breaching tool
- Adjustable height of pouch for shorter tools/weapons
- 2x tuck strap MOLLE attachment
- Drainage holes





# PROTECT & ENHANCE LIVES



## PARACLETE®

PROVEN UNDER FIRE®

According to research conducted by The Federal Bureau of Investigation (FBI), the risk of fatal injuries for officers who do not routinely wear body armor is 14 times greater than for those who do. As a company dedicated to serving the law enforcement and corrections community, startling statistics such as these, are the driving force behind our primary commitment, to provide the safest, most comfortable body armor in the world.

Our performance standards continue to exceed industry requirements as well as our own internal benchmarks because when it comes to ballistic protection, we realize that the very fiber of our existence lies within the lives we will continue to save. This vested interest in providing the highest level of manufacturing excellence and professional integrity is deeply rooted within our corporate culture and collectively defines who we are as a company. Every endeavor is made to communicate how our products not only perform above and beyond national certification requirements but ultimately saves lives.





Toll Free 1-800-413-5155  
Local 1-954-630-0900  
Fax 1-954-656-6569

Headquarters  
2102 SW 2nd Street  
Pompano Beach, FL 33069

Websites  
[PointBlankEnterprises.com](http://PointBlankEnterprises.com)  
[EliteProven.com](http://EliteProven.com)