Pillar[™] Tables Price List ■

February 15, 2017 Updated January 1, 2017 800-424-2432



Pillar[™] Tables

General Information







Square



Reduction



120 Degree

	neciangulai	nouna			
General Dimensions					
Height	29", 42"	29", 42"	29", 42"	29", 42"	29", 42"
Тор	24"D, 30"D x 36"W - 72"W 36"D x 42"W-96"W (Large Rect) 42"D, 48"D x 72"W-96"W	36"Dia,42"Dia,48"Dia,60"Dia	36", 42",48",60" Sq	24-30", 30-24", 30-36", 36-30" *Long end is 6" longer than short end	24"D, 30"D



Laminate; 1-1/4" rigid Poly edge; square corner (74P)

SPECIFICATIONS

Worksurfaces

Standard worksurface tops are nominal 1-1/4" overall thickness with .030" thick high-pressure laminate top surface and .028 phenolic backer, (bottom surface). Density of the core in standard tops is 45 lb/cu ft. particleboard, M3 grade. Available with 2mm (74P) edge only.

Leg Assembly

Leg assemblies come in two variations to accommodate two overall table heights: 29" standard and 42" standing height depending on the table shape. The leg construction consists of a 2-1/4" 0.D., 14-gauge steel tubing welded to a 1/4" thick 8" x 8" steel plate. There is a 1/4" thick steel insert welded in the bottom of each leg tube with a 1/2-13 UNC threaded hole where the casters or glides attach. The legs are attached to the worksurface using #12 x 1" screws. Casters and glides are shipped in separate cartons and need to be installed upon assembly of

the table.

PowerUp Power/Data Module

Some tables are available with one or two PowerUp power/data modules per table. On tables with one module it is located centered within the top width. Modules are spaced 3" from the back edge on 24" and 30" deep tops and centered (front to back) on 36", 42", and 48" deep tops. Some larger Conference style tables are available with two modules. They are located along the centerline of the table depth (front to back) and approximately 23" to 35" from the side edge of the top depending on the top width. The PowerUp is a UL listed Relocatable Power Tap which mounts flush into the table top. The module is 3-1/4" wide by 7" long and 2-1/4" tall when opened. It is provided with either a 9 ft. or 15 ft., three conductor power cord, rated 120VAC. 15A. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be adapted to accept various brand jacks.

Villa Module

Some tables are available with one or two Villa power modules per table. On tables with one module it is located centered within the width. Modules are spaced 3" from the back edge on 24" and 30" deep tops, and centered (front to back) on 36", 42", and 48" deep tops. Some larger Conference style tables are available with two modules. They are located along the centerline depth of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top's width. The Villa is a UL listed Relocatable Power Tap which mounts flush into the table top. The module is 3-1/2" wide by 6-3/4" long and 2" tall when opened. It is provided with either a 9ft or 15ft, three conductor power cord, rated 120VAC, 15A. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be adapted to accept various brand jacks.

Casters and Glides

Each table includes either casters or glides.

Each caster table includes a set of wheel locking and non-locking casters. Casters are made of molded nylon and come in two colors. Glides are black nylon over molded on a steel insert for strength. Glides and casters are not interchangeable without changing the table height. Caster wheels are a minimum of 2-7/16" (63mm) diameter. Caster wheel treads are a medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth bottom surface for mobility. Glides have a height adjustment range of 1" to allow for uneven surfaces.

Ganging Mechanism

Built of black, high-strength nylon, the hook and peg combination draws tables together. No tools are required when joining tables. Gangers are self-storing under the table when not in use. Tops are pre-drilled for placement of ganging pegs. Two gangers, six pegs and all mounting screws are included in the kit. One kit per table joint is required. Field installed.



Pillar[™] Tables General Information









D-Shape

Diamond

Sprocket

Boat

General Dimensions				
Height	29", 42"	29"	29"	29"
Тор	42°D, 48°D x 60°W , 72°W	30", 36"	24°D, 30°D *24° - Three Leg only *30° - Three Leg and Six Leg	30°D, 36°D, 42°D x 60°W-72°W

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pillar™ leg managing cables and wires exiting PowerUp® or standard grommets installed on the worksurface top. The extrusion is 12" long. One vertical wire manager per table is included when power options are ordered.

Under Table Wire Management

The under table wire manager is constructed of 2" x 4-1/2' Velcro hook and loop material with a looped pull tab. The wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire manager, but the manager may be applied in any convenient location. One or two wire managers are included when power options are ordered. Field installed.

Worksurface Grommet

Some tables are available with one or two rectangular ABS plastic grommets per table. On tables with one grommet it is located

centered within the width. Grommets are spaced 3" from the back edge on 24" and 30" deep tops, and centered (front to back) on 36", 42", and 48" deep tops. Some larger conference style tables are available with two grommets. They are located along the centerline depth of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top's width. Grommets have a flip-up receding door and are identical in size to the PowerUp module to allow for retrofitting of PowerUp at a later date. The available opening for power or data cords, when the flip-up door is closed, is 1/2" wide x 5-3/4" long. Open door available space is 2-1/4" x 5-3/4". Grommets are available in a variety of colors. Field-installed


INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information


Pillar Post Leg Tables





Pillar Post Leg Tables

Array of configurable top shapes



Rectangular - 29" High, 24",30" and 36" Deep

SIN #711-11

			MODEL N	IIIADED							
			MODEL N	OMREK							
	MODEL	AxB	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)
A	Rectangular Tables - 24"D	24 x 36"	PLRT2436								
	Post Leg at 29" high Table 20 and 1 for a serious legel 1. Table 20 and 1 for a serious legel 2. Table 20 and 20 and 2. Table 20 and	24 x 42"	PLRT2442								
B	Tables are designed for maximum leg spacing	24 x 48"	PLRT2448								
В	Glides and casters are not interchange-	24 x 54"	PLRT2454								
	able without changing the height of the table	24 x 60"	PLRT2460								
	 Vertical and horizontal wire management 	24 x 66"	PLRT2466								
PLRT	are included automatically when power	24 x 72"	PLRT2472								
	options are specified Gangers ordered separately										
A TOWN	Rectangular Tables - 30"D • Post Leg at 29" high	30 x 36"	PLRT3036								
• Tables are desi spacing	Tables are designed for maximum leg	30 x 42"	PLRT3042								
		30 x 48"	PLRT3048								
	 Glides and casters are not interchange- able without changing the height of the 	30 x 54" 30 x 60"	PLRT3054 PLRT3060								
	table	30 x 66"	PLRT3060								
PLRT	Vertical and horizontal wire management	30 x 72"	PLRT3072								
1 2111	are included automatically when power options are specified	30 X 7 Z	1 LITIOUTZ								
	Gangers ordered separately										
A ,	Rectangular Tables - 36"D	36 x 42"	PLRT3642								
	Post Leg at 29" high	36 x 48"	PLRT3648								
	Tables are designed for maximum leg spacing	36 x 54"	PLRT3654								
	Glides and casters are not interchange-	36 x 60"	PLRT3660								
able without changing the height		36 x 66"	PLRT3666								
	table • Vertical and horizontal wire management	36 x 72"	PLRT3672								
PLRT	are included automatically when power										
	options are specified										
	Gangers ordered separately										
			A	3	Θ	0	ⅎ	()	Θ	0	0
			•	•	•		•	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style. - 74P edge
- Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts

10C - One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No

Cutouts; add \$146 1PG - One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Man-

agement; add \$262 1VG - One Villa Grommet w/Wire

Management; add \$212

Management; add \$384

- One Villa Module w/Wire

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- Casters - Glides

- *Casters=2 locking/2 non-locking, black wheel, silver hub
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Rectangular - 29" High, 24",30" and 36" Deep

	•		
Apj Pad We	prox. ckaged eight	74P Edge (74P)	
(68.5#	\$ 603	
	73.8#	619	
7	79.0#	630	
3	84.3#	668	
	89.5#	678	
	98.5#	722	
10	03.8#	722	
		\$ 652	
	82.9#	684	
	89.5#	684	
	96.1#	721	
	02.6#	731	
	12.9#	771	
11	19.5#	771	
	00.1#	ф 740	
	92.1# 00.0#	\$ 748	
	00.0#	754	
		866	
	15.8# 31.1#	866 901	
	31.1#	901	
18	აყ.U#	901	

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Large Rectangular - 29" High, 36", 42" and 48" Deep

#711-11



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style. - 74P edge
- Select grommet or module type.

- No Grommets, PowerUp or Wire Management/No Cutouts

- Two Cutouts Only-w/Wire

Management; add \$293
WMO - Wire Management Only-No Cutouts

- Two Plastic Grommets w/ 2PG Wire Management; add \$328

- Two PowerUps w/Wire Management; add \$524

- Two Villa Grommets w/Wire Management; add \$424

- Two Villa Modules w/Wire Management; add \$766

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect base.

- Casters - Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Large Rectangular - 29" High, 36", 42" and 48" Deep

$\overline{}$
$/\!/$
V

74P Edge (74P)

\$ 1266

1266

1133

1380

1445

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #125.

Rectangular - 42" High, 24",30" and 36" Deep

SIN #711-11

											<u> </u>	
			MODEL NUM	BER								
	MODEL	AxB	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	
	Rectangular Tables - 24"D	24 x 36"	PLRT2436H42									
	Post Leg at 42" high	24 x 42"	PLRT2442H42									
	Tables are designed for maximum leg spacing	24 x 48"	PLRT2448H42									
B B	Glides and casters are not interchange-	24 x 54"	PLRT2454H42									
	able without changing the height of the	24 x 60"	PLRT2460H42									
, 18-11-3	table • Vertical and horizontal wire management	24 x 66"	PLRT2466H42									
PLRT	are included automatically when power	24 x 72"	PLRT2472H42									
	options are specified											
	Gangers ordered separately											
A ,	Rectangular Tables - 30"D	30 x 36"	PLRT3036H42									
	Post Leg at 42" highTables are designed for maximum leg	30 x 42"	PLRT3042H42									
	spacing	30 x 48"	PLRT3048H42									
	Glides and casters are not interchange-	30 x 54"	PLRT3054H42									
	able without changing the height of the table	30 x 60"	PLRT3060H42									
a	 Vertical and horizontal wire management 	30 x 66"	PLRT3066H42									
PLRT	are included automatically when power	30 x 72"	PLRT3072H42									
	options are specified											
	Gangers ordered separately											
_ A	Rectangular Tables - 36"D	36 x 42"	PLRT3642H42									
	Post Leg at 42" highTables are designed for maximum leg	36 x 48"	PLRT3648H42									
	spacing	36 x 54"	PLRT3654H42									
B	Glides and casters are not interchange-	36 x 60"	PLRT3660H42									
	able without changing the height of the table	36 x 66"	PLRT3666H42									
1	· Vertical and horizontal wire management	36 x 72"	PLRT3672H42									
PLRT	are included automatically when power											
	options are specified Gangers ordered separately											
	- Gangers Ordered Scharatery]
			A	3	Θ	0	ⅎ	•	Ѳ	0	0	
			_	_	_	_	_	_	_	_	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts - One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No Cutouts; add \$146

- One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Management; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212 - One Villa Module w/Wire

Management; add \$384 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

- Casters

- Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length

Rectangular - 42" High, 24",30" and 36" Deep

Approx.								
Approx. Packaged Weight	74P	P Edge IP)						
weight	(/4	P)						
77.5#	\$	655						
82.8#		671						
88.0#		682						
93.3#		719						
98.5#		729						
107.5#		774						
112.8#		774						
85.4#	\$	703						
91.9#		735						
98.5#		735						
105.1#		773						
111.6#		783						
121.9#		823						
128.5#		823						
101.1#	\$	799						
109.0#		805						
116.9#		917						
124.8#		917						
140.1#		952						
148.0#		952						

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

[™] Tables

Large Rectangular - 42" High, 36" Deep

SIN #711-11

			MODEL NUM	BER								
	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	Approx. Packaged Weight
_ _ A _ 	5 Legs	36 x 84"	PLRT3684H42									165.3#
	5 Legs	36 x 96"	PLRT3696H42									181.0#
PLRT												
Rectangular Tables - 36"D												
 Post Leg at 42" high Tables are designed for maximum leg 												
spacingGlides and casters are not inter-												
changeable without changing the height of the table												
Vertical and horizontal wire manage-												
ment are included automatically when												
power options are specified • Gangers ordered separately												
- dangers ordered separatory												
			Ø	3	•	0	•	•	0	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts - Two Cutouts Only-w/Wire

Management; add \$293 WMO - Wire Management Only-No Cutouts

- Two Plastic Grommets w/ Wire Management; add \$328

- Two PowerUps w/Wire Management; add \$524

2VG - Two Villa Grommets w/Wire Management; add \$424

- Two Villa Modules w/Wire Management; add \$766

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

- Casters

- Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select Cord Length (feet).

15 - 15' cord length

Large Rectangular - 42" High, 36" Deep

74P Edge (74P)

\$ 1330

1330

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Reduction 29" High, 24-30 and 30-24

SIN #711-11

		MODEL NUM	IBER									
	AxBxC	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	Approx. Packaged Weight	
C	24 x 36 x 30"	PLRN243630									76.4#	_
	24 x 48 x 30"	PLRN244830									89.5#	
	24 x 60 x 30"	PLRN246030									102.3#	
	24 x 72 x 30"	PLRN247230									119.5#	
PLRN												
Reduction Tables - 24-30												
 Post Leg at 29" high There is a 6" difference between the 												
short and long end												
Table dimensions are specified												
'left-side depth (A)', 'table-width (B)', 'right-side depth (C)'												
Tables are designed for maximum leg												
spacing												
 Glides and casters are not inter- changeable without changing the 												
height of the table												
 Vertical and horizontal wire management are included automatically when 												
power options are specified												
Gangers ordered separately												
	30 x 36 x 24"	PLRN303624									76.4#	
To-To-To-To-To-To-To-To-To-To-To-To-To-T	30 x 30 x 24 30 x 48 x 24"	PLRN304824									89.5#	
	30 x 36 x 24"	PLRN306024									102.3#	
В	30 x 72 x 24"	PLRN307224									119.5#	
A												
PLRN												
Reduction Tables - 30-24												
(Same bullets as above)												
		Ø	3	•	0	3	•	Ө	0	0		

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style. - 74P edge
- Select grommet or module type.

- No Grommets, PowerUp or

Wire Management/No Cutouts

10C - One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No

Cutouts; add \$146 1PG - One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Management; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212 - One Villa Module w/Wire

Management; add \$384 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

style selections. Select surface finish.

- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- Casters - Glides

- *Casters=2 locking/2 non-locking, black wheel, silver hub
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Pillar[™] Tables Reduction 29" High, 24-30 and 30-24

_
А
J
-

74P Edge (74P)

721

754

801

841

721

754

801

841

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Reduction 29" High, 30-36 and 36-30

SIN #711-11

											<i>"</i> · · · · ·
		MODEL NUM	IBER								
	AxBxC	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	Approx. Packaged Weight
	30 x 36 x 36"	PLRN303636									84.3#
	30 x 48 x 36"	PLRN304836									100.0#
	30 x 60 x 36"	PLRN306036									115.8#
	30 x 72 x 36"	PLRN307236									135.3#
<u> </u>											
Reduction Tables - 30-36											
Post Leg at 29" high											
There is a 6" difference between the short and long end											
 Table dimensions are specified 											
'left-side depth (A)', 'table-width (B)', 'right-side depth (C)'											
 Tables are designed for maximum leg 											
spacingGlides and casters are not inter-											
changeable without changing the											
height of the table • Vertical and horizontal wire manage-											
ment are included automatically when											
power options are specifiedGangers ordered separately											
- dangers ordered separately											
C	36 x 36 x 30"	PLRN363630									84.3#
	36 x 48 x 30"	PLRN364830									100.0#
В	36 x 60 x 30" 36 x 72 x 30"	PLRN366030 PLRN367230									115.8# 135.3#
	30 X /2 X 3U	PLKIN307230									135.3#
PLRN											
Reduction Tables - 36-30											
 (Same bullets as above) 											
		A	3	•	0	(3	•	0	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge
- Select grommet or module type.

- No Grommets, PowerUp or Wire Management/No Cutouts

- One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No
Cutouts; add \$146

- One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Management; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212 - One Villa Module w/Wire Management; add \$384

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- Select edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- Casters - Glides

- *Casters=2 locking/2 non-locking, black wheel, silver hub
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Reduction 29" High, 30-36 and 36-30

		\
- Terreto	and the same of th	
		_//.
		//
	\ Y.	

74P Edge (74P)

\$ 780

823

931

953

\$ 780

823

931

953

SPECIAL SERVICES

Special Carton Marking

With specially marked information

opoolany markou imornic

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Reduction 42" High, 24-30 and 30-24

SIN #711-11

		MODEL NUMBER	R				1	1	ı		
	AxBxC	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	Approx. Packaged Weight
	24 x 36 x 30"	PLRN243630H42									85.4#
	24 x 48 x 30"	PLRN244830H42									98.5#
	24 x 60 x 30"	PLRN246030H42									111.3#
В	24 x 72 x 30"	PLRN247230H42									128.5#
PLRN											
Reduction Tables - 24-30											
 Post Leg at 42" high There is a 6" difference between the 											
short and long end											
Table dimensions are specified											
'left-side depth (A)', 'table-width (B)',											
'right-side depth (C)' • Tables are designed for maximum leg											
spacing											
Glides and casters are not inter-											
changeable without changing the height of the table											
Vertical and horizontal wire manage-											
ment are included automatically when											
power options are specifiedGangers ordered separately											
dangers ordered separately											
	30 x 36 x 24"	PLRN303624H42									85.4#
	30 x 48 x 24"	PLRN304824H42									98.5#
	30 x 36 x 24"	PLRN306024H42									111.3#
В	30 x 72 x 24"	PLRN307224H42									128.5#
200											
PLRN											
Reduction Tables - 30-24											
 (Same bullets as above) 											
		A	3	•	0	•	•	0	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style. - 74P edge
- Select grommet or module type.

- No Grommets, PowerUp or

Wire Management/No Cutouts

10C - One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No

Cutouts; add \$146 1PG - One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Management; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212

- One Villa Module w/Wire Management; add \$384

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- Casters - Glides

- *Casters=2 locking/2 non-locking, black wheel, silver hub
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length - 9' cord length



Reduction 42" High, 24-30 and 30-24

	_	
	A STATE OF THE PARTY OF THE PAR	_
_	Service of the least of the lea	
THEFT		
		//
("	\	
_		//
	_ Y	
	\ L	/

74P Edge (74P)

773

805

853

891

\$ 773

805

853

891

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #125.

Reduction 42" High, 30-36 and 36-30

SIN #711-11

		MARCH MUMERO									
		MODEL NUMBER	K		1		I				
	AxBxC	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	Approx. Packaged Weight
	30 x 36 x 36"	PLRN303636H42									93.3#
	30 x 48 x 36"	PLRN304836H42									109.0#
	30 x 60 x 36"	PLRN306036H42									124.8#
B A	30 x 72 x 36"	PLRN307236H42									144.3#
PLRN											
Reduction Tables - 30-36											
Post Leg at 42" high											
There is a 6" difference between the											
short and long endTable dimensions are specified											
'left-side depth (A)', 'table-width (B)',											
'right-side depth (C)'											
 Tables are designed for maximum leg spacing 											
Glides and casters are not inter-											
changeable without changing the height of the table											
Vertical and horizontal wire manage-											
ment are included automatically when											
power options are specifiedGangers ordered separately											
- dangers ordered separately											
	36 x 36 x 30"	PLRN363630H42									93.3#
	36 x 48 x 30"	PLRN364830H42									109.0#
	36 x 60 x 30"	PLRN366030H42									124.8#
	36 x 72 x 30"	PLRN367230H42									144.3#
PLRN											
Reduction Tables - 36-30											
(Same bullets as above)											
		•	3	Θ	0	(3	G	Ф	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge
- Select grommet or module type.

- No Grommets, PowerUp or Wire Management/No Cutouts

- One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No Cutouts; add \$146

- One Plastic Grommet w/Wire Management; add \$164

1PU - One PowerUp w/Wire Management; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212 - One Villa Module w/Wire

Management; add \$384 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect base.

- Casters - Glides

- *Casters=2 locking/2 non-locking, black wheel, silver hub
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Reduction 42" High, 30-36 and 36-30

	A STATE OF THE PARTY OF THE PAR	_
_	Service of the least of the lea	_
Charles		
/ /	\	
_	. 📎	///
	<u> </u>	
	N/4	,

74P Edge (74P)

832

875

982

1005

832 875

982

1005

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping
Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Square - 29" and 42" High

#711-11

										<i> 1</i>
			MODEL NU	MBER						
	MODEL	AxB	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
A	Square Tables - 29"H	36 x 36"	PLSR36		NNN					84.0#
	• Post Leg at 29" high	42 x 42"	PLSR42		NNN					101.0#
В	 Tables are designed for maximum leg spacing 	48 x 48"	PLSR48		NNN					121.0#
	Glides and casters are not interchange-	60 x 60"	PLSR60		NNN					168.0#
• +	able without changing the height of the									
PLSR	table • Gangers ordered separately									
	- dangers ordered separately									
A	Square Tables - 42"H	36 x 36"	PLSR36H42		NNN					93.0#
	Post Leg at 42" high Tables are designed for maximum leg.	42 x 42"	PLSR42H42		NNN					110.0#
В	 Tables are designed for maximum leg spacing 	48 x 48"	PLSR48H42		NNN					130.0#
	Glides and casters are not interchange-	60 x 60"	PLSR60H42		NNN					177.0#
•	able without changing the height of the									
PLSR	table • Gangers ordered separately									
	dangers ordered separately									
			(3	•	0	(3	•	Θ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

CST - Casters

- Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub



Pillar™ Tables Square - 29" and 42" High

)

74F	Edge
(74	P)
¢	710

840

871

1000

762 890

923 1052

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Round - 29" and 42" High

#711-11

										// / / / / / / /
			MODEL NUI	MBER						
	MODEL	A	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
A	Round Tables - 29"H	36" Dia	PLRD36		NNN					74.0#
	Post Leg at 29" highTables are designed for maximum leg	42" Dia	PLRD42		NNN					87.0#
	spacing	48" Dia	PLRD48		NNN					103.0#
	Glides and casters are not interchange-	60" Dia	PLRD60		NNN					140.0#
	able without changing the height of the									
	table									
PLRD										
A	Round Tables - 42"H	36" Dia	PLRD36H42		NNN					83.0#
	Post Leg at 42" high Tables are designed for maximum leg	42" Dia	PLRD42H42		NNN					96.0#
	 Tables are designed for maximum leg spacing 	48" Dia	PLRD48H42		NNN					112.0#
	 Glides and casters are not interchange- 	60" Dia	PLRD60H42		NNN					149.0#
	able without changing the height of the									
	table									
PLRD										
			Ø	•	•	0	•	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge
- Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

- Casters CST GLD

- Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub



Pillar™ Tables Round - 29" and 42" High

_	\

74P	Edge
(74F	P) -

\$ 764
908

	9	1	J	
1	n	q	6	

\$ 815
960

1	0	2	5
1	1	1	g

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Pillar[™] Tables

120 Degree - 29" and 42" High

SIN #711-11

										" 1 1 1 1 1
			MODEL NUN	MODEL NUMBER						
	MODEL	A	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
		24"	PL12024		NNN					101.0#
	Post Leg at 29" high	30"	PL12030		NNN					138.0#
	Table dimension refers to the depth of the flat ends (A)									
	Tables are designed for maximum leg									
	spacing									
\checkmark	Glides and casters are not interchange- able without changing the height of the									
PL12	table									
	Gangers ordered separately									
	_									
		24"	PL12024H42		NNN					110.0#
	Post Leg at 42" highTable dimension refers to the depth of	30"	PL12030H42		NNN					147.0#
	the flat ends (A)									
	Tables are designed for maximum leg									
	spacing for the length of the table Glides and casters are not interchange-									
4	able									
PL12	Legs with glides have longer tubes than									
	with casters to achieve same table height									
	Gangers ordered separately									
			A	3	Θ	0	ⅎ	G	Θ	
			•	_	•	•		•	_	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 74P 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

CST - Casters

GLD - Glides

*Casters=2 locking/2 non-locking,

black wheel, silver hub



120 Degree - 29" and 42" High



74P Edge (74P)

990 1323

\$ 1047 1380

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

D-Shape - 29" and 42" High

#711-11

										// 1	1 1 1	<u> </u>
		MODEL NUMI	MODEL NUMBER									
	MODEL	AxB	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Grommet/ Module Color	Cord (feet)	
A	D-Top Tables - 29"H	42 x 60"	PLDT4260									
	Post Leg at 29" highTables are designed for maximum leg	42 x 72"	PLDT4272									
В	spacing	48 x 60"	PLDT4860									
	Glides and casters are not interchange-	48 x 72"	PLDT4872									
	able without changing the height of the											
PLDT	table • Vertical and horizontal wire management											
	are included automatically when power											
	options are specified											
	 Gangers ordered separately 											
A	D-Top Tables - 42"H Post Leg at 42" high Tables are designed for maximum leg spacing Glides and casters are not interchange-	42 x 60"	PLDT4260H42									
		42 x 72"	PLDT4272H42									
В		48 x 60"	PLDT4860H42									
		48 x 72	PLDT4872H42									
î T ime	able without changing the height of the											
PLDT	table • Vertical and horizontal wire management											
	are included automatically when power											
	options are specified											
	Gangers ordered separately											
			A	3	Θ	O	3	(3	Ф	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts - One Cutout Only-w/Wire

Management; add \$146
WMO - Wire Management Only-No Cutouts; add \$146

- One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Man-

agement; add \$262 1VG - One Villa Grommet w/Wire

Management; add \$212

- One Villa Module w/Wire Management; add \$384 *CORD LENGTH of 9' or 15' is option on

1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

CSelect base.

- Casters - Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select Cord Length (feet).

15 - 15' cord length



Pillar[™] Tables D-Shape - 29" and 42" High

Approx.	
Packaged Weight	74P Edge (74P)
118.0#	\$ 969
144.5#	1126
132.0#	969
170.5#	1126
127.0#	\$ 1021
153.5#	1178
141.0#	1021
179.5#	1178

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Sprocket and Diamond Shape - 29" High

SIN #711-11

											#111-11
				MODEL N	MODEL NUMBER						
	MODEL	Features	A	Basic Model	Edge Style	Grommet/ Module Type	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
	Sprocket Shape Tables	3 Legs	24"	PLSP24L3		NNN					108.0#
	Post Leg at 29" high3-Leg is primarily a 3-person table	3 Legs	30"	PLSP30L3		NNN					148.0#
A	Table dimensions refer to the depth of										
	the flat side (A)										
g	Tables are designed for maximum leg										
PLSP	spacingGlides and casters are not interchange-										
	able without changing the height of the										
	table										
	Gangers ordered separately										
	Sprocket Shape Tables • Post Leg at 29" high	6 Legs	30"	PLSP30L6		NNN					175.0#
	6-Leg can accommodate up to 6 people										
	Table dimensions refer to the depth of										
	the flat side (A)										
	 Tables are designed for maximum leg spacing 										
PLSP	 Glides and casters are not interchange- 										
	able without changing the height of the										
	table • Gangers ordered separately										
			001	DI DAMO		BIBIBI					07.0%
A A	Diamond Shape Tables • Post Leg at 29" high		30"	PLDM30		NNN					87.0#
TO	3 Tables combine to form a Guitar Pick		36"	PLDM36		NNN					111.0#
	Table										
	 Table dimensions refer to the depth of the flat side (A) 										
PLDM	Tables are designed for maximum leg										
I LUIVI	spacing										
	 Glides and casters are not interchange- able without changing the height of the 										
	table										
	 Gangers ordered separately 										
					•	•	•	3	_	Ю	
				•	•	•		•	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

74P - 74P edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

• Select edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

CST - Casters

GLD - Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Sprocket and Diamond Shape - 29" High

	-	
	- Total	_
-	STREET, ST.	_
- Toronto		/
		//
("	.	///
		///
_	\ \Y	

74P Edge (74P)

\$ 1075 1107

\$ 1332

824 893

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping
Shipped k.d. freight prepaid f.o.b.
Bonduel, Wisconsin 54107 factory. Freight class #125.

Boat Shape - 29" High

SIN #711-11

MODEL NUMBER Grommet/ Grommet/ Basic Edge Module Surface Module Cord Edge Leg MODEL AxBxC Model Style Туре Color Finish Finish Base Color (feet) **Boat Shape Tables** 30 x 60 x 40" PLBT3060 $\Box\Box$ Post Leg at 29" high PLBT3066 30 x 66 x 40" Corners of surface are rounded not PLBT3072 $\Box\Box$ $\Box\Box$ 30 x 72 x 40" square Tables are designed for maximum leg 36 x 60 x 46" PLBT3660 spacing 36 x 66 x 46" PLBT3666 Glides and casters are not interchange-36 x 72 x 46" PLBT3672 able without changing the height of the PLBT4272 42 x 72 x 52" Vertical and horizontal wire management PLBT are included automatically when power options are specified Table center is an additional 10" deeper than the listed "A" dimension. **(** 0 Θ 0 • 0 Θ 0 0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 74P edge

Select grommet or module type.

- No Grommets, PowerUp or

Wire Management/No Cutouts - One Cutout Only-w/Wire

Management; add \$146 WMO - Wire Management Only-No Cutouts; add \$146

- One Plastic Grommet w/Wire Management; add \$164

- One PowerUp w/Wire Man-1PII agement; add \$262

1VG - One Villa Grommet w/Wire

Management; add \$212 - One Villa Module w/Wire

Management; add \$384 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

• Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect base.

- Casters

- Glides

*Casters=2 locking/2 non-locking, black wheel, silver hub

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select Cord Length (feet).

- 15' cord length



Pillar™ Tables Boat Shape - 29" High

Approx.		
Packaged	74P Edge	
Weight	(74P)	
124.0#	\$ 994	
140.5#	1083	
149.5#	1131	
137.0#	994	
154.5#	1083	
165.5#	1131	
180.5#	1168	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

SIN #711-11

(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Delivered Pricing

14

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 1-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2017 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000012/KI/PDF/0217