



PILOT™ SEATING

PRICE LIST

January 3, 2011

Updated October 3, 2022

800.424.2432



Ordering C.O.M., C.O.L., and C.O.V.		
Bonduel, Green Bay, Ontario, Tupelo and Shipping Locations		3
Pilot®		
General Information		4
Task Chairs		5

Ordering COM, COL and COV

Information

Ordering COM, COL and COV


Information

How to Specify C.O.M. Upholstery
Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing
KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production
Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns
In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials
If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders
If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material
KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.



C.O.M. SHIPPING LOCATION

Architectural Walls
Evoke..... MN
Genius Walls..... MN

Casegoods
Aristotle Tackboards.....MN
Likha Tackboards.....MN

Classroom Furniture
Intellect Wave Chairs..... GB
Learn2 GB
Ruckus.....GB

Desking
700 Series Desking.....KP
Balance Overheads..... MN
Genesis Desking.....MN
True Desking.....KP
Universal Overheads..... MN
WorkZone Desking..... MN

Files & Storage
700 Series Pedestal Cushion GB
Connection Zone PadsBW
U-Series Pedestal Cushion..... GB
Tattoo.....BW

Fixed Seating
Concerto Auditorium SeatingBW
Single Pedestal Seating GB
Jury Base Seating.....GB
Lancaster Auditorium SeatingBW
Sequence Seating.....GB
University Seating..... GB

Panel Systems
All Terrain.....KP
Balance Overheads..... MN

System 3000..... MN
Universal Overheads..... MN
Wireworks MN
Unite..... MN

Residence Hall Furniture
RoomScape Furniture MN

Screens
All Terrain.....KP
Connection Zone.....BW
True/VolitionKP
Genesis.....KP
Tattoo..... MN
Universal.....BW

Seating
400 Series Folding Chairs.....BW
600 Series Folding Chairs.....BW
600 Series Stools.....BW
Affina CollectionHN
Altus Task Chairs..... GB
Apply Stack ChairsGB
Auditorium Folding ChairsBW
Calida Lounge SeatingHN
Diem Task Chairs..... OM
Doni Collection..... GB
FourC Seating..... GB
Gladly Lounge SeatingVQ
Grazie Seating GB
Hiatus Sleeper BenchHN
Hub Modular Lounge SeatingHN
Impress Task Chairs.....OM
Impress Ultra Task Chairs OM
Jessa Lounge SeatingHN
Jubilee Lounge Seating.....VQ
Katera Guest Chair..... GB
Kurv Benches.....HN

LaResta Day BedsHN
LimeLite GB
Lyra Lounge Seating.....HN
Maestro Stack Chairs GB
Matrix Stack Chairs..... GB
Medical & Laboratory Stools..... OM
MyPlace Lounge SeatingHN
MyWay Seating.....HN
Oath Task Chairs and Stools..... GB
Opt4 GB
Pilot Task Chairs..... OM
Promenade Seating SystemBW
Ruckus..... GB
Sela Lounge Seating HN
Sift Task Chairs GB
Signia Task Chairs and StoolsOM
Soltice Metal Collection.....HN
Soltice Multiple, Healthcare & Guest .HN
Soltice II Healthcare Seating.....HN
Strive Multiple, Stack & Task GB
SwayBW
Tattoo.....HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
ZoetryHN



C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization) _____

Attention _____

Address _____

City _____ State _____ Zip _____

Project Name _____

Type of seating and number of units of each type _____

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number _____

☐ Test approved. Submitted for production.

KI Acknowledgement Number _____

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side



KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761



Pilot Armless Chair (KI88/NA)



Pilot Task Loop Arm Chair (KI88/KR48)



Pilot Task T-Arm Chair (KI88/KR300)

Features			
Adjustable back angle	•	•	•
Extra wide seat	•	•	•
Seat depth adjustment	•	•	•
Back height adjustment	•	•	•
Warranted to 400 lbs & 24/7 use	•	•	•
General Dimensions			
Seat width	24"	24"	24"
Seat depth	17" - 19-1/2"	17" - 19-1/2"	17" - 19-1/2"
Seat height	18" - 23"	18" - 23"	18" - 23"
Back width	23-1/2"	23-1/2"	23-1/2"
Back height from seat	25"	25"	25"
Overall Dimensions			
Width	27"	27"	31-1/2"
Depth	27"	27"	27"
Height	43" - 52"	43" - 52"	43" - 52"

SPECIFICATIONS

Seat

Seat is constructed of 5/8" thick, 10-ply plywood with one solid steel reinforcement plate that spans from seat edge to seat edge and 3.75" thick molded foam. The steel reinforcement plate has welded steel t-nuts for arms and mechanism. The contoured molded foam-covered board is upholstered with fabric. The front edge of the seat has a waterfall design. The seat is attached to a seat mechanism with four 5/16" screws into steel welded t-nuts.

An integral seat slide is attached to the under side of the seat board which allows the seat depth to be adjusted from 17" to 19-1/2". A black dust cover fabric shrouds the seat slide. The seat slide assembly is mounted to steel attachment brackets in the mechanism and seat plate that allow the seat to slide in and out.

Seat Mechanism

Chair features infinitely locking back angle, and tilt rocking.

Pneumatic Height Adjustment

Chair features pneumatic seat height adjustment from 18" to 23".

Backrest (vertically adjustable)

Backrest is constructed of 1/2" thick 9-ply plywood and 2-1/2" body-contoured molded foam. The outer back shell is upholstered plywood. The backrest is attached to a five-position ratcheting mechanism that provides 4" of vertical adjustment along a 1/4" thick x 4" wide high-strength steel J-bar. The J-bar is fastened directly to the seat mechanism with three 5/16" bolts.

T-Arms

Adjustable, heavy-duty arms have 2-3/4" vertical travel (from approximately 10" - 12-3/4" above the seat). There is 1-1/4" of width adjustment per side or 2-1/2" width adjustment total.

Loop Armrests

Main armrest support is made of 1/4" thick by 2-1/4" wide bent steel constructions. Armrests are attached to a solid steel reinforcement plate that spans from side to side and which is mounted

to the seat board for increased arm strength. Armrest pads are self-skinning soft urethane material with steel inner structures. Loop arms are fixed height.

Base

Extra-wide 27" five-blade base constructed of heavy-duty composite. The center of the base has a patented non-slip ring where the pneumatic cylinder is mounted. A telescoping cylinder shroud conceals the heavy-duty pneumatic cylinder.

Casters

Heavy-duty 55mm diameter double wheels are molded of high-impact plastic with steel stud.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 2-1/2 yd x 54" sample must be submitted and approved prior to acceptance of an order.

If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage maybe requested.

Test samples must be sent to:

Pilot
Attn: C.O.M. Department
1110 S. Mildred Ave.
Ontario, CA 91761

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Assembly

Ship knocked-down (KD). Minimal assembly required.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

PILOT

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

A Select basic model.

B Select base option.

C	- Carpet casters
G	- Glides
S	- Hard floor casters

C Select upholstery grade/color.
Refer to ki.com/fabrics

C.O.M. Upholstery
C.O.M. requirement is 2-1/2 yards per chair of
54" wide nondirectional fabric; solid colors only.
For complete information on ordering C.O.M., see
"Ordering C.O.M., C.O.V. and C.O.L." section.

With specially marked information N/C

Ships knocked down, FOB Ontario, CA 91761,
freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000434/KI/PDF



Furnishing Knowledge®