April 9, 2014 Updated June 29, 2016

800-424-2432



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Pirouette® Tables	General Information	2
	Fixed-Rectangular-29" High (Training)	6
	Fixed-Rectangular-29" High (Collaborative)	10
	Fixed-Rectangular-29" High (Conference)	12
	Fixed-Rectangular-36" High (Counter Height)	16
	Fixed-Rectangular-42" High (Cafe Height)	18
	Fixed-Chevron-29" High (Standard Height)	20
	Fixed-Chevron-36" High (Counter Height)	22
	Fixed-Chevron-42" High (Cafe Height)	24
	Fixed-Double Chevron-29" High (Standard Height)	26
	Fixed-Double Chevron-29" High (Conference)	28
	Fixed-Guitar Pick-29" High (Standard Height)	32
	Fixed-Square-29" High (Standard Height)	34
	Fixed-Square-36" High (Counter Height)	36
	Fixed-Square-42" High (Cafe Height)	38
	Fixed-Round-29" High (Standard Height)	40
	Fixed-Round-36" High (Counter Height)	42
	Fixed-Round-42" High (Cafe Height)	44
	Fixed-Scale Up-29" High (Standard Height)	46
	Fixed-Half Round-29" High (Standard Height)	48
	Fixed-Trapezoid-29" High (Standard Height)	50
	Nesting-Rectangular-29" High (Training)	52
	Nesting-Rectangular-29" High (Collaborative)	54
	Nesting-Rectangular-36" High (Counter Height)	56
	Nesting-Rectangular-42" High (Cafe Height)	58
	Nesting-Chevron-29" High (Standard Height)	60
	Nesting-Chevron-36" High (Counter Height)	62
	Nesting-Chevron-42" High (Cafe Height)	64
	Nesting-Double Chevron-29" High (Standard Height)	66
	Nesting-Scale Up-29" High (Standard Height)	68
	Nesting-Half Round-29" High (Standard Height)	70
	Nesting-Trapezoid-29" High (Standard Height)	72
	Accessories	74
ndex		76

General Information



	Rectangular (Training)	Rectangular (Collaborative)	Half-Round	Scale-Up	Trapezoid
Features					
Fixed	•	•	•	•	•
Nesting	•	•	•	•	•
General Dimensions					
Height	29", 36", 42"	29"	29"	29"	29"
Тор	18"D, 24"D, 30"D, 36"D x 36"W - 72"W	24"D, 30"D x 60"W - 96"W	24"D, 30"D, 36"D x 48"W - 72"W	30"D x 72"W	30"D x 60"W



Laminate; 1-1/4" round vinyl bullnose edge; 1-1/2" radius corner (54B)



Laminate; 1-1/4" self edge; square corner (64E)



Laminate; 1-1/4" rigid Poly edge; square corner (74P)



Laminate; 2-1/4* elliptical molded urethane front and rear (long) edges; 1-1/4* rigid Poly edge on side (short) edges (ME2)



Laminate; 3/8" x 1-1/4" wood band edge: square corner: corner joint is not mitered (34S)

SPECIFICATIONS

Worksurfaces

Standard worksurface tops are nominal 1-1/4" overall thickness with .030" thick high-pressure laminate top surface and .028 phenolic backer, (bottom surface). Density of the core in standard tops is 45 lb/cu ft. particleboard, M3 grade. Available with 2mm (74P), Bullnose (54B), Wood Band (34S), Self Edge (64E) or Molded Urethane (ME2) edges.

Flipping/Nesting Table Frame

The framework for table support and flipping/nesting operation consists of 30mm X 50,mm X 3mm thick wall, steel tubing with 4mm thick formed steel support hubs welded to the tubes for mounting the legs. A 3mm formed steel table support bracket is attached to the beam and hub structure using a 10mm diameter steel pivot pin. #12X 1-3/4" Phillips wood screws attach the framework brackets to the worksurface. A 9.9mm steel hex rod connects the latch

mechanism and is connected to a nylon release paddle on either end of the table base. The table latch release handle is actuated by squeezing the paddle on either end to the underside of the worksurface. Pulling upward, raises the worksurface for nesting storage. To lower the table for use from the upright storage position, grasp the top center of the worksurface edge and lower the surface to and allow the latches to engage once the surface is down. All hinge pins for the flipping mechanism are zinc plated steel. Hinge pin spaces are molded nylon. The framework is shipped separately, ready to be assembled to the worksurface and legs.

Leg Assembly Flipping/Nesting Table

The leg assembly consists of one right-hand leg and one left-hand leg. There are three leg widths. One width fits 18" wide tables. One width fits 24" and 30" wide tables. One width fits 36" wide tables. Standard leg height is 29" high, Counter leg height is 36" high, Cafe leg height is 42" high. ADA table height of 32" is accomplished using 3" leg extensions

threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 4mm thick steel pivot plate welded to it. The feet consist of two 4mm thick blades welded to the leg tube, and the blade covers are Zinc die cast attached with self-tapping metal screws. The Leg assemblies are bolted to the table frame structure using two M12 X 25mm flat head bolts. Leg assemblies ship with blade covers installed but casters or Glides need to be installed upon assembly. There is a hardware kit shipped with the base that consists of two covers that must be installed after the leg assembly to prevent access to the pivot mechanism.

Leg Assembly Fixed T-Base

There are three leg widths. One width fits 18" wide tables. One width fits 24" and 30" wide tables. One width fits 36" wide tables. Standard leg height is 29" high, Counter leg height is 36" high, Cafe leg height is 42" high. ADA table height of 32" is accomplished using 3" leg extensions threaded

into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of two 4mm thick blades welded to the leg tube, and the blade covers are Zinc die cast attached with self-tapping metal screws. The Leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or Glides need to be installed upon assembly.

Leg Assembly Fixed Double T Leg

Some larger fixed leg tables use a Double T or TT style leg. Available standard in one width of 38" to fit 42" and 48" wide tables. Leg height is fixed to provide only 29" high table-top height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of two 4mm thick blades welded to two leg tubes separated by a 1"X 2" welded steel

Fixed Nestin

Gener Heigh

Top

Featur Fixed

Nestir Gener

Heigh

Top

1

Pirouette® Tables

General Information











	Chevron	Double Chevron	Rectangular & Double Chevron Conference	Square	Round
es					
	•	•	•	•	•
J	•	•			
l Dimensions					
	29", 36", 42"	29"	29"	29", 36", 42"	29", 36", 42"
	18"D, 24"D, 30"D x 60"W , 72"W	30", 36" x 60",72",84",96" *Midpoint is 6" wider than	42"D, 48"D x 60",72",84",96", 120"D TT-Base	30", 36" X-Base	30", 36", 42" X-Base
	*Midpoint is 3" wider than ends	ends 84" & 96" have third leg	*Double Chevron Midpoint is 6" wider than ends 96" & 120" have third leg	42",48",60" C-Base	48", 60" C-Base
	Guitar Pick				
28					
	•				

48", 54", 60" Each uses three C-Base legs

29"

al Dimensions

cross tube, and the blade covers are Zinc die cast attached with self-tapping metal screws. The Leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or Glides need to be installed upon assembly.

Leg Assembly Fixed C-Leg

Some shaped tables use three or four C-Leg style legs. Available standard in one length of 14". Leg height is fixed to provide only 29" high table-top height. ADA table height of 32" is accomplished using 3" leg extensions threaded into the bottom of the leg. Leg construction consists of 2.2" diameter, .10" thick wall steel tubing with a 5mm thick steel plate welded to it. The foot consist of one 4mm thick blade welded to the leg tube, and the blade covers are Zinc die cast attached with self-tapping metal screws. The Leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or Glides need to be installed

upon assembly.

Leg Assembly Fixed X-Base

Some Round and Square Shaped tables use X-Base style legs. Available in a Standard 28" X 28" X- Style foot configuration. 29", 36" and 42" table top height configurations are available on various sizes. Leg construction consists of 3" diameter, .07" thick wall steel tubing with a 5mm thick steel plate welded to it. The feet consist of four 4mm thick blades welded to the leg tube, and the blade covers are Zinc die cast attached with self-tapping metal screws. The Leg assemblies are attached to the worksurface using #12 X 1" screws. Leg assemblies ship with blade covers installed but casters or Glides need to be installed upon assembly.

PowerUp® Power/Data Module

Tables are available with 1 or 2 PowerUp power/data modules per table. On tables with 1 module it is located centered within the top length. Modules are spaced 3" from the approach edge on 18" and 24" wide

tops, 4" on 30" wide tops, and centered (front to back) on 36" wide tops. Some larger Conference style tables are available with 2 modules. They are located along the centerline of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width.

The PowerUp is a UL listed Relocatable Power Tap which mounts flush into the table top. The PowerUp is 3-1/4" wide x 7" long and 2-1/4" tall when opened. It is provided with either a 9 ft. or 15 ft., 3 conductor cord, rated 120VAC, 15A. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be

Villa Module

Tables are available with 1 or 2 Villa modules per table. On tables with 1 module it is located centered within the top length. Modules are spaced 3" from the approach edge on 18" and 24" wide tops, 4" on 30" wide tops, and centered (front to back) on 36" wide tops. Some larger Conference

modified to fit various brand jacks.

style tables are available with 2 modules. They are located along the centerline of the top (front to back) and approximately 23" to 35" from the edge of the top depending on the top width.

The Villa is a UL listed Relocatable Power Tap which mounts flush into the table top. The Villa is 3-1/2" wide x 6-3/4" long and 2" tall when opened. It is provided with either a 9 ft. or 15 ft., 3 conductor cord, rated 120VAC, 15A. When open, one duplex power receptacle and two RJ45 data connectors are exposed. The module can be modified to fit various brand iacks.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

General Information

Casters and Glides

Each table includes either glides or casters. Each table with casters will include two wheel locking casters. Glides and casters are made of molded nylon and come in two colors. Glides and casters are interchangeable without changing table height. Caster wheels are a minimum of 2.44" (62mm) diameter. Caster wheel treads are medium hard (75 max Shore A) for easy mobility on carpet or hard floors. Glides have a smooth convex bottom surface for mobility. 2 3/4" diameter black nylon glides are optional. Glides have 1" of telescoping height adjustment that adjusts table height from 28 1/2" to 29 1/2". Steel 1/2" threaded stems attach the glides to legs. Casters and glides ship unassembled.

Ganging Mechanism

Built of black, high-strength nylon, the hook and peg combination draws tables together. No tools are required when joining tables. Gangers are self-storing under the table when not in use. Tops are pre-drilled for placement of ganging pegs. Two gangers,

four pegs and all mounting screws are included in the kit. One kit per table joint is required. Field installed.

Vertical Leg Wire Management

A color matched extrusion made of aluminum "snaps" to the Pirouette leg managing cables and wires exiting PowerUp® or standard grommets installed on the worksurface top. The extrusion is 12" long. Vertical wire managers are included when power options are ordered.

Under Table Wire Management

The under table wire manager is constructed of 2" x 4-1/2" Velcro hook and loop material with nylon pull tabs. Wire manager is provided with adhesive backing and screws for attachment to the underside of the top. Tops are pre-drilled for locating wire manager, but the manager may be applied in any convenient location. Two or four wire managers are included when power options are ordered. Field installed.

Worksurface Grommet

The grommet is constructed of ABS plastic

which mounts flush into the top of the worksurface. One grommet ships per table. It is located in the center of the tops. Grommets have a flip-up receding door and are identical in size to the PowerUp module to allow for retrofitting of PowerUp at a later date. The available opening for power or data cords, when the flip-up door is closed, is 1/2" wide x 5-3/4" long. Open door available space is 2-1/4" x 5-3/4". Field—installed.

Fabric Wrapped Modesty Panel/Wire Management

The modesty panel is constructed of a heat-set, non-woven PET material, pressed into a flexible, durable and dent resistant panel. The panel is fabric wrapped, black only. The panel is hung by 16-gauge steel, powder coated brackets and steel powder-coated hooks that mount to the underside of the worksurface using wood screws. The modesty panel hangs freely when in use or when the table top is in its nested, upright position. The panel has a Velcro fastened pouch on the user side to route and hide

cables or wires from electronic equipment to the optional vertical leg wire manager. The modesty panel measures 8-1/2" wide (measured from underside of the worksurface) by the length of the table × 3/4" thick.





Fixed-Rectangular-29" High (Training)

			MODEL NU	JMBER								
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
A	T Base	18 x 36"	PIFR1836T									45.0#
	T Base	18 x 42"	PIFR1842T									49.0#
	T Base	18 x 48"	PIFR1848T									53.0#
B B	T Base	18 x 54"	PIFR1854T									56.0#
	T Base	18 x 60"	PIFR1860T									60.0#
	T Base	18 x 66"	PIFR1866T									63.0#
PIFT	T Base	18 x 72"	PIFR1872T									71.0#
Rectangular Tables - 18"D												
Fixed base at 29" highTraining tables are designed for												
maximum leg spacing for the length of the table												
Chrome bases will have Flannel												
colored leg caps and vertical wire manager (if power is selected)												
 Gangers ordered separately (Not for use with 54B table edges) 												
	T.D.	0.4 0.01	DIEDO 100T									55.0 "
DIET	T Base	24 x 36"	PIFR2436T									55.0#
PIFT	T Base	24 x 42"	PIFR2442T									60.0#
Rectangular Tables - 24"D	T Base	24 x 48"	PIFR2448T									65.0#
	T Base	24 x 54"	PIFR2454T									70.0#
	T Base	24 x 60"	PIFR2460T									74.0#
	T Base	24 x 66"	PIFR2466T									79.0#
	T Base	24 x 72"	PIFR2472T									88.0#
	T Base	30 x 36"	PIFR3036T									62.0#
PIFT	T Base	30 x 42"	PIFR3042T									68.0#
Rectangular Tables - 30"D	T Base	30 x 48"	PIFR3048T									74.0#
	T Base	30 x 54"	PIFR3054T									80.0#
	T Base	30 x 60"	PIFR3060T									86.0#
	T Base	30 x 66"	PIFR3066T									92.0#
	T Base	30 x 72"	PIFR3072T									102.0#
			A	3	•	0	3	•	(•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Vinyl bullnose 54B - 1-1/4" Self-edge 64E 74P - 74P edge 348 - 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts - One Cutout Only-w/Wire

Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire

Management; add \$228

1VM - One VIlla Module w/Wire

Management; add \$412 WMO - Wire Management Only-No Cutouts; add \$158

- *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.
- *Includes vertical and horizontal wire management.
- Select modesty panel.

FMP - Fabric modesty panel; add - No fabric modesty panel NMP

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Fixed-Rectangular-29" High (Training)

1-1/4" Vinyl Bullnose (54B)	1-1/4" Self-edge (64E)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 645	\$ 726	\$ 697	\$ 999	
662	750	721	1031	
674	777	750	1062	
686	800	811	1092	
697	845	869	1124	
710	863	874	1155	
739	894	898	1205	

;	682	\$	785	\$	753	\$	1001	
	699		809		782		1051	
	712		847		813		1101	
	729		884		854		1132	
	747		902		900		1164	
	758		933		937		1226	
	789		971		984		1306	
;	688	\$	815	\$	795	¢	1132	
	, 000	φ	010	Ψ	1 50	Ψ	1132	
	712		833		824		1164	
		·						
	712		833		824		1164	
	712 729		833 853		824 854		1164 1194	
	712 729 758		833 853 896		824 854 906		1164 1194 1218	

INFORMATION

LEG CLEARANCE

LEG CLEAHANGETable Length / From Table Edge / Inside Leg36°D1.528.7542°D1.534.75 40.75 46.75 52.75 48"D 1.5 54"D 1.5 1.5 1.5 60"D 66"D 58.75 72"D 64.75

SPECIAL SERVICES

Special Carton Marking


With specially marked information

Shipping Shipped k.d. freight prepaid f.o.b.

N/C

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Rectangular-29" High (Training)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

54B - 1-1/4" Vinyl bullnose - 1-1/4" Self-edge 64F 74P - 74P edge **34S** - 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only-w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

1PU - One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire

Management; add \$228 - One VIIIa Module w/Wire

Management; add \$412

WMO - Wire Management Only-No Cutouts; add \$158

- Two Cutouts Only w/Wire 20C Management; add \$268 - Two Plastic Grommets w/

Wire Management; add \$300 2PU - Two PowerUps w/Wire

Management; add \$480

- Two Villa Grommets w/Wire Management; add \$388

- Two Villa Modules w/Wire Management: add \$702

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

Select modesty panel.

- Fabric modesty panel; add \$317

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides

Pirouette® Tables Fixed-Rectangular-29" High (Training)

1-1/4" Vinyl Bullnose (54B)	1-1/4* Self-edge (64E)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 603	\$ 698	\$ 676	\$ 999	
631	683	725	1193	
651	725	752	1206	
723	809	806	1346	
724	814	807	1350	
760	853	881	1491	
771	868	892	1506	

N/A	\$ 1235	\$ 1245	N/A	
N/A	1240	1250	N/A	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Rectangular-29" High (Collaborative)

				MODEL NU	IMDED							
				MODEL NO	JIVIDEN					I		
	MODEL	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
T.	Rectangular Tables - 24"D	T Base	24 x 60"	PIFR2460C		NNN	NMP					
	Fixed base at 29" highCollaborative tables are designed to	T Base	24 x 66"	PIFR2466C		NNN	NMP					
	Conadurative labiles are designed to provide leg spacing for all sides of the table Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected)	T Base	24 x 72"	PIFR2472C		NNN	NMP					
		T Base	24 x 84"	PIFR2484C		NNN	NMP					
		T Base	24 x 96"	PIFR2496C		NNN	NMP					
▼ ⊥ <u>———</u>												
	ME2 edge is the molded urethane edge											
PIFC	on the long sides of the table with a 74P											
	trim on the short side of the table.											
	Rectangular Tables - 30"D	T Base	30 x 60"	PIFR3060C		NNN	NMP					
PIFC		T Base	30 x 66"	PIFR3066C		NNN	NMP					
		T Base	30 x 72"	PIFR3072C		NNN	NMP					
		T Base	30 x 84"	PIFR3084C		NNN	NMP					
		T Base	30 x 96"	PIFR3096C		NNN	NMP					
				A	B	•	O	3	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

54B	- 1-1/4" Vinyl bullnose	
64E	- 1-1/4" Self-edge	
74P	- 74P edge	
ME2	- Urethane edge	
348	- 3/8" Wood band edge	
*(Edge	style ME2 has ME on long	

© Select grommet or module type.

edges/74P on short edges)

- No Grommets, PowerUp or Wire Management/No Cutouts

Select modesty panel.

NMP - No fabric

- No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base.

4EC - 4 casters 4GB - 4 black glides *Casters=2 locking/2 non-locking, black wheel, silver hub



Pirouette® Tables Fixed-Rectangular-29" High (Collaborative)

Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	1-1/4" Self-edge (64E)	74P Edge (74P)	Urethane Edge (ME2)	3/8" Wood Band Edge (34S)	
74.0#	\$ 747	\$ 902	\$ 900	\$ 1306	\$ 1164	
79.0#	758	933	937	1362	1226	
84.0#	770	953	966	1375	1289	
93.0#	830	1033	1091	1554	1357	
107.0#	913	1121	1220	1617	1431	
86.0#	\$ 782	\$ 958	\$ 955	\$ 1362	\$ 1238	
92.0#	795	990	990	1424	1289	
98.0#	806	1007	1025	1443	1337	
110.0#	889	1113	1173	1636	1585	
126.0#	937	1189	1250	1697	1674	

INFORMATION

LEG CLEARANCE

 Table Length / From Table Edge / Inside Leg

 60"D
 13.5
 28.75

 66"D
 13.5
 34.75
 40.75 52.75 64.75 72"D 13.5 84"D 13.5 96"D 13.5

SPECIAL SERVICES

Special Carton Marking

With specially marked information


Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Fixed-Rectangular-29" High (Conference)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge 64E 74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Man-1PU agement; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

- Two Cutouts Only w/Wire Management; add \$268

- Two Plastic Grommets w/Wire Management; add \$300

- Two PowerUps w/Wire Management; add \$480

2VG - Two Villa Grommets w/Wire Management; add \$388

2VM - Two Villa Modules w/Wire Management; add \$702

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- OSelect modesty panel.

- No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select grommet/module color. Refer to color addendum at ki com or KI Fabrics & Finishes binder.
- Select base.

4EC - 4 casters 4GB - 4 black glides

Casters=2 locking/2 non-locking,

black wheel, silver hub



Pirouette® Tables Fixed-Rectangular-29" High (Conference)

Approx.	1-1/4"	*	
Packaged	Self-edge	74P Edge	
Approx. Packaged Weight	1-1/4" Self-edge (64E)	74P Edge (74P)	
112.0#	\$ 1384	\$ 1394	
132.0#	1468	1478	
148.0#	1592	1602	
179.0#	\$ 1774	\$ 1784	
211.0#	1912	1922	
2.1.0#		.022	

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Rectangular-29" High (Conference)



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge

©Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

10C - One Cutout Only w/Wire Management; add \$158

1PG - One Plastic Grommet w/Wire Management; add \$176

1PU - One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

20C - Two Cutouts Only w/Wire Management; add \$268

2PG - Two Plastic Grommets w/ Wire Management; add \$300

2PU - Two PowerUps w/Wire Management; add \$480

2VG - Two Villa Grommets w/Wire Management; add \$388

2VM - Two Villa Modules w/Wire Management; add \$702

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- OSelect modesty panel.
 - NMP No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

- Select grommet/module color.
 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- Select base.

4EC - 4 casters

4GB - 4 black glides



Pirouette® Tables Fixed-Rectangular-29" High (Conference)

Annrov	1 1/4"	
Approx. Packaged	Self-edge	74P Edge
Approx. Packaged Weight	1-1/4" Self-edge (64E)	(74P)
125.0#	\$ 1384	\$ 1394
147.0#	1468	1478
165.0#	1592	1602
199.0#	\$ 1774	\$ 1784
236.0#	1912	1922
		1022

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Rectangular-36" High (Counter Height)

			MODEL NUM	BER								
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
	T Base	18 x 36"	PIFR1836H36			NMP						47.0#
_ <u>A</u>	T Base	18 x 42"	PIFR1842H36			NMP						51.0#
	T Base	18 x 48"	PIFR1848H36			NMP						55.0#
	T Base	18 x 54"	PIFR1854H36			NMP						58.0#
В	T Base	18 x 60"	PIFR1860H36			NMP						62.0#
	T Base	18 x 66"	PIFR1866H36			NMP						65.0#
	T Base	18 x 72"	PIFR1872H36			NMP						73.0#
₩												
PIF3												
Rectangular Tables - 18"D												
Fixed base at 36" highTables are designed for maximum leg												
spacing for the length of the table												
Chrome bases will have Flannel												
colored leg caps and vertical wire												
manager (if power is selected) • Gangers ordered separately												
 Recommended chair height for 36"H 												
table is 24" stool												
	T Base	24 x 36"	PIFR2436H36			NMP						57.0#
PIF3	T Base	24 x 42"	PIFR2442H36			NMP						62.0#
Rectangular Tables - 24"D	T Base	24 x 48"	PIFR2448H36			NMP						67.0#
 Fixed base at 36" high 	T Base	24 x 54"	PIFR2454H36			NMP						72.0#
	T Base	24 x 60"	PIFR2460H36			NMP						76.0#
	T Base	24 x 66"	PIFR2466H36			NMP						81.0#
	T Base	24 x 72"	PIFR2472H36			NMP						90.0#
	T Base	30 x 36"	PIFR3036H36			NMP						64.0#
PIF3	T Base	30 x 42"	PIFR3042H36			NMP						70.0#
Rectangular Tables - 30"D	T Base	30 x 48"	PIFR3048H36			NMP						76.0#
 Fixed base at 36" high 	T Base	30 x 54"	PIFR3054H36			NMP						82.0#
	T Base	30 x 60"	PIFR3060H36			NMP						88.0#
	T Base	30 x 66"	PIFR3066H36			NMP						94.0#
	T Base	30 x 72"	PIFR3072H36			NMP						104.0#
			A	B	•	O	(3	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158 - One Cutout Only w/Wire

Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire

Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.

Select modesty panel.

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Fixed-Rectangular-36" High (Counter Height)

1-1/4" Self-edge (64E)	74P Edge (74P)		
\$ 709	\$ 719		
736	746		
736	746		
752	762		
752	762		
768	778		
768	778		

 \$	751	\$ 761	
	767	777	
	794	804	
	869	879	
	869	879	
	955	965	
	955	965	
\$	817	\$ 827	
	870	880	
	870	880	
	967	977	
	967	977	
	1009	1019	
	1025	1035	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Rectangular-42" High (Cafe Height)

			MODEL NUM	IDED								
			MODEL NOW	DEN								
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
	T Base	18 x 36"	PIFR1836H42			NMP						49.0#
	T Base	18 x 42"	PIFR1842H42			NMP						53.0#
	T Base	18 x 48"	PIFR1848H42			NMP						57.0#
	T Base	18 x 54"	PIFR1854H42			NMP						60.0#
В	T Base	18 x 60"	PIFR1860H42			NMP						64.0#
*	T Base	18 x 66"	PIFR1866H42			NMP						67.0#
	T Base	18 x 72"	PIFR1872H42			NMP						75.0#
PIF4												
Rectangular Tables - 18"D												
Fixed base at 42" high												
Tables are designed for maximum leg												
spacing for the length of the table												
Chrome bases will have Flannel colored leg caps and vertical wire												
manager (if power is selected)												
 Gangers ordered separately 												
Recommended chair height for 42"H table is 20" stool												
table is 30" stool												
	T Base	24 x 36"	PIFR2436H42			NMP						59.0#
PIF4	T Base	24 x 42"	PIFR2442H42			NMP						64.0#
Rectangular Tables - 24"D	T Base	24 x 48"	PIFR2448H42			NMP						69.0#
 Fixed base at 42" high 	T Base	24 x 54"	PIFR2454H42			NMP						74.0#
	T Base	24 x 60"	PIFR2460H42			NMP						78.0#
	T Base	24 x 66"	PIFR2466H42			NMP						82.0#
	T Base	24 x 72"	PIFR2472H42			NMP						92.0#
	T Base	30 x 36"	PIFR3036H42			NMP						66.0#
PIF4	T Base	30 x 42"	PIFR3042H42			NMP						72.0#
Rectangular Tables - 30"D	T Base	30 x 48"	PIFR3048H42			NMP						78.0#
 Fixed base at 42" high 	T Base	30 x 54"	PIFR3054H42			NMP						84.0#
	T Base	30 x 60"	PIFR3060H42			NMP						90.0#
	T Base	30 x 66"	PIFR3066H42			NMP						96.0#
	T Base	30 x 72"	PIFR3072H42			NMP						106.0#
			A	3	•	0	(3	•	0	0	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

- No Grommets/No PowerUp/ No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176 - One PowerUp w/Wire Man-

agement; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire

Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.

Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



1017

1033

1027

1043

Pirouette® Tables Fixed-Rectangular-42" High (Cafe Height)

	<u> </u>		
	\ <i>[</i>]		
	V		
1-1/	/4" -edge	740 54	
Self (64E	-eage F)	74P Ed (74P)	ge
\$	715	\$ 72	25
Ψ	742	Ψ 72 75	52
	742	75	
	758	76	
	758	76	
	774	78	
	774	78	54
\$	758	\$ 76	38
	774	78	34
	801	81	11
	876	88	36
	876	88	
	961	97	
	961	97	
\$	825	\$ 83	
,	878	88	
	878	88	
	974	98	
	974	98	
	JI T	30	77

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Chevron-29" High (Standard Height)

			MODEL NU	JMBER								
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
,A,	T Base	18 x 60"	PIFCV1860									63.0#
- 	T Base	18 x 72"	PIFCV1872									75.0#
B												
PIFT												
Chevron Tables - 18"D												
Fixed base at 29" highTables are designed for maximum leg												
spacing for the length of the tableChrome bases will have Flannel												
colored leg caps and vertical wire manager (if power is selected)												
Gangers ordered separately												
	T Base	24 x 60"	PIFCV2460									77.0#
PIFT	T Base	24 x 72"	PIFCV2472									92.0#
Chevron Tables - 24"D												
 Fixed base at 29" high 												
	T Base	30 x 60"	PIFCV3060									89.0#
PIFT	T Base	30 x 72"	PIFCV3072									106.0#
Chevron Tables - 30"D												
 Fixed base at 29" high 												
			A	3	•	O	(3	(3	0	•	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No

Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

FMP - Fabric modesty panel; add \$317

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters

- 4 black glides *Casters=2 locking/2 non-locking, black wheel, silver hub



Pirouette® Tables Fixed-Chevron-29" High (Standard Height)

1-1/	4"		
Self	4" -edge E)	74P	Edge P)
(64)	(741	P)
\$	633	\$	643
	649		659
_		_	
\$	735	\$	745
	788		798
\$	876	\$	886
	961		971

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Chevron-36" High (Counter Height)

			MODEL NUMB	ER							
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base
A	T Base	18 x 60"	PIFCV1860H36			NMP					
	T Base	18 x 72"	PIFCV1872H36			NMP					
B											
PIF3											
Chevron Tables - 18"D											
Fixed base at 36" highTables are designed for maximum leg											
spacing for the length of the table											
 Chrome bases will have Flannel colored leg caps and vertical wire 											
manager (if power is selected)											
 Gangers ordered separately Recommended chair height for 36"H 											
table is 24" stool											
	T Base	24 x 60"	PIFCV2460H36			NMP					
PIF3	T Base	24 x 72"	PIFCV2472H36			NMP					
Chevron Tables - 24"D											
Fixed base at 36" high											
חורס	T Base	30 x 60"	PIFCV3060H36			NMP					
PIF3 Chevron Tables - 30"D	T Base	30 x 72"	PIFCV3072H36			NMP					
Fixed base at 36" high											
3400 4t 00 mg.			A	•	· · ·	•	A	A	Ю	0	
				B	G	0	3	•	U	Ψ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158 - One Cutout Only w/Wire

Management; add \$158 - One Plastic Grommet w/Wire

Management; add \$176 - One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire

Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

- No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Fixed-Chevron-36" High (Counter Height)

Approx. Packaged Weight	1-1 Sel	1/4" If-edge 4E)	74F	IP Edge 4P)
Weight	(64	4E)	(74	4P)
65.0#	\$	876	\$	886
77.0#		950		960
79.0#	\$		\$	
94.0#		939		949
91.0#	\$	1009		1019
108.0#		1094		1104

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Chevron-42" High (Cafe Height)

											_
			MODEL NUMB	ER							
	Features	АхВ	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base
A,	T Base	18 x 60"	PIFCV1860H42			NMP					
	T Base	18 x 72"	PIFCV1872H42			NMP					
PIF4											
Chevron Tables - 18"D											
 Fixed base at 42" high Tables are designed for maximum leg spacing for the length of the table Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected) 											
 Gangers ordered separately 											
 Recommended chair height for 42"H table is 30" stool 											
	T Base	24 x 60"	PIFCV2460H42			NMP					
PIF4	T Base	24 x 72"	PIFCV2472H42			NMP					
Chevron Tables - 24"D	. 5000	_									
Fixed base at 42" high											
-	T Base	30 x 60"	PIFCV3060H42			NMP					
PIF4	T Base	30 x 72"	PIFCV3072H42			NMP					
Chevron Tables - 30"D											
• Fixed base at 42" high											
			A	B	•	O	(3	•	0	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire

Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- Select modesty panel.

 NMP No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Fixed-Chevron-42" High (Cafe Height)

Approx.	1-1/4"	*	
Approx. Packaged Weight	1-1/4" Self-edge (64E)	74P Edge (74P)	
Weight	(64E)	(74P)	
67.0#	\$ 882	\$ 892	
79.0#	957	967	
81.0#	\$ 893	\$ 903	
96.0#	946	956	
93.0#	\$ 1017	\$ 1027	
110.0#	1102	1112	
		2	

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Double Chevron-29" High (Standard Height)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 1-1/4" Self-edge 74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

- One Villa Module w/Wire Management; add \$412

- Two Cutouts Only w/Wire Management; add \$268

- Two Plastic Grommets w/

Wire Management; add \$300 - Two PowerUps w/Wire 2PII

Management; add \$480

- Two Villa Grommets w/Wire Management; add \$388

- Two Villa Modules w/Wire Management; add \$702

DSelect modesty panel.

- No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect lea finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters

- 4 black glides



Pirouette® Tables Fixed-Double Chevron-29" High (Standard Height)

Approx.	1-1/4"	
Approx. Packaged Weight	1-1/4" Self-edge (64E)	74P Edge (74P)
92.0#	\$ 1066	\$ 1076
110.0#	1207	1217
105.0#	\$ 1109	\$ 1119
105.0#	1217	1227
120.0#	1217	1667
154.0#		\$ 1478
169.0#	1494	1504

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Double Chevron-29" High (Conference)



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

10C - One Cutout Only w/Wire Management; add \$158

1PG - One Plastic Grommet w/Wire Management; add \$176

1PU - One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

20C - Two Cutouts Only w/Wire Management; add \$268

2PG - Two Plastic Grommets w/ Wire Management; add \$300

2PU - Two PowerUps w/Wire Management; add \$480

2VG - Two Villa Grommets w/Wire Management; add \$388

2VM - Two Villa Modules w/Wire Management; add \$702

OSelect modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or Kl Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color.
Refer to color addendum at ki.com or
KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Fixed-Double Chevron-29" High (Conference)

Angray 1-1//*
Angrey 1-1//"
ANNIUM: I I/T
Packaged Self-edge 74P Edge
Weight (64E) (74P)
118.0# \$ 1489 \$ 1499
140.0# 1574 1584
157.0# 1698 1708
189.0# \$ 1880
224.0# 2018 2028

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Double Chevron-29" High (Conference)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.

- 1-1/4" Self-edge 64E 74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management

WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Man-1PU agement; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

- Two Cutouts Only w/Wire Management; add \$268

- Two Plastic Grommets w/ Wire Management; add \$300

2PII - Two PowerUps w/Wire Management; add \$480

- Two Villa Grommets w/Wire Management; add \$388

- Two Villa Modules w/Wire Management; add \$702

- DSelect modesty panel.
 - No fabric modesty panel
- Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

style selections.

Select surface finish. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Fabrics & Finishes binder.

GSelect lea finish. Refer to color addendum at ki.com or KI Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB

- 4 black glides



Pirouette® Tables Fixed-Double Chevron-29" High (Conference)

•		
Approx.	1-1/4"	
Approx. Packaged Weight	Self-edge	74P Edge
Weight	1-1/4" Self-edge (64E)	74P Edge (74P)
131.0#	\$ 1516	\$ 1526
155.0#	1601	1611
174.0#	1725	1735
209.0#	\$ 1960	\$ 1970
249.0#	2045	2055

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Guitar Pick-29" High (Standard Height)

	MODEL NUMBER											
	MODEL	Features	АхВ	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
A	Guitar Pick Tables - 48" • Fixed base at 29" high	C Base	48 x 48"	PIFG48		NNN	NMP					
	Chrome bases will have Flannel colored leg caps											
В												
PIFT												
	Guitar Pick Tables - 54"	C Base	54 x 54"	PIFG54		NNN	NMP					
PIFT	 Fixed base at 29" high 											
	Guitar Pick Tables - 60"	C Base	60 x 60"	PIFG60		NNN	NMP					
PIFT	 Fixed base at 29" high 											
				A	B	•	O	3	•	О	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

64E - 1-1/4" Self-edge
74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/
No Wire Management

DSelect modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides



Weight

99.0#

Pirouette® Tables Fixed-Guitar Pick-29" High (Standard Height)

Approx. Packaged Self-edge (64E) \$ 1066

74P Edge (74P) \$ 1076

115.0#	\$ 1172	\$ 1	182
133.0#	\$ 1199	\$ 1	209

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Square-29" High (Standard Height)

					MODEL NUMBER							
	MODEL	Features	АхВ	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
A	Square Tables - Fixed, 29" High	X Base	30 x 30"	PIFXSQ30		NNN	NMP					
	 Fixed base at 29" high Chrome bases will have Flannel colored leg caps 	X Base	36 x 36"	PIFXSQ36		NNN	NMP					
В												
PIFT												
Α	Square Tables - Fixed, 29" High • Fixed base at 29" high	C Base	42 x 42"	PIFCSQ42		NNN	NMP					
		C Base	48 x 48"	PIFCSQ48		NNN	NMP					
		C Base	60 x 60"	PIFCSQ60		NNN	NMP					
1												
PIFT												
				A	ß	0	0	3	(3	О	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge

Select grommet or module type. NNN - No Grommets/No PowerUp/ No Wire Management

• Select modesty panel. NMP - No fabric modesty panel

Select edge color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Fixed-Square-29" High (Standard Height)

Approx. Packaged Weight	Se	-1/4" elf-edge 64E)	74P (74I	Edge				
61.0#	\$	653	\$	663				
75.0#		733		743				
91.0#	\$	1074	\$	1084				_
110.0#		1096		1106				
155.0#		1207		1217				

SPECIAL SERVICES


Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight

Fixed-Square-36" High (Counter Height)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

64E - 1-1/4" Self-edge - 74P edge

Select grommet or module type.

- No Grommets/No PowerUp/ No Wire Management

• Select modesty panel.

NMP - No fabric modesty panel

- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides *Casters=2 locking/2 non-locking, black wheel, silver hub



Pirouette® Tables Fixed-Square-36" High (Counter Height)

1-1/4"	
Self-edge	74P Edge
(64E)	(74P)
\$ 657	\$ 667

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Square-42" High (Cafe Height)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

64E - 1-1/4" Self-edge - 74P edge

Select grommet or module type.

- No Grommets/No PowerUp/ No Wire Management

• Select modesty panel. NMP - No fabric modesty panel

style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Fixed-Square-42" High (Cafe Height)



742



1-1/4" Self-edge (64E) \$ 663

74P Edge (74P)

673 752

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Round-29" High (Standard Height)

				MODEL N	UMBER						
	MODEL	Features	A	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base
A	Round Tables - Fixed, 29" High	X Base	30" Dia	PIFXRD30		NNN	NMP				
	 Fixed base at 29" high Chrome bases will have Flannel colored 	X Base	36" Dia	PIFXRD36		NNN	NMP				
	leg caps	X Base	42" Dia	PIFXRD42		NNN	NMP				
	• .										
DIET											
PIFT	Down Jaking Fired 000 High	0.0	401 D:-	DIFORDAG		NININI	NIMP				
	Round Tables - Fixed, 29" High • Fixed base at 29" high	C Base	48" Dia	PIFCRD48		NNN	NMP				
	- Tixed base at 25 mgm	C Base	60" Dia	PIFCRD60		NNN	NMP				
PIFT											
				A	ß	G	0	(3	(3)	G	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

64E - 1-1/4" Self-edge
74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/
No Wire Management

DSelect modesty panel. NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides *Casters=2 locking/2 non-locking,

black wheel, silver hub



Pirouette® Tables Fixed-Round-29" High (Standard Height)

Approx.	1-1	IA"	
Packaged	Sel	/4" f-edge	74P Edge
Weight	(64		(74P)
55.0#	\$	696	\$ 706
65.0#		774	784
78.0#		888	898
93.0#	\$	1130	\$ 1140
128.0#		1239	1249

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Round-36" High (Counter Height)

			MODEL NUM	DED							
			MODEL NOW	DEN		T	1		Τ		
	Features	A	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
A	X Base	30" Dia	PIFXRD30H36		NNN	NMP					58.0#
	X Base	36" Dia	PIFXRD36H36		NNN	NMP					68.0#
	X Base	42" Dia	PIFXRD42H36		NNN	NMP					81.0#
PIF3											
Round Tables - Fixed, 36" High											
 Fixed base at 36" high 											
 Chrome bases will have Flannel colored leg caps 											
Recommended chair height for 36"H											
table is 24" stool											
			A	3	•	O	G	a	(P)	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

Select edge style.

64E - 1-1/4" Self-edge
74P - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/
No Wire Management

DSelect modesty panel. NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Fixed-Round-36" High (Counter Height)

•	
1-1/4" Self-edge (64E)	74P Edge (74P)
\$ 700	\$ 710
778	788
892	902

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Round-42" High (Cafe Height)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/
No Wire Management

Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters
4GB - 4 black glides
*Casters=2 locking/2 non-locking,
black wheel, silver hub



Pirouette® Tables Fixed-Round-42" High (Cafe Height)

[1-1/4" Self-edge (64E)	74P Edge (74P)
	\$ 706	\$ 716
	783	793
	783 897	793 907

SPECIAL SERVICES

Special Carton Marking

With specially marked information


N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Scale Up-29" High (Standard Height)



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

54B	- 1-1/4" Vinyi bulinose
64E	- 1-1/4" Self-edge
74P	- 74P edge
34S	- 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

NNN - No Grommets, PowerUp or Wire Management/No Cutouts 10C - One Cutout Only-w/Wire

Management; add \$158

1PG - One Plastic Grommet w/Wire Management; add \$176

1PU - One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One VIIIa Module w/Wire Management; add \$412

WMO - Wire Management Only-No Cutouts; add \$158 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

*Includes vertical and horizontal wire management.

Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.

© Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select base finish.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Fixed-Scale Up-29" High (Standard Height)

1-1/4" Vinyl Bullnose 782



1-1/4" Self-edge (64E) 913



74P Edge 955



3/8" Wood Band Edge (34S) \$ 1179

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 72"D 14.75 38.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Fixed-Half Round-29" High (Standard Height)

				MODEL	NUMBI	R						
	MODEL	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
A A	Half Round Tables - 24"D • Fixed base at 29" high	T Base	24 x 48"	PIFH48		NNN	NMP					
	Chrome bases will have Flannel colored											
	leg caps • Gangers ordered separately (Not for use											
	with 54B table edges)											
PIFT												
	Half Round Tables - 30"D	T Base	30 x 60"	PIFH60		NNN	NMP					
PIFT	- Half Bassed Tables OCUB	T.D	0070	DIFLIZO		NININI	NAD					
PIFT	Half Round Tables - 36"D	T Base	36 x 72"	PIFH72		NNN	NMP					
					B			A	A			
				A	O	Θ	0	•	(3)	G	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Vinyl bullnose - 1-1/4" Self-edge 54B 64E 74P - 74P edge 348 - 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts

Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- 4 casters 4EC

- 4 black glides 4GB



Pirouette® Tables Fixed-Half Round-29" High (Standard Height)

Approx.	1-1/4" Vinyl	1-1/4"		3/8" Wood	
Packaged	Bullnose	Self-edge	74P Edge	Band Edge	
Weight	(54B)	(64E)	(74P)	(34S)	
53.0#	\$ 674	\$ 739	\$ 745	\$ 947	

71.0)# 5	\$ 682	\$ 747	\$ 753	\$ 955
91.0)# 5	\$ 712	\$ 806	\$ 813	\$ 1049

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 48"D 7.0 28.75 60"D 10.5 34.75 72"D 12.5 42.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Fixed-Trapezoid-29" High (Standard Height)

			MODEL N	IUMBEF	R						
	Features	A x B x C x D	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
A 🗪	T Base	30 x 30 x 30 x 60"	PIFT3060		NNN	NMP					64.0#
B											
c											
PIFT											
Trapezoid Tables - 30"D											
 Fixed base at 29" high 											
Chrome bases will have Flannel colored log cone											
colored leg capsGangers ordered separately (Not for											
use with 54B table edges)											
			A	B	Θ	0	(3	a	A	0	-

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Vinyi bulinose
- 1-1/4" Self-edge
- 74P edge
- 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts

OSelect modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- 4 casters 4EC

- 4 black glides 4GB



Pirouette® Tables Fixed-Trapezoid-29" High (Standard Height)

1-1/4" Vinyl

Bullnose 682 1-1/4"

(64E)

747

Self-edge

74P Edge (74P) 753

3/8" Wood Band Edge (34S)

\$ 955

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 60"D 13.5 28.25

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Rectangular-29" High (Training)

			MODEL NU	MODEL NUMBER								
	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
A	T Base	18 x 36"	PINR1836T									64.0#
	T Base	18 x 42"	PINR1842T									68.0#
	T Base	18 x 48"	PINR1848T									75.0#
B	T Base	18 x 54"	PINR1854T									78.0#
	T Base	18 x 60"	PINR1860T									86.0#
	T Base	18 x 66"	PINR1866T									89.0#
	T Base	18 x 72"	PINR1872T									96.0#
PINT												
Rectangular Tables - 18"D												
Tables are designed for maximum leg												
spacing for length of table												
 Nesting mechanism is standard in Flannel only 												
Chrome bases will have Flannel												
colored leg caps and vertical wire												
manager (if power is selected)												
 Gangers ordered separately (Not for use with 54B table edges) 												
	T Base	24 x 36"	PINR2436T									74.0#
PINT	T Base	24 x 42"	PINR2442T									79.0#
Rectangular Tables - 24"D	T Base	24 x 48"	PINR2448T									87.0#
	T Base	24 x 54"	PINR2454T									92.0#
	T Base	24 x 60"	PINR2460T									100.0#
	T Base	24 x 66"	PINR2466T									105.0#
	T Base	24 x 72"	PINR2472T									113.0#
	T Base	30 x 36"	PINR3036T									81.0#
PINT	T Base	30 x 42"	PINR3042T									87.0#
Rectangular Tables - 30"D	T Base	30 x 48"	PINR3048T									97.0#
	T Base	30 x 54"	PINR3054T									103.0#
	T Base	30 x 60"	PINR3060T									112.0#
	T Base	30 x 66"	PINR3066T									118.0#
	T Base	30 x 72"	PINR3072T									127.0#
	T Base	36 x 36"	PINR3636T									89.0#
PINT	T Base	36 x 42"	PINR3642T									96.0#
Rectangular Tables - 36"D	T Base	36 x 48"	PINR3648T									107.0#
	T Base	36 x 54"	PINR3654T									114.0#
	T Base	36 x 60"	PINR3660T									125.0#
	T Base	36 x 66"	PINR3666T									132.0#
	T Base	36 x 72"	PINR3672T									142.0#
HOW TO ORDER	НО	W TO BUI	LD A MODEL	NUMBI	R G	*CORPLEN	GTH Q 9'	or 19 s o	ptio Q n	(D) Select	orommet/	/module color.

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyi bulinose
64E	- 1-1/4" Self-edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts - One Cutout Only-w/Wire

Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One VIlla Module w/Wire

Management; add \$412
WMO - Wire Management Only-No Cutouts; add \$158

*CORPLENGTH 9' or 19 s option 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- Select modesty panel.

FMP - Fabric modesty panel; add - No fabric modesty panel NMP

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color.
Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides

Pirouette® Tables Nesting-Rectangular-29" High (Training)

1-1/4" Vinyl Bullnose (54B)	1-1/4" Self-edge (64E)	74P Edge (74P)	3/8" Wood Band Edge (34S)	
\$ 949	\$ 996	\$ 1001	\$ 1257	
966	1020	1025	1285	
990	1055	1066	1327	
1001	1079	1126	1357	
1026	1133	1199	1400	
1039	1151	1205	1429	
1060	1173	1220	1469	

\$ 1007	\$ 1073	\$ 1079	\$ 1280	
1025	1097	1108	1327	
1049	1143	1149	1386	
1067	1179	1191	1416	
1098	1210	1251	1460	
1109	1240	1286	1518	
1132	1268	1327	1587	
\$ 1014	\$ 1102	\$ 1121	\$ 1404	
1037	1121	1149	1434	
1067	1149	1191	1475	
1097	1191	1244	1500	
1133	1264	1305	1530	
1145	1293	1341	1577	
1167	1321	1386	1635	
\$ 828	\$ 924	\$ 901	\$ 1224	
856	909	951	1419	
885	959	987	1440	
957	1044	1041	1580	
968	1059	1052	1595	
1005	1098	1126	1736	
1014	1110	1135	1748	

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg 30 30 36"D 0.75 42"D 48"D 0.75 42 42 54 54 66 54"D 3.75 60"D 0.75 3.75 0.75 66"D 72"D

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Nesting-Rectangular-29" High (Collaborative)

				_								
				MODEL NUMBER								
	MODEL	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
_ <u>_ A _</u>	Rectangular Tables - 24"D	T Base	24 x 60"	PINR2460C		NNN	NMP					
B	Nesting base at 29" highCollaborative tables are designed to	T Base	24 x 66"	PINR2466C		NNN	NMP					
	 Obligation and the labels are designed to provide leg spacing for all sides of the table Nesting mechanism is standard in Flannel only Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected) ME2 edge is the molded urethane edge on the long sides of the table with a 74P trim on the short side of the table. 	T Base	24 x 72"	PINR2472C		NNN	NMP					
		T Base	24 x 84"	PINR2484C		NNN	NMP					
		T Base	24 x 96"	PINR2496C		NNN	NMP					
PINC												
	Rectangular Tables - 30"D	T Base	30 x 60"	PINR3060C		NNN	NMP					
PINC		T Base	30 x 66"	PINR3066C		NNN	NMP					
		T Base	30 x 72"	PINR3072C		NNN	NMP					
		T Base	30 x 84"	PINR3084C		NNN	NMP					
		T Base	30 x 96"	PINR3096C		NNN	NMP					
				A	ß	•	0	(3	(3	G	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyi bulinose	
64E	- 1-1/4" Self-edge	
74P	- 74P edge	
ME2	- Urethane edge	
348	- 3/8" Wood band edge	
*(Edge st	tyle ME2 has ME on long	
edges/74	P on short edges)	

© Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

Select modesty panel.

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select base.

4EC - 4 casters 4GB - 4 black glides *Casters=2 locking/2 non-locking, black wheel, silver hub



Pirouette® Tables Nesting-Rectangular-29" High (Collaborative)

Approx. Packaged	1-1/4" Vinyl Bullnose	1-1/4" Self-edge	74P Edge	Urethane Edge	3/8" Wood Band Edge	
Weight	(54B)	(64E)	(74P)	(ME2)	(34S)	
93.0#	\$ 1073	\$ 1185	\$ 1227	\$ 1541	\$ 1434	
98.0#	1085	1215	1263	1622	1494	
106.0#	1108	1244	1303	1647	1564	
119.0#	1181	1335	1441	1855	1643	
132.0#	1257	1410	1564	1949	1706	

105.0#	\$ 1108	\$ 1239	\$ 1280	\$ 1600	\$ 1505	
111.0#	1121	1268	1315	1688	1552	
120.0#	1143	1298	1364	1712	1611	
136.0#	1240	1411	1524	1932	1861	
151.0#	1280	1475	1593	2031	1936	

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge / Inside Leg 6.75 9.75 42 42 42 54 66 60"D 66"D 72"D 12.75 84"D 12.75 96"D 12.75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Nesting-Rectangular-36" High (Counter Height)

			MODEL NUM	BER							
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base
, в ,	T Base	24 x 36"	PINR2436H36			NMP					
	T Base	24 x 42"	PINR2442H36			NMP					
	T Base	24 x 48"	PINR2448H36			NMP					
A	T Base	24 x 54"	PINR2454H36			NMP					
	T Base	24 x 60"	PINR2460H36			NMP					
	T Base	24 x 66"	PINR2466H36			NMP					
€		24 x 72"	PINR2472H36			NMP					
PIN3											
Rectangular Tables - 24"D											
Nesting base at 36" high Tables are designed for maximum leg spacing for the length of the table Nesting mechanism is standard in Flannel only Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected) Gangers ordered separately Recommended chair height for 36"H table is 24" stool	T Base	30 x 36"	PINR3036H36			NMP				0000	
PIN3	T Base	30 x 36"	PINR3036H36 PINR3042H36			NMP					
Rectangular Tables - 30"D	T Base	30 x 42 30 x 48"	PINR3042H36 PINR3048H36			NMP					
Nesting base at 36" high	T Base	30 x 46	PINR3046H36			NMP					
- Nesting base at 30 mgm	T Base	30 x 54 30 x 60"	PINR3060H36			NMP					
	T Base	30 x 66"	PINR3066H36			NMP					
	T Base	30 x 72"	PINR3072H36			NMP					
			A	B	•	O	(3	3	О	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158

10C - One Cutout Only w/Wire

Management; add \$158

1PG - One Plastic Grommet w/Wire

Management; add \$176 1PU - One PowerUp w/Wire Management; add \$282

IVG - One Villa Grommet w/Wire

Management; add \$228 **1VM** - One Villa Module w/Wire

Management; add \$412 *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

style selections.

NMP - No fabric modesty panel

- Select edge color.

 Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

 Edge color offerings are based on edge
- Select surface finish.

 Refer to color addendum at ki.com or KI
 Fabrics & Finishes binder.
- **G**Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters 4GB - 4 black glides



Pirouette® Tables Nesting-Rectangular-36" High (Counter Height)

Appro	ox. 1-1/4"		
Packa Weigl	aged Self-edge ht (64E)	74P Edge (74P)	
76	6.0# \$ 954	\$ 964	
81	1.0# 970	980	
89	9.0# 1009	1019	
94	1.0# 1084	1094	
102	2.0# 1099	1109	
107	7.0# 1184	1194	
115	5.0# 1198	1208	

83.0#	\$ 1036	\$ 1046		
89.0#	1090	1100		
99.0#	1101	1111		
105.0#	1198	1208		
114.0#	1213	1223		
120.0#	1255	1265		
129.0#	1285	1295		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Rectangular-42" High (Cafe Height)

			MODEL NUM	MODEL NUMBER									
	Features	АхВ	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base		
A	T Base	24 x 36"	PINR2436H42			NMP							
	T Base	24 x 42"	PINR2442H42			NMP							
	T Base	24 x 48"	PINR2448H42			NMP							
В	T Base	24 x 54"	PINR2454H42			NMP							
	T Base	24 x 60"	PINR2460H42			NMP							
	T Base	24 x 66"	PINR2466H42			NMP							
	T Base	24 x 72"	PINR2472H42			NMP							
PIN4													
Rectangular Tables - 24"D													
Nesting base at 42" high Tables are designed for maximum leg spacing for the length of the table Nesting mechanism is standard in Flannel only Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected) Gangers ordered separately Recommended chair height for 42"H table is 30" stool	T Base	30 × 36"	PINR3036H42			NMP							
PIN4	T Base	30 x 42"	PINR3042H42			NMP							
Rectangular Tables - 30"D	T Base	30 x 42	PINR3048H42			NMP							
Nesting base at 42" high	T Base	30 x 54"	PINR3054H42			NMP							
1400ting buod at 42 mgm	T Base	30 x 60"	PINR3060H42			NMP							
	T Base	30 x 66"	PINR3066H42			NMP							
	T Base	30 x 72"	PINR3072H42			NMP							
			A	3	O	O	3	•	Ө	0	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

style selections. Select surface finish.

- Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- 4 casters - 4 black glides



Pirouette® Tables Nesting-Rectangular-42" High (Cafe Height)

Approx.	1-1/4"	740 Edua
Packaged Weight	Self-edge (64E)	74P Edge (74P)
78.0#	\$ 995	\$ 1005
83.0#	1011	1021
91.0#	1049	1059
96.0#	1124	1134
104.0#	1139	1149
109.0#	1225	1235
117.0#	1238	1248

85.0#	\$ 1077	\$ 1087	
91.0#	1130	1140	
101.0#	1142	1152	
107.0#	1238	1248	
116.0#	1253	1263	
122.0#	1296	1306	
131.0#	1325	1335	

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Chevron-29" High (Standard Height)

			MODEL NU	IMBER								
	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight
A,	T Base	18 x 60"	PINCV1860									89.0#
B	T Base	18 x 72"	PINCV1872									100.0#
₩												
Chevron Tables - 18"D												
Nesting base at 29" high Tables are designed for maximum leg spacing for the length of the table Nesting mechanism is standard in Flannel only Chrome bases will have Flannel colored leg caps and vertical wire manager (if power is selected) Gangers ordered separately												
	T Base	24 x 60"	PINCV2460									103.0#
PINT	T Base	24 x 72"	PINCV2472									117.0#
Chevron Tables - 24"D												
Nesting base at 29" high												
	T Base	30 x 60"	PINCV3060									115.0#
PINT	T Base	30 x 72"	PINCV3072									131.0#
Chevron Tables - 30"D • Nesting base at 29" high												
			A	3	Θ	O	(3	(3	Ө	0	0	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

- One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

- Fabric modesty panel; add \$317

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select base.

4EC - 4 casters

4GB - 4 black glides



Pirouette® Tables Nesting-Chevron-29" High (Standard Height)

1_1//!"	



`	\checkmark
1-1.	/4"
Self	f-edge
(64	E)
\$	991

1079

	74P (74F	Edge P)	
9	\$	1001	
		1089	

\$ 1066	\$	1076
1132		1142
\$ 1183	\$	1193
1281		1291
	1132	1132 \$ 1183 \$

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Chevron-36" High (Counter Height)

			MODEL NUMB	ER							
	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base
<u> </u>	T Base	24 x 60"	PINCV2460H36			NMP					
	T Base	24 x 72"	PINCV2472H36			NMP					
B											
PIN3											
Chevron Tables - 24"D											
Nesting base at 36" high Tables are designed for maximum leg spacing for the length of the table Nesting mechanism is standard in											
Flannel only Chrome bases will have Flannel											
colored leg caps and vertical wire manager (if power is selected)											
Gangers ordered separatelyRecommended chair height for 36"H											
table is 24" stool											
	T Base	30 x 60"	PINCV3060H36			NMP					
PIN3	T Base	30 x 72"	PINCV3072H36			NMP					
Chevron Tables - 30"D											
Nesting base at 36" high											
			A	B	Θ	O	Э	•	О	0	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/ No Wire Management
WMO - Wire Management Only-No

Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire

Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- Select modesty panel.

 NMP No fabric modesty panel

style selections.

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



117.0#

133.0#

\$ 1253

1351

Pirouette® Tables Nesting-Chevron-36" High (Counter Height)

Approx.	1-1/4"	
Approx. Packaged Weight	1-1/4" Self-edge	74P Edge
Weight	(64E)	(74P)
105.0#	\$ 1113	\$ 1123
119.0#	1180	1190

\$ 1263

1361

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Chevron-42" High (Cafe Height)

			MODEL NUMB	ER								
	Features	A x B	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	
A	T Base	24 x 60"	PINCV2460H42			NMP						L
	T Base	24 x 72"	PINCV2472H42			NMP						
PIN4												İ
Chevron Tables - 24"D												Τ
 Nesting base at 42" high Tables are designed for maximum leg spacing for the length of the table Nesting mechanism is standard in Flannel only Chrome bases will have Flannel 												
colored leg caps and vertical wire												
manager (if power is selected) Gangers ordered separately Recommended chair height for 42"H table is 30" stool												
	T Base	30 x 60"	PINCV3060H42			NMP						†
PIN4	T Base	30 x 72"	PINCV3072H42			NMP						į
Chevron Tables - 30"D												i
 Nesting base at 42" high 												
			A	B	•	O	(3	•	Ф	0	0	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

- 1-1/4" Self-edge - 74P edge

Select grommet or module type.

NNN - No Grommets/No PowerUp/

No Wire Management
WMO - Wire Management Only-No Cutouts; add \$158

- One Cutout Only w/Wire Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

- One Villa Grommet w/Wire Management; add \$228

1VM - One Villa Module w/Wire Management; add \$412

*CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.

- *Includes vertical and horizontal wire management.
- DSelect modesty panel.

style selections.

NMP - No fabric modesty panel

Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select grommet/module color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



135.0#

1391

1401

Pirouette® Tables Nesting-Chevron-42" High (Cafe Height)

•		
Approx. Packaged Weight	1-1/4" Self-edge (64E)	74P Edge (74P)
107.0#	\$ 1153	\$ 1163
121.0#	1219	1229
119.0#	\$ 1293	\$ 1303

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Double Chevron-29" High (Standard Height)

			MODEL NU	MBER							
	Features	AxBxC	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
<u> </u>	T Base	24 x 30 x 60"	PINDC2460		NNN	NMP					106.0#
	T Base	24 x 30 x 72"	PINDC2472		NNN	NMP					121.0#
B											
PINT											
Double Chevron Tables - 24"D											
Nesting base at 29" high Tables are designed for maximum leg spacing for the length of the table											
 Nesting mechanism is standard in Flannel only 											
Chrome bases will have Flannel											
colored leg caps and vertical wire manager (if power is selected)											
Gangers ordered separately											
-	T Base	30 x 36 x 60"	PINDC3060		NNN	NMP					118.0#
PINT	T Base	30 x 36 x 72"	PINDC3072		NNN	NMP					135.0#
Double Chevron Tables - 30"D											
Nesting base at 29" high											
	T Base	36 x 42 x 60"	PINDC3660		NNN	NMP					131.0#
PINT	T Base	36 x 42 x 72"	PINDC3672		NNN	NMP					150.0#
Double Chevron Tables - 36"D • Nesting base at 29" high											
- INCOUNTY DASE AT 29 THY											
			A	B	Θ	0	(3	•	(0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

64E - 1-1/4" Self-edge **74P** - 74P edge - 74P edge

Select grommet or module type.

- No Grommets/No PowerUp/ No Wire Management

• Select modesty panel.

NMP - No fabric modesty panel

- Select edge color.
 Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.
- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Nesting-Double Chevron-29" High (Standard Height)

	*	
	1-1/4"	
:	1-1/4" Self-edge (64E)	74P Edge (74P)
	(64E)	(/4٢)
		\$ 1208
	1296	1306
	1352	\$ 1362
	1481	1491
	\$ 1416	\$ 1426
•	1514	1524
	1014	1024

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Scale Up-29" High (Standard Height)

	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Grommet/ Module Color	Base	Approx. Packaged Weight	
A	T Base	30 x 72"	PINS3072			NMP						86.0#	
B													
PINT													
Scale Up Tables - 30"D													
Nesting base at 29" high													
3 tables form an 84" dia pod design													
to seat up to 9 people • Nesting mechanism is standard in													
Flannel only													
 Chrome bases will have Flannel colored leg caps and vertical wire 													
manager (if power is selected)													
 Gangers ordered separately (Not for 													
use with 54B table edges)													
			A	B	•	•	3	(3	Θ	0	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

04B	- 1-1/4 VIIIyi bullilose
64E	- 1-1/4" Self-edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or Wire Management/No Cutouts

10C - One Cutout Only-w/Wire

Management; add \$158

- One Plastic Grommet w/Wire Management; add \$176

- One PowerUp w/Wire Management; add \$282

1VG - One Villa Grommet w/Wire Management; add \$228

1VM - One VIIIa Module w/Wire

Management; add \$412
WMO - Wire Management Only-No Cutouts; add \$158

- *CORD LENGTH of 9' or 15' is option on 1PU and 1VM only.
- *Includes vertical and horizontal wire management.

Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

- Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- GSelect leg finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select grommet/module color. Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

Select base.

4EC - 4 casters - 4 black glides



Pirouette® Tables Nesting-Scale Up-29" High (Standard Height)

1-1/4" Vinyl Bullnose \$ 1121



1-1/4" Self-edge (64E) \$ 1250



74P Edge (74P) \$ 1292



3/8" Wood Band Edge (34S)

\$ 1517

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 72"D 13.125 42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Nesting-Half Round-29" High (Standard Height)

				MODEL	NUMBE	R						
	MODEL	Features	AxB	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	
A	Half Round Tables - 24"D • Nesting base at 29" high	T Base	24 x 48"	PINH48		NNN	NMP					
	 Nesting mechanism is standard in Flan- 											
B	nel only • Chrome bases will have Flannel colored											
	leg caps • Gangers ordered separately (Not for use											
• I	with 54B table edges)											
PINT												
DINT	Half Round Tables - 30"D	T Base	30 x 60"	PINH60		NNN	NMP					
PINT	- Half Round Tables - 36"D	T Base	36 x 72"	PINH72		NNN	NMP					
PINT		. 5000	00 // 12									
				A	ß	Θ	O	(3	G	Ф	0	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyi bulinose
64E	- 1-1/4" Self-edge
74P	- 74P edge
348	- 3/8" Wood band edge

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts

OSelect modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish.

Refer to color addendum at ki.com or KI

Fabrics & Finishes binder.

GSelect leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

- 4 casters 4EC

- 4 black glides 4GB



Approx.

Weight

Packaged

71.0#

Pirouette® Tables Nesting-Half Round-29" High (Standard Height)

3/8" Wood 1-1/4" Vinyl 1-1/4" 74P Edge (74P) Bullnose Self-edge Band Edge (54B) (64E) (34S) 979 \$ 1042 \$ 1049 \$ 1250

90.0#	\$ 1007	\$ 1073	\$ 1079	\$ 1280
113.0#	\$ 1049	\$ 1143	\$ 1149	\$ 1386

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 6.75 12.75 48"D 30 60"D 30 72"D 12.75 42

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

N/C

Nesting-Trapezoid-29" High (Standard Height)

MODEL NUMBER											
	Features	AxBxCxD	Basic Model	Edge Style	Grommet/ Module Type	Modesty Panel	Edge Color	Surface Finish	Leg Finish	Base	Approx. Packaged Weight
A 🚵	T Base	30 x 30 x 30 x 60"	PINT3060		NNN	NMP					82.0#
B D											
DINIT.											
PINT											
Trapezoid Tables - 30"D											
Nesting base at 29" high											
 Nesting mechanism is standard in Flannel only 											
Chrome bases will have Flannel											
colored leg caps											
Gangers ordered separately (Not for AP to black date)											
use with 54B table edges)											
			A	B	•	O	3	(3)	G	0	
				_			_	_	_	_	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect edge style.

54B	- 1-1/4" Vinyl bullnose	
64E	- 1-1/4" Self-edge	
74P	- 74P edge	Ī
348	- 3/8" Wood band edge	Ī

Select grommet or module type.

NNN - No Grommets, PowerUp or

Wire Management/No Cutouts

• Select modesty panel.

NMP - No fabric modesty panel

Select edge color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select leg finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

Select base.

4EC 4GB - 4 casters - 4 black glides



Pirouette® Tables Nesting-Trapezoid-29" High (Standard Height)

1-1/4" Vinyl Bullnose \$ 1007



1-1/4" Self-edge (64E) \$ 1073



74P Edge (74P) \$ 1079



3/8" Wood Band Edge (34S)

\$ 1280

INFORMATION

LEG CLEARANCE

Table Length / From Table Edge Point / Inside Leg 60"D 12.75 30

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Accessories

		MODEL NUI	MBER			
	MODEL	Basic Model	Leg Finish	Approx. Packaged Weight		
_ 🔊	Table Ganger (Set of 2 for one table-to-	13.3115		1.0#		
	table gang)					
	 Available on all table tops Must be ordered separately 					
	KIT INCLUDES:					
HRDPT	2 black nylon ganging hooks					
	 6 nylon pegs 6 #14 x 1-1/2" screws 	Basic Leg Packaged Weight 13.3115 PIR.ADA.KIT				
	Not for use with 54B table edges					
	ADA Height KitAchieve a tabletop height of 32"	PIR.ADA.KIT		2.0#		
HRDPT	Leg available in powdercoat or chrome					
		A	3			

HOW TO ORDER

Indicate the following information on order

- form:

 1. Quantity of each item.

 2. Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Pirouette® Tables Accessories

Delivered Pricing

\$ 13

\$ 244

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Index

Model No.	Description	Page	Model No.	Description	Page
13.3115	Accessories: Table Ganger (Set of 2 for one table-to-		PIFR3036H36	Fixed-Rectangular-36" High (Counter Height): Rectan-	
	table gang)	74		gular Tables - 30"D	16
PIFCRD48	Fixed-Round-29" High (Standard Height): Round		PIFR3036H42	Fixed-Rectangular-42" High (Cafe Height): Rectangular	
	Tables - Fixed, 29" High	40		Tables - 30"D	18
PIFCSQ42	Fixed-Square-29" High (Standard Height): Square		PIFR3036T	Fixed-Rectangular-29" High (Training): Rectangular	
5.50	Tables - Fixed, 29" High	34	5.555555	Tables - 30"D	6
PIFCV1860	Fixed-Chevron-29" High (Standard Height): Chevron	0.0	PIFR3060C	Fixed-Rectangular-29" High (Collaborative): Rectangu-	4.0
DIEOVAGOGIGO	Tables - 18"D	20	DIFFORMAT	lar Tables - 30"D	10
PIFGVI860H36	Fixed-Chevron-36" High (Counter Height): Chevron	00	PIFR3636T	Fixed-Rectangular-29" High (Training): Rectangular	0
DIECVARCOLIAO	Tables - 18"D	22	DIEDOCO AT	Tables - 36"D Fixed-Rectangular-29" High (Training): Rectangular	8
PIFCV1660H42	Fixed-Chevron-42" High (Cafe Height): Chevron Tables - 18"D Fixed-Chevron-29" High (Standard Height): Chevron	24	PIFR3684T	Tables - 36"D	8
F11 G V 2400	Tables - 24"D	20	PIFR4260	Fixed-Rectangular-29" High (Conference): Rectangular	U
PIECV2460H36	Fixed-Chevron-36" High (Counter Height): Chevron	20	111114200	Conference Tables - 42"D	12
1110124001100	Tables - 24"D	22	PIFR4296	Fixed-Rectangular-29" High (Conference): Rectangular	12
PIFCV2460H42	Fixed-Chevron-42" High (Cafe Height): Chevron Tables - 24"D		11111200	Conference Tables - 42"D	12
PIFCV3060	Fixed-Chevron-29" High (Standard Height): Chevron		PIFR4860	Fixed-Rectangular-29" High (Conference): Rectangular	
010000	Tables - 30"D	20		Conference Tables - 48"D	14
PIFCV3060H36	Fixed-Chevron-36" High (Counter Height): Chevron		PIFR4896	Fixed-Rectangular-29" High (Conference): Rectangular	
	Tables - 30"D	22		Conference Tables - 48"D	14
PIFCV3060H42	Fixed-Chevron-42" High (Cafe Height): Chevron Tables - 30"D	24	PIFS3072	Fixed-Scale Up-29" High (Standard Height): Scale Up	
PIFDC3060T	Fixed-Double Chevron-29" High (Standard Height):			Tables - 30"D	46
	Double Chevron Tables - 30"D	26	PIFT3060	Fixed-Trapezoid-29" High (Standard Height): Trapezoid	
PIFDC3660T	Fixed-Double Chevron-29" High (Standard Height):			Tables - 30"D	50
	Double Chevron Tables - 36"D	26	PIFXRD30	Fixed-Round-29" High (Standard Height): Round	
PIFDC3684T	Fixed-Double Chevron-29" High (Standard Height):			Tables - Fixed, 29" High	40
	Double Chevron Tables - 36"D	26	PIFXRD30H36	Fixed-Round-36" High (Counter Height): Round Tables	
PIFDC4260	Fixed-Double Chevron-29" High (Conference): Double			- Fixed, 36" High	42
	Chevron Conference Tables - 42"D	28	PIFXRD30H42	Fixed-Round-42" High (Cafe Height): Round Tables -	
PIFDC4296	Fixed-Double Chevron-29" High (Conference): Double	0.0	DIEMOOO	Fixed, 42" High	44
DIEDO 4000	Chevron Conference Tables - 42"D	28	PIFXSQ30	Fixed-Square-29" High (Standard Height): Square	0.4
PIFDC4860	Fixed-Double Chevron-29" High (Conference): Double	20	DIEVEGORIJAC	Tables - Fixed, 29" High	34
PIFDC4896	Chevron Conference Tables - 48"D	30	PIFXSQ30H36	Fixed-Square-36" High (Counter Height): Square	36
P1FDC4090	Fixed-Double Chevron-29" High (Conference): Double Chevron Conference Tables - 48"D	30	PIFXSQ30H42	Tables - Fixed, 36" High Fixed-Square-42" High (Cafe Height): Square Tables -	30
PIFG48	Fixed-Guitar Pick-29" High (Standard Height): Guitar	30	F11 A3Q301142	Fixed, 42" High	38
111 040	Pick Tables - 48"	32	PINCV1860	Nesting-Chevron-29" High (Standard Height): Chevron	30
PIFG54	Fixed-Guitar Pick-29" High (Standard Height): Guitar	02	1 1140 4 1000	Tables - 18"D	60
111 00 1	Pick Tables - 54"	32	PINCV2460	Nesting-Chevron-29" High (Standard Height): Chevron	00
PIFG60	Fixed-Guitar Pick-29" High (Standard Height): Guitar	0_		Tables - 24"D	60
	Pick Tables - 60"	32	PINCV2460H36	Nesting-Chevron-36" High (Counter Height): Chevron	
PIFH48	Fixed-Half Round-29" High (Standard Height): Half			Tables - 24"D	62
	Round Tables - 24"D	48	PINCV2460H42	Nesting-Chevron-42" High (Cafe Height): Chevron	
PIFH60	Fixed-Half Round-29" High (Standard Height): Half			Tables - 24"D	64
	Round Tables - 30"D	48	PINCV3060	Nesting-Chevron-29" High (Standard Height): Chevron	
PIFH72	Fixed-Half Round-29" High (Standard Height): Half			Tables - 30"D	60
	Round Tables - 36"D	48	PINCV3060H36	Nesting-Chevron-36" High (Counter Height): Chevron	
PIFR1836H36	Fixed-Rectangular-36" High (Counter Height): Rectan-			Tables - 30"D	62
	gular Tables - 18"D	16	PINCV3060H42	Nesting-Chevron-42" High (Cafe Height): Chevron	
PIFR1836H42	Fixed-Rectangular-42" High (Cafe Height): Rectangular			Tables - 30"D	64
	Tables - 18"D	18	PINDC2460	Nesting-Double Chevron-29" High (Standard Height):	
PIFR1836T	Fixed-Rectangular-29" High (Training): Rectangular		DINDOGGG	Double Chevron Tables - 24"D	66
DIEDO 4001100	Tables - 18"D	6	PINDC3060	Nesting-Double Chevron-29" High (Standard Height):	00
PIFR2436H36	Fixed-Rectangular-36" High (Counter Height): Rectan-	10	DINDCOCCO	Double Chevron Tables - 30"D	66
DIEDO40CII40	gular Tables - 24"D	16	PINDC3660	Nesting-Double Chevron-29" High (Standard Height):	CC
PIFR2436H42	Fixed-Rectangular-42" High (Cafe Height): Rectangular Tables - 24"D	10	PINH48	Double Chevron Tables - 36"D	66
PIFR2436T	Fixed-Rectangular-29" High (Training): Rectangular	18	г нин 1 4 0	Nesting-Half Round-29" High (Standard Height): Half Round Tables - 24"D	70
111127001	Tables - 24"D	6	PINH60	Nesting-Half Round-29" High (Standard Height): Half	10
PIFR2460C	Fixed-Rectangular-29" High (Collaborative): Rectangu-	J	1 1141100	Round Tables - 30"D	70
	lar Tables - 24"D	10	PINH72	Nesting-Half Round-29" High (Standard Height): Half	. •
		-	-	5 · / · · · · · · · · · · · · · · · · ·	





Model No.	Description	Page
	Round Tables - 36"D	70
PINR1836T	Nesting-Rectangular-29" High (Training): Rectangular Tables - 18"D	52
PINR2436H36	Nesting-Rectangular-36" High (Counter Height): Rectangular Tables - 24"D	56
PINR2436H42	Nesting-Rectangular-42" High (Cafe Height): Rectangular Tables - 24"D	58
PINR2436T	Nesting-Rectangular-29" High (Training): Rectangular Tables - 24"D	52
PINR2460C	Nesting-Rectangular-29" High (Collaborative): Rectangular Tables - 24"D	54
PINR3036H36	Nesting-Rectangular-36" High (Counter Height): Rectangular Tables - 30"D	56
PINR3036H42	Nesting-Rectangular-42" High (Cafe Height): Rectangular Tables - 30"D	58
PINR3036T	Nesting-Rectangular-29" High (Training): Rectangular Tables - 30"D	52
PINR3060C	Nesting-Rectangular-29" High (Collaborative): Rectangular Tables - 30"D	54
PINR3636T	Nesting-Rectangular-29" High (Training): Rectangular Tables - 36"D	52
PINS3072	Nesting-Scale Up-29" High (Standard Height): Scale Up Tables - 30"D	68
PINT3060	Nesting-Trapezoid-29" High (Standard Height): Trapezoid Tables - 30"D	72
ΡΙΒ ΔΠΔ ΚΙΤ	Accessories: ADA Height Kit	7 <i>1</i>

KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2014 Krueger International, Inc. All Rights Reserved. Code KI-11606/KJ/PDF/0414