

POOFF Foaming Cleaner

DESCRIPTION

An extremely heavy duty, highly concentrated liquid foaming cleaner for fast effective cleaning and degreasing. This foaming cleaner utilizes a unique foaming surfactant system which is synergistically formulated to give the fastest and most effective cleaning possible.

PRODUCT FEATURES / BENEFITS

- High foaming action / Provides the longest active contact for the most complete cleaning
- No film residue / Rinses free for labor savings and cleanest surface attainable
- Corrosion inhibited / Allows for more surface contact and uses
- 100% biodegradable / Environmentally safe
- Super fast penetration / Unmatched time saving feature

DIRECTIONS FOR USE

Formulated for fast and effective removal of animal fats, oils, greases, petroleum oils, and general soils. Before using in food processing areas, cover or remove all food equipment.

For Foaming Equipment: Set metering device to 1 part cleaner to 15 to 10 parts of water. Apply by foaming with hot water. May be used in all types of foaming equipment.

For Application by Spray, Sponge or Cloth: Dilute cleaner with 15 to 20 parts hot water. Allow the cleaner to penetrate the soiled surface for 5 minutes and rinse off with a high pressure spray of hot water.

Note: Aluminum surfaces must be rinsed immediately. If a high pressure spray is not available, scrub heavily soiled areas with a brush after the cleaner has penetrated and loosened the soil, rinse completely with hot water.

For Food Contact Surfaces: Rinse thoroughly with potable water before reuse.

SPECIFICATIONS

Color	Water clear
Odor	Odorless
pH (Concentrate)	13.5 ± 0.3
pH (1:15)	12.7 ± 0.3
Solubility	Complete in water
Specific Gravity (g/cc)	1.09 ± 0.01
Density (lbs/gal)	9.1 ± 0.1
High Temp. Cloud	> 130°F

Low Temp. Cloud	< 33°F
Viscosity (cps)	60 ± 10
Flash Point	None
USDA Approval	Yes
Free Rinsing	Complete
Foam Height	High
Cleaning	Excellent
Detergency	Multiple action
Shelf Life 1 year minimum in original unc	pened container

SAFETY INFORMATION

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF THE REACH OF CHILDREN.

Prevention: Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/ clothing and eye/face protection.

Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first-aid measures. SDS for this product is available on the web at www.nclonline.com

Meets requirements for USDA Authorization Class A1. For Commercial and Industrial Use Only



CLEANER



401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail:info@nclonline.com



NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

	Section 1 - Identification			
Product Identifier	POOFF Foaming Cleaner			
Other means of identification	0920			
Recommended use	Alkaline cleaner.			
Recommended restrictions	For commercial and industrial use only.			
Manufacturer / Importer / Supplier / Distributor Information				
Company Name	National Chemical Laboratories of PA, Inc.			
Address	401 N. 10th Street - Philadelphia, PA 19123			
Telephone	1 (215) 922-1200			
Supplier Email	info@nclonline.com			
Contact	CHEM-TEL			
Emergency Phone	1 (800) 255-3924			

Section 2 - Hazard(s) Identification

		. ,	
SDS Hazards an	•	ict. Refer to diluted SDS for Ready-To-Use Hazards an	nd Warnings.
Dhucical Hazarda	Classification Not Classified	Category	
Physical Hazards Health Hazards	Not classified Serious eye damage/eye irritation	1	
	Skin corrosion/irritation	1	
OSHA defined hazards	Not Classified.	1	
Label Elements	Not classified.		
Hazard Symbol			
	THE REAL		
Signal Word	Danger		
Hazard Statement	Causes severe skin burns and eye damage.		
Precautionary statement			
Prevention	Do not breathe mist or vapor. Wash thoro protection/face protection.	ughly after handling. Wear protective gloves/protectiv	ve clothing/eye
Response	Rinse skin with water/shower. If inhaled: F	e vomiting. If on skin (or hair): Take off immediately all temove person to fresh air and keep comfortable for b Remove contact lenses, if present and easy to do. Con ng before reuse.	reathing. If in eyes: Rinse
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordan	ce with local/regional/national/international regulatio	ins.
Hazard(s) not otherwise classified (HNOC)	None known.		
	Section 3 - Composition	Information on ingredients	
Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Sodium Hydroxide	1310-73-2	5 - 10
	Dodecyldimethylamine oxide	1643-20-5	1 - 5
	Sodium dodecylbenzenesulfonate	25155-30-0	1 - 5
	Sodium Silicate	1344-09-8	1 - 5
	Section 4 - Fi	rst-aid Measures	
Inhalation	If breathing is difficult, remove to fresh air symptoms develop or persist.	and keep at rest in a position comfortable for breathin	ng. Call a physician if
Skin contact		thing. Rinse skin with water/shower. Call a physician o ted by a physician. Wash contaminated clothing befor	•
Eye contact	Immediately flush eyes with plenty of wate	er for at least 15 minutes. Remove contact lenses, if pr	esent and easy to do.

	SAFETY DAT	A SHEET
Ingestion	Continue rinsing. Call a physician or poison contr Call a physician or poison control center immedi so that stomach content doesn't get into the lun	ately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low
Most Important symptoms /effects, acute and delayed		Causes serious eye damage. Symptoms may include stinging, tearing, redness nage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment	• • • • • • • • • • • • • • • • • • • •	symptomatically. Chemical burns: Flush with water immediately. While affected area. Call an ambulance. Continue flushing during transport to abservation. Symptoms may be delayed.
General Information	Ensure that medical personnel are aware of the	material(s) involved, and take precautions to protect themselves.
	Section 5 - Fire-fig	hting measures
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical	powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this v	vill spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be fo	rmed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prot	ective clothing must be worn in case of fire.
Fire-fighting equipment /instructions	Move containers from fire area if you can do it w	vithout risk.
General fire hazards	No unusual fire or explosion hazards noted.	
Specific Methods	Use standard firefighting procedures and consid	er the hazards of other involved materials.
	Section 6 - Accidental	release measures
Personal precautions, protective equipment and emergency procedures.	appropriate protective equipment and clothing of containers or spilled material unless wearing appression of the spilled material unless wearing appression of the spin of th	away from and upwind of spill/leak. Keep out of low areas. Wear during clean-up. Do not breathe mist or vapor. Do not touch damaged propriate protective clothing. Ensure adequate ventilation. Local authorities be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	plastic sheet to prevent spreading. Absorb in ver waterways, sewer, basements or confined areas Small Spills: Wipe up with absorbent material (e contamination.	vithout risk. Dike the spilled material, where this is possible. Cover with rmiculite, dry sand or earth and place into containers. Prevent entry into . Following product recovery, flush area with water. .g. cloth, fleece). Clean surface thoroughly to remove residual use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or on	
	Section 7 - Handlin	na and storage
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes	s, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ve equipment. Observe good industrial hygiene practices. Use care in
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed c SDS).	ontainer. Store away from incompatible materials (see Section 10 of the
	Section 8 - Exposure cont	rol/personal protection
Occupational exposure limits		
	Air Contaminants (29 CFR 1910.1000)	
Components Sodium Hydroxide (CAS 131	(72.2) Type	Value 2 mg/m ³
US. ACGIH Threshold Limit Va	,	2 IIIg/III
Component	Туре	Value
Sodium Hydroxide (CAS 131		2 mg/m ³
US. NIOSH: Pocket Guide to C		
Components	Туре	Value
Sodium Hydroxide (CAS 131		2 mg/m³
Biological limit values	No biological exposure limits noted for the ingre	dient(s)

	Occupational exposure limits				
	US. OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 1910.1000)			
	Components		Туре	Value	
	Sodium Hydroxide (CAS 131	0-73-2)	TWA	2 mg/m³	
	US. ACGIH Threshold Limit Va	lues			
	Component		Туре	Value	
	Sodium Hydroxide (CAS 1310-73-2)		Ceiling	2 mg/m³	
	US. NIOSH: Pocket Guide to C	nemical Hazards			
	Components		Туре	Value	
Sodium Hydroxide (CAS 1310-73-2)		0-73-2)	Ceiling	2 mg/m³	
	Biological limit values	No biological exposure limits noted for the ingredient(s).			
	Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
	Individual protection measures, su	ch as personal protective equipment			
	Eye/face protection	Wear safety glasses with side shields (or goggles)	and a face shield.	
	Skin protection				
	Hand protection	Wear appropriate chemical resistant g	oves.		

Other	Wear appropriate chemical resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Clear, thin liquid.
Color	Colorless.
Odor	Odorless.
Odor threshold	Not available.
рН	13.5
Melting point/freezing point	Not available.
Initial boiling point and	212 °F (100 °C)
boiling range	
Flash point	None to boiling.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Similar to water.
Vapor density	Not available.
Relative density	1.09 ± 0.01
Relative density temperature	75 °F (23.89 °C)
Solubilities	Completely Soluble
Partition Coefficient n-	Not available
octanol/water	
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	65 cSt
Viscosity Temperature	75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possiblity of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to Avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Strong acids. Acids. Oxidizing agents.
Hazardous Decomposition	No hazardous decomposition products are known.
Products	

Section 11 - Toxicological information

Information on likely routes of	exposure					
Ingestion	Causes digestive tract burn	Causes digestive tract burns.				
Inhalation	May cause irritation to the	e respiratory system. Pr	olonged inhalatior	n may be harmfu	ıl.	
Skin contact	Causes severe skin burns.					
Eye contact	Causes serious eye damag	Causes serious eye damage.				
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.					
Information on toxicological ef	fects.					
Acute toxicity						
Components		Level	Туре	Code	Species	Results
Sodium Silicate (CAS 1344-09-8)		Acute	Dermal	LD50	Rabbit	>4640 mg/kg
		Acute	Oral	LD50	Rat	1.1 g/kg
Sodium Hydro:	kide (CAS 1310-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg
Skin corrosion/irritation	Causes severe skin burns a	ind eve damage.				

	SAFE	TY DATA SHEET			
Serious eye damage/ eye irritation	Causes serious eye damage.				
Respiratory sensitization	Not a respiratory sensitizer.				
Skin sensitization	This product is not expected to cause skin sensitization.				
Germ cell mutagenicity	No data available to indicate proc	duct or any components present at	greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to	be a carcinogen by IARC, ACGIH, N	TP, or OSHA.		
Reproductive toxicity	This product is not expected to ca	ause reproductive or developmenta	al effects.		
Specific target organ toxicity - single exposure	Not classified.				
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Prolonged inhalation may be harr	nful.			
	Section 12	- Ecological Informa	tion		
Ecotoxicity	Harmful to aquatic organisms, ma	ay cause long-term adverse effects	in the aquatic environment.		
Component(s)					
Dodecyldimethylamine oxide,	1643-20-5				
Aquatic					
Acute Fish	LC50	Brachydanio rerio	0.71 - 1 mg/l, 96 hours		
Persistence and degradability	No data is available on the degrad	dability of this product.			
Partition coeficient n-octand	ol / water log (Kow)				
Components		Results			
Sodium dodecylbenzenes	ulfonate (CAS 25155-30-0)	0.45			
Mobility in soil	No data available.				
Mobility in general	No data available.				
Other adverse effects		effects (e.g. ozone depletion, phot tial) are expected from this compo	ochemical ozone creation potential, endocrine nent.		
	Section 13	- Disposal considera	tions		
Disposal instructions	Dispose in accordance with applic	cable federal, state, and local regul	ations.		
Local disposal regulations	Dispose of in accordance with loc	al regulations.			
Hazardous waste code		-	n for which the product was used.		
Waste from residues / unused	Dispose in accordance with all ap				
products					
Contaminated packaging	Since emptied containers may ret	ain product residue, follow label w	arnings even after container is emptied.		
	Section 14	4 - Transport informa	tion		
DOT					
UN number					
Proper shipping name	SODIUM HYDROXIDE SOLUTION				
Transport hazard class(es)	8				
Packing group	II				
Special precautions for user	Read safety instructions, SDS and e	emergency procedures before hand	lling.		
Special provisions	B2, IB2, N34, T7, TP2				
Packaging exemption	154				

1474	
IATA	

	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
	Special provisions	B2, IB2, N34, T7, TP2	
	Packaging exemption	154	
	Packaging non bulk	202	
	Packaging bulk	242	
ΙΑΤ	A		
	UN number	UN1824	
	UN proper shipping name	SODIUM HYDROXIDE SOLUTION	
	Transport hazard class(es)	8	
	Packaging group	II	
	Environmental hazards	No.	
	ERG Code	8L	
	Special precautions for user Other Information	Read safety instructions, SDS and emergency procedures before handling.	
IM	DG		
	UN number	UN1824	
	UN proper shipping name	SODIUM HYDROXIDE SOLUTION	
	Transport hazard class(es)	8	

Packaging group				
Environmental hazards				
Marine pollutant				
EmS				
Special precautions for user				
Transportation in bulk				
according to Annex II of				
MARPOL 73/78 and IBC Code				

П

No. F-A, S-B Read safety instructions, SDS and emergency procedures before handling. This substance/mixture is not intended to be transported in bulk.

JS federal regulations	This product is		15 - Regulatory Information Chemical" as defined by the OSHA Hazard Communication Star	ndard, 29 CFR 1910 1200
55 Tederal Tegulations			5. EPA TSCA Inventory List.	idaid, 25 CI N 1510.1200.
TSCA Section 12(b) Ex	port Notification (40 CFI	707, Subpt. D)	Not regulated.	
	Regulated Substances (2		0	
CERCLA Hazardous Sul	bstance List (40 CFR 302	.4		
Component	S		Result	
Sodium Hyd	droxide (CAS 1310-73-2)		LISTED	
Sodium doo	lecylbenzenesulfonate (CAS 25155-30-0) LISTED	
Superfund Amendmer	nts and Reauthorization	Act of 1986 (SA	, RA)	
Hazard Categories	Immediate Hazard	Yes	,	
0	Delayed Hazard	No		
	Fire Hazard	No		
	Pressure Hazard	No		
	Reactivity Hazard	No		
SARA 302 Extremely h	azardous substance	No		
SARA 311/312 Hazard	ous chemical	Yes		
SARA 313 (TRI reporti	ng)	Not regulate	ed.	
ther federal regulations				
Clean Air Act (CAA) Se	ction 112 Hazardous Aiı	Pollutants (HS	Ps) List Not regulated.	
Clean Air Act (CAA) Se	ction 112(r) Accidental	Release Prevent	tion (40 CFR 68.130) Not regulated.	
Safe Drinking Water A	ct (SDWA) Not re	gulated.		
Food and Drug Admin	istration (FDA) Not re	gulated.		
S state regulations				
US.Massachusetts RTM	(- Substance List		Components	
			Sodium dodecylbenzenesulfonate (CAS 25155-30-0)	
			Sodium Hydroxide (CAS 1310-73-2)	
US.New Jersey Worke	r and Community Right-	to-Know Act	Components	
			Sodium dodecylbenzenesulfonate (CAS 25155-30-0)	
			Sodium Hydroxide (CAS 1310-73-2)	
US.Pennsvlvania RTK -	Hazardous Substances		Components	
,,			Sodium dodecylbenzenesulfonate (CAS 25155-30-0)	
			Sodium Hydroxide (CAS 1310-73-2)	
			Components	
US.Rhode Island RTK			Sodium dodecylbenzenesulfonate (CAS 25155-30-0)	
			Sodium Hydroxide (CAS 1310-73-2)	
US - California Propsition 65			California Safe Drinking Water and Toxic Enforcement Act of material is not known to contain any chemicals currently list reproductive toxins.	
nternational Inventories				
Country(s) or region	Invento	ry Name		On Inventory (yes/no)
		lian Inventory	of Chemical Substances (AICS)	Yes
CanadaDomestic SubstancesCanadaNon-Domestic SubstancesChinaInventory of Existing C			List (DSL)	Yes
			nces List (NDSL)	No
			Chemical Substances in China (IECSC)	Yes
		ean Inventory o	f Existing Commercial Chemical Substances (EINECS)	No
		ean List of Noti	fed Chemical Substances (ELINCS)	No
			and New Chemical Substances (ENCS)	No
Korea Existing Chemicals List New Zealand New Zealand Inventor		t (ECL)	Yes	
		ealand Invento	ry	Yes
Philippines	Philip	oine Inventory o	of Chemicals and Chemical Substances	Yes
	Rico Toxic	ubstances Con	trol Act (TSCA) Inventory	Yes

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date				
Version #				
Disclaimer				

5/13/2015 01

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

POOFF Foaming Cleaner 0920

Directions:

Before using in food processing areas, cover or remove all food and food packaging materials, protect equipment not to be cleaned and electrical outlets.

For Foaming Equipment: Set metering device to 1 part POOFF™ to 10 to 15 parts of water. Apply by foaming with hot water. May be used in all types of foaming equipment.

For Application By Spray, Sponge Or Cloth: Dilute POOFF[™] with 15 to 20 parts hot water. Allow POOFF[™] to penetrate the soiled surface for 5 minutes and rinse off with a high pressure spray of hot water.

Note: Aluminum surfaces must be rinsed immediately. If a high pressure spray is not available, scrub heavily soiled areas with a brush after the cleaner has penetrated and loosened the soil, rinse completely with hot water.

For Food Contact Surfaces: Rinse thoroughly with potable water before re-use.

Instrucciones para Uso:

Antes de usar en áreas de la transformación de los alimentos, la cubierta o quita todo el alimento y protege el equipo que no se limpiarán v los enchufes eléctricos.

Para el equipo que hace espuma: Dispositivo medidor determinado a 1 porción POOFF[™] a 10 a 15 porciones de agua. Aplicarte haciendo espuma con la agua caliente. Se puede utilizar en todos los tipos de equipo el hacer espuma.

Para el uso por Spray, la esponja o el paño: Diluído POOFF™ con 15 a 20 parte caliente agua. Permitir POOFF™ a penetrar la superficie manchada por 5 minutos y aclararla apagado con un aerosol de alta presión de la agua caliente.

Nota: Las superficies de aluminio se deben aclarar inmediatamente. Si un aerosol de alta presión no está disponible. fregar las áreas pesadamente manchadas con a el cepillo después del limpiador tiene penetrado y afloiado suelo. aclaración totalmente con la aqua caliente.

Para las superficies de contacto del alimento: Aclaración a fondo con aqua potable antes de la reutilización.



World Class Cleaning Solutions®

Pooff[™]

Foaming Cleaner

A heavy duty, high foaming, liquid alkaline cleaner formulated for effective removal of animal fats and general soil!

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. See back panel for additional precautions and treatment.

DANGER: CAUSA QUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS. Ver panel lateral para las medidas preventivas adicionales. NET CONTENTS: 1 GALLON / 3.79 LITERS

National Chemical Laboratories, Inc. Philadelphia, PA 19123 USA • (800) 628-2436 www.nclonline.com



Degreaser Cleaner

protective clothing/eve protection/face protection. Response: If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eves: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Storage: Store locked up. **Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

Inventory List.

LZ.

Additional safety measures:

CONTAINS: Sodium Hydroxide CAS # 1310-73-2, Dodecyldimethylamine oxide CAS # 1643-20-5, Sodium dodecylbenzenesulfonate CAS # 25155-30-0, Sodium Silicate CAS # 1344-09-8



** MADE IN USA **

0920-29-0615







Product No.: 0920

DANGER: CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. KEEP OUT OF THE REACH OF CHILDREN.

Precautionary statement

Prevention: Do not breathe mist or vapor Wash thoroughly after handling. Wear protective gloves/

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA

Read the entire label and SDS before using this product and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

PELIGRO: CAUSA OUEMADURAS GRAVES EN LA PIEL Y DAÑO A LOS OJOS. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

Consejos de prudencia

Prevención: No respirar vapores o niebla. Lávese cuidadosamente después de la manipulación. Usar quantes protectores y ropa de protección/protección para los ojos/ la cara.

Respuesta: En caso de ingestión: Enjuagar la boca. No se debe inducir el vómito. Si en la piel (o el pelo): guitarse inmediatamente la ropa contaminada. Enjuagar con abundante agua y ducha. Si se inhala: Llevar a la persona a mantener aire fresco y cómodo para la respiración. Si en los oios: Eniuague con cuidado con agua durante varios minutos Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Inmediatamente llame a unocentro de envenenamientos/médico. Lavar la ropa contaminada antes de volver a utilizarlo.

Almacenamiento: Store está bloqueado.

Eliminación: Disponer de contenidos/contenedor de conformidad con local/regional/nacional/internacional.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard, 29 CFR 1910.1200. Todos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com



Class Cleaning Solutions*

401 N. 10th Street • Philadelphia, PA 19123 1-800-NAT-CHEM • 215-922-1200 • FAX: 215-922-5517 www.nclonline.com • e-mail: info@nclonline.com