

STORAGE HUTCH SPECIFICATIONS

Desk hutches are shipped knocked down and assembled on site. Wall mounted and Storage mounted bridge hutches are shipped assembled.

All desk hutch connections use metal on metal, over-center, cam/ pin connectors.

Dimensions

Nominal height and length generally represent actual unit height and length

Actual unit depth: outside = 14.25"

Inside bin depth= 13.58"

Bin height= actual outside dimension

Internal vertical bin clearance= Bin height - 1.625"

Clearance from worksurface to bottom of bin= Hutch height-Bin height

Hutch top elevation= Hutch height + 30"

Minor dimension variations may exist in some models. Contact customer service if application dimensions are critical.

Standard Hutch Cabinet Construction:

- 26 mm (1") laminate uprights
- 26 mm (1") laminate bottom shelf
- 16 mm (5/8") top Top shelf
- 26 mm (1") adjustable shelves
- available 1" finished top* (adds 1" to hutch height)
- 16mm (5/8") split hutchback, allows no-back or Open option below hutch (split point at hutch bin bottom).

Note: The back side of Premiere desk hutchs have multiple horizontal and vertical seams as well as possible visible fasteners if an accessory toolrail is specified. Premiere Desk hutches are recommended for use against a wall.

Tackboard and tackboard/toolrail options are available for hutchbacks. Only panel rated fabrics can be specified for tackboard applications.

Doors

- 16 mm (5/8") laminate doors edgebanded with 1mm PVC
- Doors and drawers overlay hutch uprights and top shelf
- Aluminum framed glass doors available in frosted or painted glass
- door locks are optional on laminate doors only and must be specified
- Standard grain direction on doors is vertical.

Specification and Installation - see drawings

Desk hutches are mechanically fastened to desk tops by means of a quarter turn cam/pin connection.

Desk hutch uprights MUST be positioned directly over desk legs (full or recessed) or over worksurfaces directly supported below by pedestal storage.

Hutches mounted on stand-alone straight desk shells (configurations without a below desk mounted pedestal and without a return desk or other stabilizing components) may not meet industry standard stability requirements and should only be used against a wall.

stacker mounted bridge hutches connect at one or both ends to desk or storage mounted stacker cabinets.

Wall mounted hutches include a back mounted Z-Clip rail to facilitate installation, however, wall mounted hutches must be secured in place with suitable fasteners connecting the hutchback to the wall.


Method and means of fastening, is to be determined by qualified installers at the time of installation.

Premiere Casegoods 2017


APPLICATIONS




Hutches mounted on stand-alone straight desk shell (configurations without a below desk mounted pedestals). Must only be used in applications next to a wall.




Use deeper desk depth (min. 21" d) and add pedestals to desk shell for stand-alone hutch applications.



YES Use recessed leg on return desk or pedestal below, to support hutch upright.







YES This application is allowed for P-Top desks and Island and D-Top Desks up to 36" D



NO Left hutch not supported under worksurface


TOPS



Premiere Casegoods 2017


STORAGE HUTCH SPECIFICATIONS

LENGTHS




1" increments from 18" L to 84" L
*18" L-24" L must be combined with additional hutch or stacker.

BIN HEIGHTS




*Display using 35" H hutch


HUTCH HEIGHTS




STYLE



Wall Mounted



Desk Mounted




Stacker Mounted

*All styles available in 15" H, 22" H or 29" H

When the Bin Height equals the Hutch Height, the unit can be wall or stacker mounted.


CONFIGURATIONS

Open



Option: Textile Back

Laminate Door



Frosted Glass




Painted Glass




BACK STYLES

Laminate




(TO)

Tackboard




(TF)

Tackboard/ Accessory Rail



(TA)


Markerboard




(TW)

ACCESSORIES


Valence



Valence + LED Task Light



Valence + Task Light



PULL STYLE

Create



Horizontal, 96mm



Horizontal, 192mm



Vertical, 96mm



Vertical, 192mm




DOORS

18"L - 23"L




24"L - 41"L

Laminate Full/ Open



42"L - 47"L

Laminate Side/ Laminate Side




48"L - 84"L

Laminate Full/ Open




Laminate Side/ Laminate Full




Laminate Full/ Laminate Full




Laminate Full/ Open



Laminate Side/ Laminate Side



Laminate Side/ Laminate Full



Laminate Side/ Open



Premiere Casegoods 2017

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

PR

SH

72

15

35

-

15

S

-

LF

LF

LL

-

AH

OO

-

NT

WO

GO

PO

LO

TO

AO

PRODUCT INFORMATION & DIMENSIONS

1

PR

PRODUCT LINE

Premiere

2

SH

PRODUCT CATEGORY

Storage Hutch

3

72

STORAGE LENGTH

30" · 36" · 42" · 48" · 54" · 60" · 66" · 72" · 78" · 84"

4

15

HUTCH DEPTH

15"

5

35

HUTCH HEIGHT

15" · 22" · 29" · 35" · 42" · 49" · 56"

BIN HEIGHT & STYLES

6

15

BIN HEIGHT

15" · 22" · 29"

7

S

BACK STYLE

S=Standard · O=Organizer

UPRIGHTS & BACK STYLES

8

LF

LEFT UPRIGHT

LF=Laminate Full

9

LF

RIGHT UPRIGHT

LF=Laminate Full

10

LL

BACK

LL=Laminate Split

CONFIGURATION VARIATIONS

NL=No Leg

CONFIGURATION VARIATIONS

NL=No Leg

CONFIGURATION VARIATIONS

TL=Laminate, Textile in Open Section · LW=Wall Mount · TW=Wall Mount, Textile in Open Section · LF=Full Laminate (stacker mounted)

LEFT & RIGHT CONFIGURATIONS

11

OO

LEFT CONFIGURATION

OO=Open

12

OO

RIGHT CONFIGURATION

OO=Open

CONFIGURATION VARIATIONS

AFAF=Frosted Full/Full · A1A1=Frosted Sides · PFPF=Painted Full/Full · P1P1=Painted Sides · LFLF=Laminate Full/Full · L1L1=Laminate Sides

EDGE, GROMMETS, PULLS, TACKBOARD & ACCESSORIES

13

SE

TOP/ EDGE STYLE

SE=1mm PVC

14

WO

GROMMET

WO=None

15

GO

FABRIC GRADE

GO=None

16

PO

PULL STYLE

PO=No Pull

17

LO

LOCK STYLE

LO=No Locks

18

TO

TACKBOARD

TO=None

18

AO

ACCESSORIES

AO=None

TOP VARIATIONS

NT=No Top · H=3mm PVC · P=3mm Wood · T=Bullnose · W=Wavecrest
1=Front · 3=Front, Left & Right · 4=All Sides
L=Front & Left · R=Front & Right

GROMMET VARIATIONS

WL=Grommet Left · WR=Grommet Right · WC=Grommet Center
W2=Grommet Left & Right

GRADE VARIATIONS

G1=Grade 1 · G2=Grade 2 · G3=Grade 3 · G4=Grade 4 · G5=Grade 5

PULL VARIATIONS

C2=Create · H1=Horizontal, 96mm · L1=Horizontal, 192mm
V1=Vertical, 96mm · W1=Vertical, 192mm

LOCK VARIATIONS

L5=Lock to Top Shelf · LB=Lock to Bottom Shelf

TACKBOARD VARIATIONS

TF=Fabric · TA=Tool Rail · TW=Whiteboard

ACCESSORIES VARIATIONS

V1=Valence · A1=Tasklight & Valence · A2=LED Tasklight & Valence

1 Choose Height & Length:

Each table has one dedicated height located at the top of the table. Choose a length from the top columns.

15"H											
LENGTH →	30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L	
LEFT + RIGHT CONFIG ↓											
Open + Open (Laminate Back)											
Open + Open (Textile Back)											
Laminate Full + Open (Laminate Back)											
Laminate Full + Open (Textile Back)											
Frosted Full + Open (Laminate Back)											
Frosted Full + Open (Textile Back)											
Painted Full + Open (Laminate Back)											
Painted Full + Open (Textile Back)											

2 Choose Configuration

Choose a configuration on the left, other configurations are available upon request.


15"H											
LENGTH →	30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L	
LEFT + RIGHT CONFIG ↓											
Open + Open (Laminate Back)											
Open + Open (Textile Back)											
Laminate Full + Open (Laminate Back)											
Laminate Full + Open (Textile Back)											
Frosted Full + Open (Laminate Back)											
Frosted Full + Open (Textile Back)											
Painted Full + Open (Laminate Back)											
Painted Full + Open (Textile Back)											

3 Choose Bin Height


Follow the legend and shapes to determine the bin height rows.

15"H											
LENGTH →	30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L	
LEFT + RIGHT CONFIG ↓											
Open + Open (Laminate Back)											
Open + Open (Textile Back)											

HEIGHTS




LENGTHS




18"L to 84"L in 1" increments

CONFIGURATIONS



BIN HEIGHTS



PR SH 72 15 15 15 S - LF LF XX - XX XX - NT WO GO PO LO TO AO
LENGTH (L) HEIGHT (H) BIN HEIGHT (H) BACK STYLE LEFT CONFIG RIGHT CONFIG

15"H											
LENGTH →	30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L	
LEFT + RIGHT CONFIG ↓											
Open + Open (OOOO) Wall Mount Back (LW)	○	\$344	368	413	427	440	463	489	513	536	560
Open + Open (OOOO) Wall Mount Textile Back (TW)	○	427	460	584	575	597	630	666	698	731	766
Laminate Full + Open (LFOO) Wall Mount Back (LW)	○	427	450	558	571	584	608	634	657	681	704
Laminate Full + Open (LFOO) Wall Mount Textile Back (TW)	○	495	528	687	686	704	734	765	795	824	856
Frosted Full + Open (AFOO) Wall Mount Back (LW)	○	555	579	815	829	841	865	891	914	938	961
Frosted Full + Open (AFOO) Wall Mount Textile Back (TW)	○	638	671	944	943	961	991	1022	1052	1081	1113
Painted Full + Open (PFOO) Wall Mount Back (LW)	○	585	609	875	889	901	925	951	974	998	1021
Painted Full + Open (PFOO) Wall Mount Textile Back (TW)	○	668	701	1004	1003	1021	1051	1082	1112	1141	1173
Laminate Full + Laminate Full (LFLF)	○	509	533	702	716	729	752	778	802	825	849
Frosted Full + Frosted Full (AFAF)	○	766	790	x	1230	1243	1267	1292	1316	1339	1363
Painted Full + Painted Full (PFPF)	○	826	850	x	1350	1363	1387	1412	1436	1459	1483
Laminate Side + Laminate Side (L1L1)	○	x	x	631	645	658	682	707	731	755	778
Frosted Side + Frosted Side (A1A1)	○	x	x	889	902	915	939	965	988	1012	1035
Painted Side + Painted Side (P1P1)	○	x	x	949	962	975	999	1025	1048	1072	1095

○ 15" Bin Height

Units specified as Wall Mount can also be specified as Stacker Mount

22”H STORAGE HUTCH

Premiere Casegoods 2017




22"H											
LENGTH →		30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L
LEFT + RIGHT CONFIG ↓	○	\$414	436	481	485	507	530	554	577	599	622
Open + Open (OOOO) Full Laminate (LF)	●	391	420	478	479	501	536	566	595	624	652
Open + Open (OOOO) Textile Back (TF)	○	514	548	695	665	697	731	767	801	833	867
	●	507	551	716	686	719	770	815	859	900	943
Laminate Full + Open (LFOO) Full Laminate (LF)	○	496	519	626	629	652	674	699	721	744	766
	●	485	514	644	645	667	702	732	761	790	818
Laminate Full + Open (LFOO) Textile Back (TF)	○	582	615	797	776	804	835	867	898	926	957
	●	584	626	824	805	834	879	919	957	994	1031
Frosted Full + Open (AFOO) Full Laminate (LF)	○	625	648	883	886	909	931	956	979	1001	1023
	●	637	666	949	950	971	1006	1036	1065	1094	1122
Frosted Full + Open (AFOO) Textile Back (TF)	○	725	759	1055	1033	1061	1092	1124	1155	1183	1214
	●	752	796	1128	1109	1138	1183	1223	1261	1298	1335
Painted Full + Open (PFOO) Full Laminate (LF)	○	655	677	943	946	969	991	1016	1038	1061	1083
	●	672	701	1019	1020	1042	1077	1107	1136	1165	1193
Painted Full + Open (PFOO) Textile Back (TF)	○	755	789	1115	1093	1121	1152	1184	1215	1243	1274
	●	788	832	1199	1180	1209	1254	1293	1332	1368	1406
Laminate Full + Laminate Full (LFLF) Full Laminate (LF)	○	579	601	x	774	796	819	844	866	889	911
	●	578	607	x	811	833	868	898	927	956	984
Frosted Full + Frosted Full (AFAF) Full Laminate (LF)	○	836	859	x	1288	1311	1333	1358	1380	1403	1425
	●	882	911	x	1420	1441	1477	1507	1536	1564	1592
Painted Full + Painted Full (PFPF) Full Laminate (LF)	○	896	919	x	1408	1431	1453	1478	1500	1523	1545
	●	953	982	x	1561	1583	1618	1648	1677	1706	1734
Laminate Side + Laminate Side (L1L1) Full Laminate (LF)	○	x	x	700	703	726	748	773	795	818	840
	●	x	x	718	719	741	776	806	835	864	892
Frosted Side + Frosted Side (A1A1) Full Laminate (LF)	○	x	x	957	960	983	1005	1030	1052	1075	1097
	●	x	x	1022	1023	1045	1080	1110	1139	1168	1196
Painted Side + Painted Side (P1P1) Full Laminate (LF)	○	x	x	1017	1020	1043	1065	1090	1112	1135	1157
	●	x	x	1093	1094	1116	1151	1181	1210	1239	1267

○ 15” Bin Height ● 22” Bin Height

Premiere Casegoods 2017

29”H STORAGE HUTCH



LEFT + RIGHT CONFIG ↓		○	\$445	470	517	521	547	571	599	624	649	673
Open + Open (OOOO) Full Laminate (LL)		●	484	515	577	581	613	644	679	711	744	776
		□	428	459	525	523	553	584	618	648	679	712
Open + Open (OOOO) Textile Back (TL)		○	562	600	772	733	771	807	849	884	921	964
		●	616	665	856	820	866	912	964	1011	1059	1112
		□	577	628	830	789	836	885	939	986	1035	1093
Laminate Full + Open (LFOO) Full Laminate (LL)		○	528	552	661	666	691	716	744	769	793	818
		●	577	608	743	747	779	810	845	877	910	942
		□	532	563	713	711	741	772	805	835	866	899
Laminate Full + Open (LFOO) Textile Back (TL)		○	630	668	875	845	878	911	949	982	1014	1053
		●	694	740	965	939	981	1021	1067	1109	1152	1200
		□	663	712	943	916	957	1000	1046	1087	1130	1180
Frosted Full + Open (AFOO) Full Laminate (LL)		○	656	681	919	923	949	973	1001	1026	1050	1075
		●	729	760	1047	1051	1083	1115	1149	1181	1214	1246
		□	707	739	1064	1062	1092	1123	1156	1186	1217	1251
Frosted Full + Open (AFOO) Textile Back (TL)		○	773	811	1132	1102	1135	1168	1206	1239	1271	1311
		●	862	910	1269	1243	1285	1326	1372	1413	1456	1504
		□	856	908	1295	1268	1308	1351	1397	1438	1481	1531
Painted Full + Open (PFOO) Full Laminate (LL)		○	686	711	979	983	1008	1033	1061	1086	1110	1135
		●	764	795	1118	1122	1154	1185	1220	1252	1285	1317
		□	748	779	1146	1143	1173	1205	1238	1268	1299	1332
Painted Full + Open (PFOO) Textile Back (TL)		○	803	841	1192	1162	1195	1228	1266	1299	1331	1371
		●	897	945	1339	1314	1356	1396	1442	1484	1527	1575
		□	897	949	1376	1349	1390	1433	1479	1519	1562	1613
Laminate Full + Laminate Full (LFLF) Full Laminate (LL)		○	610	635	x	810	836	861	889	913	938	962
		●	670	701	x	913	945	976	1011	1043	1076	1108
		□	636	667	x	898	928	959	992	1022	1053	1087
Frosted Full + Frosted Full (AFAF) Full Laminate (LL)		○	867	892	x	1325	1350	1375	1403	1427	1452	1477
		●	974	1005	x	1522	1554	1585	1619	1651	1684	1717
		□	987	1018	x	1601	1631	1662	1695	1725	1756	1789
Painted Full + Painted Full (PFPF) Full Laminate (LL)		○	927	952	x	1444	1470	1495	1523	1547	1572	1597
		●	1045	1076	x	1663	1695	1726	1760	1793	1826	1858
		□	1068	1100	x	1764	1794	1825	1858	1888	1919	1952
Laminate Side + Laminate Side (L1L1) Full Laminate (LL)		○	x	x	735	740	765	790	818	842	867	892
		●	x	x	817	821	853	884	919	951	984	1016
		□	x	x	787	785	815	846	879	909	940	973
Frosted Side + Frosted Side (A1A1) Full Laminate (LL)		○	x	x	992	997	1022	1047	1075	1100	1124	1149
		●	x	x	1121	1125	1157	1188	1223	1255	1288	1320
		□	x	x	1138	1136	1166	1197	1230	1260	1291	1325
Painted Side + Painted Side (P1P1) Full Laminate (LL)		○	x	x	1052	1057	1082	1107	1135	1160	1184	1209
		●	x	x	1192	1196	1228	1259	1293	1326	1359	1391
		□	x	x	1220	1217	1247	1278	1312	1342	1373	1406

○ 15” Bin Height ● 22” Bin Height □ 29” Bin Height

35”H STORAGE HUTCH

Premiere Casegoods 2017

PR SH 72 15 35 - 15 S - LF LF LL - AH OO - NT WO GO PO LO TO AO

35”H

LENGTH →		30”L	36”L	42”L	48”L	54”L	60”L	66”L	72”L	78”L	84”L
LEFT + RIGHT CONFIG ↓	○	\$446	473	522	530	556	583	612	639	666	692
Open + Open (OOOO)	●	485	519	582	589	623	656	692	726	760	793
Full Laminate (LL)	□	491	524	594	595	628	663	699	732	765	800
Open + Open (OOOO) Textile Back (TL)	○	563	604	777	742	780	819	862	899	938	983
	●	618	669	862	827	876	924	977	1026	1075	1130
	□	640	694	898	861	911	964	1020	1071	1122	1181
Laminate Full + Open (LFOO) Full Laminate (LL)	○	529	555	667	674	701	728	757	784	810	837
	●	578	612	748	755	789	822	859	892	926	959
	□	595	628	781	782	816	850	886	920	953	987
Laminate Full + Open (LFOO) Textile Back (TL)	○	631	671	880	853	887	923	961	997	1031	1073
	●	695	744	970	946	990	1033	1081	1124	1168	1217
	□	726	777	1012	988	1032	1078	1127	1171	1216	1268
Frosted Full + Open (AFOO) Full Laminate (LL)	○	657	684	924	931	958	985	1014	1041	1067	1094
	●	730	764	1052	1059	1093	1126	1163	1196	1230	1263
	□	771	804	1133	1134	1167	1201	1238	1271	1304	1338
Frosted Full + Open (AFOO) Textile Back (TL)	○	774	815	1137	1110	1145	1180	1218	1254	1288	1330
	●	863	914	1274	1251	1295	1337	1386	1428	1472	1522
	□	920	973	1363	1339	1383	1429	1479	1523	1568	1619
Painted Full + Open (PFOO) Full Laminate (LL)	○	687	714	984	991	1018	1045	1074	1101	1127	1154
	●	765	800	1123	1130	1164	1197	1233	1267	1301	1334
	□	811	845	1214	1215	1248	1283	1319	1352	1386	1420
Painted Full + Open (PFOO) Textile Back (TL)	○	804	845	1197	1170	1205	1240	1278	1314	1348	1390
	●	898	950	1345	1321	1365	1408	1456	1499	1543	1592
	□	960	1014	1444	1421	1465	1511	1560	1604	1649	1700
Laminate Full + Laminate Full (LFLF) Full Laminate (LL)	○	611	638	x	819	846	872	901	928	955	982
	●	671	705	x	921	955	988	1025	1058	1092	1125
	□	699	732	x	970	1003	1037	1074	1107	1140	1175
Frosted Full + Frosted Full (AFAF) Full Laminate (LL)	○	868	895	x	1360	1387	1416	1442	1442	1469	1496
	●	975	1010	x	1529	1563	1597	1633	1666	1700	1734
	□	1050	1083	x	1673	1706	1740	1777	1810	1843	1877
Painted Full + Painted Full (PFPF) Full Laminate (LL)	○	928	955	x	1453	1480	1507	1536	1562	1589	1616
	●	1046	1080	x	1671	1705	1738	1774	1808	1842	1875
	□	1132	1165	x	1835	1869	1903	1939	1973	2006	2040
Laminate Side + Laminate Side (L1L1) Full Laminate (LL)	○	x	x	741	748	775	802	831	857	884	911
	●	x	x	822	829	863	896	932	966	1000	1033
	□	x	x	855	856	890	924	960	994	1027	1061
Frosted Side + Frosted Side (A1A1) Full Laminate (LL)	○	x	x	998	1005	1032	1059	1088	1115	1141	1168
	●	x	x	1126	1133	1167	1200	1237	1270	1304	1337
	□	x	x	1207	1208	1241	1275	1312	1345	1378	1412
Painted Side + Painted Side (P1P1) Full Laminate (LL)	○	x	x	1058	1065	1092	1119	1148	1175	1201	1228
	●	x	x	1197	1203	1238	1271	1307	1341	1375	1408
	□	x	x	1288	1289	1322	1357	1393	1426	1459	1494

○ 15” Bin Height ● 22” Bin Height □ 29” Bin Height

Premiere Casegoods 2017

42”H STORAGE HUTCH

PR SH 72 15 42 - 15 S - LF LF LL - AH OO - NT WO GO PO LO TO AO

42”H

LENGTH →		30”L	36”L	42”L	48”L	54”L	60”L	66”L	72”L	78”L	84”L
LEFT + RIGHT CONFIG ↓	○	\$476	505	558	566	598	625	656	686	769	744
Open + Open (OOOO)	●	515	551	616	626	661	698	736	773	808	845
Full Laminate (LL)	□	521	558	629	633	668	704	743	779	815	851
Open + Open (OOOO) Textile Back (TL)	○	593	636	812	778	822	861	906	946	1041	1034
	●	648	701	896	865	914	966	1021	1073	1123	1181
	□	670	727	934	898	951	1005	1064	1118	1171	1232
Laminate Full + Open (LFOO) Full Laminate (LL)	○	559	588	702	711	743	770	801	831	913	889
	●	608	644	782	792	827	864	902	939	974	1011
	□	625	661	817	820	855	892	930	967	1002	1038
Laminate Full + Open (LFOO) Textile Back (TL)	○	661	703	915	890	929	965	1005	1044	1134	1124
	●	725	776	1004	984	1029	1075	1125	1171	1216	1269
	□	756	810	1047	1026	1072	1120	1171	1218	1266	1319
Frosted Full + Open (AFOO) Full Laminate (LL)	○	687	716	959	968	1000	1027	1058	1088	1170	1146
	●	760	796	1087	1096	1132	1168	1207	1243	1278	1315
	□	801	837	1168	1171	1207	1243	1282	1318	1353	1390
Frosted Full + Open (AFOO) Textile Back (TL)	○	804	847	1172	1147	1186	1222	1262	1301	1391	1381
	●	893	946	1308	1288	1333	1379	1429	1476	1521	1573
	□	950	1006	1398	1377	1423	1471	1523	1570	1617	1671
Painted Full + Open (PFOO) Full Laminate (LL)	○	717	746	1019	1028	1060	1087	1118	1148	1230	1206
	●	795	832	1157	1167	1202	1239	1277	1314	1349	1386
	□	841	878	1250	1253	1288	1325	1363	1399	1435	1471
Painted Full + Open (PFOO) Textile Back (TL)	○	834	877	1232	1207	1246	1282	1322	1361	1451	1441
	●	928	982	1379	1359	1404	1450	1500	1546	1591	1644
	□	990	1047	1480	1458	1504	1553	1604	1651	1698	1752
Laminate Full + Laminate Full (LFLF) Full Laminate (LL)	○	641	670	x	855	887	914	945	975	1058	1033
	●	701	737	x	958	994	1030	1068	1105	1140	1177
	□	729	765	x	1007	1043	1079	1118	1154	1190	1226
Frosted Full + Frosted Full (AFAF) Full Laminate (LL)	○	898	927	x	1369	1402	1428	1459	1489	1572	1547
	●	1005	1042	x	1567	1602	1638	1677	1713	1749	1785
	□	1080	1117	x	1710	1745	1782	1820	1857	1892	1929
Painted Full + Painted Full (PFPF) Full Laminate (LL)	○	958	987	x	1489	1522	1548	1579	1609	1692	1667
	●	1076	1112	x	1708	1743	1780	1818	1855	1890	1927
	□	1162	1198	x	1873	1908	1945	1983	2020	2055	2091
Laminate Side + Laminate Side (L1L1) Full Laminate (LL)	○	x	x	776	785	817	844	875	905	987	962
	●	x	x	856	866	901	938	976	1013	1048	1085
	□	x	x	891	894	929	966	1004	1041	1076	1112
Frosted Side + Frosted Side (A1A1) Full Laminate (LL)	○	x	x	1033	1042	1074	1101	1132	1162	1244	1220
	●	x	x	1161	1170	1206	1242	1281	1317	1352	1389
	□	x	x	1242	1245	1281	1317	1356	1392	1427	1464
Painted Side + Painted Side (P1P1) Full Laminate (LL)	○	x	x	1093	1102	1134	1161	1192	1222	1304	1280
	●	x	x	1231	1241	1276	1313	1351	1388	1423	1459
	□	x	x	1323	1327	1362	1398	1437	1473	1509	1545

○ 15” Bin Height ● 22” Bin Height □ 29” Bin Height

PR SH 72 15 49 - 15 S - LF LF LL - AH OO - NT WO GO PO LO TO AO

49"H

LENGTH →		30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L
LEFT + RIGHT CONFIG ↓	○	\$533	563	618	629	660	691	726	760	789	821
Open + Open (OOOO)	●	570	609	677	688	727	765	808	845	883	922
Full Laminate (LL)	□	577	615	689	695	733	772	810	851	889	927
Open + Open (OOOO) Textile Back (TL)	○	650	694	872	841	884	927	975	1020	1061	1111
	●	703	759	957	927	980	1033	1093	1145	1198	1258
	□	726	785	994	960	1016	1073	1132	1190	1245	1308
Laminate Full + Open (LFOO) Full Laminate (LL)	○	615	645	762	774	805	836	870	905	934	966
	●	664	702	844	854	893	931	974	1011	1049	1088
	□	681	719	877	882	921	959	998	1038	1076	1115
Laminate Full + Open (LFOO) Textile Back (TL)	○	718	761	975	953	991	1031	1075	1118	1154	1201
	●	780	834	1065	1046	1094	1142	1197	1243	1291	1346
	□	811	868	1107	1088	1137	1187	1239	1290	1339	1395
Frosted Full + Open (AFOO) Full Laminate (LL)	○	744	774	1019	1031	1062	1093	1127	1162	1191	1223
	●	816	854	1148	1158	1197	1236	1278	1315	1353	1392
	□	856	895	1228	1233	1272	1311	1349	1390	1427	1466
Frosted Full + Open (AFOO) Textile Back (TL)	○	861	905	1232	1210	1248	1288	1332	1375	1411	1458
	●	949	1004	1369	1350	1398	1447	1501	1547	1596	1650
	□	1005	1064	1458	1439	1488	1539	1590	1642	1691	1747
Painted Full + Open (PFOO) Full Laminate (LL)	○	774	804	1079	1091	1122	1153	1187	1222	1251	1283
	●	851	890	1218	1229	1268	1306	1349	1386	1424	1463
	□	897	936	1310	1315	1353	1392	1431	1471	1509	1547
Painted Full + Open (PFOO) Textile Back (TL)	○	891	935	1292	1270	1308	1348	1392	1435	1471	1518
	●	984	1040	1440	1421	1469	1517	1572	1618	1666	1721
	□	1046	1105	1540	1521	1570	1620	1672	1723	1772	1828
Laminate Full + Laminate Full (LFLF) Full Laminate (LL)	○	698	728	x	919	950	981	1015	1049	1078	1110
	●	757	795	x	1020	1059	1097	1140	1177	1215	1254
	□	785	823	x	1070	1108	1147	1185	1226	1263	1302
Frosted Full + Frosted Full (AFAF) Full Laminate (LL)	○	955	985	x	1433	1464	1495	1529	1563	1592	1624
	●	1061	1100	x	1629	1667	1706	1749	1785	1824	1862
	□	1136	1175	x	1772	1811	1849	1888	1929	1966	2005
Painted Full + Painted Full (PFPF) Full Laminate (LL)	○	1015	1045	x	1553	1584	1615	1649	1683	1712	1744
	●	1132	1170	x	1770	1809	1847	1890	1927	1965	2004
	□	1217	1256	x	1935	1974	2012	2051	2091	2129	2168
Laminate Side + Laminate Side (L1L1) Full Laminate (LL)	○	x	x	836	848	879	910	944	979	1007	1040
	●	x	x	917	928	967	1005	1048	1085	1123	1162
	□	x	x	951	956	995	1033	1072	1112	1150	1188
Frosted Side + Frosted Side (A1A1) Full Laminate (LL)	○	x	x	1093	1105	1136	1167	1201	1236	1265	1297
	●	x	x	1222	1232	1271	1310	1352	1389	1427	1466
	□	x	x	1302	1307	1346	1384	1423	1464	1501	1540
Painted Side + Painted Side (P1P1) Full Laminate (LL)	○	x	x	1153	1165	1196	1227	1261	1296	1325	1357
	●	x	x	1292	1303	1342	1380	1423	1459	1498	1537
	□	x	x	1383	1389	1427	1466	1504	1545	1583	1621

○ 15" Bin Height ● 22" Bin Height □ 29" Bin Height

PR SH 72 15 56 - 15 S - LF LF LL - AH OO - NT WO GO PO LO TO AO

56"H

LENGTH →		30"L	36"L	42"L	48"L	54"L	60"L	66"L	72"L	78"L	84"L
LEFT + RIGHT CONFIG ↓	○	\$564	597	653	667	700	734	771	805	838	872
Open + Open (OOOO)	●	601	641	712	726	766	807	851	892	932	973
Full Laminate (LL)	□	607	648	725	732	773	814	854	899	938	983
Open + Open (OOOO) Textile Back (TL)	○	681	728	908	879	924	970	1020	1065	1110	1163
	●	734	791	991	965	1019	1075	1136	1192	1247	1310
	□	756	817	1029	998	1056	1115	1176	1238	1295	1364
Laminate Full + Open (LFOO) Full Laminate (LL)	○	646	680	797	811	845	879	915	950	983	1017
	●	695	734	878	892	932	973	1017	1058	1098	1139
	□	711	751	912	920	960	1001	1042	1087	1125	1170
Laminate Full + Open (LFOO) Textile Back (TL)	○	749	795	1011	990	1031	1074	1120	1163	1203	1253
	●	811	866	1100	1083	1134	1184	1240	1290	1341	1397
	□	841	900	1142	1125	1177	1229	1283	1338	1389	1451
Frosted Full + Open (AFOO) Full Laminate (LL)	○	775	808	1055	1068	1102	1136	1172	1207	1240	1274
	●	847	886	1182	1196	1237	1277	1321	1362	1403	1443
	□	886	927	1263	1271	1312	1352	1393	1438	1477	1522
Frosted Full + Open (AFOO) Textile Back (TL)	○	892	939	1268	1247	1288	1331	1377	1420	1461	1510
	●	980	1036	1404	1388	1438	1488	1544	1594	1645	1702
	□	1035	1096	1494	1477	1528	1581	1634	1690	1740	1802
Painted Full + Open (PFOO) Full Laminate (LL)	○	805	838	1115	1128	1162	1196	1232	1267	1300	1334
	●	882	922	1253	1267	1307	1348	1392	1433	1473	1514
	□	927	968	1345	1352	1393	1434	1474	1519	1558	1603
Painted Full + Open (PFOO) Textile Back (TL)	○	922	969	1328	1307	1348	1391	1437	1480	1521	1570
	●	1015	1072	1474	1458	1509	1559	1615	1665	1715	1772
	□	1076	1137	1575	1558	1609	1662	1715	1771	1822	1884
Laminate Full + Laminate Full (LFLF) Full Laminate (LL)	○	729	762	x	956	989	1023	1060	1094	1127	1162
	●	788	827	x	1058	1098	1139	1183	1224	1265	1305
	□	815	855	x	1107	1148	1188	1229	1274	1313	1358
Frosted Full + Frosted Full (AFAF) Full Laminate (LL)	○	986	1019	x	1470	1503	1538	1574	1608	1642	1676
	●	1092	1132	x	1666	1707	1748	1792	1832	1873	1914
	□	1166	1207	x	1810	1850	1891	1932	1977	2015	2060
Painted Full + Painted Full (PFPF) Full Laminate (LL)	○	1046	1079	x	1590	1623	1658	1694	1728	1762	1796
	●	1163	1202	x	1808	1848	1889	1933	1974	2014	2055
	□	1247	1288	x	1973	2013	2054	2095	2140	2178	2223
Laminate Side + Laminate Side (L1L1) Full Laminate (LL)	○	x	x	871	885	919	953	989	1023	1057	1091
	●	x	x	952	966	1006	1047	1091	1132	1172	1213
	□	x	x	986	994	1034	1075	1116	1161	1199	1244
Frosted Side + Frosted Side (A1A1) Full Laminate (LL)	○	x	x	1128	1142	1176	1210	1246	1281	1314	1348
	●	x	x	1256	1270	1311	1351	1395	1436	1477	1517
	□	x	x	1337	1345	1386	1426	1467	1512	1551	1596
Painted Side + Painted Side (P1P1) Full Laminate (LL)	○	x	x	1188	1202	1236	1270	1306	1341	1374	1408
	●	x	x	1327	1341	1381	1422	1466	1507	1547	1588
	□	x	x	1419	1426	1467	1508	1548	1593	1632	1677

○ 15" Bin Height ● 22" Bin Height □ 29" Bin Height

Credenza Storage units are shipped fully assembled.

Dimensions

Nominal length and depth generally represent actual unit sizes
Unit height is specified with a finished top
Actual unit height = Nominal height + 1.9"

Minor dimension varitions may exist in some models. Contact customer service if application dimensions are critical.

Standard Cabinet Construction:

- 16 mm (5/8") laminate uprights
- 26 mm (1") laminate bottom inlayed between side uprights
- 16 mm (5/8") top 1/2 shelf, inlayed between sides
- 26 mm (1") laminate finished top with 1mm PVC trim - additional edge trim options available.*
- 16 mm (5/8") laminate back,
- adjustable and fixed shelves are 26 mm (1")
- Adjustable levelers/glides offer 3/4" of height adjustment

Door and drawer construction and slides

- 16 mm (5/8") laminate doors and drawer fronts edgebanded with 1mm PVC
- Doors and drawers overlay cabinet uprights and top shelf
- Aluminum framed glass doors available in frosted or painted glass
- 16 mm (5/8") laminate drawer sides and 6mm MDF bottom
- units with file drawers include file bars (lateral files only), gang locks and file drawer interlock mechanism
- all file drawers are 16" deep regardless of cabinet depth
- box drawer depths vary with cabinet depth
- 24", 30" and 36"L lateral file drawers use full extension 150lb two tier ballbearing slides
- all other file and box drawers (regardless of drawer depth) use 45kg (100lb) telescopic ballbearing slides with 17" total extension
- door locks are optional on all units and must be specified
- Standard grain direction on doors is vertical.
- Standard grain direction on drawer fronts is horizontal. Vertical grain matched option available.

Installation

All storage units, with drawers, less than 21" deep must be secured to a fixed building structure and are not suitable for freestanding use.
Some 18, 21 and 24 deep storage unit configurations, as identified in the pricing tables, must be specified with optional counterweight* to meet industry standard stability requirements, or must be secured to a fixed building structure.
Note that each unit in a set of multiple adjacent units sharing a common top must be individually counterweighted as necessary (i.e., connecting multiple adjacent units together does not circumvent the counterweighting requirement).

Method and means of fastening, if necessary, is to be determined by qualified installers at the time of installation.

*25lb steel counterweight Part#: CW25 \$170


STORAGE CREDENZA SPECIFICATIONS

* Edge trim options


26mm (1") Finished tops are standard on individual credenza units although a common top can be specified to span multiple units - common tops up to 84" can span multiple adjacent units of the same height.

Standard trim is 1mm PVC self edge. Optional trim profiles include, 3 mm PVC or 3mm Prestige wood, solid wood bullnose or Wavecrest edge.
Optional trim profiles can be applied to any number of top sides, although standard pricing is for front edge only.


Finished tops mount flush with back of side uprights and overhang unit sides by about 1 mm. Front overhang detail specified below.




LENGTHS




DEPTHS




HEIGHTS




BACK GROMMET




PULL STYLE




28"H CONFIGURATIONS




35"H CONFIGURATIONS




42"H CONFIGURATIONS



49"H CONFIGURATIONS



56"H CONFIGURATIONS



1

2

3

4

5

6

7

8

9

10

11

12

13

PR SC 30 18 42 - N - BS LF - OO - SE WO V1 LO

PRODUCT INFORMATION & DIMENSIONS

1	PR	PRODUCT LINE Premiere
2	SC	PRODUCT CATEGORY Storage Credenza
3	30	STORAGE LENGTH 16" Letter · 19" Legal · 21" · 24" · 30" · 36"
4	18	STORAGE DEPTH 18" · 21" · 24"
5	42	STORAGE HEIGHT 28" · 35" · 42" · 49" · 56"

DIRECTION OF DOORS

6	N	DIRECTION N=Neutral · L=Door Hinged Left (Up to 21"L) · R=Door Hinged Right (Up to 21"L)
---	---	---

BASE AND BACK STYLES

7	BS	BASE STYLE BS=Base Style
8	LF	BACK STYLE LF=Laminate Full

CONFIGURATIONS

9	LF	CONFIGURATIONS LF=Laminate (Full Height)	CONFIGURATION VARIATIONS OO=Open · BF=Bar Fridge · SA=Safe CH=File File Box, Horizontal Grain · CV=File File Box, Vertical Grain · FH=File, Horizontal Grain · FV=File, Vertical Grain · DH=Laminate Door, Horizontal Grain · DV=Laminate Door, Vertical Grain · LF=Laminate Door · AF=Frosted Glass · PF=Painted Glass
---	----	---	--

EDGE, GROMMETS, PULL & LOCK OPTIONS

10	SE	EDGE STYLE SE=1mm PVC	EDGE VARIATIONS H=3mm PVC · P=3mm Wood · T=Bullnose · W=Wavcrest 1=Front · 3=Front, Left & Right · 4=All Sides L=Front & Left · R=Front & Right
11	WO	GROMMET WO=None	GROMMET VARIATIONS W1=3.5" from bottom · W2=10.5" from bottom W3=17.5" from bottom · W4=24.5" from bottom
12	C2	PULL STYLE C2=Create	PULL VARIATIONS C2=Create · H1=Horizontal, 96mm · L1=Horizontal, 192mm V1=Vertical, 96mm · W1=Vertical, 192mm
13	LO	LOCK STYLE LO=No Locks	LOCK VARIATIONS L5=Upper Door Lock

All pricing tables show BASE PRICE with 1mm PVC (SE), No Grommets (WO) and No Power (PO)

1 Choose Depth & Configuration:

Each page has 1 Configuration Style and 3 depth options. There are different configurations at different heights.

		18"D + OPEN (OO)				
HEIGHT (H) →		28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓						
16"L						
19"L						
21"L						
24"L						
30"L						
36"L						

2 Choose Length

The lengths are down the left side of each table. It is priced in 6" increments but is available in 1" increments.


		18"D + OPEN (OO)				
HEIGHT (H) →		28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓						
16"L						
19"L						
21"L						
24"L						
30"L						
36"L						

3 Choose Height

There are 5 heights to choose from at the top of each table.

		18"D + OPEN (OO)				
HEIGHT (H) →		28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓						
16"L						
19"L						
21"L						
24"L						
30"L						
36"L						


DEPTHS




CONFIGURATIONS



LENGTHS



HEIGHTS



PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

18"D + OPEN (OO)					
HEIGHT (H) →	28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓					
16"L	\$312	378	486	520	553
19"L	337	404	514	551	588
21"L	353	425	514	575	614
24"L	373	450	535	604	646
30"L	428	502	561	665	714
36"L	477	562	615	758	789

21"D + OPEN (OO)					
HEIGHT (H) →	28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓					
16"L	\$327	436	554	593	630
19"L	373	445	564	605	645
21"L	390	451	570	614	658
24"L	412	478	599	652	695
30"L	455	534	657	712	766
36"L	506	598	724	814	847

24"D + OPEN (OO)					
HEIGHT (H) →	28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓					
16"L	\$345	461	581	624	666
19"L	393	471	593	638	682
21"L	411	478	600	650	698
24"L	433	507	629	682	734
30"L	478	567	691	719	811
36"L	532	635	762	862	897

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

18"D + LAMINATE DOORS (LF)					
HEIGHT (H) →	28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓					
16"L	\$371	444	560	609	650
19"L	406	484	603	657	703
21"L	429	511	633	690	741
24"L	490	581	705	777	834
30"L	554	644	774	854	920
36"L	613	716	850	964	1013

21"D + LAMINATE DOORS (LF)						
HEIGHT (H)	→	28"H	35"H	42"H	49"H	56"H
LENGTH (L)	↓					
16"L		\$386	503	628	682	727
19"L		443	524	653	711	761
21"L		466	538	668	730	785
24"L		529	609	744	825	882
30"L		581	676	816	901	972
36"L		642	752	896	1019	1071

24"D + LAMINATE DOORS (LF)					
HEIGHT (H) →	28"H	35"H	42"H	49"H	56"H
LENGTH (L) ↓					
16"L	\$404	528	655	713	762
19"L	462	550	682	744	797
21"L	487	565	698	765	824
24"L	550	638	774	855	922
30"L	605	710	850	909	1017
36"L	668	789	935	1067	1121

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

18"D + FROSTED GLASS (AF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$541	629	760
19"L	604	701	840
21"L	638	743	886
24"L	769	894	1052
30"L	855	984	1152
36"L	943	1090	1268

21"D + FROSTED GLASS (AF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$556	688	829
19"L	640	742	891
21"L	675	770	922
24"L	807	922	1091
30"L	882	1016	1194
36"L	972	1126	1314

24"D + FROSTED GLASS (AF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$575	713	855
19"L	659	767	920
21"L	696	796	952
24"L	829	951	1121
30"L	906	1049	1228
36"L	998	1163	1352

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

18"D + PAINTED GLASS (PF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$561	650	781
19"L	620	717	856
21"L	656	761	905
24"L	827	958	1122
30"L	925	1061	1237
36"L	1015	1170	1357

21"D + PAINTED GLASS (PF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$576	709	850
19"L	656	758	907
21"L	694	788	940
24"L	866	986	1161
30"L	952	1093	1278
36"L	1044	1207	1403

24"D + PAINTED GLASS (PF)			
HEIGHT (H) →	28"H	35"H	42"H
LENGTH (L) ↓			
16"L	\$594	733	877
19"L	675	784	936
21"L	714	815	970
24"L	887	1015	1191
30"L	975	1126	1313
36"L	1070	1243	1441

PR

SC

30

LENGTH
(L)

21

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

FILE DRAWERS (HORIZONTAL GRAIN) (FH)						
HEIGHT (H) →	28"H 2 Drawers		42"H 3 Drawers		56"H 4 Drawers	
LENGTH (L) ↓	○	●	○	●	○	●
16"L	*\$567	*585	*914	941	*1110	1146
19"L	*626	*645	*943	972	*1151	1187
21"L	*692	*713	*1023	1053	*1262	1302
24"L	*735	*757	*1085	1115	*1342	1381
30"L	*840	*864	*1236	1270	1538	1583
36"L	*915	*941	*1337	1376	1665	1715
○ 21"D ● 24"D						

FILE DRAWERS (VERTICAL GRAIN) (FV)						
HEIGHT (H) →	28"H 2 Drawers		42"H 3 Drawers		56"H 4 Drawers	
LENGTH (L) ↓	○	●	○	●	○	●
16"L	*\$669	*687	*1016	1043	*1212	1247
19"L	*728	*747	*1045	1074	*1253	1289
21"L	*794	*815	*1125	1155	*1364	1404
24"L	*837	*859	*1186	1216	*1443	1483
30"L	*942	*966	*1337	1372	1639	1684
36"L	*1017	*1043	*1439	1478	1767	1817
○ 21"D ● 24"D						

*Add 1 counter weight for free standing applications, otherwise must be secured to fixed structure. Multiple ganged units each require separate counter weight.

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

WO

V1

LO

*BOX BOX FILE (HORIZONTAL GRAIN) (CH)		
HEIGHT (H) →	28"H	
LENGTH (L) ↓	○	●
16"L	\$642	660
19"L	701	720
21"L	747	767
24"L	786	807
30"L	872	896
36"L	949	974
○ 21"D ● 24"D		

*BOX BOX FILE (VERTICAL GRAIN) (CV)		
HEIGHT (H) →	28"H	
LENGTH (L) ↓	○	●
16"L	\$744	762
19"L	803	822
21"L	849	869
24"L	887	909
30"L	974	998
36"L	1050	1076
○ 21"D ● 24"D		

*BOX/BOX FILE Unit must be secured to fix building structure. Not for freestanding use.

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

W0

V1

LO

*FILE FILE BOX (HORIZONTAL GRAIN) (CH)		
HEIGHT (H) →	35"H	
LENGTH (L) ↓	○	●
16"L	\$774	799
19"L	799	824
21"L	856	883
24"L	908	937
30"L	1032	1065
36"L	1125	1162
○ 21"D ● 24"D		

*FILE FILE BOX (VERTICAL GRAIN) (CV)		
HEIGHT (H) →	35"H	
LENGTH (L) ↓	○	●
16"L	\$876	900
19"L	900	926
21"L	958	985
24"L	1010	1038
30"L	1134	1167
36"L	1227	1263
○ 21"D ● 24"D		

*FILE FILE BOX Unit must be secured to fix building structure. Not for freestanding use.

PR

SC

30

LENGTH
(L)

18

DEPTH
(D)

42

HEIGHT
(H)

-

N

-

BS

LF

-

XX

CONFIG

-

SE

W0

V1

LO

LAMINATE DOOR + BOX DRAWER (HORIZONTAL GRAIN) (DH)		
HEIGHT (H) →	35"H	
LENGTH (L) ↓	○	●
16"L	\$612	637
19"L	640	666
21"L	666	692
24"L	712	741
30"L	787	820
36"L	870	907
○ 21"D ● 24"D		

LAMINATE DOOR + BOX DRAWER (VERTICAL GRAIN) (DV)		
HEIGHT (H) →	35"H	
LENGTH (L) ↓	○	●
16"L	\$714	739
19"L	742	767
21"L	767	794
24"L	814	842
30"L	889	922
36"L	972	1008
○ 21"D ● 24"D		

21

TALL STORAGE

Tall Storage units are shipped fully assembled.

Dimensions

Nominal length and depth generally represent actual unit sizes
Unit height is specified without a finished top
Actual unit height = Nominal height + 0.9”

Minor dimension varitions may exist in some models. Contact customer service if application dimensions are critical.

Standard Cabinet Construction:

- 16 mm (5/8”) laminate uprights
- 26 mm (1”) laminate bottom inlayed between side uprights
- 16 mm (5/8”) top shelf, inlayed between sides
- 16 mm (5/8”) laminate back,
- Adjustable and fixed shelves are 26 mm (1”)
- Adjustable levelers/glides offer 3/4” of height adjustment

Door and drawer construction and slides

- 16 mm (5/8”) laminate doors and drawer fronts edgebanded with 1mm PVC
- Doors and drawers overlay cabinet uprights and top shelf
- Aluminum framed glass doors available in frosted or painted glass
- 16 mm (5/8”) laminate drawer sides and 6mm MDF bottom
- Units with file drawers include file bars (lateral files only), gang locks and file drawer interlock mechanism
- All file drawers are 16” deep regardless of cabinet depth
- Box drawer depths vary with cabinet depth
- 24”, 30” and 36”L lateral file drawers use full extension 150lb two tier ballbearing slides
- All other file and box drawers (regardless of drawer depth) use 45kg (100lb) telescopic ballbearing slides with 17” total extension
- Door locks are optional on all units and must be specified
- Standard grain direction on doors is vertical.
- Standard grain direction on drawer fronts is horizontal. Vertical grain matched option available.

Installation

All storage units, with drawers, less than 21” deep must be secured to a fixed building structure and are not suitable for freestanding use.
Some 18, 21 and 24 deep storage unit configurations, as identified in the pricing tables, must be specified with optional counterweight* to meet industry standard stability requirements, or must be secured to a fixed building structure.
Note that each unit in a set of multiple adjacent units sharing a common top must be individually counterweighted as necessary (i.e., connecting multiple adjacent units together does not circumvent the counterweighting requirement).

Method and means of fastening, if necessary, is to be determined by qualified installers at the time of installation.

*25lb steel counterweight Part#: CW25 \$170


TALL STORAGE SPECIFICATIONS

* Edge trim options


26mm (1”) Finished tops are standard on individual credenza units although a common top can be specified to span multiple units - common tops up to 84” can span multiple adjacent units of the same height.

Standard trim is 1mm PVC self edge. Optional trim profiles include, 3 mm PVC or 3mm Prestige wood, solid wood bullnose or Wavecrest edge.
Optional trim profiles can be applied to any number of top sides, although standard pricing is for front edge only.


Finished tops mount flush with back of side uprights and overhang unit sides by about 1 mm. Front overhang detail specified below.



LENGTHS




DEPTHS




*Top View

HEIGHTS



SPLIT POINTS




*Display using 57"H unit

Split Points create more configurations depending on the height being used. For example: a 57"H unit with a 56"H split point makes 4 files drawers and a 57"H unit with a 28"H split point makes 2 file drawers and a laminate upper door.

*28"H is the standard split point.


CONFIGURATIONS




The Upper & Lower Configurations above can be combined together. For example: A Frosted Acrylic Upper Configuration can be paired a Laminate Door Lower Configuration.

*NOTE: Configurations above are with a 28"H split point and those in the price table.

BACK GROMMET



PULL STYLE



*Vertical pulls not available on drawer fronts, only laminate door fronts.

**Frosted & Painted Acrylic come with standard pulls.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

PR

SF

30

18

64

-

N

-

BS

LF

-

L4

OO

-

SE

WO

GO

V1

LO

PRODUCT INFORMATION & DIMENSIONS

1	PR	PRODUCT LINE	Premiere
2	SF	PRODUCT CATEGORY	Tall Storage
3	30	STORAGE LENGTHS	8" · 12" · 16" · 18" · 21" · 24" · 30" · 36"
4	18	STORAGE DEPTH	18" · 21" · 24"
5	64	STORAGE HEIGHT	43" · 50" · 57" · 64" · 71" · 78" · 85"

DIRECTION OF DOORS

6	N	DIRECTION	N=Neutral · L=Door Hinged Left (Up to 21"L) · R=Door Hinged Right (Up to 21"L)
---	---	-----------	--

BASE AND BACK STYLES

7	BS	BASE STYLE	BS=Base Style
8	L4	BACK STYLE	L2=Laminate 14" Split · L5=Laminate 35" Split · L6=Laminate 42" Split L8=Laminate 56" Split · LF=Full Laminate

CONFIGURATIONS

9	LF	LOWER CONFIGURATIONS	LF=Laminate (Full Height)
10	OO	UPPER CONFIGURATIONS	OO=Open

CONFIGURATION VARIATIONS

OO=Open · L4=28" Laminate Door · LF=Full Laminate Door · BH=Box Drawer, Horizontal Grain · BV=Box Drawer, Vertical Grain · CH=Box File, Horizontal Grain · CV=Box File, Vertical Grain · FH=File, Horizontal Grain · LV=File, Vertical Grain

CONFIGURATION VARIATIONS

OO=Open · L2=14" Laminate Door · L3=21" Laminate Door · L4=28" Laminate Door · L5=35" Laminate Door · L6=42" Laminate Door · LF=Full Laminate Door

EDGE, GROMMETS, PULL & LOCK OPTIONS

11	SE	EDGE STYLE	SE=1mm PVC
12	WO	GROMMET	WO=None
13	GO	FABRIC GRADE	GO=None
14	C2	PULL STYLE	C2=Create
15	LO	LOCK STYLE	LO=No Locks

EDGE VARIATIONS

NT=No Top · H=3mm PVC · P=3mm Wood · T=Bullnose · W=Wavecrest
1=Front · 3=Front, Left & Right · 4=All Sides
L=Front & Left · R=Front & Right

GROMMET VARIATIONS

W1=3.5" from bottom · W2=10.5" from bottom
W3=17.5" from bottom · W4=24.5" from bottom

PULL VARIATIONS

C2=Create · H1=Horizontal, 96mm · L1=Horizontal, 192mm
V1=Vertical, 96mm · W1=Vertical, 192mm

LOCK VARIATIONS

L5=Upper Door Top · L3=Anti-Tip · L8=Anti-Tip/ Upper Door Lock Top
LE=Anti-Tip/ Upper Door Lock Bottom · L2=Gang Lock · LB= Upper Door Bottom
L7=Gang, Upper Top · LD= Gang, Upper Bottom · L4=Lower Door · L9=Lower + Upper · LF=Lower + Upper Door Bottom

Base Price: Units are priced with no additions or upcharges.

1 Choose Height & Length:

Each page has 1 Height in combination with various Lengths. Each table has a different length to pick from.

43"H + 16"W

UPPER CONFIG. →	OPEN	LAMINATE DOOR	FROSTED ACRYLIC	PAINTED ACRYLIC
LOWER CONFIG. ↓	○	●	□	○
Open				
Laminate Door				
Full Height Door				
Box (Hor. Grain)				
Box (Vert. Grain)				
Box File (Hor. Grain)				
Box File (Vert. Grain)				
File (Hor. Grain)				
File (Vert. Grain)				

○ 18"D ● 21"D □ 24"D

2 Choose Lower & Upper Configurations

Lower Configurations are down the left and Upper Configurations are at the top of each table.

43"H + 16"W

UPPER CONFIG. →	OPEN	LAMINATE DOOR	FROSTED ACRYLIC	PAINTED ACRYLIC
LOWER CONFIG. ↓	○	●	□	○
Open				
Laminate Door				
Full Height Door				
Box (Hor. Grain)				
Box (Vert. Grain)				
Box File (Hor. Grain)				
Box File (Vert. Grain)				
File (Hor. Grain)				
File (Vert. Grain)				

○ 18"D ● 21"D □ 24"D

3 Choose Depth


Follow the legend to pick depth and follow the icons above each column for price.

43"H + 16"W


UPPER CONFIG. →	OPEN	LAMINATE DOOR	FROSTED ACRYLIC	PAINTED ACRYLIC
LOWER CONFIG. ↓	○	●	□	○
Open				
Laminate Door				
Full Height Door				
Box (Hor. Grain)				
Box (Vert. Grain)				
Box File (Hor. Grain)				
Box File (Vert. Grain)				
File (Hor. Grain)				
File (Vert. Grain)				

○ 18"D ● 21"D □ 24"D


HEIGHTS




LENGTHS



CONFIGURATIONS



DEPTHS



PR SF 30 18 64 - N - BS L4 - XX XX - SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

43”H + *8”L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$436	462	485
Laminate Door (L4)	492	518	540
Full Height Door (LF)	507	533	555
○ 18”D ● 21”D □ 24”D			

43”H + *12”L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$504	534	561
Laminate Door (L4)	563	593	620
Full Height Door (LF)	578	608	635
○ 18”D ● 21”D □ 24”D			

*8”L and 12”L units must be secured to fixed building structures.

PR SF 30 18 64 - N - BS L4 - XX XX - SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

43”H + 16”L						
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$545	579	610	x	x	x
Laminate Door (L4)	610	644	675	685	719	750
Full Height Door (LF)	627	661	692	x	x	x
Box (Hori.) (BH)	*932	967	998	x	x	x
Box (Vert.) (BV)	*1013	1047	1078	x	x	x
Box File (Hori.) (CH)	*860	**894	**925	x	x	x
Box File (Vert.) (CV)	*940	**974	**1005	x	x	x
File (Hori.) (FH)	*785	819	850	*757	791	822
File (Vert.) (FV)	*865	899	930	*797	832	863
○ 18”D ● 21”D □ 24”D						

43”H + 18”L						
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$570	608	641	x	x	x
Laminate Door (L4)	640	677	711	717	755	788
Full Height Door (LF)	659	697	730	x	x	x
Box (Hori.) (BH)	*971	1008	1042	x	x	x
Box (Vert.) (BV)	x	x	x	x	x	x
Box File (Hori.) (CH)	*898	**936	**969	x	x	x
Box File (Vert.) (CV)	*979	**1016	**1049	x	x	x
File (Hori.) (FH)	*823	861	894	*793	831	864
File (Vert.) (FV)	*904	941	974	*834	871	905
○ 18”D ● 21”D □ 24”D						

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

43”H + 21”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$607	646	684	x	x	x
Laminate Door (L4)	683	722	760	764	804	841
Full Height Door (LF)	704	744	781	x	x	x
Box (Hori.) (BH)	*1017	1057	1094	x	x	x
Box (Vert.) (BV)	*1097	1137	1175	x	x	x
Box File (Hori.) (CH)	*964	**1003	**1041	x	x	x
Box File (Vert.) (CV)	*1044	**1083	**1121	x	x	x
File (Hori.) (FH)	*908	947	985	*860	899	937
File (Vert.) (FV)	*988	1028	1065	*900	940	977

○ 18”D ● 21”D □ 24”D

43”H + 24”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$642	686	726	x	x	x
Laminate Door (L4)	759	803	842	875	919	958
Full Height Door (LF)	787	831	870	x	x	x
Box (Hori.) (BH)	*1064	1108	1148	x	x	x
Box (Vert.) (BV)	*1145	1188	1228	x	x	x
Box File (Hori.) (CH)	*1016	**1060	**1100	x	x	x
Box File (Vert.) (CV)	*1096	**1140	**1180	x	x	x
File (Hori.) (FH)	*965	1008	1048	*946	990	1030
File (Vert.) (FV)	*1045	1089	1128	*987	1031	1071

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

43”H + 30”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$666	713	752	x	x	x
Laminate Door (L4)	792	839	879	913	960	1000
Full Height Door (LF)	824	871	911	x	x	x
Box (Hori.) (BH)	*1113	1161	1200	x	x	x
Box (Vert.) (BV)	*1194	1241	1281	x	x	x
Box File (Hori.) (CH)	*1083	**1131	**1170	x	x	x
Box File (Vert.) (CV)	*1164	**1211	**1251	x	x	x
File (Hori.) (FH)	*1051	1098	1138	*1012	1059	1098
File (Vert.) (FV)	*1132	1179	1218	*1052	1100	1139

○ 18”D ● 21”D □ 24”D

43”H + 36”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)		
LOWER CONFIG. ↓	○	●	□	○	●	□
Open (OO)	\$724	776	820	x	x	x
Laminate Door (L4)	860	912	956	986	1038	1082
Full Height Door (LF)	896	949	992	x	x	x
Box (Hori.) (BH)	*1197	1250	1293	x	x	x
Box (Vert.) (BV)	*1277	1330	1374	x	x	x
Box File (Hori.) (CH)	*1166	**1218	**1262	x	x	x
Box File (Vert.) (CV)	*1246	**1299	**1343	x	x	x
File (Hori.) (FH)	*1132	1184	1228	*1090	1142	1186
File (Vert.) (FV)	*1212	1265	1308	*1131	1183	1227

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 301864 - N - BS L4 - XXXX - SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

50"H + *8"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$476	507	535
Laminate Door (L4)	532	563	591
Full Height Door (LF)	562	593	621

○ 18"D● 21"D□ 24"D

50"H + *12"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$536	571	604
Laminate Door (L4)	595	630	663
Full Height Door (LF)	625	660	692

○ 18"D● 21"D□ 24"D

*8"L and 12"L units must be secured to fixed building structures.

PR SF 301864 - N - BS L4 - XXXX - SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

50"H + 16"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$576	615	652	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	641	681	717	725	764	801	893	932	969	913	953	989
Full Height Door (LF)	674	714	750	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*964	1003	1040	*1047	1087	1123	*1215	1255	1291	*1236	1275	1312
Box (Vert.) (BV)	*1044	1083	1120	*1127	1167	1203	*1296	1335	1372	*1316	1356	1392
Box File (Hori.) (CH)	*891	**930	**967	*974	**1014	**1050	*1142	**1182	**1218	*1163	**1202	**1239
Box File (Vert.) (CV)	*971	**1011	**1047	*1055	**1094	**1131	*1223	**1262	**1299	*1243	**1283	**1319
File (Hori.) (FH)	*816	855	892	*899	939	975	*1067	1107	1143	*1088	1127	1164
File (Vert.) (FV)	*896	936	972	*980	1019	1056	*1148	1187	1224	*1168	1208	1244

○ 18"D● 21"D□ 24"D

50"H + 18"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$600	642	681	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	670	712	750	757	799	837	934	975	1014	950	991	1030
Full Height Door (LF)	706	748	787	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1001	1043	1081	*1088	1130	1168	*1265	1306	1345	*1281	1322	1361
Box (Vert.) (BV)	*			*			*			*		
Box File (Hori.) (CH)	*928	**970	**1008	*1015	**1057	**1095	*1192	**1233	**1272	*1208	**1250	**1288
Box File (Vert.) (CV)	*1008	**1050	**1089	*1095	**1137	**1176	*1272	**1314	**1352	*1288	**1330	**1368
File (Hori.) (FH)	*853	895	934	*940	982	1020	*1117	1158	1197	*1133	1175	1213
File (Vert.) (FV)	*934	975	1014	*1020	1062	1101	*1197	1239	1277	*1213	1255	1293

○ 18"D● 21"D□ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

50"H + 21"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$638	681	722	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	714	757	799	806	849	891	992	1035	1077	1011	1053	1095
Full Height Door (LF)	754	796	838	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1048	1091	1133	*1140	1183	1225	*1327	1369	1411	*1345	1388	1429
Box (Vert.) (BV)	*1128	1171	1213	*1221	1263	1305	*1407	1450	1492	*1425	1468	1510
Box File (Hori.) (CH)	*995	**1037	**1079	*1087	**1130	**1171	*1273	**1316	**1358	*1291	**1334	**1376
Box File (Vert.) (CV)	*1075	**1118	**1160	*1167	**1210	**1252	*1353	**1396	**1438	*1372	**1414	**1456
File (Hori.) (FH)	*939	982	1023	*1031	1074	1116	*1217	1260	1302	*1236	1278	1320
File (Vert.) (FV)	*1019	1062	1104	*1111	1154	1196	*1298	1341	1382	*1316	1359	1401

○ 18"D ● 21"D □ 24"D

50"H + 24"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$673	719	761	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	790	836	878	920	966	1007	1164	1210	1252	1217	1263	1305
Full Height Door (LF)	847	893	935	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1095	1141	1183	*1225	1271	1313	*1469	1515	1557	*1523	1569	1611
Box (Vert.) (BV)	*1176	1222	1263	*1305	1351	1393	*1549	1596	1637	*1603	1649	1691
Box File (Hori.) (CH)	*1047	**1093	**1135	*1177	**1223	**1265	*1421	**1467	**1509	*1474	**1521	**1562
Box File (Vert.) (CV)	*1127	**1173	**1215	*1257	**1303	**1345	*1501	**1547	**1589	*1555	**1601	**1643
File (Hori.) (FH)	*996	1042	1083	*1125	1171	1213	*1369	1416	1457	*1423	1469	1511
File (Vert.) (FV)	*1076	1122	1164	*1206	1252	1293	*1450	1496	1538	*1503	1549	1591

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

50"H + 30"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$747	797	848	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	874	924	974	1011	1061	1111	1273	1323	1374	1335	1386	1436
Full Height Door (LF)	937	987	1037	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1195	1245	1296	*1332	1382	1433	*1594	1645	1695	*1657	1707	1757
Box (Vert.) (BV)	*1275	1326	1376	*1412	1463	1513	*1675	1725	1775	*1737	1787	1838
Box File (Hori.) (CH)	*1165	**1215	**1266	*1302	**1352	**1403	*1564	**1615	**1665	*1627	**1677	**1727
Box File (Vert.) (CV)	*1245	**1296	**1346	*1382	**1433	**1483	*1645	**1695	**1745	*1707	**1757	**1808
File (Hori.) (FH)	*1133	1183	1233	*1270	1320	1371	*1532	1583	1633	*1594	1645	1695
File (Vert.) (FV)	*1213	1263	1314	*1350	1401	1451	*1613	1663	1713	*1675	1725	1775

○ 18"D ● 21"D □ 24"D

50"H + 36"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$816	875	929	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	952	1011	1065	1096	1155	1210	1382	1441	1496	1446	1504	1559
Full Height Door (LF)	1021	1080	1135	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1289	1348	1403	*1434	1493	1547	*1720	1779	1833	*1783	1842	1897
Box (Vert.) (BV)	*1369	1428	1483	*1514	1573	1628	*1800	1859	1914	*1863	1922	1977
Box File (Hori.) (CH)	*1258	**1317	**1372	*1403	**1462	**1516	*1689	**1748	**1802	*1752	**1811	**1865
Box File (Vert.) (CV)	*1338	**1397	**1452	*1483	**1542	**1597	*1769	**1828	**1883	*1832	**1891	**1946
File (Hori.) (FH)	*1224	1283	1337	*1368	1427	1482	*1654	1713	1768	*1718	1777	1831
File (Vert.) (FV)	*1304	1363	1418	*1449	1508	1562	*1735	1794	1848	*1798	1857	1912

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

57”H + *8”L

UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$496	530	560
Laminate Door (L4)	552	585	615
Full Height Door (LF)	590	623	653

○ 18”D● 21”D□ 24”D

57”H + *12”L

UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$558	595	629
Laminate Door (L4)	616	654	688
Full Height Door (LF)	654	691	726

○ 18”D● 21”D□ 24”D

*8”L and 12”L units must be secured to fixed building structures.

PR SF 30 18 64 - N - BS L4 - XX XX - SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

57”H + 16”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED ACRYLIC (AF)			PAINTED ACRYLIC (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	598	640	679	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	664	705	744	756	797	836	942	984	1022	964	1005	1044
Full Height Door (LF)	705	747	786	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*986	1028	1066	*1078	1120	1158	*1265	1306	1345	*1286	1328	1366
Box (Vert.) (BV)	*1066	1108	1147	*1158	1200	1239	*1345	1387	1425	*1366	1408	1447
Box File (Hori.) (CH)	*913	**955	**994	*1005	**1047	**1086	*1192	**1233	**1272	*1213	**1255	**1293
Box File (Vert.) (CV)	*994	**1035	**1074	*1086	**1127	**1166	*1272	**1314	**1352	*1293	**1335	**1374
File (Hori.) (FH)	*838	880	919	*930	972	1011	*1117	1158	1197	*1138	1180	1218
File (Vert.) (FV)	*919	960	999	*1011	1052	1091	*1197	1239	1277	*1218	1260	1299

○ 18”D● 21”D□ 24”D

57”H + 18”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED ACRYLIC (AF)			PAINTED ACRYLIC (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$624	668	729	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	694	737	799	790	834	895	987	1031	1092	1003	1047	1108
Full Height Door (LF)	740	784	845	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1025	1068	1130	*1121	1165	1226	*1318	1362	1423	*1334	1378	1439
Box (Vert.) (BV)	*-			*			*			*		
Box File (Hori.) (CH)	*952	**996	**1057	*1048	**1092	**1153	*1245	**1289	**1350	*1261	**1305	**1366
Box File (Vert.) (CV)	*1032	**1076	**1137	*1128	**1172	**1233	*1326	**1369	**1431	*1342	**1386	**1447
File (Hori.) (FH)	*877	921	982	*973	1017	1078	*1170	1214	1275	*1186	1230	1291
File (Vert.) (FV)	*957	1001	1062	*1053	1097	1158	*1251	1295	1356	*1267	1311	1372

○ 18”D● 21”D□ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

57”H + 21”L

UPPER CONFIG. → LOWER CONFIG. ↓	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$663	707	751	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	739	784	827	841	886	930	1050	1095	1139	1068	1113	1157
Full Height Door (LF)	789	834	878	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1073	1118	1162	*1176	1221	1265	*1384	1429	1473	*1403	1448	1492
Box (Vert.) (BV)	*1153	1198	1242	*1256	1301	1345	*1465	1510	1554	*1483	1528	1572
Box File (Hori.) (CH)	*1019	**1064	**1108	*1122	**1167	**1211	*1331	**1376	**1420	*1349	**1394	**1438
Box File (Vert.) (CV)	*1100	**1145	**1188	*1202	**1247	**1291	*1411	**1456	**1500	*1429	**1474	**1518
File (Hori.) (FH)	*964	1008	1052	*1066	1111	1155	*1275	1320	1364	*1293	1338	1382
File (Vert.) (FV)	*1044	1089	1133	*1147	1192	1236	*1356	1401	1444	*1374	1419	1463

○ 18”D ● 21”D □ 24”D

57”H + 24”L

UPPER CONFIG. → LOWER CONFIG. ↓	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$699	747	792	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	816	864	909	959	1007	1052	1238	1286	1331	1297	1345	1390
Full Height Door (LF)	886	935	980	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1121	1169	1214	*1265	1313	1358	*1543	1591	1636	*1602	1650	1695
Box (Vert.) (BV)	*1201	1250	1295	*1345	1393	1438	*1623	1672	1717	*1682	1730	1775
Box File (Hori.) (CH)	*1073	**1121	**1166	*1216	**1265	**1310	*1495	**1543	**1588	*1554	**1602	**1647
Box File (Vert.) (CV)	*1153	**1201	**1246	*1297	**1345	**1390	*1575	**1623	**1668	*1634	**1682	**1727
File (Hori.) (FH)	*1021	1070	1115	*1165	1213	1258	*1443	1492	1537	*1502	1551	1596
File (Vert.) (FV)	*1102	1150	1195	*1245	1293	1338	*1524	1572	1617	*1583	1631	1676

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

57”H + 30”L

UPPER CONFIG. → LOWER CONFIG. ↓	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$776	831	881	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	902	957	1007	1056	1110	1161	1357	1411	1462	1426	1481	1531
Full Height Door (LF)	982	1036	1087	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1224	1278	1329	*1377	1432	1482	*1678	1733	1783	*1748	1802	1853
Box (Vert.) (BV)	*1304	1359	1409	*1457	1512	1562	*1758	1813	1863	*1828	1883	1933
Box File (Hori.) (CH)	*1194	**1248	**1299	*1347	**1402	**1452	*1648	**1703	**1753	*1718	**1772	**1823
Box File (Vert.) (CV)	*1274	**1329	**1379	*1427	**1482	**1532	*1728	**1783	**1833	*1798	**1853	**1903
File (Hori.) (FH)	*1162	1216	1267	*1315	1369	1420	*1616	1671	1721	*1685	1740	1790
File (Vert.) (FV)	*1242	1297	1347	*1395	1450	1500	*1696	1751	1801	*1766	1820	1871

○ 18”D ● 21”D □ 24”D

57”H + 36”L

UPPER CONFIG. → LOWER CONFIG. ↓	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$847	906	965	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	983	1042	1101	1146	1205	1263	1476	1534	1593	1547	1606	1665
Full Height Door (LF)	1071	1130	1188	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1320	1379	1438	*1483	1542	1601	*1813	1872	1931	*1885	1944	2003
Box (Vert.) (BV)	*1401	1459	1518	*1563	1622	1681	*1893	1952	2011	*1965	2024	2083
Box File (Hori.) (CH)	*1289	**1348	**1407	*1452	**1511	**1570	*1782	**1841	**1900	*1854	**1913	**1972
Box File (Vert.) (CV)	*1369	**1428	**1487	*1532	**1591	**1650	*1862	**1921	**1980	*1934	**1993	**2052
File (Hori.) (FH)	*1255	1314	1373	*1418	1477	1536	*1748	1807	1865	*1819	1878	1937
File (Vert.) (FV)	*1335	1394	1453	*1498	1557	1616	*1828	1887	1946	*1900	1959	2018

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF

30

18

64

- N - BS L4 -

XX

XX

- SE WO GO V1 LO

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

64"H + 8"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$523	567	601
Laminate Door (L4)	579	623	657
Full Height Door (LF)	624	668	702
○ 18"D ● 21"D □ 24"D			

64"H + 12"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$597	639	679
Laminate Door (L4)	656	698	737
Full Height Door (LF)	701	743	782
○ 18"D ● 21"D □ 24"D			

*8"L and 12"L units must be secured to fixed building structures.

PR SF

30

18

64

- N - BS L4 -

XX

XX

- SE WO GO V1 LO

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

64"H + 16"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$643	691	735	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	709	757	801	809	857	901	1014	1062	1106	1036	1053	11281085
Full Height Door (LF)	759	807	851	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1031	1079	1123	*1132	1180	1224	*1336	1384	1428	*1359	1407	1451
Box (Vert.) (BV)	*1111	1160	1203	*1212	1260	1304	*1417	1465	1509	*1439	1487	1531
Box File (Hori.) (CH)	*958	**1006	**1050	*1059	**1107	**1151	*1263	**1312	**1356	*1286	**1334	**1378
Box File (Vert.) (CV)	*1038	**1087	**1131	*1139	**1187	**1231	*1344	**1392	**1436	*1366	**1414	**1458
File (Hori.) (FH)	*883	931	975	*984	1032	1076	*1188	1237	1281	*1211	1259	1303
File (Vert.) (FV)	*964	1012	1056	*1064	1112	1156	*1269	1317	1361	*1291	1339	1383
○ 18"D ● 21"D □ 24"D												

64"H + 18"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$672	724	771	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	742	793	840	848	899	946	1065	1117	1164	1081	1133	1180
Full Height Door (LF)	797	849	896	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1073	1124	1171	*1179	1230	1277	*1396	1448	1495	*1412	1464	1511
Box (Vert.) (BV)	*			*			*			*		
Box File (Hori.) (CH)	*1000	**1051	**1098	*1106	**1157	**1205	*1323	**1375	**1422	*1339	**1391	**1438
Box File (Vert.) (CV)	*1080	**1132	**1179	*1186	**1238	**1285	*1404	**1455	**1502	*1420	**1471	**1518
File (Hori.) (FH)	*925	976	1023	*1031	1082	1130	*1248	1300	1347	*1265	1316	1363
File (Vert.) (FV)	*1005	1057	1104	*1111	1163	1210	*1329	1380	1427	*1345	1396	1443
○ 18"D ● 21"D □ 24"D												

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 301864 - N - BS L4 - XXXX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

64"H + 21"L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$716	769	819	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	792	845	895	906	958	1008	1137	1190	1240	1155	1208	1258
Full Height Door (LF)	853	906	956	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1126	1179	1229	*1240	1292	1343	*1471	1524	1574	*1489	1542	1592
Box (Vert.) (BV)	*1207	1259	1310	*1320	1373	1423	*1552	1604	1654	*1570	1622	1673
Box File (Hori.) (CH)	*1073	**1125	**1176	*1186	**1239	**1289	*1418	**1470	**1521	*1436	**1488	**1539
Box File (Vert.) (CV)	*1153	**1206	**1256	*1267	**1319	**1369	*1498	**1551	**1601	*1516	**1569	**1619
File (Hori.) (FH)	*1017	1070	1120	*1131	1183	1233	*1362	1414	1465	*1380	1433	1483
File (Vert.) (FV)	*1097	1150	1200	*1211	1263	1314	*1442	1495	1545	*1461	1513	1563

○ 18"D ● 21"D □ 24"D

64"H + 24"L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$758	814	865	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	875	930	982	1032	1088	1139	1345	1401	1452	1409	1465	1516
Full Height Door (LF)	959	1015	1066	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1180	1236	1287	*1337	1393	1444	*1650	1706	1757	*1714	1770	1822
Box (Vert.) (BV)	*1260	1316	1367	*1418	1473	1525	*1730	1786	1838	*1795	1850	1902
Box File (Hori.) (CH)	*1132	**1187	**1239	*1289	**1345	**1396	*1602	**1658	**1709	*1666	**1722	**1773
Box File (Vert.) (CV)	*1212	**1268	**1319	*1369	**1425	**1477	*1682	**1738	**1789	*1747	**1802	**1854
File (Hori.) (FH)	*1080	1136	1187	*1238	1293	1345	*1551	1606	1658	*1615	1671	1722
File (Vert.) (FV)	*1161	1216	1268	*1318	1374	1425	*1631	1687	1738	*1695	1751	1802

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 301864 - N - BS L4 - XXXX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

64"H + 30"L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$846	909	968	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	972	1035	1094	1141	1205	1263	1481	1544	1603	1558	1621	1680
Full Height Door (LF)	1067	1131	1190	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1293	1357	1416	*1463	1526	1585	*1802	1865	1924	*1879	1943	2002
Box (Vert.) (BV)	*1374	1437	1496	*1543	1606	1665	*1883	1946	2005	*1960	2023	2082
Box File (Hori.) (CH)	*1263	**1327	**1386	*1433	**1496	**1555	*1772	**1835	**1894	*1849	**1913	**1972
Box File (Vert.) (CV)	*1344	**1407	**1466	*1513	**1576	**1635	*1853	**1916	**1975	*1930	**1993	**2052
File (Hori.) (FH)	*1231	1295	1353	*1401	1464	1523	*1740	1803	1862	*1817	1880	1939
File (Vert.) (FV)	*1312	1375	1434	*1481	1544	1603	*1820	1884	1943	*1898	1961	2020

○ 18"D ● 21"D □ 24"D

64"H + 36"L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$927	998	1064	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	1063	1134	1200	1244	1315	1381	1618	1689	1755	1698	1769	1835
Full Height Door (LF)	1169	1240	1306	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1401	1471	1538	*1582	1652	1719	*1955	2026	2093	*2036	2106	2173
Box (Vert.) (BV)	*1481	1552	1618	*1662	1733	1799	*2036	2106	2173	*2116	2187	2253
Box File (Hori.) (CH)	*1369	**1440	**1507	*1551	**1621	**1688	*1924	**1995	**2061	*2005	**2075	**2142
Box File (Vert.) (CV)	*1450	**1521	**1587	*1631	**1702	**1768	*2005	**2075	**2142	*2085	**2156	**2222
File (Hori.) (FH)	*1335	1406	1472	*1516	1587	1653	*1890	1961	2027	*1970	2041	2108
File (Vert.) (FV)	*1416	1486	1553	*1597	1667	1734	*1970	2041	2108	*2051	2121	2188

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF

30

18

64

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

71”H + *8”L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$552	592	627
Laminate Door (L4)	608	648	683
Full Height Door (LF)	668	707	743
○ 18”D ● 21”D □ 24”D			

71”H + *12”L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$621	665	707
Laminate Door (L4)	680	724	766
Full Height Door (LF)	740	784	826
○ 18”D ● 21”D □ 24”D			

*8”L and 12”L units must be secured to fixed building structures.

PR SF

30

18

64

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

71”H + 16”L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$668	718	765	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*733	*784	*831	*842	*893	*940	*1065	*1116	*1163	*1089	*1139	*1186
Full Height Door (LF)	*800	*850	*897	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1056	1106	1153	*1165	1215	1262	*1388	1438	1485	*1411	1462	1509
Box (Vert.) (BV)	*1136	1186	1233	*1245	1296	1343	*1468	1518	1566	*1492	1542	1589
Box File (Hori.) (CH)	*983	**1033	**1080	*1092	**1142	**1190	*1315	**1365	**1412	*1338	**1389	**1436
Box File (Vert.) (CV)	*1063	**1113	**1161	*1172	**1223	**1270	*1395	**1446	**1493	*1419	**1469	**1516
File (Hori.) (FH)	*908	958	1005	*1017	1067	1115	*1240	1290	1337	*1263	1314	1361
File (Vert.) (FV)	*988	1038	1086	*1097	1148	1195	*1320	1371	1418	*1344	1394	1441
○ 18”D ● 21”D □ 24”D												

71”H + 18”L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	698	751	802	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	767	821	871	883	937	987	992	1046	1096	1137	1191	1241
Full Height Door (LF)	840	894	944	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1098	1152	1202	*1214	1268	1318	*1323	1377	1427	*1468	1522	1572
Box (Vert.) (BV)	*			*			*			*		
Box File (Hori.) (CH)	*1026	**1079	**1130	*1141	**1195	**1245	*1251	**1304	**1354	*1395	**1449	**1499
Box File (Vert.) (CV)	*1106	**1160	**1210	*1222	**1275	**1326	*1331	**1384	**1435	*1476	**1529	**1579
File (Hori.) (FH)	*951	1004	1055	*1066	1120	1170	*1176	1229	1280	*1320	1374	1424
File (Vert.) (FV)	*1031	1085	1135	*1147	1200	1251	*1256	1310	1360	*1401	1454	1504
○ 18”D ● 21”D □ 24”D												

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

71”H + 21”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$744	797	851	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	820	874	927	944	998	1051	1198	1252	1305	1216	1270	1323
Full Height Door (LF)	899	953	1006	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1154	1208	1261	*1278	1332	1386	*1532	1586	1639	*1551	1604	1658
Box (Vert.) (BV)	*1235	1288	1342	*1359	1412	1466	*1613	1666	1720	*1631	1684	1738
Box File (Hori.) (CH)	*1101	**1154	**1208	*1225	**1278	**1332	*1479	**1532	**1586	*1497	**1551	**1604
Box File (Vert.) (CV)	*1181	**1235	**1288	*1305	**1359	**1412	*1559	**1613	**1666	*1577	**1631	**1684
File (Hori.) (FH)	*1045	1098	1152	*1169	1223	1276	*1423	1477	1530	*1441	1495	1548
File (Vert.) (FV)	*1125	1179	1232	*1250	1303	1357	*1503	1557	1611	*1522	1575	1629

○ 18”D ● 21”D □ 24”D

71”H + 24”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$787	845	898	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	904	961	1015	1075	1133	1186	1422	1480	1533	1492	1549	1603
Full Height Door (LF)	1017	1075	1128	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1209	1267	1320	*1380	1438	1492	*1727	1785	1839	*1797	1855	1908
Box (Vert.) (BV)	*1289	1347	1401	*1461	1518	1572	*1808	1865	1919	*1877	1935	1989
Box File (Hori.) (CH)	*1161	**1218	**1272	*1332	**1390	**1443	*1679	**1737	**1790	*1749	**1807	**1860
Box File (Vert.) (CV)	*1241	**1299	**1352	*1412	**1470	**1524	*1759	**1817	**1871	*1829	**1887	**1940
File (Hori.) (FH)	*1109	1167	1221	*1281	1338	1392	*1628	1685	1739	*1697	1755	1809
File (Vert.) (FV)	*1190	1247	1301	*1361	1419	1472	*1708	1766	1819	*1778	1835	1889

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 64 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

71”H + 30”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$877	942	1003	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	1003	1068	1130	1188	1254	1315	1567	1632	1693	1651	1717	1778
Full Height Door (LF)	1130	1195	1256	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1325	1390	1451	*1510	1575	1636	*1888	1953	2014	*1973	2038	2099
Box (Vert.) (BV)	*1405	1470	1531	*1590	1656	1717	*1968	2034	2095	*2053	2118	2179
Box File (Hori.) (CH)	*1295	**1360	**1421	*1480	**1545	**1606	*1858	**1923	**1984	*1943	**2008	**2069
Box File (Vert.) (CV)	*1375	**1440	**1501	*1560	**1626	**1687	*1938	**2004	**2065	*2023	**2088	**2149
File (Hori.) (FH)	*1262	1328	1389	*1448	1513	1574	*1826	1891	1952	*1910	1976	2037
File (Vert.) (FV)	*1343	1408	1469	*1528	1593	1654	*1906	1972	2033	*1991	2056	2117

○ 18”D ● 21”D □ 24”D

71”H + 36”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$960	1033	1102	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	1096	1169	1238	1296	1368	1437	1713	1786	1855	1802	1875	1944
Full Height Door (LF)	1236	1308	1377	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1434	1507	1575	*1633	1706	1774	*2051	2124	2192	*2140	2213	2281
Box (Vert.) (BV)	*1514	1587	1656	*1713	1786	1855	*2131	2204	2273	*2220	2293	2361
Box File (Hori.) (CH)	*1403	**1476	**1544	*1602	**1675	**1743	*2020	**2093	**2161	*2109	**2181	**2250
Box File (Vert.) (CV)	*1483	**1556	**1624	*1682	**1755	**1824	*2100	**2173	**2241	*2189	**2262	**2330
File (Hori.) (FH)	*1368	1441	1510	*1568	1641	1709	*1985	2058	2127	*2074	2147	2216
File (Vert.) (FV)	*1449	1522	1590	*1648	1721	1789	*2066	2139	2207	*2155	2228	2296

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF

30

18

78

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

78"H + *8"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$584	629	664
Laminate Door (L4)	640	685	719
Full Height Door (LF)	707	752	787

○ 18"D● 21"D□ 24"D

78"H + *12"L			
UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$659	709	757
Laminate Door (L4)	718	767	816
Full Height Door (LF)	786	835	883

○ 18"D● 21"D□ 24"D

*8"L and 12"L units must be secured to fixed building structures.

PR SF

30

18

78

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

78"H + 16"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*713	*770	*822	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*778	*835	*887	*904	*960	*1013	*1110	*1167	*1220	*1134	*1191	*1243
Full Height Door (LF)	*853	*910	*962	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1101	1157	1210	*1226	1283	1335	*1433	1489	1542	*1456	1513	1566
Box (Vert.) (BV)	*1181	1238	1290	*1306	1363	1416	*1513	1570	1622	*1537	1593	1646
Box File (Hori.) (CH)	*1028	**1085	**1137	*1153	**1210	**1262	*1360	**1417	**1469	*1383	**1440	**1493
Box File (Vert.) (CV)	*1108	**1165	**1217	*1233	**1290	**1343	*1440	**1497	**1549	*1464	**1521	**1573
File (Hori.) (FH)	*953	1010	1062	*1078	1135	1187	*1285	1342	1394	*1308	1365	1418
File (Vert.) (FV)	*1033	1090	1142	*1158	1215	1268	*1365	1422	1474	*1389	1446	1498

○ 18"D● 21"D□ 24"D

78"H + 18"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$747	806	863	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	817	876	932	950	1008	1065	1170	1229	1286	1186	1245	1302
Full Height Door (LF)	899	958	1015	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1148	1207	1263	*1281	1339	1396	*1501	1560	1617	*1517	1576	1633
Box (Vert.) (BV)	*			*			*			*		
Box File (Hori.) (CH)	*1075	**1134	**1191	*1208	**1267	**1323	*1428	**1487	**1544	*1444	**1503	**1560
Box File (Vert.) (CV)	*1155	**1214	**1271	*1288	**1347	**1404	*1509	**1568	**1624	*1525	**1584	**1641
File (Hori.) (FH)	*1000	1059	1116	*1133	1192	1248	*1353	1412	1469	*1369	1428	1485
File (Vert.) (FV)	*1080	1139	1196	*1213	1272	1329	*1434	1493	1549	*1450	1509	1566

○ 18"D● 21"D□ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 78 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

78"H + 21"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$797	857	919	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	874	934	995	1016	1076	1137	1252	1312	1373	1270	1330	1391
Full Height Door (LF)	964	1023	1085	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1208	1268	1329	*1350	1410	1471	*1586	1646	1707	*1604	1664	1725
Box (Vert.) (BV)	*1288	1348	1409	*1431	1491	1552	*1666	1726	1787	*1684	1744	1805
Box File (Hori.) (CH)	*1154	**1214	**1275	*1297	**1357	**1418	*1532	**1592	**1653	*1551	**1611	**1672
Box File (Vert.) (CV)	*1235	**1295	**1356	*1377	**1437	**1498	*1613	**1673	**1734	*1631	**1691	**1752
File (Hori.) (FH)	*1098	1158	1220	*1241	1301	1362	*1477	1537	1598	*1495	1555	1616
File (Vert.) (FV)	*1179	1239	1300	*1321	1381	1442	*1557	1617	1678	*1575	1635	1696

○ 18"D ● 21"D □ 24"D

78"H + 24"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$846	910	972	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	962	1027	1089	1163	1227	1289	1481	1545	1607	1551	1615	1677
Full Height Door (LF)	1090	1154	1216	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1268	1332	1394	*1468	1532	1594	*1786	1850	1913	*1856	1920	1982
Box (Vert.) (BV)	*1348	1412	1474	*1548	1613	1675	*1867	1931	1993	*1936	2000	2063
Box File (Hori.) (CH)	*1220	**1284	**1346	*1420	**1484	**1546	*1738	**1802	**1864	*1808	**1872	**1934
Box File (Vert.) (CV)	*1300	**1364	**1426	*1500	**1564	**1627	*1818	**1883		*1888	**1952	**2014
File (Hori.) (FH)	*1168	1232	1295	*1368	1433	1495	*1687	1751	1813	*1756	1820	1883
File (Vert.) (FV)	*1248	1313	1375	*1449	1513	1575	*1767	1831	1893	*1837	1901	1963

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 78 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

78"H + 30"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$945	1019	1091	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	1072	1146	1217	1288	1362	1434	1635	1709	1781	1720	1794	1865
Full Height Door (LF)	1214	1288	1360	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1393	1467	1539	*1609	1683	1755	*1957	2030	2102	*2041	2115	2187
Box (Vert.) (BV)	*1473	1547	1619	*1690	1764	1835	*2037	2111	2183	*2121	2195	2267
Box File (Hori.) (CH)	*1363	**1437	**1509	*1579	**1653	**1725	*1927	**2000	**2072	*2011	**2085	**2157
Box File (Vert.) (CV)	*1443	**1517	**1589	*1660	**1734	**1805	*2007	**2081	**2153	*2091	**2165	**2237
File (Hori.) (FH)	*1331	1405	1477	*1547	1621	1693	*1894	1968	2040	*1979	2053	2125
File (Vert.) (FV)	*1411	1485	1557	*1628	1702	1773	*1975	2049	2120	*2059	2133	2205

○ 18"D ● 21"D □ 24"D

78"H + 36"L												
UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$1040	1123	1201	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	1176	1259	1337	1408	1492	1570	1793	1876	1954	1882	1965	2043
Full Height Door (LF)	1333	1417	1495	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1513	1597	1675	*1745	1829	1907	*2130	2214	2292	*2219	2303	2381
Box (Vert.) (BV)	*1593	1677	1755	*1826	1909	1988	*2210	2294	2372	*2299	2383	2461
Box File (Hori.) (CH)	*1482	**1566	**1644	*1714	**1798	**1876	*2099	**2183	**2261	*2188	**2271	**2350
Box File (Vert.) (CV)	*1562	**1646	**1724	*1795	**1878	**1957	*2179	**2263	**2341	*2268	**2352	**2430
File (Hori.) (FH)	*1448	1531	1609	*1680	1764	1842	*2065	2148	2226	*2154	2237	2315
File (Vert.) (FV)	*1528	1612	1690	*1760	1844	1922	*2145	2229	2307	*2234	2318	2396

○ 18"D ● 21"D □ 24"D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF

30

18

85

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

85”H + 8”L

UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$606	652	696
Laminate Door (L4)	661	707	751
Full Height Door (LF)	736	782	826

○ 18”D ● 21”D □ 24”D

85”H + 12”L

UPPER CONFIG. →	OPEN (OO)		
LOWER CONFIG. ↓	○	●	□
Open (OO)	\$682	733	782
Laminate Door (L4)	741	792	841
Full Height Door (LF)	816	867	916

○ 18”D ● 21”D □ 24”D

*8”L and 12”L units must be secured to fixed building structures.

PR SF

30

18

85

- N - BS L4 -

XX

XX

- SE W0 G0 V1 L0

LENGTH (L)

DEPTH (D)

HEIGHT (H)

LOWER CONFIG

UPPER CONFIG

85”H + 16”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*735	*794	*850	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*801	*860	*915	*935	*994	*1049	*1133	*1192	*1247	*1156	*1215	*1271
Full Height Door (LF)	*884	*943	*999	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1123	1182	1238	*1257	1316	1372	*1455	1514	1570	*1479	1538	1593
Box (Vert.) (BV)	*1203	1262	1318	*1337	1396	1452	*1536	1594	1650	*1559	1618	1674
Box File (Hori.) (CH)	*1050	**1109	**1165	*1184	**1243	**1299	*1382	**1441	**1497	*1406	**1465	**1521
Box File (Vert.) (CV)	*1131	**1190	**1245	*1265	**1323	**1379	*1463	**1522	**1577	*1486	**1545	**1601
File (Hori.) (FH)	*975	1034	1090	*1109	1168	1224	*1307	1366	1422	*1331	1390	1446
File (Vert.) (FV)	*1056	1115	1170	*1190	1248	1304	*1388	1447	1502	*1411	1470	1526

○ 18”D ● 21”D □ 24”D

85”H + 18”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*771	*833	*892	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*840	*902	*961	*983	*1045	*1104	*1194	*1256	*1315	*1210	*1272	*1331
Full Height Door (LF)	*932	*995	*1053	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1171	1233	1292	*1314	1376	1435	*1525	1587	1646	*1541	1603	1662
Box (Vert.) (BV)	*			*			*			*		
Box File (Hori.) (CH)	*1098	**1161	**1220	*1241	**1303	**1362	*1452	**1514	**1573	*1468	**1530	**1589
Box File (Vert.) (CV)	*1179	**1241	**1300	*1321	**1383	**1442	*1532	**1594	**1653	*1548	**1611	**1669
File (Hori.) (FH)	*1023	1086	1145	*1166	1228	1287	*1377	1439	1498	*1393	1455	1514
File (Vert.) (FV)	*1104	1166	1225	*1246	1308	1367	*1457	1519	1578	*1473	1536	1594

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 85 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

85”H + 21”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*821	885	949	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*897	961	1025	*1050	1115	1178	*1275	1339	1403	*1293	1358	1421
Full Height Door (LF)	*998	1062	1125	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1231	1296	1359	*1384	1449	1512	*1609	1674	1737	*1628	1692	1755
Box (Vert.) (BV)	*1312	1376	1439	*1465	1529	1592	*1690	1754	1817	*1708	1772	1835
Box File (Hori.) (CH)	*1178	**1242	**1305	*1331	**1395	**1458	*1556	**1620	**1683	*1574	**1638	**1702
Box File (Vert.) (CV)	*1258	**1322	**1386	*1411	**1476	**1539	*1636	**1700	**1764	*1654	**1719	**1782
File (Hori.) (FH)	*1122	1186	1250	*1275	1339	1403	*1500	1564	1628	*1518	1583	1646
File (Vert.) (FV)	*1202	1267	1330	*1356	1420	1483	*1581	1645	1708	*1599	1663	1726

○ 18”D ● 21”D □ 24”D

85”H + 24”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*871	939	1003	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*988	1056	1120	*1202	1270	1334	*1507	1574	1638	*1576	1644	1708
Full Height Door (LF)	*1130	1197	1261	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1293	1361	1425	*1508	1575	1639	*1812	1879	1944	*1882	1949	2013
Box (Vert.) (BV)	*1374	1441	1506	*1588	1656	1720	*1892	1960	2024	*1962	2029	2094
Box File (Hori.) (CH)	*1245	**1313	**1377	*1459	**1527	**1591	*1764	**1831	**1895	*1833	**1901	**1965
Box File (Vert.) (CV)	*1326	**1393	**1457	*1540	**1607	**1672	*1844	**1912	**1976	*1914	**1981	**2045
File (Hori.) (FH)	*1194	1261	1326	*1408	1476	1540	*1712	1780	1844	*1782	1849	1914
File (Vert.) (FV)	*1274	1342	1406	*1488	1556	1620	*1793	1860	1924	*1862	1930	1994

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

PR SF 30 18 85 - N - BS L4 - XX XX - SE WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER
CONFIG

UPPER
CONFIG

85”H + 30”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*974	1050	1123	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*1101	1177	1250	*1333	1409	1482	*1664	1740	1813	*1749	1825	1898
Full Height Door (LF)	*1259	1335	1408	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1422	1498	1571	*1654	1730	1803	*1985	2061	2134	*2070	2146	2219
Box (Vert.) (BV)	*1502	1578	1651	*1735	1811	1884	*2066	2142	2215	*2150	2226	2299
Box File (Hori.) (CH)	*1392	**1468	**1541	*1624	**1700	**1773	*1955	**2031	**2104	*2040	**2116	**2189
Box File (Vert.) (CV)	*1472	**1548	**1621	*1705	**1781	**1854	*2036	**2112	**2185	*2120	**2196	**2269
File (Hori.) (FH)	*1360	1436	1509	*1592	1668	1741	*1923	1999	2072	*2008	2084	2157
File (Vert.) (FV)	*1440	1516	1589	*1673	1749	1822	*2004	2080	2153	*2088	2164	2237

○ 18”D ● 21”D □ 24”D

85”H + 36”L

UPPER CONFIG. →	OPEN (OO)			LAMINATE DOOR (LF)			FROSTED GLASS (AF)			PAINTED GLASS (PF)		
LOWER CONFIG. ↓	○	●	□	○	●	□	○	●	□	○	●	□
Open (OO)	\$*1071	1156	1238	x	x	x	x	x	x	x	x	x
Laminate Door (L4)	*1207	1292	1374	*1457	1543	1624	*1824	1909	1991	*1913	1998	2080
Full Height Door (LF)	*1382	1468	1549	x	x	x	x	x	x	x	x	x
Box (Hori.) (BH)	*1544	1630	1711	*1795	1880	1962	*2161	2247	2328	*2250	2336	2417
Box (Vert.) (BV)	*1624	1710	1792	*1875	1961	2042	*2241	2327	2409	*2330	2416	2497
Box File (Hori.) (CH)	*1513	**1599	**1680	*1764	**1849	**1931	*2130	**2216	**2297	*2219	**2305	**2386
Box File (Vert.) (CV)	*1593	**1679	**1760	*1844	**1930	**2011	*2210	**2296	**2377	*2299	**2385	**2466
File (Hori.) (FH)	*1479	1564	1646	*1729	1815	1897	*2096	2181	2263	*2185	2270	2352
File (Vert.) (FV)	*1559	1645	1726	*1810	1895	1977	*2176	2262	2343	*2265	2351	2432

○ 18”D ● 21”D □ 24”D

*Must be fasten to fixed building structure

**Add counter weight for freestanding applications

22

WARDROBE STORAGE

Tall Storage units are shipped fully assembled.

Dimensions
Nominal length and depth generally represent actual unit sizes
Unit height is specified without a finished top
Actual unit height = Nominal height + 0.9”

Minor dimension varitions may exist in some models. Contact customer service if application dimensions are critical.

- Standard Cabinet Construction:**
- 16 mm (5/8”) laminate uprights
 - 26 mm (1”) laminate bottom inlayed between side uprights
 - 16 mm (5/8”) top shelf, inlayed between sides
 - 16 mm (5/8”) laminate back,
 - Adjustable and fixed shelves are 26 mm (1”)
 - Adjustable levelers/glides offer 3/4” of height adjustment

- Door and drawer construction and slides**
- 16 mm (5/8”) laminate doors and drawer fronts edgebanded with 1mm PVC
 - Doors and drawers overlay cabinet uprights and top shelf
 - Aluminum framed glass doors available in frosted or painted glass
 - 16 mm (5/8”) laminate drawer sides and 6mm MDF bottom
 - Units with file drawers include file bars (lateral files only), gang locks and file drawer interlock mechanism
 - All file drawers are 16” deep regardless of cabinet depth
 - Box drawer depths vary with cabinet depth
 - 24”, 30” and 36”L lateral file drawers use full extension 150lb two tier ballbearing slides
 - All other file and box drawers (regardless of drawer depth) use 45kg (100lb) telescopic ballbearing slides with 17” total extension
 - Door locks are optional on all units and must be specified
 - Standard grain direction on doors is vertical.
 - Standard grain direction on drawer fronts is horizontal. Vertical grain matched option available.

Installation
All storage units, with drawers, less than 21” deep must be secured to a fixed building structure and are not suitable for freestanding use.
Some 18, 21 and 24 deep storage unit configurations, as identified in the pricing tables, must be specified with optional counterweight* to meet industry standard stability requirements, or must be secured to a fixed building structure.
Note that each unit in a set of multiple adjacent units sharing a common top must be individually counterweighted as necessary (i.e., connecting multiple adjacent units together does not circumvent the counterweighting requirement).

Method and means of fastening, if necessary, is to be determined by qualified installers at the time of installation.

***25lb steel counterweight Part#: CW25 \$170**


WARDROBE SPECIFICATIONS

* Edge trim options


26mm (1”) Finished tops are standard on individual credenza units although a common top can be specified to span multiple units - common tops up to 84” can span multiple adjacent units of the same height.

Standard trim is 1mm PVC self edge. Optional trim profiles include, 3 mm PVC or 3mm Prestige wood, solid wood bullnose or Wavecrest edge.
Optional trim profiles can be applied to any number of top sides, although standard pricing is for front edge only.

Finished tops mount flush with back of side uprights and overhang unit sides by about 1 mm. Front overhang detail specified below.




LENGTHS




*Must be secured to other furniture or fixed building structure

DEPTHS




*Top View

HEIGHTS




24" L CONFIGURATIONS




24" L Wardrobes allow for double bay configurations. One side will be a 8"W full height wardrobe and the other side will be either Open on top or a Laminate Door with the configurations listed above on the bottom. Units can be configured left or right.

BACK GROMMET



PULL STYLE



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

PR

SW

24

21

50

-

N

-

BS

LF

-

W1

OO

-

NT

W0

GO

V1

LO

PRODUCT INFORMATION & DIMENSIONS

1	PR	PRODUCT LINE Premiere
2	SS	PRODUCT CATEGORY Storage Wardrobe
3	24	STORAGE WIDTH 8" · 12" · 16" · 24" · 30" · 36"
4	21	STORAGE DEPTH 21" · 24"
5	50	STORAGE HEIGHT 50" · 57" · 64" · 71" · 78" · 85"

DIRECTION OF DOORS

6	N	DIRECTION N=Neutral · L=Door Hinged Left (Up to 16"W) · R=Door Hinged Right (Up to 16"W)
---	---	---

BASE & BACK STYLES

7	BS	BASE STYLE BS=Base	BASE VARIATIONS CA=Caster
8	LF	BACK STYLE LF=Laminate Full	

CONFIGURATIONS

			CONFIGURATION VARIATIONS 8"-16" (L): W1=Wardrobe 24" (L): OO=Open • BH=Box, Horizontal Grain • BV=Box, Vertical Grain • CH=Box File, Horizontal Grain • CV=Box file, Vertical Grain • FH=File, Horizontal Grain • FV=File, Vertical Grain L4=28" Laminate • LF=Laminate Full • W1=Wardrobe 30"/36" (L): W1=Wardrobe • LF=Laminate Full
9	W1	LOWER CONFIGURATIONS W1=Wardrobe	
10	OO	UPPER CONFIGURATIONS OO=Open	CONFIGURATION VARIATIONS 24" (L): LF=Laminate Full • QT=Quarter Turn

EDGE, GROMMETS, PULL & LOCK OPTIONS

11	NT	EDGE STYLE NT=No Top	EDGE VARIATIONS SE=1mm PVC · H=3mm PVC · P=3mm Wood · T=Bullnose · W=Wavcrest 1=Front · 3=Front, Left & Right · 4=All Sides L=Front & Left · R=Front & Right
12	W0	GROMMET W0=None	GROMMET VARIATIONS W1=3.5" from bottom · W2=10.5" from bottom · W3=17.5" from bottom W4=24.5 from bottom · WS=Side Access
13	GO	FABRIC GRADE GO=None	
14	V1	PULL STYLE V1=Vertical, 96mm	PULL VARIATIONS C2=Create · H1=Horizontal, 96mm · L1=Horizontal, 192mm W1=Vertical, 192mm · PO=No Pull
12	LO	LOCKS LO=No Lock	LOCK VARIATIONS L2=Gang Lock · L3=Anti-Tip · L5=Wardrobe Lock · L7=Wardrobe, Gang Lock · L8=Anti-Tip, Wardrobe

Base Price: Units are priced with no additions or upcharges.
P. 249

1 Choose Depth:

Choose either 21"D or 24"D from the top of each table.
The second page only features 24"L units because it comes with many more configurations.

24"L / 21"D		50"H	57"H	64"H	71"H	78"H	85"H
HEIGHT →	→						
LOWER CONFIG. ↓		○	●	○	●	○	●
Open (OOO)							
Full Laminate Door (LFOO)							
Wardrobe (W1OO)							
28"H Laminate Door (L4)							
File, Horizontal Grain (FH)							
File, Vertical Grain (FV)							
Box File, Horizontal Grain (CH)							
Box File, Vertical Grain (CV)							
Box Box, Horizontal Grain (BH)							
Box Box, Vertical Grain (BV)							

○ Open Upper (OO) ● Full Laminate Door Upper (LF)

2 Choose Configuration

Down the left side are all available configurations. 24"L offers the configurations to the right. Any other length only has the standard Wardrobe configuration. Lower Configurations beside Open, Full Laminate Door and Wardrobe have the option for Open or Laminate Door upper configuration.

24"L / 21"D		50"H	57"H	64"H	71"H	78"H	85"H
HEIGHT →	→						
LOWER CONFIG. ↓		○	●	○	●	○	●
Open (OOO)							
Full Laminate Door (LFOO)							
Wardrobe (W1OO)							
28"H Laminate Door (L4)							
File, Horizontal Grain (FH)							
File, Vertical Grain (FV)							
Box File, Horizontal Grain (CH)							
Box File, Vertical Grain (CV)							
Box Box, Horizontal Grain (BH)							
Box Box, Vertical Grain (BV)							

○ Open Upper (OO) ● Full Laminate Door Upper (LF)


3 Choose Height

Choose a Height from the top row and match it with the configuration of choice to find your price.


24"L / 21"D		50"H	57"H	64"H	71"H	78"H	85"H
HEIGHT →	→						
LOWER CONFIG. ↓		○	●	○	●	○	●
Open (OOO)							
Full Laminate Door (LFOO)							
Wardrobe (W1OO)							
28"H Laminate Door (L4)							
File, Horizontal Grain (FH)							
File, Vertical Grain (FV)							
Box File, Horizontal Grain (CH)							
Box File, Vertical Grain (CV)							
Box Box, Horizontal Grain (BH)							
Box Box, Vertical Grain (BV)							

○ Open Upper (OO) ● Full Laminate Door Upper (LF)


DEPTHS




LENGTHS



CONFIGURATIONS



HEIGHTS



PR SW 24 21 50 - N - BS LF - XX XX - NT WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER CONFIG.

UPPER CONFIG.

21"D						
HEIGHT →	50"H	57"H	64"H	71"H	78"H	85"H
LOWER CONFIG. ↓						
8"L Wardrobe (W100)	*\$539	*566	*593	*645	*672	*698
12"L Wardrobe (W100)	*578	*607	*637	*717	*725	*756
16"L Wardrobe (W100)	615	667	680	*746	*802	*860
24"L Wardrobe (W100)	718	759	799	925	972	1012
30"L Wardrobe (W100)	800	846	893	1052	1098	1145
36"L Wardrobe (W100)	860	910	961	1145	1196	1246

24"D						
HEIGHT →	50"H	57"H	64"H	71"H	78"H	85"H
LOWER CONFIG. ↓						
8"L Wardrobe (W100)	*\$564	*593	*641	*678	*707	*736
12"L Wardrobe (W100)	*605	*637	*688	*733	*765	*796
16"L Wardrobe (W100)	643	678	734	*808	*819	*881
24"L Wardrobe (W100)	748	815	859	1014	1050	1094
30"L Wardrobe (W100)	833	881	930	1105	1153	1202
36"L Wardrobe (W100)	895	953	1002	1202	1256	1310

*Must be fasten to fixed building structure

PR SW 24 21 50 - N - BS LF - XX XX - NT WO GO V1 LO

LENGTH
(L)

DEPTH
(D)

HEIGHT
(H)

LOWER CONFIG.

UPPER CONFIG.

24"L / 21"D												
HEIGHT →	50"H		57"H		64"H		71"H		78"H		85"H	
LOWER CONFIG. ↓	○	●	○	●	○	●	○	●	○	●	○	●
Open (OOOO)	\$846	x	887	x	929	x	1059	x	1107	x	1149	x
Full Laminate Door (LFOO)	1055	x	1096	x	1138	x	1268	x	1316	x	1358	x
Wardrobe (W100)	740	x	781	x	823	x	953	x	1001	x	1043	x
28"H Laminate Door (L4)	898	977	940	1019	982	1061	1111	1191	1160	1239	1201	1281
File, Horizontal Grain (FH)	1188	1268	1230	1310	1272	1351	1402	1481	1450	1529	1492	1571
File, Vertical Grain (FV)	1220	1299	1261	1341	1303	1382	1433	1512	1481	1560	1523	1602
Box File, Horizontal Grain (CH)	*1241	*1320	*1283	*1362	*1325	*1404	*1454	*1533	*1502	*1582	*1544	*1623
Box File, Vertical Grain (CV)	*1272	*1351	*1314	*1393	*1356	*1435	*1485	*1564	*1533	*1613	*1575	*1654
Box Box, Horizontal Grain (BH)	1271	1350	1313	1392	1354	1434	1484	1563	1532	1612	1574	1653
Box Box, Vertical Grain (BV)	1302	1381	1344	1423	1386	1465	1515	1594	1563	1643	1605	1684


○ Open Upper (OO) ● Full Laminate Door Upper (LF)

24"L / 24"D												
HEIGHT →	50"H		57"H		64"H		71"H		78"H		85"H	
LOWER CONFIG. ↓	○	●	○	●	○	●	○	●	○	●	○	●
Open (OOOO)	\$877	x	921	x	965	x	1120	x	1156	x	1200	x
Full Laminate Door (LFOO)	1086	x	1130	x	1173	x	1329	x	1365	x	1409	x
Wardrobe (W100)	771	x	815	x	859	x	1014	x	1050	x	1094	x
28"H Laminate Door (L4)	929	1008	973	1052	1017	1096	1172	1252	1209	1288	1253	1332
File, Horizontal Grain (FH)	1220	1299	1263	1343	1307	1387	1463	1542	1499	1578	1543	1622
File, Vertical Grain (FV)	1251	1330	1295	1374	1338	1418	1494	1573	1530	1609	1574	1653
Box File, Horizontal Grain (CH)	*1272	*1351	*1316	*1395	*1360	*1439	*1515	*1594	*1552	*1631	*1596	*1675
Box File, Vertical Grain (CV)	*1303	*1382	*1347	*1426	*1391	*1470	*1546	*1626	*1583	*1662	*1627	*1706
Box Box, Horizontal Grain (BH)	1302	1381	1346	1425	1390	1469	1545	1624	1582	1661	1626	1705
Box Box, Vertical Grain (GV)	1333	1412	1377	1456	1421	1500	1576	1656	1613	1692	1657	1736


○ Open Upper (OO) ● Full Laminate Door Upper (LF)

*Must have counterweight


AVAILABLE IN SILVER AND WHITE



ACCESSORIES	DIMENSIONS	PRODUCT CODE	LIST PRICE
1 Pencil Bin	3"L	GERA03-PB-S	\$76
2 Vertical Tray	12"L	GERA12-VO-S	\$81
	15"L	GERA15-VO-S	\$86
3 Telephone Tray	7"L	GERA07-TT-S	\$41
4 Paper Tray	12"L	GERA12-PT-S	\$73
	15"L	GERA15-PT-S	\$80
5 Binder Tray	7"L	GERA04-BB-S	\$122
6 Shelf Tray	18"L	GERA18-ST-S	\$136
	24"L	GERA24-ST-S	\$141
	30"L	GERA30-ST-S	\$147
	36"L	GERA36-ST-S	\$153
	42"L	GERA42-ST-S	\$166



KEYBOARD TRAY
GEAK28-S1 | \$388



PENCIL TRAY
GEAP21-S1 | \$201



Three H Furniture Systems Limited

156462 Clover Valley Rd.
New Liskeard, ON
Canada POJ 1P0

T. 1.800.767.5374

F. 1.888.484.5786

customer.service@three-h.com

www.three-h.com

