

Connect™-Junction Block,  
4-Circuit *continued*

Thrive™ Power and Data Support

Specification Information

Step 1.

**Y1358.**

Step 2. Junction Block Type

- SH** single junction block
- SB** single back-to-back junction block
- DH** double junction block
- DB** double back-to-back junction block

Step 3. Attachment Hardware

*For single junction block (SH) or double junction block (DH)*

- A** flat attachment to underside of surface
- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface


*For single back-to-back junction block (SB) or double back-to-back junction block (DB)*

- B** short 90° attachment to underside of surface
- C** long 90° attachment to underside of surface

Prices for Steps 1-3.

	A	B	C
<b>Y1358. SH</b>	\$123	131	131
<b>SB</b>	—	\$131	131
<b>DH</b>	\$101	110	110
<b>DB</b>	—	\$110	110

Connect™-Duplex Receptacle, Y1355.  
4-Circuit



Product Information

Description


This 15- or 20-amp duplex receptacle attaches to a power kit or junction block to provide electrical access. Finish is black. UL 183 listed, CUL Certified.

Notes

Connect™ modular power products are not compatible with electrical components used in Herman Miller systems or desking product lines. Receptacle is labeled as I, II, III, or IV for circuit identification. Order the following products separately:

- Dual junction block power kit, 4-circuit (Y1350.)
- Junction block, 4-circuit (Y1358.)

Dimensions



Specification Information

Step 1.

Y1355.

Step 2. Amps

15	15 amp
20	20 amp

Step 3. Circuit


1	circuit I
2	circuit II
3	circuit III
4	circuit IV

Prices for Steps 1-3.

	1	2	3	4
Y1355. 15	\$36	36	36	36
20	\$42	42	42	42


Connect™-Junction Block  
Brackets, 4-Circuit

Y1357.




Product Information
Description
This bracket attaches a 4-circuit junction block to a desk or table. Package of 10.
Notes
Connect™ modular power products are not compatible with electrical components used in Herman Miller systems or desking product lines. To attach junction block flush to bottom of surface, facing down, specify flat attachment to underside of surface option (A). To attach junction block perpendicular to bottom of surface, specify short 90° attachment to underside of surface option (B). Finish on flat attachment to underside of surface option (A) is black. Finish on short 90° attachment to underside of surface option (B) and long 90° attachment to underside of surface option (C) is silver. Order junction block, 4-circuit (Y1358.) separately.
Dimensions

Specification Information
Step 1.
Y1357.
Step 2. Attachment Hardware
A flat attachment to underside of surface
B short 90° attachment to underside of surface
C long 90° attachment to underside of surface
Prices for Steps 1-2.
Y1357. A \$84
B \$130
C \$130



# Connect™-Block Connector, Y1354. 4-Circuit




## Product Information


**Description**  
This block connects components together to distribute power. The H-block connector connects jumpers together at 2-, 3-, and 4-way connection points, or distributes power from a power entry to multiple components. The receptacle-to-receptacle connectors connect 2 junction blocks together. Finish is black. Attachment hardware included. UL 183 listed, CUL Certified.

**Notes**  
Connect™ modular power products are not compatible with electrical components used in Herman Miller systems or desking product lines. When routing power to an adjacent desk or table, surfaces must be ganged together. Order ganging bracket kit (Y1338.) separately.


## Dimensions



H-Block H-Block Bracket



Receptacle-to-Receptacle Block Connector



Short Receptacle-to-Receptacle Block Connector


## Specification Information

**Step 1.**  
**Y1354.**

Step 2. Connector Type	
<b>H</b>	H-block connector
<b>S</b>	short receptacle-to-receptacle block connector <span style="border: 1px solid black; padding: 0 2px;">A</span>
<b>R</b>	receptacle-to-receptacle block connector

Prices for Steps 1-2.	
<b>Y1354. H</b>	\$62
<b>S</b>	\$76
<b>R</b>	\$78

# Connect™-Transition Jumper, 2- to 4-Circuit Y1356.



Product Information


Description

This jumper transfers power from a 2-circuit power kit, receptacle, or connector block to a 4-circuit junction block or connector block. 1 conduit clamp included. UL 183 listed, CUL Certified.

Notes

Connect™ modular power products are not compatible with electrical components used in Herman Miller systems or desking product lines. When routing power to an adjacent desk or table, surfaces must be ganged together. Order ganging bracket kit (Y1338.) separately. Finish on 5/8" oval metallic conduit is silver.

Dimensions



Specification Information

Step 1.

**Y1356.**

Step 2. Width

<b>06</b>	6" wide
<b>24</b>	24" wide
<b>36</b>	36" wide
<b>48</b>	48" wide
<b>72</b>	72" wide
<b>96</b>	96" wide

Step 3. Conduit Type


**L** liquid tight conduit

Prices for Steps 1-3.

	<b>L</b>
<b>Y1356. 06</b>	\$102
<b>24</b>	\$125
<b>36</b>	\$141
<b>48</b>	\$158
<b>72</b>	\$186
<b>96</b>	\$221

## Connect™ - S310 Electrical Unit with Connect Modular Connection

Y1329.



### Product Information

#### Description

This electrical distributor provides power to a lateral file, low credenza, or storage case with a Connect™ 4-circuit modular connector. It can be top surface mounted flush or vertically mounted in the false back of a cabinet. A voice/data adapter kit is included, allowing the data openings to accept various manufacturers' couplers and jacks. Attachment hardware is included. Product is UL listed.

#### Notes

Field cutting of surface may be required. Information on surface cutout size is included on instruction sheet.

Silver option (OI) and white option (OJ) have painted metal trim with white plastic simplex/data interiors. Black option (OH) has black painted trim with black plastic simplex/data interior.


Modular electrical connectors can only connect to Connect 4-circuit modular power system.

Order the following products separately:

- Canvas powered metal low credenza (FMP72A., FMP72K., FMP73A., FMP73K., FMP74A., FMP74K.)
- Canvas powered wood low credenza (FFD73A., FFD73K.)
- Meridian powered storage case (PSC-, PS6-, PSAM-, PSAV-, PSKM-, PSKV-)
- Meridian powered storage lateral file (PS26-, PS2AM, PS2AV, PS2KM, PS2KV)
- Connect - power entry, 4-circuit (Y1351.)
- Connect - junction block to junction block jumper, 4-circuit (Y1353.)
- Connect - block connector, 4-circuit (Y1354.)
- Other Connect 4-circuit modular power components as required

For Canvas powered storage, order Connect - conduit clamp (Y1339.) separately.

### Dimensions



### Specification Information

#### Step 1.

**Y1329.**

#### Step 2. Configuration

**3** 2 simplex receptacles, 2 data openings

**8** 3 simplex receptacles, 1 data opening

#### Step 3. Power Type

**E** 4 circuit circuit 1

**F** 4 circuit circuit 2

**G** 4 circuit circuit 3

**H** 4 circuit circuit 4

#### Step 4. Cord/Conduit Length

**02** 2' conduit

**03** 3' conduit

**04** 4' conduit

**06** 6' conduit

**10** 10' conduit


#### Prices for Steps 1-4.

		<b>02</b>	<b>03</b>	<b>04</b>	<b>06</b>	<b>10</b>
<b>Y1329. 3</b>	<b>E</b>	\$463	479	490	519	576
	<b>F</b>	\$463	479	490	519	576
	<b>G</b>	\$463	479	490	519	576
	<b>H</b>	\$463	479	490	519	576
<b>8</b>	<b>E</b>	\$485	498	516	540	597
	<b>F</b>	\$485	498	516	540	597
	<b>G</b>	\$485	498	516	540	597
	<b>H</b>	\$485	498	516	540	597


#### Step 5. Finish

<b>OH</b>	black	+\$0
<b>OI</b>	silver	+\$0
<b>OJ</b>	white	+\$0

Connect™-Ganging Bracket Kit      Y1338.




Product Information
Description
This kit has 2 clips that attach to the underside of 2 adjacent surfaces, ganging them together to provide stability and allowing electrical components to be routed from 1 surface to another. Finish is black.
Notes
Ganging bracket kit should not be used on 18"-deep Everywhere™ tables.
Dimensions



Specification Information
Step 1.
Y1338.      \$111

Connect™-Conduit Clamp


Y1339.



Product Information

Description  
This clamp screws to the underside of a surface to support the conduit on electrical components. Finish is silver. Package of 10.

Dimensions




Specification Information

Step 1.  
**Y1339.** \$17



Power Plug Strip

Y1500.



Product Information

Description

This corded power strip provides 6 outlets. It is available with 6' and 10' cord lengths. Power strip is UL Listed and CSA Certified. Finish is black.

Notes


The 10' cord (10) length is recommended for use with height adjustable table.

When used with Canvas Vista™, power strip plugs directly into the harness with power + data cover (FG150.) located under the chase.

Order the following products separately:

- Hinged cable trough (Y1300.)
- Vista harness with power + data cover (FG150.)

Dimensions



Specification Information

Step 1.

Y1500.

Step 2. Configuration

6	6 AC outlets
---	--------------

Step 3. Cord Length


06	6' long
10	10' long

Prices for Steps 1-3.

	06	10
Y1500. 6	\$92	107

# Pari Screen, Height Adjustable Tables

Y1116.



## Product Information


**Description**  
This screen attaches to an individual height adjustable work surface. It has an all-fabric, tackable surface with frameless design, and comes in privacy and modesty sizes. Attachment hardware included.

**Notes**  
Privacy and modesty panel actual width is 2" less than specified width.  
Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 10" below work surface.  
Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 10" below work surface.  
Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.  
Privacy & modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 10" below work surface.  
Screens 54" wide and wider include an additional 1"-wide center mounting bracket.  
Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.  
Optional cable management trough is only available when specifying privacy & modesty height option (B). Trough finish is graphite.  
Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.  
Attachment bracket finish is painted graphite.  
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):  
**Height—Yardage**  
A—1.51  
B—1.89  
C—1.76  
D—2.14  
E—2.21  
F—2.58

For horizontal fabric direction (R):  
**Width—Yardage**  
For heights A/B:  
24—0.88  
30—1.07  
36—1.26  
42—1.45  
48—1.64  
54—1.83  
60—2.02  
66—2.21  
72—2.39  
For heights C/D/E/F:  
24—1.76  
30—2.14  
36—2.52  
42—2.90  
48—3.28  
54—3.65  
60—4.03  
66—4.41  
72—4.79  
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.  
MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.  
MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.  
MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).

## Dimensions



# Pari Screen, Height Adjustable Tables *continued*

Thrive™ Screens

Specification Information					
Step 1.					
Y1116. <span>A</span>					
Step 2. Height					
A	privacy (42" high) <span>A</span>				
B	privacy & modesty (42" high/10" below surface) <span>A</span>				
C	privacy (46" high) <span>A</span>				
D	privacy & modesty (46" high/10" below surface) <span>A</span>				
E	privacy (53" high) <span>A</span>				
F	privacy & modesty (53" high/10" below surface) <span>A</span>				
Step 3. Width					
24	24" wide <span>A</span>				
30	30" wide <span>A</span>				
36	36" wide <span>A</span>				
42	42" wide <span>A</span>				
48	48" wide <span>A</span>				
54	54" wide <span>A</span>				
60	60" wide <span>A</span>				
66	66" wide <span>A</span>				
72	72" wide <span>A</span>				
Step 4. Surface Material					
For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)					
R	tackable fabric, horizontal <span>A</span>				
T	tackable fabric <span>A</span>				
D	tackable fabric, horizontal with MicrobeCare™ <span>A</span>				
E	tackable fabric with MicrobeCare™ <span>A</span>				
For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)					
R	tackable fabric, horizontal <span>A</span>				
D	tackable fabric, horizontal with MicrobeCare™ <span>A</span>				
Prices for Steps 1-4.					
		R	T	D	E
Y1116. A	24	\$539	539	606	606
	30	\$626	626	691	691
	36	\$650	650	716	716
	42	\$689	689	756	756
	48	\$714	714	781	781
	54	\$784	—	850	—
	60	\$842	—	909	—
	66	\$900	—	968	—
	72	\$950	—	1015	—


<b>B</b>	<b>24</b>	\$651	651	717	717
	<b>30</b>	\$698	698	763	763
	<b>36</b>	\$742	742	807	807
	<b>42</b>	\$784	784	850	850
	<b>48</b>	\$870	870	936	936
	<b>54</b>	\$979	—	1045	—
	<b>60</b>	\$1004	—	1070	—
	<b>66</b>	\$1080	—	1147	—
	<b>72</b>	\$1107	—	1174	—
<b>C</b>	<b>24</b>	\$613	613	679	679
	<b>30</b>	\$656	656	722	722
	<b>36</b>	\$702	702	768	768
	<b>42</b>	\$745	745	811	811
	<b>48</b>	\$823	823	888	888
	<b>54</b>	\$905	—	970	—
	<b>60</b>	\$1008	—	1074	—
	<b>66</b>	\$1057	—	1123	—
	<b>72</b>	\$1100	—	1165	—
<b>D</b>	<b>24</b>	\$788	788	853	853
	<b>30</b>	\$830	830	896	896
	<b>36</b>	\$874	874	940	940
	<b>42</b>	\$918	918	984	984
	<b>48</b>	\$987	987	1055	1055
	<b>54</b>	\$1035	—	1101	—
	<b>60</b>	\$1097	—	1163	—
	<b>66</b>	\$1152	—	1218	—
	<b>72</b>	\$1182	—	1247	—
<b>E</b>	<b>24</b>	\$806	806	872	872
	<b>30</b>	\$850	850	916	916
	<b>36</b>	\$894	894	959	959
	<b>42</b>	\$964	964	1031	1031
	<b>48</b>	\$992	992	1059	1059
	<b>54</b>	\$1048	—	1116	—
	<b>60</b>	\$1069	—	1136	—
	<b>66</b>	\$1096	—	1162	—
	<b>72</b>	\$1121	—	1187	—
<b>F</b>	<b>24</b>	\$888	888	954	954
	<b>30</b>	\$931	931	998	998
	<b>36</b>	\$976	976	1042	1042
	<b>42</b>	\$1020	1020	1086	1086
	<b>48</b>	\$1098	1098	1164	1164
	<b>54</b>	\$1136	—	1201	—
	<b>60</b>	\$1178	—	1244	—
	<b>66</b>	\$1274	—	1339	—
	<b>72</b>	\$1299	—	1365	—

# Pari Screen, Height Adjustable Tables *continued*

Step 5. Cable Trough		
<i>For privacy &amp; modesty (42" high/10" below surface) (B), privacy &amp; modesty (46" high/10" below surface) (D), or privacy &amp; modesty (53" high/10" below surface) (F)</i>		
<b>NC</b>	no cable way <input type="checkbox"/>	+\$0
<b>CW</b>	cable way <input type="checkbox"/>	+\$25
Step 6. Fabric		
	Price Category 1	+\$0
	Price Category 2	+\$23
	Price Category 3	+\$49
	Price Category 4	+\$96
	Price Category 5	+\$162
	Price Category B	+\$86
	Price Category C	+\$121
	Price Category E	+\$182

Personal Side Screen

Y1117.




Product Information

**Description**  
This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

**Notes**  
Screen height is 13" above work surface.  
Screen is not compatible with Layout Studio®.  
Screen can be used with work surfaces up to 1 1/4" thick.  
Bottom of attachment bracket extends 1 1/2" below work surface.  
Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.  
For vertical fabric direction (T):  
Height—Yardage  
13—0.94  
For horizontal fabric direction (R):  
Height—Yardage  
13—1.00  
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions




Specification Information

**Step 1.**  
**Y1117.** [A]  
**Step 2. Height**  
**13** 13" high [A]  
**Step 3. Surface Material**  
**R** tackable fabric, horizontal [A]  
**T** tackable fabric [A]

Prices for Steps 1-3.		
	R	T
<b>Y1117. 13</b>	\$478	478


Step 4. Fabric	
Price Category 1	+\$0
Price Category 2	+\$13
Price Category 3	+\$28
Price Category 4	+\$53
Price Category 5	+\$90
Price Category C	+\$66

# Surface-Attached Screen, Flat Edge Y1118.



Product Information
<p><b>Description</b></p> <p>This surface-attached tackable screen attaches to an individual table, desk, or work surface. It has a frameless all-fabric design with a flat edge, and comes in privacy and modesty sizes. Attachment hardware included.</p>
<p><b>Notes</b></p> <p>Privacy and modesty panel actual width is 2" less than specified width.</p> <p>Privacy screen (A) top edge is 13" above top of work surface; bottom edge is 3 3/4" below work surface.</p> <p>Privacy &amp; modesty screen (B) top edge is 13" above top of work surface; bottom edge is 10" below work surface.</p> <p>Privacy screen (A) top edge aligns with the 42" high Canvas datum line; bottom edge is 4" below work surface.</p> <p>Privacy &amp; modesty screen (B) top edge aligns with the 42" high Canvas datum line; bottom edge is 9" below work surface.</p> <p>Privacy screen (C) top edge aligns with the 46" high Canvas datum line; bottom edge is 4" below work surface.</p> <p>Privacy &amp; modesty screen (D) top edge aligns with the 46" high Canvas datum line; bottom edge is 9" below work surface.</p> <p>Privacy screen (E) top edge aligns with the 53" high Canvas datum line; bottom edge is 4" below work surface.</p> <p>Privacy &amp; modesty screen (F) top edge aligns with the 53" high Canvas datum line; bottom edge is 9" below work surface.</p> <p>Screens 54" wide and wider include an additional 1"-wide center mounting bracket.</p> <p>Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface. Optional cable management trough is only available when specifying privacy &amp; modesty height option (B). Trough finish is graphite.</p> <p>Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.</p> <p>Attachment bracket finish is painted graphite.</p> <p>Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.</p> <p>For vertical fabric direction (T):</p> <p>Height—Yardage</p> <p>A—1.51</p> <p>B—1.89</p> <p>C—1.76</p> <p>D—2.14</p> <p>E—2.21</p> <p>F—2.58</p>

For horizontal fabric direction (R):
Width—Yardage
For heights A/B:
24—0.88
30—1.07
36—1.26
42—1.45
48—1.64
54—1.83
60—2.02
66—2.21
72—2.39
For heights C/D/E/F:
24—1.76
30—2.14
36—2.52
42—2.90
48—3.28
54—3.65
60—4.03
66—4.41
72—4.79
For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.
MicrobeCare™ is an antimicrobial coating applied to the fabric surface of this product.
MicrobeCare™ protects products from mold, mildew, algae, and bacteria that cause deterioration, discoloration, odors, and stains.
MicrobeCare™ is registered with the US Environmental Protection Agency (EPA).



# Surface-Attached Screen, Flat Edge *continued*

Thrive™ Screens

Specification Information					
Step 1.					
Y1118. <span style="border: 1px solid black; padding: 0 2px;">A</span>					
Step 2. Height					
A	privacy (42" high) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
B	privacy & modesty (42" high/ 9" below surface) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
C	privacy (46" high) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
D	privacy & modesty (46" high/ 9" below surface) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
E	privacy (53" high) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
F	privacy & modesty (53" high/ 9" below surface) <span style="border: 1px solid black; padding: 0 2px;">A</span>				
Step 3. Width					
24	24" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
30	30" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
36	36" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
42	42" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
48	48" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
54	54" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
60	60" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
66	66" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
72	72" wide <span style="border: 1px solid black; padding: 0 2px;">A</span>				
Step 4. Surface Material					
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), or 48" wide (48)</i>					
R	tackable fabric, horizontal <span style="border: 1px solid black; padding: 0 2px;">A</span>				
T	tackable fabric <span style="border: 1px solid black; padding: 0 2px;">A</span>				
D	tackable fabric, horizontal with MicrobeCare™ <span style="border: 1px solid black; padding: 0 2px;">A</span>				
E	tackable fabric with MicrobeCare™ <span style="border: 1px solid black; padding: 0 2px;">A</span>				
<i>For 54" wide (54), 60" wide (60), 66" wide (66), or 72" wide (72)</i>					
R	tackable fabric, horizontal <span style="border: 1px solid black; padding: 0 2px;">A</span>				
D	tackable fabric, horizontal with MicrobeCare™ <span style="border: 1px solid black; padding: 0 2px;">A</span>				
Prices for Steps 1-4.					
		R	T	D	E
Y1118. A	24	\$375	375	441	441
	30	\$405	405	471	471
	36	\$483	483	550	550
	42	\$520	520	586	586
	48	\$557	557	622	622
	54	\$592	—	657	—
	60	\$642	—	708	—
	66	\$672	—	738	—
72	\$716	—	782	—	

<b>B</b>	<b>24</b>	\$467	467	532	532
	<b>30</b>	\$503	503	570	570
	<b>36</b>	\$539	539	606	606
	<b>42</b>	\$577	577	643	643
	<b>48</b>	\$607	607	674	674
	<b>54</b>	\$640	—	705	—
	<b>60</b>	\$662	—	728	—
	<b>66</b>	\$722	—	789	—
	<b>72</b>	\$776	—	842	—
<b>C</b>	<b>24</b>	\$468	468	534	534
	<b>30</b>	\$516	516	582	582
	<b>36</b>	\$555	555	621	621
	<b>42</b>	\$611	611	677	677
	<b>48</b>	\$685	685	750	750
	<b>54</b>	\$721	—	788	—
	<b>60</b>	\$806	—	872	—
	<b>66</b>	\$848	—	913	—
	<b>72</b>	\$909	—	975	—
<b>D</b>	<b>24</b>	\$588	588	655	655
	<b>30</b>	\$656	656	722	722
	<b>36</b>	\$732	732	797	797
	<b>42</b>	\$748	748	815	815
	<b>48</b>	\$779	779	846	846
	<b>54</b>	\$801	—	866	—
	<b>60</b>	\$887	—	953	—
	<b>66</b>	\$959	—	1026	—
	<b>72</b>	\$999	—	1065	—
<b>E</b>	<b>24</b>	\$638	638	703	703
	<b>30</b>	\$647	647	713	713
	<b>36</b>	\$665	665	731	731
	<b>42</b>	\$781	781	848	848
	<b>48</b>	\$808	808	875	875
	<b>54</b>	\$829	—	895	—
	<b>60</b>	\$866	—	932	—
	<b>66</b>	\$944	—	1011	—
	<b>72</b>	\$1005	—	1071	—
<b>F</b>	<b>24</b>	\$772	772	838	838
	<b>30</b>	\$781	781	848	848
	<b>36</b>	\$795	795	861	861
	<b>42</b>	\$808	808	875	875
	<b>48</b>	\$819	819	886	886
	<b>54</b>	\$830	—	896	—
	<b>60</b>	\$918	—	984	—
	<b>66</b>	\$965	—	1032	—
	<b>72</b>	\$1166	—	1232	—

## Surface-Attached Screen, Flat Edge *continued*

### Step 5. Cable Trough

*For privacy & modesty (42" high/ 9" below surface) (B), privacy & modesty (46" high/ 9" below surface) (D), or privacy & modesty (53" high/ 9" below surface) (F)*

<b>NC</b>	no cable way <input type="checkbox"/>	+\$0
<b>CW</b>	cable way <input type="checkbox"/>	+\$25

### Step 6. Fabric

Price Category B	+\$97
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category C	+\$133
Price Category E	+\$182


*For tackable fabric, horizontal (R) or tackable fabric, horizontal with MicrobeCare™ (D)*

Price Category B	+\$97
Price Category E	+\$182
Price Category 1	+\$0
Price Category 2	+\$25
Price Category 3	+\$59
Price Category 4	+\$112
Price Category 5	+\$146
Price Category C	+\$133



Personal Side Screen,  
Rectangular

Y1119.



Product Information

Description

This side screen has a tackable surface and slips onto the front of most HermanMiller work surfaces to provide visual privacy on tables, benches, and systems product. It attaches without tools and can be secured in place with screws on the underside of the surface. Clamp finish is graphite.

Notes

Screen height is 13" above work surface.

Screen is not compatible with Layout Studio®.

Screen can be used with work surfaces up to 1¼" thick.

Bottom of attachment bracket extends 1½" below work surface.

Screen accepts Customer's Own Material (COM). Yardage is estimated for nondirectional 54"-wide fabrics.

For vertical fabric direction (T):

Height—Yardage

13—0.94


For horizontal fabric direction (R):

Height—Yardage

13—1.00

For information on multiple quantities or directional fabrics, contact COM Department. See Order Information in Appendices.

Dimensions



Specification Information

Step 1.

Y1119. A

Step 2. Height

13 13" high A

Step 3. Surface Material

R tackable fabric, horizontal A

T tackable fabric A

Prices for Steps 1-3.


	R	T
Y1119. 13	\$464	464

Step 4. Surface Finish

Price Category 5	+\$0
Price Category 1	+\$0
Price Category 2	+\$11
Price Category 3	+\$0
Price Category 4	+\$47
Price Category C	+\$66

# Laminate Screen, Surface Attached

Y1120.



## Product Information

### Description

This screen attaches to an individual height adjustable work surface. It has a laminate surface with frameless design and comes in privacy and modesty sizes. Attachment hardware included.

### Notes

Privacy and modesty panel actual width is 2" less than specified width.

Privacy screen (13A) top edge aligns with the 42"-high Canvas datum line; bottom edge is 4" below work surface.

Privacy & modesty screen (13B) top edge aligns with the 42"-high Canvas datum line; bottom edge is 11 1/8" below work surface.

Screens 54" wide and wider include an additional 1"-wide center mounting bracket.


Recommended mounting creates a 1" gap between back edge of surface and the screen to accommodate cable routing and the attachment or clamp-mounting of other hardware to the surface.

Optional cable management trough is only available when specifying privacy & modesty height option (13B). Trough finish is graphite.

Attachment brackets are inset from edge of screen by approximately 8" and require 2 1/2" of work surface for attachment.

Attachment bracket finish is painted graphite.

## Dimensions



## Specification Information

### Step 1.

**Y1120.**

### Step 2. Height

**13A** privacy (13 1/2" above worksurface)

**13B** privacy & modesty (13 1/2" above worksurface/11 1/8" below worksurface)

### Step 3. Width

**24** 24" wide

**30** 30" wide

**36** 36" wide

**42** 42" wide

**48** 48" wide

**54** 54" wide

**60** 60" wide

**66** 66" wide

**72** 72" wide

### Step 4. Surface Material

**L** thermally-fused laminate

**U** thermally-fused laminate/universal edge

## Prices for Steps 1-4.

	<b>L</b>	<b>U</b>
<b>Y1120. 13A 24</b>	\$248	248
<b>30</b>	\$264	264
<b>36</b>	\$277	277
<b>42</b>	\$291	291
<b>48</b>	\$304	304
<b>54</b>	\$317	317
<b>60</b>	\$327	327
<b>66</b>	\$337	337
<b>72</b>	\$351	351
<b>13B 24</b>	\$306	306
<b>30</b>	\$323	323
<b>36</b>	\$339	339
<b>42</b>	\$357	357
<b>48</b>	\$374	374
<b>54</b>	\$388	388
<b>60</b>	\$404	404
<b>66</b>	\$416	416
<b>72</b>	\$430	430

# Laminate Screen, Surface Attached *continued*

Thrive™ Screens

Step 5. Grain Direction		
<i>For 24" wide (24), 30" wide (30), 36" wide (36), 42" wide (42), 48" wide (48), 54" wide (54), or 60" wide (60)</i>		
<b>VTG</b>	vertical grain	+\$0
<b>HRG</b>	horizontal grain	+\$0
<i>For 66" wide (66) or 72" wide (72)</i>		
<b>HRG</b>	horizontal grain	+\$0
Step 6. Cable Trough		
<i>For privacy (13½" above worksurface) (13A)</i>		
<b>NC</b>	no cable way	+\$0
<i>For privacy &amp; modesty (13½" above worksurface/11⅛" below worksurface) (13B)</i>		
<b>NC</b>	no cable way	+\$0
<b>CW</b>	cable way	+\$25

Step 7. Surface Finish		
<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

# Laminate Screen, Surface Attached *continued*

## Step 8. Edge Finish


### *For thermally-fused laminate (L)*

<b>76</b>	light brown walnut	+\$0
<b>8Q</b>	folkstone grey	+\$0
<b>91</b>	white	+\$0
<b>98</b>	studio white	+\$0
<b>BU</b>	black umber	+\$0
<b>CL</b>	cool grey neutral	+\$0
<b>HF</b>	inner tone light	+\$0
<b>HM</b>	natural maple	+\$0
<b>HP</b>	light anigre	+\$0
<b>HX</b>	aged cherry	+\$0
<b>HY</b>	walnut on cherry	+\$0
<b>LA</b>	light ash	+\$0
<b>LBA</b>	clear on ash	+\$0
<b>LBR</b>	phantom ecru	+\$0
<b>LBS</b>	phantom cocoa	+\$0
<b>LBU</b>	medium matte walnut	+\$0
<b>LBV</b>	warm grey teak	+\$0
<b>LBB</b>	oak on ash	+\$0
<b>LBC</b>	walnut on ash	+\$0
<b>LBD</b>	dark brown walnut	+\$0
<b>LBF</b>	neutral twill	+\$0
<b>LBG</b>	sarum twill	+\$0
<b>LBH</b>	earthen twill	+\$0
<b>LBJ</b>	graphite twill	+\$0
<b>LBM</b>	crisp linen	+\$0
<b>LBN</b>	classic linen	+\$0
<b>LBP</b>	casual linen	+\$0
<b>LBQ</b>	white twill	+\$0
<b>LU</b>	soft white	+\$0
<b>WL</b>	sandstone	+\$0
<b>WN</b>	warm grey neutral	+\$0

### *For thermally-fused laminate/universal edge (U)*

<b>PLY</b>	plywood edge	+\$50
------------	--------------	-------

Name Tag ClipY1121.





Product Information

**Description**  
This metal name tag clip hangs on surface-attached laminate screens. It can hold 2 or 4 name tags.

Notes

The 2-name-tag clip (2) holds 2 magnetic name tags (YT410.05M) in a back-to-back orientation.  
The 4-name-tag clip (4) holds 2 magnetic name tags (YT410.05M) side-by-side on the front side, and 2 side-by-side on the back side.  
Name tag clip can hang on any HermanMiller laminate screen.  
Order magnetic name tag (YT410.05M) separately.  
Order name tag insert for magnetic name tag (O.YT1900) separately through Sales Source.

Dimensions



Specification Information

Step 1.

Y1121. A

Step 2. Screen Type

L thermally-fused laminate A

Step 3. Application

2 2 magnetic name tags A

4 4 magnetic name tags A

Prices for Steps 1-3.

	2	4
Y1121. L	\$27	38

Step 4. Screen Finish

91	white <span>A</span>	+\$0
G1	graphite <span>A</span>	+\$0
MS	metallic silver <span>A</span>	+\$0
SNB	satin bronze <span>A</span>	+\$10

Thrive™ Screens