




Flo® Modular Bracket - Bracket Only

Y92103




Product Information
Description
This bracket attaches a Flo® monitor arm to the Wishbone post.
Notes
This product is the bracket only.
Bracket includes a 180° stop to protect area behind work surface.
Each Flo arm used on a Wishbone post requires a bracket.
Dimensions



Specification Information		
Step 1.		
Y92103.	<input type="text" value="A"/>	\$77
Step 2. Finish		
01	silver <input type="text" value="A"/>	+\$0

Flo® X Dual Mount Bar - Bar only Y98002



Product Information

Description

Flo® X Dual Mount Bar attaches to Flo X Multi Mount Monitor Arm for dual screen mounting. It offers side-to-side screen-position adjustment on bar with quick-release locking and individual fine adjustment.

Side-to-side swivel of individual screens permits “cockpit” or “flat” screen configurations and continuous curvature alignment of curved screens. Complete bar/monitor installation can be tilted via the screw-operated tilt feature of the Flo X multi mount monitor arm. VESA plates and fixing screws included.

Notes

75 mm and 100 mm VESA compliant.


Bar holds 2 monitors up to 32" and weighing between 2-18 lbs. (1-8 kg) each.

Flo X dual mount bar will not mount to the Flo X monitor arm (Y98000.). It is compatible with Flo X multi mount monitor arm (Y98001.) only.

Order the following products separately:

- Flo X multi mount monitor arm (Y98001.)
- Flo X triple bar extension kit (Y98003.)
- Flo X two-piece clamp mount (Y98005.)

Dimensions




Specification Information		
Step 1.		
Y98002.	A	\$271
Step 2. Finish		
0H	black A	+\$0

Thrive™ Technology Support

Flo® X Triple Bar Extension Kit

Y98003



Product Information

Description

This kit expands Flo® X Dual Mount Bar to triple-screen capability. VESA plates and fixing screws included.

Notes


75 mm and 100 mm VESA compliant.
When attached to the dual mount bar, it supports 3 monitors up to 27" and weighing between 2-11 lbs. (1-5 kg) each.
Order the following products separately:


- Flo X multi mount monitor arm (Y98001.)
- Flo X dual mount bar (Y98002.)
- Flo X two-piece clamp mount (Y98005.)

Flo X multi mount handle (Y98004.) is optional but highly recommended. Order separately.


Dimensions

Specification Information		
Step 1.		
Y98003.	A	\$174
Step 2. Finish		
0H	black A	+\$0






Product Information
Description
This handle is recommended for use on Flo® X dual and triple configurations to facilitate easy movement of monitors. It attaches directly to Flo X dual mount bar and offers 2 mount height options. Wide format for easy 2-handed grip. Handle attachment hardware included.
Dimensions



Specification Information	
Step 1.	
Y98004. <input type="text" value="A"/>	\$111
Step 2. Finish	
0H black <input type="text" value="A"/>	+\$0


Flo Plus Single Head Mount -
Head Only

Y92097




Product Information
Description
This mounting head attaches a Flo® Plus monitor arm to a monitor and provides +52°/-6° of tilt. This part also serves as the kit to convert a Flo Plus Dual to a Flo Plus Single.
Notes
75mm and 100mm VESA compliant. Order this single head mount to convert a Flo Plus Dual to a Flo Plus Single. Supports monitors ranging in weight from 20-33 pounds.
Dimensions

Specification Information		
Step 1.		
Y920972.	<input type="text" value="A"/>	\$135
Step 2. Finish		
0H	black <input type="text" value="A"/>	+\$0



Flo Plus Dual Mount Bar - Dual Mount Bar Only

Y92097



Product Information

Description

This dual mount bar attaches 2 monitors to a Flo Plus monitor arm-arm only. The handle allows both monitors to move in tandem. The bar holds 2 monitors up to 24" wide and ranging in weight from 10-20 pounds each. This part also serves as the kit to convert a Flo Plus Single to a Flo Plus Dual. VESA brackets included.

Notes

75mm and 100mm VESA compliant.


Allen wrench for installing and tensioning the monitor arms included.

Order this dual mount bar to convert a Flo Plus Single to a Flo Plus Dual.

Order Flo Plus monitor arm-arm only (Y920970.) separately.


Supports monitors ranging in weight from 10-20 pounds each.

Dimensions




Specification Information		
Step 1.		
Y920973.	A	\$374
Step 2. Finish		
01	silver	A+\$0

Ollin® Dual Bar Handle - Handle Y95123
Only




Product Information
Description
This handle attaches to the Ollin Dual Bar. It allows both monitors to move in tandem.
Notes
Order the following products separately:
• Ollin dual bar (Y95122.)
• Ollin single-screen monitor arm support with desired attachment (Y95111.1xxx)
• Ollin single screen monitor arm-arm only (Y95000.)
Dimensions

Specification Information
Step 1.
Y95123. A
Step 2. Finish
0H black A
Prices for Steps 1-2.
Y95123. 0H \$40



Enhanced Back-To-Back Post Bracket

Y92009




Product Information

Description

Notes


Dimensions

Specification Information		
Step 1.		
Y92009.		\$133
Step 2. Finish		
01	silver	+\$0



Wishbone Dual Bar - Bar Only

Y92104



Product Information

Description

Notes


This dual bar attaches to the Wishbone post to allow 2 monitors to be set at the appropriate ergonomic height. It is a great solution for high density applications getting the monitors aligned at the back of the work surface. It comes with the VESA brackets set up in a cockpit orientation.

This product number is for the dual bar only.

Product accepts 2 monitors up to 24" each on the crossbar.

Product supports monitors up to 26 pounds each.


Dimensions





Specification Information		
Step 1.		
Y92104.	A	\$501
Step 2. Finish		
01	silver A	+\$0

Oripura Laptop Stand

Y92075




Product Information
Description
This portable, folding laptop stand facilitates ergonomic use of notebook computers in agile working spaces. It elevates the laptop off the work surface, ideal for creating an ergonomic workstation while in the office, working from home or on the go. It supports laptops from 11" to 16" screen size.
Notes
Accommodates laptop weights from 2.2 lbs. (1.0 kg) to 6.2 lbs. (2.8 kg).
Supports laptops from 11" to 16" screen size.
Stand requires the use of an external keyboard and mouse.
Dimensions



Specification Information		
Step 1.		
Y92075.	<input type="text" value="A"/>	\$52
Step 2. Finish		
0J	white <input type="text" value="A"/>	+\$0
0MT	mint green <input type="text" value="A"/>	+\$0
0YW	yellow <input type="text" value="A"/>	+\$0

Thrive™ Technology Support


LOOP™ Adjustable CPU Holder Assembly Y91104



Product Information
Description
This CPU holder hangs below a surface to hold a CPU in a vertical position and includes a 5" or 13 3/4" track. Height adjusts from 9 1/2" to 19 3/4" high. Width adjusts from 3.1" to 9" wide.
Notes
CPU holder supports a maximum of 44 lbs. This product was designed by Colebrook Bosson Saunders Products Ltd.
Dimensions


Specification Information
Step 1.
Y91104.
Step 2. Length
05 5" long <input type="checkbox"/> A
13 13 3/4" long
Prices for Steps 1-2.
Y91104. 05 \$265
13 \$271
Step 3. Finish

For 5" long (05)
0I silver +\$0
For 13 3/4" long (13)
0H black +\$0




JAW™ Adjustable CPU Holder Assembly

Y91103




Product Information
Description
This CPU holder hangs below a surface to hold a CPU in a vertical position and includes a 5" or 13¾" track. Height adjusts from 11½" to 20" high. Width adjusts from 3½" to 9½" wide.
Notes
CPU holder supports a maximum of 55 lbs.
This product was designed by Colebrook Bosson Saunders Products Ltd.
Dimensions




Specification Information
Step 1.
Y91103.
Step 2. Length
05 5" long A
13 13¾" long
Prices for Steps 1-2.
Y91103. 05 \$343
13 \$349
Step 3. Finish
For 5" long (05)
0I silver +\$0
For 13¾" long (13)
0H black +\$0

LOOP™ Adjustable CPU Holder Y92041




Product Information
Description
This CPU holder hangs below a surface to hold a CPU in a vertical position. The height can be adjusted from 11" to 19¾" high. The width can be adjusted from 3½" to 9" wide.
Notes
Specify CPU holder slide and rotate kit (Y92038.) separately.
CPU holder supports a maximum of 44 lbs.
This product was designed by Colebrook Bosson Saunders Products Ltd.
Dimensions

Specification Information
Step 1.
Y92041.
\$208
Step 2. Finish
0H black
+\$0



JAW™ Adjustable CPU Holder


Y92040



Product Information
Description
This CPU holder hangs below a surface to hold a CPU in a vertical position. The height can be adjusted from 11½" to 20" tall. The width can be adjusted from 3½" to 9½" wide.
Notes
Specify CPU holder slide and rotate kit (Y92038.) separately.
CPU holder supports a maximum of 55 lbs.
This product was designed by Colebrook Bosson Saunders Products Ltd.
Dimensions


Specification Information	
Step 1.	
Y92040. <input type="text" value="A"/>	\$286
Step 2. Finish	
01 silver <input type="text" value="A"/>	+\$0

Thrive™ Technology Support




Universal CPU Holder Slide & Rotate Kit


Y92038



Product Information
Description
This kit attaches to a surface to support a CPU holder. It includes a track that allows the CPU holder to slide out and rotate for easy access. Attachment hardware included.
Notes
Slide & rotate kit is compatible with Colebrook Bosson Saunders CPU holders.
This product was designed by Colebrook Bosson Saunders Products Ltd.
Dimensions



Universal slide & rotate




Universal Mounting rotating bracket

Specification Information
Step 1.
Y92038.
Step 2. Length
05 5" long A
13 13 3/4" long
Prices for Steps 1-2.
Y92038. 05 \$57
13 \$63
Step 3. Finish
For 5" long (05)
0I silver A +\$0
For 13 3/4" long (13)
0H black +\$0

Squared-Edge Corner Wedge

Y2091.



Product Information

Description

This wedge attaches to 2 work surfaces at a 90° angle to provide a corner work surface. It can be used with Action Office®, Canvas, and Ethospace® surfaces. The wedge has a laminate top and thermoplastic edge, laminate top with a thermoplastic backed plywood edge, or a veneer top and edge. Attachment hardware is included.

Notes

Corner wedge can support a keyboard tray attached to the underside of the work surfaces in 90° corner applications.

Dimensions

Specification Information

Step 1.


Y2091.

Step 2. Surface Material

L	high-pressure laminate top/thermoplastic edge
U	high-pressure laminate/universal edge
W	veneer A

Prices for Steps 1-2.

Y2091. L	\$165
U	\$158
W	\$236



Thrive™ Technology Support

Squared-Edge Corner Wedge

continued

Step 3.

Top Finish

For high-pressure laminate top/thermoplastic edge (L) or high-pressure laminate/universal edge (U)

76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LT	light tone	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Top/Edge Finish: Recut Veneer

For veneer (W)

RA	light ash A	+\$0
RK	mahogany dark A	+\$0
RM	mahogany A	+\$0

Top/Edge Finish: Wood Veneer

For veneer (W)

CHD	noble cherry A	+\$39
2U	light brown walnut A	+\$39
40	dark brown walnut A	+\$39
EK	medium red walnut A	+\$39
EW	medium matte walnut A	+\$39
ET	clear on ash A	+\$39
EU	oak on ash A	+\$39
EV	walnut on ash A	+\$39
UL	natural maple A	+\$39

Step 4. Edge Finish

For high-pressure laminate top/thermoplastic edge (L)


76	light brown walnut	+\$0
8Q	folkstone grey	+\$0
91	white	+\$0
98	studio white	+\$0
BU	black umber	+\$0
CL	cool grey neutral	+\$0
HF	inner tone light	+\$0
HM	natural maple	+\$0
HP	light anigre	+\$0
HX	aged cherry	+\$0
HY	walnut on cherry	+\$0
LA	light ash	+\$0
LBA	clear on ash	+\$0
LBR	phantom ecru	+\$0
LBS	phantom cocoa	+\$0
LBU	medium matte walnut	+\$0
LBV	warm grey teak	+\$0
LBB	oak on ash	+\$0
LBC	walnut on ash	+\$0
LBD	dark brown walnut	+\$0
LBF	neutral twill	+\$0
LBG	sarum twill	+\$0
LBH	earthen twill	+\$0
LBJ	graphite twill	+\$0
LBM	crisp linen	+\$0
LBN	classic linen	+\$0
LBP	casual linen	+\$0
LBQ	white twill	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0
WN	warm grey neutral	+\$0

Squared-Edge Corner Wedge

continued

<i>For high-pressure laminate/universal edge (U)</i>		
PLY	plywood edge	+\$50

AV/VC One Technology Support Kit Y96111



Product Information

Description

The AV/VC One technology support kit provides all the equipment to support A/V and video conferencing needs for single or dual screens. It features lockable casters to facilitate easy movement from one location to another. Kit includes a universal camera mount that can be mounted above or below the screen(s), a universal codec mount supporting video conferencing from most manufacturers, and 1 or 2 screen mounting brackets. Ships knocked down.

Notes

Maximum load capacity for single screen kit is 132 pounds. Maximum load capacity for dual screen kit is 264 pounds.


Single screen kit supports screen formats from 55" to 80".

Dual screen kit supports screen formats from 55" to 65".

Order the AV/VC One shelf (Y96005.) separately.

This product was designed by Colebrook Bosson Saunders Products Ltd.

Dimensions



Specification Information

Step 1.

Y96111. A

Step 2. Screen Integration

1 one screen set-up A

2 two screen set-up A

Step 3. Front Type

A full front panel A

B front technology box and panel A

Prices for Steps 1-3.


	A	B
Y96111. 1	\$4384	4943
2	\$4923	5482

Step 4. Finish

0H black A +\$0

AV/VC One Column Kit

Y96000



Product Information

Description

This kit is the vertical column used to support screens. It features a lockable back panel for security and easy access, and includes 1 camera and codec mount. It has a ventilated back and top to allow for airflow within the unit. The column offers easy hook-on features to permit quick and easy mounting of core parts and accessories. Column supports up to 132 pounds when mounting a single screen, and up to 264 pounds for a dual screen configuration.

Notes

Order the following products separately, as needed:

- AV/VC One front box kit (Y96003.) or full front panel (Y96004.)
- AV/VC One base (Y96001.)
- AV/VC One screen mount kit (Y96002.)
- AV/VC One shelf (Y96005.)


This column is used in the AV/VC One technology support kit (Y96111.).

This product was designed by Colebrook Bosson Saunders Products Ltd.

Dimensions


Specification Information		
Step 1.		
Y96000.	A	\$2599
Step 2. Finish		
0H	black A	+\$0

Thrive™ Technology Support



AV/VC One Base

Y96001



Product Information

Description

Notes

Dimensions

The AV/VC One base features lockable casters and a cutout in front to allow users to interact with the screen. The AV/VC One column kit and column kit in the AV/VC One technology support kit attach to the base to support the screens.

Order the following products separately, as needed:

- AV/VC One column kit (Y96000.)
- AV/VC One technology support kit (Y96111.)

Base includes cable management hole.

This column is used in the AV/VC One technology support kit (Y96111.).

This product was designed by Colebrook Bosson Saunders Products Ltd.

Specification Information		
Step 1.		
Y96001.	A	\$936
Step 2. Finish		
0H	black A	+\$0

