



2018 PRICE LIST



The difference is in the details

2018 PRICE LIST

Effective January 1, 2018

Please refer to our online price book at www.9to5Seating.com/download for the latest changes including product drops and additions.

•
•

www.9to5Seating.com

3211 Jack Northrop Avenue, Hawthorne, CA 90250 | 310.220.2500

Follow us for more information:



9to5
s e a t i n g

table of contents

INFORMATION

| | |
|----|--|
| 2 | about 9to5 Seating |
| 4 | green practice |
| 6 | lifetime warranty |
| 8 | general information |
| 9 | condition of sale |
| 10 | dimensions / lead time |
| 12 | order procedure |
| 13 | packaging codes / upholstery selection |
| 14 | customer material program |
| 16 | CAL TB 133 fire code |
| 17 | two tone option |
| 18 | custom embroidery submission form |

SEATING PRODUCTS

| | |
|-----|---|
| 20 | new for 2018! |
| 22 | acclaim: 2780 |
| 24 | agent: 1425, 1426, 1428, 1660, 1666, 1668 |
| 36 | aria: 1860, 1866, 1868, 1880, 1885 |
| 40 | axis: 2600, 2610 |
| 44 | bella: 1310, 1315, 1320, 1325, 1326, 1328, 1360, 1365, 1370, 1375, 1376, 1378 |
| 64 | brio: 2060, 2066, 2068 |
| 68 | bristol: 2360, 2366, 2368, 2380 |
| 74 | cayman: 2800, 2810 |
| 78 | core: 2260, 2266, 2268 |
| 82 | cortina: 2900, 2910 |
| 86 | cosmo: 3250, 3260, 3220, 3230 |
| 90 | cydia: 3300, 3306, 3308, 3310, 3315, 3316 |
| 104 | diddy: 2450 |
| 106 | indy: 1010, 1020 |
| 112 | kelley: 1060, 1066, 1070, 1076 |
| 116 | lilly: 9101, 9111, 9131, 9121 |
| 118 | link: 1410, 1415 |
| 124 | logic: 1725, 1726, 1728, 1760, 1766, 1768, 1780, 1790 |
| 138 | luna: 3460, 3466, 3468 |
| 142 | mimi: 1030, 1040, 1050, 1051, 1054, 1055 |
| 150 | neo: 3160, 3166, 3168 |
| 154 | shuttle: 1210, 1215, 1230, 1250, 1260, 1265, 1280 |
| 178 | sol: 3680 |
| 180 | sophie: 8111, 8112, 8113, 8118, 8119, 8122, 8123, 8102, 8103, 8104 |
| 188 | sophie tables & accessories: 8170, 8190, 8191, 8192, 8193, 8194, 8195, 8196 |
| 190 | strata: 1545, 1546, 1548, 1555, 1560, 1566, 1568, 1580 |
| 194 | strata mesh: 1535, 1536, 1537, 1538, 1570, 1576, 1578, 1590 |
| 200 | theory: 2160, 2166, 2168, 2170, 2176, 2178, 2180, 2190 |
| 220 | vault: 1460, 1466, 1468, 1480 |
| 226 | vesta: 3060, 3061, 3063, 3065, 3066, 3068, 3080, 3085 |
| 230 | zoom: 1115, 1125, 1126, 1128 |
| 236 | @NCE: 103B, 103S, 176, 203, 216, 217 |

ACCESSORIES

| | |
|-----|------------------------------------|
| 238 | arm guide |
| 242 | caster guide |
| 244 | glide guide |
| 245 | cylinder guide |
| 246 | accessories |
| 250 | control selection guide |
| 254 | BIFMA ultimate test for fit (UTFF) |
| 255 | care and maintenance instructions |
| 256 | notes |

about 9to5 Seating

About Us

Founded in 1986, 9to5 Seating is a vertically-integrated, privately owned company, which specializes in the design and production of ergonomic office seating to accommodate the rigorous demands of today's office environments. 9to5 Seating presents an extensive collection of executive, task, guest, conference, stool and lounge seating.

Take a closer look at one of our chairs and you can see the quality is apparent in every stitch. But we don't stop with the details of the chairs themselves. 9to5 Seating combines its state-of-the-art, in-house manufacturing systems with a commitment to continuous improvements in all phases of the operation. With over 500,000 sq. ft. of manufacturing resources, we are confidently empowered to deliver products offered at unparalleled pricing, quality built into every phase of manufacturing, customization and numerous upholstery options, express shipping and the best warranty possible.

Our dedication to becoming the leader in office furniture requires a deliberate and focused approach that extends beyond our chairs, in order to exceed customer expectations. When every detail is attended to the result is a better choice. And that's exactly what you get with 9to5 Seating.

Why are we so mindful of every aspect of our process? Because by doing all the little things right, we're able to offer you a better chair at an impressive value. We think that's pretty huge.

9to5 Seating. The difference is in the details.



RESPONSIBLE

We are dedicated to eco-friendly and American manufacturing.



FORWARD THINKING

We believe in staying ahead of the curve when it comes to manufacturing and design.



UNCOMPROMISING

We never settle. We insist on sourcing our own materials, utilizing cutting-edge technology, providing superior value, and completely satisfying our customers.

10 Factories Under One Roof

9to5 Seating is able to control the quality of our products because of our vertically integrated business model. Our wholly owned factories are essentially "10 factories under one roof," which translates into our ability to control every part of the manufacturing process. We challenge you to find another U.S.-based office seating manufacturer doing this all under one roof with the state-of-the-art equipment and socially responsible business practices that are at the core of 9to5 Seating.

1. CAD DESIGN
2. CNC MOLD & DIE FABRICATION
3. PLASTIC INJECTION MOLDING
4. FOAM INJECTION MOLDING
5. TUBULAR METAL BENDING & WELDING
6. CNC WIRE ROD BENDING & WELDING
7. ALUMINUM DIE CASTING
8. ALUMINUM POLISHING
9. POWDER COAT FINISHING
10. FINISHED CHAIR PRODUCTION

Companies today demand the most for their money and 9to5 Seating is prepared to deliver the highest quality product without sacrificing selection or speed of delivery.



ROCK SOLID

We have built top quality products for over 30 years – chairs that are built to last.



CUSTOMIZATION

We allow our customers to customize their chair to best suit their style and needs.

Below are some highlights of the program

- Lead Time: 5 Business Day Quick Ship and Standard 15 Day Lead time
- Textiles: Choose from thousands of commercial grade designer textiles from Architex, Arcom, CF Stinson, Designtex, Lindsey & Hall, Maharam, Mayer, and Momentum Textiles
- Leather: Select from a wide range of leather colors including 10 colors in leather/vinyl combinations
- Lifetime Manufacturer's Warranty
- Premium Quality Components
- Nylon Bases are made from 100% virgin glass reinforced nylon
- All task, executive, and conference seating incorporate molded foam cushions

Value Propositions

Thoughtful Product



Unsurpassed Value

Providing service, price and quality without compromise.



High Design

Meticulous attention to detail results in chairs that are aesthetically pleasing, ergonomic, and built for the demands of daily use.



Customization

Our adaptive designs and inhouse operations allows for customizable and build-to-order product, with thousands of textile options.



Lifetime Warranty

We stand behind our products. Lifetime warranty on all structural and mechanical parts. Five-year warranty on leather, fabric and foam.

Purposeful Practices



Perpetually Forward Thinking

Vertical integration means every chair is built from the ground up. We source our own materials and invest in state-of-the-art technology to minimize cost while elevating quality.



U.S. Based Facilities

Committed to bringing hundreds of jobs back to the states.



Green Philosophy

We offer GREENGUARD Certified products, were awarded the prestigious LEED® NC Gold Certification, and we generate electricity via a solar photovoltaic panel system.



Shipping Speed and Efficiency

Fast 5 day shipping. Always timely.

Committed



Family Values

Family culture throughout our organization.



Service-Oriented

Technically savvy service reps and integrated systems provide total visibility of account activities for timely order processing and thorough after-sales service support.



green practice

9to5 Seating Commits to Think & Act Green

9to5 Seating is committed to sustainable and environmentally responsible business practices. This global perspective is endorsed and executed throughout every aspect of our corporate culture, and within our warehousing, manufacturing and office facilities. We are proud to demonstrate our commitment by offering GREENGUARD Certified products, participating in the U.S. Environmental Protection Agency's Waste Wise Program, and have been awarded the prestigious LEED® NC Gold Certification for our factory and corporate headquarters.

Environmental Commitment in Action

9to5 Seating's corporate headquarters uses a rooftop photovoltaic panel system to generate electricity for the facility. To view how much power we are generating in real-time visit our solar portal at www.9to5seating.com/solar

Over 30 years, the system will offset:

- 6,102,370 lbs of CO2 | a leading cause of global climate change
- 4,192 lbs of NOx | a leading cause of smog
- 1,048 lbs of SO2 | a leading cause of acid rain
- 1,215 lbs of particulates | a leading cause of asthma

6,102,370 lbs of CO2 is equivalent to the amount absorbed by 13 acres of trees over their lifetime

GREENGUARD Certified

Our entire product line earned GREENGUARD Indoor Air Quality Certification issued by the GREENGUARD Environmental Institute. The GREENGUARD Indoor Air Quality Certification Program assures that products designed for use in office environments and other indoor spaces meet strict chemical emissions limits.

9to5 Seating products:

- Contribute to healthier interior environments.
- Add points for LEED Certification.
- Offer fabrics made from 100% recycled content. (Fabrics made from recycled content are identified with the symbol in the Grade-In section of this price book pages 14 – 23.)
- Manufactured using plastic, nylon, steel, aluminum and polypropylene components that are 100% recyclable.
- Use suppliers that share an earth-friendly philosophy.
- Certified below chemical emissions limits for TVOC, Formaldehyde, Total Aldehydes, Individual VOCs, 4-phenylcyclohexene.



Environmental Data Sheets for all 9to5 Seating products can be found at our web site www.9to5seating.com. For more information about GREENGUARD programs visit www.greenguard.org.

LEED®

At its core, a green building is a better performing building. It uses fewer resources and offers a better place to work through improved energy and water efficiency, better air quality, and access to natural daylight. We have been awarded the LEED® NC Gold Certification for our newly constructed corporate headquarters and manufacturing facility.

Sustainable aspects of 9to5 Seating's headquarters building design contributing to LEED Gold Certification include:

- Rooftop photovoltaic panel system generating approximately 90% of electricity required for facility operation.
- Reduction of energy consumption through increased natural day lighting to enable factory to operate during an average day with lights off.
- Use of LED lighting throughout office space for further energy savings.
- Site selection promoting development density and community connectivity.
- Providing alternative transportation including access to public transportation, parking for low emitting and fuel-efficient vehicles.
- Quality control of storm water runoff.
- Decrease in heat island effect.
- Use of water efficient landscaping.
- Reduction of water usage by 40%
- Optimization of energy performance through a 28% improvement over 2011 California Title 24 code.
- Recycling or salvaging 75% of construction waste.
- Use of recycled content and regional building materials.
- Increased ventilation to promote indoor environmental quality.
- Use of low-emitting adhesives, sealants, paints, coatings and flooring systems.

Manufacturing

We are committed to reducing, reusing and recycling the by-products and waste generated during our manufacturing process through our membership in WasteWise. WasteWise is an U.S. Environmental Protection Agency's program in which organizations track their waste reduction efforts to benefit the environment.

9to5 Seating's efforts to reduce manufacturing waste include:

- Optimize machinery cycle times to manufacture parts in minimal time increments.
- Evaluate environmental effects before pursuing new products or purchasing equipment to ensure alignment with environmental commitments.
- Select materials that reduce or eliminate toxic and environmentally damaging materials from the manufacturing equation.
- Utilize water-based, environmentally friendly adhesives throughout our manufacturing facilities.
- Use of recycled raw materials in the production urethane components when possible.
- Sort and recycle rejected plastic components via five re-grind machines.
- Employ molded foam production in over 95% of products, greatly reducing scrap urethane.
- Work exclusively with plywood suppliers that participate in forest restoration.
- Collect and recycle all excess fabric, dacron and leather.
- Accurately determined the current carbon footprint through Life Cycle Assessment (LCA).
- Identified hot-spots in energy consumption and associated CO2 emissions.
- Optimized energy efficiency and reduced CO2 and GHG emissions contribution from production processes.
- Identified solutions to neutralize CO2 emissions that cannot be eliminated through energy saving measures.

lifetime warranty

9to5 Seating products are manufactured with meticulous attention to detail to achieve a level of quality that is free from defects in material and workmanship. In an effort to stand behind this philosophy, 9to5 Seating warrants to the original purchaser of the product and from the original date of sale, the following:

For All Series Except Logic Plus, Logic, Theory, Aria and Strata Heavy Duty (HD) Series: Lifetime Warranty to the original end user, the company will repair or replace, at its option, without charge to the original purchaser only, factory defective structural and mechanical parts. This warranty is for single shift, standard commercial usage, defined as a standard 8 hour work day, five days a week. Weight limitations vary by product.

Upholstery fabric and foam is warranted against wear through and deterioration during normal usage for a period of five (5) years. However, the company does not warrant leather against routine scratching and scuffing, as all leather is subject to minor blemishes during use. COM and COL are not warranted. Due to natural variations in material, furniture containing leather is sold subject to normal variations and/or irregularities of color, texture, and grain.

For Logic Plus Heavy Duty (HD) Series:
9to5 Seating warrants the Logic Plus HD series of single-shift use for a period of ten (10) years to the original purchaser. The company will repair or replace, at its option, without charge, defective structural and mechanical parts. This warranty is for single-shift applications with persons weighing less than 500 lbs.

For Logic™, Theory™, Aria™ and Strata™ Heavy Duty (HD) Series: 9to5 Seating warrants the HD series of multi-shift chairs for a period of ten (10) years to the original purchaser. The company will repair or replace, at its option, without charge, defective structural and mechanical parts. This warranty is for multi-shift applications with persons weighing less than 350 lbs.

Upholstery fabric with an abrasion resistance performance rating of 150,000 double rubs or more and foam are warranted against wear through and deterioration for a three (3) year period of multiple shift use.

Claim Process

Should parts fail for any model during normal use within the applicable warranty period, please provide 9to5 Seating with a description of the failure and proof of purchase (Sales Order number located on the bottom

of the chair) and if necessary you may need to return the defective part, freight prepaid to 9to5 Seating for inspection, repair and/or replacement, together with a copy of original sales receipt. Labor and installation service is not covered under warranty. Please do not send parts without prior authorization.

Send Parts to:
9to5 Seating - Warranty Department
3211 Jack Northrop Avenue
Hawthorne, CA 90250

9to5 Seating will inspect the part in question, repair or replace at its option any defective part at no charge to the original purchaser and return defective item thereafter. This warranty does not apply to product or parts of product that have been subjected to misuse or abuse, accident, alteration, unauthorized repair or which have been damaged in transit. You agree to indemnify and hold harmless 9to5 Seating, its officers, directors, shareholders, employees, and agents from any actions, claims, demands, damages, liabilities, costs, and strict liability in tort or contract, or any other legal theory arising out of the misuse or abuse, alteration, or damage in transit of the product.

Limitation of Liability

Under no circumstance, including but not limited to breach of contract, breach of warranty or negligence, shall 9to5 Seating be liable for lost profits, loss of goodwill, stored data, general, special, consequential or exemplary damages, even if 9to5 Seating had notice of these damages or they were foreseeable. 9to5 Seating shall not be responsible for verifying dealer's or customer's description of needs, data, or the fitness for a particular purpose of goods. 9to5 Seating's Liability in all cases shall be limited to repair or replacement of the defective parts, or the purchase price of the product. Damages resulting from misuse, abuse, alteration, negligence, or accidents are not covered under this warranty.

9to5 Seating makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall 9to5 Seating be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary, damages.

EXCEPT AS OTHERWISE PROVIDED, 9to5 Seating MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

ANSI/BIFMA

The Business and Institutional Furniture Manufacturer's Association (BIFMA) has developed tests which have been approved by the American National Standards Institute (ANSI) for determining the strength and durability of seating in its everyday use. This statement does not serve as a warranty or guarantee, however 9to5 Seating products found within this price list generally meet or exceed applicable BIFMA and ANSI standards.

Warranty Exceptions:

- Color-fastness or matching of colors, or textures occurring in leather, or other materials that naturally exhibit inherent color variations
- Product normal wear and tear, which is to be expected over the course of ownership
- Damage caused by the carrier in-transit, which will be handled as separate terms and/or claims against the carrier
- Damage caused by delivery/installation contractors, which will be handled as claims against the designated company
- Failures and damage which result from negligence, abuse, accident or misuse
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- The warranty is limited to replacement or repair and does not cover cost of transportation, labor or installation.
- Products exposed to extreme hot and cold temperatures or excessive dry environments
- Damage of textiles from exposure to sunlight and UV rays.
- Products that were not installed, used, or maintained in accordance with product instructions and warnings

9to5 Seating reserves the right to make changes in design and construction or discontinue products without prior notice. 9to5 Seating reserve the right to make changes to the lifetime warranty or price book

Since textiles vary in weave, thickness and memory, some creasing and/or gathering may occur during the upholstery application process. Due to natural variations over which we have no control, all chairs are sold subject to minor irregularities of color, surface, grain, and texture. Textiles are sold subject to minor variations of color. Because leather is a natural product, variations of texture are common and should be expected. Leather will contain natural markings such as neck wrinkles, scratches, backbone marks and stretch marks. These distinctions give leather its unique characteristics and are considered to be part of the natural beauty of leather.

dimensions

| |
|---|
| Outside Width (W) |
| Distance measured at widest point of chair. |
| Outside Depth (D) |
| With the outside back of chair against wall, the distance from the wall to the front edge of seat. |
| Outside Height (H) |
| Distance from floor to highest point of back. |
| Seat Width (SW) |
| Distance measured at widest point of seat's side edges. |
| Seat Depth (SD) |
| Distance is measured using the Bifma CMD (Chair Measuring Device) from the most prominent point of the lumbar to the front edge of the seat |
| Seat Height (SH) |
| Distance is measured using the Bifma CMD (Chair Measuring Device) from the floor to the bottom of the device on the front edge of the seat. The CMD weighs 100 lbs. |
| Back Width (BW) |
| Distance measured at widest point of back's side edges. |
| Back Height (BH) |
| Distance measured from inside edge of rear seat to top edge of back. |
| Inside Arm Width |
| Distance between arm, typically measured from mid-point. |
| Arm Height |
| Measured from the floor to top edge of arm. |

lead time

| |
|---|
| 9to5 Seating intends to have all approved orders ready for shipment within the below guidelines. However, there may be delays due to causes beyond our control. Orders received after Noon, PST will be considered as having been received the following day. Credit must be cleared before processing. 9to5 Seating is not responsible for late deliveries from freight carriers. |
| Lead Times |
| @NCE ships in 24 hours. |
| 5 Business Day ExpressShip includes Grades A, B, C, D, and L3 selections found in the current ExpressShip fabric card programs. Quantity is restricted to twenty-five (25) chairs total per order. |
| Please specify “5 Day Quick Ship” on a separate purchase order to ensure proper handling and delivery time. DO NOT COMBINE with any other purchase order. In the event that a purchase order is not marked, order will be scheduled per our standard lead time below. Standard 10 business days Express Ship is ten (10) business days or less and includes ExpressShip Fabrics (Momentum Swift, 9to5 Signature and L4 Leather). Built-to-order in any configuration shown in the price list up to 50 chairs. |
| Standard 15 Day Lead Time Standard 15 business days Express Ship is fifteen (15) business days or less and includes hundreds of fabric, leather, mesh, vinyl or polyurethane upholstery options, as well as L5 Leather and COM, with shipment date determined from receipt of material. Built-to-order in any configuration shown in the price list up to 150 chairs. |
| 15-days standard lead time applies up to 25 seats in Metallic Brown, Gunmetal, Dover Gray or White frame color option, with up to 150 chairs in Silver or Black finish. Sophie series not available in 15-day shipping program. |

| |
|---|
| Standard 25 Day Lead Time Receive all of the above plus graded-in upholstery selections from our programs with CF Stinson, Designtex, Maharam and Momentum. |
| Built-to-order in any configuration shown in the price list up to 250 chairs/order. |
| All Sophie frame finishes ship in 25-days standard lead time with up to 25 seats available in 20 days, only in ExpressShip Fabrics. |
| Please call Customer Service for lead times on orders over 251 chairs. |
| On-Hold Orders Orders that are “On Hold” will begin production only when all holds are released. |
| Types of holds include: |
| <ul style="list-style-type: none">• Credit Hold- waiting for payment before producing items (or “Waiting to clear issues related to billing and invoicing”)• Shipment Hold- Waiting for payment before shipping items• Waiting for Fabric -Fabric on back order. Waiting for fabric to be available and received• Part Delay- Out of stock parts. Waiting for receipt of part(s)• Problem- Need Resolution (PNR)<ul style="list-style-type: none">• Pricing Hold - The purchase order and price guide do not match• Incomplete Hold - Missing specification in the purchase order• Fabric Hold - Missing the fabric pattern and the color within order # or non-standard fabric• Configurator Hold- Missing or incorrect options/pricing in the configurator |

order procedure

To Place Order

Follow one of the following two choices to place order:

1. Fax your order to: **866.925.SEAT**
2. E-mail your order to: **sales@9to5seating.com** or your dedicated customer service representative.

Specify complete model number, color, quantity, ship to address, payment method and purchase order number. In the event that an error is made in production of the chair, the hard copy of the purchase order will be used as the resolution document.

Model Number Structure

When ordering, please create model number in accordance with the nomenclature below. Refer to Creating Series Model Number in the top right hand corner of specific model's price book page.

Acclaim

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 2780 | -Y5- | A27- | L5- | BA | -C7S- | | |

* GT MODELS DO NOT HAVE A CASTER CODE

Core

| MODEL NUMBER | CONTROL | ARMS | PLASTIC COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|---------------|-------|------|---------|-----------|---------|
| 2260 | -Y5- | A23- | PGA- | C-B | A | -C22B- | PAC- | 12S |

* GT MODELS DO NOT HAVE A CASTER CODE

Diddy

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING |
|--------------|---------|------|-------|------|---------|-----------|
| 2450 | -S3- | A24- | C- | BA | -C6S- | BAC |

* FOR ARMLESS CODE USE A00

Sophie

| MODEL NUMBER | CONTROL | ARMS | FRAME FINISH | GRADE | PACKAGING | OPTIONS |
|--------------|---------|------|--------------|-------|-----------|---------|
| 8111 | -GT- | A80 | -MB- | F- | AC | |

Zoom

| MODEL NUMBER | CONTROL | FRAME COLOR | PLASTIC COLOR | UPHOLSTERY | GRADE | CASTERS | PACKAGING |
|--------------|---------|-------------|---------------|------------|-------|---------|-----------|
| 1115 | -B2- | SF- | P | AP- | D- | C12- | AB |

* FOR ARMLESS CODE USE A00

* ONLY SELECT CASTER CODE FOR MODEL 1215, 1265

packaging codes

How to Specify

9to5 Seating offers several packaging methods for most models. Please note not all packaging codes are available for each model. Reference the price book page for the model in question to view the packaging methods available. All available packaging methods and their corresponding prices can be found at the top of the price book page.

After determining the appropriate packaging method please add the packaging code to the model nomenclature of the model as it appears on your purchase order.
(example: 1725-M1-A4-101-**AB**)

AB - Assembled in Bag for Will Call and Blanket Wrapped

The chair will be fully assembled and covered with a clear plastic bag for protection from dust. Chairs shipping via blanket wrap carrier will be produced with packing method "AB" as the chairs will be picked up at the dock fully assembled in the will call area.

PAC - Partially Assembled in Carton

The chair will be produced and packed partially assembled typically with seat and back separated, arms and controls pre-assembled in a shipping carton. Specially designed spacers are used to position all chairs in the carton and prevent freight damage.

BAC - Back Assembled in Carton

The chair will be fully assembled with exception of the base, gas lift and casters removed and packed into a specially designed carton for this hardware. The chair may be removed, casters placed in the base, gas lift placed in the base and the remaining chair set on top of the cylinder. No tools are required

AC - Assembled in Carton

The chair will be fully assembled and placed in a carton. This applies primarily to guest chairs which must ship fully assembled to accommodate chair design. Some guest chairs ship with multiple chairs in one carton

upholstery selection

Fabrics

Choose from thousands of different fabrics, comprised of varying price grades offered through 9to5 Seating's fabric cards. If you still can't find what you are looking for, you may choose from any of the textiles offered by one of our textile partners. There are thousands of patterns and colors to choose from. To make this easy for you, we have graded-in their entire product lines. Please see pages 16 to 33 of this Price Book.

Leather

9to5 seating offers three grades of leather. L3 and L4 all are upholstered with leather on the seating surface and vinyl on the back and side boxing. L5 is an ALL leather cover.

9to5 also has COL (customer own leather) program

L3 is a glove-soft, top grain European hide, available in Black

L4 is also a glove-soft, top grain Italian cowhide leather available in colors. L4 executive chairs are available in 9to5 Seating premium leather colors.

L5 is a luxurious Italian full grain semi-aniline dye leather with a soft hand and smooth supple surface with even coloration throughout the entire hide. Available in 39 colors.

Two-Tone Contrasting Seat and Back

When the seat and back fabric or vinyl are different on a single chair, clearly indicate your selection for both the seat and back on your purchase order. All fabric upholstered chairs may be ordered with two-tone upholstery for no additional charge. **If the two upholstery selections are of different grades, the chair will price at the higher of the two grades.**

customer material program

com = customer’s own material
col = customer’s own leather

Ordering Instructions

Contact customer service for inquiries regarding COM/COL or follow the instructions below to assure the best results to produce your COM/ COL order.

1. Complete 9to5 Seating COM/COL form (see opposite page or download from website) and send it to 9to5 Seating along with fabric sample.
2. All COM/COL fabrics must be approved by 9to5 Seating and will not be scheduled for production until the entire yardage/ square footage requirements have been received. Approval can be completed by 9to5 Seating in 24 hours. 9to5 Seating will not return any excess COM/COL material.
3. For non-directional, plain, solid colors or non-patterned fabrics, please follow COM yardage requirements as specified under each individual model number in our price list. For fabrics which require special application or direction, please attach a sample of the COM fabric to our COM form. Include all information and return to 9to5 Seating at address shown below.
4. **All COM textiles received at 9to5 Seating must be clearly marked with customer’s name, purchase order number, 9to5 Seating sales order number (if available) and any special instructions for application of textile.**

Send fabric to:
9to5 Seating
Attn: COM Fabric Receiving
3211 Jack Northrop Ave.
Hawthorne, CA 90250

5. Upon receipt of COM textile, a production date will be given to the order and you will receive an acknowledgement by fax or e-mail.

Notes:

1. COM/COL EXCESS YARDAGE - 9to5 Seating is not responsible for yardage submitted to 9to5 Seating beyond the required amount. Excess COM/COL materials will be discarded at the discretion of 9to5 Seating unless otherwise instructed by the customer at the time of order placement. If a customer requires the COM/COL excess yardage returned, they must contact Sales Support before order placement to make return COM/COL arrangements. The customer will be responsible for all COM/COL return delivery charges.
2. The yardage figures shown throughout the price list are estimates only. Calculations are based on 54” wide material with no repeat and cut in the woven way cutting direction for a single chair. For specific yardage based on width of material, chair model, and quantity, please contact 9to5 Seating.
3. For large quantity orders please contact customer service for more precise yardage requirement. Actual yardage requirement per chair often decreases with larger orders.
4. To calculate COM yardage, use the chart below as a guide and add appropriate amounts to the generic yardage requirements listed in the pricer

| FABRIC | | 2”-14” | 15”-27” | 28”-36” |
|--------|-----------------|--------|---------|---------|
| WIDTH | GENERIC YARDAGE | REPEAT | REPEAT | REPEAT |
| 54” | | +20% | +30% | +40% |

5. COL: Leather quality can vary depending on the size of the hides. Larger hides (50 to 60 SQ FT) tend to be higher quality and yield. Smaller hides (40 to 50 SQ FT) tend to have more quality issues that may cause smaller yields, requiring the need for additional hides to be ordered
6. For all COL orders, 9to5 Seating cannot take responsibility for the need to order additional COL due to quality issues and related small material yields

PLEASE SEND A COMPLETED PHOTOCOPY OF THIS PAGE TO 9TO5 SEATING

| | |
|----------------------------------|------------------------|
| DATE: | ACCOUNT NUMBER: |
| DEALER NAME: | PURCHASE ORDER NUMBER: |
| ADDRESS | CITY/ZIP CODE |
| 9TO5 ORDER NUMBER (IF AVAILABLE) | PHONE NUMBER |
| MODEL NUMBER | DEALER CONTACT |
| QUANTITY | |

TEXTILE INFORMATION

| | |
|--------------|-----------------------|
| MILL | FABRIC NAME/NUMBER |
| FABRIC COLOR | TOTAL YARDAGE SHIPPED |

APPLICATION

| | |
|--|--|
| IS THERE A DESIRED TOP AND BOTTOM TO THE FABRIC? | IS THE FABRIC STRIPE OR TWO-COLOR PLAID? |
| YES NO | YES NO |

CHECK APPROPRIATE BOX FOR YOUR CHOICE OF FABRIC DIRECTION

| | | |
|---|---|---|
| <div><div>HORIZONTAL</div><div><input type="checkbox"/></div></div> <div><div>VERTICAL</div><div><input type="checkbox"/></div></div> | <div></div> <div></div> | <div>TOP</div> <div>ATTACH SAMPLE TEXTILE HERE WITH DESIRED FACE AND DIRECTION DISPLAYED. IF THERE IS A PATTERN OR REPEAT, THE SAMPLE SHOULD BE LARGE ENOUGH TO SHOW ENTIRE REPEAT.</div> <div>BOTTOM</div> |
|---|---|---|

CAL TB 133 fire code

9to5 Seating’s entire line of office seating meets California Technical Bulletin 117-2013 (CAL TB 117-2013) which has been in effect since January 1, 2015. This is a standard by which upholstered furniture has been tested for approval to meet a minimum fire standard. 9to5 Seating’s standard product is not designed to meet California Technical Bulletin 133. However, upon special request, most 9to5 Seating products can be manufactured to meet the California Technical Bulletin 133 (CAL TB 133).

CAL TB 133

CAL TB 133 is the standard of furniture flammability required by the California Bureau of Home Furnishings and Thermal Insulation for furniture used in public buildings. New requirements proposed for furniture used in public buildings such as:

Healthcare Facilities, Convalescent Homes, Public Assembly Areas of Hotels and Motels, Hospitals, Board and Care Homes, Stadiums, Licensed Child Care Facilities, Prisons and Jails

CAL TB 133 Test

CAL TB 133 is a full scale fire test for furniture manufactured for use in public buildings. The standards do not specify how to construct furniture, but only how it should perform when tested by the following procedures:

A finished piece of furniture, never single components, is placed in a 10’ x 12’ x 8’ chamber and is tested by applying a gas flame for 80 seconds. Then measurements are taken for the rate and amount of heat generated, temperature of the test room while furniture is burning, smoke capacity, amount of carbon monoxide generated and mass loss of the furniture for one hour or until the fire is completely extinguished.

A solution to pass this fire standard test is to sandwich a fire blocking liner between the foam and fabric of our chairs. This liner acts as a ‘fire extinguisher’ by smothering the flame. As a response to CAL TB 133, and in order to meet customer’s needs, 9to5 Seating has designed a variety of models and fabrics that can be combined to meet this new standard.

CAL 133 Models

The following models when combined with approved textiles and blocker meet the CAL 133 standard: All plastic models of Shuttle and Bella are also approved.

- Acclaim: 2780
- Agent: 1425, 1426, 1428, 1660, 1666, 1668
- Aria: 1860, 1866, 1868, 1880
- Bella: 1310, 1315, 1320, 1325, 1326, 1328, 1360, 1365, 1370, 1375, 1376,1378
- Bristol: 2360, 2366, 2368, 2380
- Cayman: 2800, 2800-GT, 2810

- Cortina: 2900, 2900-GT, 2910
- Cosmo: 3250, 3260, 3250-GT
- Cydia: 3300, 3300-GT, 3310, 3310-GT, 3306, 3308, 3315, 3316
- Diddy: 2450, 2450-GT
- Kelley: 1060, 1066, 1070, 1076
- Link: 1410, 1415
- Logic: 1725, 1726, 1728, 1725-GT, 1760, 1766, 1768, 1780, 1790
- Shuttle: 1210, 1215, 1250
- Sophie: 8102, 8103, 8104, 8111, 8112, 8113, 8118, 8119, 8122, 8123
- Strata: 1545, 1546, 1548, 1555, 1560, 1565, 1580, 1585, 1560-GT, 1566, 1568, 1561, 1563
- Vault: 1460, 1466, 1468
- Vesta: 3060, 3061, 3063, 3065, 3066, 3068, 3080, 3085
- Zoom: 1115, 1125, 1126, 1128

COM CAL TB 133

COM compliance for CAL 133 models listed above can be determined by specifying upholstery with the exact characteristics as approved 9to5 Seating fabrics or by conducting a full chair burn test. The non-discountable test fee for each chair-fabric combination is \$500.00 net.

CAL TB 133 Upcharge

- 1 - 49 chairs: \$100 List Upcharge
- 50 + chairs: \$50 List Upcharge

To Order CAL TB 133

Clearly specify CAL TB 133 on order, choose your desired fabric, from options above, then add the indicated amount above to the standard list price. Standard lead times apply.

To Check Purchased Seating For CAL 133

To determine whether your current 9to5 Seating chair meets CAL TB 133, or to check an order you have recently received, check the bottom of the chair seat pan for the label shown below.

If your chair does not show this tag below, then your chair does NOT meet CAL TB 133

NOTICE

This article is manufactured for use in public occupancies and meets the flammability requirements of California Bureau of Home Furnishings Technical Bulletin 133. Care should be exercised near open flame or with burning cigarettes.

two tone option

Ordering Instructions


Two Tone Contrasting Seat and Back

When the seat and back fabric or vinyl are different on a single chair, clearly indicate your selection for each on your purchase order. If the two selections are from different grades, price the chair(s) at the higher of the two grades.

Available on:

Agent, Bella, Brio, Bristol, Core, Logic, Shuttle and Sophie.

| |
|-----------------|
| DATE: |
| DEALER NAME: |
| DEALER CONTACT: |
| PO NUMBER |
| 1. BACK FABRIC |
| 2. SEAT FABRIC |



custom embroidery form

Custom embroidery is a great way to display your company logo on upholstered chair backs. Embroidery can be done in multiple colors, shapes and size to suit your needs for a very reasonable cost and lead-time. To obtain a quote for embroidered upholstery, please fill out the adjacent form completely as possible. You will need a graphic file, preferable in Ai, EPS or other graphic format. Generally, higher resolution art (greater than 300 dpi) will be easier to work with. There will be a set-up charge to create a digitized file if you do not have one available. We will also need a PMS color number for each color thread required. 9to5 is not responsible for poorly digitized files or graphic files from the requestor. If the logo is NOT to be in the back center; the location of the logo needs to be specified as an offset from the center of the back, vertically and horizontally. (see form)

Keep in mind, embroidery is not a one to one replacement for printing, patches or heat transfer vinyl lettering. Embroidery thread is heavier, stronger and tighter density than the surrounding fabric and may pull or pucker on loosely woven fabric. Embroidery will always look best on strong, closely knit fabrics or vinyl. It is best to always get a sample for approval before placing the full production order.

All logos are trademarks of their respective owners. 9to5 Seating is not responsible for obtaining permission or use of copyrighted logos. Before you use, reproduce or distribute in any manner you must first receive the express permission of the holder of the copyright or trademark of that logo. Failure to obtain such permission is a violation under international law.

Note: Dimensional tolerance of logo placement is ± 1/2” vertical and ± 1/4” horizontal.

PLEASE SEND A COMPLETED PHOTOCOPY OF THIS PAGE TO 9T05 SEATING

FILLABLE FORMS LOCATED ON 9T05SEATING.COM/DOWNLOADS

| | |
|------------------------|------------------------|
| DATE: | ACCOUNT NUMBER: |
| DEALER NAME: | PURCHASE ORDER NUMBER: |
| DEALER CONTACT NAME: | CITY/ZIP CODE |
| PROJECT(END-USER): | PHONE NUMBER |
| MODEL NUMBER | DEALER CONTACT |
| TOTAL PROJECT QUANTITY | TOTAL PROJECT NET: |

COMMENTS:


| | |
|-------------------------------|--|
| IS THE EMBROIDERY FOR A BID ? | IS A SAMPLE REQUIRED FOR CUSTOMER REVIEW PRIOR TO PRODUCTION OF ORDER? |
| YES NO | YES NO |

| | |
|-----------------------------------|--------------------------------------|
| IS A LOGO/GRAPHIC FILE AVAILABLE? | LOGO/GRAPHIC FILE TYPE? |
| YES NO | AI EPS PDF JPEG PNG OTHER: |

| STANDARD MODEL | QTY | HEIGHT | WIDTH | COLOR/PMS EQUIVALENT | TEXTILE MILL/PATTERN/COLOR |
|----------------|-----|--------|-------|----------------------|----------------------------|
| | | | | | |

LOGO/IMAGE LOCATION (FROM LOGO CENTER TO CHAIR BACK CENTER)

| | |
|--|--|
| VERTICAL OFFSET FROM CENTER: INCHES | HORIZONTAL OFFSET FROM CENTER: INCHES |
|--|--|



TOP

ATTACH SAMPLE LOGO/GRAPHIC HERE.

BOTTOM

new for 2018

9to5 Seating is excited to showcase 5 new products for 2018 including Task, Conference and Lounge.

9to5[®]
seating

The difference is in the details

new for 2018

Luna



HIGH DESIGN MEETS SUPREME ERGONOMICS

- Task, stool, conference and collaborative seating
- Sleek contemporary design
- Aluminum accents standard
- Ergonomic features including multiple synchro controls, adjustable arms, adjustable lumbar

Available Q1 2018

See page 138

STYLE, FLEXIBILITY AND VERSATILITY

- Stacking chair ideal for training, collaborative and meeting spaces
- Sled and 4 leg models
- Flex back movement with pelvic support
- 12 plastic colors and 2 frame colors

Available Q1 2018

See page 142

Mimi



THE NEW WAY TO WORK

- Task, stool, conference and collaborative seating
- Simple, clean design lines
- Ergonomic features including multiple synchro controls, adjustable arms, adjustable lumbar and seat slider

Available Q1 2018

See page 150

Neo



Sol



THE FUTURE AT A GLANCE

- Task, executive and conference seating
- Modern, elegant design with aluminum accents
- Flexible back promotes movement
- Ergonomic features including weight balances synchro, adjustable arms, adjustable lumbar and seat slider

Available Q1 2018

See page 178

Lilly



CLASSIC, SOPHISTICATED AND SUPREMELY COMFORTABLE

- Ideal for collaborative, lounge and touchdown workspaces
- Versatile with four base options
- Comfortable with roomy back

Available Q1 2018

See page 116

ROCKING TILT

- For lounge, guest and collaboration applications
- Rocking motion tilts right, left, front and back
- Available with Cydia Lounge and Diddy Guest

Available Q1 2018

See page 250

R2



Cosmo Mesh Back - All mesh styles now available M1, M2, M3
Cosmo Upholstered Back - All Fabric grades now available

Bella - 12 plastic colors now available
(Black only on mesh back models)

acclaim

contemporary european styling yet subtle detailing

HIGH-BACK

GSA SIN # 711-18

- Conference and executive seating
- Sleek rectilinear design with fine stitching
- Dual density foam provides firm profile with plush comfortable interior
- Multiple synchro controls available
- Polished arm with upholstered pad available
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved




CREATING ACCLAIM MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--|---------|------|-------|------|---------|-----------|---------|
| 2780 | | A | | BA | C | | |
| <small>* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE</small> | | | | | | | |

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |



HIGH-BACK ADVANCED WEIGHT BALANCED SYNCHRO


Use for a variety of general office seating, including private office and conference room seating

| ARM | FABRIC/LEATHER | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 |
|---------|----------------|-------|-----|-----|-----|-----|-----|------|--------|-----|------|
| ARMLESS | | 495 | 550 | 585 | 640 | 700 | 770 | 845 | 675 | 720 | 940 |
| A10 | | 580 | 635 | 670 | 725 | 785 | 855 | 930 | 760 | 805 | 1025 |
| A19 | | 695 | 750 | 785 | 840 | 900 | 970 | 1045 | 875 | 920 | 1140 |
| A27 | | 675 | 730 | 765 | 820 | 880 | 950 | 1025 | 855 | 900 | 1120 |
| A36 | | 600 | 655 | 690 | 745 | 805 | 875 | 950 | 780 | 825 | 1045 |
| A37 | | 620 | 675 | 710 | 765 | 825 | 895 | 970 | 800 | 845 | 1065 |

SEAT SLIDER (SS) - NOT AVAILABLE WITH W2

- Pneumatic seat height adjustment
- Weight balanced synchro control
- 4 position back-recline limiting lock
- Warranted to 300 lbs.

WIDTH: 27.5
DEPTH: 26.5
HEIGHT: 44.5-49.0
SEAT WIDTH: 20.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 18.0-23.0
BACK WIDTH: 21.5
BACK HEIGHT: 44.5
COM: 1.8 YD
COL: 27 SQ FT
WEIGHT: 48.0 LB



HIGH-BACK HEAVY DUTY SYNCHRO


Use for a variety of general office seating, including private office and conference room seating

| ARM | FABRIC/LEATHER | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 |
|---------|----------------|-------|-----|-----|-----|-----|------|------|--------|-----|------|
| ARMLESS | | 555 | 610 | 645 | 700 | 760 | 830 | 905 | 735 | 780 | 1000 |
| A10 | | 640 | 695 | 730 | 785 | 845 | 915 | 990 | 820 | 865 | 1085 |
| A19 | | 755 | 810 | 845 | 900 | 960 | 1030 | 1105 | 935 | 980 | 1200 |
| A27 | | 735 | 790 | 825 | 880 | 940 | 1010 | 1085 | 915 | 960 | 1180 |
| A36 | | 660 | 715 | 750 | 805 | 865 | 935 | 1010 | 840 | 885 | 1105 |
| A37 | | 680 | 735 | 770 | 825 | 885 | 955 | 1030 | 860 | 905 | 1125 |

SEAT SLIDER (SS) - ADD \$60

- Pneumatic seat height adjustment
- Side tension control
- Synchro control
- 4 position back lock
- Warranted to 300 lbs.

WIDTH: 27.5
DEPTH: 26.5
HEIGHT: 45.0-49.5
SEAT WIDTH: 20.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 18.0-23.0
BACK WIDTH: 21.5
BACK HEIGHT: 44.5
COM: 1.8 YD
COL: 27 SQ FT
WEIGHT: 50.0 LB



HIGH-BACK ENHANCED SYNCHRO WITH BACK ANGLE ADJUSTMENT

High function synchro control with independent back angle adjustment. Use for general office, task or management

| ARM | FABRIC/LEATHER | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 |
|---------|----------------|-------|-----|-----|-----|-----|------|------|--------|------|------|
| ARMLESS | | 575 | 630 | 665 | 720 | 780 | 850 | 925 | 755 | 800 | 1020 |
| A10 | | 660 | 715 | 750 | 805 | 865 | 935 | 1010 | 840 | 885 | 1105 |
| A19 | | 775 | 830 | 865 | 920 | 980 | 1050 | 1125 | 955 | 1000 | 1220 |
| A27 | | 755 | 810 | 845 | 900 | 960 | 1030 | 1105 | 935 | 980 | 1200 |
| A36 | | 680 | 735 | 770 | 825 | 885 | 955 | 1030 | 860 | 905 | 1125 |
| A37 | | 700 | 755 | 790 | 845 | 905 | 975 | 1050 | 880 | 925 | 1145 |

SEAT SLIDER (SS) - STANDARD

- Pneumatic seat height adjustment
- Enhanced synchro with independent back angle adjustment
- 4 position back lock
- Side tension control
- Standard seat slider adds 3" adjustment
- Warranted to 300 lbs.

WIDTH: 27.5
DEPTH: 26.5
HEIGHT: 44.5-49.0
SEAT WIDTH: 20.0
SEAT DEPTH: 17.0
SEAT HEIGHT: 18.0-22.5
BACK WIDTH: 21.5
BACK HEIGHT: 44.5
COM: 1.8 YD
COL: 27 SQ FT
WEIGHT: 51.0 LB



A10

\$85

Soft Touch C-Shaped Arm



A19

\$200

Polished Aluminum C-Shape Arm with Black Urethane Surface



A36

\$105

Height Adjustable Pivot/Slide Arm



A27

\$180

Polished Aluminum C-Shape Arm with Matching Upholstered Pad



A37

\$125


Height/Width Adjustable Pivot/Slide Arm



N/C

STD


60mm Hoodless Casters



C6S

\$35

60mm Hoodless Hard Floor Casters



C7

STD

60mm Hoodless Chrome Accented Casters



BA11B

STD


27" Mid-Profile Nylon Base - Black



BA12P

\$100

27" Mid-Profile Aluminum Base - Polished (C7 Chrome Accented Hoodless Casters Standard with Polished Base)



SS

\$60

Seat Slider 2.5" Side Paddle Activated (for Models with Y2 Control Only)

agent

lending comfort, durability, and value to every project

LOW-BACK

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING AGENT MODEL NUMBER


| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 1425 | | A | | BA1B | C | | |

* FOR ARMLESS CODE USE A00
** IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|--|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| 1425 | B2 | BASIC TASK Our basic control has simple adjustments. Ideal for clerical, casual meetings and general office use | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>280</td><td>305</td><td>325</td><td>350</td><td>380</td><td>415</td><td>450</td></tr><tr><td>350</td><td>375</td><td>395</td><td>420</td><td>450</td><td>485</td><td>520</td></tr><tr><td>355</td><td>380</td><td>400</td><td>425</td><td>455</td><td>490</td><td>525</td></tr><tr><td>375</td><td>400</td><td>420</td><td>445</td><td>475</td><td>510</td><td>545</td></tr><tr><td>410</td><td>435</td><td>455</td><td>480</td><td>510</td><td>545</td><td>580</td></tr><tr><td>430</td><td>455</td><td>475</td><td>500</td><td>530</td><td>565</td><td>600</td></tr><tr><td>380</td><td>405</td><td>425</td><td>450</td><td>480</td><td>515</td><td>550</td></tr><tr><td>385</td><td>410</td><td>430</td><td>455</td><td>485</td><td>520</td><td>555</td></tr><tr><td>405</td><td>430</td><td>450</td><td>475</td><td>505</td><td>540</td><td>575</td></tr></table> | A/COM | B | C | D | E | F | G | 280 | 305 | 325 | 350 | 380 | 415 | 450 | 350 | 375 | 395 | 420 | 450 | 485 | 520 | 355 | 380 | 400 | 425 | 455 | 490 | 525 | 375 | 400 | 420 | 445 | 475 | 510 | 545 | 410 | 435 | 455 | 480 | 510 | 545 | 580 | 430 | 455 | 475 | 500 | 530 | 565 | 600 | 380 | 405 | 425 | 450 | 480 | 515 | 550 | 385 | 410 | 430 | 455 | 485 | 520 | 555 | 405 | 430 | 450 | 475 | 505 | 540 | 575 | <ul style="list-style-type: none">• 360-degree swivel• Pneumatic seat height adjustment• No seat and back tilt• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 27 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 33.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280 | 305 | 325 | 350 | 380 | 415 | 450 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 350 | 375 | 395 | 420 | 450 | 485 | 520 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 355 | 380 | 400 | 425 | 455 | 490 | 525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 375 | 400 | 420 | 445 | 475 | 510 | 545 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 410 | 435 | 455 | 480 | 510 | 545 | 580 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 430 | 455 | 475 | 500 | 530 | 565 | 600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 380 | 405 | 425 | 450 | 480 | 515 | 550 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 385 | 410 | 430 | 455 | 485 | 520 | 555 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1425 | S2 | SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>325</td><td>350</td><td>370</td><td>395</td><td>425</td><td>460</td><td>495</td></tr><tr><td>395</td><td>420</td><td>440</td><td>465</td><td>495</td><td>530</td><td>565</td></tr><tr><td>400</td><td>425</td><td>445</td><td>470</td><td>500</td><td>535</td><td>570</td></tr><tr><td>420</td><td>445</td><td>465</td><td>490</td><td>520</td><td>555</td><td>590</td></tr><tr><td>455</td><td>480</td><td>500</td><td>525</td><td>555</td><td>590</td><td>625</td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td></tr><tr><td>425</td><td>450</td><td>470</td><td>495</td><td>525</td><td>560</td><td>595</td></tr><tr><td>430</td><td>455</td><td>475</td><td>500</td><td>530</td><td>565</td><td>600</td></tr><tr><td>450</td><td>475</td><td>495</td><td>520</td><td>550</td><td>585</td><td>620</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 325 | 350 | 370 | 395 | 425 | 460 | 495 | 395 | 420 | 440 | 465 | 495 | 530 | 565 | 400 | 425 | 445 | 470 | 500 | 535 | 570 | 420 | 445 | 465 | 490 | 520 | 555 | 590 | 455 | 480 | 500 | 525 | 555 | 590 | 625 | 475 | 500 | 520 | 545 | 575 | 610 | 645 | 425 | 450 | 470 | 495 | 525 | 560 | 595 | 430 | 455 | 475 | 500 | 530 | 565 | 600 | 450 | 475 | 495 | 520 | 550 | 585 | 620 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Upright position tilt lock• 360-degree swivel• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 35.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 325 | 350 | 370 | 395 | 425 | 460 | 495 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 395 | 420 | 440 | 465 | 495 | 530 | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 | 425 | 445 | 470 | 500 | 535 | 570 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 420 | 445 | 465 | 490 | 520 | 555 | 590 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 455 | 480 | 500 | 525 | 555 | 590 | 625 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 425 | 450 | 470 | 495 | 525 | 560 | 595 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 430 | 455 | 475 | 500 | 530 | 565 | 600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 475 | 495 | 520 | 550 | 585 | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1425 | P1 | POSTURE BACK The articulating back provides proper support for moderate tasking applications | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>365</td><td>390</td><td>410</td><td>435</td><td>465</td><td>500</td><td>535</td></tr><tr><td>435</td><td>460</td><td>480</td><td>505</td><td>535</td><td>570</td><td>605</td></tr><tr><td>440</td><td>465</td><td>485</td><td>510</td><td>540</td><td>575</td><td>610</td></tr><tr><td>460</td><td>485</td><td>505</td><td>530</td><td>560</td><td>595</td><td>630</td></tr><tr><td>495</td><td>520</td><td>540</td><td>565</td><td>595</td><td>630</td><td>665</td></tr><tr><td>515</td><td>540</td><td>560</td><td>585</td><td>615</td><td>650</td><td>685</td></tr><tr><td>465</td><td>490</td><td>510</td><td>535</td><td>565</td><td>600</td><td>635</td></tr><tr><td>470</td><td>495</td><td>515</td><td>540</td><td>570</td><td>605</td><td>640</td></tr><tr><td>490</td><td>515</td><td>535</td><td>560</td><td>590</td><td>625</td><td>660</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 365 | 390 | 410 | 435 | 465 | 500 | 535 | 435 | 460 | 480 | 505 | 535 | 570 | 605 | 440 | 465 | 485 | 510 | 540 | 575 | 610 | 460 | 485 | 505 | 530 | 560 | 595 | 630 | 495 | 520 | 540 | 565 | 595 | 630 | 665 | 515 | 540 | 560 | 585 | 615 | 650 | 685 | 465 | 490 | 510 | 535 | 565 | 600 | 635 | 470 | 495 | 515 | 540 | 570 | 605 | 640 | 490 | 515 | 535 | 560 | 590 | 625 | 660 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle adj. with free float• Back tilt adjustment• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-39.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YDS WEIGHT: 37.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 365 | 390 | 410 | 435 | 465 | 500 | 535 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 435 | 460 | 480 | 505 | 535 | 570 | 605 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 440 | 465 | 485 | 510 | 540 | 575 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 485 | 505 | 530 | 560 | 595 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 520 | 540 | 565 | 595 | 630 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 515 | 540 | 560 | 585 | 615 | 650 | 685 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 465 | 490 | 510 | 535 | 565 | 600 | 635 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 470 | 495 | 515 | 540 | 570 | 605 | 640 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1425 | R1 | ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>375</td><td>400</td><td>420</td><td>445</td><td>475</td><td>510</td><td>545</td></tr><tr><td>445</td><td>470</td><td>490</td><td>515</td><td>545</td><td>580</td><td>615</td></tr><tr><td>450</td><td>475</td><td>495</td><td>520</td><td>550</td><td>585</td><td>620</td></tr><tr><td>470</td><td>495</td><td>515</td><td>540</td><td>570</td><td>605</td><td>640</td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td>525</td><td>550</td><td>570</td><td>595</td><td>625</td><td>660</td><td>695</td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td></tr><tr><td>480</td><td>505</td><td>525</td><td>550</td><td>580</td><td>615</td><td>650</td></tr><tr><td>500</td><td>525</td><td>545</td><td>570</td><td>600</td><td>635</td><td>670</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 375 | 400 | 420 | 445 | 475 | 510 | 545 | 445 | 470 | 490 | 515 | 545 | 580 | 615 | 450 | 475 | 495 | 520 | 550 | 585 | 620 | 470 | 495 | 515 | 540 | 570 | 605 | 640 | 505 | 530 | 550 | 575 | 605 | 640 | 675 | 525 | 550 | 570 | 595 | 625 | 660 | 695 | 475 | 500 | 520 | 545 | 575 | 610 | 645 | 480 | 505 | 525 | 550 | 580 | 615 | 650 | 500 | 525 | 545 | 570 | 600 | 635 | 670 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 33.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 375 | 400 | 420 | 445 | 475 | 510 | 545 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 445 | 470 | 490 | 515 | 545 | 580 | 615 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 475 | 495 | 520 | 550 | 585 | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 470 | 495 | 515 | 540 | 570 | 605 | 640 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | 550 | 570 | 595 | 625 | 660 | 695 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 505 | 525 | 550 | 580 | 615 | 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Soft Touch Loop Arm



A4 - Height Adjustable Arm
A5 - Height/Width Adjustable Arm



50mm Hooded Casters



A6 - Height Adjustable Pivot Slide Arm
A7 - Height/width Adjustable Pivot Slide Arm



Soft Touch C-Shape Arm




50mm Hooded Hard Floor Casters



Height Adjustable Pivot/Slide Arm



Height/Width Adjustable Pivot/Slide Arm



50mm Hooded Self-Lock Hard Floor Casters



26" Nylon Base - Black




1" Extra Foam on Seat



1" Visco Elastic Memory Foam on Seat



Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control)



Replace Knob with Bolt (for B2 or S2 Controls ONLY)

agent

lending comfort, durability, and value to every project

LOW-BACK

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING AGENT MODEL NUMBER


| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 1425 | | A | | BA1B | C | | |

* FOR ARMLESS CODE USE A00
** IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | FEATURES | DIMENSIONS | |
|-------|---------|---|---------|-----------------------------|-----|-----|-----|-----|-----|-----|--|----------|--|--|
| 1425 | M1 | MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees | ARMLESS | A/COM | B | C | D | E | F | G | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-39.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5-19.5 COM: 0.8 YDS WEIGHT: 43.0 LB |
| | | | A1 | 425 | 450 | 470 | 495 | 525 | 560 | 595 | | | | |
| | | | A4 | 495 | 520 | 540 | 565 | 595 | 630 | 665 | | | | |
| | | | A5 | 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | | |
| | | | A6 | 520 | 545 | 565 | 590 | 620 | 655 | 690 | | | | |
| | | | A7 | 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | | |
| | | | A16 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | | | | |
| | | | A36 | 525 | 550 | 570 | 595 | 625 | 660 | 695 | | | | |
| | | | A37 | 530 | 555 | 575 | 600 | 630 | 665 | 700 | | | | |
| | | | | 550 | 575 | 595 | 620 | 650 | 685 | 720 | | | | |
| | | | | SEAT SLIDER (SS) - ADD \$60 | | | | | | | | | | |
| 1425 | Y2-SS | HEAVY DUTY SYNCHRO Use for general office, task or management | ARMLESS | A/COM | B | C | D | E | F | G | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Seat slider standard• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 31.5-36.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 35.0 LB |
| | | | A1 | 465 | 490 | 510 | 535 | 565 | 600 | 635 | | | | |
| | | | A4 | 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | | |
| | | | A5 | 540 | 565 | 585 | 610 | 640 | 675 | 710 | | | | |
| | | | A6 | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | | |
| | | | A7 | 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | | |
| | | | A16 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | |
| | | | A36 | 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | | |
| | | | A37 | 570 | 595 | 615 | 640 | 670 | 705 | 740 | | | | |
| | | | | 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | | |
| | | | | SEAT SLIDER (SS) - STANDARD | | | | | | | | | | |




Soft Touch Loop Arm



A6 - Height Adjustable Pivot Slide Arm
A7 - Height/width Adjustable Pivot Slide Arm



Height Adjustable Pivot/Slide Arm




A4 - Height Adjustable Arm
A5 - Height/Width Adjustable Arm




Soft Touch C-Shape Arm



Height/Width Adjustable Pivot/Slide Arm



50mm Hooded Casters



50mm Hooded Hard Floor Casters



50mm Hooded Self-Lock Hard Floor Casters



26" Nylon Base - Black




1" Extra Foam on Seat



1" Visco Elastic Memory Foam on Seat



Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control)



Replace Knob with Bolt (for B2 or S2 Controls Only)

agent

lending comfort, durability, and value to every project

LOW-BACK STOOL

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING AGENT MODEL NUMBER

MODEL NUMBERCONTROLARMSGRADEBASECASTERSPACKAGINGOPTIONS

142- -A--B A 1 B-C-- --

* FOR ARMLESS CODE USE A00

*IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|---|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|---|---|
| 1426 | B2 | <div>10" STOOL BASIC TASK</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>405</td><td>430</td><td>450</td><td>475</td><td>505</td><td>540</td><td>575</td><td></td><td></td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td><td></td><td></td></tr><tr><td>480</td><td>505</td><td>525</td><td>550</td><td>580</td><td>615</td><td>650</td><td></td><td></td></tr><tr><td>500</td><td>525</td><td>545</td><td>570</td><td>600</td><td>635</td><td>670</td><td></td><td></td></tr><tr><td>535</td><td>560</td><td>580</td><td>605</td><td>635</td><td>670</td><td>705</td><td></td><td></td></tr><tr><td>555</td><td>580</td><td>600</td><td>625</td><td>655</td><td>690</td><td>725</td><td></td><td></td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td><td></td><td></td></tr><tr><td>510</td><td>535</td><td>555</td><td>580</td><td>610</td><td>645</td><td>680</td><td></td><td></td></tr><tr><td>530</td><td>555</td><td>575</td><td>600</td><td>630</td><td>665</td><td>700</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | 480 | 505 | 525 | 550 | 580 | 615 | 650 | | | 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | 510 | 535 | 555 | 580 | 610 | 645 | 680 | | | 530 | 555 | 575 | 600 | 630 | 665 | 700 | | | <ul style="list-style-type: none">360-degree swivelPneumatic seat height adjustmentAdjustable back depthNo seat and back tiltHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 27.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 40.5-50.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 26.5-36.5</div> <div>BACK WIDTH: 16.5</div> <div>BACK HEIGHT: 16.5</div> <div>COM: 0.8 YDS</div> <div>WEIGHT: 38.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 505 | 525 | 550 | 580 | 615 | 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 535 | 555 | 580 | 610 | 645 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 555 | 575 | 600 | 630 | 665 | 700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1426 | P1 | <div>10" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>490</td><td>515</td><td>535</td><td>560</td><td>590</td><td>625</td><td>660</td><td></td><td></td></tr><tr><td>560</td><td>585</td><td>605</td><td>630</td><td>660</td><td>695</td><td>730</td><td></td><td></td></tr><tr><td>565</td><td>590</td><td>610</td><td>635</td><td>665</td><td>700</td><td>735</td><td></td><td></td></tr><tr><td>585</td><td>610</td><td>630</td><td>655</td><td>685</td><td>720</td><td>755</td><td></td><td></td></tr><tr><td>620</td><td>645</td><td>665</td><td>690</td><td>720</td><td>755</td><td>790</td><td></td><td></td></tr><tr><td>640</td><td>665</td><td>685</td><td>710</td><td>740</td><td>775</td><td>810</td><td></td><td></td></tr><tr><td>590</td><td>615</td><td>635</td><td>660</td><td>690</td><td>725</td><td>760</td><td></td><td></td></tr><tr><td>595</td><td>620</td><td>640</td><td>665</td><td>695</td><td>730</td><td>765</td><td></td><td></td></tr><tr><td>615</td><td>640</td><td>660</td><td>685</td><td>715</td><td>750</td><td>785</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | 620 | 645 | 665 | 690 | 720 | 755 | 790 | | | 640 | 665 | 685 | 710 | 740 | 775 | 810 | | | 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjusts with free floatRatchet back height lumbar adjustmentHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 27.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 40.5-53.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 26.5-36.5</div> <div>BACK WIDTH: 16.5</div> <div>BACK HEIGHT: 16.5-19.5</div> <div>COM: 0.8 YDS</div> <div>WEIGHT: 42.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 645 | 665 | 690 | 720 | 755 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 665 | 685 | 710 | 740 | 775 | 810 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1428 | B2 | <div>8" STOOL BASIC TASK</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>405</td><td>430</td><td>450</td><td>475</td><td>505</td><td>540</td><td>575</td><td></td><td></td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td><td></td><td></td></tr><tr><td>480</td><td>505</td><td>525</td><td>550</td><td>580</td><td>615</td><td>650</td><td></td><td></td></tr><tr><td>500</td><td>525</td><td>545</td><td>570</td><td>600</td><td>635</td><td>670</td><td></td><td></td></tr><tr><td>535</td><td>560</td><td>580</td><td>605</td><td>635</td><td>670</td><td>705</td><td></td><td></td></tr><tr><td>555</td><td>580</td><td>600</td><td>625</td><td>655</td><td>690</td><td>725</td><td></td><td></td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td><td></td><td></td></tr><tr><td>510</td><td>535</td><td>555</td><td>580</td><td>610</td><td>645</td><td>680</td><td></td><td></td></tr><tr><td>530</td><td>555</td><td>575</td><td>600</td><td>630</td><td>665</td><td>700</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | 480 | 505 | 525 | 550 | 580 | 615 | 650 | | | 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | 510 | 535 | 555 | 580 | 610 | 645 | 680 | | | 530 | 555 | 575 | 600 | 630 | 665 | 700 | | | <ul style="list-style-type: none">360-degree swivelPneumatic seat height adjustmentAdjustable back depthNo seat and back tiltHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 27.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 35.0-43.0</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 21.5-29.5</div> <div>BACK WIDTH: 16.5</div> <div>BACK HEIGHT: 16.5</div> <div>COM: 0.8 YDS</div> <div>WEIGHT: 37.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 505 | 525 | 550 | 580 | 615 | 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | 525 | 545 | 570 | 600 | 635 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 535 | 555 | 580 | 610 | 645 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 555 | 575 | 600 | 630 | 665 | 700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1428 | P1 | <div>8" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>490</td><td>515</td><td>535</td><td>560</td><td>590</td><td>625</td><td>660</td><td></td><td></td></tr><tr><td>560</td><td>585</td><td>605</td><td>630</td><td>660</td><td>695</td><td>730</td><td></td><td></td></tr><tr><td>565</td><td>590</td><td>610</td><td>635</td><td>665</td><td>700</td><td>735</td><td></td><td></td></tr><tr><td>585</td><td>610</td><td>630</td><td>655</td><td>685</td><td>720</td><td>755</td><td></td><td></td></tr><tr><td>620</td><td>645</td><td>665</td><td>690</td><td>720</td><td>755</td><td>790</td><td></td><td></td></tr><tr><td>640</td><td>665</td><td>685</td><td>710</td><td>740</td><td>775</td><td>810</td><td></td><td></td></tr><tr><td>590</td><td>615</td><td>635</td><td>660</td><td>690</td><td>725</td><td>760</td><td></td><td></td></tr><tr><td>595</td><td>620</td><td>640</td><td>665</td><td>695</td><td>730</td><td>765</td><td></td><td></td></tr><tr><td>615</td><td>640</td><td>660</td><td>685</td><td>715</td><td>750</td><td>785</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | 620 | 645 | 665 | 690 | 720 | 755 | 790 | | | 640 | 665 | 685 | 710 | 740 | 775 | 810 | | | 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjusts with free floatRatchet back height lumbar adjustmentHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 27.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 35.0-46.0</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 21.5-29.5</div> <div>BACK WIDTH: 16.5</div> <div>BACK HEIGHT: 16.5-19.5</div> <div>COM: 0.8 YDS</div> <div>WEIGHT: 41.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 645 | 665 | 690 | 720 | 755 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 665 | 685 | 710 | 740 | 775 | 810 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| CASTER OPTIONS | |
|--|--|
| | A1 \$70 |
| Soft Touch Loop Arm | |
| | A4 \$75 A5 \$95 |
| A4 - Height Adjustable Arm A5 - Height/Width Adjustable Arm | |
| | C1 STD |
| 50mm Hooded Casters | |
| | A6 \$130 A7 \$150 |
| A6 - Height Adjustable Pivot Slide Arm A7 - Height/width Adjustable Pivot Slide Arm | |
| | C1S \$35 |
| 50mm Hooded Hard Floor Casters | |
| | A36 \$105 A37 \$125 |
| Height Adjustable Pivot/Slide Arm Height/Width Adjustable Pivot/Slide Arm | |
| | C2S \$35 |
| 50mm Hooded Self-Lock Hard Floor Casters | |

BASE OPTIONS

| | |
|------------------------|--------------------|
| | BA1B STD |
| 26" Nylon Base - Black | |

ADDITIONAL OPTIONS

| | | | | | |
|-----------------------|--------------------|--------------------------------------|--------------------|---|-------------------|
| | EF1 \$30 | | MF1 \$50 | | BT \$15 |
| 1" Extra Foam on Seat | | 1" Visco Elastic Memory Foam on Seat | | Replace Knob with Bolt (for B2 or S2 Controls Only) | |

agent

lending comfort, durability, and value to every project

MID-BACK

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING AGENT MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 1660 | | A | | BA1B | C | | |

* FOR ARMLESS CODE USE A00 *IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | CASTER OPTIONS |
|-------|---------|---|--|---|----------|------------|----------------|
| 1660 | B2 | BASIC TASK Our basic control has simple adjustments. Ideal for clerical, casual meetings and general office use | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | A/COM B C D E F G | | | |

agent

lending comfort, durability, and value to every project

MID-BACK

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved














CREATING AGENT MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|---------|---------|-----------|---------|
| 1660 | 0 | A | | B A 1 B | C | | |

* FOR ARMLESS CODE USE A00
* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED
* GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | CASTER OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------|---|--|--|----------|------------|----------------|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|--|
| 1660 | M1 | MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>490</td><td>520</td><td>540</td><td>570</td><td>605</td><td>645</td><td>685</td></tr><tr><td>560</td><td>590</td><td>610</td><td>640</td><td>675</td><td>715</td><td>755</td></tr><tr><td>565</td><td>595</td><td>615</td><td>645</td><td>680</td><td>720</td><td>760</td></tr><tr><td>585</td><td>615</td><td>635</td><td>665</td><td>700</td><td>740</td><td>780</td></tr><tr><td>620</td><td>650</td><td>670</td><td>700</td><td>735</td><td>775</td><td>815</td></tr><tr><td>640</td><td>670</td><td>690</td><td>720</td><td>755</td><td>795</td><td>835</td></tr><tr><td>590</td><td>620</td><td>640</td><td>670</td><td>705</td><td>745</td><td>785</td></tr><tr><td>595</td><td>625</td><td>645</td><td>675</td><td>710</td><td>750</td><td>790</td></tr><tr><td>615</td><td>645</td><td>665</td><td>695</td><td>730</td><td>770</td><td>810</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 490 | 520 | 540 | 570 | 605 | 645 | 685 | 560 | 590 | 610 | 640 | 675 | 715 | 755 | 565 | 595 | 615 | 645 | 680 | 720 | 760 | 585 | 615 | 635 | 665 | 700 | 740 | 780 | 620 | 650 | 670 | 700 | 735 | 775 | 815 | 640 | 670 | 690 | 720 | 755 | 795 | 835 | 590 | 620 | 640 | 670 | 705 | 745 | 785 | 595 | 625 | 645 | 675 | 710 | 750 | 790 | 615 | 645 | 665 | 695 | 730 | 770 | 810 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 38.5-44.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5-20.5 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 52.0 LB | <div>A1 \$70 Soft Touch Loop Arm</div> <div>A4 \$75 A5 \$95 A4 - Height Adjustable Arm A5 - Height/Width Adjustable Arm</div> <div>C1 STD 50mm Hooded Casters</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 520 | 540 | 570 | 605 | 645 | 685 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 590 | 610 | 640 | 675 | 715 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 595 | 615 | 645 | 680 | 720 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 615 | 635 | 665 | 700 | 740 | 780 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 650 | 670 | 700 | 735 | 775 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 670 | 690 | 720 | 755 | 795 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 620 | 640 | 670 | 705 | 745 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 625 | 645 | 675 | 710 | 750 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 645 | 665 | 695 | 730 | 770 | 810 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1660 | Y2-SS | HEAVY DUTY SYNCHRO Use for general office, task or management | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td></tr><tr><td>600</td><td>630</td><td>650</td><td>680</td><td>715</td><td>755</td><td>795</td></tr><tr><td>605</td><td>635</td><td>655</td><td>685</td><td>720</td><td>760</td><td>800</td></tr><tr><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td></tr><tr><td>660</td><td>690</td><td>710</td><td>740</td><td>775</td><td>815</td><td>855</td></tr><tr><td>680</td><td>710</td><td>730</td><td>760</td><td>795</td><td>835</td><td>875</td></tr><tr><td>630</td><td>660</td><td>680</td><td>710</td><td>745</td><td>785</td><td>825</td></tr><tr><td>635</td><td>665</td><td>685</td><td>715</td><td>750</td><td>790</td><td>830</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td></tr></table> SEAT SLIDER (SS) - STANDARD | A/COM | B | C | D | E | F | G | 530 | 560 | 580 | 610 | 645 | 685 | 725 | 600 | 630 | 650 | 680 | 715 | 755 | 795 | 605 | 635 | 655 | 685 | 720 | 760 | 800 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 660 | 690 | 710 | 740 | 775 | 815 | 855 | 680 | 710 | 730 | 760 | 795 | 835 | 875 | 630 | 660 | 680 | 710 | 745 | 785 | 825 | 635 | 665 | 685 | 715 | 750 | 790 | 830 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Seat slider standard• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 38.5-44.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5-20.5 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 52.0 LB | <div>A6 \$130 A7 \$150 A6 - Height Adjustable Pivot Slide Arm A7 - Height/width Adjustable Pivot Slide Arm</div> <div>A16 \$100 Soft Touch C-Shape Arm</div> <div>C1S \$35 50mm Hooded Hard Floor Casters</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 630 | 650 | 680 | 715 | 755 | 795 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 635 | 655 | 685 | 720 | 760 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 655 | 675 | 705 | 740 | 780 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 660 | 690 | 710 | 740 | 775 | 815 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 710 | 730 | 760 | 795 | 835 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 660 | 680 | 710 | 745 | 785 | 825 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 665 | 685 | 715 | 750 | 790 | 830 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1660 | GT | GUEST Well suited for guest seating | ARMLESS A1 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>325</td><td>355</td><td>375</td><td>405</td><td>440</td><td>480</td><td>520</td></tr><tr><td>395</td><td>425</td><td>445</td><td>475</td><td>510</td><td>550</td><td>590</td></tr></table> SHIPS PARTIALLY ASSEMBLED PAC OR AB | A/COM | B | C | D | E | F | G | 325 | 355 | 375 | 405 | 440 | 480 | 520 | 395 | 425 | 445 | 475 | 510 | 550 | 590 | <ul style="list-style-type: none">• Cantilever base design• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0 COM: 0.9 YDS WEIGHT: 42.0 LB | <div>BA1B STD 26" Nylon Base - Black</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 325 | 355 | 375 | 405 | 440 | 480 | 520 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 395 | 425 | 445 | 475 | 510 | 550 | 590 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BASE OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>EF1 \$30 1" Extra Foam on Seat</div> <div>MF1 \$50 1" Visco Elastic Memory Foam on Seat</div> <div>SS \$60 Seat Slider 2.5" Side Paddle Activated (Standard with Y2 Control)</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>BT \$15 Replace Knob with Bolt (for B2 or S2 Controls Only)</div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

agent

lending comfort, durability, and value to every project

MID-BACK STOOL

GSA SIN # 711-18

- Task, conference and stool seating
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING AGENT MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS

1 6 - - A - - B A 1 B - C - - -

* FOR ARMLESS CODE USE A00 *IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|---|--|---|--|--|
| 1666 | B2 | 10" STOOL BASIC TASK Use for work surfaces up to 42 inches high | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | A/COM 470 540 545 565 600 620 570 575 595 B 500 570 575 595 630 650 600 605 625 C 520 590 595 615 650 670 620 625 645 D 550 620 625 645 680 700 650 655 675 E 585 655 660 680 715 735 685 690 710 F 625 695 700 720 755 775 725 730 750 G 665 735 740 760 795 815 765 770 790 | <ul style="list-style-type: none">• 360-degree swivel• Pneumatic seat height adjustment• No seat and back tilt• Adjustable back depth• Height adjustable footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-57.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0 COM: 0.9 YDS WEIGHT: 46.0 LB |
| 1666 | P1 | 10" STOOL POSTURE BACK Use for work surfaces up to 42 inches high | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | A/COM 555 625 630 650 685 705 655 660 680 B 585 655 660 680 715 735 685 690 710 C 605 675 680 700 735 755 705 710 730 D 635 705 710 730 765 785 735 740 760 E 670 740 745 765 800 820 770 815 835 F 710 780 785 805 840 860 810 855 875 G 750 820 825 845 880 900 850 855 875 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle adj. with free float• Ratchet back height lumbar adjustment• Height adjustable footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-61.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 50.0 LB |
| 1668 | B2 | 8" STOOL BASIC TASK Use for work surfaces up to 36 inches high | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | A/COM 470 540 545 565 600 620 570 575 595 B 500 570 575 595 630 650 600 605 625 C 520 590 595 615 650 670 620 625 645 D 550 620 625 645 680 700 650 655 675 E 585 655 660 680 715 735 685 690 710 F 625 695 700 720 755 775 725 730 750 G 665 735 740 760 795 815 765 770 790 | <ul style="list-style-type: none">• 360-degree swivel• Pneumatic seat height adjustment• No seat and back tilt• Adjustable back depth• Height adjustable footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 43.5-51.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0 COM: 0.9 YDS WEIGHT: 45.0 LB |
| 1668 | P1 | 8" STOOL POSTURE BACK Use for work surfaces up to 36 inches high | ARMLESS A1 A4 A5 A6 A7 A16 A36 A37 | A/COM 555 625 630 650 685 705 655 660 680 B 585 655 660 680 715 735 685 690 710 C 605 675 680 700 735 755 705 710 730 D 635 705 710 730 765 785 735 740 760 E 670 740 745 765 800 820 770 815 835 F 710 780 785 805 840 860 810 855 875 G 750 820 825 845 880 900 850 855 875 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle adj. with free float• Ratchet back height lumbar adjustment• Height adjustable footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 43.5-55.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 49.0 LB |

| CASTER OPTIONS | |
|--------------------|--|
| | C1 STD 50mm Hooded Casters |
| | C1S \$35 50mm Hooded Hard Floor Casters |
| | C2S \$35 50mm Hooded Self-Lock Hard Floor Casters |
| BASE OPTIONS | |
| | BA1B STD 26" Nylon Base - Black |
| ADDITIONAL OPTIONS | |
| | EF1 \$30 1" Extra Foam on Seat |
| | MF1 \$50 1" Visco Elastic Memory Foam on Seat |
| | BT \$15 Replace Knob with Bolt (for B2 or S2 Controls Only) |

aria

provides revolutionary comfort

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Suspension seat incorporates a flexible high performance mesh with a molded high density foam overlay
- Choice of 8 back mesh colors
- Integrated handle in chair back
- Optional height adjustable lumbar
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING ARIA MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

BACK MESH COLOR

GRADE

BASE

CASTERS

PACKAGING

OPTIONS

1

8

6

Y

A

M

2

B

A

C

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|--|----------|------------|--------|-----|-----|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| 1860 | Y1 | <div>MID-BACK SIMPLE SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> | ARMLESS A6 A8B / A8S A10 A36 A40 A41 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>500</td><td>530</td><td>550</td><td>580</td><td>615</td><td>655</td><td>695</td><td>560</td><td>630</td><td>660</td></tr><tr><td>630</td><td>660</td><td>680</td><td>710</td><td>745</td><td>785</td><td>825</td><td>690</td><td>760</td><td>790</td></tr><tr><td>585</td><td>615</td><td>635</td><td>665</td><td>700</td><td>740</td><td>780</td><td>645</td><td>715</td><td>745</td></tr><tr><td>585</td><td>615</td><td>635</td><td>665</td><td>700</td><td>740</td><td>780</td><td>645</td><td>715</td><td>745</td></tr><tr><td>605</td><td>635</td><td>655</td><td>685</td><td>720</td><td>760</td><td>800</td><td>665</td><td>735</td><td>765</td></tr><tr><td>610</td><td>640</td><td>660</td><td>690</td><td>725</td><td>765</td><td>805</td><td>670</td><td>740</td><td>770</td></tr><tr><td>630</td><td>660</td><td>680</td><td>710</td><td>745</td><td>785</td><td>825</td><td>690</td><td>760</td><td>790</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 500 | 530 | 550 | 580 | 615 | 655 | 695 | 560 | 630 | 660 | 630 | 660 | 680 | 710 | 745 | 785 | 825 | 690 | 760 | 790 | 585 | 615 | 635 | 665 | 700 | 740 | 780 | 645 | 715 | 745 | 585 | 615 | 635 | 665 | 700 | 740 | 780 | 645 | 715 | 745 | 605 | 635 | 655 | 685 | 720 | 760 | 800 | 665 | 735 | 765 | 610 | 640 | 660 | 690 | 725 | 765 | 805 | 670 | 740 | 770 | 630 | 660 | 680 | 710 | 745 | 785 | 825 | 690 | 760 | 790 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockMolded foam suspension seatOptional height adjustable lumbarWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 36.0-40.5</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 18.0-22.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.9 YDS</div> <div>COL: 8.0 SQ FT</div> <div>WEIGHT: 36.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | 530 | 550 | 580 | 615 | 655 | 695 | 560 | 630 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 660 | 680 | 710 | 745 | 785 | 825 | 690 | 760 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 615 | 635 | 665 | 700 | 740 | 780 | 645 | 715 | 745 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 615 | 635 | 665 | 700 | 740 | 780 | 645 | 715 | 745 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 635 | 655 | 685 | 720 | 760 | 800 | 665 | 735 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 610 | 640 | 660 | 690 | 725 | 765 | 805 | 670 | 740 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 660 | 680 | 710 | 745 | 785 | 825 | 690 | 760 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1860 | Y3 | <div>FULL SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> | ARMLESS A6 A8B / A8S A10 A36 A40 A41 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>570</td><td>600</td><td>620</td><td>650</td><td>685</td><td>725</td><td>765</td><td>630</td><td>700</td><td>730</td></tr><tr><td>700</td><td>730</td><td>750</td><td>780</td><td>815</td><td>855</td><td>895</td><td>760</td><td>830</td><td>860</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>715</td><td>785</td><td>815</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>715</td><td>785</td><td>815</td></tr><tr><td>675</td><td>705</td><td>725</td><td>755</td><td>790</td><td>830</td><td>870</td><td>735</td><td>805</td><td>835</td></tr><tr><td>680</td><td>710</td><td>730</td><td>760</td><td>795</td><td>835</td><td>875</td><td>740</td><td>810</td><td>840</td></tr><tr><td>700</td><td>730</td><td>750</td><td>780</td><td>815</td><td>855</td><td>895</td><td>760</td><td>830</td><td>860</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 570 | 600 | 620 | 650 | 685 | 725 | 765 | 630 | 700 | 730 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 760 | 830 | 860 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 715 | 785 | 815 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 715 | 785 | 815 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 735 | 805 | 835 | 680 | 710 | 730 | 760 | 795 | 835 | 875 | 740 | 810 | 840 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 760 | 830 | 860 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 2:1 ratio3 locking positionsSafety tilt releaseInjection molded suspension seatOptional height adjustable lumbarWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 36.0-40.5</div> <div>SEAT WIDTH: 21</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 18.0-22.5</div> <div>BACK WIDTH: 19</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.9 YDS</div> <div>COL: 8.0 SQ FT</div> <div>WEIGHT: 38.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 600 | 620 | 650 | 685 | 725 | 765 | 630 | 700 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 730 | 750 | 780 | 815 | 855 | 895 | 760 | 830 | 860 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 715 | 785 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 715 | 785 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 705 | 725 | 755 | 790 | 830 | 870 | 735 | 805 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 710 | 730 | 760 | 795 | 835 | 875 | 740 | 810 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 730 | 750 | 780 | 815 | 855 | 895 | 760 | 830 | 860 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1866 | Y1 | <div>10" STOOL SIMPLE SYNCHRO</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A6 A8B / A8S A10 A36 A40 A41 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>685</td><td>755</td><td>785</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>730</td><td>760</td><td>780</td><td>810</td><td>845</td><td>885</td><td>925</td><td>790</td><td>860</td><td>890</td></tr><tr><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>795</td><td>865</td><td>895</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr></table> <div>SEAT SLIDER - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tillockMolded foam suspension seatOptional height adjustable lumbarHeight adj 20" diameter footingWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 45.5-55.5</div> <div>SEAT WIDTH: 21</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 27.5-37.5</div> <div>BACK WIDTH: 19</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.9 YDS</div> <div>COL: 8.0 SQ FT</div> <div>WEIGHT: 44.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1868 | Y1 | <div>8" STOOL SIMPLE SYNCHRO</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A6 A8B / A8S A10 A36 A40 A41 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>685</td><td>755</td><td>785</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>730</td><td>760</td><td>780</td><td>810</td><td>845</td><td>885</td><td>925</td><td>790</td><td>860</td><td>890</td></tr><tr><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>795</td><td>865</td><td>895</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr></table> <div>SEAT SLIDER - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tillockMolded foam suspension seatOptional height adjustable lumbarHeight adj 20" diameter footingWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 40.5-48.5</div> <div>SEAT WIDTH: 21</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 22.5-30.5</div> <div>BACK WIDTH: 19</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.9 YDS</div> <div>COL: 8.0 SQ FT</div> <div>WEIGHT: 43.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A6
\$130
Height Adjustable Pivot/
Slide Arm

A8B/S
\$85
Height Adjustable Arm

C6
STD
60mm Hoodless
Casters

A10
\$85
Soft Touch C-Shaped Arm

A36
\$105
Height Adjustable Pivot/
Slide Arm

C6S
\$35
60mm Hoodless
Hard Floor Casters

A40
\$110
Height Adjustable Arm

A41
\$130
Height Slide Adjustable Arm

C7
\$35
60mm Hoodless Chrome
Accented Casters

BA9B
STD
26" High Profile Nylon
Base - Black

BA10B
\$100
26" High Profile Aluminum
Base - Black Powder Coat

BA10P
\$100
26" High Profile Aluminum
Base - Polished

BA10S
\$100
26" High Profile Aluminum
Base - Silver Powder Coat

LB
\$30
Height Adjustable Lumbar
Support (Factory Installed)

aria

provides revolutionary comfort

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Suspension seat incorporates a flexible high performance mesh with a molded high density foam overlay
- Choice of 8 back mesh colors
- Integrated handle in chair back
- Optional height adjustable lumbar
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING ARIA MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

BACK MESH COLOR

GRADE

BASE

CASTERS

PACKAGING

OPTIONS

1

8

-

-

A

-

M

2

-

-

B

A

-

C

-

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|---|---|----------|------------|--------|-----|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|------|--|---|
| 1880 | Y4 | <div><div>HIGH-BACK INTENSIVE SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div> | <div>ARMLESS</div> <div>A6</div> <div>A8B / A8S</div> <div>A10</div> <div>A36</div> <div>A40</div> <div>A41</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>685</td><td>755</td><td>785</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>730</td><td>760</td><td>780</td><td>810</td><td>845</td><td>885</td><td>925</td><td>790</td><td>860</td><td>890</td></tr><tr><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>795</td><td>865</td><td>895</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>815</td><td>885</td><td>915</td></tr></table> <div>SEAT SLIDER (SS) - STANDARD</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | <div><div><ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Forward seat pitch adjustment• Standard seat slider• Injection molded suspension seat• Optional height adjustable lumbar• Warranted to 300 lbs.</div></div> | <div><div><div>WIDTH: 26.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 40.0-43.0</div><div>SEAT WIDTH: 21.0</div><div>SEAT DEPTH: 17.0-19.5</div><div>SEAT HEIGHT: 18.5-21.5</div><div>BACK WIDTH: 19.0</div><div>BACK HEIGHT: 23.0</div><div>COM: 0.9 YD</div><div>COL: 8.0 SQ FT</div><div>WEIGHT: 44.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 655 | 675 | 705 | 740 | 780 | 820 | 685 | 755 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 760 | 780 | 810 | 845 | 885 | 925 | 790 | 860 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 765 | 785 | 815 | 850 | 890 | 930 | 795 | 865 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 815 | 885 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1885 | Y4 | <div><div>HIGH-BACK W/ HEADREST INTENSIVE SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div> | <div>ARMLESS</div> <div>A6</div> <div>A8B / A8S</div> <div>A10</div> <div>A36</div> <div>A40</div> <div>A41</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>710</td><td>740</td><td>760</td><td>790</td><td>825</td><td>865</td><td>905</td><td>770</td><td>840</td><td>870</td></tr><tr><td>840</td><td>870</td><td>890</td><td>920</td><td>955</td><td>995</td><td>1035</td><td>900</td><td>970</td><td>1000</td></tr><tr><td>795</td><td>825</td><td>845</td><td>875</td><td>910</td><td>950</td><td>990</td><td>855</td><td>925</td><td>955</td></tr><tr><td>795</td><td>825</td><td>845</td><td>875</td><td>910</td><td>950</td><td>990</td><td>855</td><td>925</td><td>955</td></tr><tr><td>815</td><td>845</td><td>865</td><td>895</td><td>930</td><td>970</td><td>1010</td><td>875</td><td>945</td><td>975</td></tr><tr><td>820</td><td>850</td><td>870</td><td>900</td><td>935</td><td>975</td><td>1015</td><td>880</td><td>950</td><td>980</td></tr><tr><td>840</td><td>870</td><td>890</td><td>920</td><td>955</td><td>995</td><td>1035</td><td>900</td><td>970</td><td>1000</td></tr></table> <div>SEAT SLIDER (SS) - STANDARD</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | 840 | 870 | 890 | 920 | 955 | 995 | 1035 | 900 | 970 | 1000 | 795 | 825 | 845 | 875 | 910 | 950 | 990 | 855 | 925 | 955 | 795 | 825 | 845 | 875 | 910 | 950 | 990 | 855 | 925 | 955 | 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 875 | 945 | 975 | 820 | 850 | 870 | 900 | 935 | 975 | 1015 | 880 | 950 | 980 | 840 | 870 | 890 | 920 | 955 | 995 | 1035 | 900 | 970 | 1000 | <div><div><ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Forward seat pitch adjustment• Standard seat slider• Injection molded suspension seat• Optional height adjustable lumbar• Warranted to 300 lbs.</div></div> | <div><div><div>WIDTH: 26.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 47-50</div><div>SEAT WIDTH: 21.0</div><div>SEAT DEPTH: 17.0-19.5</div><div>SEAT HEIGHT: 18.5-21.5</div><div>BACK WIDTH: 19.0</div><div>BACK HEIGHT: 30.0</div><div>COM: 0.9 YD</div><div>COL: 8.0 SQ FT</div><div>WEIGHT: 45.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 740 | 760 | 790 | 825 | 865 | 905 | 770 | 840 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 870 | 890 | 920 | 955 | 995 | 1035 | 900 | 970 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 825 | 845 | 875 | 910 | 950 | 990 | 855 | 925 | 955 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 825 | 845 | 875 | 910 | 950 | 990 | 855 | 925 | 955 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 875 | 945 | 975 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 850 | 870 | 900 | 935 | 975 | 1015 | 880 | 950 | 980 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 870 | 890 | 920 | 955 | 995 | 1035 | 900 | 970 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1860 | GT | <div><div>GUEST</div><div>Black four leg steel frame side chair</div></div> | <div>SWA</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>460</td><td>490</td><td>510</td><td>540</td><td>575</td><td>615</td><td>655</td><td>540</td><td>590</td><td>670</td></tr></table> <div>SHIPS PARTIALLY ASSEMBLED PAC OR AB / SWA - STANDARD WITH ARMS</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 460 | 490 | 510 | 540 | 575 | 615 | 655 | 540 | 590 | 670 | <div><div><ul style="list-style-type: none">• Black four leg style frame• Warranted to 300 lbs.</div></div> | <div><div><div>WIDTH: 24.5</div><div>DEPTH: 24.0</div><div>HEIGHT: 35.5</div><div>SEAT WIDTH: 21.0</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 17.5</div><div>BACK WIDTH: 19.0</div><div>BACK HEIGHT: 18.5</div><div>COM: 0.9 YD</div><div>COL: 8.0 SQ FT</div><div>WEIGHT: 26.5</div></div></div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 490 | 510 | 540 | 575 | 615 | 655 | 540 | 590 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Height Adjustable Pivot/Slide Arm



Soft Touch C-Shaped Arm



Height Adjustable Arm




Height Adjustable Arm



Height Adjustable Pivot/Slide Arm




Height Slide Adjustable Arm




60mm Hoodless Casters



60mm Hoodless Hard Floor Casters




60mm Hoodless Chrome Accented Casters



26" High Profile Nylon Base - Black



26" High Profile Aluminum Base - Silver Powder Coat



Height Adjustable Lumbar Support (Factory Installed)



26" High Profile Aluminum Base - Black Powder Coat



Heavy Duty Multi-Shift Upgrade to 350lbs. (Includes BA10 High Profile Aluminum Base)



26" High Profile Aluminum Base - Polished

axis

great design never goes out of style

MID-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted to 300 lbs



CREATING AXIS MODEL NUMBER

MODEL NUMBER

2600

CONTROL

ARMS

A

GRADE

BASE

BA

CASTERS

C

PACKAGING

OPTIONS

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED







* GT MODELS DO NOT HAVE A CASTER CODE


MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|---|---|--|-----|----------------|---|--|
| 2600  | S1  | MID-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. | WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 39.0-43.5 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 23.0 BACK HEIGHT: 20.0 COM: 2.9 YD COL: 37.0 SQ FT WEIGHT: 54.5 LB |
| 2600  | K1  | MID-BACK KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 5 locking positions• Safety tilt release• Reduced rise of front of seat• Warranted up to 300 lbs. | WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 39.5-42.5 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 17.5-20.5 BACK WIDTH: 23.0 BACK HEIGHT: 20.0 COM: 2.9 YD COL: 37.0 SQ FT WEIGHT: 59.5 LB |
| 2600  | GT  | GUEST Well suited for guest seating. Comes standard with non-marring glides | | | <ul style="list-style-type: none">• Cantilever frame design• Non-warring floor glides• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 29.5 HEIGHT: 40.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 18.0 BACK WIDTH: 23.0 BACK HEIGHT: 20.0 COM: 2.9 YD COL: 37.0 SQ FT WEIGHT: 50.0 LB |
| SHIPS FULLY ASSEMBLED EITHER AC OR AB | | | | | | |




Height adjustable Arm



Height Adjustable Pivot/
Slide Arm




Soft Touch C-Shape
Arm w/ Upholstered Pad



Height adjustable Arm
A8B - Black
A8S - Silver



Soft Touch C-Shape
Arm



50mm Hooded Casters



50mm Hooded Hard
Floor Casters



50mm Hooded Self-Locking
Hard Floor Casters

BASE OPTIONS



26" Nylon Base - Black



26" Aluminum Base -
Black Powder Coat



26" Aluminum Base -
Polished



26" Aluminum Base -
Silver Powder Coat



Ballistic Nylon Covered
Outside Back - Black Color

axis

great design never goes out of style

HIGH-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted to 300 lbs



CREATING AXIS MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS

2 6 1 0 - **A** - **B A** - **C**





* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK, THEN STANDARD OPTION IS ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE


MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|--|-----|----------------|---|--|
| 2610 | S1 | <div><div><div>2610</div><div>S1</div></div><div></div></div> <div><div>HIGH-BACK SWIVEL TILT</div><div>Use for a variety of general office seating, including private office and conference room seating</div></div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. | <div><div>WIDTH: 24.0</div><div>DEPTH: 29.5</div><div>HEIGHT: 43.0-47.5</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 19.5</div><div>SEAT HEIGHT: 17.0-21.5</div><div>BACK WIDTH: 23.0</div><div>BACK HEIGHT: 24.0</div><div>COM: 3.2 YD</div><div>COL: 54.0 SQ FT</div><div>WEIGHT: 56.0 LB</div></div> |
| 2610 | K1 | <div><div><div>2610</div><div>K1</div></div><div></div></div> <div><div>HIGH-BACK KNEE TILT</div><div>Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look</div></div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Seat and back tilt as a unit• 5 locking positions• Safety tilt release• Reduced rise of front of seat• Warranted to 300 lbs. | <div><div>WIDTH: 24.0</div><div>DEPTH: 29.5</div><div>HEIGHT: 42.5-45.5</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 19.5</div><div>SEAT HEIGHT: 17.0-20.5</div><div>BACK WIDTH: 23.0</div><div>BACK HEIGHT: 24.0</div><div>COM: 3.2 YD</div><div>COL: 54.0 SQ FT</div><div>WEIGHT: 61 LB</div></div> |
| | | | | | | |
| | | | | | | |




Height adjustable Arm



Height Adjustable Pivot
Slide Arm



Soft Touch C-Shape
Arm w/ Upholstered F



Height adjustable Arm
A8B - Black
A8S - Silver



Soft Touch C-Shape Arm



50mm Hooded Casters



Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

BASE OPTIONS



26" Nylon Base - Black



26" Aluminum Base -
Silver Powder Coat



26" Aluminum Base -
Black Powder Coat



Aluminum Base -
Polished

ADDITIONAL OPTIONS



Ballistic Nylon Covered
Outside Back - Black Color

bella

name your game, bella is ready to play

ALL PLASTIC - AP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

13

CONTROL

GT

ARMS

A

FRAME COLOR

UPHOLSTERY

AP

MESH COLOR

M

PLASTIC COLOR

P

CASTERS

C5

PACKAGING

OPTIONS

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1360/1365

* ONLY SELECT CASTER CODE FOR MODELS 1315/1365

PACKAGING NOTES

BELLA STACK CHAIRS SHIP UP TO 3 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS | ARM OPTIONS | CASTERS |
|-------|---------|---|-----|---------|---|--|---|---|
| 1310 | GT | <div><div><div>GUEST STACKING</div><div>Plastic back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• Non-marring floor glides• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Integrated handle in back of chair• Arm pad and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div><div>ARMLESS</div><div>W/ ARMS</div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 13.0 LB 15.0 LB</div></div> | <div><div><div><div><div>A12</div><div>\$45</div></div><div>Fixed Arm</div></div><div><div><div>A14</div><div>\$80</div></div><div>Reinforced Soft Touch Extended Arm</div></div></div></div> | <div><div><div><div><div>C5</div><div>STD</div></div><div>50mm Hooded Casters</div></div><div><div><div>C5S</div><div>\$30</div></div><div>50mm Hoodless Hard Floor Casters</div></div></div></div> |
| 1315 | GT | <div><div><div>GUEST STACKING WITH CASTERS</div><div>Plastic back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• 50mm hooded casters• Stack 4 high on floor• Stacks 10 high on optional dolly• Integrated handle in back of chair• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 13.0 LB 15.0 LB</div></div> | <div><div><div><div><div>TAB-A00</div><div>\$120</div></div><div>Right Folding Tablet in Black Laminate. Tablet Arm in Black Color Only. Available in 6 Frame Colors</div></div><div><div><div>TAB-A14</div><div>\$160</div></div><div>Right Folding Tablet Arm w/ A14 Left Arm. Tablet Arm in Black Color only. Available in 6 Frame Colors</div></div></div></div> | |
| 1360 | GT | <div><div><div>GUEST STACKING</div><div>Mesh back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• Non-marring floor glides• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Choice of 6 mesh back colors• Arm and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 13.0 LB 15.0 LB</div></div> | <div><div><div><div><div>BSK</div><div>\$60</div></div><div>Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side</div></div><div><div><div>DL1</div><div>\$250</div></div><div>Stacking Dolly Stack Chair 10 High</div></div><div><div><div>GC1</div><div>\$30</div></div><div><div><div>GC2</div><div>\$30</div></div><div>Ganging Clip - 2 per Set GC1 - Armless-to-Armless GC2 - Arm-to-Arm</div></div></div></div></div> | |
| 1365 | GT | <div><div><div>GUEST STACKING WITH CASTERS</div><div>Mesh back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• 50mm hooded casters• Stacks 4 high on floor• Stacks 10 high on optional dolly• Choice of 6 mesh back colors• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 13.0 LB 15.0 LB</div></div> | | |

ONLY AVAILABLE IN M1

ONLY AVAILABLE IN M1

FRAME COLORS

MESH COLORS

PLASTIC COLORS**

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

(BACK AND SEAT)

**Mesh back models available only in P01 Black

Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

bella

name your game, bella is ready to play

ALL PLASTIC - AP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

FRAME COLOR

UPHOLSTERY

MESH COLOR

PLASTIC COLOR

CASTERS

PACKAGING

13

-

G

T

-

A

-

-

A

P

-

M

-

P

-

C

5

* FOR ARMLESS CODE USE A00


* ONLY SELECT FOR MODEL 1370

PACKAGING NOTES

BELLA NESTING CHAIRS SHIP UP TO 2 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|-----|----------------------|--|--|
| 1320 | GT | <div><div><div>GUEST NESTING</div><div>Plastic back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• Flip up seat for nesting and compact storage• 50mm hooded casters• Integrated handle in back of chair• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>ARMLESS</div><div>W/ ARMS</div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 19.0 LB 22.0 LB</div></div> |
| 1370 | GT | <div><div><div>GUEST NESTING</div><div>Mesh back with plastic seat</div></div></div> | | | <ul style="list-style-type: none">• Flip up seat for nesting and compact storage• 50mm hooded casters• Choice of 6 mesh back colors• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: N/A N/A</div><div>WEIGHT: 19.0 LB 22.0 LB</div></div> |
| | | | | ONLY AVAILABLE IN M1 | | |
| | | | | | | |
| | | | | | | |


ARM OPTIONS



Fixed Arm

A12

\$45




Reinforced Soft Touch
Extended Arm

A14

\$80


CASTERS



50mm Hooded
Casters

C5

STD




50mm Hoodless
Hard Floor Casters

C5S

\$30

NESTING FOOTPRINT



First Chair 24", Each Additional Chair, Add 6"
CAUTION: Careless nesting of chairs may scratch and damage frames

FRAME COLORS

(FRAME)

MESH COLORS

PLASTIC COLORS**

(BACK AND SEAT)

**Mesh back models available only in P01 Black
Careless stacking of chairs may scratch and damage frames.
Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

bella

name your game, bella is ready to play

ALL PLASTIC - AP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

135

CONTROL

ARMS

A

FRAME COLOR

UPHOLSTERY

AP

MESH COLOR

M

PLASTIC COLOR

P

BASE

BA

CASTERS

C5

PACKAGING

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODEL'S 1375

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|-----|---------|--|---|
| 1325 | B2 | <div>LOW-BACK BASIC TASK</div> <div>Plastic back with plastic seat</div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Basic control swivels 360-degrees• No seat and back tilt• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 32.5-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18-23</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: N/A</div> <div>WEIGHT: 24.5 LB</div> |
| 1325 | S3 | <div>LOW-BACK SWIVEL TILT</div> <div>Plastic back with plastic seat</div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Upright position tilt lock• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 33-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 17.0 -21.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: N/A</div> <div>WEIGHT: 25.5 LB</div> |
| 1375 | B2 | <div>LOW-BACK BASIC TASK</div> <div>Mesh back with plastic seat</div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Basic control swivels 360-degrees• No seat and back tilt• Choice of 6 mesh back colors• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 32.5-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18-23</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: N/A</div> <div>WEIGHT: 24.5 LB</div> |
| 1375 | S3 | <div>LOW-BACK SWIVEL TILT</div> <div>Mesh back with plastic seat</div> | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Choice of 6 mesh back colors• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 33-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 17.0 -21.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: N/A</div> <div>WEIGHT: 25.5 LB</div> |

ONLY AVAILABLE IN M1

ONLY AVAILABLE IN M1

A12

\$45

Fixed Arm

A14

\$80

Reinforced Soft Touch
Extended Arm

C5

STD

50mm Hooded
Casters

C5S

\$30

50mm Hoodless
Hard Floor Casters

BA9B

STD

26" High Profile Nylon
Base - Black

BA10B

\$100

26" High Profile Aluminum
Black Powder-Coat

BA10S

\$100

26" High Profile Aluminum
Silver Powder-Coat

BA10P

\$100

26" High Profile Aluminum
Polished

FRAME COLORS

(FRAME)

MESH COLORS

PLASTIC COLORS**

(BACK AND SEAT)

**Mesh back models available only in P01 Black

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

bella

name your game, bella is ready to play

ALL PLASTIC - AP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

1322

CONTROL

B2

ARMS

A

FRAME COLOR

UPHOLSTERY

AP

MESH COLOR

M

PLASTIC COLOR

P

BASE

BA

CASTERS

C5


PACKAGING

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1316/1378

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|-----|----------------------|---|---|
| 1326 | B2 | 10" STOOL BASIC TASK Use for work surfaces up to 42 inches high. Plastic back with plastic seat | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 40-50 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 25.5-35.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 30.5 LB |
| 1328 | B2 | 8" STOOL BASIC TASK Use for work surfaces up to 36 inches high. Plastic back with plastic seat | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 36-44 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 29.5 LB |
| 1376 | B2 | 10" STOOL BASIC TASK Use for work surfaces up to 42 inches high. Mesh back with plastic seat | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Choice of 6 mesh back colors• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 40-50 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 25.5-35.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 30.5 LB |
| | | | | ONLY AVAILABLE IN M1 | | |
| 1378 | B2 | 8" STOOL BASIC TASK Use for work surfaces up to 36 inches high. Mesh back with plastic seat | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Choice of 6 mesh back colors• Arm pad black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 36-44 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 29.5 LB |
| | | | | ONLY AVAILABLE IN M1 | | |



Fixed Arm


A12

\$45




A14

\$80



C5

STD



C5S

\$30

BASE OPTIONS



26" High Profile Nylon Base - Black

BA9B

STD



BA10B

\$100



26" High Profile Aluminum Silver Powder-Coat

BA10S

\$100



BA10P

\$100

FRAME COLORS

(FRAME)

MESH COLORS

PLASTIC COLORS**

(BACK AND SEAT)

**Mesh back models available only in P01 Black

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

bella

name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

FRAME COLOR

UPHOLSTERY

MESH COLOR

GRADE

PLASTIC COLOR

CASTERS

PACKAGING

OPTIONS

13

GT

A

US

M

P

C5

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1360/1365

* ONLY SELECT CASTER CODE FOR MODELS 1315/1365

PACKAGING NOTES

BELLA STACK CHAIRS SHIP UP TO 3 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | CASTERS |
|-------|---------|---|-----|----------------------|--|--|--|
| 1310 | GT | <div><div><div>GUEST STACKING</div><div>Plastic back with upholstered seat</div></div></div> | | | <ul style="list-style-type: none">• Non-marring floor glides• Stack 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Integrated handle in back of chair• Arm pad and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div><div>ARMLESS</div><div>W/ ARMS</div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: 0.7 YD 0.7 YD</div><div>WEIGHT: 15.0 LB 17.0 LB</div></div> | <div><div><div>A12</div><div>\$45</div><div>Fixed Arm</div></div><div><div>A14</div><div>\$80</div><div>Reinforced Soft Touch Extended Arm</div></div><div><div>C5</div><div>STD</div><div>50mm Hooded Casters</div></div></div> |
| 1315 | GT | <div><div><div>GUEST STACKING WITH CASTERS</div><div>Plastic back with upholstered seat</div></div></div> | | | <ul style="list-style-type: none">• 50mm hooded casters• Stack 4 high on floor• Stacks 10 high on optional dolly• Integrated handle in back of chair• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: 0.7 YD 0.7 YD</div><div>WEIGHT: 15.0 LB 17.0 LB</div></div> | <div><div><div>TAB-A00</div><div>\$120</div><div>Right Folding Tablet in Black Laminate. Tablet Arm in Black Color Only. Available in 6 Frame Colors</div></div><div><div>TAB-A14</div><div>\$160</div><div>Right Folding Tablet Arm w/ A14 Left Arm. Tablet Arm in Black Color only. Available in 6 Frame Colors</div></div><div><div>C5S</div><div>\$30</div><div>50mm Hoodless Hard Floor Casters</div></div></div> |
| 1360 | GT | <div><div><div>GUEST STACKING</div><div>Mesh back with upholstered seat</div></div></div> | | | <ul style="list-style-type: none">• Non-marring floor glides• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Choice of 6 mesh back colors• Arm pad and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: 0.7 YD 0.7 YD</div><div>WEIGHT: 15.0 LB 17.0</div></div> | |
| | | | | ONLY AVAILABLE IN M1 | | | |
| 1365 | GT | <div><div><div>GUEST STACKING WITH CASTERS</div><div>Mesh back with upholstered seat</div></div></div> | | | <ul style="list-style-type: none">• 50mm hooded casters• Stacks 4 high on floor• Stacks 10 high on optional dolly• Choice of 6 mesh back colors• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div><div>WIDTH: 21.0 25.0</div><div>DEPTH: 26.0 26.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 18.0 18.0</div><div>SEAT DEPTH: 16.0 16.0</div><div>SEAT HEIGHT: 18.0 18.0</div><div>BACK WIDTH: 19.0 19.0</div><div>BACK HEIGHT: 17.5 17.5</div><div>COM: 0.7 YD 0.7 YD</div><div>WEIGHT: 15.0 LB 17.0 LB</div></div> | |
| | | | | ONLY AVAILABLE IN M1 | | | |

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

(BACK)

**Mesh back models available only in P01 Black

Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

bella

9to5seating.com
888.925.SEAT

9to5
seating

bella

name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY MESH COLOR GRADE PLASTIC COLOR CASTERS PACKAGING

1 3 - G T - A - - - U S - M - - - P - - - C 5 - -

* FOR ARMLESS CODE USE A00 * ONLY SELECT FOR MODEL 1370


PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|---------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| AC | ASSEMBLED IN CARTON | \$0 |


BELLA NESTING CHAIRS SHIP UP TO 2 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS |
|-------|---------|--|-----|----------------------|--|--|
| 1320 | GT | <div>GUEST NESTING</div> <div>Plastic back with upholstered seat</div> | | | <ul style="list-style-type: none">• Flip up seat for nesting and compact storage• 50mm hooded casters• Integrated handle in back of chair• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div>ARMLESSW/ ARMS</div> <div>WIDTH: 21.025.0</div> <div>DEPTH: 26.026.0</div> <div>HEIGHT: 33.033.0</div> <div>SEAT WIDTH: 18.018.0</div> <div>SEAT DEPTH: 16.016.0</div> <div>SEAT HEIGHT: 18.018.0</div> <div>BACK WIDTH: 19.019.0</div> <div>BACK HEIGHT: 17.517.5</div> <div>COM: 0.7 YD0.7 YD</div> <div>WEIGHT: 21.0 LB24.0 LB</div> |
| 1370 | GT | <div>GUEST NESTING</div> <div>Mesh back with upholstered seat</div> | | ONLY AVAILABLE IN M1 | <ul style="list-style-type: none">• Flip up seat for nesting and compact storage• 50mm hooded casters• Choice of 6 mesh back colors• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 21.025.0</div> <div>DEPTH: 26.026.0</div> <div>HEIGHT: 33.033.0</div> <div>SEAT WIDTH: 18.018.0</div> <div>SEAT DEPTH: 16.016.0</div> <div>SEAT HEIGHT: 18.018.0</div> <div>BACK WIDTH: 19.019.0</div> <div>BACK HEIGHT: 17.517.5</div> <div>COM: 0.7 YD0.7 YD</div> <div>WEIGHT: 21.0 LB24.0 LB</div> |
| | | | | | | |
| | | | | | | |


ARM OPTIONS




Fixed Arm



Reinforced Soft Touch
Extended Arm




50mm Hooded Casters



- 50mm Hoodless Hard Floor Casters

NESTING FOOTPRINT



First Chair 24", Each Additional Chair, Add 6"
CAUTION: Careless nesting of chairs may scratch and damage frames

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

MESH COLORS

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

PLASTIC COLORS**

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

[\(BACK\)](#)

****Mesh back models available only in P01 Black**
Careless stacking of chairs may scratch and damage frames.
Due to the nature of vinyl upholstery, stacking may cause
impressions on the seat. 9to5 Seating does not warrant the
effects of the stacking on vinyl upholstery.

bella

name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBERCONTROLARMSFRAME COLORUPHOLSTERYMESH COLORGRADEPLASTIC COLORBASECASTERSPACKAGING

135- -A- -U-S-M- -P- -B-A- -C5-

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1375

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|-----------------------|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|---|
| 1325 | B2 | <div>LOW-BACK BASIC TASK</div> <div>Plastic back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>395</td><td>420</td><td>440</td><td>465</td><td>495</td><td>530</td><td>565</td></tr><tr><td>440</td><td>465</td><td>485</td><td>510</td><td>540</td><td>575</td><td>610</td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td></tr></table> | A/COM | B | C | D | E | F | G | 395 | 420 | 440 | 465 | 495 | 530 | 565 | 440 | 465 | 485 | 510 | 540 | 575 | 610 | 475 | 500 | 520 | 545 | 575 | 610 | 645 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Basic control swivels 360 degrees• No seat and back tilt• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 32.5-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18.0-23.0</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 26.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 395 | 420 | 440 | 465 | 495 | 530 | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 440 | 465 | 485 | 510 | 540 | 575 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1325 | S3 | <div>LOW-BACK SWIVEL TILT</div> <div>Plastic back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>430</td><td>455</td><td>475</td><td>500</td><td>530</td><td>565</td><td>600</td></tr><tr><td>475</td><td>500</td><td>520</td><td>545</td><td>575</td><td>610</td><td>645</td></tr><tr><td>510</td><td>535</td><td>555</td><td>580</td><td>610</td><td>645</td><td>680</td></tr></table> | A/COM | B | C | D | E | F | G | 430 | 455 | 475 | 500 | 530 | 565 | 600 | 475 | 500 | 520 | 545 | 575 | 610 | 645 | 510 | 535 | 555 | 580 | 610 | 645 | 680 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Arm and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 33-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 17.0 -21.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 27.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 430 | 455 | 475 | 500 | 530 | 565 | 600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 500 | 520 | 545 | 575 | 610 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 535 | 555 | 580 | 610 | 645 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1375 | B2 | <div>LOW-BACK BASIC TASK</div> <div>Mesh back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>460</td><td>485</td><td>505</td><td>530</td><td>560</td><td>595</td><td>630</td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td>540</td><td>565</td><td>585</td><td>610</td><td>640</td><td>675</td><td>710</td></tr></table> <div>ONLY AVAILABLE IN M1</div> | A/COM | B | C | D | E | F | G | 460 | 485 | 505 | 530 | 560 | 595 | 630 | 505 | 530 | 550 | 575 | 605 | 640 | 675 | 540 | 565 | 585 | 610 | 640 | 675 | 710 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Basic control swivels 360 degrees• No seat and back tilt• Choice of 6 mesh back colors• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 32.5-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18.0-23.0</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 26.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 485 | 505 | 530 | 560 | 595 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 565 | 585 | 610 | 640 | 675 | 710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1375 | S3 | <div>LOW-BACK SWIVEL TILT</div> <div>Mesh back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>495</td><td>520</td><td>540</td><td>565</td><td>595</td><td>630</td><td>665</td></tr><tr><td>540</td><td>565</td><td>585</td><td>610</td><td>640</td><td>675</td><td>710</td></tr><tr><td>575</td><td>600</td><td>620</td><td>645</td><td>675</td><td>710</td><td>745</td></tr></table> <div>ONLY AVAILABLE IN M1</div> | A/COM | B | C | D | E | F | G | 495 | 520 | 540 | 565 | 595 | 630 | 665 | 540 | 565 | 585 | 610 | 640 | 675 | 710 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Choice of 6 mesh back colors• Arm and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 33-37.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 17.0 -21.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 27.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 520 | 540 | 565 | 595 | 630 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 565 | 585 | 610 | 640 | 675 | 710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 600 | 620 | 645 | 675 | 710 | 745 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

A12\$45

Fixed Arm

A14\$80

Reinforced Soft Touch Extended Arm

C5STD

50mm Hooded Casters

C5S\$30

50mm Hoodless Hard Floor Casters

BASE OPTIONS

BA9BSTD\$100

26" High Profile Nylon Base - Black

BA10B\$100

26" High Profile Aluminum Black Powder-Coat

BA10S\$100

26" High Profile Aluminum Silver Powder-Coat

BA10P\$100

26" High Profile Aluminum Polished

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

MESH COLORS

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

PLASTIC COLORS**

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK)

**Mesh back models available only in P01 Black

bella

name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

FRAME COLOR

UPHOLSTERY

MESH COLOR

GRADE

PLASTIC COLOR

BASE

CASTERS

PACKAGING

1

3

-

B

2

-

A

-

-

U

S

-

M

-

-

P

-

B

A

-

C

5


* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1376/1378


PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|-----------------------|---|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| 1326 | B2 | <div>10" STOOL BASIC TASK</div> <div>Use for work surfaces up to 42 inches high. Plastic back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>520</td><td>545</td><td>565</td><td>590</td><td>620</td><td>655</td><td>690</td><td></td><td></td></tr><tr><td>565</td><td>590</td><td>610</td><td>635</td><td>665</td><td>700</td><td>735</td><td></td><td></td></tr><tr><td>600</td><td>625</td><td>645</td><td>670</td><td>700</td><td>735</td><td>770</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 520 | 545 | 565 | 590 | 620 | 655 | 690 | | | 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentNo seat and back tiltHeight adj. 20" diameter footringArm pads black with all plastic shell colorsWarranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 40-50</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 25.5-35.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 32.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 545 | 565 | 590 | 620 | 655 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1328 | B2 | <div>8" STOOL BASIC TASK</div> <div>Use for work surfaces up to 36 inches high. Plastic back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>520</td><td>545</td><td>565</td><td>590</td><td>620</td><td>655</td><td>690</td><td></td><td></td></tr><tr><td>565</td><td>590</td><td>610</td><td>635</td><td>665</td><td>700</td><td>735</td><td></td><td></td></tr><tr><td>600</td><td>625</td><td>645</td><td>670</td><td>700</td><td>735</td><td>770</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 520 | 545 | 565 | 590 | 620 | 655 | 690 | | | 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentNo seat and back tiltHeight adj. 20" diameter footringArm pads black with all plastic shell colorsWarranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 36-44</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 21.5-29.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 31.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 545 | 565 | 590 | 620 | 655 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 590 | 610 | 635 | 665 | 700 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1376 | B2 | <div>10" STOOL BASIC TASK</div> <div>Use for work surfaces up to 42 inches high. Mesh back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>585</td><td>610</td><td>630</td><td>655</td><td>685</td><td>720</td><td>755</td><td></td><td></td></tr><tr><td>630</td><td>655</td><td>675</td><td>700</td><td>730</td><td>765</td><td>800</td><td></td><td></td></tr><tr><td>665</td><td>690</td><td>710</td><td>735</td><td>765</td><td>800</td><td>835</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> <div>ONLY AVAILABLE IN M1</div> | A/COM | B | C | D | E | F | G | | | 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | 630 | 655 | 675 | 700 | 730 | 765 | 800 | | | 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentNo seat and back tiltHeight adj. 20" diameter footringChoice of 6 mesh back colorsArm pads black with all plastic shell colorsWarranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 40-50</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 25.5-35.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 32.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 655 | 675 | 700 | 730 | 765 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1378 | B2 | <div>8" STOOL BASIC TASK</div> <div>Use for work surfaces up to 36 inches high. Mesh back with upholstered seat</div> | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>585</td><td>610</td><td>630</td><td>655</td><td>685</td><td>720</td><td>755</td><td></td><td></td></tr><tr><td>630</td><td>655</td><td>675</td><td>700</td><td>730</td><td>765</td><td>800</td><td></td><td></td></tr><tr><td>665</td><td>690</td><td>710</td><td>735</td><td>765</td><td>800</td><td>835</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> <div>ONLY AVAILABLE IN M1</div> | A/COM | B | C | D | E | F | G | | | 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | 630 | 655 | 675 | 700 | 730 | 765 | 800 | | | 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentNo seat and back tiltHeight adj. 20" diameter footringChoice of 6 mesh back colorsArm pads black with all plastic shell colorsWarranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 36-44</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 21.5-29.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 17.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 31.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 610 | 630 | 655 | 685 | 720 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 655 | 675 | 700 | 730 | 765 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



A12
\$45




A14
\$80




C5
STD


BASE OPTIONS




BA9B
STD




BA10B
\$100



BA10S
\$100



BA10P
\$100



C5S
\$30

| FRAME COLORS | | | | | |
|----------------------|-------------------------|---------------------------|----------------------------|------------------------|----------------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
| (FRAME) | | | | | |
| MESH COLORS | | | | | |
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| PLASTIC COLORS** | | | | | |
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK)
**Mesh back models available only in P01 Black

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

bella

name your game, bella is ready to play

FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBER

13

CONTROL

GT

ARMS

A

FRAME COLOR

UPHOLSTERY

UP

MESH COLOR

M

GRADE

PLASTIC COLOR

P

CASTERS

C5

PACKAGING

OPTIONS

* ONLY SELECT FOR MODELS 1360/1365

* ONLY SELECT FOR MODELS 1360/1365

* ONLY SELECT FOR MODELS 1315/1365

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|---------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| AC | ASSEMBLED IN CARTON | \$0 |

BELLA STACK CHAIRS SHIP UP TO 3 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------|--|---|--|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|---|---------|---------|--------|-----------|--------|-----------|---------|-----------|-------------|-----------|-------------|-----------|--------------|-----------|-------------|-----------|--------------|-----------|------|-----------------|---------|-----------------|-----|--|--|--|---|---------|---------|--------|-----------|--------|-----------|---------|-----------|-------------|-----------|-------------|-----------|--------------|-----------|-------------|-----------|--------------|-----------|------|-----------------|---------|-----------------|
| 1310 | GT | <div><div>GUEST STACKING</div><div>Upholstered back with upholstered seat</div></div> | <div>ARMLESS</div> <div>A12</div> <div>A14</div> <div>TAB-A00</div> <div>TAB-A12</div> <div>TAB-A14</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>325</td><td>355</td><td>375</td><td>405</td><td>440</td><td>480</td><td>520</td><td></td><td></td></tr><tr><td>370</td><td>400</td><td>420</td><td>450</td><td>485</td><td>525</td><td>565</td><td></td><td></td></tr><tr><td>405</td><td>435</td><td>455</td><td>485</td><td>520</td><td>560</td><td>600</td><td></td><td></td></tr><tr><td>445</td><td>475</td><td>495</td><td>525</td><td>560</td><td>600</td><td>640</td><td></td><td></td></tr><tr><td>470</td><td>500</td><td>520</td><td>550</td><td>585</td><td>625</td><td>665</td><td></td><td></td></tr><tr><td>485</td><td>515</td><td>535</td><td>565</td><td>600</td><td>640</td><td>680</td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 325 | 355 | 375 | 405 | 440 | 480 | 520 | | | 370 | 400 | 420 | 450 | 485 | 525 | 565 | | | 405 | 435 | 455 | 485 | 520 | 560 | 600 | | | 445 | 475 | 495 | 525 | 560 | 600 | 640 | | | 470 | 500 | 520 | 550 | 585 | 625 | 665 | | | 485 | 515 | 535 | 565 | 600 | 640 | 680 | | | <ul style="list-style-type: none">Non-marring floor glidesStack 4 high on floorStacks 10 high on optional dollyWall saver back legsIntegrated handle in back of chairArm pad and glide color will be black with all plastic shell color choicesWarranted to 300 lbs. | <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH:</td><td>21.0 25.0</td></tr><tr><td>DEPTH:</td><td>26.0 26.0</td></tr><tr><td>HEIGHT:</td><td>33.0 33.0</td></tr><tr><td>SEAT WIDTH:</td><td>18.0 18.0</td></tr><tr><td>SEAT DEPTH:</td><td>16.0 16.0</td></tr><tr><td>SEAT HEIGHT:</td><td>18.0 18.0</td></tr><tr><td>BACK WIDTH:</td><td>19.0 19.0</td></tr><tr><td>BACK HEIGHT:</td><td>17.5 17.5</td></tr><tr><td>COM:</td><td>0.7 YDS 0.7 YDS</td></tr><tr><td>WEIGHT:</td><td>17.0 LB 20.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 21.0 25.0 | DEPTH: | 26.0 26.0 | HEIGHT: | 33.0 33.0 | SEAT WIDTH: | 18.0 18.0 | SEAT DEPTH: | 16.0 16.0 | SEAT HEIGHT: | 18.0 18.0 | BACK WIDTH: | 19.0 19.0 | BACK HEIGHT: | 17.5 17.5 | COM: | 0.7 YDS 0.7 YDS | WEIGHT: | 17.0 LB 20.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 325 | 355 | 375 | 405 | 440 | 480 | 520 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 370 | 400 | 420 | 450 | 485 | 525 | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 435 | 455 | 485 | 520 | 560 | 600 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 445 | 475 | 495 | 525 | 560 | 600 | 640 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 470 | 500 | 520 | 550 | 585 | 625 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 515 | 535 | 565 | 600 | 640 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 21.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 26.0 26.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 33.0 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 19.0 19.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 17.5 17.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.7 YDS 0.7 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 17.0 LB 20.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1315 | GT | <div><div>GUEST STACKING WITH CASTERS</div><div>Upholstered back with upholstered seat</div></div> | <div>ARMLESS</div> <div>A12</div> <div>A14</div> <div>TAB-A00</div> <div>TAB-A12</div> <div>TAB-A14</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>370</td><td>400</td><td>420</td><td>450</td><td>485</td><td>525</td><td>565</td><td></td><td></td></tr><tr><td>415</td><td>445</td><td>465</td><td>495</td><td>530</td><td>570</td><td>610</td><td></td><td></td></tr><tr><td>450</td><td>480</td><td>500</td><td>530</td><td>565</td><td>605</td><td>645</td><td></td><td></td></tr><tr><td>490</td><td>520</td><td>540</td><td>570</td><td>605</td><td>645</td><td>685</td><td></td><td></td></tr><tr><td>515</td><td>545</td><td>565</td><td>595</td><td>630</td><td>670</td><td>710</td><td></td><td></td></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 370 | 400 | 420 | 450 | 485 | 525 | 565 | | | 415 | 445 | 465 | 495 | 530 | 570 | 610 | | | 450 | 480 | 500 | 530 | 565 | 605 | 645 | | | 490 | 520 | 540 | 570 | 605 | 645 | 685 | | | 515 | 545 | 565 | 595 | 630 | 670 | 710 | | | 530 | 560 | 580 | 610 | 645 | 685 | 725 | | | <ul style="list-style-type: none">50mm hooded castersStacks 4 high on floorStacks 10 high on optional dollyIntegrated handle in back of chairArm pads black with all plastic shell colorsWarranted to 300 lbs. | <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH:</td><td>21.0 25.0</td></tr><tr><td>DEPTH:</td><td>26.0 26.0</td></tr><tr><td>HEIGHT:</td><td>33.0 33.0</td></tr><tr><td>SEAT WIDTH:</td><td>18.0 18.0</td></tr><tr><td>SEAT DEPTH:</td><td>16.0 16.0</td></tr><tr><td>SEAT HEIGHT:</td><td>18.0 18.0</td></tr><tr><td>BACK WIDTH:</td><td>19.0 19.0</td></tr><tr><td>BACK HEIGHT:</td><td>17.5 17.5</td></tr><tr><td>COM:</td><td>0.7 YDS 0.7 YDS</td></tr><tr><td>WEIGHT:</td><td>17.0 LB 20.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 21.0 25.0 | DEPTH: | 26.0 26.0 | HEIGHT: | 33.0 33.0 | SEAT WIDTH: | 18.0 18.0 | SEAT DEPTH: | 16.0 16.0 | SEAT HEIGHT: | 18.0 18.0 | BACK WIDTH: | 19.0 19.0 | BACK HEIGHT: | 17.5 17.5 | COM: | 0.7 YDS 0.7 YDS | WEIGHT: | 17.0 LB 20.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 370 | 400 | 420 | 450 | 485 | 525 | 565 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 415 | 445 | 465 | 495 | 530 | 570 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 480 | 500 | 530 | 565 | 605 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 520 | 540 | 570 | 605 | 645 | 685 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 515 | 545 | 565 | 595 | 630 | 670 | 710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 21.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 26.0 26.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 33.0 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 19.0 19.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 17.5 17.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.7 YDS 0.7 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 17.0 LB 20.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1320 | GT | <div><div>GUEST NESTING</div><div>Upholstered back with upholstered seat</div></div> | <div>ARMLESS</div> <div>A12</div> <div>A14</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>390</td><td>420</td><td>440</td><td>470</td><td>505</td><td>545</td><td>585</td><td></td><td></td></tr><tr><td>435</td><td>465</td><td>485</td><td>515</td><td>550</td><td>590</td><td>630</td><td></td><td></td></tr><tr><td>470</td><td>500</td><td>520</td><td>550</td><td>585</td><td>625</td><td>665</td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 390 | 420 | 440 | 470 | 505 | 545 | 585 | | | 435 | 465 | 485 | 515 | 550 | 590 | 630 | | | 470 | 500 | 520 | 550 | 585 | 625 | 665 | | | <ul style="list-style-type: none">Flip up seat for nesting and compact storage50mm hooded castersIntegrated handle in back of chairArm pads black with all plastic shell colorsWarranted to 300 lbs. | <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH:</td><td>21.0 25.0</td></tr><tr><td>DEPTH:</td><td>26.0 26.0</td></tr><tr><td>HEIGHT:</td><td>33.0 33.0</td></tr><tr><td>SEAT WIDTH:</td><td>18.0 18.0</td></tr><tr><td>SEAT DEPTH:</td><td>16.0 16.0</td></tr><tr><td>SEAT HEIGHT:</td><td>18.0 18.0</td></tr><tr><td>BACK WIDTH:</td><td>19.0 19.0</td></tr><tr><td>BACK HEIGHT:</td><td>17.5 17.5</td></tr><tr><td>COM:</td><td>0.7 YDS 0.7 YDS</td></tr><tr><td>WEIGHT:</td><td>24.0 LB 27.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 21.0 25.0 | DEPTH: | 26.0 26.0 | HEIGHT: | 33.0 33.0 | SEAT WIDTH: | 18.0 18.0 | SEAT DEPTH: | 16.0 16.0 | SEAT HEIGHT: | 18.0 18.0 | BACK WIDTH: | 19.0 19.0 | BACK HEIGHT: | 17.5 17.5 | COM: | 0.7 YDS 0.7 YDS | WEIGHT: | 24.0 LB 27.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 390 | 420 | 440 | 470 | 505 | 545 | 585 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 435 | 465 | 485 | 515 | 550 | 590 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 470 | 500 | 520 | 550 | 585 | 625 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 21.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 26.0 26.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 33.0 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 18.0 18.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 19.0 19.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 17.5 17.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.7 YDS 0.7 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 24.0 LB 27.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

A12

\$45

A14

\$80

C5

STD

TAB-A00

\$120

TAB-A14

\$160

C5S

\$30

ACCESSORIES

BSK

\$60

DL1

\$250

GC1

\$30

GC2

\$30

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK)

Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

bella

bella

name your game, bella is ready to play

FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- Multi-purpose seating including stacking, nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Back styles include: all plastic, upholstered, or mesh
- Choice of plastic or upholstered seat
- 6 powder coat frame colors
- 12 plastic colors (black only on mesh back models)
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

MODEL NUMBERCONTROLARMSFRAME COLORUPHOLSTERYMESH COLORGRADEPLASTIC COLORBASECASTERSPACKAGINGOPTIONS

132- -A--U-P-M--P--BA--C6--

* FOR ARMLESS CODE USE A00* ONLY SELECT FOR MODELS 1315


PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|-----------------------|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|
| 1325 | B2 | LOW-BACK BASIC TASK Upholstered back with upholstered seat | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>450</td><td>480</td><td>500</td><td>530</td><td>565</td><td>605</td><td>645</td></tr><tr><td>495</td><td>525</td><td>545</td><td>575</td><td>610</td><td>650</td><td>690</td></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td></tr></table> | A/COM | B | C | D | E | F | G | 450 | 480 | 500 | 530 | 565 | 605 | 645 | 495 | 525 | 545 | 575 | 610 | 650 | 690 | 530 | 560 | 580 | 610 | 645 | 685 | 725 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Basic control swivels 360 degrees• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 32.5-37.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18-23 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.7 YD WEIGHT: 30.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 480 | 500 | 530 | 565 | 605 | 645 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 525 | 545 | 575 | 610 | 650 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1325 | S3 | LOW-BACK SWIVEL TILT Upholstered back with upholstered seat | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>485</td><td>515</td><td>535</td><td>565</td><td>600</td><td>640</td><td>680</td></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td></tr><tr><td>565</td><td>595</td><td>615</td><td>645</td><td>680</td><td>720</td><td>760</td></tr></table> | A/COM | B | C | D | E | F | G | 485 | 515 | 535 | 565 | 600 | 640 | 680 | 530 | 560 | 580 | 610 | 645 | 685 | 725 | 565 | 595 | 615 | 645 | 680 | 720 | 760 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Arm and glide color will be black with all plastic shell color choices• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 33-37.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0 -21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.7 YD WEIGHT: 31.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 515 | 535 | 565 | 600 | 640 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 595 | 615 | 645 | 680 | 720 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1326 | B2 | 10" STOOL BASIC TASK Use for work surfaces up to 42 inches high. Upholstered back with upholstered seat | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>575</td><td>605</td><td>625</td><td>655</td><td>690</td><td>730</td><td>770</td></tr><tr><td>620</td><td>650</td><td>670</td><td>700</td><td>735</td><td>775</td><td>815</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td></tr></table> | A/COM | B | C | D | E | F | G | 575 | 605 | 625 | 655 | 690 | 730 | 770 | 620 | 650 | 670 | 700 | 735 | 775 | 815 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 40-50 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 25.5-35.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.7 YD WEIGHT: 36.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 605 | 625 | 655 | 690 | 730 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 650 | 670 | 700 | 735 | 775 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1328 | B2 | 8" STOOL BASIC TASK Use for work surfaces up to 36 inches high. Upholstered back with upholstered seat | ARMLESS A12 A14 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>575</td><td>605</td><td>625</td><td>655</td><td>690</td><td>730</td><td>770</td></tr><tr><td>620</td><td>650</td><td>670</td><td>700</td><td>735</td><td>775</td><td>815</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td></tr></table> | A/COM | B | C | D | E | F | G | 575 | 605 | 625 | 655 | 690 | 730 | 770 | 620 | 650 | 670 | 700 | 735 | 775 | 815 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Arm pads black with all plastic shell colors• Warranted to 300 lbs. | WIDTH: 26.0 DEPTH: 26.0 HEIGHT: 36-44 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.7 YD WEIGHT: 35.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 605 | 625 | 655 | 690 | 730 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 650 | 670 | 700 | 735 | 775 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship




A12
\$45

Fixed Arm




A14
\$80

Reinforced Soft Touch Extended Arm




C5
STD

50mm Hooded Casters




TAB-A00
\$120

Right Folding Tablet in Black Laminate. Tablet Arm in Black Color Only. Available in 6 Frame Colors




TAB-A14
\$160

Right Folding Tablet Arm w/ A14 Left Arm. Tablet Arm in Black Color only. Available in 6 Frame Colors




C5S
\$30

50mm Hoodless Hard Floor Casters




BA9B
STD

26" High Profile Nylon Base - Black




BA10B
\$100

26" High Profile Aluminum Black Powder-Coat




BSK
\$60

Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side.




BA10S
\$100

26" High Profile Aluminum Silver Powder-Coat



BA10P
\$100

26" High Profile Aluminum Polished



DL1
\$250

Stacking Dolly Stack Chair 10 High

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|---------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY** DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|---------------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|-------------------|----------------------|---------------------|-------------------------|---------------------|-------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK)

brio

mesh chairs tailored to you

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Mesh back
- Rolling flex back follows user’s shoulder movements
- Reverse seat slider for more petite seat, standard on all models
- Optional height adjustable lumbar
- Warranted to 300 lbs.



CREATING BRIO MODEL NUMBER

MODEL NUMBERCONTROLARMSBACK MESH COLORGRADEBASECASTERSPACKAGINGOPTIONS

2060- -A- -M01- -BAA- -C6- - - -

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|---|----------|------------|-----|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|
| 2060 | Y1 | <div><div><div>MID-BACK SIMPLE SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div></div> | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>440</td><td>490</td><td>515</td><td>535</td><td>560</td><td>590</td><td>625</td><td>660</td></tr><tr><td>520</td><td>570</td><td>595</td><td>615</td><td>640</td><td>670</td><td>705</td><td>740</td></tr><tr><td>525</td><td>575</td><td>600</td><td>620</td><td>645</td><td>675</td><td>710</td><td>745</td></tr><tr><td>545</td><td>595</td><td>620</td><td>640</td><td>665</td><td>695</td><td>730</td><td>765</td></tr><tr><td>525</td><td>575</td><td>600</td><td>620</td><td>645</td><td>675</td><td>710</td><td>745</td></tr><tr><td>545</td><td>595</td><td>620</td><td>640</td><td>665</td><td>695</td><td>730</td><td>765</td></tr><tr><td>565</td><td>615</td><td>640</td><td>660</td><td>685</td><td>715</td><td>750</td><td>785</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 440 | 490 | 515 | 535 | 560 | 590 | 625 | 660 | 520 | 570 | 595 | 615 | 640 | 670 | 705 | 740 | 525 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | 545 | 595 | 620 | 640 | 665 | 695 | 730 | 765 | 525 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | 545 | 595 | 620 | 640 | 665 | 695 | 730 | 765 | 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockMolded foam seatOptional height adjustable lumbarWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 26.0</div><div>HEIGHT: 38-42.5</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 14.5-17.0</div><div>SEAT HEIGHT: 17.0-21.5</div><div>BACK WIDTH: 18.0</div><div>BACK HEIGHT: 22.0</div><div>COM: 0.8 YDS</div><div>WEIGHT: 37 LB</div></div> |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 440 | 490 | 515 | 535 | 560 | 590 | 625 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 570 | 595 | 615 | 640 | 670 | 705 | 740 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | 575 | 600 | 620 | 645 | 675 | 710 | 745 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 595 | 620 | 640 | 665 | 695 | 730 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2060 | Y3 | <div><div><div>MID-BACK FULL SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div></div> | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>510</td><td>560</td><td>585</td><td>605</td><td>630</td><td>660</td><td>695</td><td>730</td></tr><tr><td>590</td><td>640</td><td>665</td><td>685</td><td>710</td><td>740</td><td>775</td><td>810</td></tr><tr><td>595</td><td>645</td><td>670</td><td>690</td><td>715</td><td>745</td><td>780</td><td>815</td></tr><tr><td>615</td><td>665</td><td>690</td><td>710</td><td>735</td><td>765</td><td>800</td><td>835</td></tr><tr><td>595</td><td>645</td><td>670</td><td>690</td><td>715</td><td>745</td><td>780</td><td>815</td></tr><tr><td>615</td><td>665</td><td>690</td><td>710</td><td>735</td><td>765</td><td>800</td><td>835</td></tr><tr><td>635</td><td>685</td><td>710</td><td>730</td><td>755</td><td>785</td><td>820</td><td>855</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 510 | 560 | 585 | 605 | 630 | 660 | 695 | 730 | 590 | 640 | 665 | 685 | 710 | 740 | 775 | 810 | 595 | 645 | 670 | 690 | 715 | 745 | 780 | 815 | 615 | 665 | 690 | 710 | 735 | 765 | 800 | 835 | 595 | 645 | 670 | 690 | 715 | 745 | 780 | 815 | 615 | 665 | 690 | 710 | 735 | 765 | 800 | 835 | 635 | 685 | 710 | 730 | 755 | 785 | 820 | 855 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 2:1 ratio3 locking positionsSafety tilt releaseMolded foam seatOptional height adjustable lumbarWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 26.0</div><div>HEIGHT: 39.0-43.5</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 15.5-18.0</div><div>SEAT HEIGHT: 16.5-21.0</div><div>BACK WIDTH: 18.0</div><div>BACK HEIGHT: 22.0</div><div>COM: 0.8 YDS</div><div>WEIGHT: 38.0 LB</div></div> |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 640 | 665 | 685 | 710 | 740 | 775 | 810 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 645 | 670 | 690 | 715 | 745 | 780 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 645 | 670 | 690 | 715 | 745 | 780 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 665 | 690 | 710 | 735 | 765 | 800 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 685 | 710 | 730 | 755 | 785 | 820 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2060 | M1 | <div><div><div>MID-BACK MULTI-FUNCTION</div><div>Fully articulating seat and back for the highest level of ergonomic needs. Control allows user to pivot seat forward from 0° to 6°</div></div></div> | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>540</td><td>590</td><td>615</td><td>635</td><td>660</td><td>690</td><td>725</td><td>760</td></tr><tr><td>620</td><td>670</td><td>695</td><td>715</td><td>740</td><td>770</td><td>805</td><td>840</td></tr><tr><td>625</td><td>675</td><td>700</td><td>720</td><td>745</td><td>775</td><td>810</td><td>845</td></tr><tr><td>645</td><td>695</td><td>720</td><td>740</td><td>765</td><td>795</td><td>830</td><td>865</td></tr><tr><td>625</td><td>675</td><td>700</td><td>720</td><td>745</td><td>775</td><td>810</td><td>845</td></tr><tr><td>645</td><td>695</td><td>720</td><td>740</td><td>765</td><td>795</td><td>830</td><td>865</td></tr><tr><td>665</td><td>715</td><td>740</td><td>760</td><td>785</td><td>815</td><td>850</td><td>885</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 540 | 590 | 615 | 635 | 660 | 690 | 725 | 760 | 620 | 670 | 695 | 715 | 740 | 770 | 805 | 840 | 625 | 675 | 700 | 720 | 745 | 775 | 810 | 845 | 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | 625 | 675 | 700 | 720 | 745 | 775 | 810 | 845 | 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | 665 | 715 | 740 | 760 | 785 | 815 | 850 | 885 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unitFloating seat position tilt lockInfinite back angle adj. w/free floatSeat pivots from 0° to 6° forwardMolded foam seatOptional height adjustable lumbarWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 26</div><div>HEIGHT: 39.0-43.5</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 14.5-17.0</div><div>SEAT HEIGHT: 17.0-21.5</div><div>BACK WIDTH: 18.0</div><div>BACK HEIGHT: 22.0</div><div>COM: 0.8 YDS</div><div>WEIGHT: 44.0 LB</div></div> |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 590 | 615 | 635 | 660 | 690 | 725 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 670 | 695 | 715 | 740 | 770 | 805 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 675 | 700 | 720 | 745 | 775 | 810 | 845 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 675 | 700 | 720 | 745 | 775 | 810 | 845 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 715 | 740 | 760 | 785 | 815 | 850 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A2
\$80
Height Adjustable Arm

A8B/S
\$85
Height Adjustable Arm

C6
STD
Standard 60mm Hoodless Casters

A9B/S
\$105
Height/Width Adjustable Arm

A10
\$85
Soft Touch C-Shaped Arm

C6S
\$35
60mm Hoodless Hard Floor Casters

A36
\$105
Height Adjustable Pivot/Slide Arm

A37
\$125
Height/Width Adjustable Pivot/Slide Arm

BASE OPTIONS

BA9B
STD
26" High Profile Nylon Base - Black

BA10B
\$100
26" High Profile Aluminum Black Powder-Coat

BA10P
\$100
26" High Profile Aluminum Base - Polished

BA10S
\$100
26" High Profile Aluminum Silver Powder-Coat

ADDITIONAL OPTIONS

LB
\$30
Height Adjustable Lumbar Support

brio

mesh chairs tailored to you

STOOL

GSA SIN # 711-18

- Task, stool, management and conference seatin
- Mesh back
- Rolling flex back follows user’s shoulder movements
- Reverse seat slider for more petite seat, standar on all models
- Optional height adjustable lumbar
- Warranted to 300 lbs.



CREATING BRIO MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

BACK MESH COLOR

GRADE

BASE

CASTERS

PACKAGING

OPTIONS

2

0

6

A

M

0

1

B

A

C

6

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|---|----------|------------|-----|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|
| 2066 | Y1 | 10" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 42 inches high | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>565</td><td>615</td><td>640</td><td>660</td><td>685</td><td>715</td><td>750</td><td>785</td></tr><tr><td>645</td><td>695</td><td>720</td><td>740</td><td>765</td><td>795</td><td>830</td><td>865</td></tr><tr><td>650</td><td>700</td><td>725</td><td>745</td><td>770</td><td>800</td><td>835</td><td>870</td></tr><tr><td>670</td><td>720</td><td>745</td><td>765</td><td>790</td><td>820</td><td>855</td><td>890</td></tr><tr><td>650</td><td>700</td><td>725</td><td>745</td><td>770</td><td>800</td><td>835</td><td>870</td></tr><tr><td>670</td><td>720</td><td>745</td><td>765</td><td>790</td><td>820</td><td>855</td><td>890</td></tr><tr><td>690</td><td>740</td><td>765</td><td>785</td><td>810</td><td>840</td><td>875</td><td>910</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | 690 | 740 | 765 | 785 | 810 | 840 | 875 | 910 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Molded foam seat• Optional height adjustable lumbar• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 48.5-58.5 SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 26.6-36.5 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YD WEIGHT: 43.0 LB |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 690 | 740 | 765 | 785 | 810 | 840 | 875 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2066 | P1 | 10" STOOL POSTURE BACK Use for work surfaces up to 42 inches high | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>600</td><td>650</td><td>675</td><td>695</td><td>720</td><td>750</td><td>785</td><td>820</td></tr><tr><td>680</td><td>730</td><td>755</td><td>775</td><td>800</td><td>830</td><td>865</td><td>900</td></tr><tr><td>685</td><td>735</td><td>760</td><td>780</td><td>805</td><td>835</td><td>870</td><td>905</td></tr><tr><td>705</td><td>755</td><td>780</td><td>800</td><td>825</td><td>855</td><td>890</td><td>925</td></tr><tr><td>685</td><td>735</td><td>760</td><td>780</td><td>805</td><td>835</td><td>870</td><td>905</td></tr><tr><td>705</td><td>755</td><td>780</td><td>800</td><td>825</td><td>855</td><td>890</td><td>925</td></tr><tr><td>725</td><td>775</td><td>800</td><td>820</td><td>845</td><td>875</td><td>910</td><td>945</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 600 | 650 | 675 | 695 | 720 | 750 | 785 | 820 | 680 | 730 | 755 | 775 | 800 | 830 | 865 | 900 | 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | 725 | 775 | 800 | 820 | 845 | 875 | 910 | 945 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle with free float• Optional height adjustable lumbar• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 48.5-58.5 SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YD WEIGHT: 46.0 LB |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 650 | 675 | 695 | 720 | 750 | 785 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 730 | 755 | 775 | 800 | 830 | 865 | 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 775 | 800 | 820 | 845 | 875 | 910 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2068 | Y1 | 8" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 36 inches high | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>565</td><td>615</td><td>640</td><td>660</td><td>685</td><td>715</td><td>750</td><td>785</td></tr><tr><td>645</td><td>695</td><td>720</td><td>740</td><td>765</td><td>795</td><td>830</td><td>865</td></tr><tr><td>650</td><td>700</td><td>725</td><td>745</td><td>770</td><td>800</td><td>835</td><td>870</td></tr><tr><td>670</td><td>720</td><td>745</td><td>765</td><td>790</td><td>820</td><td>855</td><td>890</td></tr><tr><td>650</td><td>700</td><td>725</td><td>745</td><td>770</td><td>800</td><td>835</td><td>870</td></tr><tr><td>670</td><td>720</td><td>745</td><td>765</td><td>790</td><td>820</td><td>855</td><td>890</td></tr><tr><td>690</td><td>740</td><td>765</td><td>785</td><td>810</td><td>840</td><td>875</td><td>910</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | 690 | 740 | 765 | 785 | 810 | 840 | 875 | 910 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Molded foam seat• Optional height adjustable lumbar• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 44.5-52.5 SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YD WEIGHT: 42.0 LB |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 615 | 640 | 660 | 685 | 715 | 750 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 720 | 740 | 765 | 795 | 830 | 865 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 725 | 745 | 770 | 800 | 835 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 745 | 765 | 790 | 820 | 855 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 690 | 740 | 765 | 785 | 810 | 840 | 875 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2068 | P1 | 8" STOOL POSTURE BACK Use for work surfaces up to 36 inches high | ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>600</td><td>650</td><td>675</td><td>695</td><td>720</td><td>750</td><td>785</td><td>820</td></tr><tr><td>680</td><td>730</td><td>755</td><td>775</td><td>800</td><td>830</td><td>865</td><td>900</td></tr><tr><td>685</td><td>735</td><td>760</td><td>780</td><td>805</td><td>835</td><td>870</td><td>905</td></tr><tr><td>705</td><td>755</td><td>780</td><td>800</td><td>825</td><td>855</td><td>890</td><td>925</td></tr><tr><td>685</td><td>735</td><td>760</td><td>780</td><td>805</td><td>835</td><td>870</td><td>905</td></tr><tr><td>705</td><td>755</td><td>780</td><td>800</td><td>825</td><td>855</td><td>890</td><td>925</td></tr><tr><td>725</td><td>775</td><td>800</td><td>820</td><td>845</td><td>875</td><td>910</td><td>945</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | 600 | 650 | 675 | 695 | 720 | 750 | 785 | 820 | 680 | 730 | 755 | 775 | 800 | 830 | 865 | 900 | 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | 725 | 775 | 800 | 820 | 845 | 875 | 910 | 945 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle with free float• Optional height adjustable lumbar• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 44.5-52.5 SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YD WEIGHT: 45.0 LB |
| T01 | A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 650 | 675 | 695 | 720 | 750 | 785 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 730 | 755 | 775 | 800 | 830 | 865 | 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 760 | 780 | 805 | 835 | 870 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 780 | 800 | 825 | 855 | 890 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 775 | 800 | 820 | 845 | 875 | 910 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A2
\$80

Height Adjustable Arm

A8B/S
\$85

Height Adjustable Arm

C6
STD

Standard 60mm Hoodless Casters

A9B/S
\$105

Height/Width Adjustable Arm

A10
\$85

Soft Touch C-Shaped Arm

C6S
\$35

60mm Hoodless Hard Floor Casters

A36
\$105

Height Adjustable Pivot/Slide Arm

A37
\$125

Height/Width Adjustable Pivot/Slide Arm

BASE OPTIONS

BA9B
STD

26" High Profile Nylon Base - Black

BA10B
\$100

26" High Profile Aluminum Black Powder-Coat

BA10P
\$100

26" High Profile Aluminum Base - Polished

BA10S
\$100

26" High Profile Aluminum Silver Powder-Coat

ADDITIONAL OPTIONS

LB
\$30

Height Adjustable Lumbar Support

bristol

seamless integration into your office’s architecture

MID-BACK

GSA SIN # 711-18

- Management, task, stool, and conference seating
- Ratchet back height adjustment on all models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BRISTOL MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 2360 | | A | | BA | C | | |












* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | CASTER OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|---|--|----------|------------|----------------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|--|--|---|
| 2360 | S2 | MID-BACK SWIVEL TILT Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>520</td><td>565</td><td>595</td><td>640</td><td>690</td><td>750</td><td>815</td><td>690</td><td>770</td><td>915</td></tr><tr><td>605</td><td>650</td><td>680</td><td>725</td><td>775</td><td>835</td><td>900</td><td>775</td><td>855</td><td>1000</td></tr><tr><td>625</td><td>670</td><td>700</td><td>745</td><td>795</td><td>855</td><td>920</td><td>795</td><td>875</td><td>1020</td></tr><tr><td>605</td><td>650</td><td>680</td><td>725</td><td>775</td><td>835</td><td>900</td><td>775</td><td>855</td><td>1000</td></tr><tr><td>720</td><td>765</td><td>795</td><td>840</td><td>890</td><td>950</td><td>1015</td><td>890</td><td>970</td><td>1115</td></tr><tr><td>625</td><td>670</td><td>700</td><td>745</td><td>795</td><td>855</td><td>920</td><td>795</td><td>875</td><td>1020</td></tr><tr><td>645</td><td>690</td><td>720</td><td>765</td><td>815</td><td>875</td><td>940</td><td>815</td><td>895</td><td>1040</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 520 | 565 | 595 | 640 | 690 | 750 | 815 | 690 | 770 | 915 | 605 | 650 | 680 | 725 | 775 | 835 | 900 | 775 | 855 | 1000 | 625 | 670 | 700 | 745 | 795 | 855 | 920 | 795 | 875 | 1020 | 605 | 650 | 680 | 725 | 775 | 835 | 900 | 775 | 855 | 1000 | 720 | 765 | 795 | 840 | 890 | 950 | 1015 | 890 | 970 | 1115 | 625 | 670 | 700 | 745 | 795 | 855 | 920 | 795 | 875 | 1020 | 645 | 690 | 720 | 765 | 815 | 875 | 940 | 815 | 895 | 1040 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 38.0-45.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 SQ FT WEIGHT: 30.0 LB |  A8B/S \$85 Height Adjustable Arm A8B-Black A8S-Silver  A9B/S \$105 Height/Width Adjustable Arm A9B-Black A9S-Silver  C6 STD 60mm Hoodless Casters |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 565 | 595 | 640 | 690 | 750 | 815 | 690 | 770 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 650 | 680 | 725 | 775 | 835 | 900 | 775 | 855 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 670 | 700 | 745 | 795 | 855 | 920 | 795 | 875 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 650 | 680 | 725 | 775 | 835 | 900 | 775 | 855 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 765 | 795 | 840 | 890 | 950 | 1015 | 890 | 970 | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 670 | 700 | 745 | 795 | 855 | 920 | 795 | 875 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 690 | 720 | 765 | 815 | 875 | 940 | 815 | 895 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2360 | R1 | MID-BACK ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>570</td><td>615</td><td>645</td><td>690</td><td>740</td><td>800</td><td>865</td><td>740</td><td>820</td><td>965</td></tr><tr><td>655</td><td>700</td><td>730</td><td>775</td><td>825</td><td>885</td><td>950</td><td>825</td><td>905</td><td>1050</td></tr><tr><td>675</td><td>720</td><td>750</td><td>795</td><td>845</td><td>905</td><td>970</td><td>845</td><td>925</td><td>1070</td></tr><tr><td>655</td><td>700</td><td>730</td><td>775</td><td>825</td><td>885</td><td>950</td><td>825</td><td>905</td><td>1050</td></tr><tr><td>770</td><td>815</td><td>845</td><td>890</td><td>940</td><td>1000</td><td>1065</td><td>940</td><td>1020</td><td>1165</td></tr><tr><td>675</td><td>720</td><td>750</td><td>795</td><td>845</td><td>905</td><td>970</td><td>845</td><td>925</td><td>1070</td></tr><tr><td>695</td><td>740</td><td>770</td><td>815</td><td>865</td><td>925</td><td>990</td><td>865</td><td>945</td><td>1090</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 570 | 615 | 645 | 690 | 740 | 800 | 865 | 740 | 820 | 965 | 655 | 700 | 730 | 775 | 825 | 885 | 950 | 825 | 905 | 1050 | 675 | 720 | 750 | 795 | 845 | 905 | 970 | 845 | 925 | 1070 | 655 | 700 | 730 | 775 | 825 | 885 | 950 | 825 | 905 | 1050 | 770 | 815 | 845 | 890 | 940 | 1000 | 1065 | 940 | 1020 | 1165 | 675 | 720 | 750 | 795 | 845 | 905 | 970 | 845 | 925 | 1070 | 695 | 740 | 770 | 815 | 865 | 925 | 990 | 865 | 945 | 1090 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Ratchet back height lumbar adjustment• Optional height adjustable lumbar• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-46.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 SQ FT WEIGHT: 35.0 LB |  A10 \$85 Soft Touch C-Shaped Arm  A19 \$200 Polished Aluminum C-Shape Arm  C6S \$35 60mm Hoodless Hard Floor Casters |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 615 | 645 | 690 | 740 | 800 | 865 | 740 | 820 | 965 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 700 | 730 | 775 | 825 | 885 | 950 | 825 | 905 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 720 | 750 | 795 | 845 | 905 | 970 | 845 | 925 | 1070 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 700 | 730 | 775 | 825 | 885 | 950 | 825 | 905 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 815 | 845 | 890 | 940 | 1000 | 1065 | 940 | 1020 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 720 | 750 | 795 | 845 | 905 | 970 | 845 | 925 | 1070 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 740 | 770 | 815 | 865 | 925 | 990 | 865 | 945 | 1090 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2360 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>600</td><td>645</td><td>675</td><td>720</td><td>770</td><td>830</td><td>895</td><td>770</td><td>850</td><td>995</td></tr><tr><td>685</td><td>730</td><td>760</td><td>805</td><td>855</td><td>915</td><td>980</td><td>855</td><td>935</td><td>1080</td></tr><tr><td>705</td><td>750</td><td>780</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>875</td><td>955</td><td>1100</td></tr><tr><td>685</td><td>730</td><td>760</td><td>805</td><td>855</td><td>915</td><td>980</td><td>855</td><td>935</td><td>1080</td></tr><tr><td>800</td><td>845</td><td>875</td><td>920</td><td>970</td><td>1030</td><td>1095</td><td>970</td><td>1050</td><td>1195</td></tr><tr><td>705</td><td>750</td><td>780</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>875</td><td>955</td><td>1100</td></tr><tr><td>725</td><td>770</td><td>800</td><td>845</td><td>895</td><td>955</td><td>1020</td><td>895</td><td>975</td><td>1120</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 600 | 645 | 675 | 720 | 770 | 830 | 895 | 770 | 850 | 995 | 685 | 730 | 760 | 805 | 855 | 915 | 980 | 855 | 935 | 1080 | 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | 685 | 730 | 760 | 805 | 855 | 915 | 980 | 855 | 935 | 1080 | 800 | 845 | 875 | 920 | 970 | 1030 | 1095 | 970 | 1050 | 1195 | 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-46.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 SQ FT WEIGHT: 37.0 LB |  BA9B STD 26" High Profile Nylon Base - Black  BA10B \$100 26" High Profile Aluminum Base - Black Powder Coat  BA10P \$100 26" High Profile Aluminum Base - Polished (C7 Chrome Accented Hoodless Casters Standard with Polished Base) |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 645 | 675 | 720 | 770 | 830 | 895 | 770 | 850 | 995 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 730 | 760 | 805 | 855 | 915 | 980 | 855 | 935 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 730 | 760 | 805 | 855 | 915 | 980 | 855 | 935 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 800 | 845 | 875 | 920 | 970 | 1030 | 1095 | 970 | 1050 | 1195 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2360 | M1 | MID-BACK MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Control allows user to pivot seat forward from 0° to 6° | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>665</td><td>695</td><td>740</td><td>790</td><td>850</td><td>915</td><td>790</td><td>870</td><td>1015</td></tr><tr><td>705</td><td>750</td><td>780</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>875</td><td>955</td><td>1100</td></tr><tr><td>725</td><td>770</td><td>800</td><td>845</td><td>895</td><td>955</td><td>1020</td><td>895</td><td>975</td><td>1120</td></tr><tr><td>705</td><td>750</td><td>780</td><td>825</td><td>875</td><td>935</td><td>1000</td><td>875</td><td>955</td><td>1100</td></tr><tr><td>820</td><td>865</td><td>895</td><td>940</td><td>990</td><td>1050</td><td>1115</td><td>990</td><td>1070</td><td>1215</td></tr><tr><td>725</td><td>770</td><td>800</td><td>845</td><td>895</td><td>955</td><td>1020</td><td>895</td><td>975</td><td>1120</td></tr><tr><td>745</td><td>790</td><td>820</td><td>865</td><td>915</td><td>975</td><td>1040</td><td>915</td><td>995</td><td>1140</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 665 | 695 | 740 | 790 | 850 | 915 | 790 | 870 | 1015 | 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | 820 | 865 | 895 | 940 | 990 | 1050 | 1115 | 990 | 1070 | 1215 | 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | 745 | 790 | 820 | 865 | 915 | 975 | 1040 | 915 | 995 | 1140 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-46.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 SQ FT WEIGHT: 39.0 LB |  SS \$60 Seat Slider 2.5" Side Paddle Activated  BN1 \$35 BN2 N/C Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 665 | 695 | 740 | 790 | 850 | 915 | 790 | 870 | 1015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 750 | 780 | 825 | 875 | 935 | 1000 | 875 | 955 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 865 | 895 | 940 | 990 | 1050 | 1115 | 990 | 1070 | 1215 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 770 | 800 | 845 | 895 | 955 | 1020 | 895 | 975 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 745 | 790 | 820 | 865 | 915 | 975 | 1040 | 915 | 995 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

bristol

seamless integration into your office’s architechture

HIGH-BACK

GSA SIN # 711-18

- Management, task, stool, and conference seating
- Ratchet back height adjustment on all models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING BRISTOL MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

GRADE

BASE

CASTERS

PACKAGING

OPTIONS

2380

-

A

-

B

A

-

C

-

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|---|---|----------|------------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|--|--|
| 2380 | S2 | HIGH-BACK SWIVEL TILT Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>570</td><td>620</td><td>650</td><td>700</td><td>755</td><td>815</td><td>880</td><td>740</td><td>820</td><td>950</td></tr><tr><td>655</td><td>705</td><td>735</td><td>785</td><td>840</td><td>900</td><td>965</td><td>825</td><td>905</td><td>1035</td></tr><tr><td>675</td><td>725</td><td>755</td><td>805</td><td>860</td><td>920</td><td>985</td><td>845</td><td>925</td><td>1055</td></tr><tr><td>655</td><td>705</td><td>735</td><td>785</td><td>840</td><td>900</td><td>965</td><td>825</td><td>905</td><td>1035</td></tr><tr><td>770</td><td>820</td><td>850</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>940</td><td>1020</td><td>1150</td></tr><tr><td>675</td><td>725</td><td>755</td><td>805</td><td>860</td><td>920</td><td>985</td><td>845</td><td>925</td><td>1055</td></tr><tr><td>695</td><td>745</td><td>775</td><td>825</td><td>880</td><td>940</td><td>1005</td><td>865</td><td>945</td><td>1075</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 570 | 620 | 650 | 700 | 755 | 815 | 880 | 740 | 820 | 950 | 655 | 705 | 735 | 785 | 840 | 900 | 965 | 825 | 905 | 1035 | 675 | 725 | 755 | 805 | 860 | 920 | 985 | 845 | 925 | 1055 | 655 | 705 | 735 | 785 | 840 | 900 | 965 | 825 | 905 | 1035 | 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1150 | 675 | 725 | 755 | 805 | 860 | 920 | 985 | 845 | 925 | 1055 | 695 | 745 | 775 | 825 | 880 | 940 | 1005 | 865 | 945 | 1075 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 41.0-48.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.5 COM: 1.5 YDS COL: 19.0 SQ FT WEIGHT: 31.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 620 | 650 | 700 | 755 | 815 | 880 | 740 | 820 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 705 | 735 | 785 | 840 | 900 | 965 | 825 | 905 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 725 | 755 | 805 | 860 | 920 | 985 | 845 | 925 | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 705 | 735 | 785 | 840 | 900 | 965 | 825 | 905 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 725 | 755 | 805 | 860 | 920 | 985 | 845 | 925 | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 745 | 775 | 825 | 880 | 940 | 1005 | 865 | 945 | 1075 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2380 | R1 | HIGH-BACK ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>670</td><td>700</td><td>750</td><td>805</td><td>865</td><td>930</td><td>790</td><td>870</td><td>1000</td></tr><tr><td>705</td><td>755</td><td>785</td><td>835</td><td>890</td><td>950</td><td>1015</td><td>875</td><td>955</td><td>1085</td></tr><tr><td>725</td><td>775</td><td>805</td><td>855</td><td>910</td><td>970</td><td>1035</td><td>895</td><td>975</td><td>1105</td></tr><tr><td>705</td><td>755</td><td>785</td><td>835</td><td>890</td><td>950</td><td>1015</td><td>875</td><td>955</td><td>1085</td></tr><tr><td>820</td><td>870</td><td>900</td><td>950</td><td>1005</td><td>1065</td><td>1130</td><td>990</td><td>1070</td><td>1200</td></tr><tr><td>725</td><td>775</td><td>805</td><td>855</td><td>910</td><td>970</td><td>1035</td><td>895</td><td>975</td><td>1105</td></tr><tr><td>745</td><td>795</td><td>825</td><td>875</td><td>930</td><td>990</td><td>1055</td><td>915</td><td>995</td><td>1125</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 670 | 700 | 750 | 805 | 865 | 930 | 790 | 870 | 1000 | 705 | 755 | 785 | 835 | 890 | 950 | 1015 | 875 | 955 | 1085 | 725 | 775 | 805 | 855 | 910 | 970 | 1035 | 895 | 975 | 1105 | 705 | 755 | 785 | 835 | 890 | 950 | 1015 | 875 | 955 | 1085 | 820 | 870 | 900 | 950 | 1005 | 1065 | 1130 | 990 | 1070 | 1200 | 725 | 775 | 805 | 855 | 910 | 970 | 1035 | 895 | 975 | 1105 | 745 | 795 | 825 | 875 | 930 | 990 | 1055 | 915 | 995 | 1125 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 42.0-49.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.5 COM: 1.5 YDS COL: 19.0 SQ FT WEIGHT: 36.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 670 | 700 | 750 | 805 | 865 | 930 | 790 | 870 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 785 | 835 | 890 | 950 | 1015 | 875 | 955 | 1085 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 775 | 805 | 855 | 910 | 970 | 1035 | 895 | 975 | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 785 | 835 | 890 | 950 | 1015 | 875 | 955 | 1085 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 870 | 900 | 950 | 1005 | 1065 | 1130 | 990 | 1070 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 775 | 805 | 855 | 910 | 970 | 1035 | 895 | 975 | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 745 | 795 | 825 | 875 | 930 | 990 | 1055 | 915 | 995 | 1125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2380 | Y2 | HIGH-BACK HEAVY DUTY SYNCHRO Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>650</td><td>700</td><td>730</td><td>780</td><td>835</td><td>895</td><td>960</td><td>820</td><td>900</td><td>1030</td></tr><tr><td>735</td><td>785</td><td>815</td><td>865</td><td>920</td><td>980</td><td>1045</td><td>905</td><td>985</td><td>1115</td></tr><tr><td>755</td><td>805</td><td>835</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>925</td><td>1005</td><td>1135</td></tr><tr><td>735</td><td>785</td><td>815</td><td>865</td><td>920</td><td>980</td><td>1045</td><td>905</td><td>985</td><td>1115</td></tr><tr><td>850</td><td>900</td><td>930</td><td>980</td><td>1035</td><td>1095</td><td>1160</td><td>1020</td><td>1100</td><td>1230</td></tr><tr><td>755</td><td>805</td><td>835</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>925</td><td>1005</td><td>1135</td></tr><tr><td>775</td><td>825</td><td>855</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>945</td><td>1025</td><td>1155</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 650 | 700 | 730 | 780 | 835 | 895 | 960 | 820 | 900 | 1030 | 735 | 785 | 815 | 865 | 920 | 980 | 1045 | 905 | 985 | 1115 | 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | 735 | 785 | 815 | 865 | 920 | 980 | 1045 | 905 | 985 | 1115 | 850 | 900 | 930 | 980 | 1035 | 1095 | 1160 | 1020 | 1100 | 1230 | 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 42.0-49.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.5 COM: 1.5 YDS COL: 19.0 SQ FT WEIGHT: 38.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 730 | 780 | 835 | 895 | 960 | 820 | 900 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 785 | 815 | 865 | 920 | 980 | 1045 | 905 | 985 | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 785 | 815 | 865 | 920 | 980 | 1045 | 905 | 985 | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 850 | 900 | 930 | 980 | 1035 | 1095 | 1160 | 1020 | 1100 | 1230 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2380 | M1 | HIGH-BACK MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Control allows user to pivot seat forward from 0° to 6° | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>670</td><td>720</td><td>750</td><td>800</td><td>855</td><td>915</td><td>980</td><td>840</td><td>920</td><td>1050</td></tr><tr><td>755</td><td>805</td><td>835</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>925</td><td>1005</td><td>1135</td></tr><tr><td>775</td><td>825</td><td>855</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>945</td><td>1025</td><td>1155</td></tr><tr><td>755</td><td>805</td><td>835</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>925</td><td>1005</td><td>1135</td></tr><tr><td>870</td><td>920</td><td>950</td><td>1000</td><td>1055</td><td>1115</td><td>1180</td><td>1040</td><td>1120</td><td>1250</td></tr><tr><td>775</td><td>825</td><td>855</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>945</td><td>1025</td><td>1155</td></tr><tr><td>795</td><td>845</td><td>875</td><td>925</td><td>980</td><td>1040</td><td>1105</td><td>965</td><td>1045</td><td>1175</td></tr></table> SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 670 | 720 | 750 | 800 | 855 | 915 | 980 | 840 | 920 | 1050 | 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | 870 | 920 | 950 | 1000 | 1055 | 1115 | 1180 | 1040 | 1120 | 1250 | 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | 795 | 845 | 875 | 925 | 980 | 1040 | 1105 | 965 | 1045 | 1175 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 42.0-49.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.5 COM: 1.5 YDS COL: 19.0 SQ FT WEIGHT: 40.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 750 | 800 | 855 | 915 | 980 | 840 | 920 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 805 | 835 | 885 | 940 | 1000 | 1065 | 925 | 1005 | 1135 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 870 | 920 | 950 | 1000 | 1055 | 1115 | 1180 | 1040 | 1120 | 1250 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 775 | 825 | 855 | 905 | 960 | 1020 | 1085 | 945 | 1025 | 1155 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 845 | 875 | 925 | 980 | 1040 | 1105 | 965 | 1045 | 1175 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| CASTER OPTIONS | | |
|----------------|--------------------|--|
| | C6 STD | |
| | C6S \$35 | |
| | C7 \$35 | |

| BASE OPTIONS | | |
|--------------|-----------------------|--|
| | BA9B STD | |
| | BA10B \$100 | |
| | BA10P \$100 | |

| | | |
|--|---|--|
| | BA10S \$100 | |
| | SS \$60 | |
| | BN1 \$35 BN2 N/C | |

bristol

seamless integration into your office’s architechure

STOOL

GSA SIN # 711-18

- Management, task, stool and conference seating
- Ratchet back height adjustment on all models
- Warranted up to 300 lbs.
- CAL 133 approved in fabric
- Knobless height adjustable 20” diameter footring



CREATING BRISTOL MODEL NUMBER

| MODEL NUMBER | | | | CONTROL | | ARMS | | GRADE | | BASE | | | CASTERS | | | PACKAGING | | | OPTIONS | | |
|--------------|---|---|--|---------|---|------|--|-------|--|------|---|--|---------|---|--|-----------|--|--|---------|--|--|
| 2 | 3 | 6 | | P | 1 | A | | | | B | A | | | C | | | | | | | |

* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|---|--|----------|------------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|------|------|--|--|
| 2366 | P1 | <div>10" STOOL WITH POSTURE BACK</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>685</td><td>735</td><td>765</td><td>815</td><td>870</td><td>930</td><td>995</td><td>855</td><td>935</td><td>1080</td></tr><tr><td>770</td><td>820</td><td>850</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>940</td><td>1020</td><td>1165</td></tr><tr><td>790</td><td>840</td><td>870</td><td>920</td><td>975</td><td>1035</td><td>1100</td><td>960</td><td>1040</td><td>1185</td></tr><tr><td>770</td><td>820</td><td>850</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>940</td><td>1020</td><td>1165</td></tr><tr><td>885</td><td>935</td><td>965</td><td>1015</td><td>1070</td><td>1130</td><td>1195</td><td>1055</td><td>1135</td><td>1280</td></tr><tr><td>790</td><td>840</td><td>870</td><td>920</td><td>975</td><td>1035</td><td>1100</td><td>960</td><td>1040</td><td>1185</td></tr><tr><td>810</td><td>860</td><td>890</td><td>940</td><td>995</td><td>1055</td><td>1120</td><td>980</td><td>1060</td><td>1205</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 685 | 735 | 765 | 815 | 870 | 930 | 995 | 855 | 935 | 1080 | 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | 885 | 935 | 965 | 1015 | 1070 | 1130 | 1195 | 1055 | 1135 | 1280 | 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | 810 | 860 | 890 | 940 | 995 | 1055 | 1120 | 980 | 1060 | 1205 | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjust with free floatRatchet back height lumbar adjustmentKnobless height adjustable 20" diameter footringWarranted to 300 lbs. | <div>WIDTH: 25.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 48.5-61.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 28.0-38.0</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 19.0-21.5</div> <div>COM: 1.4 YDS</div> <div>COL: 20.0 SQ FT</div> <div>WEIGHT: 42.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 765 | 815 | 870 | 930 | 995 | 855 | 935 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 885 | 935 | 965 | 1015 | 1070 | 1130 | 1195 | 1055 | 1135 | 1280 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 810 | 860 | 890 | 940 | 995 | 1055 | 1120 | 980 | 1060 | 1205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2368 | P1 | <div>8" STOOL WITH POSTURE BACK</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>685</td><td>735</td><td>765</td><td>815</td><td>870</td><td>930</td><td>995</td><td>855</td><td>935</td><td>1080</td></tr><tr><td>770</td><td>820</td><td>850</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>940</td><td>1020</td><td>1165</td></tr><tr><td>790</td><td>840</td><td>870</td><td>920</td><td>975</td><td>1035</td><td>1100</td><td>960</td><td>1040</td><td>1185</td></tr><tr><td>770</td><td>820</td><td>850</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>940</td><td>1020</td><td>1165</td></tr><tr><td>885</td><td>935</td><td>965</td><td>1015</td><td>1070</td><td>1130</td><td>1195</td><td>1055</td><td>1135</td><td>1280</td></tr><tr><td>790</td><td>840</td><td>870</td><td>920</td><td>975</td><td>1035</td><td>1100</td><td>960</td><td>1040</td><td>1185</td></tr><tr><td>810</td><td>860</td><td>890</td><td>940</td><td>995</td><td>1055</td><td>1120</td><td>980</td><td>1060</td><td>1205</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 685 | 735 | 765 | 815 | 870 | 930 | 995 | 855 | 935 | 1080 | 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | 885 | 935 | 965 | 1015 | 1070 | 1130 | 1195 | 1055 | 1135 | 1280 | 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | 810 | 860 | 890 | 940 | 995 | 1055 | 1120 | 980 | 1060 | 1205 | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjust with free floatRatchet back height lumbar adjustmentKnobless height adjustable 20" diameter footringWarranted to 300 lbs. | <div>WIDTH: 25.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 44.5-55.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 24.0-32.0</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 19.0-21.5</div> <div>COM: 1.4 YDS</div> <div>COL: 20.0 SQ FT</div> <div>WEIGHT: 43.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 735 | 765 | 815 | 870 | 930 | 995 | 855 | 935 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 820 | 850 | 900 | 955 | 1015 | 1080 | 940 | 1020 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 885 | 935 | 965 | 1015 | 1070 | 1130 | 1195 | 1055 | 1135 | 1280 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 840 | 870 | 920 | 975 | 1035 | 1100 | 960 | 1040 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 810 | 860 | 890 | 940 | 995 | 1055 | 1120 | 980 | 1060 | 1205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| CASTER OPTIONS | | |
|--|--|---|
| C6 STD | C6S | C7 |
| 60mm Hoodless Casters | 60mm Hoodless Hard Floor Casters | 60mm Hoodless Chrome Accented Casters (Standard with Polished Base) |
| A8B/S \$85 | A9B/S \$105 | |
| Height Adjustable Arm A8B-Black A8S-Silver | Height/Width Adjustable Arm A9B-Black A9S-Silver | |
| A10 \$85 | A19 \$200 | |
| Soft Touch C-Shaped Arm | Polished Aluminum C-Shape Arm | |
| A36 \$105 | A37 \$125 | |
| Height Adjustable Pivot/Slide Arm | Height/Width Adjustable Pivot/Slide Arm | |

| BASE OPTIONS | | |
|---|--|---|
| BA9B STD | BA10B \$100 | BA10P \$100 |
| 26" High Profile Nylon Base - Black | 26" High Profile Aluminum Base - Black Powder Coat | 26" High Profile Aluminum Base - Polished (C7 Chrome Accented Hoodless Casters Standard with Polished Base) |
| BA10S \$100 | | |
| 26" High Profile Aluminum Base - Silver Powder Coat | | |

| ADDITIONAL OPTIONS | |
|---|-------------------|
| BN1 \$35 | BN2 N/C |
| Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up | |

cayman

contemporary, ergonomic and built with attention to detail

MID-BACK

GSA SIN # 711-18

- Conference and executive seating
- Aluminum base standard matches arm finish
- Warranted to 300 lbs.



CREATING CAYMAN MODEL NUMBER


| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---------|--|------|--|-------|--|---|---|---|--|---------|--|-----------|--|---------|--|
| MODEL NUMBER | | | | CONTROL | | ARMS | | GRADE | | BASE | | | | CASTERS | | PACKAGING | | OPTIONS | |
| 2 | 8 | 0 | 0 | | | A | | | | | B | A | | | C | | | | |
| <small>* FOR ARMLESS CODE USE A00</small> | | | | | | | | | | <small>* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED</small> | | | | | <small>* GT MODELS DO NOT HAVE A CASTER CODE</small> | | | | |

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|-------|---------|--|---------------------------------------|----------------|-----|-----|-----|-----|------|------|--------|-----|------|--|--|------------|
| 2800 | S1 | MID-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | A20 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. | WIDTH: 24.0 DEPTH: 30.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 21.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 22.0 BACK HEIGHT: 22.5 COM: 1.9 YD COL: 25.0 SQ FT WEIGHT: 36.0 LB | |
| | | | A21 | 705 | 765 | 805 | 865 | 935 | 1010 | 1095 | 860 | 915 | 1205 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2800 | K1 | MID-BACK KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look | A20 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 5 locking positions• Safety tilt release• Reduced rise of front of seat• Warranted to 300 lbs. | WIDTH: 24.0 DEPTH: 30.0 HEIGHT: 39-42 SEAT WIDTH: 21.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 16.5-19.5 BACK WIDTH: 22.0 BACK HEIGHT: 22.5 COM: 1.9 YD COL: 25.0 SQ FT WEIGHT: 41.0 LB | |
| | | | A21 | 755 | 815 | 855 | 915 | 985 | 1060 | 1145 | 910 | 965 | 1255 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2800 | GT | GUEST Well suited for guest seating. Comes standard with non-marking glides | A20 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Cantilever frame design• Non-marring floor glides• Warranted to 275 lbs. | WIDTH: 24.0 DEPTH: 30.0 HEIGHT: 40.0 SEAT WIDTH: 21.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 18.0 BACK WIDTH: 22.0 BACK HEIGHT: 22.5 COM: 1.9 YD COL: 25.0 SQ FT WEIGHT: 38.0 LB | |
| | | | A21 | 635 | 695 | 735 | 795 | 865 | 940 | 1025 | 790 | 845 | 1135 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | SHIPS FULLY ASSEMBLED EITHER AC OR AB | | | | | | | | | | | | | |


CASTER OPTIONS



Black Powder Coated Arm w/ Leather Pad



Polished Aluminum Arm w/ Leather Pad



50mm Hooded Casters




50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

BASE OPTIONS



27" Aluminum Base - Black Powder-Coat



27" Aluminum Base - Polished

cayman

contemporary, ergonomic and built with attention to detail

GSA SIN # 711-18

- Conference and executive seating
- Aluminum base standard matches arm finish
- Warranted to 300 lbs.



HIGH-BACK

CREATING CAYMAN MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS





2 8 1 0 - **A** - **B A** - **C**

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED


* GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|------------|--|-------|------|--------|------|------|---|---|--------|----|----------|------------|-----|-----|-----|------|------|------|-----|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 2810 | S1 | <div></div> <h3>HIGH-BACK SWIVEL TILT</h3> <p>Use for a variety of general office seating, including private office and conference room seating</p> | A20 A21 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>755</td><td>825</td><td>870</td><td>940</td><td>1015</td><td>1100</td><td>1195</td><td>910</td><td>975</td><td>1395</td></tr><tr><td>755</td><td>825</td><td>870</td><td>940</td><td>1015</td><td>1100</td><td>1195</td><td>910</td><td>975</td><td>1395</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 755 | 825 | 870 | 940 | 1015 | 1100 | 1195 | 910 | 975 | 1395 | 755 | 825 | 870 | 940 | 1015 | 1100 | 1195 | 910 | 975 | 1395 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unit360-degree swivelUpright position tilt lockWarranted to 300 lbs. | WIDTH: 24.0 DEPTH: 30.0 HEIGHT: 43.0-47.5 SEAT WIDTH: 21.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 22.0 BACK HEIGHT: 26.5 COM: 2.1 YD COL: 42.0 SQ WEIGHT: 43.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 825 | 870 | 940 | 1015 | 1100 | 1195 | 910 | 975 | 1395 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 825 | 870 | 940 | 1015 | 1100 | 1195 | 910 | 975 | 1395 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2810 | K1 | <div></div> <h3>HIGH-BACK KNEE TILT</h3> <p>Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look</p> | A20 A21 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>805</td><td>875</td><td>920</td><td>990</td><td>1065</td><td>1150</td><td>1245</td><td>960</td><td>1025</td><td>1445</td></tr><tr><td>805</td><td>875</td><td>920</td><td>990</td><td>1065</td><td>1150</td><td>1245</td><td>960</td><td>1025</td><td>1445</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 805 | 875 | 920 | 990 | 1065 | 1150 | 1245 | 960 | 1025 | 1445 | 805 | 875 | 920 | 990 | 1065 | 1150 | 1245 | 960 | 1025 | 1445 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unit5 locking positionsSafety tilt releaseReduced rise of front of seatWarranted to 300 lbs. | WIDTH: 24.0 DEPTH: 30.0 HEIGHT: 43.0-46.0 SEAT WIDTH: 21.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 16.5-19.5 BACK WIDTH: 26.5 BACK HEIGHT: 26.5 COM: 2.1 YD COL: 42.0 SQ FT WEIGHT: 48.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 805 | 875 | 920 | 990 | 1065 | 1150 | 1245 | 960 | 1025 | 1445 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 805 | 875 | 920 | 990 | 1065 | 1150 | 1245 | 960 | 1025 | 1445 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


CASTER OPTIONS




Black Powder Coated Arm
w/ Leather Pad




Polished Aluminum Arm
w/ Leather Pad



50mm Hooded Casters



50mm Hooded
Hard Floor Casters



50mm Hooded Self-Locking
Hard Floor Casters

BASE OPTIONS



27" Aluminum Base - Black Powder-Coat



27" Aluminum Base - Polished

core

contemporary lines for your workspace

UPHOLSTERED BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Stylish durable poly outer back
- Ratchet height adjustable back
- Weight balanced synchro, knee tilt or synchro with back angle adj.
- High design hubless casters standard
- Optional seat slider
- Black or gray frame colors
- Molded foam back over mesh suspension
- Warranted to 300 lbs.



CREATING CORE MODEL NUMBER

MODEL NUMBERCONTROLARMSPLASTIC COLORGRADEBASECASTERSPACKAGINGOPTIONS

2260-A-P-BAC

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE


PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------|---|---|---|----------|------------|--------|-----|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|---|---|
| 2260 | W1 | <div><div>RATCHET BACK WEIGHT BALANCED SYNCHRO</div><div>Use for a variety of general office seating, including private office and conference room seating</div></div> | <div>ARMLESS</div> <div>A22</div> <div>A23</div> <div>A36</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>495</td><td>530</td><td>550</td><td>585</td><td>620</td><td>660</td><td>705</td><td>595</td><td>795</td><td>845</td></tr><tr><td>545</td><td>580</td><td>600</td><td>635</td><td>670</td><td>710</td><td>755</td><td>645</td><td>845</td><td>895</td></tr><tr><td>570</td><td>605</td><td>625</td><td>660</td><td>695</td><td>735</td><td>780</td><td>670</td><td>870</td><td>920</td></tr><tr><td>600</td><td>635</td><td>655</td><td>690</td><td>725</td><td>765</td><td>810</td><td>700</td><td>900</td><td>950</td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 495 | 530 | 550 | 585 | 620 | 660 | 705 | 595 | 795 | 845 | 545 | 580 | 600 | 635 | 670 | 710 | 755 | 645 | 845 | 895 | 570 | 605 | 625 | 660 | 695 | 735 | 780 | 670 | 870 | 920 | 600 | 635 | 655 | 690 | 725 | 765 | 810 | 700 | 900 | 950 | <ul style="list-style-type: none">Pneumatic seat height adjustmentBack and seat tilt in 3:1 ratio2 position tilt lockRatchet back height lumbar adjustmentMolded foam seatMolded foam back over mesh suspensionHigh design hubless castersWarranted to 300 lbs. | <div><div>WIDTH: 27.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 38.5-45</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 15.5-20</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 23.0</div><div>COM: 1.5 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 43.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 530 | 550 | 585 | 620 | 660 | 705 | 595 | 795 | 845 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 580 | 600 | 635 | 670 | 710 | 755 | 645 | 845 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 605 | 625 | 660 | 695 | 735 | 780 | 670 | 870 | 920 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 635 | 655 | 690 | 725 | 765 | 810 | 700 | 900 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2260 | K2 | <div><div>RATCHET BACK KNEE TILT</div><div>Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look</div></div> | <div>ARMLESS</div> <div>A22</div> <div>A23</div> <div>A36</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>525</td><td>560</td><td>580</td><td>615</td><td>650</td><td>690</td><td>735</td><td>625</td><td>825</td><td>875</td></tr><tr><td>575</td><td>610</td><td>630</td><td>665</td><td>700</td><td>740</td><td>785</td><td>675</td><td>875</td><td>925</td></tr><tr><td>600</td><td>635</td><td>655</td><td>690</td><td>725</td><td>765</td><td>810</td><td>700</td><td>900</td><td>950</td></tr><tr><td>630</td><td>665</td><td>685</td><td>720</td><td>755</td><td>795</td><td>840</td><td>730</td><td>930</td><td>980</td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 525 | 560 | 580 | 615 | 650 | 690 | 735 | 625 | 825 | 875 | 575 | 610 | 630 | 665 | 700 | 740 | 785 | 675 | 875 | 925 | 600 | 635 | 655 | 690 | 725 | 765 | 810 | 700 | 900 | 950 | 630 | 665 | 685 | 720 | 755 | 795 | 840 | 730 | 930 | 980 | <ul style="list-style-type: none">Pneumatic seat height adjustmentKnee tilt with reduced rise in front of seatSeat and back tilt as a unit3 position tilt lockRatchet back height lumbar adjustmentMolded foam seatMolded foam back over mesh suspensionHubless castersWarranted to 300 lbs. | <div><div>WIDTH: 27.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 41-47.5</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 18.-22.5</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 23.0</div><div>COM: 1.5 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 43.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | 560 | 580 | 615 | 650 | 690 | 735 | 625 | 825 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 610 | 630 | 665 | 700 | 740 | 785 | 675 | 875 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 635 | 655 | 690 | 725 | 765 | 810 | 700 | 900 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 665 | 685 | 720 | 755 | 795 | 840 | 730 | 930 | 980 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2260 | Y5 | <div><div>RACHET BACK ENHANCED SYNCHRO WITH BACK ANGLE ADJUSTMENT</div><div>High function full synchro control with independent back angle adjust. Use for general office, task or management</div></div> | <div>ARMLESS</div> <div>A22</div> <div>A23</div> <div>A36</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>575</td><td>610</td><td>630</td><td>665</td><td>700</td><td>740</td><td>785</td><td>675</td><td>875</td><td>925</td></tr><tr><td>625</td><td>660</td><td>680</td><td>715</td><td>750</td><td>790</td><td>835</td><td>725</td><td>925</td><td>975</td></tr><tr><td>650</td><td>685</td><td>705</td><td>740</td><td>775</td><td>815</td><td>860</td><td>750</td><td>950</td><td>1000</td></tr><tr><td>680</td><td>715</td><td>735</td><td>770</td><td>805</td><td>845</td><td>890</td><td>780</td><td>980</td><td>1030</td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 575 | 610 | 630 | 665 | 700 | 740 | 785 | 675 | 875 | 925 | 625 | 660 | 680 | 715 | 750 | 790 | 835 | 725 | 925 | 975 | 650 | 685 | 705 | 740 | 775 | 815 | 860 | 750 | 950 | 1000 | 680 | 715 | 735 | 770 | 805 | 845 | 890 | 780 | 980 | 1030 | <ul style="list-style-type: none">Pneumatic seat height adjustment2:1 back to seat ratioStandard seat slider adds 3" adjustment4 locking positionsRatchet back height lumbar adjustmentMolded foam seatMolded foam back over mesh suspensionSide tension controlHigh design hubless castersWarranted to 300 lbs. | <div><div>WIDTH: 27.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 40-46.5</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17-19.5</div><div>SEAT HEIGHT: 17-21.5</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 23.0</div><div>COM: 1.5 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 44.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 610 | 630 | 665 | 700 | 740 | 785 | 675 | 875 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 660 | 680 | 715 | 750 | 790 | 835 | 725 | 925 | 975 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 685 | 705 | 740 | 775 | 815 | 860 | 750 | 950 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 715 | 735 | 770 | 805 | 845 | 890 | 780 | 980 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2260 | GT | <div><div>GUEST</div><div>Four leg steel frame side chair</div></div> | <div>SWA</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>450</td><td>485</td><td>505</td><td>540</td><td>575</td><td>615</td><td>660</td><td>550</td><td>750</td><td>800</td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 450 | 485 | 505 | 540 | 575 | 615 | 660 | 550 | 750 | 800 | <ul style="list-style-type: none">4 leg frame designNon-marring floor glidesBlack or gray accentsBlack or silver frameWarranted to 300 lbs. | <div><div>WIDTH: 26.0</div><div>DEPTH: 28.0</div><div>HEIGHT: 39.0</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 16.5</div><div>SEAT HEIGHT: 17.5</div><div>BACK WIDTH: 20.0</div><div>BACK HEIGHT: 22.0</div><div>COM: 1.0 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 38.0 LB</div></div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 485 | 505 | 540 | 575 | 615 | 660 | 550 | 750 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SHIPS PARTIALLY ASSEMBLED PAC OR AB / SWA - STANDARD WITH ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SHIPS PARTIALLY ASSEMBLED PAC OR AB / SWA - STANDARD WITH ARMS

ARM OPTIONS



A22
\$50

Fixed Arm with Soft Pad



A23
\$75

6-Way Height Adjustable Arm w/ Sliding Pad



A36
\$105

Height Adjustable Pivot/Slide Arm

BASE OPTIONS



BA11B
STD

27" Mid-Profile Nylon Base - Black



BA11G
STD


27" Mid-Profile Nylon Base - Gray



BA12P
\$100

27" Mid-Profile Aluminum Base - Polished

ADDITIONAL OPTIONS



SS
\$60

Seat Slider 2.5" Side Paddle Activated

PLASTIC COLORS*

| | |
|--------------|----------------------|
| BLACK PBK | LIGHT GRAY PGA |
|--------------|----------------------|

(OUTER BACK & ARMS)

* A22/A23 matches frame color selected

CASTERS




C22B
STD

Standard 60mm Black Hubless Casters




C22G
STD

Standard 60mm Hubless Gray Casters




C6
\$30

60mm Hoodless Casters



C6S
\$35

60mm Hoodless Hard Floor Casters



C7
\$35

60mm Hoodless Chrome Accented Casters

core

contemporary lines for your workspace

STOOL

GSA SIN # 711-18

- Stool seating
- Stylish durable poly outer back
- Ratchet height adjustable back
- Weight balanced synchro control
- High design hubless casters standard
- Black or gray accent colors
- Molded foam back over mesh suspension
- Warranted to 300 lbs.



CREATING CORE MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR GRADE BASE CASTERS PACKAGING OPTIONS

2 2 6 - W 1 - A - P - B A - C


* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSIGNED * GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|------------------------------|---|----------|------------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| 2266 | W1 | <div><div><div>10" STOOL RATCHET BACK WEIGHT BALANCED SYNCHRO</div><div>Use for work surfaces up to 42 inches</div></div></div> | ARMLESS A22 A23 A36 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>655</td><td>675</td><td>710</td><td>745</td><td>785</td><td>830</td><td>720</td><td>920</td><td>970</td></tr><tr><td>670</td><td>705</td><td>725</td><td>760</td><td>795</td><td>835</td><td>880</td><td>770</td><td>970</td><td>1020</td></tr><tr><td>695</td><td>730</td><td>750</td><td>785</td><td>820</td><td>860</td><td>905</td><td>795</td><td>995</td><td>1045</td></tr><tr><td>725</td><td>760</td><td>780</td><td>815</td><td>850</td><td>890</td><td>935</td><td>825</td><td>1025</td><td>1075</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 655 | 675 | 710 | 745 | 785 | 830 | 720 | 920 | 970 | 670 | 705 | 725 | 760 | 795 | 835 | 880 | 770 | 970 | 1020 | 695 | 730 | 750 | 785 | 820 | 860 | 905 | 795 | 995 | 1045 | 725 | 760 | 780 | 815 | 850 | 890 | 935 | 825 | 1025 | 1075 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Back and seat tilt in 3:1 ratio• 2 position tilt lock• Ratchet back height lumbar adjustment• Molded foam seat• Molded foam back over mesh suspension• High design hubless casters• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | <div><div><div>WIDTH: 27.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 46-58.5</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 23-33</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 23.0</div><div>COM: 1.5 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 49.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 655 | 675 | 710 | 745 | 785 | 830 | 720 | 920 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 705 | 725 | 760 | 795 | 835 | 880 | 770 | 970 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 730 | 750 | 785 | 820 | 860 | 905 | 795 | 995 | 1045 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 760 | 780 | 815 | 850 | 890 | 935 | 825 | 1025 | 1075 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2268 | W1 | <div><div><div>8" STOOL RATCHET BACK WEIGHT BALANCED SYNCHRO</div><div>Use for work surfaces up to 36 inches</div></div></div> | ARMLESS A22 A23 A36 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>655</td><td>675</td><td>710</td><td>745</td><td>785</td><td>830</td><td>720</td><td>920</td><td>970</td></tr><tr><td>670</td><td>705</td><td>725</td><td>760</td><td>795</td><td>835</td><td>880</td><td>770</td><td>970</td><td>1020</td></tr><tr><td>695</td><td>730</td><td>750</td><td>785</td><td>820</td><td>860</td><td>905</td><td>795</td><td>995</td><td>1045</td></tr><tr><td>725</td><td>760</td><td>780</td><td>815</td><td>850</td><td>890</td><td>935</td><td>825</td><td>1025</td><td>1075</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 655 | 675 | 710 | 745 | 785 | 830 | 720 | 920 | 970 | 670 | 705 | 725 | 760 | 795 | 835 | 880 | 770 | 970 | 1020 | 695 | 730 | 750 | 785 | 820 | 860 | 905 | 795 | 995 | 1045 | 725 | 760 | 780 | 815 | 850 | 890 | 935 | 825 | 1025 | 1075 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Back and seat tilt in 3:1 ratio• 2 position tilt lock• Ratchet back height lumbar adjustment• Molded foam seat• Molded foam back over mesh suspension• High design hubless casters• Knobless height adjustable 20" diameter footring• Warranted to 300 lbs. | <div><div><div>WIDTH: 27.5</div><div>DEPTH: 27.5</div><div>HEIGHT: 43-53.5</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 20-28</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 23.0</div><div>COM: 1.5 YD</div><div>COL: 8 SQ FT</div><div>WEIGHT: 48.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 655 | 675 | 710 | 745 | 785 | 830 | 720 | 920 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 705 | 725 | 760 | 795 | 835 | 880 | 770 | 970 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 730 | 750 | 785 | 820 | 860 | 905 | 795 | 995 | 1045 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 760 | 780 | 815 | 850 | 890 | 935 | 825 | 1025 | 1075 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ARM OPTIONS



A22
\$50

Fixed Arm with Soft Pad



A23
\$75

6-Way Height Adjustable Arm w/ Sliding Pad



A36
\$105

Height Adjustable Pivot/Slide Arm

BASE OPTIONS



BA11B
STD

27" Mid-Profile Nylon Base - Black



BA11G
\$100


27" Mid-Profile Nylon Base - Gray



BA12P
\$100

27" Mid-Profile Aluminum Base - Polished

ADDITIONAL OPTIONS



SS
\$60

Seat Slider 2.5" Side Paddle Activated

PLASTIC COLORS*

| | |
|--------------|----------------------|
| BLACK PBK | LIGHT GRAY PGA |
|--------------|----------------------|

(OUTER BACK & ARMS)

* A22/A23 matches frame color selected

CASTERS




C22B
STD

Standard 60mm Black Hubless Casters




C22G
STD

Standard 60mm Hubless Gray Casters




C6
\$30

60mm Hoodless Casters



C6S
\$35

60mm Hoodless Hard Floor Casters



C7
\$35

60mm Hoodless Chrome Accented Casters

cortina

simple, straightforward ergonomics and functionality

MID-BACK

GSA SIN # 711-18

- Task, conference and executive seating
- Aluminum base standard
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CORTINA MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 2900 | - | A | - | BA | -C | - | - |

* FOR ARMLESS CODE USE A00 *IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|---|---|----------|------------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|------|------|------|-----|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|-----|-----|------|------|------|------|------|------|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|-----|-----|-----|-----|------|------|------|-----|------|------|--|--|
| 2900 | S2 | MID-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>610</td><td>665</td><td>700</td><td>755</td><td>815</td><td>880</td><td>950</td><td>760</td><td>860</td><td>1000</td></tr><tr><td>695</td><td>750</td><td>785</td><td>840</td><td>900</td><td>965</td><td>1035</td><td>845</td><td>945</td><td>1085</td></tr><tr><td>715</td><td>770</td><td>805</td><td>860</td><td>920</td><td>985</td><td>1055</td><td>865</td><td>965</td><td>1105</td></tr><tr><td>710</td><td>765</td><td>800</td><td>855</td><td>915</td><td>980</td><td>1050</td><td>860</td><td>960</td><td>1100</td></tr><tr><td>810</td><td>865</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>1150</td><td>960</td><td>1060</td><td>1200</td></tr><tr><td>715</td><td>770</td><td>805</td><td>860</td><td>920</td><td>985</td><td>1055</td><td>865</td><td>965</td><td>1105</td></tr><tr><td>735</td><td>790</td><td>825</td><td>880</td><td>940</td><td>1005</td><td>1075</td><td>885</td><td>985</td><td>1125</td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 610 | 665 | 700 | 755 | 815 | 880 | 950 | 760 | 860 | 1000 | 695 | 750 | 785 | 840 | 900 | 965 | 1035 | 845 | 945 | 1085 | 715 | 770 | 805 | 860 | 920 | 985 | 1055 | 865 | 965 | 1105 | 710 | 765 | 800 | 855 | 915 | 980 | 1050 | 860 | 960 | 1100 | 810 | 865 | 900 | 955 | 1015 | 1080 | 1150 | 960 | 1060 | 1200 | 715 | 770 | 805 | 860 | 920 | 985 | 1055 | 865 | 965 | 1105 | 735 | 790 | 825 | 880 | 940 | 1005 | 1075 | 885 | 985 | 1125 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 20.5 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.5 BACK HEIGHT: 21.0 COM: 1.6 YD COL: 20.0 SQ FT WEIGHT: 44.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 610 | 665 | 700 | 755 | 815 | 880 | 950 | 760 | 860 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 750 | 785 | 840 | 900 | 965 | 1035 | 845 | 945 | 1085 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 770 | 805 | 860 | 920 | 985 | 1055 | 865 | 965 | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 765 | 800 | 855 | 915 | 980 | 1050 | 860 | 960 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 810 | 865 | 900 | 955 | 1015 | 1080 | 1150 | 960 | 1060 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 770 | 805 | 860 | 920 | 985 | 1055 | 865 | 965 | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 790 | 825 | 880 | 940 | 1005 | 1075 | 885 | 985 | 1125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2900 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>690</td><td>745</td><td>780</td><td>835</td><td>895</td><td>960</td><td>1030</td><td>840</td><td>940</td><td>1080</td></tr><tr><td>775</td><td>830</td><td>865</td><td>920</td><td>980</td><td>1045</td><td>1115</td><td>925</td><td>1025</td><td>1165</td></tr><tr><td>795</td><td>850</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>1135</td><td>945</td><td>1045</td><td>1185</td></tr><tr><td>790</td><td>845</td><td>880</td><td>935</td><td>995</td><td>1060</td><td>1130</td><td>940</td><td>1040</td><td>1180</td></tr><tr><td>890</td><td>945</td><td>980</td><td>1035</td><td>1095</td><td>1160</td><td>1230</td><td>1040</td><td>1140</td><td>1280</td></tr><tr><td>795</td><td>850</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>1135</td><td>945</td><td>1045</td><td>1185</td></tr><tr><td>815</td><td>870</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>1155</td><td>965</td><td>1065</td><td>1205</td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 690 | 745 | 780 | 835 | 895 | 960 | 1030 | 840 | 940 | 1080 | 775 | 830 | 865 | 920 | 980 | 1045 | 1115 | 925 | 1025 | 1165 | 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | 790 | 845 | 880 | 935 | 995 | 1060 | 1130 | 940 | 1040 | 1180 | 890 | 945 | 980 | 1035 | 1095 | 1160 | 1230 | 1040 | 1140 | 1280 | 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Reduced rise of front of seat• Synchro control• Side tension adjustment• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 20.5 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.5 BACK HEIGHT: 21.0 COM: 1.6 YD COL: 20.0 SQ FT WEIGHT: 49.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 690 | 745 | 780 | 835 | 895 | 960 | 1030 | 840 | 940 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 775 | 830 | 865 | 920 | 980 | 1045 | 1115 | 925 | 1025 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 845 | 880 | 935 | 995 | 1060 | 1130 | 940 | 1040 | 1180 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 890 | 945 | 980 | 1035 | 1095 | 1160 | 1230 | 1040 | 1140 | 1280 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2900 | M1 | MID-BACK MULTI-FUNCTION Use for a variety of general office seating, including private office and conference room seating | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>710</td><td>765</td><td>800</td><td>855</td><td>915</td><td>980</td><td>1050</td><td>860</td><td>960</td><td>1100</td></tr><tr><td>795</td><td>850</td><td>885</td><td>940</td><td>1000</td><td>1065</td><td>1135</td><td>945</td><td>1045</td><td>1185</td></tr><tr><td>815</td><td>870</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>1155</td><td>965</td><td>1065</td><td>1205</td></tr><tr><td>810</td><td>865</td><td>900</td><td>955</td><td>1015</td><td>1080</td><td>1150</td><td>960</td><td>1060</td><td>1200</td></tr><tr><td>910</td><td>965</td><td>1000</td><td>1055</td><td>1115</td><td>1180</td><td>1250</td><td>1060</td><td>1160</td><td>1300</td></tr><tr><td>815</td><td>870</td><td>905</td><td>960</td><td>1020</td><td>1085</td><td>1155</td><td>965</td><td>1065</td><td>1205</td></tr><tr><td>835</td><td>890</td><td>925</td><td>980</td><td>1040</td><td>1105</td><td>1175</td><td>985</td><td>1085</td><td>1225</td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 710 | 765 | 800 | 855 | 915 | 980 | 1050 | 860 | 960 | 1100 | 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | 810 | 865 | 900 | 955 | 1015 | 1080 | 1150 | 960 | 1060 | 1200 | 910 | 965 | 1000 | 1055 | 1115 | 1180 | 1250 | 1060 | 1160 | 1300 | 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | 835 | 890 | 925 | 980 | 1040 | 1105 | 1175 | 985 | 1085 | 1225 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Infinite tilt position lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 20.5 SEAT DEPTH: 19.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 18.5 BACK HEIGHT: 21.0 COM: 1.6 YD COL: 20.0 SQ FT WEIGHT: 52.0 LB |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 765 | 800 | 855 | 915 | 980 | 1050 | 860 | 960 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 850 | 885 | 940 | 1000 | 1065 | 1135 | 945 | 1045 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 810 | 865 | 900 | 955 | 1015 | 1080 | 1150 | 960 | 1060 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 910 | 965 | 1000 | 1055 | 1115 | 1180 | 1250 | 1060 | 1160 | 1300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 815 | 870 | 905 | 960 | 1020 | 1085 | 1155 | 965 | 1065 | 1205 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 835 | 890 | 925 | 980 | 1040 | 1105 | 1175 | 985 | 1085 | 1225 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CASTER OPTIONS




A8
\$85

Height Adjustable Arm
A8B-Black
A8S-Silver



A9
\$105

Height/Width Adjustable Arm
A9B-Black
A9S-Silver



C7
STD

60mm Hoodless Chrome Accented Casters (Standard with Polished Base)




A16
\$100

Soft Touch C-Shape Arm



A19
\$200

Polished Aluminum C-Shape Arm with Black Urethane Surface



C6S
\$35

60mm Hoodless Hard Floor Casters



A36
\$105


Height Adjustable Pivot/Slide Arm



A37
\$125

Height/Width Adjustable Pivot/Slide Arm

BASE OPTIONS




BA19P
STD

27" Aluminum Base - Polished (C7 Chrome Accented Hoodless Casters Standard with Polished Base)



BA1B
DEDUCT \$50

26" Nylon Base - Black



BA9B
DEDUCT \$50

26" High Profile Nylon Base - Black

cortina

simple, straightforward ergonomics and functionality

HIGH-BACK

GSA SIN # 711-18

- Task, conference and executive seating
- Aluminum base standard
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CORTINA MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|------|---------|-----------|---------|
| 2910 | | A | | BA | C | | |

* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED * GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|---|---|----------|------------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|------|------|------|------|------|------|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|------|------|------|------|------|------|------|---|---|
| 2910 | S2 | <div><div>HIGH-BACK SWIVEL TILT</div><div>Use for a variety of general office seating, including private office and conference room seating</div></div> | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>660</td><td>715</td><td>750</td><td>805</td><td>870</td><td>940</td><td>1015</td><td>830</td><td>910</td><td>1110</td></tr><tr><td>745</td><td>800</td><td>835</td><td>890</td><td>955</td><td>1025</td><td>1100</td><td>915</td><td>995</td><td>1195</td></tr><tr><td>765</td><td>820</td><td>855</td><td>910</td><td>975</td><td>1045</td><td>1120</td><td>935</td><td>1015</td><td>1215</td></tr><tr><td>760</td><td>815</td><td>850</td><td>905</td><td>970</td><td>1040</td><td>1115</td><td>930</td><td>1010</td><td>1210</td></tr><tr><td>860</td><td>915</td><td>950</td><td>1005</td><td>1070</td><td>1140</td><td>1215</td><td>1030</td><td>1110</td><td>1310</td></tr><tr><td>765</td><td>820</td><td>855</td><td>910</td><td>975</td><td>1045</td><td>1120</td><td>935</td><td>1015</td><td>1215</td></tr><tr><td>785</td><td>840</td><td>875</td><td>930</td><td>995</td><td>1065</td><td>1140</td><td>955</td><td>1035</td><td>1235</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 660 | 715 | 750 | 805 | 870 | 940 | 1015 | 830 | 910 | 1110 | 745 | 800 | 835 | 890 | 955 | 1025 | 1100 | 915 | 995 | 1195 | 765 | 820 | 855 | 910 | 975 | 1045 | 1120 | 935 | 1015 | 1215 | 760 | 815 | 850 | 905 | 970 | 1040 | 1115 | 930 | 1010 | 1210 | 860 | 915 | 950 | 1005 | 1070 | 1140 | 1215 | 1030 | 1110 | 1310 | 765 | 820 | 855 | 910 | 975 | 1045 | 1120 | 935 | 1015 | 1215 | 785 | 840 | 875 | 930 | 995 | 1065 | 1140 | 955 | 1035 | 1235 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unit360-degree swivelUpright position tilt lockWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 47.0-51.5</div><div>SEAT WIDTH: 20.5</div><div>SEAT DEPTH: 19.0</div><div>SEAT HEIGHT: 18.0-22.5</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 29.0</div><div>COM: 1.7 YD</div><div>COL: 23.0 SQ FT</div><div>WEIGHT: 48.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 660 | 715 | 750 | 805 | 870 | 940 | 1015 | 830 | 910 | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 745 | 800 | 835 | 890 | 955 | 1025 | 1100 | 915 | 995 | 1195 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 820 | 855 | 910 | 975 | 1045 | 1120 | 935 | 1015 | 1215 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 760 | 815 | 850 | 905 | 970 | 1040 | 1115 | 930 | 1010 | 1210 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 860 | 915 | 950 | 1005 | 1070 | 1140 | 1215 | 1030 | 1110 | 1310 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 820 | 855 | 910 | 975 | 1045 | 1120 | 935 | 1015 | 1215 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 785 | 840 | 875 | 930 | 995 | 1065 | 1140 | 955 | 1035 | 1235 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2910 | Y2 | <div><div>HIGH-BACK HEAVY DUTY SYNCHRO</div><div>Use for a variety of general office seating, including private office and conference room seating</div></div> | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>740</td><td>795</td><td>830</td><td>885</td><td>950</td><td>1020</td><td>1095</td><td>910</td><td>990</td><td>1190</td></tr><tr><td>825</td><td>880</td><td>915</td><td>970</td><td>1035</td><td>1105</td><td>1180</td><td>995</td><td>1075</td><td>1275</td></tr><tr><td>845</td><td>900</td><td>935</td><td>990</td><td>1055</td><td>1125</td><td>1200</td><td>1015</td><td>1095</td><td>1295</td></tr><tr><td>840</td><td>895</td><td>930</td><td>985</td><td>1050</td><td>1120</td><td>1195</td><td>1010</td><td>1090</td><td>1290</td></tr><tr><td>940</td><td>995</td><td>1030</td><td>1085</td><td>1150</td><td>1220</td><td>1295</td><td>1110</td><td>1190</td><td>1390</td></tr><tr><td>845</td><td>900</td><td>935</td><td>990</td><td>1055</td><td>1125</td><td>1200</td><td>1015</td><td>1095</td><td>1295</td></tr><tr><td>865</td><td>920</td><td>955</td><td>1010</td><td>1075</td><td>1145</td><td>1220</td><td>1035</td><td>1115</td><td>1315</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 740 | 795 | 830 | 885 | 950 | 1020 | 1095 | 910 | 990 | 1190 | 825 | 880 | 915 | 970 | 1035 | 1105 | 1180 | 995 | 1075 | 1275 | 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | 840 | 895 | 930 | 985 | 1050 | 1120 | 1195 | 1010 | 1090 | 1290 | 940 | 995 | 1030 | 1085 | 1150 | 1220 | 1295 | 1110 | 1190 | 1390 | 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | <ul style="list-style-type: none">Pneumatic seat height adjustmentBack and seat tilt in 2:1 ratio4 locking positionsSafety tilt releaseReduced rise of front of seatSynchro controlSide tension adjustmentWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 47.0-51.5</div><div>SEAT WIDTH: 20.5</div><div>SEAT DEPTH: 19.0</div><div>SEAT HEIGHT: 18.0-22.5</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 29.0</div><div>COM: 1.7 YD</div><div>COL: 34.0 SQ FT</div><div>WEIGHT: 53.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 795 | 830 | 885 | 950 | 1020 | 1095 | 910 | 990 | 1190 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 825 | 880 | 915 | 970 | 1035 | 1105 | 1180 | 995 | 1075 | 1275 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 895 | 930 | 985 | 1050 | 1120 | 1195 | 1010 | 1090 | 1290 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 940 | 995 | 1030 | 1085 | 1150 | 1220 | 1295 | 1110 | 1190 | 1390 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2910 | M1 | <div><div>HIGH-BACK MULTI-FUNCTION</div><div>Use for a variety of general office seating, including private office and conference room seating</div></div> | ARMLESS A8B / A8S A9B / A9S A16 A19 A36 A37 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>760</td><td>815</td><td>850</td><td>905</td><td>970</td><td>1040</td><td>1115</td><td>930</td><td>1010</td><td>1210</td></tr><tr><td>845</td><td>900</td><td>935</td><td>990</td><td>1055</td><td>1125</td><td>1200</td><td>1015</td><td>1095</td><td>1295</td></tr><tr><td>865</td><td>920</td><td>955</td><td>1010</td><td>1075</td><td>1145</td><td>1220</td><td>1035</td><td>1115</td><td>1315</td></tr><tr><td>860</td><td>915</td><td>950</td><td>1005</td><td>1070</td><td>1140</td><td>1215</td><td>1030</td><td>1110</td><td>1310</td></tr><tr><td>960</td><td>1015</td><td>1050</td><td>1105</td><td>1170</td><td>1240</td><td>1315</td><td>1130</td><td>1210</td><td>1410</td></tr><tr><td>865</td><td>920</td><td>955</td><td>1010</td><td>1075</td><td>1145</td><td>1220</td><td>1035</td><td>1115</td><td>1315</td></tr><tr><td>885</td><td>940</td><td>975</td><td>1030</td><td>1095</td><td>1165</td><td>1240</td><td>1055</td><td>1135</td><td>1335</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 760 | 815 | 850 | 905 | 970 | 1040 | 1115 | 930 | 1010 | 1210 | 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | 860 | 915 | 950 | 1005 | 1070 | 1140 | 1215 | 1030 | 1110 | 1310 | 960 | 1015 | 1050 | 1105 | 1170 | 1240 | 1315 | 1130 | 1210 | 1410 | 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | 885 | 940 | 975 | 1030 | 1095 | 1165 | 1240 | 1055 | 1135 | 1335 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unitInfinite tilt position lockInfinite back angle adj. w/ free floatSeat pivots from 0° to 6° forwardWarranted to 300 lbs. | <div><div>WIDTH: 25.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 47.0-51.5</div><div>SEAT WIDTH: 20.5</div><div>SEAT DEPTH: 19.0</div><div>SEAT HEIGHT: 18.5-23.0</div><div>BACK WIDTH: 18.5</div><div>BACK HEIGHT: 29.0</div><div>COM: 1.7 YD</div><div>COL: 23.0 SQ FT</div><div>WEIGHT: 56.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 760 | 815 | 850 | 905 | 970 | 1040 | 1115 | 930 | 1010 | 1210 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 845 | 900 | 935 | 990 | 1055 | 1125 | 1200 | 1015 | 1095 | 1295 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 860 | 915 | 950 | 1005 | 1070 | 1140 | 1215 | 1030 | 1110 | 1310 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 960 | 1015 | 1050 | 1105 | 1170 | 1240 | 1315 | 1130 | 1210 | 1410 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 920 | 955 | 1010 | 1075 | 1145 | 1220 | 1035 | 1115 | 1315 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 885 | 940 | 975 | 1030 | 1095 | 1165 | 1240 | 1055 | 1135 | 1335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CASTER OPTIONS

A8
\$85
Height Adjustable Arm
A8B-Black
A8S-Silver

A9
\$105
Height/Width Adjustable Arm
A9B-Black
A9S-Silver

C7
STD
60mm Hoodless Chrome
Accented Casters (Standard
with Polished Base)

A16
\$100
Soft Touch C-Shape Arm

A19
\$200
Polished Aluminum C-Shape
Arm with Black Urethane
Surface

C6S
\$35
60mm Hoodless
Hard Floor Casters

A36
\$105
Height Adjustable Pivot/
Slide Arm

A37
\$125
Height/Width Adjustable
Pivot/Slide Arm

BASE OPTIONS

BA19P
STD
27" Aluminum Base - Polished
(C7 Chrome Accented
Hoodless Casters Standard
with Polished Base)

BA1B
DEDUCT \$50
26" Nylon Base - Black

BA9B
DEDUCT \$50
26" High Profile Nylon
Base - Black

cosmo

contemporary style, elegance and comfort

MESH BACK - MB

GSA SIN # 711-18

- Task, executive and conference seating
- Back styles include: mesh and upholstered
- All mesh styles available M1, M2, M3
- Aluminum base standard
- Seat slider standard
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING COSMO MODEL NUMBER

MODEL NUMBER CONTROL ARMS BACK TYPE MESH COLOR GRADE BASE CASTERS PACKAGING OPTIONS

3 2 **0** - - **A** - **M B** - **M** - - **B A** - **C** - -

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK, THE CASTER CODE WILL BE 0000. * GT MODELS DO NOT HAVE A CASTER CODE


PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|---|---|---|------------|--------|-----|------|---|---|---|--------|----|----|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|------|--|--|-----|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|-----|------|---|--|
| 3250 | X2 | <div><div>MID-BACK DYNAMIC SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div> | <div><div>MS</div><div>MS</div><div>M1</div><div>M1</div><div>M2/M3</div><div>M2/M3</div></div> | <div><div>A31</div><div>A38</div><div>A31</div><div>A38</div><div>A31</div><div>A38</div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>795</td><td>865</td><td>950</td></tr><tr><td>765</td><td>795</td><td>815</td><td>845</td><td>880</td><td>920</td><td>960</td><td>805</td><td>875</td><td>960</td></tr><tr><td>725</td><td>755</td><td>775</td><td>805</td><td>840</td><td>880</td><td>920</td><td>765</td><td>835</td><td>920</td></tr><tr><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>775</td><td>845</td><td>930</td></tr><tr><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>795</td><td>865</td><td>950</td></tr><tr><td>765</td><td>795</td><td>815</td><td>845</td><td>880</td><td>920</td><td>960</td><td>805</td><td>875</td><td>960</td></tr></table> <div>NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS SEAT SLIDER (SS) - STANDARD</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 795 | 865 | 950 | 765 | 795 | 815 | 845 | 880 | 920 | 960 | 805 | 875 | 960 | 725 | 755 | 775 | 805 | 840 | 880 | 920 | 765 | 835 | 920 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 775 | 845 | 930 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 795 | 865 | 950 | 765 | 795 | 815 | 845 | 880 | 920 | 960 | 805 | 875 | 960 | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 3" adj.Warranted to 300 lbs. | <div><div>WIDTH:</div><div>DEPTH:</div><div>HEIGHT:</div><div>SEAT WIDTH:</div><div>SEAT DEPTH:</div><div>SEAT HEIGHT:</div><div>BACK WIDTH:</div><div>BACK HEIGHT:</div><div>COM:</div><div>COL:</div><div>WEIGHT:</div></div> <div><div>26.0-28.5</div><div>25.0</div><div>40.0-45.5</div><div>20.0</div><div>17.5-20.0</div><div>17.5-22.0</div><div>19.5</div><div>22.0</div><div>0.8 YDS</div><div>10.0 SQ FT</div><div>42.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 795 | 865 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 795 | 815 | 845 | 880 | 920 | 960 | 805 | 875 | 960 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 755 | 775 | 805 | 840 | 880 | 920 | 765 | 835 | 920 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 765 | 785 | 815 | 850 | 890 | 930 | 775 | 845 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 755 | 785 | 805 | 835 | 870 | 910 | 950 | 795 | 865 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 795 | 815 | 845 | 880 | 920 | 960 | 805 | 875 | 960 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3260 | X2 | <div><div>HIGH-BACK DYNAMIC SYNCHRO</div><div>Use for a variety of general office task seating, including private office and conference room seating</div></div> | <div><div>MS</div><div>MS</div><div>M1</div><div>M1</div><div>M2/M3</div><div>M2/M3</div></div> | <div><div>A31</div><div>A38</div><div>A31</div><div>A38</div><div>A31</div><div>A38</div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>855</td><td>885</td><td>905</td><td>935</td><td>970</td><td>1010</td><td>1050</td><td>895</td><td>965</td><td>1050</td></tr><tr><td>865</td><td>895</td><td>915</td><td>945</td><td>980</td><td>1020</td><td>1060</td><td>905</td><td>945</td><td>1030</td></tr><tr><td>825</td><td>855</td><td>875</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>865</td><td>935</td><td>1020</td></tr><tr><td>835</td><td>865</td><td>885</td><td>915</td><td>950</td><td>990</td><td>1030</td><td>875</td><td>945</td><td>1030</td></tr><tr><td>855</td><td>885</td><td>905</td><td>935</td><td>970</td><td>1010</td><td>1050</td><td>895</td><td>965</td><td>1050</td></tr><tr><td>865</td><td>895</td><td>915</td><td>945</td><td>980</td><td>1020</td><td>1060</td><td>905</td><td>975</td><td>1060</td></tr></table> <div>NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS SEAT SLIDER (SS) - STANDARD</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 895 | 965 | 1050 | 865 | 895 | 915 | 945 | 980 | 1020 | 1060 | 905 | 945 | 1030 | 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 865 | 935 | 1020 | 835 | 865 | 885 | 915 | 950 | 990 | 1030 | 875 | 945 | 1030 | 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 895 | 965 | 1050 | 865 | 895 | 915 | 945 | 980 | 1020 | 1060 | 905 | 975 | 1060 | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 3" adj.Warranted to 300 lbs. | <div><div>WIDTH:</div><div>DEPTH:</div><div>HEIGHT:</div><div>SEAT WIDTH:</div><div>SEAT DEPTH:</div><div>SEAT HEIGHT:</div><div>BACK WIDTH:</div><div>BACK HEIGHT:</div><div>COM:</div><div>COL:</div><div>WEIGHT:</div></div> <div><div>26.0-28.5</div><div>25.0</div><div>47.0-51.5</div><div>20.0</div><div>17.5-20.0</div><div>17.5-22.0</div><div>19.5</div><div>29.0</div><div>0.8 YDS</div><div>10.0 SQ FT</div><div>44.0 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 895 | 965 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 895 | 915 | 945 | 980 | 1020 | 1060 | 905 | 945 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 865 | 935 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 835 | 865 | 885 | 915 | 950 | 990 | 1030 | 875 | 945 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 895 | 965 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 895 | 915 | 945 | 980 | 1020 | 1060 | 905 | 975 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3250 | GT | <div><div>GUEST CHAIR</div><div>Well suited for guest seating. Comes standard with non-marring glides</div></div> | <div><div>MS</div><div>M1</div><div>M2/M3</div></div> | <div><div>A38</div><div>A38</div><div>A38</div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>765</td><td>850</td></tr><tr><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>665</td><td>735</td><td>820</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>765</td><td>850</td></tr></table> <div>NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS SHIPS FULLY ASSEMBLED EITHER AC OR AB</div> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 765 | 850 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 665 | 735 | 820 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 765 | 850 | <ul style="list-style-type: none">Cantilever frame designNon-marring floor glidesWarranted to 300 lbs. | <div><div>WIDTH:</div><div>DEPTH:</div><div>HEIGHT:</div><div>SEAT WIDTH:</div><div>SEAT DEPTH:</div><div>SEAT HEIGHT:</div><div>BACK WIDTH:</div><div>BACK HEIGHT:</div><div>COM:</div><div>COL:</div><div>WEIGHT:</div></div> <div><div>26.0</div><div>28.0</div><div>39.0</div><div>20.0</div><div>18.0</div><div>17.5</div><div>19.5</div><div>22.0</div><div>0.8 YDS</div><div>10.0 SQ FT</div><div>33.0 LB</div></div> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 765 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 655 | 675 | 705 | 740 | 780 | 820 | 665 | 735 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 765 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ARM OPTIONS



Soft Touch Fixed Cantilever
Arm - Black




Height Adjustable Arm

BASE OPTION



26" High Profile Aluminum
Base - Polished

CASTER OPTIONS



60mm Hoodless Chrome
Accented Casters
(Standard with Polished Base)



60mm Hoodless
Hard Floor Casters



60mm Hoodless Casters

STRIPE MESH COLORS

| | | | |
|---------------------|----------------------|--------------------|---------------------|
| BLACK / GRAY MS2 | BLACK / GREEN MS4 | BLACK / RED MS5 | BLACK / BLUE MS6 |
|---------------------|----------------------|--------------------|---------------------|

MESH COLORS*

| | | |
|--------------|-------------|---------------|
| BLACK M11 | GRAY M12 | SILVER M13 |
| GREEN M14 | RED M15 | BLUE M16 |

*Mesh M2/M3 also available

cosmo

contemporary style, elegance and comfort

GSA SIN # 711-18

- Task, executive and conference seating
- Back styles include: mesh and upholstered
- Aluminum base standard
- Seat slider standard
- Warranted to 300 lbs.



CREATING MODEL NUMBER

MODEL NUMBERCONTROLARMSBACK TYPEGRADEBASECASTERSPACKAGINGOPTIONS

320- -A- -U B- -B A- -C- - - -

*IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED *GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|---------------------------------------|---------|--|-----|----------------|-----|-----|-----|------|------|------|--------|------|------|--|--|------------|
| 3220 | X2 | <div>MID-BACK DYNAMIC SYNCHRO</div> <div>Use for a variety of general office task seating, including private office and conference room seating</div> | A31 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• New! All fabric grades now available• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 3" adj.• Standard with heavy duty hard floor casters• Warranted to 300 lbs. | <div>WIDTH: 26-28.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 40 - 44.5</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 17.5-20</div> <div>SEAT HEIGHT: 17.5 - 22</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 1.2 YD</div> <div>COL: 19 SQ FT</div> <div>WEIGHT: 42 LB</div> | |
| | | | A38 | 785 | 820 | 845 | 880 | 920 | 960 | 1005 | 825 | 985 | 1285 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| SEAT SLIDER (SS) - STANDARD | | | | | | | | | | | | | | | | |
| 3230 | X2 | <div>HIGH-BACK DYNAMIC SYNCHRO</div> <div>Use for a variety of general office task seating, including private office and conference room seating</div> | A31 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• New! All fabric grades now available• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 3" adj.• Standard with heavy duty hard floor casters• Warranted to 300 lbs. | <div>WIDTH: 26-28.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 47.0 - 51.5</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 17.5-20</div> <div>SEAT HEIGHT: 17.5 - 22</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 29.0</div> <div>COM: 1.6 YD</div> <div>COL: 22 SQ FT</div> <div>WEIGHT: 44 LB</div> | |
| | | | A38 | 885 | 920 | 945 | 980 | 1020 | 1060 | 1105 | 925 | 1085 | 1385 | | | |
| | | | | 895 | 930 | 955 | 990 | 1030 | 1070 | 1115 | 935 | 1095 | 1395 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| SEAT SLIDER (SS) - STANDARD | | | | | | | | | | | | | | | | |
| 3220 | GT | <div>GUEST CHAIR</div> <div>Well suited for guest seating. Comes standard with non-marring glides</div> | A38 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• New! All fabric grades now available• Cantilever frame design• Non-marring floor glides• Warranted to 300 lbs. | <div>WIDTH: 26.0</div> <div>DEPTH: 28.0</div> <div>HEIGHT: 39.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.5</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 1.2 YD</div> <div>COL: 19 SQ FT</div> <div>WEIGHT: 33 LB</div> | |
| | | | | 685 | 720 | 745 | 780 | 820 | 860 | 905 | 725 | 885 | 1185 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| SHIPS FULLY ASSEMBLED EITHER AC OR AB | | | | | | | | | | | | | | | | |

ARM OPTIONS



Soft Touch Fixed Cantilever Arm - Black




Height Adjustable Arm

BASE OPTION




26" High Profile Aluminum Base - Polished


CASTER OPTIONS



60mm Hoodless Chrome Accented Casters (Standard with Polished Base)



60mm Hoodless Hard Floor Casters



60mm Hoodless Casters

cydia

organic design meets ergonomic excellence

ALL MESH

GSA SIN # 711-18

- Task, conference, stool, and lounge seating
- Perfect for collaborative, touchdown, meeting and office spaces
- Aligns with how we work, where we work and how we move throughout the day
- Choice of 3 frame colors and 14 mesh colors
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | PLASTIC COLOR | UPHOLSTERY | MESH COLOR | BASE | CASTER | PACKAGING | OPTIONS |
|--|---------|------|---------------|------------|------------|------|--------|-----------|---------|
| 3300 | | A | P | A | M | B | A | C | |
| * FOR ARMLESS CODE USE A00 | | | | | | | | | |
| **IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED | | | | | | | | | |


PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | MESH/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|--|----------------------------------|--|---|---|
| 3300 | S3 | MID-SCALE SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M3 M3 | ARMLESS A34 A35 ARMLESS A34 A35 | M 615 690 715 640 715 740 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 34.0-37.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 23.0 LB |
| 3300 | K3 | MID-SCALE KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look | M1 M1 M1 M3 M3 M3 | ARMLESS A34 A35 ARMLESS A34 A35 | M 715 790 815 740 815 840 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side activated tilt tension control• Seat and back tilt as a unit• 3 locking positions• Forward pitch seat lock• Reduced rise of front of seat• Warranted to 300 lbs. WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 36.0-41.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 30.0 LB |
| 3310 | S3 | FULL-SCALE SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M3 M3 M3 | ARMLESS A34 A35 ARMLESS A34 A35 | M 665 740 765 700 775 800 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-43.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 26.0 LB |
| 3310 | K3 | FULL-SCALE KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look | M1 M1 M1 M3 M3 M3 | ARMLESS A34 A35 ARMLESS A34 A35 | M 765 840 865 800 875 900 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side activated tilt tension control• Seat and back tilt as a unit• 3 locking positions• Forward pitch seat lock• Reduced rise of front of seat• Warranted to 300 lbs. WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 41.5-45.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.5 WEIGHT: 33.0 LB |

ARM OPTIONS



Nylon Loop Arm



Height Adjustable Arm w/ Sliding Pad

BASE OPTIONS



26" High Profile Nylon Base
BA9B - Black
BA9G - Gray
BA9W - White



26" High Profile Aluminum Black Powder-Coat



26" High Profile Aluminum Polished




26" High Profile Aluminum Silver Powder-Coat

CASTER OPTIONS



60mm Hoodless Casters




60mm Hoodless Hard Floor Casters



60mm Hoodless Chrome Accented Casters

ADDITIONAL OPTIONS



Height Adjustable Lumbar (Factory Installed)



Stationary Base Glides for 5 Star Base

PLASTIC COLORS

| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

MESH COLORS

| M1 | BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|----|-----------------|--------------|------------------|--------------|------------|-------------|
| M3 | GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | | |
| M3 | CARDINAL M35 | ROYAL M36 | TANGERINE M37 | PLUM M38 | | |

cydia

organic design meets ergonomic excellence

ALL MESH - STOOLS

GSA SIN # 711-18

- Task, conference, stool, and lounge seating
- Perfect for collaborative, touchdown, meeting and office spaces
- Aligns with how we work, where we work and how we move throughout the day
- Choice of 3 frame colors and 14 mesh colors
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved







CREATING CYDIA MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR UPHOLSTERY MESH COLOR BASE CASTER PACKAGING OPTIONS

3 3 0 S 3 - A - P - A M - M - B A - - - - -

* FOR ARMLESS CODE USE A00 **IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|---|---|--|---|--|--|--|
| <div><div>3306</div></div> | <div>S3</div> | <div><div>10" STOOL SWIVEL TILT</div><div>Use for work surfaces up to 42 inches high</div></div> | <div>M1<div>ARMLESS</div></div> <div>M1<div>A34</div></div> <div>M1<div>A35</div></div> <div>M3<div>ARMLESS</div></div> <div>M3<div>A34</div></div> <div>M3<div>A35</div></div> | <div>M</div> <div>740</div> <div>815</div> <div>840</div> <div>765</div> <div>840</div> <div>865</div> | <div><ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlSeat and back tilt as a unit360-degree swivelUpright position tilt lockKnobless height adjustable footringWarranted to 300 lbs.</div> | <div><div>WIDTH:</div>28.0</div> <div><div>DEPTH:</div>27.5</div> <div><div>HEIGHT:</div>43.5-53.5</div> <div><div>SEAT WIDTH:</div>19.0</div> <div><div>SEAT DEPTH:</div>16.0</div> <div><div>SEAT HEIGHT:</div>26.0-36.0</div> <div><div>BACK WIDTH:</div>18.0</div> <div><div>BACK HEIGHT:</div>19.5</div> <div><div>WEIGHT:</div>41.0 LB</div> |
| <div><div>3308</div></div> | <div>S3</div> | <div><div>8" STOOL SWIVEL TILT</div><div>Use for work surfaces up to 36 inches high</div></div> | <div>M1<div>ARMLESS</div></div> <div>M1<div>A34</div></div> <div>M1<div>A35</div></div> <div>M3<div>ARMLESS</div></div> <div>M3<div>A34</div></div> <div>M3<div>A35</div></div> | <div>M</div> <div>740</div> <div>815</div> <div>840</div> <div>765</div> <div>840</div> <div>865</div> | <div><ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension control360-degree swivelSeat and back tilt as a unitUpright position tilt lockKnobless height adjustable footringWarranted to 300 lbs.</div> | <div><div>WIDTH:</div>28.0</div> <div><div>DEPTH:</div>27.5</div> <div><div>HEIGHT:</div>39.5-47.5</div> <div><div>SEAT WIDTH:</div>19.0</div> <div><div>SEAT DEPTH:</div>16.0</div> <div><div>SEAT HEIGHT:</div>22.0-30.0</div> <div><div>BACK WIDTH:</div>18.0</div> <div><div>BACK HEIGHT:</div>19.5</div> <div><div>WEIGHT:</div>41.0 LB</div> |
| | | | | | | |
| | | | | | | |

ARM OPTIONS



Nylon Loop Arm



Height Adjustable Arm
w/Sliding Pad

BASE OPTIONS




26" High Profile Nylon Base
BA9B - Black
BA9G - Gray
BA9W - White



26" High Profile Aluminum
Black Powder-Coat




26" High Profile Aluminum
Polished




26" High Profile Aluminum
Silver Powder-Coat

ADDITIONAL OPTIONS



Height Adjustable Lumbar
(Factory Installed)



Stationary Base Glides for 5 Star Base

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

MESH COLORS

| | | | | | | |
|----|-----------------|--------------|------------------|--------------|------------|-------------|
| M1 | BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| M3 | GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | | |
| M3 | CARDINAL M35 | ROYAL M36 | TANGERINE M37 | PLUM M38 | | |

cydia

organic design meets ergonomic excellence

GSA SIN # 711-18

- Multi-purpose guest seating
- Perfect for collaborative, touchdown, meeting and office spaces
- Choice of 3 frame colors and 14 mesh colors
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER

MODEL NUMBER

CONTROL

PLASTIC COLOR

FRAME COLOR

UPHOLSTERY

MESH COLOR

PACKAGING

OPTIONS

3

3

1

0

-

G

T

-

P

-

-

A

M

-

M

-

-

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | |
|--------------------------|---------|--|-----|----------------|----------|--|--|
| 3300 | GT | <div><div></div><div></div></div> <div>MID-SCALE GUEST</div> <div>Well suited for guest seating</div> | M1 | SWA | M515 | <ul style="list-style-type: none">• Non-marring floor glides• Wall saver back legs• Black, silver or white metal frame• Warranted to 300 lbs. | <div><div>WIDTH:</div>23.0</div> <div><div>DEPTH:</div>27.0</div> <div><div>HEIGHT:</div>37.0</div> <div><div>SEAT WIDTH:</div>19.0</div> <div><div>SEAT DEPTH:</div>16.0</div> <div><div>SEAT HEIGHT:</div>19.5</div> <div><div>BACK WIDTH:</div>17.0</div> <div><div>BACK HEIGHT:</div>23.0</div> <div><div>WEIGHT:</div>25.0 LB</div> |
| | | | M3 | SWA | 540 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| SWA - STANDARD WITH ARMS | | | | | | | |
| 3310 | GT | <div><div></div><div></div></div> <div>FULL-SCALE GUEST</div> <div>Well suited for guest seating</div> | M1 | SWA | M565 | <ul style="list-style-type: none">• Non-marring floor glides• Wall saver back legs• Black, silver or white metal frame• Warranted to 300 lbs. | <div><div>WIDTH:</div>23.0</div> <div><div>DEPTH:</div>27.5</div> <div><div>HEIGHT:</div>37.5</div> <div><div>SEAT WIDTH:</div>19.5</div> <div><div>SEAT DEPTH:</div>17.0</div> <div><div>SEAT HEIGHT:</div>19.5</div> <div><div>BACK WIDTH:</div>17.5</div> <div><div>BACK HEIGHT:</div>23.5</div> <div><div>WEIGHT:</div>27.0 LB</div> |
| | | | M3 | SWA | 600 | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| SWA - STANDARD WITH ARMS | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

FRAME COLORS

| | | |
|-------------|--------------|-------------|
| BLACK BF | SILVER SF | WHITE WF |
|-------------|--------------|-------------|

(FRAME)

MESH COLORS

| | | | | | | |
|----|-----------------|--------------|------------------|--------------|------------|-------------|
| M1 | BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| M3 | GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | | |
| M3 | CARDINAL M35 | ROYAL M36 | TANGERINE M37 | PLUM M38 | | |

cydia

organic design meets ergonomic excellence

ALL MESH - LOUNGE & OTTOMAN

GSA SIN # 711-18

- Relaxed angle guest seating with ottoman
- Perfect for collaborative, executive, office and lobby spaces
- Choice of 3 frame colors and 14 mesh colors
- Polished aluminum base
- Self return base mount on both chair and ottoman
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR MESH COLOR PACKAGING OPTIONS

3 3 1 - **A** - **P** - **M** - - - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | |
|---------------------------|---------|--|----------------------|----------------------------------|-------------------------------|--|--|
| 3315 | LG | <div><div><div><div></div></div></div><div><div><div></div></div></div></div> <div>FULL-SCALE LOUNGE</div> <div>Full scale lounge comfort with cool, breathable all mesh fabric at a reclining angle. Modern design addition to lobby, office or group areas</div> | M1 M1 M3 M3 | ARMLESS A34 ARMLESS A34 | M 675 750 720 795 | <ul style="list-style-type: none">Fixed heightAutomatic return-to-center swivelPolished aluminum baseEasy gliding, non-marring feetExtra-wide scaleRecycled/recyclable cast aluminum baseWarranted to 300 lbs. | WIDTH: 25.5 DEPTH: 34.0 HEIGHT: 35.5 SEAT WIDTH: 21.5 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5 BACK WIDTH: 21.5 BACK HEIGHT: 18.5 WEIGHT: 32.0 LB |
| <div>NEW MODEL</div> 3315 | R2 | <div><div><div><div></div></div></div><div><div><div></div></div></div></div> <div>FULL-SCALE ROCKING TILT LOUNGE</div> <div>Full scale lounge comfort with cool, breathable all mesh fabric with rocking tilt comfort. Modern design addition to lobby, office or group areas</div> <div>Available Q1 2018</div> | M1 M1 M3 M3 | ARMLESS A34 ARMLESS A34 | M 745 820 790 865 | <ul style="list-style-type: none">Pneumatic seat height adjustmentR2 motion tilts right, left, front and back360-degree swivelPolished aluminum baseEasy gliding, non-marring feetExtra-wide scaleRecycled/recyclable cast aluminum baseWarranted to 300 lbs. | WIDTH: 25.5 DEPTH: 34.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 21.5 SEAT DEPTH: 17.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 21.5 BACK HEIGHT: 18.5 WEIGHT: 33.0 LB |
| 3316 | OT | <div><div><div><div></div></div></div><div><div><div></div></div></div></div> <div>OTTOMAN</div> <div>Ultimate comfort compliment to lounge chair</div> | M1 M3 | | M 540 565 | <ul style="list-style-type: none">Fixed heightAutomatic return-to-center swivelPolished aluminum baseEasy gliding, non-marring feetRecycled/recyclable cast aluminum baseWarranted to 300 lbs. | WIDTH: 21.5 DEPTH: 21.5 HEIGHT: 18.0 WEIGHT: 13.0 LB |

ARM OPTIONS



Nylon Loop Arm

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

MESH COLORS

| | | | | | | |
|----|-----------------|--------------|------------------|--------------|------------|-------------|
| M1 | BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| M3 | GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | | |
| M3 | CARDINAL M35 | ROYAL M36 | TANGERINE M37 | PLUM M38 | | |

cydia

organic design meets ergonomic excellence

FULLY UPHOLSTERED

GSA SIN # 711-18

- Task, conference and stool
- Perfect for collaborative, touchdown, meeting and office spaces
- Aligns with how we work, where we work and how we move throughout the day
- The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR UPHOLSTERY MESH COLOR GRADE BASE CASTERS PACKAGING OPTIONS

3 3 - A - P - U P - M - - B A - C - - -

* FOR ARMLESS CODE USE A00 **IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | WIDTH/DEPTH | FEATURES | DIMENSIONS | | | | | | | | | | | |
|-------|---------|--|-----|-------------|----------|------------|------|------|------|------|------|--|--|--|--|--|---|
| 3300 | S3 | MID-SCALE SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | M1 | ARMLESS | A/COM | B | C | D | E | F | G | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 34.0-37.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 COM: 2.0 YDS COL: 12.0 SQ FT WEIGHT: 36.0 LB |
| | | | M1 | A34 | 765 | 800 | 820 | 855 | 890 | 930 | 975 | | | | | | |
| | | | M1 | A35 | 840 | 875 | 895 | 930 | 965 | 1005 | 1050 | | | | | | |
| | | | M3 | ARMLESS | 865 | 900 | 920 | 955 | 990 | 1030 | 1075 | | | | | | |
| | | | M3 | A34 | 790 | 825 | 845 | 880 | 915 | 955 | 1000 | | | | | | |
| | | | M3 | A35 | 865 | 900 | 920 | 955 | 990 | 1030 | 1075 | | | | | | |
| | | | | | 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | | | | |
| 3300 | K3 | MID-SCALE KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look | M1 | ARMLESS | A/COM | B | C | D | E | F | G | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side activated tilt tension control• Seat and back tilt as a unit• 3 locking positions• Forward pitch seat lock• Reduced rise of front of seat• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 36.0-41.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 COM: 2.0 YDS COL: 12.0 SQ FT WEIGHT: 43.0 LB |
| | | | M1 | A34 | 865 | 900 | 920 | 955 | 990 | 1030 | 1075 | | | | | | |
| | | | M1 | A35 | 940 | 975 | 995 | 1030 | 1065 | 1105 | 1150 | | | | | | |
| | | | M3 | ARMLESS | 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | | | | |
| | | | M3 | A34 | 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | | | | |
| | | | M3 | A35 | 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | | | | |
| | | | | | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | |
| 3310 | S3 | FULL-SCALE SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | M1 | ARMLESS | A/COM | B | C | D | E | F | G | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-43.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.5 COM: 2.0 YDS COL: 14.0 SQ FT WEIGHT: 39.0 LB |
| | | | M1 | A34 | 815 | 850 | 870 | 905 | 940 | 980 | 1025 | | | | | | |
| | | | M1 | A35 | 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | | | | |
| | | | M3 | ARMLESS | 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | | | | |
| | | | M3 | A34 | 850 | 885 | 905 | 940 | 975 | 1015 | 1060 | | | | | | |
| | | | M3 | A35 | 925 | 960 | 980 | 1015 | 1050 | 1090 | 1135 | | | | | | |
| | | | | | 950 | 985 | 1005 | 1040 | 1075 | 1115 | 1160 | | | | | | |
| 3310 | K3 | FULL-SCALE KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look | M1 | ARMLESS | A/COM | B | C | D | E | F | G | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side activated tilt tension control• Seat and back tilt as a unit• 3 locking positions• Forward pitch seat lock• Reduced rise of front of seat• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 41.5-45.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.5 COM: 2.0 YDS COL: 14.0 SQ FT WEIGHT: 46.0 LB |
| | | | M1 | A34 | 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | | | | |
| | | | M1 | A35 | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | |
| | | | M3 | ARMLESS | 1015 | 1050 | 1050 | 1050 | 1050 | 1050 | 1050 | | | | | | |
| | | | M3 | A34 | 950 | 985 | 1005 | 1040 | 1075 | 1115 | 1160 | | | | | | |
| | | | M3 | A35 | 1025 | 1060 | 1080 | 1115 | 1150 | 1190 | 1235 | | | | | | |
| | | | | | 1050 | 1085 | 1105 | 1140 | 1175 | 1215 | 1260 | | | | | | |

CASTER OPTIONS




Nylon Loop Arm

A34
\$75



Height Adjustable Arm w/Sliding Pad

A35
\$100



60mm Hoodless Casters

C6
STD



26" High Profile Nylon Base
BA9B - Black
BA9G - Gray
BA9W - White

BA9B
BA9G
BA9W
STD



26" High Profile Aluminum
Black Powder-Coat

BA10B
\$100



26" High Profile Aluminum
Polished

BA10P
\$100



26" High Profile Aluminum
Silver Powder-Coat

BA10S
\$100



60mm Hoodless
Hard Floor Casters


C6S
\$35



60mm Hoodless Chrome
Accented Casters


C7
\$35

ADDITIONAL OPTIONS



Height Adjustable Lumbar
(Factory Installed)

LB
\$30



Stationary Base Glides for
5 Star Base

G1
\$30

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)



cydia

organic design meets ergonomic excellence

GSA SIN # 711-18

- Stool, Conference, and Lounge seating
- Choice of 3 plastic colors and 14 mesh colors
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved

FULLY UPHOLSTERED - STOOL





CREATING CYDIA MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR UPHOLSTERY MESH COLOR GRADE BASE CASTERS PACKAGING OPTIONS

3 3 **S 3** **A** **P** **U P** **M** **B A** **C**

* FOR ARMLESS CODE USE A00 **IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/BATCH | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|---|---|--|------------|---|---|---|---|---|---|--|--|-----|-----|-----|-----|------|------|------|--|--|-----|------|------|------|------|------|------|--|--|-----|------|------|------|------|------|------|--|--|-----|-----|-----|------|------|------|------|--|--|-----|------|------|------|------|------|------|--|--|------|------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|---|
| <div><div>3306</div></div> | <div>S3</div>  | <div><div>10" STOOL SWIVEL TILT</div><div>Use for work surfaces up to 42 inches high</div></div> | <div>M1</div> <div>M1</div> <div>M1</div> <div>M3</div> <div>M3</div> <div>M3</div> <div></div> | <div>ARMLESS</div> <div>A34</div> <div>A35</div> <div>ARMLESS</div> <div>A34</div> <div>A35</div> <div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>890</td><td>925</td><td>945</td><td>980</td><td>1015</td><td>1055</td><td>1100</td><td></td><td></td></tr><tr><td>965</td><td>1000</td><td>1020</td><td>1055</td><td>1090</td><td>1130</td><td>1175</td><td></td><td></td></tr><tr><td>990</td><td>1025</td><td>1045</td><td>1080</td><td>1115</td><td>1155</td><td>1200</td><td></td><td></td></tr><tr><td>915</td><td>950</td><td>970</td><td>1005</td><td>1040</td><td>1080</td><td>1125</td><td></td><td></td></tr><tr><td>990</td><td>1025</td><td>1045</td><td>1080</td><td>1115</td><td>1155</td><td>1200</td><td></td><td></td></tr><tr><td>1015</td><td>1050</td><td>1070</td><td>1105</td><td>1140</td><td>1180</td><td>1225</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | 1015 | 1050 | 1070 | 1105 | 1140 | 1180 | 1225 | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Knobless height adjustable footring• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | <div><div>WIDTH:</div>28.0</div> <div><div>DEPTH:</div>27.5</div> <div><div>HEIGHT:</div>43.5-53.5</div> <div><div>SEAT WIDTH:</div>19.0</div> <div><div>SEAT DEPTH:</div>16.0</div> <div><div>SEAT HEIGHT:</div>26.0-36.0</div> <div><div>BACK WIDTH:</div>18.0</div> <div><div>BACK HEIGHT:</div>19.5</div> <div><div>COM:</div>2.0 YDS</div> <div><div>COL:</div>12.0 SQ FT</div> <div><div>WEIGHT:</div>42.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1015 | 1050 | 1070 | 1105 | 1140 | 1180 | 1225 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div><div>3308</div></div> | <div>S3</div>  | <div><div>8" STOOL SWIVEL TILT</div><div>Use for work surfaces up to 36 inches high</div></div> | <div>M1</div> <div>M1</div> <div>M1</div> <div>M3</div> <div>M3</div> <div>M3</div> <div></div> | <div>ARMLESS</div> <div>A34</div> <div>A35</div> <div>ARMLESS</div> <div>A34</div> <div>A35</div> <div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>890</td><td>925</td><td>945</td><td>980</td><td>1015</td><td>1055</td><td>1100</td><td></td><td></td></tr><tr><td>965</td><td>1000</td><td>1020</td><td>1055</td><td>1090</td><td>1130</td><td>1175</td><td></td><td></td></tr><tr><td>990</td><td>1025</td><td>1045</td><td>1080</td><td>1115</td><td>1155</td><td>1200</td><td></td><td></td></tr><tr><td>915</td><td>950</td><td>970</td><td>1005</td><td>1040</td><td>1080</td><td>1125</td><td></td><td></td></tr><tr><td>990</td><td>1025</td><td>1045</td><td>1080</td><td>1115</td><td>1155</td><td>1200</td><td></td><td></td></tr><tr><td>1015</td><td>1050</td><td>1070</td><td>1105</td><td>1140</td><td>1180</td><td>1225</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | 1015 | 1050 | 1070 | 1105 | 1140 | 1180 | 1225 | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Knobless height adjustable footring• The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM• Warranted to 300 lbs. | <div><div>WIDTH:</div>28.0</div> <div><div>DEPTH:</div>27.5</div> <div><div>HEIGHT:</div>39.5-47.5</div> <div><div>SEAT WIDTH:</div>19.0</div> <div><div>SEAT DEPTH:</div>16.0</div> <div><div>SEAT HEIGHT:</div>22.0-30.0</div> <div><div>BACK WIDTH:</div>18.0</div> <div><div>BACK HEIGHT:</div>19.5</div> <div><div>COM:</div>2.0 YDS</div> <div><div>COL:</div>12.0 SQ FT</div> <div><div>WEIGHT:</div>41.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 890 | 925 | 945 | 980 | 1015 | 1055 | 1100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 965 | 1000 | 1020 | 1055 | 1090 | 1130 | 1175 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 915 | 950 | 970 | 1005 | 1040 | 1080 | 1125 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 990 | 1025 | 1045 | 1080 | 1115 | 1155 | 1200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1015 | 1050 | 1070 | 1105 | 1140 | 1180 | 1225 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


ARM OPTIONS



Nylon Loop Arm



Height Adjustable Arm
w/ Sliding Pad



60mm Hoodless Casters



BASE OPTIONS



26" High Profile Nylon Base
BA9B - Black
BA9G - Gray
BA9W - White




26" High Profile Aluminum
Black Powder-Coat

60mm Hoodless
Hard Floor Casters

60mm Hoodless Chrome
Accented Casters




26" High Profile Aluminum
Polished




26" High Profile Aluminum
Silver Powder-Coat

ADDITIONAL OPTIONS



Height Adjustable Lumbar
(Factory Installed)



Stationary Base Glides for 5 Star Base

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

cydia

organic design meets ergonomic excellence

FULLY UPHOLSTERED - GUEST

GSA SIN # 711-18

- Multi-purpose guest seating
- Perfect for collaborative, touchdown, meeting and office spaces
- Choice of 3 frame colors and 14 mesh colors
- The upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COM
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER

MODEL NUMBER

CONTROL

PLASTIC COLOR

FRAME COLOR

UPHOLSTERY

MESH COLOR

GRADE

PACKAGING

OPTIONS

3

3

-

G

T

-

P

-

-

U

P

-

M

-

-

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | BACK/SEAT FRAME | FEATURES | DIMENSIONS | |
|--------------------------------|---------|--|-----|-----------------|-----------------------------|--|---|
| 3300 | GT | <div><div></div><div></div></div> <div>MID-SCALE GUEST</div> <div>Well suited for guest seating</div> | M1 | SWA | A/COM B C D E F G | <ul style="list-style-type: none">Non-marring floor glidesWall saver back legsThe upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COMWarranted to 300 lbs. | <div>WIDTH: 24.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 35.0</div> <div>SEAT WIDTH: 19.0</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18.5</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 19.5</div> <div>COM: 2.0 YDS</div> <div>COL: 22.0 SQ FT</div> <div>WEIGHT: 25.0 LB</div> |
| | | | M3 | SWA | 665 700 720 755 790 830 875 | | |
| | | | | | 690 725 745 780 815 855 900 | | |
| | | | | | | | |
| | | | | | | | |
| SWA - STANDARD WITH ARMS | | | | | | | |
| 3310 | GT | <div><div></div><div></div></div> <div>FULL-SCALE GUEST</div> <div>Well suited for guest seating</div> | M1 | SWA | A/COM B C D E F G | <ul style="list-style-type: none">Non-marring floor glidesWall saver back legsThe upholstered option includes woven mesh beneath fabric. Choose between thousands of textile selections or COMWarranted to 300 lbs. | <div>WIDTH: 24.0</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 39.5</div> <div>SEAT WIDTH: 19.0</div> <div>SEAT DEPTH: 17.0</div> <div>SEAT HEIGHT: 18.5</div> <div>BACK WIDTH: 19.0</div> <div>BACK HEIGHT: 23.0</div> <div>COM: 2.0 YDS</div> <div>COL: 22.0 SQ FT</div> <div>WEIGHT: 28.0 LB</div> |
| | | | M3 | SWA | 715 750 770 805 840 880 925 | | |
| | | | | | 750 785 805 840 875 915 960 | | |
| | | | | | | | |
| | | | | | | | |
| SWA - STANDARD WITH ARMS - BAC | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

PLASTIC COLORS

| | | |
|--------------|-------------------------|--------------|
| BLACK PBK | GRAPHITE GRAY PGG | WHITE PWH |
|--------------|-------------------------|--------------|

(BACK/SEAT FRAME AND ARMS)

FRAME COLORS

| | | |
|-------------|--------------|-------------|
| BLACK BF | SILVER SF | WHITE WF |
|-------------|--------------|-------------|

diddy

dazzle your conference space

GSA SIN # 711-18

- Classic styling to impact conference space
- Chrome wraparound arms
- Polished high profile base
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING DIDDY MODEL NUMBER

| | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---------|--|------|---|-------|---|------|---|---|---------|--|---|-----------|--|---|--|--|--|
| MODEL NUMBER | | | | CONTROL | | ARMS | | GRADE | | BASE | | | CASTERS | | | PACKAGING | | | | | |
| 2 | 4 | 5 | 0 | - | | - | A | | - | | - | B | A | | - | C | | - | | | |

* FOR ARMLESS CODE USE A00 **IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|-------------------|---------|---|---------|----------------|-----|-----|-----|-----|-----|-----|--------|-----|-----|---|---|------------|
| 2450 | B1 | MID-SCALE BASIC Use for a variety of general office seating, including private office and conference room seating | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• 360-degree swivel• No seat and back tilt• Warranted to 300 lbs. | WIDTH: 21.5 DEPTH: 27.5 HEIGHT: 32.0-36.5 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17-21.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.5 COM: 1.5 YD COL: 19 SQ FT WEIGHT: 31.0 LBS | |
| | | | A24 | 420 | 470 | 500 | 550 | 605 | 665 | 730 | 460 | 560 | 785 | | | |
| | | | | 520 | 570 | 600 | 650 | 705 | 765 | 830 | 560 | 660 | 885 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2450 | S3 | MID-SCALE SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Warranted to 300 lbs. | WIDTH: 21.5 DEPTH: 27.5 HEIGHT: 32.0-36.5 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17-21.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.5 COM: 1.5 YD COL: 19 SQ FT WEIGHT: 32.0 LBS | |
| | | | A24 | 455 | 505 | 535 | 585 | 640 | 700 | 765 | 495 | 595 | 820 | | | |
| | | | | 555 | 605 | 635 | 685 | 740 | 800 | 865 | 595 | 695 | 920 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2450 | GT | MID-SCALE GUEST Diddy guest adds swivel. Modern design addition to lobby, office or group areas | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Fixed height• Standard with glides• 360-degree swivel• Warranted to 300 lbs. | WIDTH: 21.5 DEPTH: 27.5 HEIGHT: 33.0 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 16.5 COM: 1.5 YD COL: 19 SQ FT WEIGHT: 30.0 LBS | |
| | | | A24 | 490 | 540 | 570 | 620 | 675 | 735 | 800 | 530 | 630 | 855 | | | |
| | | | | 590 | 640 | 670 | 720 | 775 | 835 | 900 | 630 | 730 | 955 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| NEW MODEL 2450 | R2 | MID-SCALE ROCKING TILT GUEST Diddy guest adds rocking tilt. Modern design addition to lobby, office or group areas Available Q1 2018 | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• 360-degree swivel• R2 motion tilts right, left, front and back• Standard with Glides• Warranted to 300 lbs. | WIDTH: 21.5 DEPTH: 27.5 HEIGHT: 32.0-36.5 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17-21.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.5 COM: 1.5 YD COL: 19 SQ FT WEIGHT: 32.0 LBS | |
| | | | A24 | 525 | 575 | 605 | 655 | 710 | 770 | 835 | 565 | 665 | 890 | | | |
| | | | | 625 | 675 | 705 | 755 | 810 | 870 | 935 | 665 | 765 | 990 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

ARM OPTIONS

A24
\$100

Fixed Chrome Wraparound Arm

BASE OPTIONS

BA10P
STD

26" High Profile Aluminum Polished (Standard with Polish Base)

CASTER OPTIONS

C7
STD

60mm Hoodless Chrome Accented Casters (Standard with Polished Base)

C6
N/C

60mm Hoodless Casters

C6S
\$35

60mm Hoodless Hard Floor Casters

indy

flex back movement yields superior comfort

ALL PLASTIC - AP

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Standard interlocking alignment glides
- Flex back provides 15-degrees of movement
- 11 plastic colors, 2 frame finishes
- Warranted to 300 lbs.







CREATING INDY MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING OPTIONS


1 0 0 - G T - - A P - P - P - - - - -

PACKAGING NOTES


INDY CHAIRS SHIP UP TO 5 PER CARTON

| MODEL | CONTROL | DESCRIPTION | PLASTIC | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|--|---|----------------|---|--|
| 1010 | GT | <div><div></div><div>GUEST STACKING</div><div>Armless sled shape frame with plastic back and plastic seat</div></div> | <div><div>P</div><div>220</div><div>230</div></div> | | <ul style="list-style-type: none">15-degrees of flex in backNon-marring floor glidesStacks 9 high on floorStacks 33 high on optional dolly with 80" doorway clearanceWarranted to 300 lbs. | <div><div>WIDTH: 20.5</div><div>DEPTH: 21.0</div><div>HEIGHT: 32.0</div><div>SEAT WIDTH: 18.0</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 18.0</div><div>BACK WIDTH: 17.5</div><div>BACK HEIGHT: 16.0</div><div>COM: N/A</div><div>WEIGHT: 14.0 LB</div></div> |
| 1020 | GT | <div><div></div><div>GUEST STACKING</div><div>Standard with armrests. Sled shape frame with plastic back and plastic seat</div></div> | <div><div>P</div><div>265</div><div>275</div></div> | | <ul style="list-style-type: none">15-degrees of flex in backNon-marring floor glidesStacks 9 high on floorStacks 33 high on optional dolly with 80" doorway clearanceArmrests coordinate with plastic shell colorWarranted to 300 lbs. | <div><div>WIDTH: 21.5</div><div>DEPTH: 21.0</div><div>HEIGHT: 32.0</div><div>SEAT WIDTH: 18.0</div><div>SEAT DEPTH: 18.0</div><div>SEAT HEIGHT: 18.0</div><div>BACK WIDTH: 17.5</div><div>BACK HEIGHT: 16.0</div><div>COM: N/A</div><div>WEIGHT: 15.0 LB</div></div> |
| | | | | | | |
| | | | | | | |


ACCESSORIES



Ganging Clip - 4 per set
Armless-to-Armless.
2" Between Chairs
When Ganged



Sled Base Clear Plastic Glide



Sled Base Clear Plastic Glide
with Felt Pad



Stacking Dolly Stacks All
Plastic Chairs up to 33 High,
Upholstered Chairs up to
20 High

FRAME COLORS

| BLACK BF | CHROME CF |
|-------------|--------------|
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK/SEAT SHELL AND ARMS)

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

indy

flex back movement yields superior comfort

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Standard interlocking alignment glides
- Flex back provides 15-degrees of movement
- 11 plastic colors, 2 frame finishes
- Warranted to 300 lbs.



CREATING INDY MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING OPTIONS


1 0 0 - G T - U S - P - - - - -

PACKAGING NOTES


INDY CHAIRS SHIP UP TO 5 PER CARTON

[illegible]


CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.



Ganging Clip - 4 per set
Armless-to-Armless.
2" Between Chairs
When Ganged



Sled Base Clear Plastic Glide



Sled Base Clear Plastic Glide
with Felt Pad

ACCESSORIES



Stacking Dolly Stacks All
Plastic Chairs up to 33 High,
Upholstered Chairs up to
20 High

FRAME COLORS

| | |
|-------------|--------------|
| BLACK BF | CHROME CF |
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK/SEAT SHELL AND ARMS)

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back style include all plastic or upholstered seat
- 11 plastic colors and chrome frame finish
- Bar stool model
- Warranted to 300 lbs.



CREATING KELLY MODEL NUMBER

| | | | | | | | |
|--------------|---------|-------------|------------|---------------|-------|-----------|---------|
| MODEL NUMBER | CONTROL | FRAME COLOR | UPHOLSTERY | PLASTIC COLOR | GRADE | PACKAGING | OPTIONS |
| 10 | GT | CF | AP | P | | | |

PACKAGING NOTES

CHAIRS SHIP UP TO 5 AND STOOLS SHIP 2 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|---|-----------------|----------------|---|---|
| 1060 | GT | GUEST STACKING Armless sled shape frame with plastic back and plastic seat | P 170 | | <ul style="list-style-type: none">• Stacks 9 high on floor• Stacks 33 high on optional dolly with 80" doorway clearance• Molded-in pull handle• Warranted to 300 lbs. | WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 31.0 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 15.0 LB |
| 1070 | GT | GUEST STACKING Standard with armrests. Sled shape frame with plastic back and plastic seat | P 215 | | <ul style="list-style-type: none">• Stacks 9 high on floor• Stacks 33 high on optional dolly with 80" doorway clearance• Armrests coordinate with plastic shell color• Molded-in pull handle• Warranted to 300 lbs. | WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 31.0 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 17.0 LB |
| 1066 | GT | BAR STOOL Armless sled shape frame with plastic back and plastic seat | P 320 | | <ul style="list-style-type: none">• Molded-in pull handle• 29" bar stool height• Stacks 4 high on floor• Warranted to 300 lbs. | WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 42.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 29.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 21.5 LB |
| 1076 | GT | BAR STOOL WITH ARMS Standard with armrests. Sled shape frame with plastic back and plastic seat | P 365 | | <ul style="list-style-type: none">• Armrests coordinate with plastic shell color• Molded-in pull handle• 29" bar stool height• Stacks 3 high on floor• Warranted to 300 lbs. | WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 42.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 29.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 23.0 LB |

ADDITIONAL OPTIONS

GC5
\$20

G16
\$15

G17
\$25

ACCESSORIES

DL4
\$250

Stacking Dolly Stacks All Plastic Chairs up to 33 High, Upholstered Chairs up to 20 High

FRAME COLOR

CHROME
CF

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------|----------------------|----------------------|----------------------|-------------------|------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK/SEAT SHELL AND ARMS)

GSA SIN # 711-19

- High density, multipurpose stacker
- Available in All Plastic and Upholstered Seat
- 11 plastic colors and chrome finish
- Bar stool model available
- Warranted to 300 lbs.







UPHOLSTERED SEAT - US


CREATING KELLY MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING OPTIONS
1 0 - G T - C F - U S - P - - - - -

PACKAGING NOTES

CHAIRS SHIP UP TO 5 AND STOOLS SHIP 2 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | ADDITIONAL OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|----------------------|--|---|-------------------|------------------|------------|--------------------|---|---|---|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|----------------|----------------------|---------------|----------------------|-------------------|------------------|---------------|----------------|----------------------|---------------------|------------------|--|
| 1060 | GT | <div>GUEST STACKING</div> <div>Armless sled shape frame with plastic back and upholstered seat</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>230</td><td>260</td><td>280</td><td>310</td><td>345</td><td>380</td><td>420</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 230 | 260 | 280 | 310 | 345 | 380 | 420 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks 7 high on floorStacks 20 high on optional dolly with 80" doorway clearanceMolded-in pull handleWarranted to 300 lbs. | <div>WIDTH: 23.0</div> <div>DEPTH: 21.0</div> <div>HEIGHT: 31.0</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 14.5</div> <div>COM: 0.9 YD</div> <div>WEIGHT: 15.0 LB</div> | <div><div>GC5 \$20</div><div>G16 \$15</div><div>G17 \$25</div><div>Ganging Clip - 4 per set Armless-to-Armless. 2" Between Chairs When Ganged</div><div>Sled Base Clear Plastic Glide</div><div>Sled Base Clear Plastic Glide with Felt Pad</div></div> | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 230 | 260 | 280 | 310 | 345 | 380 | 420 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1070 | GT | <div>GUEST STACKING</div> <div>Standard with armrests. Sled shape frame with plastic back and upholstered seat</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>275</td><td>305</td><td>325</td><td>355</td><td>390</td><td>425</td><td>465</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 275 | 305 | 325 | 355 | 390 | 425 | 465 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks 7 high on floorStacks 20 high on optional dolly with 80" doorway clearanceArmrests coordinate with plastic shell colorMolded-in pull handleWarranted to 300 lbs. | <div>WIDTH: 24.0</div> <div>DEPTH: 21.0</div> <div>HEIGHT: 31.0</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 14.5</div> <div>COM: 0.9 YD</div> <div>WEIGHT: 17.0 LB</div> | <div><div>DL4 \$250</div><div>Stacking Dolly Stacks Chairs up to 20 High Upholstered Seat</div></div> | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 275 | 305 | 325 | 355 | 390 | 425 | 465 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1066 | GT | <div>BAR STOOL</div> <div>Armless sled shape frame with plastic back and upholstered seat</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>380</td><td>410</td><td>430</td><td>460</td><td>495</td><td>530</td><td>570</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 380 | 410 | 430 | 460 | 495 | 530 | 570 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Molded-in pull handle29" bar stool heightStacks 4 high on floorWarranted to 300 lbs. | <div>WIDTH: 23.0</div> <div>DEPTH: 21.0</div> <div>HEIGHT: 42.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 29.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 14.5</div> <div>COM: 0.9 YD</div> <div>WEIGHT: 21.5 LB</div> | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 380 | 410 | 430 | 460 | 495 | 530 | 570 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1076 | GT | <div>BAR STOOL WITH ARMS</div> <div>Standard with armrests. Sled shape frame with plastic back and upholstered seat</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>425</td><td>455</td><td>475</td><td>505</td><td>540</td><td>575</td><td>615</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 425 | 455 | 475 | 505 | 540 | 575 | 615 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Armrests coordinate with plastic shell color29" bar stool heightStacks 4 high on floorMolded-in pull handleWarranted to 300 lbs. | <div>WIDTH: 24.0</div> <div>DEPTH: 21.0</div> <div>HEIGHT: 42.5</div> <div>SEAT WIDTH: 18.0</div> <div>SEAT DEPTH: 16.5</div> <div>SEAT HEIGHT: 29.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 14.5</div> <div>COM: 0.9 YD</div> <div>WEIGHT: 23.0 LB</div> | <div><div>CHROME CF</div><div>(FRAME)</div><div>PLASTIC COLORS<table><tr><td>BLACK SWAN P01</td><td>CLASSIC BURGUNDY P02</td><td>CORAL RED P03</td><td>SUNBONNET YELLOW P04</td><td>WHITE WHISPER P05</td><td>BOULDER GRAY P06</td></tr><tr><td>DOVER SKY P07</td><td>ESSEX BLUE P08</td><td>PALE WATER GREEN P09</td><td>CINNABAR ORANGE P10</td><td>FEDERAL BLUE P11</td><td></td></tr></table></div><div>(BACK/SEAT SHELL AND ARMS)</div></div> | BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 | DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 425 | 455 | 475 | 505 | 540 | 575 | 615 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |





- Ideal for collaboration, lounge and touchdown workspaces
- Classic, sophisticated design
- Comfortable with roomy back
- Versatile with four base options
- Lightweight for easy mobility
- Warranted to 300 lbs.



MODEL NUMBER CONTROL BASE GRADE PACKAGING OPTIONS

9 1 1 - L G - - - - - -


BASE COLORS



4 LEG AND W LEG BASE COLORS

WOOD LEG FINISHES

Self-Leveling Metal Glide
4 per Set

*** GLIDES FOR 9101 ONLY**116

link

transitional style with limitless possibilities

MESH BACK - MB

GSA SIN # 711-19

- Back styles include: all plastic, upholstered or mesh
- 3” molded foam seat
- 6 powder coat frame colors
- Wall saver legs on model 1410
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LINK MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

FRAME COLOR

UPHOLSTERY

MESH COLOR

GRADE

CASTERS

PACKAGING

OPTIONS

1

4

1

-

G

T

-

A

-

-

M

B

-

M

-

-

C

1

2

-

-

* FOR ARMLESS CODE USE A00

* ONLY SELECT FOR MODELS 1360/1365

* ONLY SELECT CASTER CODE FOR MODELS 1315/1365


PACKAGING NOTES

LINK MESH BACK SIDE CHAIRS SHIP UP TO 3 PER CARTON


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|------------------------|---------|---|---------|----------------|-----|-----|-----|-----|-----|-----|--------|-----|-----|---|---|------------|
| 1410 | GT | <div>GUEST SIDE CHAIR</div> <div>Mesh back with upholstered seat</div> | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Non-marring floor glides• 3" molded foam seat• Stacks 4 high on floor• Stacks 4 high on optional dolly• Wall saver legs on model 1410• Warranted to 300 lbs. | <div>WIDTH: 25.5</div> <div>DEPTH: 24.0</div> <div>HEIGHT: 32.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.5</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 1.1 YD</div> <div>COL: 11 SQ FT</div> <div>WEIGHT: 21.0 LB</div> | |
| | | | A15B | 395 | 430 | 455 | 490 | 530 | 575 | 625 | 485 | 515 | 605 | | | |
| | | | A15G | 450 | 485 | 510 | 545 | 585 | 630 | 680 | 540 | 570 | 660 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| M1 MESH AVAILABLE ONLY | | | | | | | | | | | | | | | | |
| 1415 | GT | <div>GUEST SIDE CHAIR WITH CASTERS</div> <div>Mesh back with upholstered seat</div> | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• 50mm hoodless casters• 3" molded foam seat• Stacks 4 high on floor• Stacks 4 high on optional dolly• Warranted to 300 lbs. | <div>WIDTH: 25.5</div> <div>DEPTH: 24.0</div> <div>HEIGHT: 32.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.5</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 1.1 YDS</div> <div>COL: 11.0 SQ FT</div> <div>WEIGHT: 21.0 LB</div> | |
| | | | A15B | 440 | 475 | 500 | 535 | 575 | 620 | 670 | 530 | 560 | 650 | | | |
| | | | A15G | 495 | 530 | 555 | 590 | 630 | 675 | 725 | 585 | 615 | 705 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| M1 MESH AVAILABLE ONLY | | | | | | | | | | | | | | | | |



Soft Touch Arms - Black



Soft Touch Arms - Gray



50mm Hoodless Casters



Stacking Dolly
Stacks Chairs 4 High

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

MESH COLORS

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

link

transitional style with limitless possibilities

PLASTIC BACK - PB

GSA SIN # 711-19

- Back styles include: all plastic, upholstered or mesh back
- 3” molded foam seat
- 6 powder coat frame colors
- Wall saver legs on model 1410
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LINK MODEL NUMBER

MODEL NUMBERCONTROLARMSFRAME COLORUPHOLSTERYGRADECASTERSPACKAGINGOPTIONS





141-GT-A--PB--C12--

* FOR ARMLESS CODE USE A00

* ONLY SELECT CASTER CODE FOR MODELS 1315/1365

PACKAGING NOTES

LINK MESH BACK SIDE CHAIRS SHIP UP TO 3 PER CARTON


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|--|---|---|---------|----------------|-----|-----|-----|-----|-----|-----|--------|-----|-----|---|--|------------|
| 1410 | GT | <div>GUEST</div> <div>Plastic back with upholstered seat</div> | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">Non-marring floor glides3" molded foam seatStacks 4 high on floorStacks 4 high on optional dollyWall saver legs on model 1410Warranted to 300 lbs. | <div>WIDTH:</div> 25.5 <div>DEPTH:</div> 24.0 <div>HEIGHT:</div> 32.0 <div>SEAT WIDTH:</div> 20.0 <div>SEAT DEPTH:</div> 18.0 <div>SEAT HEIGHT:</div> 17.5 <div>BACK WIDTH:</div> 18.0 <div>BACK HEIGHT:</div> 16.0 <div>COM:</div> 1.1 YD <div>COL:</div> 11.0 SQ FT <div>WEIGHT:</div> 21.0 LB | |
|  |  | | A15B | 360 | 395 | 420 | 455 | 495 | 540 | 590 | 450 | 480 | 570 | | | |
| | | | A15G | 415 | 450 | 475 | 510 | 550 | 595 | 645 | 505 | 535 | 625 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1415 | GT | <div>GUEST WITH CASTERS</div> <div>Plastic back with upholstered seat</div> | ARMLESS | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">50mm hoodless casters3" molded foam seatStacks 4 high on floorStacks 4 high on optional dollyWarranted to 300 lbs. | <div>WIDTH:</div> 25.5 <div>DEPTH:</div> 24.0 <div>HEIGHT:</div> 32.0 <div>SEAT WIDTH:</div> 20.0 <div>SEAT DEPTH:</div> 18.0 <div>SEAT HEIGHT:</div> 17.5 <div>BACK WIDTH:</div> 18.0 <div>BACK HEIGHT:</div> 16.0 <div>COM:</div> 1.1 YD <div>COL:</div> 11.0 SQ FT <div>WEIGHT:</div> 21.0 LB | |
|  |  | | A15B | 405 | 440 | 465 | 500 | 540 | 585 | 635 | 495 | 525 | 615 | | | |
| | | | A15G | 460 | 495 | 520 | 555 | 595 | 640 | 690 | 550 | 580 | 670 | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Soft Touch Arms - Black



Soft Touch Arms - Gray



50mm Hoodless Casters



Stacking Dolly
Stacks Chairs 4 High

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|--------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|--------------------|--------------|

(FRAME)

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

Black and Silver frame colors available as Express Ship

link

transitional style with limitless possibilities

UPHOLSTERED BACK - UB

GSA SIN # 711-18

- Back styles include: all plastic, upholstered or mesh back
- 3" molded foam seat
- 6 powder coat frame colors
- Wall saver legs on model 1410
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LINK MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY GRADE CASTERS PACKAGING OPTIONS

1 4 1 **G T** **A** **U B** **C 1 2**

* FOR ARMLESS CODE USE A00 * ONLY SELECT CASTER CODE FOR MODELS 1315/1365

PACKAGING NOTES

LINK MESH BACK SIDE CHAIRS SHIP UP TO 3 PER CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|--|-------------------------|---|--|---|
| 1410 | GT | GUEST Upholstered back with upholstered seat | ARMLESS A15B A15G | A/COM B C D E F G L3/COL L4 L5 395 440 470 515 565 625 690 510 595 730 450 495 525 570 620 680 745 565 650 785 450 495 525 570 620 680 745 565 650 785 | Non-marring floor glides 3" molded foam seat Stacks 4 high on floor Stacks 4 high on optional dolly Wall saver legs on model 1410 Molded foam back Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 24.0 HEIGHT: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.4 YD COL: 17.0 SQ FT WEIGHT: 23.0 LB |
| 1415 | GT | GUEST WITH CASTERS Upholstered back with upholstered seat | ARMLESS A15B A15G | A/COM B C D E F G L3/COL L4 L5 440 485 515 560 610 670 735 555 640 775 495 540 570 615 665 725 790 610 695 830 495 540 570 615 665 725 790 610 695 830 | 50mm hoodless casters 3" molded foam seat Stacks 4 high on floor Stacks 4 high on optional dolly Molded foam back Warranted to 300 lbs. | WIDTH: 25.5 DEPTH: 24.0 HEIGHT: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.4 YD COL: 17.0 SQ FT WEIGHT: 23.0 LB |
| | | | | | | |
| | | | | | | |

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.


Black and Silver frame colors available as Express Ship



Soft Touch Arms - Black



Soft Touch Arms - Gray



50mm Hoodless Casters



Stacking Dolly
Stacks Chairs 4 High

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

logic

ergonomics, traditional task styling - an unbeatable value

FORMERLY PRECEPT

GSA SIN # 711-18

- Task, stool and conference seating
- Multiple back sizes including low, mid and high
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBERS

| MODEL NUMBER | CONTROL | ARMS | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------|-------|---------|-----------|---------|
| 1725 | - | A | - | B A 1 | - | - | - |

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| 1725 | B2 | LOW-BACK BASIC Our basic control has simple adjustments. Ideal for clerical, casual meetings and general office use <i>Formerly Precept Series</i> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>360</td><td>400</td><td>425</td><td>465</td><td>515</td><td>570</td><td>630</td></tr><tr><td>530</td><td>570</td><td>595</td><td>635</td><td>685</td><td>740</td><td>800</td></tr><tr><td>435</td><td>475</td><td>500</td><td>540</td><td>590</td><td>645</td><td>705</td></tr><tr><td>455</td><td>495</td><td>520</td><td>560</td><td>610</td><td>665</td><td>725</td></tr><tr><td>490</td><td>530</td><td>555</td><td>595</td><td>645</td><td>700</td><td>760</td></tr><tr><td>510</td><td>550</td><td>575</td><td>615</td><td>665</td><td>720</td><td>780</td></tr><tr><td>460</td><td>500</td><td>525</td><td>565</td><td>615</td><td>670</td><td>730</td></tr></table> | A/COM | B | C | D | E | F | G | 360 | 400 | 425 | 465 | 515 | 570 | 630 | 530 | 570 | 595 | 635 | 685 | 740 | 800 | 435 | 475 | 500 | 540 | 590 | 645 | 705 | 455 | 495 | 520 | 560 | 610 | 665 | 725 | 490 | 530 | 555 | 595 | 645 | 700 | 760 | 510 | 550 | 575 | 615 | 665 | 720 | 780 | 460 | 500 | 525 | 565 | 615 | 670 | 730 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• 360-degree swivel• No seat and back tilt• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-39.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 28.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 360 | 400 | 425 | 465 | 515 | 570 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 570 | 595 | 635 | 685 | 740 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 435 | 475 | 500 | 540 | 590 | 645 | 705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 455 | 495 | 520 | 560 | 610 | 665 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 490 | 530 | 555 | 595 | 645 | 700 | 760 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 550 | 575 | 615 | 665 | 720 | 780 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 500 | 525 | 565 | 615 | 670 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | S2 | LOW-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating <i>Formerly Precept Series</i> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>405</td><td>445</td><td>470</td><td>510</td><td>560</td><td>615</td><td>675</td></tr><tr><td>575</td><td>615</td><td>640</td><td>680</td><td>730</td><td>785</td><td>845</td></tr><tr><td>480</td><td>520</td><td>545</td><td>585</td><td>635</td><td>690</td><td>750</td></tr><tr><td>500</td><td>540</td><td>565</td><td>605</td><td>655</td><td>710</td><td>770</td></tr><tr><td>535</td><td>575</td><td>600</td><td>640</td><td>690</td><td>745</td><td>805</td></tr><tr><td>555</td><td>595</td><td>620</td><td>660</td><td>710</td><td>765</td><td>825</td></tr><tr><td>505</td><td>545</td><td>570</td><td>610</td><td>660</td><td>715</td><td>775</td></tr></table> SEAT SLIDER - ADD \$60 | A/COM | B | C | D | E | F | G | 405 | 445 | 470 | 510 | 560 | 615 | 675 | 575 | 615 | 640 | 680 | 730 | 785 | 845 | 480 | 520 | 545 | 585 | 635 | 690 | 750 | 500 | 540 | 565 | 605 | 655 | 710 | 770 | 535 | 575 | 600 | 640 | 690 | 745 | 805 | 555 | 595 | 620 | 660 | 710 | 765 | 825 | 505 | 545 | 570 | 610 | 660 | 715 | 775 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-39.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5 COM: 1.4 YDS WEIGHT: 31.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 445 | 470 | 510 | 560 | 615 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 615 | 640 | 680 | 730 | 785 | 845 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 520 | 545 | 585 | 635 | 690 | 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 500 | 540 | 565 | 605 | 655 | 710 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 575 | 600 | 640 | 690 | 745 | 805 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 555 | 595 | 620 | 660 | 710 | 765 | 825 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 545 | 570 | 610 | 660 | 715 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | P1 | LOW-BACK POSTURE BACK The articulating back provides proper support for moderate tasking applications <i>Formerly Precept Series</i> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>445</td><td>485</td><td>510</td><td>550</td><td>600</td><td>655</td><td>715</td></tr><tr><td>615</td><td>655</td><td>680</td><td>720</td><td>770</td><td>825</td><td>885</td></tr><tr><td>520</td><td>560</td><td>585</td><td>625</td><td>675</td><td>730</td><td>790</td></tr><tr><td>540</td><td>580</td><td>605</td><td>645</td><td>695</td><td>750</td><td>810</td></tr><tr><td>575</td><td>615</td><td>640</td><td>680</td><td>730</td><td>785</td><td>845</td></tr><tr><td>595</td><td>635</td><td>660</td><td>700</td><td>750</td><td>805</td><td>865</td></tr><tr><td>545</td><td>585</td><td>610</td><td>650</td><td>700</td><td>755</td><td>815</td></tr></table> SEAT SLIDER - ADD \$60 | A/COM | B | C | D | E | F | G | 445 | 485 | 510 | 550 | 600 | 655 | 715 | 615 | 655 | 680 | 720 | 770 | 825 | 885 | 520 | 560 | 585 | 625 | 675 | 730 | 790 | 540 | 580 | 605 | 645 | 695 | 750 | 810 | 575 | 615 | 640 | 680 | 730 | 785 | 845 | 595 | 635 | 660 | 700 | 750 | 805 | 865 | 545 | 585 | 610 | 650 | 700 | 755 | 815 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Infinite back angle adjust with free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5 COM: 1.4 YDS WEIGHT: 33.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 445 | 485 | 510 | 550 | 600 | 655 | 715 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 560 | 585 | 625 | 675 | 730 | 790 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 580 | 605 | 645 | 695 | 750 | 810 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 575 | 615 | 640 | 680 | 730 | 785 | 845 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 635 | 660 | 700 | 750 | 805 | 865 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 585 | 610 | 650 | 700 | 755 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | R1 | LOW-BACK ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment <i>Formerly Precept Series</i> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>455</td><td>495</td><td>520</td><td>560</td><td>610</td><td>665</td><td>725</td></tr><tr><td>625</td><td>665</td><td>690</td><td>730</td><td>780</td><td>835</td><td>895</td></tr><tr><td>530</td><td>570</td><td>595</td><td>635</td><td>685</td><td>740</td><td>800</td></tr><tr><td>550</td><td>590</td><td>615</td><td>655</td><td>705</td><td>760</td><td>820</td></tr><tr><td>585</td><td>625</td><td>650</td><td>690</td><td>740</td><td>795</td><td>855</td></tr><tr><td>605</td><td>645</td><td>670</td><td>710</td><td>760</td><td>815</td><td>875</td></tr><tr><td>555</td><td>595</td><td>620</td><td>660</td><td>710</td><td>765</td><td>825</td></tr></table> SEAT SLIDER - ADD \$60 | A/COM | B | C | D | E | F | G | 455 | 495 | 520 | 560 | 610 | 665 | 725 | 625 | 665 | 690 | 730 | 780 | 835 | 895 | 530 | 570 | 595 | 635 | 685 | 740 | 800 | 550 | 590 | 615 | 655 | 705 | 760 | 820 | 585 | 625 | 650 | 690 | 740 | 795 | 855 | 605 | 645 | 670 | 710 | 760 | 815 | 875 | 555 | 595 | 620 | 660 | 710 | 765 | 825 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adjust with free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 18.5-21.5 COM: 1.4 YDS WEIGHT: 35.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 455 | 495 | 520 | 560 | 610 | 665 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 665 | 690 | 730 | 780 | 835 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 570 | 595 | 635 | 685 | 740 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 590 | 615 | 655 | 705 | 760 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 645 | 670 | 710 | 760 | 815 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 555 | 595 | 620 | 660 | 710 | 765 | 825 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A1
\$70
Soft Touch Loop Arm

A4
\$75
Height Adjustable Arm

A5
\$95
Height/Width Adjustable Arm

A6
\$130
Height Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A7
\$150
Height/Width Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A16
\$100
Soft Touch C-Shape Arm w/ Upholstered Pad

C1
STD
50mm Hooded Casters

C1S
\$35
50mm Hooded Hard Floor Casters

C2S
\$35
50mm Hooded Self-Locking Hard Floor Casters

BT
\$15
Replace Knob with Bolt (For S2 and B2 Controls Only)

EF1
\$30
1" Extra Foam on Seat

MF1
\$50
1" Visco Elastic Memory Foam on Seat

SS
\$60
Seat Slider 2.5" Side Paddle Activated

BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up

EP
\$60
Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

logic

ergonomics, traditional task styling - an unbeatable value

LOW-BACK

FORMERLY PRECEPT

GSA SIN # 711-18

- Task, stool and conference seating
- Multiple back sizes including low, mid and high
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBERS

MODEL NUMBERCONTROLARMSGRADEBASECASTERSPACKAGINGOPTIONS

1725- -A -B A1-C

* FOR ARMLESS CODE USE A00* GT MODELS DO NOT HAVE A CASTER CODE

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|---|--|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|---|--|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|---|--|
| 1725 | M1 | <div>LOW-BACK MULTI-FUNCTION</div> <div>Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6-degrees</div> <div>Formerly Precept Series</div> | <div>ARMLESS</div> <div>A1</div> <div>A4</div> <div>A5</div> <div>A6</div> <div>A7</div> <div>A16</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>505</td><td>545</td><td>570</td><td>610</td><td>660</td><td>715</td><td>775</td><td></td><td></td></tr><tr><td>675</td><td>715</td><td>740</td><td>780</td><td>830</td><td>885</td><td>945</td><td></td><td></td></tr><tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td><td></td><td></td></tr><tr><td>600</td><td>640</td><td>665</td><td>705</td><td>755</td><td>810</td><td>870</td><td></td><td></td></tr><tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td><td></td><td></td></tr><tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td><td></td><td></td></tr><tr><td>605</td><td>645</td><td>670</td><td>710</td><td>760</td><td>815</td><td>875</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - ADD \$60</div> | A/COM | B | C | D | E | F | G | | | 505 | 545 | 570 | 610 | 660 | 715 | 775 | | | 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | 600 | 640 | 665 | 705 | 755 | 810 | 870 | | | 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | 605 | 645 | 670 | 710 | 760 | 815 | 875 | | | <div><div><div>Pneumatic seat height adjustment</div><div>Tilt tension control</div><div>Seat and back tilt as unit</div><div>Floating seat position tilt lock</div><div>Infinite back angle adj. w/ free float</div><div>Seat pivots from 0° to 6° forward</div><div>Ratchet back height lumbar adjustment</div><div>Warranted to 300 lbs.</div></div></div> | <div><div><div>WIDTH:</div><div>26.5</div></div><div><div>DEPTH:</div><div>26.5</div></div><div><div>HEIGHT:</div><div>35.0-42.5</div></div><div><div>SEAT WIDTH:</div><div>22.0</div></div><div><div>SEAT DEPTH:</div><div>17.0</div></div><div><div>SEAT HEIGHT:</div><div>17.5-22.0</div></div><div><div>BACK WIDTH:</div><div>19.5</div></div><div><div>BACK HEIGHT:</div><div>18.5-21.5</div></div><div><div>COM:</div><div>1.4 YDS</div></div><div><div>WEIGHT:</div><div>39.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 545 | 570 | 610 | 660 | 715 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 640 | 665 | 705 | 755 | 810 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 645 | 670 | 710 | 760 | 815 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | Y2-SS | <div>LOW-BACK HEAVY DUTY SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> <div>Formerly Precept Series</div> | <div>ARMLESS</div> <div>A1</div> <div>A4</div> <div>A5</div> <div>A6</div> <div>A7</div> <div>A16</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>545</td><td>585</td><td>610</td><td>650</td><td>700</td><td>755</td><td>815</td><td></td><td></td></tr><tr><td>715</td><td>755</td><td>780</td><td>820</td><td>870</td><td>925</td><td>985</td><td></td><td></td></tr><tr><td>620</td><td>660</td><td>685</td><td>725</td><td>775</td><td>830</td><td>890</td><td></td><td></td></tr><tr><td>640</td><td>680</td><td>705</td><td>745</td><td>795</td><td>850</td><td>910</td><td></td><td></td></tr><tr><td>675</td><td>715</td><td>740</td><td>780</td><td>830</td><td>885</td><td>945</td><td></td><td></td></tr><tr><td>695</td><td>735</td><td>760</td><td>800</td><td>850</td><td>905</td><td>965</td><td></td><td></td></tr><tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - STANDARD</div> | A/COM | B | C | D | E | F | G | | | 545 | 585 | 610 | 650 | 700 | 755 | 815 | | | 715 | 755 | 780 | 820 | 870 | 925 | 985 | | | 620 | 660 | 685 | 725 | 775 | 830 | 890 | | | 640 | 680 | 705 | 745 | 795 | 850 | 910 | | | 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | 695 | 735 | 760 | 800 | 850 | 905 | 965 | | | 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | <div><div><div>Pneumatic seat height adjustment</div><div>Side tilt tension control</div><div>Back and seat tilt in 2:1 ratio</div><div>4 locking positions</div><div>Safety tilt release</div><div>Ratchet back height lumbar adjustment</div><div>SS seat slider standard</div><div>Warranted to 300 lbs.</div></div></div> | <div><div><div>WIDTH:</div><div>26.5</div></div><div><div>DEPTH:</div><div>26.5</div></div><div><div>HEIGHT:</div><div>33.5-41.0</div></div><div><div>SEAT WIDTH:</div><div>22.0</div></div><div><div>SEAT DEPTH:</div><div>17.0-19.5</div></div><div><div>SEAT HEIGHT:</div><div>19.0-23.5</div></div><div><div>BACK WIDTH:</div><div>19.5</div></div><div><div>BACK HEIGHT:</div><div>18.5-21.5</div></div><div><div>COM:</div><div>1.4 YDS</div></div><div><div>WEIGHT:</div><div>41.0 LB</div></div></div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 585 | 610 | 650 | 700 | 755 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 755 | 780 | 820 | 870 | 925 | 985 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 660 | 685 | 725 | 775 | 830 | 890 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 680 | 705 | 745 | 795 | 850 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 715 | 740 | 780 | 830 | 885 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 735 | 760 | 800 | 850 | 905 | 965 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1725 | GT | <div>GUEST</div> <div>Well suited for guest seating</div> <div>Formerly Precept Series</div> | <div>ARMLESS</div> <div>A1</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>340</td><td>380</td><td>405</td><td>445</td><td>495</td><td>550</td><td>610</td><td></td><td></td></tr><tr><td>410</td><td>550</td><td>575</td><td>615</td><td>665</td><td>720</td><td>780</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> <div>SHIPS PARTIALLY ASSEMBLED PAC OR AB</div> | A/COM | B | C | D | E | F | G | | | 340 | 380 | 405 | 445 | 495 | 550 | 610 | | | 410 | 550 | 575 | 615 | 665 | 720 | 780 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <div><div><div>Cantilever base design</div><div>Warranted to 300 lbs.</div><div>Black powder coat frame</div></div></div> | <div><div><div>WIDTH:</div><div>26.5</div></div><div><div>DEPTH:</div><div>26.5</div></div><div><div>HEIGHT:</div><div>35.5</div></div><div><div>SEAT WIDTH:</div><div>22.0</div></div><div><div>SEAT DEPTH:</div><div>17.0</div></div><div><div>SEAT HEIGHT:</div><div>17.0</div></div><div><div>BACK WIDTH:</div><div>19.5</div></div><div><div>BACK HEIGHT:</div><div>18.5</div></div><div><div>COM:</div><div>1.4 YDS</div></div><div><div>WEIGHT:</div><div>38.0 LB</div></div></div> | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 340 | 380 | 405 | 445 | 495 | 550 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 410 | 550 | 575 | 615 | 665 | 720 | 780 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A1
\$70
Soft Touch Loop Arm

A4
\$75
Height Adjustable Arm

A5
\$95
Height/Width Adjustable Arm

A6
\$130
Height Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A7
\$150
Height/Width Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A16
\$100
Soft Touch C-Shape Arm w/ Upholstered Pad

C1
STD
50mm Hooded Casters

C1S
\$35
50mm Hooded Hard Floor Casters

C2S
\$35
50mm Hooded Self-Locking Hard Floor Casters

BT
\$15
Replace Knob with Bolt (For S2 and B2 Controls Only)

EF1
\$30
1" Eextra Foam on Seat

MF1
\$50
1" Visco Elastic Memory Foam on Seat

SS
\$60
Seat Slider 2.5" Side Paddle Activated

BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up

EP
\$60
Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

logic

ergonomics, traditional task styling - an unbeatable value

STOOL

FORMERLY PRECEPT

GSA SIN # 711-18

- Task, stool and conference seating
- Ratchet back height adjustment on P1
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBERS

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS



1 7 2 - - A - - B A 1 - C - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|---|----------|------------|---|---|---|---|---|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|-----|-----|-----|-----|------|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|---|
| 1726 | B2 | <div>10" STOOL BASIC</div> <div>Use for work surfaces up to 42 inches high</div> <div>Formerly Precept Series</div> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th></tr><tr><td>485</td><td>525</td><td>550</td><td>590</td><td>640</td><td>695</td><td>755</td><td></td><td></td><td></td></tr><tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td><td></td><td></td><td></td></tr><tr><td>560</td><td>600</td><td>625</td><td>665</td><td>715</td><td>770</td><td>830</td><td></td><td></td><td></td></tr><tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td><td></td><td></td><td></td></tr><tr><td>615</td><td>655</td><td>680</td><td>720</td><td>770</td><td>825</td><td>885</td><td></td><td></td><td></td></tr><tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td><td></td><td></td><td></td></tr><tr><td>585</td><td>625</td><td>650</td><td>690</td><td>740</td><td>795</td><td>855</td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | | | | 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | <ul style="list-style-type: none">Pneumatic seat height adjustment360-degree swivelNo seat and back tiltAdjustable back depthHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 42.5-52.5</div> <div>SEAT WIDTH: 22.0</div> <div>SEAT DEPTH: 17.0</div> <div>SEAT HEIGHT: 25.0-35.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 1.4 YDS</div> <div>WEIGHT: 32.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1726 | P1 | <div>10" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 42 inches high</div> <div>Formerly Precept Series</div> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th></tr><tr><td>570</td><td>610</td><td>635</td><td>675</td><td>725</td><td>780</td><td>840</td><td></td><td></td><td></td></tr><tr><td>740</td><td>780</td><td>805</td><td>845</td><td>895</td><td>950</td><td>1010</td><td></td><td></td><td></td></tr><tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td><td></td><td></td><td></td></tr><tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td><td></td><td></td><td></td></tr><tr><td>700</td><td>740</td><td>765</td><td>805</td><td>855</td><td>910</td><td>970</td><td></td><td></td><td></td></tr><tr><td>720</td><td>760</td><td>785</td><td>825</td><td>875</td><td>930</td><td>990</td><td></td><td></td><td></td></tr><tr><td>670</td><td>710</td><td>735</td><td>775</td><td>825</td><td>880</td><td>940</td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | | | | 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjust with free floatRatchet back height lumbar adjustmentHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 42.5-55.5</div> <div>SEAT WIDTH: 22.0</div> <div>SEAT DEPTH: 17.0</div> <div>SEAT HEIGHT: 25.0-35.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 18.5-21.5</div> <div>COM: 1.4 YDS</div> <div>WEIGHT: 36.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1728 | B2 | <div>8" STOOL BASIC</div> <div>Use for work surfaces up to 36 inches high</div> <div>Formerly Precept Series</div> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th></tr><tr><td>485</td><td>525</td><td>550</td><td>590</td><td>640</td><td>695</td><td>755</td><td></td><td></td><td></td></tr><tr><td>655</td><td>695</td><td>720</td><td>760</td><td>810</td><td>865</td><td>925</td><td></td><td></td><td></td></tr><tr><td>560</td><td>600</td><td>625</td><td>665</td><td>715</td><td>770</td><td>830</td><td></td><td></td><td></td></tr><tr><td>580</td><td>620</td><td>645</td><td>685</td><td>735</td><td>790</td><td>850</td><td></td><td></td><td></td></tr><tr><td>615</td><td>655</td><td>680</td><td>720</td><td>770</td><td>825</td><td>885</td><td></td><td></td><td></td></tr><tr><td>635</td><td>675</td><td>700</td><td>740</td><td>790</td><td>845</td><td>905</td><td></td><td></td><td></td></tr><tr><td>585</td><td>625</td><td>650</td><td>690</td><td>740</td><td>795</td><td>855</td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | | | | 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | <ul style="list-style-type: none">Pneumatic seat height adjustment360-degree swivelNo seat and back tiltAdjustable back depthHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 38.5-46.5</div> <div>SEAT WIDTH: 22.0</div> <div>SEAT DEPTH: 17.0</div> <div>SEAT HEIGHT: 21.0-29.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 1.4 YDS</div> <div>WEIGHT: 31.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 525 | 550 | 590 | 640 | 695 | 755 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 695 | 720 | 760 | 810 | 865 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 600 | 625 | 665 | 715 | 770 | 830 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 620 | 645 | 685 | 735 | 790 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 655 | 680 | 720 | 770 | 825 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 675 | 700 | 740 | 790 | 845 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 740 | 795 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1728 | P1 | <div>8" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 36 inches high</div> <div>Formerly Precept Series</div> | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th></tr><tr><td>570</td><td>610</td><td>635</td><td>675</td><td>725</td><td>780</td><td>840</td><td></td><td></td><td></td></tr><tr><td>740</td><td>780</td><td>805</td><td>845</td><td>895</td><td>950</td><td>1010</td><td></td><td></td><td></td></tr><tr><td>645</td><td>685</td><td>710</td><td>750</td><td>800</td><td>855</td><td>915</td><td></td><td></td><td></td></tr><tr><td>665</td><td>705</td><td>730</td><td>770</td><td>820</td><td>875</td><td>935</td><td></td><td></td><td></td></tr><tr><td>700</td><td>740</td><td>765</td><td>805</td><td>855</td><td>910</td><td>970</td><td></td><td></td><td></td></tr><tr><td>720</td><td>760</td><td>785</td><td>825</td><td>875</td><td>930</td><td>990</td><td></td><td></td><td></td></tr><tr><td>670</td><td>710</td><td>735</td><td>775</td><td>825</td><td>880</td><td>940</td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | A/COM | B | C | D | E | F | G | | | | 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentInfinite back angle adjust with free floatRatchet back height lumbar adjustmentHeight adjustable footringWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 38.5-49.5</div> <div>SEAT WIDTH: 22.0</div> <div>SEAT DEPTH: 17.0</div> <div>SEAT HEIGHT: 21.0-29.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 18.5-21.5</div> <div>COM: 1.4 YDS</div> <div>WEIGHT: 35.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 610 | 635 | 675 | 725 | 780 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 780 | 805 | 845 | 895 | 950 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 685 | 710 | 750 | 800 | 855 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 705 | 730 | 770 | 820 | 875 | 935 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 740 | 765 | 805 | 855 | 910 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 760 | 785 | 825 | 875 | 930 | 990 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 710 | 735 | 775 | 825 | 880 | 940 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



logic

ergonomics, traditional task styling - an unbeatable value

MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Multiple back sizes including low, mid and high
- Ratchet back height adjustment on P1, R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS

1 7 6 0 - - A - - B A 1 - C - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|--|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|------|--|---|
| 1760 | S2 | MID-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>470</td><td>520</td><td>555</td><td>605</td><td>665</td><td>730</td><td>800</td></tr><tr><td>540</td><td>590</td><td>625</td><td>675</td><td>735</td><td>800</td><td>870</td></tr><tr><td>545</td><td>595</td><td>630</td><td>680</td><td>740</td><td>805</td><td>875</td></tr><tr><td>565</td><td>615</td><td>650</td><td>700</td><td>760</td><td>825</td><td>895</td></tr><tr><td>600</td><td>650</td><td>685</td><td>735</td><td>795</td><td>860</td><td>930</td></tr><tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td></tr><tr><td>570</td><td>620</td><td>655</td><td>705</td><td>765</td><td>830</td><td>900</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 470 | 520 | 555 | 605 | 665 | 730 | 800 | 540 | 590 | 625 | 675 | 735 | 800 | 870 | 545 | 595 | 630 | 680 | 740 | 805 | 875 | 565 | 615 | 650 | 700 | 760 | 825 | 895 | 600 | 650 | 685 | 735 | 795 | 860 | 930 | 620 | 670 | 705 | 755 | 815 | 880 | 950 | 570 | 620 | 655 | 705 | 765 | 830 | 900 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-43.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YD WEIGHT: 28.5 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 470 | 520 | 555 | 605 | 665 | 730 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 590 | 625 | 675 | 735 | 800 | 870 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 545 | 595 | 630 | 680 | 740 | 805 | 875 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 565 | 615 | 650 | 700 | 760 | 825 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 650 | 685 | 735 | 795 | 860 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 670 | 705 | 755 | 815 | 880 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 620 | 655 | 705 | 765 | 830 | 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1760 | R1 | MID-BACK ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>520</td><td>570</td><td>605</td><td>655</td><td>715</td><td>780</td><td>850</td></tr><tr><td>590</td><td>640</td><td>675</td><td>725</td><td>785</td><td>850</td><td>920</td></tr><tr><td>595</td><td>645</td><td>680</td><td>730</td><td>790</td><td>855</td><td>925</td></tr><tr><td>615</td><td>665</td><td>700</td><td>750</td><td>810</td><td>875</td><td>945</td></tr><tr><td>650</td><td>700</td><td>735</td><td>785</td><td>845</td><td>910</td><td>980</td></tr><tr><td>670</td><td>720</td><td>755</td><td>805</td><td>865</td><td>930</td><td>1000</td></tr><tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 520 | 570 | 605 | 655 | 715 | 780 | 850 | 590 | 640 | 675 | 725 | 785 | 850 | 920 | 595 | 645 | 680 | 730 | 790 | 855 | 925 | 615 | 665 | 700 | 750 | 810 | 875 | 945 | 650 | 700 | 735 | 785 | 845 | 910 | 980 | 670 | 720 | 755 | 805 | 865 | 930 | 1000 | 620 | 670 | 705 | 755 | 815 | 880 | 950 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-46.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YD WEIGHT: 34.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 570 | 605 | 655 | 715 | 780 | 850 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 640 | 675 | 725 | 785 | 850 | 920 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 645 | 680 | 730 | 790 | 855 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 665 | 700 | 750 | 810 | 875 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 735 | 785 | 845 | 910 | 980 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 755 | 805 | 865 | 930 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 670 | 705 | 755 | 815 | 880 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1760 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>550</td><td>600</td><td>635</td><td>685</td><td>745</td><td>810</td><td>880</td></tr><tr><td>620</td><td>670</td><td>705</td><td>755</td><td>815</td><td>880</td><td>950</td></tr><tr><td>625</td><td>675</td><td>710</td><td>760</td><td>820</td><td>885</td><td>955</td></tr><tr><td>645</td><td>695</td><td>730</td><td>780</td><td>840</td><td>905</td><td>975</td></tr><tr><td>680</td><td>730</td><td>765</td><td>815</td><td>875</td><td>940</td><td>1010</td></tr><tr><td>700</td><td>750</td><td>785</td><td>835</td><td>895</td><td>960</td><td>1030</td></tr><tr><td>650</td><td>700</td><td>735</td><td>785</td><td>845</td><td>910</td><td>980</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 550 | 600 | 635 | 685 | 745 | 810 | 880 | 620 | 670 | 705 | 755 | 815 | 880 | 950 | 625 | 675 | 710 | 760 | 820 | 885 | 955 | 645 | 695 | 730 | 780 | 840 | 905 | 975 | 680 | 730 | 765 | 815 | 875 | 940 | 1010 | 700 | 750 | 785 | 835 | 895 | 960 | 1030 | 650 | 700 | 735 | 785 | 845 | 910 | 980 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-45.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-22.0 COM: 1.6 YD WEIGHT: 41.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 600 | 635 | 685 | 745 | 810 | 880 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 670 | 705 | 755 | 815 | 880 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 675 | 710 | 760 | 820 | 885 | 955 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 730 | 780 | 840 | 905 | 975 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 730 | 765 | 815 | 875 | 940 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 750 | 785 | 835 | 895 | 960 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 700 | 735 | 785 | 845 | 910 | 980 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1760 | M1 | MID-BACK MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6-degrees | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>570</td><td>620</td><td>655</td><td>705</td><td>765</td><td>830</td><td>900</td></tr><tr><td>640</td><td>690</td><td>725</td><td>775</td><td>835</td><td>900</td><td>970</td></tr><tr><td>645</td><td>695</td><td>730</td><td>780</td><td>840</td><td>905</td><td>975</td></tr><tr><td>665</td><td>715</td><td>750</td><td>800</td><td>860</td><td>925</td><td>995</td></tr><tr><td>700</td><td>750</td><td>785</td><td>835</td><td>895</td><td>960</td><td>1030</td></tr><tr><td>720</td><td>770</td><td>805</td><td>855</td><td>915</td><td>980</td><td>1050</td></tr><tr><td>670</td><td>720</td><td>755</td><td>805</td><td>865</td><td>930</td><td>1000</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 570 | 620 | 655 | 705 | 765 | 830 | 900 | 640 | 690 | 725 | 775 | 835 | 900 | 970 | 645 | 695 | 730 | 780 | 840 | 905 | 975 | 665 | 715 | 750 | 800 | 860 | 925 | 995 | 700 | 750 | 785 | 835 | 895 | 960 | 1030 | 720 | 770 | 805 | 855 | 915 | 980 | 1050 | 670 | 720 | 755 | 805 | 865 | 930 | 1000 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adj. w/ free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-46.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YD WEIGHT: 37.5 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 620 | 655 | 705 | 765 | 830 | 900 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 690 | 725 | 775 | 835 | 900 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 695 | 730 | 780 | 840 | 905 | 975 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 715 | 750 | 800 | 860 | 925 | 995 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 750 | 785 | 835 | 895 | 960 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 770 | 805 | 855 | 915 | 980 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 720 | 755 | 805 | 865 | 930 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A1
\$70
Soft Touch Loop Arm

A4
\$75
Height Adjustable Arm

A5
\$95
Height/Width Adjustable Arm

A6
\$130
Height Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A7
\$150
Height/Width Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A16
\$100
Soft Touch C-Shape Arm w/Upholstered Pad

C1
STD
50mm Hooded Casters

C1S
\$35
50mm Hooded Hard Floor Casters

C2S
\$35
50mm Hooded Self-Locking Hard Floor Casters

BT
\$15
Replace Knob with Bolt (For S2 and B2 Controls Only)

MF1
\$50
EF1
\$30
EF1 - 1" Extra Foam on Seat

EP
\$60
Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

SS
\$60
Seat Slider 2.5" Side Paddle Activated

BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up

HD
\$125
Heavy Duty Multi-Shift Upgrade 350 lb. Includes BA2 Aluminum Base and C4 60mm Casters; Available with M1 and Y2 Only

logic

ergonomics, traditional task styling - an unbeatable value

STOOL

GSA SIN # 711-18

- Task, stool and conference seating
- Ratchet back height adjustment on P1
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

GRADE

BASE

CASTERS

PACKAGING

OPTIONS

1

7

6

-

P

1

-

A

-

B

A

1

-

C

-

-

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAG | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|---|---|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|-----|-----|-----|-----|-----|-----|------|--|--|-----|-----|-----|-----|-----|-----|------|--|--|-----|-----|-----|-----|-----|-----|------|--|--|-----|-----|-----|-----|-----|------|------|--|--|-----|-----|-----|-----|-----|------|------|--|--|-----|-----|-----|-----|-----|-----|------|--|--|--|---|
| 1766 | P1 | <div>10" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 42 inches high</div> | <div>ARMLESS</div> <div>A1</div> <div>A4</div> <div>A5</div> <div>A6</div> <div>A7</div> <div>A16</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>635</td><td>685</td><td>720</td><td>770</td><td>830</td><td>895</td><td>965</td><td></td><td></td></tr><tr><td>705</td><td>755</td><td>790</td><td>840</td><td>900</td><td>965</td><td>1035</td><td></td><td></td></tr><tr><td>710</td><td>760</td><td>795</td><td>845</td><td>905</td><td>970</td><td>1040</td><td></td><td></td></tr><tr><td>730</td><td>780</td><td>815</td><td>865</td><td>925</td><td>990</td><td>1060</td><td></td><td></td></tr><tr><td>765</td><td>815</td><td>850</td><td>900</td><td>960</td><td>1025</td><td>1095</td><td></td><td></td></tr><tr><td>785</td><td>835</td><td>870</td><td>920</td><td>980</td><td>1045</td><td>1115</td><td></td><td></td></tr><tr><td>735</td><td>785</td><td>820</td><td>870</td><td>930</td><td>995</td><td>1065</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 635 | 685 | 720 | 770 | 830 | 895 | 965 | | | 705 | 755 | 790 | 840 | 900 | 965 | 1035 | | | 710 | 760 | 795 | 845 | 905 | 970 | 1040 | | | 730 | 780 | 815 | 865 | 925 | 990 | 1060 | | | 765 | 815 | 850 | 900 | 960 | 1025 | 1095 | | | 785 | 835 | 870 | 920 | 980 | 1045 | 1115 | | | 735 | 785 | 820 | 870 | 930 | 995 | 1065 | | | <div><div>Pneumatic seat height adjustment</div><div>Infinite back angle adjust with free float</div><div>Ratchet back height lumbar adjustment</div><div>Height adjustable footring</div><div>Warranted to 300 lbs.</div></div> | <div><div>WIDTH:</div><div>26.5</div></div> <div><div>DEPTH:</div><div>26.0</div></div> <div><div>HEIGHT:</div><div>46.5-59.5</div></div> <div><div>SEAT WIDTH:</div><div>22.0</div></div> <div><div>SEAT DEPTH:</div><div>17.5</div></div> <div><div>SEAT HEIGHT:</div><div>24.5-34.5</div></div> <div><div>BACK WIDTH:</div><div>20.0</div></div> <div><div>BACK HEIGHT:</div><div>20.5-23.5</div></div> <div><div>COM:</div><div>1.6 YDS</div></div> <div><div>WEIGHT:</div><div>43.5 LB</div></div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 685 | 720 | 770 | 830 | 895 | 965 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 790 | 840 | 900 | 965 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 760 | 795 | 845 | 905 | 970 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 780 | 815 | 865 | 925 | 990 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 815 | 850 | 900 | 960 | 1025 | 1095 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 785 | 835 | 870 | 920 | 980 | 1045 | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 785 | 820 | 870 | 930 | 995 | 1065 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1768 | P1 | <div>8" STOOL POSTURE BACK</div> <div>Use for work surfaces up to 36 inches high</div> | <div>ARMLESS</div> <div>A1</div> <div>A4</div> <div>A5</div> <div>A6</div> <div>A7</div> <div>A16</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>635</td><td>685</td><td>720</td><td>770</td><td>830</td><td>895</td><td>965</td><td></td><td></td></tr><tr><td>705</td><td>755</td><td>790</td><td>840</td><td>900</td><td>965</td><td>1035</td><td></td><td></td></tr><tr><td>710</td><td>760</td><td>795</td><td>845</td><td>905</td><td>970</td><td>1040</td><td></td><td></td></tr><tr><td>730</td><td>780</td><td>815</td><td>865</td><td>925</td><td>990</td><td>1060</td><td></td><td></td></tr><tr><td>765</td><td>815</td><td>850</td><td>900</td><td>960</td><td>1025</td><td>1095</td><td></td><td></td></tr><tr><td>785</td><td>835</td><td>870</td><td>920</td><td>980</td><td>1045</td><td>1115</td><td></td><td></td></tr><tr><td>735</td><td>785</td><td>820</td><td>870</td><td>930</td><td>995</td><td>1065</td><td></td><td></td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | A/COM | B | C | D | E | F | G | | | 635 | 685 | 720 | 770 | 830 | 895 | 965 | | | 705 | 755 | 790 | 840 | 900 | 965 | 1035 | | | 710 | 760 | 795 | 845 | 905 | 970 | 1040 | | | 730 | 780 | 815 | 865 | 925 | 990 | 1060 | | | 765 | 815 | 850 | 900 | 960 | 1025 | 1095 | | | 785 | 835 | 870 | 920 | 980 | 1045 | 1115 | | | 735 | 785 | 820 | 870 | 930 | 995 | 1065 | | | <div><div>Pneumatic seat height adjustment</div><div>Infinite back angle adjust with free float</div><div>Ratchet back height lumbar adjustment</div><div>Height adjustable footring</div><div>Warranted to 300 lbs.</div></div> | <div><div>WIDTH:</div><div>26.5</div></div> <div><div>DEPTH:</div><div>26.0</div></div> <div><div>HEIGHT:</div><div>43.5-54.5</div></div> <div><div>SEAT WIDTH:</div><div>22.0</div></div> <div><div>SEAT DEPTH:</div><div>17.5</div></div> <div><div>SEAT HEIGHT:</div><div>21.5-29.5</div></div> <div><div>BACK WIDTH:</div><div>20.0</div></div> <div><div>BACK HEIGHT:</div><div>20.5-23.5</div></div> <div><div>COM:</div><div>1.6 YDS</div></div> <div><div>WEIGHT:</div><div>42.5 LB</div></div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 685 | 720 | 770 | 830 | 895 | 965 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 755 | 790 | 840 | 900 | 965 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 710 | 760 | 795 | 845 | 905 | 970 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 780 | 815 | 865 | 925 | 990 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 765 | 815 | 850 | 900 | 960 | 1025 | 1095 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 785 | 835 | 870 | 920 | 980 | 1045 | 1115 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 785 | 820 | 870 | 930 | 995 | 1065 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A1
\$70

Soft Touch Loop Arm

A4
\$75

Height Adjustable Arm

A5
\$95

Height/Width Adjustable Arm

A6
\$130

Height Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A7
\$150

Height/Width Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A16
\$100

Soft Touch C-Shape Arm w/Upholstered Pad

C1
STD

50mm Hooded Casters

C1S
\$35

50mm Hooded Hard Floor Casters

C2S
\$35

50mm Hooded Self-Locking Hard Floor Casters

BN1
\$35
BN2
\$N/C

Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up

EP
\$60

Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

MF1
\$50
EF1
\$30

EF1 - 1" Extra Foam on Seat
MF1 - 1" Visco Elastic Memory Foam on Seat

logic

ergonomics, traditional task styling - an unbeatable value

HIGH-BACK

GSA SIN # 711-18

- Task, stool and conference seating
- Multiple back sizes including low, mid and high
- Ratchet back height adjustment on R1, M1 and Y2 models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING LOGIC MODEL NUMBER

MODEL NUMBER CONTROL ARMS GRADE BASE CASTERS PACKAGING OPTIONS

1 7 8 0 - - A - - B A 1 - C - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|--|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|------|------|------|-----|-----|-----|-----|-----|------|------|--|---|
| 1780 | S2 | HIGH-BACK SWIVEL TILT Use for a variety of general office seating, including private office and conference room seating | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>520</td><td>580</td><td>620</td><td>680</td><td>750</td><td>825</td><td>910</td></tr><tr><td>590</td><td>650</td><td>690</td><td>750</td><td>820</td><td>895</td><td>980</td></tr><tr><td>595</td><td>655</td><td>695</td><td>755</td><td>825</td><td>900</td><td>985</td></tr><tr><td>615</td><td>675</td><td>715</td><td>775</td><td>845</td><td>920</td><td>1005</td></tr><tr><td>650</td><td>710</td><td>750</td><td>810</td><td>880</td><td>955</td><td>1040</td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td></tr><tr><td>620</td><td>680</td><td>720</td><td>780</td><td>850</td><td>925</td><td>1010</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 520 | 580 | 620 | 680 | 750 | 825 | 910 | 590 | 650 | 690 | 750 | 820 | 895 | 980 | 595 | 655 | 695 | 755 | 825 | 900 | 985 | 615 | 675 | 715 | 775 | 845 | 920 | 1005 | 650 | 710 | 750 | 810 | 880 | 955 | 1040 | 670 | 730 | 770 | 830 | 900 | 975 | 1060 | 620 | 680 | 720 | 780 | 850 | 925 | 1010 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• 360-degree swivel• Upright position tilt lock• Adjustable back depth• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0 COM: 1.9 YD WEIGHT: 36.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 580 | 620 | 680 | 750 | 825 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 650 | 690 | 750 | 820 | 895 | 980 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 595 | 655 | 695 | 755 | 825 | 900 | 985 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 615 | 675 | 715 | 775 | 845 | 920 | 1005 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 710 | 750 | 810 | 880 | 955 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 730 | 770 | 830 | 900 | 975 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 680 | 720 | 780 | 850 | 925 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1780 | R1 | HIGH-BACK ROCKING TILT For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle and tilt adjustment | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>570</td><td>630</td><td>670</td><td>730</td><td>800</td><td>875</td><td>960</td></tr><tr><td>640</td><td>700</td><td>740</td><td>800</td><td>870</td><td>945</td><td>1030</td></tr><tr><td>645</td><td>705</td><td>745</td><td>805</td><td>875</td><td>950</td><td>1035</td></tr><tr><td>665</td><td>725</td><td>765</td><td>825</td><td>895</td><td>970</td><td>1055</td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td></tr><tr><td>720</td><td>780</td><td>820</td><td>880</td><td>950</td><td>1025</td><td>1110</td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 570 | 630 | 670 | 730 | 800 | 875 | 960 | 640 | 700 | 740 | 800 | 870 | 945 | 1030 | 645 | 705 | 745 | 805 | 875 | 950 | 1035 | 665 | 725 | 765 | 825 | 895 | 970 | 1055 | 700 | 760 | 800 | 860 | 930 | 1005 | 1090 | 720 | 780 | 820 | 880 | 950 | 1025 | 1110 | 670 | 730 | 770 | 830 | 900 | 975 | 1060 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adjust with free float• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YD WEIGHT: 41.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 630 | 670 | 730 | 800 | 875 | 960 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 640 | 700 | 740 | 800 | 870 | 945 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 705 | 745 | 805 | 875 | 950 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 725 | 765 | 825 | 895 | 970 | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 760 | 800 | 860 | 930 | 1005 | 1090 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 780 | 820 | 880 | 950 | 1025 | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 730 | 770 | 830 | 900 | 975 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1780 | Y2 | HIGH-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>600</td><td>660</td><td>700</td><td>760</td><td>830</td><td>905</td><td>990</td></tr><tr><td>670</td><td>730</td><td>770</td><td>830</td><td>900</td><td>975</td><td>1060</td></tr><tr><td>675</td><td>735</td><td>775</td><td>835</td><td>905</td><td>980</td><td>1065</td></tr><tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td></tr><tr><td>730</td><td>790</td><td>830</td><td>890</td><td>960</td><td>1035</td><td>1120</td></tr><tr><td>750</td><td>810</td><td>850</td><td>910</td><td>980</td><td>1055</td><td>1140</td></tr><tr><td>700</td><td>760</td><td>800</td><td>860</td><td>930</td><td>1005</td><td>1090</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 600 | 660 | 700 | 760 | 830 | 905 | 990 | 670 | 730 | 770 | 830 | 900 | 975 | 1060 | 675 | 735 | 775 | 835 | 905 | 980 | 1065 | 695 | 755 | 795 | 855 | 925 | 1000 | 1085 | 730 | 790 | 830 | 890 | 960 | 1035 | 1120 | 750 | 810 | 850 | 910 | 980 | 1055 | 1140 | 700 | 760 | 800 | 860 | 930 | 1005 | 1090 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 40.5-48.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 22.5-25.5 COM: 1.9 YD WEIGHT: 43.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 660 | 700 | 760 | 830 | 905 | 990 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 730 | 770 | 830 | 900 | 975 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 735 | 775 | 835 | 905 | 980 | 1065 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 755 | 795 | 855 | 925 | 1000 | 1085 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 730 | 790 | 830 | 890 | 960 | 1035 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 810 | 850 | 910 | 980 | 1055 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 760 | 800 | 860 | 930 | 1005 | 1090 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1780 | M1 | HIGH-BACK MULTI-FUNCTION Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6-degrees | ARMLESS A1 A4 A5 A6 A7 A16 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>620</td><td>680</td><td>720</td><td>780</td><td>850</td><td>925</td><td>1010</td></tr><tr><td>690</td><td>750</td><td>790</td><td>850</td><td>920</td><td>995</td><td>1080</td></tr><tr><td>695</td><td>755</td><td>795</td><td>855</td><td>925</td><td>1000</td><td>1085</td></tr><tr><td>715</td><td>775</td><td>815</td><td>875</td><td>945</td><td>1020</td><td>1105</td></tr><tr><td>750</td><td>810</td><td>850</td><td>910</td><td>980</td><td>1055</td><td>1140</td></tr><tr><td>770</td><td>830</td><td>870</td><td>930</td><td>1000</td><td>1075</td><td>1160</td></tr><tr><td>720</td><td>780</td><td>820</td><td>880</td><td>950</td><td>1025</td><td>1110</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | A/COM | B | C | D | E | F | G | 620 | 680 | 720 | 780 | 850 | 925 | 1010 | 690 | 750 | 790 | 850 | 920 | 995 | 1080 | 695 | 755 | 795 | 855 | 925 | 1000 | 1085 | 715 | 775 | 815 | 875 | 945 | 1020 | 1105 | 750 | 810 | 850 | 910 | 980 | 1055 | 1140 | 770 | 830 | 870 | 930 | 1000 | 1075 | 1160 | 720 | 780 | 820 | 880 | 950 | 1025 | 1110 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Seat and back tilt as a unit• Floating seat position tilt lock• Infinite back angle adjust with free float• Seat pivots from 0° to 6° forward• Ratchet back height lumbar adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YD WEIGHT: 45.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 680 | 720 | 780 | 850 | 925 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 690 | 750 | 790 | 850 | 920 | 995 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 755 | 795 | 855 | 925 | 1000 | 1085 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 775 | 815 | 875 | 945 | 1020 | 1105 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 810 | 850 | 910 | 980 | 1055 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 830 | 870 | 930 | 1000 | 1075 | 1160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 780 | 820 | 880 | 950 | 1025 | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A1
\$70
Soft Touch Loop Arm

A4
\$75
Height Adjustable Arm

A5
\$95
Height/Width Adjustable Arm

A6
\$130
Height Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A7
\$150
Height/Width Adjustable Pivot/Slide Arm with Ura-Soft Sliding Arm Pads

A16
\$100
Soft Touch C-Shape Arm w/Upholstered Pad

C1
STD
50mm Hooded Casters

C1S
\$35
50mm Hooded Hard Floor Casters

C2S
\$35
50mm Hooded Self-Locking Hard Floor Casters

BT
\$15
Replace Knob with Bolt (For S2 and B2 Controls Only)

MF1
\$50
EF1
\$30
EF1 - 1" Extra Foam on Seat

EP
\$60
Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

SS
\$60
Seat Slider 2.5" Side Paddle Activated

BN1
\$35
BN2
\$N/C
Upholstered Outer Back in Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up

HD
\$125
Heavy Duty Multi-Shift Upgrade 350 lb. Includes BA2 Aluminum Base and C4 60mm Casters; Available with M1 and Y2 Configurations Only

logic plus

ergonomics, traditional task styling - an unbeatable value

HIGH-BACK

GSA SIN # 711-18

- Task seating
- Ratchet back height adjustment
- Warranted to 500 lbs.
- Seat slider standard
- Heavy duty 5 star base
- Heavy duty gas lift
- Heavy duty M2 control



CREATING LOGIC PLUS MODEL NUMBER



MODEL NUMBER **CONTROL** **ARMS** **GRADE** **BASE** **CASTERS** **PACKAGING** **OPTIONS**

1 7 9 0 - M 2 - A [] [] - [] - B A 1 H D - C [] [] - [] [] [] - [] [] []

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|--|---|--|-----------------------------|--|--|---|
| 1790  | M2  | HIGH-BACK HEAVY DUTY MULTI-FUNCTION Use for a variety of general office seating, including private office and conference room seating | ARMLESS A5 A90 A37 | A/COM B C D E F G 825 930 1000 1105 1225 1360 1505 920 1025 1095 1200 1320 1455 1600 1025 1130 1200 1305 1425 1560 1705 950 1055 1125 1230 1350 1485 1630 SEAT SLIDER (SS) - STANDARD | Heavy duty pneumatic seat height adjustment Tilt tension control Back and seat tilt as unit Floating seat position tilt lock Infinite back angle adjust with free float Seat pivots up to 6-degrees forward w/ adjustable front tilt stop Built-in seat slider Ratchet back height lumbar adj. 26" diameter 5 star base Warranted to 500 lbs. | WIDTH: 30.0-33.0 DEPTH: 28.0 HEIGHT: 43.5-52.0 SEAT WIDTH: 25.0 SEAT DEPTH: 17.0-20.0 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 23.5 BACK HEIGHT: 26.5-30.5 COM: 3.3 YD WEIGHT: 65.0 LB |
| | | | | | | |
| | | | | | | |
| | | | | | | |

ARM OPTIONS



Height/Width Adjustable Arm



Height Adjustable
Breakaway Arm




Height/Width Adjustable
Pivot/Slide Arm

BASE OPTIONS




26" Heavy Duty Nylon
Base – Black


CASTER OPTIONS



60mm Hoodless Casters




50mm Hooded Hard
Floor Casters




50mm Hooded Self-Locking
Hard Floor Casters


ADDITIONAL OPTIONS




Upholstered Outer Back in
Black Ballistic Nylon
BN1 - with Grade A ONLY
BN2 - with Grade B and Up



Ballistic Nylon Applied
Over a Portion of the Lower
Backrest Surface



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat



Edge Protector - a Clear Vinyl Tube Placed Around the Edge of the Back Cushion

luna

high design meets supreme ergonomics

NEW

MESH BACK

GSA SIN # 711-18 Pending

- Task, stool, conference and collaborative seating
- Sleek contemporary design
- Aluminum accents standard
- Fully ergonomic and stylish design at a budget conscious price
- Seat slider standard
- Height adjustable lumbar available
- Choice of two plastic colors - dove gray and black
- 8 breathable mesh colors
- Warranted up to 300 lbs



CREATING LUNA MODEL NUMBER

MODEL NUMBERCONTROLARMSPLASTIC COLORMESH COLORGRADEBASECASTERSPACKAGINGOPTIONS

346- A4-P-M2-B A-C

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------|--|---------------------------------------|---|----------|------------|-----|-----|-----|---|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3460 | Y1 | SIMPLE SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS A42B/G A43B/G A45B/G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>475</td><td>505</td><td>525</td><td>555</td><td>590</td><td>630</td><td>670</td><td>515</td><td>545</td><td>595</td></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td><td>570</td><td>600</td><td>650</td></tr><tr><td>530</td><td>560</td><td>580</td><td>610</td><td>645</td><td>685</td><td>725</td><td>570</td><td>600</td><td>650</td></tr><tr><td>540</td><td>570</td><td>590</td><td>620</td><td>655</td><td>695</td><td>735</td><td>580</td><td>610</td><td>660</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 475 | 505 | 525 | 555 | 590 | 630 | 670 | 515 | 545 | 595 | 530 | 560 | 580 | 610 | 645 | 685 | 725 | 570 | 600 | 650 | 530 | 560 | 580 | 610 | 645 | 685 | 725 | 570 | 600 | 650 | 540 | 570 | 590 | 620 | 655 | 695 | 735 | 580 | 610 | 660 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Seat slider standard• Height adjustable lumbar available• Molded foam seat• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 27.0 HEIGHT: 40-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16-19 SEAT HEIGHT: 16-20.5 BACK WIDTH: 21.0 BACK HEIGHT: 24.0 COM: 0.9 YD WEIGHT: 41 LBS |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 475 | 505 | 525 | 555 | 590 | 630 | 670 | 515 | 545 | 595 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | 570 | 600 | 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 560 | 580 | 610 | 645 | 685 | 725 | 570 | 600 | 650 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 540 | 570 | 590 | 620 | 655 | 695 | 735 | 580 | 610 | 660 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3460 | Y3 | FULL SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS A42B/G A43B/G A45B/G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>495</td><td>525</td><td>545</td><td>575</td><td>610</td><td>650</td><td>690</td><td>535</td><td>565</td><td>615</td></tr><tr><td>550</td><td>580</td><td>600</td><td>630</td><td>665</td><td>705</td><td>745</td><td>590</td><td>620</td><td>670</td></tr><tr><td>550</td><td>580</td><td>600</td><td>630</td><td>665</td><td>705</td><td>745</td><td>590</td><td>620</td><td>670</td></tr><tr><td>560</td><td>590</td><td>610</td><td>640</td><td>675</td><td>715</td><td>755</td><td>600</td><td>630</td><td>680</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 495 | 525 | 545 | 575 | 610 | 650 | 690 | 535 | 565 | 615 | 550 | 580 | 600 | 630 | 665 | 705 | 745 | 590 | 620 | 670 | 550 | 580 | 600 | 630 | 665 | 705 | 745 | 590 | 620 | 670 | 560 | 590 | 610 | 640 | 675 | 715 | 755 | 600 | 630 | 680 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Seat slider standard• Height adjustable lumbar available• Molded foam seat• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 27.0 HEIGHT: 40-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16-19 SEAT HEIGHT: 16-20.5 BACK WIDTH: 21.0 BACK HEIGHT: 24.0 COM: 0.9 YD WEIGHT: 43 LBS |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 525 | 545 | 575 | 610 | 650 | 690 | 535 | 565 | 615 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 580 | 600 | 630 | 665 | 705 | 745 | 590 | 620 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 580 | 600 | 630 | 665 | 705 | 745 | 590 | 620 | 670 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 590 | 610 | 640 | 675 | 715 | 755 | 600 | 630 | 680 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3460 | W1 | WEIGHT BALANCED SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS A42B/G A43B/G A45B/G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>515</td><td>545</td><td>565</td><td>595</td><td>630</td><td>670</td><td>710</td><td>555</td><td>585</td><td>635</td></tr><tr><td>570</td><td>600</td><td>620</td><td>650</td><td>685</td><td>725</td><td>765</td><td>610</td><td>640</td><td>690</td></tr><tr><td>570</td><td>600</td><td>620</td><td>650</td><td>685</td><td>725</td><td>765</td><td>610</td><td>640</td><td>690</td></tr><tr><td>580</td><td>610</td><td>630</td><td>660</td><td>695</td><td>735</td><td>775</td><td>620</td><td>650</td><td>700</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 515 | 545 | 565 | 595 | 630 | 670 | 710 | 555 | 585 | 635 | 570 | 600 | 620 | 650 | 685 | 725 | 765 | 610 | 640 | 690 | 570 | 600 | 620 | 650 | 685 | 725 | 765 | 610 | 640 | 690 | 580 | 610 | 630 | 660 | 695 | 735 | 775 | 620 | 650 | 700 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Weight balanced synchro• Back and seat tilt in 3:1 ratio• 2 position tilt lock• Seat slider standard• Height adjustable lumbar available• Molded foam seat• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 27.0 HEIGHT: 40-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16-19 SEAT HEIGHT: 16-20.5 BACK WIDTH: 21.0 BACK HEIGHT: 24.0 COM: 0.9 YD WEIGHT: 41 LBS |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 515 | 545 | 565 | 595 | 630 | 670 | 710 | 555 | 585 | 635 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 600 | 620 | 650 | 685 | 725 | 765 | 610 | 640 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 600 | 620 | 650 | 685 | 725 | 765 | 610 | 640 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 610 | 630 | 660 | 695 | 735 | 775 | 620 | 650 | 700 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3460 | W2 | ADVANCED WEIGHT BALANCED SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS A42B/G A43B/G A45B/G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>535</td><td>565</td><td>585</td><td>615</td><td>650</td><td>690</td><td>730</td><td>575</td><td>605</td><td>655</td></tr><tr><td>590</td><td>620</td><td>640</td><td>670</td><td>705</td><td>745</td><td>785</td><td>630</td><td>660</td><td>710</td></tr><tr><td>590</td><td>620</td><td>640</td><td>670</td><td>705</td><td>745</td><td>785</td><td>630</td><td>660</td><td>710</td></tr><tr><td>600</td><td>630</td><td>650</td><td>680</td><td>715</td><td>755</td><td>795</td><td>640</td><td>670</td><td>720</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 535 | 565 | 585 | 615 | 650 | 690 | 730 | 575 | 605 | 655 | 590 | 620 | 640 | 670 | 705 | 745 | 785 | 630 | 660 | 710 | 590 | 620 | 640 | 670 | 705 | 745 | 785 | 630 | 660 | 710 | 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Weight balance synchro with 2 position body-type adjustment• Back and seat tilt in 3:1 ratio• 4 back recline limit positions• Seat slider standard• Height adjustable lumbar available• Molded foam seat• Warranted to 300 lbs. | WIDTH: 27.0 DEPTH: 27.0 HEIGHT: 40-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16-19 SEAT HEIGHT: 16-20.5 BACK WIDTH: 21.0 BACK HEIGHT: 24.0 COM: 0.9 YD WEIGHT: 40 LBS |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 565 | 585 | 615 | 650 | 690 | 730 | 575 | 605 | 655 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 620 | 640 | 670 | 705 | 745 | 785 | 630 | 660 | 710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 620 | 640 | 670 | 705 | 745 | 785 | 630 | 660 | 710 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Nylon Loop Arm-Black/Gray

A42B/G
\$55



Fixed Arm-Black/Gray

A43B/G
\$55




4-way Height Adjustable Arm-Black/Gray

A45B/G
\$65




60mm Hoodless Casters

C6
STD



60mm Hoodless Hard Floor Casters

C6S
\$35



60mm Hoodless Chrome Accented Casters

C7
\$35



27" Mid-Profile Nylon Base - Black

BA11B
STD



27" Mid-Profile Nylon Base - Gray

BA11G
STD




27" Mid-Profile Aluminum Base - Polished

BA12P
\$100



60mm Hubless Black Casters

C22B
\$30



Height Adjustable Lumbar

LB
\$30



60mm Hubless Gray Casters

C22G
\$30

PLASTIC COLORS

| | |
|---------------------|--------------|
| DOVE GRAY PDG | BLACK PBK |
|---------------------|--------------|

(BACK FRAME AND SEAT)
* A45B/G matches plastic color selected

MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

luna

9to5
seating

9to5seating.com
888.925.SEAT

luna

high design meets supreme ergonomics

GSA SIN # 711-18 Pending

- Task, stool, conference and collaborative seating
- Sleek contemporary design
- Aluminum accents standard
- Fully ergonomic and stylish design at a budget conscious price
- Seat slider standard
- Height adjustable lumbar available
- Choice of two plastic colors -dove gray and black
- 8 breathable mesh colors
- Warranted up to 300 lbs



NEW MESH BACK STOOL & UPHOLSTERED SEAT

CREATING LUNA MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR MESH COLOR GRADE BASE CASTERS PACKAGING OPTIONS

3 **4** **6** - - **A** **4** - **P** - **M** **2** - - **B** **A** - **C** - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---------|--|--|---|----------|------------|-----|-----|-----|---|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3466 | Y1 | <div><div>10" STOOL SIMPLE SYNCHRO</div><div>Use for work surfaces up to 42 inches</div></div> | <div>ARMLESS</div> <div>A42B/G</div> <div>A43B/G</div> <div>A45B/G</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>600</td><td>630</td><td>650</td><td>680</td><td>715</td><td>755</td><td>795</td><td>640</td><td>670</td><td>720</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>725</td><td>775</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>725</td><td>775</td></tr><tr><td>665</td><td>695</td><td>715</td><td>745</td><td>780</td><td>820</td><td>860</td><td>705</td><td>735</td><td>785</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 705 | 735 | 785 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seattilt in 3:1 ratioUpright position tilt lockSeat slider standardHeight adjustable lumbar availableMolded foam seatHeight adj. 20" diameter footringWarranted to 300 lbs. | <div><div>WIDTH: 27.0</div><div>DEPTH: 27.0</div><div>HEIGHT: 50-60</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 16-19</div><div>SEAT HEIGHT: 26.0-36.0</div><div>BACK WIDTH: 21.0</div><div>BACK HEIGHT: 24.0</div><div>COM: 2.3 YD</div><div>WEIGHT: 47 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 695 | 715 | 745 | 780 | 820 | 860 | 705 | 735 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NEW MODEL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3468 | Y1 | <div><div>8" STOOL SIMPLE SYNCHRO</div><div>Use for work surfaces up to 36 inches</div></div> | <div>ARMLESS</div> <div>A42B/G</div> <div>A43B/G</div> <div>A45B/G</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>600</td><td>630</td><td>650</td><td>680</td><td>715</td><td>755</td><td>795</td><td>640</td><td>670</td><td>720</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>725</td><td>775</td></tr><tr><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>695</td><td>725</td><td>775</td></tr><tr><td>665</td><td>695</td><td>715</td><td>745</td><td>780</td><td>820</td><td>860</td><td>705</td><td>735</td><td>785</td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 705 | 735 | 785 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockSeat slider standardHeight adjustable lumbar availableMolded foam seatHeight adj. 20" diameter footringWarranted to 300 lbs. | <div><div>WIDTH: 27.0</div><div>DEPTH: 27.0</div><div>HEIGHT: 45.0-53.0</div><div>SEAT WIDTH: 20.0</div><div>SEAT DEPTH: 16-19</div><div>SEAT HEIGHT: 22.0-30.0</div><div>BACK WIDTH: 21.0</div><div>BACK HEIGHT: 24.0</div><div>COM: 2.3 YD</div><div>WEIGHT: 46 LB</div></div> |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 630 | 650 | 680 | 715 | 755 | 795 | 640 | 670 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 685 | 705 | 735 | 770 | 810 | 850 | 695 | 725 | 775 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 695 | 715 | 745 | 780 | 820 | 860 | 705 | 735 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Nylon Loop Arm-Black/Gray





Fixed Arm-Black/Gray




60mm Hoodless Casters



4-way Height Adjustable
Arm-Black/Gray

60mm Hoodless
Hard Floor Caster


60mm Hoodless Chrome
Accented Casters




27" Mid-Profile Nylon
Base - Black




27" Mid-Profile Nylon
Base - Gray




27" Mid-Profile Aluminum
Base - Polished



60mm Black Hubless
Casters



Optional Lumbar



60mm Hubless Gray Casters

PLASTIC COLORS

| | |
|---------------------|--------------|
| DOVE GRAY PDG | BLACK PBK |
|---------------------|--------------|

(BACK FRAME AND SEAT)
* A45B/G matches plastic color selected

MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

mimi

style, flexibility and versatility

NEW

ALL PLASTIC - AP

GSA SIN # 711-19 Pending

- Stacking chair for ideal training, collaboration meeting spaces
- Modern design with contoured shape that offers comfort
- Subtle flex back movement with pelvic support
- Broad collection including sled and 4 leg models
- Easy to grip edge that doubles as a pull handle
- 12 plastic colors
- Two frame colors that coordinate with arm pads and glides colors
- Warranted to 300 lbs.







CREATING MIMI MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR PACKAGING OPTIONS

1 0 - G T - F - A P - - - - -

PACKAGING NOTES


SHIPS 3 TO A CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS |
|---|---------|---|-----|--|---|---|
| <div>NEW MODEL</div> <div>1030</div> <div>GT</div> <div></div> | | <div>SLED GUEST STACKING</div> <div>Armless sled shape frame with plastic back and seat</div> | | <div>P</div> <div>175</div> <div></div> | <ul style="list-style-type: none">Stacks up to 12 on floorStacks up to 40 on optional dollySubtle flex back movement with pelvic support12 plastic colorsWarranted up to 300 lbs. | <div>WIDTH: 21.5</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.5</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 18.5</div> <div>WEIGHT: 17.0 LB</div> |
| <div>NEW MODEL</div> <div>1040</div> <div>GT</div> <div></div> | | <div>SLED GUEST STACKING</div> <div>Standard with armrests. Sled shape frame with plastic back and seat</div> | | <div>P</div> <div>220</div> <div></div> | <ul style="list-style-type: none">Stacks up to 12 on floorStacks up to 40 on optional dollySubtle flex back movement with pelvic support12 plastic colorsAll models come in two frame colors that coordinate with arm pads colorsWarranted up to 300 lbs. <div><i>*Black arm pads with black frame color and gray arm pads with silver frame color</i></div> | <div>WIDTH: 26.0</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.5</div> <div>SEAT DEPTH: 15.75</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 18.5</div> <div>WEIGHT: 19.0 LB</div> |
| | | | | | | |
| | | | | | | |


ADDITIONAL OPTIONS




Stacking Dolly
Stacks Up to 40 High
(For Sled Base)



Ganging Clip - 4 per Set
Armless Only. 2" Between
Chairs When Ganged (For
Sled Models)



Sled Base Clear
Plastic Glide



Sled Base Clear Plastic
Glide with Felt Pad

FRAME COLORS

| | |
|-------------|--------------|
| BLACK BF | SILVER SF |
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK AND SEAT)

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

mimi

style, flexibility and versatility

NEW ALL PLASTIC - AP

GSA SIN # 711-19 Pending

- Stacking chair for ideal training, collaboration and meeting spaces
- Modern design with contoured shape that offers comfort
- Subtle flex back movement with pelvic support
- Broad collection including sled and 4 leg models
- Easy to grip edge that doubles as a pull handle
- 12 plastic colors
- Two frame colors that coordinate with arm pads and glides colors
- Warranted to 300 lbs.



CREATING MIMI MODEL NUMBER

| MODEL NUMBER | CONTROL | FRAME COLOR | UPHOLSTERY | PLASTIC COLOR | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|-------------|------------|---------------|---------|-----------|---------|
| 10 | GT | F | AP | | C | | |

PACKAGING NOTES

SHIPS 3 TO A CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | PLASTIC | FEATURES | DIMENSIONS |
|---|---------|--|-----|-----------------------------|--|--|
| <div>NEW MODEL</div> <div>1050</div> <div></div> | GT | <div>4 LEG GUEST STACKING</div> <div>Armless 4 leg frame with plastic back and seat</div> | | <div>P</div> <div>175</div> | <ul style="list-style-type: none">• Stacks up to 6 on floor• Stacks up to 12 on optional dolly• Subtle flex back movement with pelvic support• 12 plastic colors• All models come in two frame colors that coordinate with glide colors• Warranted up to 300 lbs. <div><i>*Black glides with black frame color and gray glides with silver frame color</i></div> | <div>WIDTH: 20.5</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>WEIGHT: 16.0 LB</div> |
| <div>NEW MODEL</div> <div>1051</div> <div></div> | GT | <div>4 LEG GUEST STACKING</div> <div>Standard with armrests. 4 leg frame with plastic back and seat</div> | | <div>P</div> <div>220</div> | <ul style="list-style-type: none">• Stacks up to 6 on floor• Stacks up to 12 on optional dolly• Subtle flex back movement with pelvic support• 12 plastic colors• All models come in two frame colors that coordinate with arms pads and glides colors• Warranted up to 300 lbs. <div><i>*Black arm pads and glides with black frame color and gray arm pads and glides with silver frame color</i></div> | <div>WIDTH: 23.7</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>WEIGHT: 17.5 LB</div> |
| <div>NEW MODEL</div> <div>1054</div> <div></div> | GT | <div>4 LEG GUEST STACKING WITH CASTERS</div> <div>Armless 4 leg frame with plastic back and seat</div> | | <div>P</div> <div>220</div> | <ul style="list-style-type: none">• Stacks up to 6 on floor• Stacks up to 12 on optional dolly• Subtle flex back movement with pelvic support• 12 plastic colors• Warranted to 300 lbs. | <div>WIDTH: 20.5</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>WEIGHT: 16.0 LB</div> |
| <div>NEW MODEL</div> <div>1055</div> <div></div> | GT | <div>4 LEG GUEST STACKING WITH CASTERS</div> <div>Standard with armrests. 4 leg frame with plastic back and seat</div> | | <div>P</div> <div>265</div> | <ul style="list-style-type: none">• Stacks up to 6 on floor• Stacks up to 12 on optional dolly• Subtle flex back movement with pelvic support• 12 plastic colors• All models come in two frame finishes that coordinate with arms pads colors• Warranted to 300 lbs. <div><i>*Black arm pads with black frame color and gray arm pads with silver frame color</i></div> | <div>WIDTH: 23.7</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>WEIGHT: 17.5 LB</div> |


ADDITIONAL OPTIONS



DL4
\$250


Stacking Dolly
Stacks Up to 12 High
(For 4 Leg Models)

CASTER OPTIONS



C12
STD

50mm Hoodless Casters



C5S
\$30

50mm Hooded
Hard Floor Casters

FRAME COLORS

| | |
|-------------|--------------|
| BLACK BF | SILVER SF |
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK AND SEAT)

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

mimi

style, flexibility and versatility

GSA SIN # 711-19 Pending

- Stacking chair for ideal training, collaboration and meeting spaces
- Modern design with contoured shape that offers comfort
- Subtle flex back movement with pelvic support
- Broad collection including sled and 4 leg models
- Easy to grip edge that doubles as a pull handle
- 12 plastic colors
- Two frame colors that coordinate with arm pads and glides colors
- Warranted to 300 lbs.



CREATING MIMI MODEL NUMBER

MODEL NUMBERCONTROLFRAME COLORUPHOLSTERYPACKAGINGOPTIONS


10--GT--F--US--

PACKAGING NOTES

SHIPS 3 TO A CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---|-----|---|----------|------------|---|---|---|---|---|--|--|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NEW MODEL 1030 | GT | <div>SLED GUEST STACKING</div> <div>Armless sled shape frame with plastic back and upholstered seat</div> | | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>235</td><td>260</td><td>275</td><td>300</td><td>325</td><td>355</td><td>385</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 235 | 260 | 275 | 300 | 325 | 355 | 385 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 12 on floorStacks up to 40 on optional dollySubtle flex back movement with pelvic support12 plastic colorsWarranted up to 300 lbs. | <div>WIDTH: 21.5</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.5</div> <div>SEAT DEPTH: 16.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 19.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 235 | 260 | 275 | 300 | 325 | 355 | 385 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NEW MODEL 1040 | GT | <div>SLED GUEST STACKING</div> <div>Standard with armrests. 4 leg frame with plastic back and seat</div> | | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th></tr><tr><td>280</td><td>305</td><td>320</td><td>345</td><td>370</td><td>400</td><td>430</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | 280 | 305 | 320 | 345 | 370 | 400 | 430 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 12 on floorStacks up to 40 on optional dollySubtle flex back movement with pelvic support12 plastic colorsAll models come in two frame colors that coordinate with arm pads colorsWarranted up to 300 lbs. <div><div><i>*Black arm pads with black frame color and gray arm pads with silver frame color</i></div></div> | <div>WIDTH: 26.0</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.5</div> <div>SEAT DEPTH: 15.75</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 18.5</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 21.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280 | 305 | 320 | 345 | 370 | 400 | 430 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


ADDITIONAL OPTIONS



DL4

\$250


Stacking Dolly
Stacks Up to 40 High
(For Sled Base)



GC5

\$25


Ganging Clip - 4 per Set
Armless Only. 2" Between
Chairs When Ganged (For
Sled Models)



G16

\$15

Sled Base Clear
Plastic Glide



G17

\$25

Sled Base Clear Plastic
Glide with Felt Pad

FRAME COLORS

| | |
|-------------|--------------|
| BLACK BF | SILVER SF |
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK AND SEAT)

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

mimi

style, flexibility and versatility

NEW

UPHOLSTERED SEAT - US

GSA SIN # 711-19 Pending

- Stacking chair for ideal training, collaboration and meeting spaces
- Modern design with contoured shape that offers comfort
- Subtle flex back movement with pelvic support
- Broad collection including sled and 4 leg models
- Easy to grip edge that doubles as a pull handle
- 12 plastic colors
- Two frame colors that coordinate with arm pads and glides colors
- Warranted to 300 lbs.











CREATING MIMI MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR CASTERS PACKAGING OPTIONS

1 0 - G T - F - U S - C - - - -

PACKAGING NOTES

SHIPS 3 TO A CARTON

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------|--|-----|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| <div>NEW MODEL</div> <div>1050</div> <div>GT</div> <div></div> | | <div>4 LEG GUEST STACKING</div> <div>Armless 4 leg frame with plastic back and upholstered seat</div> | | <table><thead><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr></thead><tbody><tr><td>235</td><td>260</td><td>275</td><td>300</td><td>325</td><td>355</td><td>385</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> | A/COM | B | C | D | E | F | G | 235 | 260 | 275 | 300 | 325 | 355 | 385 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 6 on floorStacks up to 12 on optional dollySubtle flex back movement with pelvic support12 plastic colorsAll models come in two frame colors that coordinate with glide colorsWarranted up to 300 lbs. <div><i>*Black glides with black frame color and gray glides with silver frame color</i></div> | <div>WIDTH: 20.5</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 18.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 235 | 260 | 275 | 300 | 325 | 355 | 385 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>NEW MODEL</div> <div>1051</div> <div>GT</div> <div></div> | | <div>4 LEG GUEST STACKING</div> <div>Standard with armrests. 4 leg frame with plastic back and seat</div> | | <table><thead><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr></thead><tbody><tr><td>280</td><td>305</td><td>320</td><td>345</td><td>370</td><td>400</td><td>430</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> | A/COM | B | C | D | E | F | G | 280 | 305 | 320 | 345 | 370 | 400 | 430 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 6 on floorStacks up to 12 on optional dollySubtle flex back movement with pelvic support12 plastic colorsAll models come in two frame colors that coordinate with arms pads and glides colorsWarranted up to 300 lbs. <div><i>*Black arm pads and glides with black frame color and gray arm pads and glides with silver frame color</i></div> | <div>WIDTH: 23.7</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 19.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 280 | 305 | 320 | 345 | 370 | 400 | 430 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>NEW MODEL</div> <div>1054</div> <div>GT</div> <div></div> | | <div>4 LEG GUEST STACKING WITH CASTERS</div> <div>Armless 4 leg frame with plastic back and upholstered seat</div> | | <table><thead><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr></thead><tbody><tr><td>325</td><td>350</td><td>365</td><td>390</td><td>415</td><td>445</td><td>475</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> | A/COM | B | C | D | E | F | G | 325 | 350 | 365 | 390 | 415 | 445 | 475 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 6 on floorStacks up to 12 on optional dollySubtle flex back movement with pelvic support12 plastic colorsWarranted up to 300 lbs. | <div>WIDTH: 20.5</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 18.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 325 | 350 | 365 | 390 | 415 | 445 | 475 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div>NEW MODEL</div> <div>1055</div> <div>GT</div> <div></div> | | <div>4 LEG GUEST STACKING WITH CASTERS</div> <div>Standard with armrests. 4 leg frame with plastic back and seat</div> | | <table><thead><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr></thead><tbody><tr><td>370</td><td>395</td><td>410</td><td>435</td><td>460</td><td>490</td><td>520</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> | A/COM | B | C | D | E | F | G | 370 | 395 | 410 | 435 | 460 | 490 | 520 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Stacks up to 6 on floorStacks up to 12 on optional dollySubtle flex back movement with pelvic support12 plastic colorsAll models come in two frame colors that coordinate with arm pads colorsWarranted up to 300 lbs. <div><i>*Black arm pads with black frame color and gray arm pads with silver frame color</i></div> | <div>WIDTH: 23.7</div> <div>DEPTH: 22.0</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 18.3</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17.8</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 17.0</div> <div>COM: 0.7 YD</div> <div>WEIGHT: 19.5 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 370 | 395 | 410 | 435 | 460 | 490 | 520 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


ACCESSORIES



DL4
\$250


Stacking Dolly
Stacks Up to 12 High
(For 4 Leg Models)

CASTER OPTIONS



C12
STD

50mm Hoodless Casters



C5S
\$30

50mm Hooded
Hard Floor Casters

FRAME COLORS

| | |
|-------------|--------------|
| BLACK BF | SILVER SF |
|-------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|------------------------|----------------------------|------------------------|----------------------|
| BLACK SWAN P01 | WHITE WHISPER P05 | FEDERAL BLUE P11 | CRIMSON RED P12 | LEMON YELLOW P13 | DOVE GRAY P14 |
| CLOUD GRAY P15 | LAGOON BLUE P16 | APPLE GREEN P17 | TANGERINE ORANGE P18 | LATTE P19 | AZURE BLUE P20 |

(BACK AND SEAT)

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

NEW MESH BACK

neo
the new way to work

GSA SIN # 711-18 Pending

- Task, stool, conference and collaborative seating
- Simple, clean design lines
- Adjustable lumbar and seat slider standard
- Pull handle for easy mobility in collaborative spaces
- Choice of two plastic colors-white and graphite gray
- Warranted to 300 lbs.









CREATING NEO MODEL NUMBER

MODEL NUMBER CONTROL PLASTIC COLOR ARM GRADE BASE NUMBER CASTERS PACKAGING OPTIONS

3 1 6 - - P - A - - B A - C - - -

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|---|---|---|---------|---|--|------------------------|
| NEW MODEL | | | | | | |
| 3160 | Y1 | SIMPLE SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS | A/COM B C D E F G L3/COL L4 L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 Ratio• Upright position tilt lock• Seat slider standard• Adjustable lumbar standard• Molded seat foam• Warranted to 300 lbs. | WIDTH: 26.0 |
|  |  | | A46G/W | 375 405 425 455 490 530 570 415 455 515 | | DEPTH: 26.0 |
| | | | A23G/W | 430 460 480 510 545 585 625 470 510 570 | | HEIGHT: 37.5-42.0 |
| | | | | 450 480 500 530 565 605 645 490 530 590 | | SEAT WIDTH: 20.0 |
| | | | | | | SEAT DEPTH: 17.5-20.0 |
| | | | | | | SEAT HEIGHT: 17.0-21.5 |
| | | | | BACK WIDTH: 18.0 | BACK HEIGHT: 21.0 | COM: 1 YD |
| | | | | | | WEIGHT: 35.0 LB |
| NEW MODEL | | | | | | |
| 3160 | Y3 | FULL SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS | A/COM B C D E F G L3/COL L4 L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 Ratio• 3 locking positions• Safety tilt release• Seat slider standard• Adjustable lumbar standard• Molded foam seat• Warranted to 300 lbs. | WIDTH: 17.5-22.0 |
|  |  | | A46G/W | 395 425 445 475 510 550 590 435 475 535 | | DEPTH: 28.0 |
| | | | A23G/W | 450 480 500 530 565 605 645 525 565 625 | | HEIGHT: 37.5-42.0 |
| | | | | 470 500 520 550 585 625 665 565 605 665 | | SEAT WIDTH: 20.0 |
| | | | | | | SEAT DEPTH: 17.5-20.0 |
| | | | | | | SEAT HEIGHT: 17.0-21.5 |
| | | | | BACK WIDTH: 18.0 | BACK HEIGHT: 21.0 | COM: 1 YD |
| | | | | | | WEIGHT: 38.0 LB |
| NEW MODEL | | | | | | |
| 3160 | W1 | WEIGHT BALANCED SYNCHRO Use for a variety of general office task seating, including private office and conference seating | ARMLESS | A/COM B C D E F G L3/COL L4 L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 Ratio• 3 locking positions• Safety tilt release• Seat slider standard• Adjustable lumbar standard• Molded foam seat• Warranted to 300 lbs. | WIDTH: 17.5-22.0 |
|  |  | | A46G/W | 415 445 465 495 530 570 610 455 495 555 | | DEPTH: 28.0 |
| | | | A23G/W | 470 500 520 550 585 625 665 580 620 680 | | HEIGHT: 37.5-42.0 |
| | | | | 490 520 540 570 605 645 685 640 680 740 | | SEAT WIDTH: 20.0 |
| | | | | | | SEAT DEPTH: 17.5-20.0 |
| | | | | | | SEAT HEIGHT: 17.0-21.5 |
| | | | | BACK WIDTH: 18.0 | BACK HEIGHT: 21.0 | COM: 1 YD |
| | | | | | | WEIGHT: 36.0 LB |

ARM OPTIONS



A23G/W
\$75

6-way Height Adjustable Arm with Sliding Pad-Gray/White



A46G/W
\$55

Nylon Loop Arm-Gray/White

BASE OPTIONS



BA9G
STD

26" High-Profile Nylon Base - Gray



BA9W
STD


26" High-Profile Nylon Base - White



BA10P
\$100

26" High-Profile Aluminum Base - Polished

CASTER OPTIONS




C6
STD

60mm Hoodless Casters



C6S
\$35

60mm Hoodless Hard Floor Casters



C7
\$35

60mm Hoodless Chrome Accented Casters

PLASTIC AND MESH COLORS

| | |
|-------------------------|---------------------|
| GRAPHITE GRAY PGG | GRAY MESH M32 |
|-------------------------|---------------------|

(BACK FRAME AND SEAT)

* A23G/W matches plastic color selected

| | |
|--------------|----------------------|
| WHITE PWH | WHITE MESH M33 |
|--------------|----------------------|

(BACK FRAME AND SEAT)

neo

the new way to work

NEW

MESH BACK STOOLS

GSA SIN # 711-18 Pending

- Task, stool, conference and collaborative seating
- Simple, clean design lines
- Adjustable lumbar and seat slider standard
- Pull handle for easy mobility in collaborative spaces
- Choice of two plastic colors-white and graphite gray
- Warranted to 300 lbs.



CREATING NEO MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR ARM GRADE BASE CASTERS PACKAGING OPTIONS

3 1 6 - - **P** - - **A** - - - **B A** - - **C** - - - -

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

[illegible]

shuttle

the ultimate utility chair

PLASTIC SEAT

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- All mesh styles available M1, M2, M3
- Wall saver design on model 1210 and 1260
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| MODEL NUMBER | | | | CONTROL | | ARMS | | | FRAME COLOR | | | UPHOLSTERY | | MESH COLOR | | PLASTIC COLOR | | | CASTERS | | PACKAGING | | | OPTIONS | |
|--|---|--|--|---------|---|------|---|--|-------------|--|--|------------|--|------------|--|---------------|---|--|---------|---|-----------|--|--|---------|--|
| 1 | 2 | | | G | T | | A | | | | | | | M | | | P | | | C | | | | | |
| <small>* FOR ARMLESS CODE USE A00</small> <small>* ONLY SELECT CASTER CODE FOR MODEL 1215, 1265</small> | | | | | | | | | | | | | | | | | | | | | | | | | |

PACKAGING NOTES

SHUTTLE SIDE CHAIRS SHIP UP TO 3 PER CARTON (WITH TLF/TRF UP TO 2 PER CARTON)

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|---|--|--|--|--|
| 1210 | GT | <div><div></div><div></div></div> <div>GUEST STACKING</div> <div>Plastic back with plastic seat</div> | | ARMLESS A18B A18G TLF/TRF | P 245 290 290 395 | <ul style="list-style-type: none">• Non-marring floor glides• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Warranted to 300 lbs. | <div><div>ARMLESS</div><div>W/ ARMS</div><div>WIDTH: 22.0 25.5</div><div>DEPTH: 25.0 25.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 19.5 19.5</div><div>SEAT DEPTH: 17.0 17.0</div><div>SEAT HEIGHT: 17.0 17.0</div><div>BACK WIDTH: 20.0 20.0</div><div>BACK HEIGHT: 16.0 16.0</div><div>COM: N/A N/A</div><div>WEIGHT: 17.0 LB 20.0 LB</div></div> |
| 1215 | GT | <div><div></div><div></div></div> <div>GUEST STACKING WITH CASTERS</div> <div>Plastic back with plastic seat</div> | | ARMLESS A18B A18G | P 290 335 335 | <ul style="list-style-type: none">• 50mm hooded casters• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Warranted to 300 lbs. | <div><div>WIDTH: 22.0 25.5</div><div>DEPTH: 25.0 25.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 19.5 19.5</div><div>SEAT DEPTH: 17.0 17.0</div><div>SEAT HEIGHT: 17.0 17.0</div><div>BACK WIDTH: 20.0 20.0</div><div>BACK HEIGHT: 16.0 16.0</div><div>COM: N/A N/A</div><div>WEIGHT: 17.0 LB 20.0 LB</div></div> |
| 1260 | GT | <div><div></div><div></div></div> <div>GUEST STACKING</div> <div>Mesh back with plastic seat</div> | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | P 310 355 355 340 385 385 | <ul style="list-style-type: none">• All mesh styles available M1, M2, M3• Non-marring floor glides• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Warranted to 300 lbs. | <div><div>WIDTH: 22.0 25.5</div><div>DEPTH: 25.0 25.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 19.5 19.5</div><div>SEAT DEPTH: 17.0 17.0</div><div>SEAT HEIGHT: 17.0 17.0</div><div>BACK WIDTH: 20.0 20.0</div><div>BACK HEIGHT: 16.0 16.0</div><div>COM: N/A N/A</div><div>WEIGHT: 17.0 LB 20.0 LB</div></div> |
| 1265 | GT | <div><div></div><div></div></div> <div>GUEST STACKING WITH CASTERS</div> <div>Mesh back with plastic seat</div> | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | P 355 400 400 385 430 430 | <ul style="list-style-type: none">• All mesh styles available M1, M2, M3• 50mm hooded casters• Stacks 4 high on floor• Stacks 10 high on optional dolly• Wall saver back legs• Warranted to 300 lbs. | <div><div>WIDTH: 22.0 25.5</div><div>DEPTH: 25.0 25.0</div><div>HEIGHT: 33.0 33.0</div><div>SEAT WIDTH: 19.5 19.5</div><div>SEAT DEPTH: 17.0 17.0</div><div>SEAT HEIGHT: 17.0 17.0</div><div>BACK WIDTH: 20.0 20.0</div><div>BACK HEIGHT: 16.0 16.0</div><div>COM: N/A N/A</div><div>WEIGHT: 17.0 LB 20.0 LB</div></div> |

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

ARM OPTIONS

A18B

A18G

\$45

A18B - Soft Touch Arm - Black
A18G - Soft Touch Arm - Gray

TRF

\$150

Right Tablet Arm (Available with Black Frame Only)

TLF

\$150

Left Tablet Arm (Available with Black Frame Only)

CASTER OPTIONS

C5

STD

50mm Hooded Casters

C5S

\$30

50mm Hooded Hard Floor Casters

ADDITIONAL OPTIONS

G8

\$20

Self-Leveling Metal Glide

G9

G10

\$30

G9 - Self-Leveling VCT Glide
G10 - Self-Leveling Glide with Felt Pad

ACCESSORIES

DL1

\$250

Stacking Dolly
Stacks Chairs 10 High Four Legs Only

GC1

GC2

\$30

\$30

Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

| | | |
|------------------|--------------------|------------------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF |
| GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |

(FRAME)

MESH COLORS*

| | | |
|--------------|-------------|---------------|
| BLACK M11 | GRAY M12 | SILVER M13 |
| GREEN M14 | RED M15 | BLUE M16 |

*MESH M2/M3 ALSO AVAILABLE

PLASTIC COLORS

| | | | |
|----------------------------|----------------------------|------------------------|----------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 |
| WHITE WHISPER P05 | BOULDER GRAY P06 | DOVER SKY P07 | ESSEX BLUE P08 |
| PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK & SEAT)

shuttle

the ultimate utility chair

ALL PLASTIC - AP

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- 11 plastic colors and 6 frame finishes
- Wall saver design on model 1210 and 1260
- Three stool seat height options
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| MODEL NUMBER | | | | CONTROL | | | ARMS | | | FRAME COLOR | | | UPHOLSTERY | | PLASTIC COLOR | | PACKAGING | | | OPTIONS | | |
|---|---|---|---|---------|---|--|------|---|--|-------------|--|--|------------|---|---------------|---|-----------|--|--|---------|--|--|
| 1 | 2 | 1 | 0 | S | T | | | A | | | | | | A | P | P | | | | | | |
| <small>* FOR ARMLESS CODE USE A00</small> | | | | | | | | | | | | | | | | | | | | | | |

PACKAGING NOTES

SHUTTLE STOOLS SHIP UP TO 1 PER CARTON

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|------|--|---|---|--|
| 1210 | ST24 | <div><div>24" COUNTER STOOL</div><div>Plastic back and seat. Use for work surfaces up to 34 inches high</div></div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <div>P</div> <div>375</div> <div>420</div> <div>420</div> | <div><div>• Counter height stool</div><div>• Non-marring floor glides</div><div>• Foot rest</div><div>• Warranted to 300 lbs.</div></div> | <div><div>ARMLESS</div><div>WIDTH: 22.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 39.0</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 24.0</div><div>BACK WIDTH: 20.0</div><div>BACK HEIGHT: 16.0</div><div>COM: N/A</div><div>WEIGHT: 21.5 LB</div></div> <div><div>W/ ARMS</div><div>25.5</div><div>25.0</div><div>39.0</div><div>19.5</div><div>17.0</div><div>24.0</div><div>20.0</div><div>16.0</div><div>N/A</div><div>24.5 LB</div></div> |
| 1210 | ST27 | <div><div>27" COUNTER STOOL</div><div>Plastic back and seat. Use for work surfaces up to 36 inches high</div></div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <div>P</div> <div>375</div> <div>420</div> <div>420</div> | <div><div>• Counter height stool</div><div>• Non-marring floor glides</div><div>• Foot rest</div><div>• Warranted to 300 lbs.</div></div> | <div><div>WIDTH: 22.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 42.0</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 27.0</div><div>BACK WIDTH: 20.0</div><div>BACK HEIGHT: 16.0</div><div>COM: N/A</div><div>WEIGHT: 22.5 LB</div></div> <div><div>25.5</div><div>25.0</div><div>42.0</div><div>19.5</div><div>17.0</div><div>27.0</div><div>20.0</div><div>16.0</div><div>N/A</div><div>25.5 LB</div></div> |
| 1210 | ST30 | <div><div>30" BAR STOOL</div><div>Plastic back and seat. Use for work surfaces up to 42 inches high</div></div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <div>P</div> <div>395</div> <div>440</div> <div>440</div> | <div><div>• Bar height stool</div><div>• Non-marring floor glides</div><div>• Foot rest</div><div>• Warranted to 300 lbs.</div></div> | <div><div>WIDTH: 22.0</div><div>DEPTH: 25.0</div><div>HEIGHT: 45.0</div><div>SEAT WIDTH: 19.5</div><div>SEAT DEPTH: 17.0</div><div>SEAT HEIGHT: 30.0</div><div>BACK WIDTH: 20.0</div><div>BACK HEIGHT: 16.0</div><div>COM: N/A</div><div>WEIGHT: 23.5 LB</div></div> <div><div>25.5</div><div>25.0</div><div>45.0</div><div>19.5</div><div>17.0</div><div>30.0</div><div>20.0</div><div>16.0</div><div>N/A</div><div>26.5 LB</div></div> |

ARM OPTIONS

A18B

\$45

Soft Touch Polyurethane Arms - Black Color

A18G

\$45

Soft Touch Polyurethane Arms - Gray Color

ADDITIONAL OPTIONS

GC1

\$30

GC2

\$30

Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|--------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|--------------------|--------------|


(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK & SEAT)

ARM OPTIONS



ADDITIONAL OPTIONS



FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK & SEAT)

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

the ultimate utility chair

MESH BACK - MB

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- All mesh styles available M1, M2, M3
- Wall saver design on model 1210 and 1260
- Three stool seat height options
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY MESH COLOR PLASTIC COLOR PACKAGING OPTIONS

1 2 6 0 - S T - A - - M B - M - P - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | PLASTIC | FEATURES | DIMENSIONS |
|--|---------|--|---|--|--|--|--|
| 1260 | ST24 | 24" COUNTER STOOL Mesh back and plastic seat. Use for work surfaces up to 34 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | P 440 485 485 470 515 515 | <ul style="list-style-type: none"> All mesh styles available M1, M2, M3 Counter height stool Non-marring floor glides Foot rest Warranted to 300 lbs. | ARMLESS WIDTH: 22.0 DEPTH: 25.0 HEIGHT: 39.0 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0 SEAT HEIGHT: 24.0 BACK WIDTH: 20.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 21.5 LB W/ ARMS 25.5 25.0 39.0 19.5 17.0 24.0 20.0 16.0 N/A 24.5 LB |
| NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | | | | | | | |
| 1260 | ST27 | 27" COUNTER STOOL Mesh back and plastic seat. Use for work surfaces up to 36 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | P 440 485 485 470 515 515 | <ul style="list-style-type: none"> All mesh styles available M1, M2, M3 Counter height stool Non-marring floor glides Foot rest Warranted to 300 lbs. | WIDTH: 22.0 DEPTH: 25.0 HEIGHT: 42.0 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0 SEAT HEIGHT: 27.0 BACK WIDTH: 20.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 22.5 LB 25.5 25.0 42.0 19.5 17.0 27.0 20.0 16.0 N/A 25.5 LB |
| NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | | | | | | | |
| 1260 | ST30 | 30" BAR STOOL Mesh back and plastic seat. Use for work surfaces up to 42 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | P 460 505 505 490 535 535 | <ul style="list-style-type: none"> All mesh styles available M1, M2, M3 Bar height stool Non-marring floor glides Foot rest Warranted to 300 lbs. | WIDTH: 22.0 DEPTH: 25.0 HEIGHT: 45.0 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0 SEAT HEIGHT: 30.0 BACK WIDTH: 20.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 23.5 LB 25.5 25.0 45.0 19.5 17.0 30.0 20.0 16.0 N/A 26.5 LB |
| NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | | | | | | | |

A18B
 \$45

Soft Touch Polyurethane Arms - Black Color

A18G
 \$45

Soft Touch Polyurethane Arms - Gray Color

ADDITIONAL OPTIONS

EF1
 \$30
MF1
 \$50

EF1 - 1" Extra Foam on Seat
 MF1 - 1" Visco Elastic Memory Foam on Seat

GC1
 \$30
GC2
 \$30

Ganging Clip - 2 per Set
 GC1 - Armless-to-Armless
 GC2 - Arm-to-Arm

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|--------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|--------------------|--------------|

(FRAME)

MESH COLORS*

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

*MESH M2/M3 ALSO AVAILABLE

PLASTIC COLORS

| | | | | | |
|----------------------|-------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK & SEAT)

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

the ultimate utility chair

PLASTIC SEAT

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- 11 plastic colors and 6 frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|--|--|---------|---|------|--|-------------|--|--|------------|--|------------|--|--|---------------|--|--|-----------|--|--|---------|--|--|
| MODEL NUMBER | | | | CONTROL | | ARMS | | FRAME COLOR | | | UPHOLSTERY | | MESH COLOR | | | PLASTIC COLOR | | | PACKAGING | | | OPTIONS | | |
| 1 | 2 | | | G | T | A | | | | | | | M | | | P | | | | | | | | |

PACKAGING NOTES

SLED BASE CHAIRS SHIP 2 ARMLESS PER CARTON, 1 WITH ARMS

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|--|--|---|--|---|--|
| 1230 | GT | <div><div>SLED BASE GUEST</div><div>Plastic back with plastic seat</div></div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <div>P</div> <div>345</div> <div>390</div> <div>390</div> | <ul style="list-style-type: none">• Non-marring floor glides• Warranted to 300 lbs. | <div>ARMLESS</div> <div>W/ ARMS</div> <div>WIDTH:</div> <div>DEPTH:</div> <div>HEIGHT:</div> <div>SEAT WIDTH:</div> <div>SEAT DEPTH:</div> <div>SEAT HEIGHT:</div> <div>BACK WIDTH:</div> <div>BACK HEIGHT:</div> <div>WEIGHT:</div> <div>22.0</div> <div>25.0</div> <div>33.0</div> <div>19.5</div> <div>17.0</div> <div>17.0</div> <div>20.0</div> <div>16.0</div> <div>21.0 LB</div> <div>25.5</div> <div>33.0</div> <div>19.5</div> <div>17.0</div> <div>20.0</div> <div>16.0</div> <div>24.0 LB</div> |
| 1280 | GT | <div><div>SLED BASE GUEST</div><div>Mesh back with plastic seat</div></div> | <div>M1</div> <div>M1</div> <div>M1</div> <div>M2/M3</div> <div>M2/M3</div> <div>M2/M3</div> | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <div>P</div> <div>410</div> <div>435</div> <div>435</div> <div>440</div> <div>465</div> <div>465</div> | <ul style="list-style-type: none">• All mesh styles available M1, M2, M3• Non-marring floor glides• Warranted to 300 lbs. | <div>WIDTH:</div> <div>DEPTH:</div> <div>HEIGHT:</div> <div>SEAT WIDTH:</div> <div>SEAT DEPTH:</div> <div>SEAT HEIGHT:</div> <div>BACK WIDTH:</div> <div>BACK HEIGHT:</div> <div>WEIGHT:</div> <div>22.0</div> <div>25.0</div> <div>33.0</div> <div>19.5</div> <div>17.0</div> <div>17.0</div> <div>20.0</div> <div>16.0</div> <div>23.0 LB</div> <div>25.5</div> <div>33.0</div> <div>19.5</div> <div>17.0</div> <div>20.0</div> <div>16.0</div> <div>26.0 LB</div> |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

ARM OPTIONS

A18B

\$45

Soft Touch Polyurethane Arms - Black Color

A18G

\$45

Soft Touch Polyurethane Arms - Gray Color

ADDITIONAL OPTIONS

GC1

\$30

GC2

\$30

Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

MESH COLORS*

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

*MESH M2/M3 ALSO AVAILABLE

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK & SEAT)

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

the ultimate utility chair

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- All mesh styles available M1, M2, M3
- Wall saver design on model 1210 and 1260
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| MODEL NUMBER | | CONTROL | | ARMS | | FRAME COLOR | | | UPHOLSTERY | | MESH COLOR | | PLASTIC COLOR | | GRADE | | CASTERS | | PACKAGING | | | OPTIONS | |
|---|---|---------|--|------|---|-------------|--|--|------------|---|------------|---|---------------|--|-------|--|---------|--|-----------|--|--|---|--|
| 1 | 2 | | | G | T | A | | | | U | S | M | | | P | | | | C | | | | |
| <small>* FOR ARMLESS CODE USE A00</small> | | | | | | | | | | | | | | | | | | | | | | <small>* ONLY SELECT CASTER CODE FOR MODEL 1215</small> | |

PACKAGING NOTES

SHUTTLE SIDE CHAIRS SHIP UP TO 3 PER CARTON (WITH TLF/TRF UP TO 2 PER CARTON)

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|--|---|--|--|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|-------------|------|-------------|------|--------------|---|---|---------|------------------|-------------|-------------------|-------------|------------------|--------------|-------------------|------------------|--------------|------------------|-----------------|--|--|------------------|------|-------------------|------|--------------|---------|------------------|---------|------------------|------|-------------------|------|------------------|------|-------------------|------|--------------|---------|-----------------|---------|
| 1210 | GT | <div><div></div><div></div><div>GUEST STACKING</div><div>Plastic back with upholstered seat</div></div> | | ARMLESS A18B A18G TLF/TRF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>310</td><td>335</td><td>355</td><td>380</td><td>410</td><td>445</td><td>480</td></tr><tr><td>355</td><td>380</td><td>400</td><td>425</td><td>455</td><td>490</td><td>525</td></tr><tr><td>355</td><td>380</td><td>400</td><td>425</td><td>455</td><td>490</td><td>525</td></tr><tr><td>460</td><td>485</td><td>505</td><td>530</td><td>560</td><td>595</td><td>630</td></tr></table> | A/COM | B | C | D | E | F | G | 310 | 335 | 355 | 380 | 410 | 445 | 480 | 355 | 380 | 400 | 425 | 455 | 490 | 525 | 355 | 380 | 400 | 425 | 455 | 490 | 525 | 460 | 485 | 505 | 530 | 560 | 595 | 630 | <ul style="list-style-type: none">Non-marring floor glidesStacks 4 high on floorStacks 10 high on optional dollyWall saver back legsWarranted to 300 lbs. | <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 33.0</td><td>33.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 17.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 19.0 LB</td><td>22.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 33.0 | 33.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 17.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 310 | 335 | 355 | 380 | 410 | 445 | 480 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 355 | 380 | 400 | 425 | 455 | 490 | 525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 355 | 380 | 400 | 425 | 455 | 490 | 525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 485 | 505 | 530 | 560 | 595 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 33.0 | 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1215 | GT | <div><div></div><div></div><div>GUEST STACKING WITH CASTERS</div><div>Plastic back with upholstered seat</div></div> | | ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>355</td><td>380</td><td>400</td><td>425</td><td>455</td><td>490</td><td>525</td></tr><tr><td>400</td><td>425</td><td>445</td><td>470</td><td>500</td><td>535</td><td>570</td></tr><tr><td>400</td><td>425</td><td>445</td><td>470</td><td>500</td><td>535</td><td>570</td></tr></table> | A/COM | B | C | D | E | F | G | 355 | 380 | 400 | 425 | 455 | 490 | 525 | 400 | 425 | 445 | 470 | 500 | 535 | 570 | 400 | 425 | 445 | 470 | 500 | 535 | 570 | <ul style="list-style-type: none">50mm hooded castersStacks 4 high on floorStacks 10 high on optional dollyWarranted to 300 lbs. | <table><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 33.0</td><td>33.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 17.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 19.0 LB</td><td>22.0 LB</td></tr></table> | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 33.0 | 33.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 17.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | | | | | | | | | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 355 | 380 | 400 | 425 | 455 | 490 | 525 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 | 425 | 445 | 470 | 500 | 535 | 570 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 | 425 | 445 | 470 | 500 | 535 | 570 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 33.0 | 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1260 | GT | <div><div></div><div></div><div>GUEST STACKING</div><div>Mesh back with upholstered seat</div></div> | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>375</td><td>400</td><td>420</td><td>445</td><td>475</td><td>510</td><td>545</td></tr><tr><td>420</td><td>445</td><td>465</td><td>490</td><td>520</td><td>555</td><td>590</td></tr><tr><td>420</td><td>445</td><td>465</td><td>490</td><td>520</td><td>555</td><td>590</td></tr><tr><td>405</td><td>430</td><td>450</td><td>475</td><td>505</td><td>540</td><td>575</td></tr><tr><td>450</td><td>475</td><td>495</td><td>520</td><td>550</td><td>585</td><td>620</td></tr><tr><td>450</td><td>475</td><td>495</td><td>520</td><td>550</td><td>585</td><td>620</td></tr></table> <div>NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS</div> | A/COM | B | C | D | E | F | G | 375 | 400 | 420 | 445 | 475 | 510 | 545 | 420 | 445 | 465 | 490 | 520 | 555 | 590 | 420 | 445 | 465 | 490 | 520 | 555 | 590 | 405 | 430 | 450 | 475 | 505 | 540 | 575 | 450 | 475 | 495 | 520 | 550 | 585 | 620 | 450 | 475 | 495 | 520 | 550 | 585 | 620 | <ul style="list-style-type: none">All mesh styles available M1, M2, M3Non-marring floor glidesStacks 4 high on floorStacks 10 high on optional dollyWall saver back legsWarranted to 300 lbs. | <table><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 33.0</td><td>33.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 17.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 19.0 LB</td><td>22.0 LB</td></tr></table> | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 33.0 | 33.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 17.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 19.0 LB | 22.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 375 | 400 | 420 | 445 | 475 | 510 | 545 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 420 | 445 | 465 | 490 | 520 | 555 | 590 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 420 | 445 | 465 | 490 | 520 | 555 | 590 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 405 | 430 | 450 | 475 | 505 | 540 | 575 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 475 | 495 | 520 | 550 | 585 | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 475 | 495 | 520 | 550 | 585 | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 33.0 | 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1265 | GT | <div><div></div><div></div><div>GUEST STACKING WITH CASTERS</div><div>Mesh back with upholstered seat</div></div> | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>420</td><td>445</td><td>465</td><td>490</td><td>520</td><td>555</td><td>590</td></tr><tr><td>465</td><td>490</td><td>510</td><td>535</td><td>565</td><td>600</td><td>635</td></tr><tr><td>465</td><td>490</td><td>510</td><td>535</td><td>565</td><td>600</td><td>635</td></tr><tr><td>450</td><td>475</td><td>495</td><td>520</td><td>550</td><td>585</td><td>620</td></tr><tr><td>495</td><td>520</td><td>540</td><td>565</td><td>595</td><td>630</td><td>665</td></tr><tr><td>495</td><td>520</td><td>540</td><td>565</td><td>595</td><td>630</td><td>665</td></tr></table> <div>NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS</div> | A/COM | B | C | D | E | F | G | 420 | 445 | 465 | 490 | 520 | 555 | 590 | 465 | 490 | 510 | 535 | 565 | 600 | 635 | 465 | 490 | 510 | 535 | 565 | 600 | 635 | 450 | 475 | 495 | 520 | 550 | 585 | 620 | 495 | 520 | 540 | 565 | 595 | 630 | 665 | 495 | 520 | 540 | 565 | 595 | 630 | 665 | <ul style="list-style-type: none">All mesh styles available M1, M2, M350mm hooded castersStacks 4 high on floorStacks 10 high on optional dollyWarranted to 300 lbs. | <table><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 33.0</td><td>33.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 17.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 19.0 LB</td><td>22.0 LB</td></tr></table> | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 33.0 | 33.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 17.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 19.0 LB | 22.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 420 | 445 | 465 | 490 | 520 | 555 | 590 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 465 | 490 | 510 | 535 | 565 | 600 | 635 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 465 | 490 | 510 | 535 | 565 | 600 | 635 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 450 | 475 | 495 | 520 | 550 | 585 | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 520 | 540 | 565 | 595 | 630 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 520 | 540 | 565 | 595 | 630 | 665 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 33.0 | 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 19.0 LB | 22.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| ARM OPTIONS | | | |
|---|--|------------------------|----------------------------|
| <div><div></div><div>A18B</div><div>\$45</div></div> <div>Soft Touch Polyurethane Arms - Black Color</div> | <div><div></div><div>A18G</div><div>\$45</div></div> <div>Soft Touch Polyurethane Arms - Gray Color</div> | | |
| <div><div></div><div>TLF</div><div>\$150</div></div> <div>Left Tablet Arm (Available with Black Frame Only)</div> | <div><div></div><div>TRF</div><div>\$150</div></div> <div>Right Tablet Arm (Available with Black Frame Only)</div> | | |
| ADDITIONAL OPTIONS | | | |
| <div><div></div><div>G8</div><div>\$20</div></div> <div>Self-Leveling Metal Glide</div> | <div><div></div><div>G9</div><div>G10</div><div>\$30</div></div> <div>G9 - Self-Leveling VCT Glide G10 - Self-Leveling Glide with Felt Pad</div> | | |
| FRAME COLORS | | | |
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | |
| GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF | |
| (FRAME) | | | |
| MESH COLORS* | | | |
| BLACK M11 | GRAY M12 | SILVER M13 | |
| GREEN M14 | RED M15 | BLUE M16 | |
| *MESH M2/M3 ALSO AVAILABLE | | | |
| PLASTIC COLORS | | | |
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 |
| WHITE WHISPER | BOULDER GRAY | DOVER SKY | ESSEX BLUE |

| <div><div></div><div>C5</div><div>STD</div></div> <div>50mm Hooded Casters</div> | <div><div></div><div>C5S</div><div>\$30</div></div> <div>50mm Hooded Hard Floor Casters</div> |
|--|---|
| ACCESSORIES | |
| <div><div></div><div>DL1</div><div>\$250</div></div> <div>Stacking Dolly Stacks Chairs 10 High Four Legs Only</div> | <div><div></div><div>GC1</div><div>GC2</div><div>\$30</div></div> <div>Ganging Clip - 2 per Set GC1 - Armless-to-Armless GC2 - Arm-to-Arm</div> |
| <div><div></div><div>BRK</div><div>\$70</div></div> <div>Book Rack in Black Only Available on All Models *Not Stackable with BRK</div> | <div><div></div><div>EF1</div><div>\$30</div><div>MF1</div><div>\$50</div></div> |


CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship


ARM OPTIONS



Soft Touch Polyurethane Arms - Black Color



Left Tablet Arm (Available with Black Frame Only)




Soft Touch Polyurethane Arms - Gray Color




Right Tablet Arm (Available with Black Frame Only)

CASTER OPTIONS



50mm Hooded Casters



50mm Hooded Hard Floor Casters

ADDITIONAL OPTIONS



Self-Leveling Metal Glide



G9 - Self-Leveling VCT Glide
G10 - Self-Leveling Glide with Felt Pad

ACCESSORIES



Stacking Dolly
Stacks Chairs 10 High Four Legs Only

FRAME COLORS

| | | |
|------------------|--------------------|------------------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF |
| GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |

(FRAME)

MESH COLORS*

| | | |
|--------------|-------------|---------------|
| BLACK M11 | GRAY M12 | SILVER M13 |
| GREEN M14 | RED M15 | BLUE M16 |

*MESH M2/M3 ALSO AVAILABLE

PLASTIC COLORS

| | | | |
|----------------------------|----------------------------|------------------------|----------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 |
| WHITE WHISPER P05 | BOULDER GRAY P06 | DOVER SKY P07 | ESSEX BLUE P08 |
| PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK)

shuttle

9to5
seating

9to5seating.com
888.925.SEAT

shuttle

the ultimate utility chair

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- Wall saver design on model 1210 and 1260
- Three stool seat height options
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---------|---|---|------|--|---|-------------|--|--|------------|---|---------------|---|-------|-----------|--|--|---------|--|--|--|
| MODEL NUMBER | | | | CONTROL | | | ARMS | | | FRAME COLOR | | | UPHOLSTERY | | PLASTIC COLOR | | GRADE | PACKAGING | | | OPTIONS | | | |
| 1 | 2 | 1 | 0 | - | S | T | | | - | A | | | | - | U | S | - | P | | | - | | | |

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

SHUTTLE STOOLS SHIP UP TO 1 PER CARTON

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------|--|------|--|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---------|-----------|--------|-----------|---------|-----------|-------------|-----------|-------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------------|---------|-----------------|---------|-----------------|
| 1210 | ST24 | <div>24" COUNTER STOOL</div> <div>Plastic back with upholstered seat. Use for work surfaces up to 34 inches high</div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>440</td><td>465</td><td>485</td><td>510</td><td>540</td><td>575</td><td>610</td></tr><tr><td>485</td><td>510</td><td>530</td><td>555</td><td>585</td><td>620</td><td>655</td></tr><tr><td>485</td><td>510</td><td>530</td><td>555</td><td>585</td><td>620</td><td>655</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 440 | 465 | 485 | 510 | 540 | 575 | 610 | 485 | 510 | 530 | 555 | 585 | 620 | 655 | 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. | <table><tr><td>ARMLESS</td><td>W/ ARMS</td></tr><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>39.0 39.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>24.0 14.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>0.8 YDS 0.8 YDS</td></tr><tr><td>WEIGHT:</td><td>24.5 LB 27.5 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 39.0 39.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 24.0 14.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 0.8 YDS 0.8 YDS | WEIGHT: | 24.5 LB 27.5 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 440 | 465 | 485 | 510 | 540 | 575 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 39.0 39.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 24.0 14.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.8 YDS 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 24.5 LB 27.5 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1210 | ST27 | <div>27" COUNTER STOOL</div> <div>Plastic back with upholstered seat. Use for work surfaces up to 36 inches high</div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>440</td><td>465</td><td>485</td><td>510</td><td>540</td><td>575</td><td>610</td></tr><tr><td>485</td><td>510</td><td>530</td><td>555</td><td>585</td><td>620</td><td>655</td></tr><tr><td>485</td><td>510</td><td>530</td><td>555</td><td>585</td><td>620</td><td>655</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 440 | 465 | 485 | 510 | 540 | 575 | 610 | 485 | 510 | 530 | 555 | 585 | 620 | 655 | 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. | <table><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>42.0 42.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>27.0 17.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>0.8 YDS 0.8 YDS</td></tr><tr><td>WEIGHT:</td><td>25.0 LB 28.0 LB</td></tr></table> | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 42.0 42.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 27.0 17.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 0.8 YDS 0.8 YDS | WEIGHT: | 25.0 LB 28.0 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 440 | 465 | 485 | 510 | 540 | 575 | 610 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 510 | 530 | 555 | 585 | 620 | 655 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 42.0 42.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 27.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.8 YDS 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 25.0 LB 28.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1210 | ST30 | <div>30" BAR STOOL</div> <div>Plastic back with upholstered seat. Use for work surfaces up to 42 inches high</div> | | <div>ARMLESS</div> <div>A18B</div> <div>A18G</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>460</td><td>485</td><td>505</td><td>530</td><td>560</td><td>595</td><td>630</td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 460 | 485 | 505 | 530 | 560 | 595 | 630 | 505 | 530 | 550 | 575 | 605 | 640 | 675 | 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Bar height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. | <table><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>45.0 45.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>30.0 30.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>0.8 YDS 0.8 YDS</td></tr><tr><td>WEIGHT:</td><td>25.5 LB 28.5 LB</td></tr></table> | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 45.0 45.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 30.0 30.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 0.8 YDS 0.8 YDS | WEIGHT: | 25.5 LB 28.5 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 460 | 485 | 505 | 530 | 560 | 595 | 630 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 45.0 45.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 30.0 30.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 0.8 YDS 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 25.5 LB 28.5 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ARM OPTIONS

A18B
\$45

A18G
\$45

ADDITIONAL OPTIONS

GC1
\$30

GC2
\$30

EF1
\$30

MF1
\$50

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|--------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|--------------------|--------------|

(FRAME)

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|-----------------------------|-------------------------|------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBRONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRAY P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK)

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

shuttle

the ultimate utility chair

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- Wall saver design on model 1210 and 1260
- Three stool seat height options
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | FRAME COLOR | UPHOLSTERY | MESH COLOR | PLASTIC COLOR | GRADE | PACKAGING | OPTIONS |
|--------------|---------|------|-------------|------------|------------|---------------|-------|-----------|---------|
| 1260 | ST | A | | US | M | P | | | |

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

SHUTTLE STOOLS SHIP UP TO 1 PER CARTON

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---------|---|---|--|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|-------------|---------|-------------|------|--------------|------|------------------|------|------------------|------|-------------------|------|-------------------|------|-------------------|------|-------------------|---------|-----------------|---------|-----------------|---------|
| 1260 | ST24 | 24" COUNTER STOOL Mesh back with plastic seat. Use for work surfaces up to 34 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td>550</td><td>575</td><td>595</td><td>620</td><td>650</td><td>685</td><td>720</td></tr><tr><td>550</td><td>575</td><td>595</td><td>620</td><td>650</td><td>685</td><td>720</td></tr><tr><td>535</td><td>560</td><td>580</td><td>605</td><td>635</td><td>670</td><td>705</td></tr><tr><td>580</td><td>605</td><td>625</td><td>650</td><td>680</td><td>715</td><td>750</td></tr><tr><td>580</td><td>605</td><td>625</td><td>650</td><td>680</td><td>715</td><td>750</td></tr></table> NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | A/COM | B | C | D | E | F | G | 505 | 530 | 550 | 575 | 605 | 640 | 675 | 550 | 575 | 595 | 620 | 650 | 685 | 720 | 550 | 575 | 595 | 620 | 650 | 685 | 720 | 535 | 560 | 580 | 605 | 635 | 670 | 705 | 580 | 605 | 625 | 650 | 680 | 715 | 750 | 580 | 605 | 625 | 650 | 680 | 715 | 750 | <ul style="list-style-type: none">All mesh styles available M1, M2, M3Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 39.0</td><td>39.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 27.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 24.5 LB</td><td>27.5 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 39.0 | 39.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 27.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 24.5 LB | 27.5 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 575 | 595 | 620 | 650 | 685 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 575 | 595 | 620 | 650 | 685 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 560 | 580 | 605 | 635 | 670 | 705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 605 | 625 | 650 | 680 | 715 | 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 605 | 625 | 650 | 680 | 715 | 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 39.0 | 39.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 27.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 24.5 LB | 27.5 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1260 | ST27 | 27" COUNTER STOOL Mesh back with plastic seat. Use for work surfaces up to 36 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>505</td><td>530</td><td>550</td><td>575</td><td>605</td><td>640</td><td>675</td></tr><tr><td>550</td><td>575</td><td>595</td><td>620</td><td>650</td><td>685</td><td>720</td></tr><tr><td>550</td><td>575</td><td>595</td><td>620</td><td>650</td><td>685</td><td>720</td></tr><tr><td>535</td><td>560</td><td>580</td><td>605</td><td>635</td><td>6 70</td><td>705</td></tr><tr><td>580</td><td>605</td><td>625</td><td>650</td><td>680</td><td>715</td><td>750</td></tr><tr><td>580</td><td>605</td><td>625</td><td>650</td><td>680</td><td>715</td><td>750</td></tr></table> NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | A/COM | B | C | D | E | F | G | 505 | 530 | 550 | 575 | 605 | 640 | 675 | 550 | 575 | 595 | 620 | 650 | 685 | 720 | 550 | 575 | 595 | 620 | 650 | 685 | 720 | 535 | 560 | 580 | 605 | 635 | 6 70 | 705 | 580 | 605 | 625 | 650 | 680 | 715 | 750 | 580 | 605 | 625 | 650 | 680 | 715 | 750 | <ul style="list-style-type: none">All mesh styles available M1, M2, M3Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. <table><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 42.0</td><td>42.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 27.0</td><td>17.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 25.0 LB</td><td>28.0 LB</td></tr></table> | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 42.0 | 42.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 27.0 | 17.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 25.0 LB | 28.0 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 505 | 530 | 550 | 575 | 605 | 640 | 675 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 575 | 595 | 620 | 650 | 685 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 575 | 595 | 620 | 650 | 685 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 535 | 560 | 580 | 605 | 635 | 6 70 | 705 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 605 | 625 | 650 | 680 | 715 | 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 605 | 625 | 650 | 680 | 715 | 750 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 42.0 | 42.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 27.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 25.0 LB | 28.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1260 | ST30 | 30" BAR STOOL Mesh back with plastic seat. Use for work surfaces up to 42 inches high | M1 M1 M1 M2/M3 M2/M3 M2/M3 | ARMLESS A18B A18G ARMLESS A18B A18G | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>525</td><td>550</td><td>570</td><td>595</td><td>625</td><td>660</td><td>695</td></tr><tr><td>570</td><td>595</td><td>615</td><td>640</td><td>670</td><td>705</td><td>740</td></tr><tr><td>570</td><td>595</td><td>615</td><td>640</td><td>670</td><td>705</td><td>740</td></tr><tr><td>555</td><td>580</td><td>600</td><td>625</td><td>655</td><td>690</td><td>725</td></tr><tr><td>600</td><td>625</td><td>645</td><td>670</td><td>700</td><td>735</td><td>770</td></tr><tr><td>600</td><td>625</td><td>645</td><td>670</td><td>700</td><td>735</td><td>770</td></tr></table> NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | A/COM | B | C | D | E | F | G | 525 | 550 | 570 | 595 | 625 | 660 | 695 | 570 | 595 | 615 | 640 | 670 | 705 | 740 | 570 | 595 | 615 | 640 | 670 | 705 | 740 | 555 | 580 | 600 | 625 | 655 | 690 | 725 | 600 | 625 | 645 | 670 | 700 | 735 | 770 | 600 | 625 | 645 | 670 | 700 | 735 | 770 | <ul style="list-style-type: none">All mesh styles available M1, M2, M3Bar height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. <table><tr><td>WIDTH: 22.0</td><td>25.5</td></tr><tr><td>DEPTH: 25.0</td><td>25.0</td></tr><tr><td>HEIGHT: 45.0</td><td>45.0</td></tr><tr><td>SEAT WIDTH: 19.5</td><td>19.5</td></tr><tr><td>SEAT DEPTH: 17.0</td><td>17.0</td></tr><tr><td>SEAT HEIGHT: 30.0</td><td>30.0</td></tr><tr><td>BACK WIDTH: 20.0</td><td>20.0</td></tr><tr><td>BACK HEIGHT: 16.0</td><td>16.0</td></tr><tr><td>COM: 0.8 YDS</td><td>0.8 YDS</td></tr><tr><td>WEIGHT: 25.5 LB</td><td>28.5 LB</td></tr></table> | WIDTH: 22.0 | 25.5 | DEPTH: 25.0 | 25.0 | HEIGHT: 45.0 | 45.0 | SEAT WIDTH: 19.5 | 19.5 | SEAT DEPTH: 17.0 | 17.0 | SEAT HEIGHT: 30.0 | 30.0 | BACK WIDTH: 20.0 | 20.0 | BACK HEIGHT: 16.0 | 16.0 | COM: 0.8 YDS | 0.8 YDS | WEIGHT: 25.5 LB | 28.5 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 525 | 550 | 570 | 595 | 625 | 660 | 695 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 595 | 615 | 640 | 670 | 705 | 740 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570 | 595 | 615 | 640 | 670 | 705 | 740 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 555 | 580 | 600 | 625 | 655 | 690 | 725 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 625 | 645 | 670 | 700 | 735 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: 22.0 | 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: 25.0 | 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: 45.0 | 45.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: 19.5 | 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: 17.0 | 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: 30.0 | 30.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: 20.0 | 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: 16.0 | 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: 0.8 YDS | 0.8 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: 25.5 LB | 28.5 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

A18B

\$45

Soft Touch Polyurethane Arms - Black Color

A18G

\$45

Soft Touch Polyurethane Arms - Gray Color

EF1

\$30

MF1

\$50

EF1 - 1" Extra Foam on Seat
MF1 - 1" Visco Elastic Memory Foam on Seat

GC1

\$30

GC2

\$30

Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

BLACK
BF

SILVER
SF

METALLIC BROWN*
MBF

GUNMETAL*
GMF

DOVER GRAY*
DGF

WHITE*
WF

(FRAME)

BLACK
M11

GRAY
M12

SILVER
M13

GREEN
M14

RED
M15

BLUE
M16

*MESH M2/M3 ALSO AVAILABLE

BLACK
SWAN
P01

CLASSIC BURGUNDY
P02

CORAL
RED
P03

SUNBONNET
YELLOW
P04

WHITE
WHISPER
P05

BOULDER
GRAY
P06

DOVER
SKY
P07

ESSEX
BLUE
P08

PALE WATER
GREEN
P09

CINNABAR
ORANGE
P10

FEDERAL
BLUE
P11

(BACK)

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

shuttle

the ultimate utility chair

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- 11 plastic colors and 6 frame finishes
- All mesh styles available M1, M2, M3
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY MESH COLOR PLASTIC COLOR GRADE PACKAGING OPTIONS

1 2 - G T - A - U S - M - P - - - -

* FOR ARMLESS CODE USE A00

PACKAGING NOTES


SLED BASE CHAIRS SHIP 2 ARMLESS PER CARTON, 1 WITH ARMS

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | |
|--|---------|--|-------|---------|--------|----------|------------|-----|-----|-----|-----|--|--------------|---------|------|
| 1230 | GT | <div>SLED BASE GUEST</div> <div>Plastic back with upholstered seat</div> | M1 | A00 | A/COM | B | C | D | E | F | G | <div>• Non-marring floor glides</div> <div>• Warranted to 300 lbs.</div> | ARMLESS | W/ ARMS | |
| | | | M1 | A18B | 410 | 435 | 455 | 480 | 510 | 545 | 580 | | WIDTH: | 22.0 | 25.5 |
| | | | M1 | A18G | 455 | 480 | 500 | 525 | 555 | 590 | 625 | | DEPTH: | 25.0 | 25.0 |
| | | | M2/M3 | TLF | 455 | 480 | 500 | 525 | 555 | 590 | 625 | | HEIGHT: | 33.0 | 33.0 |
| | | | M2/M3 | TRF | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | SEAT WIDTH: | 19.5 | 19.5 |
| | | | M2/M3 | | 560 | 585 | 605 | 630 | 660 | 695 | 730 | | SEAT DEPTH: | 17.0 | 17.0 |
| 1280 | GT | <div>SLED BASE GUEST</div> <div>Mesh back with upholstered seat</div> | M1 | ARMLESS | A/COM | B | C | D | E | F | G | <div>• All mesh styles available M1, M2, M3</div> <div>• Non-marring floor glides</div> <div>• Warranted to 300 lbs.</div> | WIDTH: | 22.0 | 25.5 |
| | | | M1 | A18B | 475 | 500 | 520 | 545 | 575 | 610 | 645 | | DEPTH: | 25.0 | 25.0 |
| | | | M1 | A18G | 520 | 545 | 565 | 590 | 620 | 655 | 690 | | HEIGHT: | 33.0 | 33.0 |
| | | | M2/M3 | ARMLESS | 520 | 545 | 565 | 590 | 620 | 655 | 690 | | SEAT WIDTH: | 19.5 | 19.5 |
| | | | M2/M3 | A18B | 505 | 530 | 550 | 575 | 605 | 640 | 675 | | SEAT DEPTH: | 17.0 | 17.0 |
| | | | M2/M3 | A18G | 550 | 575 | 595 | 620 | 650 | 685 | 720 | | SEAT HEIGHT: | 17.0 | 17.0 |
| NOTE: AVAILABLE IN M1, M2 AND M3 MESH PATTERNS | | | | | | | | | | | | | | | |


CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

ARM OPTIONS



Soft Touch Polyurethane
Arms - Black Color



Soft Touch Polyurethane
Arms - Gray Color

ADDITIONAL OPTIONS



EF1 - 1" Extra Foam on Seat
MF1 - 1" Visco Elastic
Memory Foam on Seat

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

MESH COLORS*

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

*MESH M2/M3 ALSO AVAILABLE

PLASTIC COLORS

| | | | | | |
|----------------------|----------------------------|----------------------------|----------------------------|-------------------------|-------------------------|
| BLACK SWAN P01 | CLASSIC BURGUNDY P02 | CORAL RED P03 | SUNBONNET YELLOW P04 | WHITE WHISPER P05 | BOULDER GRASS P06 |
| DOVER SKY P07 | ESSEX BLUE P08 | PALE WATER GREEN P09 | CINNABAR ORANGE P10 | FEDERAL BLUE P11 | |

(BACK)

shuttle

the ultimate utility chair

FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 6 powder coat frame finishes
- Wall saver design on model 1210 and 1260
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | FRAME COLOR | UPHOLSTERY | GRADE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------------|------------|-------|---------|-----------|---------|
| 12 | GT | A | F | UP | | | | |

* FOR ARMLESS CODE USE A00 * ONLY SELECT CASTER CODE FOR MODEL 1215

PACKAGING NOTES

SHUTTLE SIDE CHAIRS SHIP UP TO 3 PER CARTON (WITH TLF/TRF UP TO 2 PER CARTON)

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS |
|-------|---------|---|------|-----|--------|----------|------------|
| 1210 | GT | <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> | | | | | |

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.


*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

FRAME COLORS

| | | | | | |
|-------------|--------------|------------------------|------------------|--------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|------------------------|------------------|--------------------|--------------|


(FRAME)

ARM OPTIONS




Soft Touch Polyurethane Arms - Black Color

A18B
\$45



Soft Touch Polyurethane Arms - Gray Color

A18G
\$45



Left Tablet Arm (Available with Black Frame Only)

TLF
\$150



Right Tablet Arm (Available with Black Frame Only)

TRF
\$150

ADDITIONAL OPTIONS



Self-Leveling Metal Glide

G8
\$20



Self-Leveling VCT Glide

G9
\$30




Self-Leveling Glide with Felt Pad

G10
\$30



EF1 - 1" Extra Foam on Seat
MF1 - 1" Visco Elastic Memory Foam on Seat


EF1
\$30
MF1
\$50



Black Ballistic Nylon Back
BN1 w/ Grad A Fabrics
BN2 w/ Grade B and Up


BN1
\$35
BN2
\$0

CASTER OPTIONS



50mm Hooded Casters

C5
STD



50mm Hooded Hard Floor Casters


C5S
\$30

ACCESSORIES



Stacking Dolly
Stacks Chairs 10 High Four Legs Only

DL1
\$250



Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

GC1
\$30
GC2
\$30



Book Rack in Black Only
Available on All Models
*Not Stackable with BRK

BRK
\$70

shuttle

9to5
seating

9to5seating.com
888.925.SEAT

shuttle

the ultimate utility chair

FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 11 plastic colors and 6 frame finishes
- Wall saver design on model 1210 and 1260
- Three stool seat height options
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING SHUTTLE MODEL NUMBER

MODEL NUMBER

CONTROL

ARMS

FRAME COLOR

UPHOLSTERY

GRADE

PACKAGING

OPTIONS

1210

-ST

-A

-U

P


* FOR ARMLESS CODE USE A00

PACKAGING NOTES

SHUTTLE STOOLS SHIP UP TO 1 PER CARTON


| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------|---|------|---------|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|-----------|--------|-----------|---------|-----------|-------------|-----------|-------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------|--------------|-----------------|---------|-----------------|---------|-----------------|
| 1210 | ST24 | <div>24" COUNTER STOOL</div> <div>Fully upholstered back and seat. Use for work surfaces up to 34 inches high</div> | | ARMLESS | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>465</td><td>505</td><td>530</td><td>570</td><td>615</td><td>665</td><td>720</td></tr><tr><td>510</td><td>550</td><td>575</td><td>615</td><td>660</td><td>710</td><td>765</td></tr><tr><td>510</td><td>550</td><td>575</td><td>615</td><td>660</td><td>710</td><td>765</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 465 | 505 | 530 | 570 | 615 | 665 | 720 | 510 | 550 | 575 | 615 | 660 | 710 | 765 | 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs <table><tr><td>ARMLESS</td><td>W/ ARMS</td></tr><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>39.0 39.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>24.0 24.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>1.2 YDS 1.2 YDS</td></tr><tr><td>WEIGHT:</td><td>26.0 LB 29.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 39.0 39.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 24.0 24.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 1.2 YDS 1.2 YDS | WEIGHT: | 26.0 LB 29.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 465 | 505 | 530 | 570 | 615 | 665 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 39.0 39.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 24.0 24.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 1.2 YDS 1.2 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 26.0 LB 29.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1210 | ST27 | <div>27" COUNTER STOOL</div> <div>Fully upholstered back and seat. Use for work surfaces up to 36 inches high</div> | | ARMLESS | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>465</td><td>505</td><td>530</td><td>570</td><td>615</td><td>665</td><td>720</td></tr><tr><td>510</td><td>550</td><td>575</td><td>615</td><td>660</td><td>710</td><td>765</td></tr><tr><td>510</td><td>550</td><td>575</td><td>615</td><td>660</td><td>710</td><td>765</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 465 | 505 | 530 | 570 | 615 | 665 | 720 | 510 | 550 | 575 | 615 | 660 | 710 | 765 | 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Counter height stoolNon-marring floor glidesFoot restWarranted to 300 lbs. <table><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>42.0 42.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>27.0 27.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>1.2 YDS 1.2 YDS</td></tr><tr><td>WEIGHT:</td><td>26.0 LB 29.0 LB</td></tr></table> | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 42.0 42.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 27.0 27.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 1.2 YDS 1.2 YDS | WEIGHT: | 26.0 LB 29.0 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 465 | 505 | 530 | 570 | 615 | 665 | 720 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 510 | 550 | 575 | 615 | 660 | 710 | 765 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 42.0 42.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 27.0 27.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 1.2 YDS 1.2 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 26.0 LB 29.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1210 | ST30 | <div>30" BAR STOOL</div> <div>Fully upholstered back and seat. Use for work surfaces up to 42 inches high</div> | | ARMLESS | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>485</td><td>525</td><td>550</td><td>590</td><td>635</td><td>685</td><td>740</td></tr><tr><td>530</td><td>570</td><td>595</td><td>635</td><td>680</td><td>730</td><td>785</td></tr><tr><td>530</td><td>570</td><td>595</td><td>635</td><td>680</td><td>730</td><td>785</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 485 | 525 | 550 | 590 | 635 | 685 | 740 | 530 | 570 | 595 | 635 | 680 | 730 | 785 | 530 | 570 | 595 | 635 | 680 | 730 | 785 | | | | | | | | | | | | | | | <ul style="list-style-type: none">Bar height stoolNon-marring floor glidesFoot restWarranted to 300 lbs <table><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>45.0 45.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>30.0 30.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>1.2 YDS 1.2 YDS</td></tr><tr><td>WEIGHT:</td><td>26.0 LB 29.0 LB</td></tr></table> | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 45.0 45.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 30.0 30.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 1.2 YDS 1.2 YDS | WEIGHT: | 26.0 LB 29.0 LB | | |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 485 | 525 | 550 | 590 | 635 | 685 | 740 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 570 | 595 | 635 | 680 | 730 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 530 | 570 | 595 | 635 | 680 | 730 | 785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 45.0 45.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 30.0 30.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 1.2 YDS 1.2 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 26.0 LB 29.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ARM OPTIONS



A18B
\$45


Soft Touch Polyurethane Arms - Black Color



A18G
\$45

Soft Touch Polyurethane Arms - Gray Color


ADDITIONAL OPTIONS



BN1
\$35

BN2
\$0


Black Ballistic Nylon Back
BN1 w/ Grad A Fabrics
BN2 w/ Grade B and Up



EF1
\$30

MF1
\$50

EF1 - 1" Extra Foam on Seat
MF1 - 1" Visco Elastic Memory Foam on Seat



GC1
\$30

GC2
\$30

Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

BLACK
BF

SILVER
SF

METALLIC BROWN*
MBF

GUNMETAL*
GMF

DOVER GRAY*
DGF

WHITE*
WF

(FRAME)

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

the ultimate utility chair

GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered
- Bariatric, stools and tablet models available
- 6 powder coat frame finishes
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



FULLY UPHOLSTERED - UP

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|-----------------|--|------|---|---|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|---|---------|---------|--------|-----------|--------|-----------|---------|-----------|-------------|-----------|-------------|-----------|--------------|-----------|-------------|-----------|--------------|-----------|------|-----------------|---------|-----------------|
| 1230 | GT | <div><div><div><div></div></div><div><div></div></div></div><div><div><div>SLED BASE GUEST</div><div>Fully upholstered back and seat</div></div></div></div> | | <div><div>A00</div><div>A18B</div><div>A18G</div><div>TLF</div><div>TRF</div></div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>435</td><td>475</td><td>500</td><td>540</td><td>585</td><td>635</td><td>690</td></tr><tr><td>480</td><td>520</td><td>545</td><td>585</td><td>630</td><td>680</td><td>735</td></tr><tr><td>480</td><td>520</td><td>545</td><td>585</td><td>630</td><td>680</td><td>735</td></tr><tr><td>585</td><td>625</td><td>650</td><td>690</td><td>735</td><td>785</td><td>840</td></tr><tr><td>585</td><td>625</td><td>650</td><td>690</td><td>735</td><td>785</td><td>840</td></tr></table> | A/COM | B | C | D | E | F | G | 435 | 475 | 500 | 540 | 585 | 635 | 690 | 480 | 520 | 545 | 585 | 630 | 680 | 735 | 480 | 520 | 545 | 585 | 630 | 680 | 735 | 585 | 625 | 650 | 690 | 735 | 785 | 840 | 585 | 625 | 650 | 690 | 735 | 785 | 840 | <ul style="list-style-type: none">• Non-marring floor glides• Warranted to 300 lbs. | <table><tr><th>ARMLESS</th><th>W/ ARMS</th></tr><tr><td>WIDTH:</td><td>22.0 25.5</td></tr><tr><td>DEPTH:</td><td>25.0 25.0</td></tr><tr><td>HEIGHT:</td><td>33.0 33.0</td></tr><tr><td>SEAT WIDTH:</td><td>19.5 19.5</td></tr><tr><td>SEAT DEPTH:</td><td>17.0 17.0</td></tr><tr><td>SEAT HEIGHT:</td><td>19.0 19.0</td></tr><tr><td>BACK WIDTH:</td><td>20.0 20.0</td></tr><tr><td>BACK HEIGHT:</td><td>16.0 16.0</td></tr><tr><td>COM:</td><td>1.2 YDS 1.2 YDS</td></tr><tr><td>WEIGHT:</td><td>24.0 LB 27.0 LB</td></tr></table> | ARMLESS | W/ ARMS | WIDTH: | 22.0 25.5 | DEPTH: | 25.0 25.0 | HEIGHT: | 33.0 33.0 | SEAT WIDTH: | 19.5 19.5 | SEAT DEPTH: | 17.0 17.0 | SEAT HEIGHT: | 19.0 19.0 | BACK WIDTH: | 20.0 20.0 | BACK HEIGHT: | 16.0 16.0 | COM: | 1.2 YDS 1.2 YDS | WEIGHT: | 24.0 LB 27.0 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 435 | 475 | 500 | 540 | 585 | 635 | 690 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 520 | 545 | 585 | 630 | 680 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 480 | 520 | 545 | 585 | 630 | 680 | 735 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 735 | 785 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 585 | 625 | 650 | 690 | 735 | 785 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARMLESS | W/ ARMS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WIDTH: | 22.0 25.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH: | 25.0 25.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEIGHT: | 33.0 33.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT WIDTH: | 19.5 19.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT DEPTH: | 17.0 17.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SEAT HEIGHT: | 19.0 19.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK WIDTH: | 20.0 20.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BACK HEIGHT: | 16.0 16.0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COM: | 1.2 YDS 1.2 YDS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEIGHT: | 24.0 LB 27.0 LB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CAUTION: Careless stacking of chairs may scratch and damage frames. Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

CREATING SHUTTLE MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY GRADE PACKAGING OPTIONS


1 2 3 0 - G T - A - - U P - - - - -

* FOR ARMLESS CODE USE A00


PACKAGING NOTES

SLED BASE CHAIRS SHIP 2 ARMLESS PER CARTON, 1 WITH ARMS

ARM OPTIONS



Soft Touch Polyurethane
Arms - Black Color



Soft Touch Polyurethane
Arms - Gray Color

ADDITIONAL OPTIONS



Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

shuttle

the ultimate utility chair

GSA SIN # 711-19

- Wall saver legs on Bariatric model
- 6 powder coat frame finishes
- Bariatric warranted to 600 lbs.
- CAL TB 133 Fire Code approved



BARIATRIC - 30" SEAT RATED FOR 600 LB

| MODEL | CONTROL | DESCRIPTION | MESH | ARM | FABRIC | FEATURES | DIMENSIONS |
|-------|---------|--|------|-----|--------|----------|------------|
| 1250 | GT | <div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div></div></div> | | | | | |

CREATING SHUTTLE MODEL NUMBER


MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY GRADE CASTERS PACKAGING OPTIONS

1 2 5 0 - G T - A 1 8 - - - U P - - - - - - - - - -

* ONLY SELECT CASTER CODE FOR MODEL 1215,1265

PACKAGING NOTES

ARM OPTIONS



Soft Touch Polyurethane
Arms - Black Color



Soft Touch Polyurethane
Arms - Gray Color

ADDITIONAL OPTIONS




Self-Leveling Metal Glide



Self-Leveling VCT Glide



Self-Leveling Glide with Felt Pad



Black Ballistic Nylon Back
BN1 w/ Grad A Fabrics
BN2 w/ Grade B and Up



Ganging Clip - 2 per Set
GC1 - Armless-to-Armless
GC2 - Arm-to-Arm

FRAME COLORS

| | | | | | |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|
| BLACK BF | SILVER SF | METALLIC BROWN* MBF | GUNMETAL* GMF | DOVER GRAY* DGF | WHITE* WF |
|-------------|--------------|---------------------------|------------------|-----------------------|--------------|

(FRAME)

*Standard lead time applies to Metallic Brown, Gunmetal, Dover Gray and White frame color options. Black and Silver frame colors available in Express Ship

sol

the future at a glance

NEW

UPHOLSTERED BACK

GSA SIN # 711-18 Pending

- Task, executive and conference seating
- Modern, elegant design with aluminum accents
- Flexible back promotes movement
- Back design allows full range of movement of shoulder and arms
- Ergonomic features including weight balanced synchro, adjustable arms, adjustable lumbar and seat slider
- Warranted to 300 lbs.




CREATING SOL MODEL NUMBER

MODEL NUMBER CONTROL ARMS PLASTIC COLOR FRAME COLOR GRADE BASE CASTERS PACKAGING


3 6 8 0 - W 2 - A 4 8 - P - - - **B A 3 6** - **C 6** -

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------|--|----------------|---|----------|------------|------|------|------|---|---|----|----|----|-----|-----|-----|------|------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| <div>NEW MODEL</div> <div>3680</div> <div>W2</div> <div></div> | | <div>HIGH-BACK ADVANCED WEIGHT BALANCED SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> | <div>A48</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3</th><th>L4</th><th>L5</th></tr><tr><td>895</td><td>950</td><td>985</td><td>1040</td><td>1100</td><td>1170</td><td>1245</td><td>1075</td><td>1105</td><td>1285</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3 | L4 | L5 | 895 | 950 | 985 | 1040 | 1100 | 1170 | 1245 | 1075 | 1105 | 1285 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Flexible articulating pivoting back restPneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratio4 Position back-recline limiting backMolded foam seatHeight adjustable lumbar standardSeat slider standardWarranted to 300 lbs. | <div>WIDTH: 28.0</div> <div>DEPTH: 28.0</div> <div>HEIGHT: 39.5~44</div> <div>SEAT WIDTH: 19.0</div> <div>SEAT DEPTH: 16.5-19</div> <div>SEAT HEIGHT: 16.5-21</div> <div>BACK WIDTH: 18.5</div> <div>BACK HEIGHT: 25.0</div> <div>COM: 2.5 YD</div> <div>WEIGHT: 50.0 LB</div> |
| A/COM | B | C | D | E | F | G | L3 | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 895 | 950 | 985 | 1040 | 1100 | 1170 | 1245 | 1075 | 1105 | 1285 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


ARM OPTIONS





6-Way Height Adjustable
Arm w/ Sliding Pad



CASTER OPTIONS



60mm Hoodless Casters

60mm Hoodless
Hard Floor Casters

60mm Hoodless Chrome
Accented Casters (Standard
with aluminum bases)



FRAME COLORS

| | |
|----------------|--------------|
| POLISHED PF | SILVER SF |
|----------------|--------------|

PLASTIC COLORS

| | |
|--------------|------------------|
| BLACK PBK | DOVE GRAY PDG |
|--------------|------------------|

sophie

ultimate comfort in a complete line of lounge seating

SOFT SEATING LOUNGE

GSA SIN # 711-16

- Lounge collection includes guest, multi-seating, bariatric, hip chair, bench and table models
- Robust design for the most rigorous high traffic public areas
- Spacious clean-out and wall-saver frame
- Field replaceable parts and arm caps
- 6 powder coat frame colors
- Molded foam
- Steel frame construction for added durability
- CAL TB 133 Fire Code approved



CREATING SOPHIE MODEL NUMBER

| | | | | | | | | | | | | | | | | |
|--------------|---|---|--|---------|---|------|---|-------------|---|---|-------|-----------|--|---|---|---|
| MODEL NUMBER | | | | CONTROL | | ARMS | | FRAME COLOR | | | GRADE | PACKAGING | | | | |
| 8 | 1 | 1 | | - | G | T | - | A | 8 | 0 | | - | | - | A | C |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | | | | | | | | | | FEATURES | DIMENSIONS |
|-------|---------|---|-----|--------|------|------|------|------|------|------|------|------|--|--|------------|
| 8111 | GT | <div>SINGLE SEAT</div> <div>Guest seat with armrest</div> | SWA | A/COM | B | C | D | E | F | G | L4 | L5 | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 350 lbs. | <div>WIDTH: 25.0</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 1.5 YD</div> <div>WEIGHT: 56.0 LB</div> | |
| | | | | 695 | 745 | 775 | 825 | 880 | 940 | 1005 | 985 | 1170 | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 8112 | GT | <div>DOUBLE SEAT</div> <div>Lounge seat with outside armrest</div> | SWA | A/COM | B | C | D | E | F | G | L4 | L5 | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 525 lbs. | <div>WIDTH: 46.0</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 20.5</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 3.0 YD</div> <div>WEIGHT: 87.0 LB</div> | |
| | | | | 1095 | 1195 | 1255 | 1355 | 1465 | 1585 | 1715 | 1675 | 2045 | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 8113 | GT | <div>TRIPLE SEAT</div> <div>Lounge seat with outside armrest</div> | SWA | A/COM | B | C | D | E | F | G | L4 | L5 | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 750 lbs. | <div>WIDTH: 66.5</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 20.5</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 20.5</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 4.5 YD</div> <div>WEIGHT: 118.0 LB</div> | |
| | | | | 1595 | 1745 | 1835 | 1985 | 2150 | 2330 | 2525 | 2465 | 3170 | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

ARM OPTIONS



FRAME COLORS

| | | | | | |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|
| BLACK BF | SILVER SF | METALLIC BROWN MBF | GUNMETAL GMF | DOVER GRAY DGF | WHITE WF |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|

(FRAME)

Standard 25 Day Lead Time: Twenty-five (25) business days applies to all Sophie models regardless of quantity. \$120 NET per shipment for Sophie orders of 3 chair model units or less.


sophie

ultimate comfort in a complete line of lounge seating

SOFT SEATING LOUNGE



GSA SIN # 711-16

- Lounge collection includes guest, multi-seating, bariatric, hip chair, bench and table models
- Robust design for the most rigorous high traffic public areas
- Spacious clean-out and wall-saver frame
- Field replaceable parts and arm caps
- 6 powder coat frame colors
- Molded foam
- CAL TB 133 Fire Code approved




CREATING SOPHIE MODEL NUMBER

| | | | | | | | | | | | | | |
|--------------|---|---|--|---------|---|------|---|-------------|--|--|-------|-----------|---|
| MODEL NUMBER | | | | CONTROL | | ARMS | | FRAME COLOR | | | GRADE | PACKAGING | |
| 8 | 1 | 2 | | G | T | A | 8 | 0 | | | | K | D |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | | | | | | | | | | FEATURES | DIMENSIONS |
|-------|---------|--|-----|--------|------|------|------|------|------|------|--|--|--|--|---|
| 8122 | GT | <div></div> <div>DOUBLE SEAT</div> <div>Lounge chair with center armrest</div> | SWA | A/COM | B | C | D | E | F | G | | | | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 525 lbs. | <div>WIDTH:</div> 47.5 <div>DEPTH:</div> 27.5 <div>HEIGHT:</div> 34.0 <div>SEAT WIDTH:</div> 20.5 <div>SEAT DEPTH:</div> 19.0 <div>SEAT HEIGHT:</div> 18.0 <div>BACK WIDTH:</div> 20.0 <div>BACK HEIGHT:</div> 16.0 <div>COM:</div> 3.0 YD <div>WEIGHT:</div> 95.0 LB |
| | | | | 1195 | 1295 | 1355 | 1455 | 1565 | 1685 | 1815 | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 8123 | GT | <div></div> <div>TRIPLE SEAT</div> <div>Lounge chair with center armrests</div> | SWA | A/COM | B | C | D | E | F | G | | | | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 750 lbs. | <div>WIDTH:</div> 70.0 <div>DEPTH:</div> 27.5 <div>HEIGHT:</div> 34.0 <div>SEAT WIDTH:</div> 20.5 <div>SEAT DEPTH:</div> 19.0 <div>SEAT HEIGHT:</div> 18.0 <div>BACK WIDTH:</div> 20.0 <div>BACK HEIGHT:</div> 16.0 <div>COM:</div> 4.5 YD <div>WEIGHT:</div> 136.0 LB |
| | | | | 1795 | 1945 | 2035 | 2185 | 2350 | 2530 | 2725 | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

ARM OPTIONS



FRAME COLORS

| | | | | | |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|
| BLACK BF | SILVER SF | METALLIC BROWN MBF | GUNMETAL GMF | DOVER GRAY DGF | WHITE WF |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|

(FRAME)

Standard 25 Day Lead Time: Twenty-five (25) business days applies to all Sophie models regardless of quantity. \$120 NET per shipment for Sophie orders of 3 chair model units or less.

sophie

ultimate comfort in a complete line of lounge seating

PATIENT SEATING



GSA SIN # 711-16

- Lounge collection includes guest, multi-seating, bariatric, hip chair, bench and table models
- Robust design for the most rigorous high traffic public areas
- Spacious clean-out and wall-saver frame
- Field replaceable parts and arm caps
- 6 powder coat frame colors
- Non-marring adjustable feet
- CAL TB 133 Fire Code approved




CREATING SOPHIE MODEL NUMBER

| | | | | | | | | | | | | | |
|--------------|---|---|--|---------|---|------|---|-------------|--|--|-------|-----------|---|
| MODEL NUMBER | | | | CONTROL | | ARMS | | FRAME COLOR | | | GRADE | PACKAGING | |
| 8 | 1 | 1 | | G | T | A | 8 | 0 | | | | A | C |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC | | | | | | | | | | FEATURES | DIMENSIONS |
|-------|---------|---|-----|--------|------|------|------|------|------|---|--|--|--|--|---|
| 8118 | GT | <div></div> <div>HIP CHAIR</div> <div>Hip chair with armrest</div> | SWA | A/COM | B | C | D | E | F | G | | | | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 350 lbs. | <div>WIDTH: 25.0</div> <div>DEPTH: 29.5</div> <div>HEIGHT: 42.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 26.0</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 1.5 YD</div> <div>WEIGHT: 60.0 LB</div> |
| | | | 895 | 945 | 975 | 1025 | 1080 | 1140 | 1205 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 8119 | GT | <div></div> <div>BARIATRIC</div> <div>Bariatric guest chair with armrest</div> | SWA | A/COM | B | C | D | E | F | G | | | | <ul style="list-style-type: none">• Spacious clean-out• Wall-saver frame• Field replacement parts and arm caps• 6 powder coat frame finishes• Non-marring adjustable glides• Urethane arm caps-black and gray• Warranted to 500 lbs. | <div>WIDTH: 35.0</div> <div>DEPTH: 27.5</div> <div>HEIGHT: 34.0</div> <div>SEAT WIDTH: 30.0</div> <div>SEAT DEPTH: 19.0</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 30.0</div> <div>BACK HEIGHT: 16.0</div> <div>COM: 2.5 YD</div> <div>WEIGHT: 66.0 LB</div> |
| | | | 995 | 1075 | 1125 | 1205 | 1295 | 1395 | 1505 | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

ARM OPTIONS



FRAME COLORS

| | | | | | |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|
| BLACK BF | SILVER SF | METALLIC BROWN MBF | GUNMETAL GMF | DOVER GRAY DGF | WHITE WF |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|

(FRAME)

Standard 25 Day Lead Time: Twenty-five (25) business days applies to all Sophie models regardless of quantity. \$120 NET per shipment for Sophie orders of 3 chair model units or less.

sophie

ultimate comfort in a complete line of lounge seating

SOFT SEATING BENCHES

GSA SIN # 711-16

- Lounge collection includes guest, multi-seating, bariatric, hip chair, bench and table models
- Robust design for the most rigorous high traffic public areas
- Field replaceable parts
- 6 powder coat frame colors
- Non-marring adjustable feet
- CAL TB 133 Fire Code approved



CREATING SOPHIE MODEL NUMBER

MODEL NUMBERCONTROLFRAME COLORGRADEPACKAGING

8100-GT- - - -A C

| MODEL | CONTROL | DESCRIPTION | FABRIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|----------|------------|------|---|---|---|---|--|--|--|--|--|--|------|------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| 8102 | GT | <div>DOUBLE SEAT BENCH</div> <div>Bench seating for two</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>665</td><td>730</td><td>770</td><td>835</td><td>910</td><td>990</td><td>1080</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | | | | | 665 | 730 | 770 | 835 | 910 | 990 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Field replaceable parts6 powder coat frame finishesNon-marring adjustable glidesWarranted to 525 lbs. | <div>WIDTH: 45.0</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 18.0</div> <div>SEAT WIDTH: 20.5</div> <div>SEAT DEPTH: 23.5</div> <div>SEAT HEIGHT: 18.0</div> <div>COM: 2.0 YRD</div> <div>WEIGHT: 44.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 730 | 770 | 835 | 910 | 990 | 1080 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8103 | GT | <div>TRIPLE SEAT BENCH</div> <div>Bench seating for three</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1165</td><td>1265</td><td>1325</td><td>1425</td><td>1535</td><td>1655</td><td>1785</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | | | | | 1165 | 1265 | 1325 | 1425 | 1535 | 1655 | 1785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Field replaceable parts6 powder coat frame finishesNon-marring adjustable glidesWarranted to 750 lbs. | <div>WIDTH: 65.5</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 18.0</div> <div>SEAT WIDTH: 20.5</div> <div>SEAT DEPTH: 23.5</div> <div>SEAT HEIGHT: 18.0</div> <div>COM: 3.0 YD</div> <div>WEIGHT: 62.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1165 | 1265 | 1325 | 1425 | 1535 | 1655 | 1785 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8104 | GT | <div>DOUBLE SEAT BENCH WITH TABLE TOP</div> <div>Bench seating for two with one table top</div> | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1135</td><td>1200</td><td>1240</td><td>1305</td><td>1380</td><td>1460</td><td>1550</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | | | | | | | 1135 | 1200 | 1240 | 1305 | 1380 | 1460 | 1550 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Field replaceable parts6 powder coat frame finishesNon-marring adjustable glides5 surface laminate and edge material colorsWarranted to 525 lbs. | <div>WIDTH: 65.5</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 18.0</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 23.5</div> <div>SEAT HEIGHT: 18.0</div> <div>COM: 2.0 YD</div> <div>WEIGHT: 62.0 LB</div> |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1135 | 1200 | 1240 | 1305 | 1380 | 1460 | 1550 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

FRAME COLORS

| | | | | | |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|
| BLACK BF | SILVER SF | METALLIC BROWN MBF | GUNMETAL GMF | DOVER GRAY DGF | WHITE WF |
|-------------|--------------|--------------------------|-----------------|----------------------|-------------|

(FRAME)

LAMINATE COLORS

| | | | | |
|--------------|-------------------|--------------------------|-----------------|----------------|
| BLACK BKL | SLATE GRAY SLG | DESIGNER WHITE DWL | PLATINUM PTL | WALLABY WBL |
|--------------|-------------------|--------------------------|-----------------|----------------|

Standard 25 Day Lead Time: Twenty-five (25) business days applies to all Sophie models regardless of quantity. \$120 NET per shipment for Sophie orders of 3 chair model units or less.

sophie

ultimate comfort in a complete line of lounge seating

STAND-ALONE AND LINKING TABLES

GSA SIN # 711-11

- Tables are like bridges joining chairs and multi-seating models
- Stand-alone and linking tables
- Robust design for the most rigorous high traffic public areas
- Field replacement components
- 6 powder coat frame colors
- 5 surface laminate and edge material colors



CREATING SOPHIE MODEL NUMBER

MODEL NUMBER

CONTROL

FRAME COLOR

LAMINATE COLOR

PACKAGING

OPTIONS

81--TB--KD----

| MODEL | CONTROL | DESCRIPTION | TABLE | FEATURES | DIMENSIONS | ADDITIONAL OPTIONS |
|---|---------|--|-------|--|---|---|
| 8170  | TB | RECTANGULAR TABLE 22" x 42" rectangular | 395 | <ul style="list-style-type: none">• 2 stand-alone table sizes• 5 surface laminate and edge material colors | WIDTH: 22.0 DEPTH: 42.0 HEIGHT: 17.0 | <div><div>8199 \$49</div></div> <div>Large Ganging Bracket</div> |
| 8190  | TB | 24" END TABLE Square | 300 | | WIDTH: 24.0 DEPTH: 24.0 HEIGHT: 17.0 | |
| 8191  | TB | 24" CONNECTING TABLE End-of-run connecting | 295 | <ul style="list-style-type: none">• Connects to guest and multi-seating models• 5 surface laminate and edge material colors | WIDTH: 24.0 DEPTH: 24.0 HEIGHT: 13.5 | |
| 8192  | TB | SUSPENSION TABLE 8" x 18" rectangular | 160 | | WIDTH: 8.0 DEPTH: 18.0 HEIGHT: 13.5 | |
| 8193  | TB | SUSPENSION TABLE Round | 350 | <ul style="list-style-type: none">• Connects to guest and multi-seating models• 5 surface laminate and edge material colors | WIDTH: 27.0 DEPTH: 27.0 HEIGHT: 13.5 | |
| 8194  | TB | SUSPENSION TABLE 30-degree angled | 165 | | WIDTH: 11.0 DEPTH: 19.0 HEIGHT: 13.5 | |
| 8195  | TB | SUSPENSION TABLE 45-degree angled | 175 | <ul style="list-style-type: none">• Connects to guest and multi-seating models• 5 surface laminate and edge material colors | WIDTH: 16.0 DEPTH: 19.0 HEIGHT: 13.5 | |
| 8196  | TB | SUSPENSION TABLE 60-degree angled | 200 | | WIDTH: 21.5 DEPTH: 19.0 HEIGHT: 13.5 | |

Standard 25 Day Lead Time: Twenty-five (25) business days applies to all Sophie models regardless of quantity. \$120 NET per shipment for Sophie orders of 3 chair model units or less.

strata

let strata float into your office

MESH BACK UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, task stool, executive and conference seating
- Aluminum base standard
- Black or silver frame colors
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING STRATA MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR MESH COLOR BASE CASTERS GRADE PACKAGING OPTIONS

1 5 - Y 2 - A - F - M 0 1 - B A - C - - - -

* FOR ARMLESS CODE USE A00

FRAME COLORS

| CODE | DESCRIPTION |
|------|-------------|
| BF | BLACK |
| SF | SILVER |

(FRAME)

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|---|----------|------------|------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|------|------|-----|------|------|-----|-----|-----|-----|-----|------|------|------|------|------|------|-----|-----|-----|-----|-----|------|------|------|------|------|------|---|---|
| 1560 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>610</td><td>665</td><td>695</td><td>715</td><td>745</td><td>780</td><td>820</td><td>860</td><td>790</td><td>860</td><td>915</td></tr><tr><td>740</td><td>795</td><td>825</td><td>845</td><td>875</td><td>910</td><td>950</td><td>990</td><td>920</td><td>990</td><td>1045</td></tr><tr><td>760</td><td>815</td><td>845</td><td>865</td><td>895</td><td>930</td><td>970</td><td>1010</td><td>940</td><td>1010</td><td>1065</td></tr><tr><td>695</td><td>750</td><td>780</td><td>800</td><td>830</td><td>865</td><td>905</td><td>945</td><td>875</td><td>945</td><td>1000</td></tr><tr><td>715</td><td>770</td><td>800</td><td>820</td><td>850</td><td>885</td><td>925</td><td>965</td><td>895</td><td>965</td><td>1020</td></tr><tr><td>695</td><td>750</td><td>780</td><td>800</td><td>830</td><td>865</td><td>905</td><td>945</td><td>875</td><td>945</td><td>1000</td></tr><tr><td>715</td><td>770</td><td>800</td><td>820</td><td>850</td><td>885</td><td>925</td><td>965</td><td>895</td><td>965</td><td>1020</td></tr><tr><td>735</td><td>790</td><td>820</td><td>840</td><td>870</td><td>905</td><td>945</td><td>985</td><td>915</td><td>985</td><td>1040</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 610 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 790 | 860 | 915 | 740 | 795 | 825 | 845 | 875 | 910 | 950 | 990 | 920 | 990 | 1045 | 760 | 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 940 | 1010 | 1065 | 695 | 750 | 780 | 800 | 830 | 865 | 905 | 945 | 875 | 945 | 1000 | 715 | 770 | 800 | 820 | 850 | 885 | 925 | 965 | 895 | 965 | 1020 | 695 | 750 | 780 | 800 | 830 | 865 | 905 | 945 | 875 | 945 | 1000 | 715 | 770 | 800 | 820 | 850 | 885 | 925 | 965 | 895 | 965 | 1020 | 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 915 | 985 | 1040 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height and depth adjustable lumbar• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 39.5-44.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.0 BACK HEIGHT: 22.0 COM: 0.9 YDS COL: 13.0 SQ FT WEIGHT: 50.0 LB |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 610 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 790 | 860 | 915 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 795 | 825 | 845 | 875 | 910 | 950 | 990 | 920 | 990 | 1045 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 760 | 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 940 | 1010 | 1065 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 750 | 780 | 800 | 830 | 865 | 905 | 945 | 875 | 945 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 770 | 800 | 820 | 850 | 885 | 925 | 965 | 895 | 965 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 750 | 780 | 800 | 830 | 865 | 905 | 945 | 875 | 945 | 1000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 770 | 800 | 820 | 850 | 885 | 925 | 965 | 895 | 965 | 1020 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 915 | 985 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1580 | Y2 | HIGH-BACK W/ HEADREST HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>665</td><td>725</td><td>755</td><td>775</td><td>805</td><td>840</td><td>880</td><td>920</td><td>850</td><td>970</td><td>1025</td></tr><tr><td>795</td><td>855</td><td>885</td><td>905</td><td>935</td><td>970</td><td>1010</td><td>1050</td><td>980</td><td>1100</td><td>1155</td></tr><tr><td>815</td><td>875</td><td>905</td><td>925</td><td>955</td><td>990</td><td>1030</td><td>1070</td><td>1000</td><td>1120</td><td>1175</td></tr><tr><td>750</td><td>810</td><td>840</td><td>860</td><td>890</td><td>925</td><td>965</td><td>1005</td><td>935</td><td>1055</td><td>1110</td></tr><tr><td>770</td><td>830</td><td>860</td><td>880</td><td>910</td><td>945</td><td>985</td><td>1025</td><td>955</td><td>1075</td><td>1130</td></tr><tr><td>750</td><td>810</td><td>840</td><td>860</td><td>890</td><td>925</td><td>965</td><td>1005</td><td>935</td><td>1055</td><td>1110</td></tr><tr><td>770</td><td>830</td><td>860</td><td>880</td><td>910</td><td>945</td><td>985</td><td>1025</td><td>955</td><td>1075</td><td>1130</td></tr><tr><td>790</td><td>850</td><td>880</td><td>900</td><td>930</td><td>965</td><td>1005</td><td>1045</td><td>975</td><td>1095</td><td>1150</td></tr></table> SEAT SLIDER (SS) - ADD \$60 | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 665 | 725 | 755 | 775 | 805 | 840 | 880 | 920 | 850 | 970 | 1025 | 795 | 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 980 | 1100 | 1155 | 815 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 1000 | 1120 | 1175 | 750 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | 770 | 830 | 860 | 880 | 910 | 945 | 985 | 1025 | 955 | 1075 | 1130 | 750 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | 770 | 830 | 860 | 880 | 910 | 945 | 985 | 1025 | 955 | 1075 | 1130 | 790 | 850 | 880 | 900 | 930 | 965 | 1005 | 1045 | 975 | 1095 | 1150 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height and depth adjustable lumbar• 2 way adjustable headrest• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 46.5-51.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.0 BACK HEIGHT: 29.0 COM: 0.9 YDS COL: 16.0 SQ FT WEIGHT: 51.0 LB |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 665 | 725 | 755 | 775 | 805 | 840 | 880 | 920 | 850 | 970 | 1025 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 795 | 855 | 885 | 905 | 935 | 970 | 1010 | 1050 | 980 | 1100 | 1155 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 815 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 1000 | 1120 | 1175 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 830 | 860 | 880 | 910 | 945 | 985 | 1025 | 955 | 1075 | 1130 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 830 | 860 | 880 | 910 | 945 | 985 | 1025 | 955 | 1075 | 1130 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 790 | 850 | 880 | 900 | 930 | 965 | 1005 | 1045 | 975 | 1095 | 1150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1566 | Y2 | 10" STOOL HEAVY DUTY SYNCHRO Use for work surfaces up to 42 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>735</td><td>790</td><td>820</td><td>840</td><td>870</td><td>905</td><td>945</td><td>985</td><td>910</td><td>980</td><td>1035</td></tr><tr><td>865</td><td>920</td><td>950</td><td>970</td><td>1000</td><td>1035</td><td>1075</td><td>1115</td><td>1040</td><td>1110</td><td>1165</td></tr><tr><td>885</td><td>940</td><td>970</td><td>990</td><td>1020</td><td>1055</td><td>1095</td><td>1135</td><td>1060</td><td>1130</td><td>1185</td></tr><tr><td>820</td><td>875</td><td>905</td><td>925</td><td>955</td><td>990</td><td>1030</td><td>1070</td><td>995</td><td>1065</td><td>1120</td></tr><tr><td>840</td><td>895</td><td>925</td><td>945</td><td>975</td><td>1010</td><td>1050</td><td>1090</td><td>1015</td><td>1085</td><td>1140</td></tr><tr><td>820</td><td>875</td><td>905</td><td>925</td><td>955</td><td>990</td><td>1030</td><td>1070</td><td>995</td><td>1065</td><td>1120</td></tr><tr><td>840</td><td>895</td><td>925</td><td>945</td><td>975</td><td>1010</td><td>1050</td><td>1090</td><td>1015</td><td>1085</td><td>1140</td></tr><tr><td>860</td><td>915</td><td>945</td><td>965</td><td>995</td><td>1030</td><td>1070</td><td>1110</td><td>1035</td><td>1105</td><td>1160</td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 910 | 980 | 1035 | 865 | 920 | 950 | 970 | 1000 | 1035 | 1075 | 1115 | 1040 | 1110 | 1165 | 885 | 940 | 970 | 990 | 1020 | 1055 | 1095 | 1135 | 1060 | 1130 | 1185 | 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | 860 | 915 | 945 | 965 | 995 | 1030 | 1070 | 1110 | 1035 | 1105 | 1160 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height and depth adjustable lumbar• Height adj 20" diameter footing• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 49.0-59.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 27.0-37.0 BACK WIDTH: 21.0 BACK HEIGHT: 22.0 COM: 0.9 YDS COL: 13.0 SQ FT WEIGHT: 56.0 LB |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 910 | 980 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 920 | 950 | 970 | 1000 | 1035 | 1075 | 1115 | 1040 | 1110 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 885 | 940 | 970 | 990 | 1020 | 1055 | 1095 | 1135 | 1060 | 1130 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 860 | 915 | 945 | 965 | 995 | 1030 | 1070 | 1110 | 1035 | 1105 | 1160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1568 | Y2 | 8" STOOL HEAVY DUTY SYNCHRO Use for work surfaces up to 36 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>735</td><td>790</td><td>820</td><td>840</td><td>870</td><td>905</td><td>945</td><td>985</td><td>910</td><td>980</td><td>1035</td></tr><tr><td>865</td><td>920</td><td>950</td><td>970</td><td>1000</td><td>1035</td><td>1075</td><td>1115</td><td>1040</td><td>1110</td><td>1165</td></tr><tr><td>885</td><td>940</td><td>970</td><td>990</td><td>1020</td><td>1055</td><td>1095</td><td>1135</td><td>1060</td><td>1130</td><td>1185</td></tr><tr><td>820</td><td>875</td><td>905</td><td>925</td><td>955</td><td>990</td><td>1030</td><td>1070</td><td>995</td><td>1065</td><td>1120</td></tr><tr><td>840</td><td>895</td><td>925</td><td>945</td><td>975</td><td>1010</td><td>1050</td><td>1090</td><td>1015</td><td>1085</td><td>1140</td></tr><tr><td>820</td><td>875</td><td>905</td><td>925</td><td>955</td><td>990</td><td>1030</td><td>1070</td><td>995</td><td>1065</td><td>1120</td></tr><tr><td>840</td><td>895</td><td>925</td><td>945</td><td>975</td><td>1010</td><td>1050</td><td>1090</td><td>1015</td><td>1085</td><td>1140</td></tr><tr><td>860</td><td>915</td><td>945</td><td>965</td><td>995</td><td>1030</td><td>1070</td><td>1110</td><td>1035</td><td>1105</td><td>1160</td></tr></table> SEAT SLIDER (SS) - NOT AVAILABLE | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 910 | 980 | 1035 | 865 | 920 | 950 | 970 | 1000 | 1035 | 1075 | 1115 | 1040 | 1110 | 1165 | 885 | 940 | 970 | 990 | 1020 | 1055 | 1095 | 1135 | 1060 | 1130 | 1185 | 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | 860 | 915 | 945 | 965 | 995 | 1030 | 1070 | 1110 | 1035 | 1105 | 1160 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height and depth adjustable lumbar• Height adj 20" diameter footing• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 45.0-53.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 23.0-31.0 BACK WIDTH: 21.0 BACK HEIGHT: 22.0 COM: 0.9 YDS COL: 13.0 SQ FT WEIGHT: 55.0 LB |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 910 | 980 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 865 | 920 | 950 | 970 | 1000 | 1035 | 1075 | 1115 | 1040 | 1110 | 1165 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 885 | 940 | 970 | 990 | 1020 | 1055 | 1095 | 1135 | 1060 | 1130 | 1185 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 820 | 875 | 905 | 925 | 955 | 990 | 1030 | 1070 | 995 | 1065 | 1120 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 840 | 895 | 925 | 945 | 975 | 1010 | 1050 | 1090 | 1015 | 1085 | 1140 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 860 | 915 | 945 | 965 | 995 | 1030 | 1070 | 1110 | 1035 | 1105 | 1160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |

| | |
|--|--|
| | |
| | |
| | |
| | |


| | |
|--|----|
| | |
| | |
| | |
| | </ |

ARM OPTIONS



Height Adjustable Pivot Slide Arm

A6
\$130



Height/Width Adjustable Pivot Slide Arm

A7
\$150



Height/Width Adjustable Arm A9B-Black, A9S-Silver

A9B A9S
\$105



Height Adjustable Arm A8B-Black, A8S-Silver

A8B A8S
\$85



Soft Touch C-Shaped Arm

A10
\$85



Height Adjustable Pivot/Slide Arm


A36
\$105



Height/Width Adjustable Pivot/Slide Arm


A37
\$125

CASTER OPTIONS



60mm Hoodless Casters

C4
STD



C1S - 50mm Hooded Hard Floor Casters

C2S - 50mm Hooded Self-Locking Hard Floor Casters

C1S C2S
\$35

BASE OPTIONS



26" Aluminum Base Black Powder Coat

BA2B
STD



26" Aluminum Base Silver Powder Coat


BA2S
STD



26" Aluminum Base - Polished

BA2P
\$100

ADDITIONAL OPTIONS



Heavy Duty Multi-Shift Upgrade 350 lb. (Includes BA2 Aluminum Base and C4 60mm Casters; Available with Y2 Control Only)



Seat Slider 2.5" Side Paddle Activated Factory Installed

SS
\$60

strata

let strata float into your office

GSA SIN # 711-18

- Multi-purpose guest seating
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



MESH BACK UPHOLSTERED SEAT

CREATING STRATA MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR MESH COLOR GRADE PACKAGING

1 5 6 0 - G T - S W A - S F - M 0 1 - -

FRAME COLORS


| CODE | DESCRIPTION |
|------|-------------|
| SF | SILVER |

(FRAME)

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|---|-----|--|--|--|
| 1560 | GT | GUEST Silver cantilever steel frame side chair | SWA | T01A/COMBCLDEFGL3/COLL4L5 500555585605635670710750680750805 | <ul style="list-style-type: none">Height and depth adjustable lumbarBlack back accentsCantilever frameWarranted to 300 lbs. | WIDTH: 24.0 DEPTH: 24.0 HEIGHT: 39.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 18.0 BACK WIDTH: 21.0 BACK HEIGHT: 22.0 COM: 0.9 YDS COL: 13.0 SQ FT WEIGHT: 28.0 LB |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



Standard with Arms

strata all mesh

let strata float into your office

ALL MESH

GSA SIN # 711-18

- Task, conference, executive and stool seating
- Aluminum base standard
- Black or silver frame colors
- Warranted to 300 lbs.



CREATING STRATA MODEL NUMBER

MODEL NUMBER CONTROL ARMS FRAME COLOR MESH COLOR BASE CASTERS PACKAGING OPTIONS

1 5 - Y 2 - A - F - M 0 1 - B A - C

* FOR ARMLESS CODE USE A00

FRAME COLORS

| CODE | DESCRIPTION |
|------|-------------|
| BF | BLACK |
| SF | SILVER |

(FRAME)

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|---|---------|--|---|--|--|--|
| 1570 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 665 795 815 750 770 750 770 790 | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide tilt tension controlBack and seat tilt in 2:1 ratio4 locking positionsSafety tilt releaseHeight and depth adjustable lumbarWarranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 39.5-44.0 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 50.0 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
| 1590 | Y2 | HIGH-BACK W/ HEADREST HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide tilt tension controlBack and seat tilt in 2:1 ratio4 locking positionsSafety tilt releaseHeight and depth adjustable lumbar2 way adjustable headrestWarranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 46.5-51.0 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 51.0 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
| 1576 | Y2 | 10" STOOL HEAVY DUTY SYNCHRO Use for work surfaces up to 42 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 790 920 940 875 895 875 895 915 | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide tilt tension controlBack and seat tilt in 2:1 ratio4 locking positionsSafety tilt releaseHeight and depth adjustable lumbarHeight adj 20" diameter footringWarranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 49.0-59.0 SEAT WIDTH: 19.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 25.0-35.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 56.0 LB |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |
| 1578 | Y2 | 8" STOOL HEAVY DUTY SYNCHRO Use for work surfaces up to 36 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 790 920 940 875 895 875 895 915 | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide tilt tension controlBack and seat tilt in 2:1 ratio4 locking positionsSafety tilt releaseHeight and depth adjustable lumbarHeight adj 20" diameter footringWarranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 45.0-53.0 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 55.0 LB |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |
| ARM OPTIONS | | | | | | |
| | | A6 \$130 | | | A7 \$150 | |
| Height Adjustable Pivot Slide Arm | | | Height/Width Adjustable Pivot Slide Arm | | | |
| | | A8B A8S \$85 | | | A9B A9S \$105 | |
| Height Adjustable Arm A8B-Black, A8S-Silver | | | Height/Width Adjustable Arm A9B-Black, A9S-Silver | | | |
| | | A10 \$85 | | | A36 \$105 | |
| Soft Touch C-Shaped Arm | | | Height Adjustable Pivot/Slide Arm | | | |
| | | A37 \$125 | | | | |
| Height/Width Adjustable Pivot/Slide Arm | | | | | | |
| CASTER OPTIONS | | | | | | |
| | | C4 STD | 60mm Hoodless Casters | | | |
| | | C1S C2S \$35 | C1S - 50mm Hooded Hard Floor Casters C2S - 50mm Hooded Self-Locking Hard Floor Casters | | | |
| BASE OPTIONS | | | | | | |
| | | BA2B STD | | | BA2S STD | |
| 26" Aluminum Base - Black Powder Coat | | | 26" Aluminum Base - Silver Powder Coat | | | 26" Aluminum Base - Polished |
| ADDITIONAL OPTIONS | | | | | | |
| | | SS \$60 | | | | |
| Seat Slider 2.5" Side Paddle Activated | | | | | | |

strata LITE

let strata float into your office

GSA SIN # 711-18

- Task, executive, conference and stool seating
- Black nylon base
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING STRATA MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | FRAME COLOR | MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------------|------------|-------|------|---------|-----------|---------|
| 15 | Y1 | A | B | F | M | O | 1 | | |

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|--|--|----------|------------|------|--------|------|------|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|---|---|
| 1545 | Y1 | <div>MID-BACK SIMPLE SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>495</td><td>550</td><td>580</td><td>600</td><td>630</td><td>665</td><td>705</td><td>745</td><td>675</td><td>745</td><td>800</td></tr><tr><td>625</td><td>680</td><td>710</td><td>730</td><td>760</td><td>795</td><td>835</td><td>875</td><td>805</td><td>875</td><td>930</td></tr><tr><td>645</td><td>700</td><td>730</td><td>750</td><td>780</td><td>815</td><td>855</td><td>895</td><td>825</td><td>895</td><td>950</td></tr><tr><td>580</td><td>635</td><td>665</td><td>685</td><td>715</td><td>750</td><td>790</td><td>830</td><td>760</td><td>830</td><td>885</td></tr><tr><td>600</td><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>780</td><td>850</td><td>905</td></tr><tr><td>580</td><td>635</td><td>665</td><td>685</td><td>715</td><td>750</td><td>790</td><td>830</td><td>760</td><td>830</td><td>885</td></tr><tr><td>600</td><td>655</td><td>685</td><td>705</td><td>735</td><td>770</td><td>810</td><td>850</td><td>780</td><td>850</td><td>905</td></tr><tr><td>620</td><td>675</td><td>705</td><td>725</td><td>755</td><td>790</td><td>830</td><td>870</td><td>800</td><td>870</td><td>925</td></tr></table> <div>SEAT SLIDER (SS) - ADD \$60</div> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 495 | 550 | 580 | 600 | 630 | 665 | 705 | 745 | 675 | 745 | 800 | 625 | 680 | 710 | 730 | 760 | 795 | 835 | 875 | 805 | 875 | 930 | 645 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 825 | 895 | 950 | 580 | 635 | 665 | 685 | 715 | 750 | 790 | 830 | 760 | 830 | 885 | 600 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 780 | 850 | 905 | 580 | 635 | 665 | 685 | 715 | 750 | 790 | 830 | 760 | 830 | 885 | 600 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 780 | 850 | 905 | 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockHeight and depth adjustable lumbarWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 39.5-44.0</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 21.0</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 0.9 YDS</div> <div>COL: 13.0 SQ FT</div> <div>WEIGHT: 46.0 LB</div> |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | 550 | 580 | 600 | 630 | 665 | 705 | 745 | 675 | 745 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 680 | 710 | 730 | 760 | 795 | 835 | 875 | 805 | 875 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 825 | 895 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 635 | 665 | 685 | 715 | 750 | 790 | 830 | 760 | 830 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 780 | 850 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 580 | 635 | 665 | 685 | 715 | 750 | 790 | 830 | 760 | 830 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 | 655 | 685 | 705 | 735 | 770 | 810 | 850 | 780 | 850 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1555 | Y1 | <div>HIGH-BACK W/ HEADREST SIMPLE SYNCHRO</div> <div>Use for a variety of general office seating, including private office and conference room seating</div> | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>550</td><td>610</td><td>640</td><td>660</td><td>690</td><td>725</td><td>765</td><td>805</td><td>735</td><td>855</td><td>910</td></tr><tr><td>680</td><td>740</td><td>770</td><td>790</td><td>820</td><td>855</td><td>895</td><td>935</td><td>865</td><td>985</td><td>1040</td></tr><tr><td>700</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>885</td><td>1005</td><td>1060</td></tr><tr><td>635</td><td>695</td><td>725</td><td>745</td><td>775</td><td>810</td><td>850</td><td>890</td><td>820</td><td>940</td><td>995</td></tr><tr><td>655</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>840</td><td>960</td><td>1015</td></tr><tr><td>635</td><td>695</td><td>725</td><td>745</td><td>775</td><td>810</td><td>850</td><td>890</td><td>820</td><td>940</td><td>995</td></tr><tr><td>655</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>840</td><td>960</td><td>1015</td></tr><tr><td>675</td><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>860</td><td>980</td><td>1035</td></tr></table> <div>SEAT SLIDER (SS) - ADD \$60</div> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 550 | 610 | 640 | 660 | 690 | 725 | 765 | 805 | 735 | 855 | 910 | 680 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 865 | 985 | 1040 | 700 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 1005 | 1060 | 635 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 820 | 940 | 995 | 655 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 840 | 960 | 1015 | 635 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 820 | 940 | 995 | 655 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 840 | 960 | 1015 | 675 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 860 | 980 | 1035 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockHeight and depth adjustable lumbarHeight and tilt adjustable headrestWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 46.5-51.0</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 21.0</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 0.9 YDS</div> <div>COL: 16.0 SQ FT</div> <div>WEIGHT: 47.0 LB</div> |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 550 | 610 | 640 | 660 | 690 | 725 | 765 | 805 | 735 | 855 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 680 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 865 | 985 | 1040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 1005 | 1060 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 820 | 940 | 995 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 840 | 960 | 1015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 635 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 820 | 940 | 995 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 655 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 840 | 960 | 1015 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 860 | 980 | 1035 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1546 | Y1 | <div>10" STOOL SIMPLE SYNCHRO TILT</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>675</td><td>705</td><td>725</td><td>755</td><td>790</td><td>830</td><td>870</td><td>800</td><td>870</td><td>925</td></tr><tr><td>750</td><td>805</td><td>835</td><td>855</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>930</td><td>1000</td><td>1055</td></tr><tr><td>770</td><td>825</td><td>855</td><td>875</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>950</td><td>1020</td><td>1075</td></tr><tr><td>705</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>885</td><td>955</td><td>1010</td></tr><tr><td>725</td><td>780</td><td>810</td><td>830</td><td>860</td><td>895</td><td>935</td><td>975</td><td>905</td><td>975</td><td>1030</td></tr><tr><td>705</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>885</td><td>955</td><td>1010</td></tr><tr><td>725</td><td>780</td><td>810</td><td>830</td><td>860</td><td>895</td><td>935</td><td>975</td><td>905</td><td>975</td><td>1030</td></tr><tr><td>745</td><td>800</td><td>830</td><td>850</td><td>880</td><td>915</td><td>955</td><td>995</td><td>925</td><td>995</td><td>1050</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | 750 | 805 | 835 | 855 | 885 | 920 | 960 | 1000 | 930 | 1000 | 1055 | 770 | 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 950 | 1020 | 1075 | 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | 745 | 800 | 830 | 850 | 880 | 915 | 955 | 995 | 925 | 995 | 1050 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockHeight and depth adjustable lumbarWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 49.0-59.0</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 27.0-37.0</div> <div>BACK WIDTH: 21.0</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 0.9 YDS</div> <div>COL: 13.0 SQ FT</div> <div>WEIGHT: 52.0 LB</div> |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 805 | 835 | 855 | 885 | 920 | 960 | 1000 | 930 | 1000 | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 950 | 1020 | 1075 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 745 | 800 | 830 | 850 | 880 | 915 | 955 | 995 | 925 | 995 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1548 | Y1 | <div>8" STOOL SIMPLE SYNCHRO TILT</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>620</td><td>675</td><td>705</td><td>725</td><td>755</td><td>790</td><td>830</td><td>870</td><td>800</td><td>870</td><td>925</td></tr><tr><td>750</td><td>805</td><td>835</td><td>855</td><td>885</td><td>920</td><td>960</td><td>1000</td><td>930</td><td>1000</td><td>1055</td></tr><tr><td>770</td><td>825</td><td>855</td><td>875</td><td>905</td><td>940</td><td>980</td><td>1020</td><td>950</td><td>1020</td><td>1075</td></tr><tr><td>705</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>885</td><td>955</td><td>1010</td></tr><tr><td>725</td><td>780</td><td>810</td><td>830</td><td>860</td><td>895</td><td>935</td><td>975</td><td>905</td><td>975</td><td>1030</td></tr><tr><td>705</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>885</td><td>955</td><td>1010</td></tr><tr><td>725</td><td>780</td><td>810</td><td>830</td><td>860</td><td>895</td><td>935</td><td>975</td><td>905</td><td>975</td><td>1030</td></tr><tr><td>745</td><td>800</td><td>830</td><td>850</td><td>880</td><td>915</td><td>955</td><td>995</td><td>925</td><td>995</td><td>1050</td></tr></table> <div>SEAT SLIDER (SS) - NOT AVAILABLE</div> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | 750 | 805 | 835 | 855 | 885 | 920 | 960 | 1000 | 930 | 1000 | 1055 | 770 | 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 950 | 1020 | 1075 | 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | 745 | 800 | 830 | 850 | 880 | 915 | 955 | 995 | 925 | 995 | 1050 | <ul style="list-style-type: none">Pneumatic seat height adjustmentTilt tension controlBack and seat tilt in 3:1 ratioUpright position tilt lockHeight and depth adjustable lumbarWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 45.0-53.0</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 23.0-31.0</div> <div>BACK WIDTH: 21.0</div> <div>BACK HEIGHT: 22.0</div> <div>COM: 0.9 YDS</div> <div>COL: 13.0 SQ FT</div> <div>WEIGHT: 49.5 LB</div> |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 800 | 870 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750 | 805 | 835 | 855 | 885 | 920 | 960 | 1000 | 930 | 1000 | 1055 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 770 | 825 | 855 | 875 | 905 | 940 | 980 | 1020 | 950 | 1020 | 1075 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 705 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 885 | 955 | 1010 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 725 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 905 | 975 | 1030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 745 | 800 | 830 | 850 | 880 | 915 | 955 | 995 | 925 | 995 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


ARM OPTIONS



Height Adjustable Pivot Slide Arm

A6

\$130



Height/Width Adjustable Pivot Slide Arm

A7

\$150



Height Adjustable Arm
A8B-Black, A8S-Silver

A8B

A8S

\$85



Height/Width Adjustable Arm
A9B-Black, A9S-Silver

A9B

A9S

\$105



Soft Touch C-Shaped Arm

A10

\$85



Height Adjustable Pivot/Slide Arm

A36

\$105




Height/Width Adjustable Pivot/Slide Arm

A37

\$125

BASE OPTIONS



26" Nylon Base - Black

BA1B

STD



26" Aluminum Base
Black Powder Coat

BA2B

\$100



26" Aluminum Base
Polished

BA2P

\$100




26" Aluminum Base
Silver Powder Coat

BA2S

\$100

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated factory installed

SS

\$60

strata all mesh

let strata float into your office

LITE

GSA SIN # 711-18

- Task, executive, conference and stool seating
- Black nylon base
- Warranted to 300 lbs.



CREATING STRATA ADDRESSNUMBERMODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | FRAME COLOR | MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-------------|------------|-------|------|---------|-----------|---------|
| 15 | Y1 | A | B | F | M | O | 1 | B | A |

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|-------|---------|--|--|--|---|--|
| 1535 | Y1 | MID-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 550 680 700 635 655 635 655 675 SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height and depth adjustable lumbar• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 47.0 LB |
| 1537 | Y1 | HIGH-BACK W/ HEADREST SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 605 735 755 690 710 690 710 730 SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height and depth adjustable lumbar• Height and tilt adjustable headrest• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.0-51.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 47.0 LB |
| 1536 | Y1 | 10" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 42 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 675 805 825 760 780 760 780 800 SEAT SLIDER (SS) - NOT AVAILABLE | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height and depth adjustable lumbar• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.5-57.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 25.0-35.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 52.2 LB |
| 1538 | Y1 | 8" STOOL SIMPLE SYNCHRO TILT Use for work surfaces up to 36 inches high | ARMLESS A6 A7 A8B / A8S A9B / A9S A10 A36 A37 | M 675 805 825 760 780 760 780 800 SEAT SLIDER (SS) - NOT AVAILABLE | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height and depth adjustable lumbar• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.0-52.0 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 21.5 BACK HEIGHT: 23.0 WEIGHT: 51.5 LB |


ARM OPTIONS



Height Adjustable
Pivot Slide Arm

A6

\$130



Height/Width Adjustable
Pivot Slide Arm

A7

\$150




Height Adjustable Arm
A8B-Black, A8S-Silver

A8B

A8S

\$85



Height/Width Adjustable Arm
A9B-Black, A9S-Silver

A9B

A9S

\$105



Soft Touch C-Shaped Arm

A10

\$85



Height Adjustable Pivot/
Slide Arm

A36

\$105



Height/Width Adjustable
Pivot/Slide Arm

A37

\$125

BASE OPTIONS



26" Nylon Base - Black

BA1B

STD



26" Aluminum Base
Black Powder Coat

BA2B

\$100



26" Aluminum Base
Silver Powder Coat

BA2S

\$100




26" Aluminum Base - Polished

BA2P

\$100

CASTER OPTIONS



60mm Hoodless Casters

C4

STD



C1S - 50mm Hooded Hard
Floor Casters

C1S

\$35



C2S - 50mm Hooded Self-
Locking Hard Floor Casters

C2S

\$35

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated
factory installed

SS

\$60

theory

the facts support theory as the smart choice

MESH BACK UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 2160 | Y | A | M | | BA | C | | |

* FOR ARMLESS CODE USE A00

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSIGNED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|---|----------------------------|--|---|--|
| 2160 | Y1 | MID-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 42.0 LB |
| 2160 | Y1 | MID-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 42.0 LB |
| 2160 | Y3 | MID-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 24.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 43.5 LB |
| 2160 | Y3 | MID-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 43.5 LB |

ARM OPTIONS




A10
\$85

Soft Touch C-Shaped Arm



A8B
A8S
\$85

Height Adjustable Arm
A8B-Black, A8S-Silver



A9B
A9S
\$105

Height/Width Adjustable Arm
A9B-Black, A9S-Silver



A36
\$105


Height Adjustable
Pivot/Slide Arm



A37
\$125

Height/Width Adjustable
Pivot/Slide Arm

CASTER OPTIONS




C6
STD

60mm Hoodless Casters



C6S
\$35

60mm Hoodless Hard Floor
Casters



C7
\$35

60mm Hoodless Chrome
Accented Casters

BASE OPTIONS




BA9B
STD

26" High Profile Nylon
Base - Black



BA10B
\$100

26" High Profile Aluminum
Base - Black Powder Coat



BA10P
\$100


26" High Profile Aluminum
Base - Polished



BA10S
\$100

26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



SS
\$60

Seat Slider 2.5"
Side Paddle Activated

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

MESH BACK UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

MODEL NUMBERCONTROLARMSBACK MESH COLORGRADEBASECASTERSPACKAGINGOPTIONS

2160-Y-A-M--BAY--C--

* FOR ARMLESS CODE USE A00


* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSIGNED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|---|----------------------------|--|--|--|
| 2160 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 38.5-45.5 SEAT WIDTH: 21.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 21.5-23.5 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 45.5 LB |
| 2160 | Y2 | MID-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 38.5-45.5 SEAT WIDTH: 21.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 21.5-23.5 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 45.5 LB |
| 2160 | GT | GUEST MESH BACK UPHOLSTERED SEAT Black steel cantilever frame | M1 M1 M3 M3 | ARMLESS A10 ARMLESS A10 | <ul style="list-style-type: none">• Black cantilever frame• Warranted to 300 lbs. | WIDTH: 24.5 DEPTH: 24.5 HEIGHT: 40.5 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 21.5 BACK WIDTH: 20 BACK HEIGHT: 22 COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 38.0 LB |

ARM OPTIONS



Soft Touch C-Shaped Arm



Height Adjustable Arm
A8B-Black, A8S-Silver



Height/Width Adjustable Arm
A9B-Black, A9S-Silver




Height Adjustable
Pivot/Slide Arm



Height/Width Adjustable
Pivot/Slide Arm

CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Black Powder Coat




26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated



Heavy Duty Multi-Shift
Upgrade to 350Lbs.
(Includes BA10 Aluminum
Base and C6 60mm Casters,
Y2 Control Only)

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

MESH BACK UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | | | | CONTROL | | ARMS | | BACK MESH COLOR | | GRADE | | BASE | | CASTERS | | PACKAGING | | OPTIONS | |
|--------------|---|---|---|---------|---|------|---|-----------------|--|-------|---|------|--|---------|---|-----------|--|---------|--|
| 2 | 1 | 8 | 0 | - | Y | | - | A | | | - | M | | | - | | | | |

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED


* FOR ARMLESS CODE USE A00

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|-------|---------|--|----------------------------|--|---|--|
| 2180 | Y1 | HIGH-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.0 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 42.0 LB |
| 2180 | Y1 | HIGH-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 24.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 43.5 LB |
| 2180 | Y3 | HIGH-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 45.5-54.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 28.5-30.5 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 45.5 LB |
| 2180 | Y3 | HIGH-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 45.5-54.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 28.5-30.5 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 45.5 LB |

ARM OPTIONS



Soft Touch C-Shaped Arm



Height Adjustable Arm
A8B-Black, A8S-Silver



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height Adjustable
Pivot/Slide Arm



Height/Width Adjustable
Pivot/Slide Arm

CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

MESH BACK UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 2180 | -Y | -A | -M | - | -BA | -C | - | - |

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | | ARM | FABRIC/LEATHER | | | | | | | | | | | FEATURES | DIMENSIONS |
|-----------------------------|---------|--|----|---------|----------------|-------|-----|-----|-----|-----|------|------|--------|------|------|--|--|
| 2180 | Y2 | HIGH-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 | ARMLESS | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-25.0 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 42.0 LB |
| | | | M1 | A8B | 680 | 705 | 735 | 755 | 785 | 820 | 860 | 900 | 830 | 950 | 1005 | | |
| | | | M1 | A9B | 765 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 915 | 1035 | 1090 | | |
| | | | M1 | A10 | 785 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | | |
| | | | M1 | A36 | 765 | 790 | 820 | 840 | 870 | 905 | 945 | 985 | 915 | 1035 | 1090 | | |
| | | | M1 | A37 | 785 | 810 | 840 | 860 | 890 | 925 | 965 | 1005 | 935 | 1055 | 1110 | | |
| | | | | | 805 | 830 | 860 | 880 | 910 | 945 | 985 | 1025 | 955 | 1075 | 1130 | | |
| SEAT SLIDER (SS) - ADD \$60 | | | | | | | | | | | | | | | | | |
| 2180 | Y2 | HIGH-BACK HEAVY DUTY SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 | ARMLESS | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side tilt tension control• Back and seat tilt in 2:1 ratio• 4 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 24.5 HEIGHT: 40.0-47.0 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.0-25.0 COM: 0.8 YDS COL: 14.0 SQ FT WEIGHT: 43.5 LB |
| | | | M3 | A8B | 705 | 730 | 760 | 780 | 810 | 845 | 885 | 925 | 855 | 975 | 1030 | | |
| | | | M3 | A9B | 790 | 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 940 | 1060 | 1115 | | |
| | | | M3 | A10 | 810 | 835 | 865 | 885 | 915 | 950 | 990 | 1030 | 960 | 1080 | 1135 | | |
| | | | M3 | A36 | 790 | 815 | 845 | 865 | 895 | 930 | 970 | 1010 | 940 | 1060 | 1115 | | |
| | | | M3 | A37 | 810 | 835 | 865 | 885 | 915 | 950 | 990 | 1030 | 960 | 1080 | 1135 | | |
| | | | | | 830 | 855 | 885 | 905 | 935 | 970 | 1000 | 1050 | 980 | 1100 | 1155 | | |
| SEAT SLIDER (SS) - ADD \$60 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

ARM OPTIONS



Soft Touch C-Shaped Arm



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height/Width Adjustable
Pivot/Slide Arm




Height Adjustable Arm
A8B-Black, A8S-Silver




Height Adjustable
Pivot/Slide Arm


CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated



Heavy Duty Multi-Shift
Upgrade to 350Lbs.
(Includes BA10 Aluminum
Base and C6 60mm Casters,
Y2 Control Only)

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

MESH BACK STOOL UPHOLSTERED SEAT

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 216 | Y1 | A | M | | BA | C | | |

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* FOR ARMLESS CODE USE A00

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS |
|----------------------------------|---------|---|----------------------------|--|--|---|
| 2166 | Y1 | 10" STOOL SIMPLE SYNCHRO Use for work surfaces up to 42 inches high | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.75-60.50 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 20.3 BACK HEIGHT: 21.0-23.75 COM: 0.9 yd COL: 11.0 sq ft WEIGHT: 48.0 |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |
| 2166 | Y1 | 10" STOOL SIMPLE SYNCHRO Use for work surfaces up to 42 inches high | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.75-60.50 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 20.3 BACK HEIGHT: 21.0-23.75 COM: 0.9 yd COL: 11.0 sq ft WEIGHT: 48.0 |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |
| 2168 | Y1 | 8" STOOL SIMPLE SYNCHRO Use for work surfaces up to 36 inches high | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.75-55.5 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 24-32 BACK WIDTH: 20.3 BACK HEIGHT: 21.0-23.75 COM: 0.9 yd COL: 11.0 sq ft WEIGHT: 47.0 |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |
| 2168 | Y1 | 8" STOOL SIMPLE SYNCHRO Use for work surfaces up to 36 inches high | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.75-55.5 SEAT WIDTH: 21.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 24-32 BACK WIDTH: 20.3 BACK HEIGHT: 21.0-23.75 COM: 0.9 yd COL: 11.0 sq ft WEIGHT: 47.0 |
| SEAT SLIDER (SS) - NOT AVAILABLE | | | | | | |

ARM OPTIONS




Soft Touch C-Shaped Arm



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height/Width Adjustable
Pivot/Slide Arm




Height Adjustable Arm
A8B-Black, A8S-Silver



Height Adjustable
Pivot/Slide Arm



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Silver Powder Coat

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

ALL MESH

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | MESH COLOR | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|------------|------|---------|-----------|---------|
| 2170 | Y | A | M | B A | C | | |


* FOR ARMLESS CODE USE A00
* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|---|---------|---|----------------------------|--|--|--|
| 2170 | Y1 | MID-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | M 455 540 560 540 560 580 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 25.5 HEIGHT: 39.0-46.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-26.0 COM: N/A COL: N/A WEIGHT: 40.5 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
| 2170 | Y1 | MID-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | M 490 575 595 575 595 615 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 38.0-45.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.5-26.0 COM: N/A COL: N/A WEIGHT: 43.0 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
| 2170 | Y3 | MID-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | M 525 610 630 610 630 650 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 25.5 HEIGHT: 39.0-46.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 20.0 BACK HEIGHT: 23.0-26.0 COM: N/A COL: N/A WEIGHT: 40.5 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
| 2170 | Y3 | MID-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | M 560 645 665 645 665 685 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 38.0-45.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 23.5-26.0 COM: N/A COL: N/A WEIGHT: 43.0 LB |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |

ARM OPTIONS



Soft Touch C-Shaped Arm



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height/Width Adjustable
Pivot/Slide Arm



Height Adjustable Arm
A8B-Black, A8S-Silver



Height Adjustable
Pivot/Slide Arm

CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

ALL MESH

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls availavle
- Mesh back and all mesh models available
- Warranted to 300 lbs.











CREATING THEORY MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | MESH COLOR | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|------------|------|---------|-----------|---------|
| 2190 | Y | | M | BA | C | | |


* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|--|---|--|-----|---------|---|--|
|  |  | HIGH-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 | ARMLESS | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | M WIDTH: 26.5 DEPTH: 25.5 HEIGHT: 44.5-55.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 30.0-35.0 COM: N/A COL: N/A WEIGHT: 42.0 LB |
| | | | M1 | A8B | | |
| | | | M1 | A9B | | |
| | | | M1 | A10 | | |
| | | | M1 | A36 | | |
| | | | M1 | A37 | | |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
|  |  | HIGH-BACK SIMPLE SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 | ARMLESS | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | M WIDTH: 26.5 DEPTH: 25.5 HEIGHT: 44.5-55.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5-21.0 BACK WIDTH: 20.0 BACK HEIGHT: 30.0-35.0 COM: N/A COL: N/A WEIGHT: 42.0 LB |
| | | | M3 | A8B | | |
| | | | M3 | A9B | | |
| | | | M3 | A10 | | |
| | | | M3 | A36 | | |
| | | | M3 | A37 | | |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
|  |  | HIGH-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M1 | ARMLESS | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | M WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0-54.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 30.5-35.0 COM: N/A COL: N/A WEIGHT: 44.0 LB |
| | | | M1 | A8B | | |
| | | | M1 | A9B | | |
| | | | M1 | A10 | | |
| | | | M1 | A36 | | |
| | | | M1 | A37 | | |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |
|  |  | HIGH-BACK FULL SYNCHRO Use for a variety of general office seating, including private office and conference room seating | M3 | ARMLESS | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Height adjustable lumbar• Ratchet back height adjustment• Warranted to 300 lbs. | M WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0-54.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 30.5-35.0 COM: N/A COL: N/A WEIGHT: 44.0 LB |
| | | | M3 | A8B | | |
| | | | M3 | A9B | | |
| | | | M3 | A10 | | |
| | | | M3 | A36 | | |
| | | | M3 | A37 | | |
| SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED | | | | | | |

ARM OPTIONS




Soft Touch C-Shaped Arm



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height/Width Adjustable
Pivot/Slide Arm




Height Adjustable Arm
A8B-Black, A8S-Silver




Height Adjustable
Pivot/Slide Arm


CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Polished




26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Silver Powder Coat

ADDITIONAL OPTIONS



Seat Slider 2.5"
Side Paddle Activated

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

ALL MESH

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls available
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

MODEL NUMBER CONTROL ARMS MESH COLOR BASE CASTERS PACKAGING OPTIONS

2 1 9 0 - Y - **M** - **B A** - **C** - -

* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|-------|---------|--|-----|------|----------|------------|
| 2190 | Y2 | <div><div><div><div><div></div><div></div><div></div><div></div><div></div><div></div></div><div></div><div></div><div></div><div></div><div></div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div></div><div></div><div></div><div></div><div></div><div></div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </ | | | | |


ARM OPTIONS



Soft Touch C-Shaped Arm



Height Adjustable Arm
A8B-Black, A8S-Silver



Height/Width Adjustable Arm
A9B-Black, A9S-Silver




Height Adjustable
Pivot/Slide Arm




Height/Width Adjustable
Pivot/Slide Arm


CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Silver Powder Coat



Seat Slider 2.5"
Side Paddle Activated



Heavy Duty Multi-Shift
Upgrade to 350Lbs.
(Includes BA10 Aluminum
Base and C6 60mm Casters,
Y2 Control Only)

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

theory

the facts support theory as the smart choice

ALL MESH STOOL

GSA SIN # 711-18

- Task, stool and conference seating
- Choice of 14 mesh colors
- Ratchet back adjustment with independent height adjustable lumbar standard
- Multiple synchro controls available
- Mesh back and all mesh models available
- Warranted to 300 lbs.



CREATING THEORY MODEL NUMBER

| MODEL NUMBER | | | | CONTROL | | ARMS | | MESH COLOR | | BASE | | | CASTERS | | PACKAGING | | | OPTIONS | | | | |
|--------------|---|---|--|---------|---|------|---|------------|--|------|---|---|---------|--|-----------|---|---|---------|--|---|--|--|
| 2 | 1 | 7 | | - | Y | 1 | - | A | | | - | B | A | | | - | C | | | - | | |

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|-------|---------|---|----------------------------------|--|--|--|
| 2176 | Y1 | 10" STOOL SIMPLE SYNCHRO Use for work surfaces up to 42 inches high | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | M 580 665 685 665 685 705 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.25-60.5 SEAT WIDTH: 19.5 SEAT DEPTH: 18.0 SEAT HEIGHT: 26.0-36.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.5-25.5 COM: NA COL: NA WEIGHT: 56.0 lbs |
| 2176 | Y1 | 10" STOOL SIMPLE SYNCHRO Use for work surfaces up to 42 inches high | M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | M 605 690 710 690 710 730 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 47.25-60.5 SEAT WIDTH: 19.5 SEAT DEPTH: 18.0 SEAT HEIGHT: 26.0-36.0 BACK WIDTH: 20.0 BACK HEIGHT: 22.5-25.5 COM: NA COL: NA WEIGHT: 56.0 lbs |
| 2178 | Y1 | 8" STOOL SIMPLE SYNCHRO Use for work surfaces up to 36 inches high | M1 M1 M1 M1 M1 | ARMLESS A8B A9B A10 A36 A37 | M 580 665 685 665 685 705 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.25-55.5 SEAT WIDTH: 19.5 SEAT DEPTH: 18.0 SEAT HEIGHT: 23.5-31.5 BACK WIDTH: 20.0 BACK HEIGHT: 22.5-25.5 COM: NA COL: NA WEIGHT: 55.0 lbs |
| 2178 | Y1 | 8" STOOL SIMPLE SYNCHRO Use for work surfaces up to 36 inches high | M3 M3 M3 M3 M3 M3 | ARMLESS A8B A9B A10 A36 A37 | M 605 690 710 690 710 730 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Height adjustable lumbar• Ratchet back height adjustment• Height adjustable 20" diameter footring• Warranted to 300 lbs. WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 44.25-55.5 SEAT WIDTH: 19.5 SEAT DEPTH: 18.0 SEAT HEIGHT: 23.5-31.5 BACK WIDTH: 20.0 BACK HEIGHT: 22.5-25.5 COM: NA COL: NA WEIGHT: 55.0 lbs |

ARM OPTIONS



Soft Touch C-Shaped Arm



Height Adjustable Arm
A8B-Black, A8S-Silver



Height/Width Adjustable Arm
A9B-Black, A9S-Silver



Height Adjustable
Pivot/Slide Arm



Height/Width Adjustable
Pivot/Slide Arm



60mm Hoodless Casters



60mm Hoodless Hard Floor
Casters



60mm Hoodless Chrome
Accented Casters

BASE OPTIONS



26" High Profile Nylon
Base - Black



26" High Profile Aluminum
Base - Black Powder Coat



26" High Profile Aluminum
Base - Polished



26" High Profile Aluminum
Base - Silver Powder Coat

MESH COLORS

| | | | | | |
|------------------|--------------|---------------|--------------|-----------------|--------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
| GRAPHITE M31 | SLATE M32 | SNOW M33 | SAGE M34 | CARDINAL M35 | ROYAL M36 |
| TANGERINE M37 | PLUM M38 | | | | |

vault

goes beyond the expected

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height lumbar adjustment
- Choice of 8 back mesh colors
- Seat slider standard on all models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved




CREATING VAULT MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 1460 | | A | M2 | | BA | C | | |

* FOR ARMLESS CODE USE A00
* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |



RATCHET BACK SIMPLE SYNCHRO

Use for a variety of general office task seating, including private office and conference room seating


| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER |
|-------|---------|-------------|---------|----------------|
| 1460 | Y1 | | ARMLESS | |
| | | | A6 | |
| | | | A7 | |
| | | | A8 | |
| | | | A9 | |
| | | | A10 | |
| | | | A36 | |
| | | | A37 | |
| | | | A40 | |
| | | | A41 | |



RATCHET BACK FULL SYNCHRO

Use for a variety of general office task seating, including private office and conference room seating

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER |
|-------|---------|-------------|---------|----------------|
| 1460 | Y3 | | ARMLESS | |
| | | | A6 | |
| | | | A7 | |
| | | | A8 | |
| | | | A9 | |
| | | | A10 | |
| | | | A36 | |
| | | | A37 | |
| | | | A40 | |
| | | | A41 | |



RATCHET BACK ENHANCED KNEE TILT

Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER |
|-------|---------|-------------|---------|----------------|
| 1460 | K2 | | ARMLESS | |
| | | | A6 | |
| | | | A7 | |
| | | | A8 | |
| | | | A9 | |
| | | | A10 | |
| | | | A36 | |
| | | | A37 | |
| | | | A40 | |
| | | | A41 | |

FEATURES

- Pneumatic seat height adjustment
- Tilt tension control
- Back and seat tilt in 3:1 ratio
- Upright position tilt lock
- Seat slider standard
- Ratchet back height lumbar adjustment
- Molded foam seat
- Warranted to 300 lbs.

DIMENSIONS

WIDTH: 24.5-26.0
DEPTH: 25.0
HEIGHT: 39.5-46.5
SEAT WIDTH: 20.0
SEAT DEPTH: 16.0-18.5
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 18.5
BACK HEIGHT: 23.0-25.5
COM: 0.8 yds
COL: 11.0 sq ft
WEIGHT: 39.0 lb

- Pneumatic seat height adjustment
- Tilt tension control
- Back and seat tilt in 2:1 ratio
- 3 locking positions
- Safety tilt release
- Seat slider standard
- Ratchet back height lumbar adjustment
- Molded foam seat
- Warranted to 300 lbs.

WIDTH: 24.5-26.0
DEPTH: 25.0
HEIGHT: 39.5-46.5
SEAT WIDTH: 20.0
SEAT DEPTH: 16.0-18.5
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 18.5
BACK HEIGHT: 23.0-25.5
COM: 0.8 yds
COL: 11.0 sq ft
WEIGHT: 41.0 lb

- Pneumatic seat height adjustment
- Side activated tilt tension control
- Seat and back tilt as a unit
- 3 locking positions
- Reduced rise of front of seat
- Seat slider standard
- Ratchet back height lumbar adjustment
- Molded foam seat
- Warranted to 300 lbs.

WIDTH: 24.5-26.0
DEPTH: 25.0
HEIGHT: 39.5-46.5
SEAT WIDTH: 20.0
SEAT DEPTH: 16.0-18.5
SEAT HEIGHT: 17.5-22.0
BACK WIDTH: 18.5
BACK HEIGHT: 23.0-25.5
COM: 0.8 yds
COL: 11.0 sq ft
WEIGHT: 41.0 lb


MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

ARM OPTIONS



A6
\$130



A8B
A8S
\$85



A10
\$85



A37
\$125



A40
\$130



BA9B
STD



BA10P
\$100




BA10B
\$100



BA10S
\$100

CASTERS



C6
STD




C6S
\$35




C7
\$35



EF1
\$30



MF1
\$50



BA9B
STD



BA10B
\$100



BA10S
\$100

ADDITIONAL OPTIONS

vault

goes beyond the expected

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height lumbar adjustment
- Choice of 8 back mesh colors
- Seat slider standard on all models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING VAULT MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 1480 | | A | M2 | | BA | C | | |


* FOR ARMLESS CODE USE A00 * IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|--|---|----------|------------|-----|--------|-----|-----|---|---|--------|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---|--|
| 1480 | Y1 | RATCHET BACK WITH HEADREST SIMPLE SYNCHRO Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A6 A7 A8 A9 A10 A36 A37 A40 A41 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>520</td><td>540</td><td>570</td><td>590</td><td>620</td><td>655</td><td>695</td><td>735</td><td>605</td><td>640</td><td>730</td></tr><tr><td>650</td><td>670</td><td>700</td><td>720</td><td>750</td><td>785</td><td>825</td><td>865</td><td>735</td><td>770</td><td>860</td></tr><tr><td>670</td><td>690</td><td>720</td><td>740</td><td>770</td><td>805</td><td>845</td><td>885</td><td>755</td><td>790</td><td>880</td></tr><tr><td>605</td><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>690</td><td>725</td><td>815</td></tr><tr><td>625</td><td>645</td><td>675</td><td>695</td><td>725</td><td>760</td><td>800</td><td>840</td><td>710</td><td>745</td><td>835</td></tr><tr><td>605</td><td>625</td><td>655</td><td>675</td><td>705</td><td>740</td><td>780</td><td>820</td><td>690</td><td>725</td><td>815</td></tr><tr><td>625</td><td>645</td><td>675</td><td>695</td><td>725</td><td>760</td><td>800</td><td>840</td><td>710</td><td>745</td><td>835</td></tr><tr><td>645</td><td>665</td><td>695</td><td>715</td><td>745</td><td>780</td><td>820</td><td>860</td><td>730</td><td>765</td><td>855</td></tr><tr><td>630</td><td>650</td><td>680</td><td>700</td><td>730</td><td>765</td><td>805</td><td>845</td><td>715</td><td>750</td><td>840</td></tr><tr><td>650</td><td>670</td><td>700</td><td>720</td><td>750</td><td>785</td><td>825</td><td>865</td><td>735</td><td>770</td><td>860</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 520 | 540 | 570 | 590 | 620 | 655 | 695 | 735 | 605 | 640 | 730 | 650 | 670 | 700 | 720 | 750 | 785 | 825 | 865 | 735 | 770 | 860 | 670 | 690 | 720 | 740 | 770 | 805 | 845 | 885 | 755 | 790 | 880 | 605 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 690 | 725 | 815 | 625 | 645 | 675 | 695 | 725 | 760 | 800 | 840 | 710 | 745 | 835 | 605 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 690 | 725 | 815 | 625 | 645 | 675 | 695 | 725 | 760 | 800 | 840 | 710 | 745 | 835 | 645 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 730 | 765 | 855 | 630 | 650 | 680 | 700 | 730 | 765 | 805 | 845 | 715 | 750 | 840 | 650 | 670 | 700 | 720 | 750 | 785 | 825 | 865 | 735 | 770 | 860 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Seat slider standard• Ratchet back height lumbar adjustment• Molded foam seat• Warranted to 300 lbs. | WIDTH: 24.5-26.0 DEPTH: 25.0 HEIGHT: 39.5-46.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 18.5 BACK HEIGHT: 23.0-25.5 COM: 0.8 yds COL: 11.0 sq ft WEIGHT: 39.0 lb |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 520 | 540 | 570 | 590 | 620 | 655 | 695 | 735 | 605 | 640 | 730 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 670 | 700 | 720 | 750 | 785 | 825 | 865 | 735 | 770 | 860 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 670 | 690 | 720 | 740 | 770 | 805 | 845 | 885 | 755 | 790 | 880 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 690 | 725 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 645 | 675 | 695 | 725 | 760 | 800 | 840 | 710 | 745 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 605 | 625 | 655 | 675 | 705 | 740 | 780 | 820 | 690 | 725 | 815 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 625 | 645 | 675 | 695 | 725 | 760 | 800 | 840 | 710 | 745 | 835 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 645 | 665 | 695 | 715 | 745 | 780 | 820 | 860 | 730 | 765 | 855 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 630 | 650 | 680 | 700 | 730 | 765 | 805 | 845 | 715 | 750 | 840 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 650 | 670 | 700 | 720 | 750 | 785 | 825 | 865 | 735 | 770 | 860 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1480 | Y3 | RATCHET BACK WITH HEADREST FULL SYNCHRO Use for a variety of general office task seating, including private office and conference room seating | ARMLESS A6 A7 A8 A9 A10 A36 A37 A40 A41 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>590</td><td>610</td><td>640</td><td>660</td><td>690</td><td>725</td><td>765</td><td>805</td><td>675</td><td>710</td><td>800</td></tr><tr><td>720</td><td>740</td><td>770</td><td>790</td><td>820</td><td>855</td><td>895</td><td>935</td><td>805</td><td>840</td><td>930</td></tr><tr><td>740</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>825</td><td>860</td><td>950</td></tr><tr><td>675</td><td>695</td><td>725</td><td>745</td><td>775</td><td>810</td><td>850</td><td>890</td><td>760</td><td>795</td><td>885</td></tr><tr><td>695</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>780</td><td>815</td><td>905</td></tr><tr><td>675</td><td>695</td><td>725</td><td>745</td><td>775</td><td>810</td><td>850</td><td>890</td><td>760</td><td>795</td><td>885</td></tr><tr><td>695</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>780</td><td>815</td><td>905</td></tr><tr><td>715</td><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>800</td><td>835</td><td>925</td></tr><tr><td>700</td><td>720</td><td>750</td><td>770</td><td>800</td><td>835</td><td>875</td><td>915</td><td>785</td><td>820</td><td>910</td></tr><tr><td>720</td><td>740</td><td>770</td><td>790</td><td>820</td><td>855</td><td>895</td><td>935</td><td>805</td><td>840</td><td>930</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 590 | 610 | 640 | 660 | 690 | 725 | 765 | 805 | 675 | 710 | 800 | 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 2:1 ratio• 3 locking positions• Safety tilt release• Seat slider standard• Ratchet back height lumbar adjustment• Molded foam seat• Warranted to 300 lbs. | WIDTH: 24.5-26.0 DEPTH: 25.0 HEIGHT: 39.5-46.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 18.5 BACK HEIGHT: 23.0-25.5 COM: 0.8 yds COL: 11.0 sq ft WEIGHT: 41.0 lb |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 590 | 610 | 640 | 660 | 690 | 725 | 765 | 805 | 675 | 710 | 800 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1480 | K2 | RATCHET BACK WITH HEADREST ENHANCED KNEE TILT Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look | ARMLESS A6 A7 A8 A9 A10 A36 A37 A40 A41 | <table><tr><th>T01</th><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>610</td><td>630</td><td>660</td><td>680</td><td>710</td><td>745</td><td>785</td><td>825</td><td>695</td><td>730</td><td>820</td></tr><tr><td>740</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>825</td><td>860</td><td>950</td></tr><tr><td>760</td><td>780</td><td>810</td><td>830</td><td>860</td><td>895</td><td>935</td><td>975</td><td>845</td><td>880</td><td>970</td></tr><tr><td>695</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>780</td><td>815</td><td>905</td></tr><tr><td>715</td><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>800</td><td>835</td><td>925</td></tr><tr><td>695</td><td>715</td><td>745</td><td>765</td><td>795</td><td>830</td><td>870</td><td>910</td><td>780</td><td>815</td><td>905</td></tr><tr><td>715</td><td>735</td><td>765</td><td>785</td><td>815</td><td>850</td><td>890</td><td>930</td><td>800</td><td>835</td><td>925</td></tr><tr><td>735</td><td>755</td><td>785</td><td>805</td><td>835</td><td>870</td><td>910</td><td>950</td><td>820</td><td>855</td><td>945</td></tr><tr><td>720</td><td>740</td><td>770</td><td>790</td><td>820</td><td>855</td><td>895</td><td>935</td><td>805</td><td>840</td><td>930</td></tr><tr><td>740</td><td>760</td><td>790</td><td>810</td><td>840</td><td>875</td><td>915</td><td>955</td><td>825</td><td>860</td><td>950</td></tr></table> | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 610 | 630 | 660 | 680 | 710 | 745 | 785 | 825 | 695 | 730 | 820 | 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | 760 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 845 | 880 | 970 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | 735 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 820 | 855 | 945 | 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side activated tilt tension control• Seat and back tilt as a unit• 3 locking positions• Reduced rise of front of seat• Seat slider standard• Ratchet back height lumbar adjustment• Molded foam seat• Warranted to 300 lbs. | WIDTH: 24.5-26.0 DEPTH: 25.0 HEIGHT: 39.5-46.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 18.5 BACK HEIGHT: 23.0-25.5 COM: 0.8 yds COL: 11.0 sq ft WEIGHT: 41.0 lb |
| T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 610 | 630 | 660 | 680 | 710 | 745 | 785 | 825 | 695 | 730 | 820 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 760 | 780 | 810 | 830 | 860 | 895 | 935 | 975 | 845 | 880 | 970 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 715 | 735 | 765 | 785 | 815 | 850 | 890 | 930 | 800 | 835 | 925 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 735 | 755 | 785 | 805 | 835 | 870 | 910 | 950 | 820 | 855 | 945 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 740 | 760 | 790 | 810 | 840 | 875 | 915 | 955 | 825 | 860 | 950 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ARM OPTIONS



Height Adjustable Pivot Slide Arm
A6
\$130



Height Adjustable Arm
A8B-Black, A8S-Silver
A8B
A8S
\$85



Soft Touch C-Shaped Arm
A10
\$85



Height/Width Adjustable Pivot/Slide Arm
A37
\$125



Height Adjustable Arm
A36
\$105



Height Adjustable Arm
A40
\$130



Height Adjustable Arm
A41
\$130



Height Adjustable Arm
A9B
\$100



Height Adjustable Arm
A10B
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

Height Adjustable Arm
A10S
\$100

Height Adjustable Arm
A10P
\$100

vault

goes beyond the expected

GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height lumbar adjustment
- Choice of 8 back mesh colors
- Seat slider standard on all models
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING VAULT MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | BACK MESH COLOR | GRADE | BASE | CASTERS | PACKAGING | OPTIONS |
|--------------|---------|------|-----------------|-------|------|---------|-----------|---------|
| 1460 | Y1 | A | M2 | | BA | C | | |

* IF BASE AND CASTER MODEL NUMBERS ARE LEFT BLANK THEN STANDARD OPTION WILL BE ASSUMED

* FOR ARMLESS CODE USE A00

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| PAC | PARTIALLY ASSEMBLED IN CARTON | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | T01 | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | FEATURES | DIMENSIONS |
|-------|---------|---|---------|-----|-------|-----|-----|-----|-----|-----|-----|--------|-----|-----|--|--|
| 1466 | Y1 | 10" STOOL SIMPLE SYNCHRO Use for work surfaces up to 42 inches high | ARMLESS | 570 | 590 | 620 | 640 | 670 | 705 | 745 | 785 | 655 | 690 | 780 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Seat slider standard• Ratchet back height lumbar adjustment• Molded foam seat• Height adj. 20" diameter footring• Warranted to 300 lbs. | WIDTH: 24.5-26.0 DEPTH: 25.0 HEIGHT: 49.0-62.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 27.0-37.0 BACK WIDTH: 18.5 BACK HEIGHT: 23.0-25.5 COM: 0.8 yds COL: 11.0 sq ft WEIGHT: 45.0 lb |
| | | | A6 | 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | | |
| | | | A7 | 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | | |
| | | | A8 | 655 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 740 | 775 | 865 | | |
| | | | A9 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | |
| | | | A10 | 655 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 740 | 775 | 865 | | |
| | | | A36 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | |
| | | | A37 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | |
| | | | A40 | 680 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 765 | 800 | 890 | | |
| | | | A41 | 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | | |
| 1468 | Y1 | 8" STOOL SIMPLE SYNCHRO Use for work surfaces up to 36 inches high | ARMLESS | 570 | 590 | 620 | 640 | 670 | 705 | 745 | 785 | 655 | 690 | 780 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Tilt tension control• Back and seat tilt in 3:1 ratio• Upright position tilt lock• Seat slider standard• Ratchet back height lumbar adjustment• Molded foam seat• Height adj. 20" diameter footring• Warranted to 300 lbs. | WIDTH: 24.5-26.0 DEPTH: 25.0 HEIGHT: 45.0-55.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 18.5 BACK HEIGHT: 23.0-25.5 COM: 0.8 yds COL: 11.0 sq ft WEIGHT: 44.0 lb |
| | | | A6 | 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | | |
| | | | A7 | 720 | 740 | 770 | 790 | 820 | 855 | 895 | 935 | 805 | 840 | 930 | | |
| | | | A8 | 655 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 740 | 775 | 865 | | |
| | | | A9 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | |
| | | | A10 | 655 | 675 | 705 | 725 | 755 | 790 | 830 | 870 | 740 | 775 | 865 | | |
| | | | A36 | 675 | 695 | 725 | 745 | 775 | 810 | 850 | 890 | 760 | 795 | 885 | | |
| | | | A37 | 695 | 715 | 745 | 765 | 795 | 830 | 870 | 910 | 780 | 815 | 905 | | |
| | | | A40 | 680 | 700 | 730 | 750 | 780 | 815 | 855 | 895 | 765 | 800 | 890 | | |
| | | | A41 | 700 | 720 | 750 | 770 | 800 | 835 | 875 | 915 | 785 | 820 | 910 | | |

MESH COLORS

| | | | |
|--------------|-------------|---------------|--------------|
| BLACK M21 | GRAY M22 | WHITE M23 | GREEN M24 |
| RED M25 | BLUE M26 | ORANGE M27 | AQUA M28 |

ARM OPTIONS

A6
\$130
Height Adjustable Pivot Slide Arm

A7
\$150
Height/Width Adjustable Pivot Slide Arm

A8B
A8S
\$85
Height Adjustable Arm
A8B-Black, A8S-Silver

A9B
A9S
\$105
Height/Width Adjustable Arm
A9B-Black, A9S-Silver

A10
\$85
Soft Touch C-Shaped Arm

A36
\$105
Height Adjustable Pivot/Slide Arm

A37
\$125
Height/Width Adjustable Pivot/Slide Arm

A40
\$130
Height Adjustable Arm

A41
\$130
Height Adjustable Slide Arm

CASTERS

C6
STD
60mm Hoodless Casters

C6S
\$35
60mm Hoodless Hard Floor Casters

C7
\$35
60mm Hoodless Chrome Accented Casters

ADDITIONAL OPTIONS

EF1
\$30
Extra Foam 1" on Seat
(Not Available with Leather)

MF1
\$50
1" Visco Elastic Memory Foam on Seat
(Not Available with Leather)

BASE OPTIONS

BA9B
STD
26" High Profile Nylon Base - Black

BA10B
\$100
26" High Profile Aluminum Base - Black Powder Coat

BA10P
\$100
26" High Profile Aluminum Base - Polished

BA10S
\$100
26" High Profile Aluminum Base - Silver Powder Coat

vesta

excellence in total ergonomics

ALL MESH

GSA SIN # 711-18

- Executive, task, stool and conference seating
- Seat styles include: mesh and upholstered
- Choice of 3 frame colors and 6 mesh colors
- Aluminum base standard
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING VESTA MODEL NUMBER

| MODEL NUMBER | CONTROL | ARMS | FRAME COLORS | MESH COLOR | BASE | CASTERS | PACKAGING |
|--------------|---------|------|--------------|------------|------|---------|-----------|
| 30 | X1 | A | | M | BA | C8S | |

* FOR ARMLESS CODE USE A00 * CHROME FRAME COLOR (CF) IS NO LONGER AVAILABLE AND HAS BEEN REPLACED WITH POLISHED ALUMINUM (PF)

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

| MODEL | CONTROL | DESCRIPTION | ARM | MESH | FEATURES | DIMENSIONS |
|-------|---------|---|------------------------------|--|---|---|
| 3060 | X1 | MID-BACK DYNAMIC SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A28 A29 A30 | M 995 1095 1095 1120 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 2" adj.• Standard with heavy duty casters• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 25.0 HEIGHT: 41.0-45.5 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0-18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.5 WEIGHT: 54.0 LB |
| 3080 | X1 | HIGH-BACK DYNAMIC SYNCHRO Use for a variety of general office seating, including private office and conference room seating | ARMLESS A28 A29 A30 | M 1120 1220 1220 1245 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 2" adj.• Standard with heavy duty casters• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 25.0 HEIGHT: 50.0-54.5 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0-18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.5 WEIGHT: 56.0 LB |
| 3061 | X1 | 10" STOOL DYNAMIC SYNCHRO Use for work surfaces up to 42 inches high | ARMLESS A28 A29 A30 | M 1120 1220 1220 1245 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 2" adj.• Standard with heavy duty casters• Height adj. 20" diameter footing• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 25.0 HEIGHT: 50.5-60.5 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0-18.5 SEAT HEIGHT: 26.0-36.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.5 WEIGHT: 60.0 LB |
| 3063 | X1 | 8" STOOL DYNAMIC SYNCHRO Use for work surfaces up to 36 inches high | ARMLESS A28 A29 A30 | M 1120 1220 1220 1245 | <ul style="list-style-type: none">• Pneumatic seat height adjustment• Side adjustable tilt tension control• Back and seat tilt in 2.6:1 ratio• 26° tilt of back, 10° seat tilt• 11 locking positions• 2 position forward seat angle adj.• Standard seat slider adds 2" adj.• Standard with heavy duty casters• Height adj. 20" diameter footing• Warranted to 300 lbs. | WIDTH: 25.0 DEPTH: 25.0 HEIGHT: 46.5-54.5 SEAT WIDTH: 19.5 SEAT DEPTH: 17.0-18.5 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.5 WEIGHT: 59.0 LB |

ARM OPTIONS




A28
\$100

Height Adjustable Arm with 19" Interior Width



A29
\$100


Height Adjustable Arm with 17.5" Interior Width



A30
\$125

Height/Width Adjustable Arm w/ Sliding Pad

CASTER OPTIONS



C8S
STD

75mm Hoodless Casters

BASE OPTIONS



BA10B
STD

26" High Profile Aluminum Base - Black Powder Coat



BA10P
STD

26" High Profile Aluminum Base - Polished



BA10S
STD

26" High Profile Aluminum Base - Silver Powder Coat

FRAME COLORS

| | | |
|-------------|--------------|----------------|
| BLACK BF | SILVER SF | POLISHED PF |
|-------------|--------------|----------------|

(FRAME)

MESH COLORS

| | | | | | |
|--------------|-------------|---------------|--------------|------------|-------------|
| BLACK M11 | GRAY M12 | SILVER M13 | GREEN M14 | RED M15 | BLUE M16 |
|--------------|-------------|---------------|--------------|------------|-------------|

GSA SIN # 711-18

- Executive, task, stool and conference seating
- Choice of 3 frame colors and 6 mesh colors
- Aluminum base standard
- Warranted to 300 lbs.
- CAL TB 133 Fire Code approved



CREATING VESTA MODEL NUMBER








| MODEL NUMBER | CONTROL | ARMS | FRAME COLORS | MESH COLOR | GRADE | BASE | CASTERS | PACKAGING |
|--------------|---------|------|--------------|------------|-------|------|---------|-----------|
| 30 | X1 | A | | M | | BA | C8S | |

* FOR ARMLESS CODE USE A00
* CHROME FRAME COLOR (CF) IS NO LONGER AVAILABLE AND HAS BEEN REPLACED WITH POLISHED ALUMINUM (PF)

PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|--------------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| BAC | BACK ASSEMBLED IN CARTON | \$40 |

MESH BACK UPHOLSTERED SEAT

| MODEL | CONTROL | DESCRIPTION | ARM | FABRIC/LEATHER | FEATURES | DIMENSIONS | ARM OPTIONS | CASTER OPTIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|--|------------------------------|---|----------|------------|-------------|----------------|------|---|---|--------|----|----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|
| 3065 | X1 | <div>MID-BACK DYNAMIC SYNCHRO</div> <div>Use for a variety of general office task seating, including private office and conference room seating</div> | ARMLESS A28 A29 A30 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>1070</td><td>1105</td><td>1130</td><td>1165</td><td>1205</td><td>1250</td><td>1300</td><td>1115</td><td>1170</td><td>1210</td></tr><tr><td>1170</td><td>1205</td><td>1230</td><td>1265</td><td>1305</td><td>1350</td><td>1400</td><td>1215</td><td>1270</td><td>1310</td></tr><tr><td>1170</td><td>1205</td><td>1230</td><td>1265</td><td>1305</td><td>1350</td><td>1400</td><td>1215</td><td>1270</td><td>1310</td></tr><tr><td>1195</td><td>1230</td><td>1255</td><td>1290</td><td>1330</td><td>1375</td><td>1425</td><td>1240</td><td>1295</td><td>1335</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - STANDARD | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 1070 | 1105 | 1130 | 1165 | 1205 | 1250 | 1300 | 1115 | 1170 | 1210 | 1170 | 1205 | 1230 | 1265 | 1305 | 1350 | 1400 | 1215 | 1270 | 1310 | 1170 | 1205 | 1230 | 1265 | 1305 | 1350 | 1400 | 1215 | 1270 | 1310 | 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 2" adj.Standard with heavy duty castersWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 41.0-45.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 17.0-18.5</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 23.5</div> <div>COM: 1.1 YDS</div> <div>WEIGHT: 54.0 LB</div> | <div><div>A28</div><div>\$100</div><div>Height Adjustable Arm with 19" Interior Width</div></div> <div><div>A29</div><div>\$100</div><div>Height Adjustable Arm with 17.5" Interior Width</div></div> <div><div>C8S</div><div>STD</div><div>75mm Hoodless Casters</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1070 | 1105 | 1130 | 1165 | 1205 | 1250 | 1300 | 1115 | 1170 | 1210 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1170 | 1205 | 1230 | 1265 | 1305 | 1350 | 1400 | 1215 | 1270 | 1310 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1170 | 1205 | 1230 | 1265 | 1305 | 1350 | 1400 | 1215 | 1270 | 1310 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3085 | X1 | <div>HIGH-BACK DYNAMIC SYNCHRO</div> <div>Use for a variety of general office task seating, including private office and conference room seating</div> | ARMLESS A28 A29 A30 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>1195</td><td>1230</td><td>1255</td><td>1290</td><td>1330</td><td>1375</td><td>1425</td><td>1240</td><td>1295</td><td>1335</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1320</td><td>1355</td><td>1380</td><td>1415</td><td>1455</td><td>1500</td><td>1550</td><td>1365</td><td>1420</td><td>1460</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> SEAT SLIDER (SS) - STANDARD | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 2" adj.Standard with heavy duty casters3-way adjustable headrestWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 50.0-54.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 17.0-18.5</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 23.5</div> <div>COM: 1.1 YDS</div> <div>WEIGHT: 56.0 LB</div> | <div><div>A30</div><div>\$125</div><div>Height/Width Adjustable Arm w/ Sliding Pad</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3066 | X1 | <div>10" STOOL DYNAMIC SYNCHRO</div> <div>Use for work surfaces up to 42 inches high</div> | ARMLESS A28 A29 A30 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>1195</td><td>1230</td><td>1255</td><td>1290</td><td>1330</td><td>1375</td><td>1425</td><td>1240</td><td>1295</td><td>1335</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1320</td><td>1355</td><td>1380</td><td>1415</td><td>1455</td><td>1500</td><td>1550</td><td>1365</td><td>1420</td><td>1460</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 2" adj.Standard with heavy duty castersHeight adj. 20" diameter footingWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 50.5-60.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 17.0-18.5</div> <div>SEAT HEIGHT: 26.0-36.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 23.5</div> <div>COM: 1.1 YDS</div> <div>WEIGHT: 60.0 LB</div> | <div><div>BA10B</div><div>STD</div><div>26" High Profile Aluminum Base - Black Powder Coat</div></div> <div><div>BA10P</div><div>STD</div><div>26" High Profile Aluminum Base - Polished</div></div> <div><div>BA10S</div><div>STD</div><div>26" High Profile Aluminum Base - Silver Powder Coat</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3068 | X1 | <div>8" STOOL DYNAMIC SYNCHRO</div> <div>Use for work surfaces up to 36 inches high</div> | ARMLESS A28 A29 A30 | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th><th>L3/COL</th><th>L4</th><th>L5</th></tr><tr><td>1195</td><td>1230</td><td>1255</td><td>1290</td><td>1330</td><td>1375</td><td>1425</td><td>1240</td><td>1295</td><td>1335</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1295</td><td>1330</td><td>1355</td><td>1390</td><td>1430</td><td>1475</td><td>1525</td><td>1340</td><td>1395</td><td>1435</td></tr><tr><td>1320</td><td>1355</td><td>1380</td><td>1415</td><td>1455</td><td>1500</td><td>1550</td><td>1365</td><td>1420</td><td>1460</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">Pneumatic seat height adjustmentSide adjustable tilt tension controlBack and seat tilt in 2.6:1 ratio26° tilt of back, 10° seat tilt11 locking positions2 position forward seat angle adj.Standard seat slider adds 2" adj.Standard with heavy duty castersHeight adj. 20" diameter footingWarranted to 300 lbs. | <div>WIDTH: 26.5</div> <div>DEPTH: 25.0</div> <div>HEIGHT: 46.5-54.5</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 17.0-18.5</div> <div>SEAT HEIGHT: 22.0-30.0</div> <div>BACK WIDTH: 19.5</div> <div>BACK HEIGHT: 23.5</div> <div>COM: 1.1 YDS</div> <div>WEIGHT: 59.0 LB</div> | <div><div>BLACK M11</div><div>GRAY M12</div><div>SILVER M13</div><div>GREEN M14</div><div>RED M15</div><div>BLUE M16</div></div> |
| A/COM | B | C | D | E | F | G | L3/COL | L4 | L5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1195 | 1230 | 1255 | 1290 | 1330 | 1375 | 1425 | 1240 | 1295 | 1335 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1295 | 1330 | 1355 | 1390 | 1430 | 1475 | 1525 | 1340 | 1395 | 1435 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1320 | 1355 | 1380 | 1415 | 1455 | 1500 | 1550 | 1365 | 1420 | 1460 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



rapid setup for a crew or a crowd

MESH BACK

GSA SIN # 711-18

- Multi-purpose seating including nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Torsion spring flex back movement with back lock feature
- Choice of two mesh, frame and plastic colors
- Plastic or upholstered seat
- Warranted to 300 lbs.



CREATING ZOOM MODEL NUMBER

MODEL NUMBER CONTROL FRAME COLOR PLASTIC COLOR MESH COLOR UPHOLSTERY GRADE CASTERS PACKAGING

1 1 1 5 - G T - F - P - - - - - C - - - -





* FOR ARMLESS CODE USE A00

* ONLY SELECT CASTER CODE FOR MODEL 1215,1265

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|---------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| AC | ASSEMBLED IN CARTON | \$0 |

ZOOM NESTING CHAIRS SHIP UP TO 2 PER CARTON


| MODEL | CONTROL | DESCRIPTION | FRAME COLOR | PLASTIC | FEATURES | DIMENSIONS |
|-------|---------|---|-----------------------------|--|--|--|
| 1115 | GT | <div><div></div><div>GUEST NESTING Mesh back with plastic seat</div></div> | <div>SF</div> <div>WF</div> | <div>P</div> <div>395</div> <div>395</div> <div></div> <div></div> <div></div> <div></div> | <div><ul style="list-style-type: none">Flex back movement with back lock featureUpright lock position with subtle flex back movementWarranted to 300 lbs.</div> | <div>WIDTH: 24</div> <div>DEPTH: 21</div> <div>HEIGHT: 35</div> <div>SEAT WIDTH: 17.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 17</div> <div>BACK WIDTH: 18</div> <div>BACK HEIGHT: 19</div> <div>COM: 1 YD</div> <div>WEIGHT: 24 LB</div> |
| 1115 | GT | <div><div></div><div>GUEST NESTING Mesh back with upholstered seat</div></div> | <div>SF</div> <div>WF</div> | <div>A/COM</div> <div>B</div> <div>C</div> <div>D</div> <div>E</div> <div>F</div> <div>G</div> <div>460</div> <div>495</div> <div>515</div> <div>550</div> <div>585</div> <div>625</div> <div>670</div> <div>460</div> <div>495</div> <div>515</div> <div>550</div> <div>585</div> <div>625</div> <div>670</div> <div></div> <div></div> <div></div> <div></div> | <div><ul style="list-style-type: none">Flex back movement with back lock featureUpright lock position with subtle flex back movementMolded foam seatWarranted to 300 lbs.</div> | <div>WIDTH: 24</div> <div>DEPTH: 21</div> <div>HEIGHT: 35</div> <div>SEAT WIDTH: 17.5</div> <div>SEAT DEPTH: 15.5</div> <div>SEAT HEIGHT: 18</div> <div>BACK WIDTH: 18</div> <div>BACK HEIGHT: 19</div> <div>COM: 14 YD</div> <div>WEIGHT: 25 LB</div> |
| | | | | | | |
| | | | | | | |

CAUTION: Careless stacking of chairs may scratch and damage frames.

CASTER OPTIONS




50mm Hoodless Casters



50mm Hooded Hard
Floor Casters

NESTING FOOTPRINT



First Chair 25", Each Additional Chair, Add 8"

FRAME COLORS

| | |
|--------------|-------------|
| SILVER SF | WHITE WF |
|--------------|-------------|

(FRAME)

PLASTIC AND MESH COLORS

| | |
|----------|-------|
| GRAPHITE | MESH |
| GRAY | SLATE |
| PGG | M32 |

(BACK/SEAT SHELL AND ARMS)

| | |
|--------------|---------------------|
| WHITE PWH | MESH SNOW M33 |
|--------------|---------------------|

(BACK/SEAT SHELL AND ARMS)

zoom

rapid setup for a crew or a crowd

ALL PLASTIC - AP

GSA SIN # 711-18

- Multi-purpose seating including nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Torsion spring flex back movement with back lock feature
- Choice of two mesh, frame and plastic colors
- Plastic or upholstered seat
- Warranted to 300 lbs.



CREATING ZOOM MODEL NUMBER


| MODEL NUMBER | CONTROL | FRAME COLOR | PLASTIC COLOR | MESH COLOR | UPHOLSTERY | BASE | CASTERS | PACKAGING |
|--|---------|-------------|---------------|------------|------------|------|---------|-----------|
| 112 | | F | P | | AP | BA | C | |
| * FOR ARMLESS CODE USE A00 | | | | | | | | |
| * ONLY SELECT CASTER CODE FOR MODEL 1215, 1265 | | | | | | | | |

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|---------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| AC | ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | FRAME COLOR | PLASTIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|-------------|--|----------|------------|---|---|---|---|---|-----|--|--|--|--|--|--|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| 1125 | B2 | TASK SEATING BASIC TASK Mesh back with plastic seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>495</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>495</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 495 | | | | | | | 495 | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 17-22 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 24 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 495 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1126 | B2 | 10" STOOL BASIC TASK Mesh back with plastic seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>620</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>620</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 620 | | | | | | | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 26-36 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 31 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1128 | B2 | 8" STOOL BASIC TASK Mesh back with plastic seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>620</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>620</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 620 | | | | | | | 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 30 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CASTER OPTIONS



BASE OPTIONS



FRAME COLORS

| | |
|--------------|-------------|
| SILVER SF | WHITE WF |
|--------------|-------------|

(FRAME)

PLASTIC AND MESH COLORS

| | | | |
|-------------------------|----------------------|--------------|---------------------|
| GRAPHITE GRAY PGG | MESH SLATE M32 | WHITE PWH | MESH SNOW M33 |
|-------------------------|----------------------|--------------|---------------------|

(BACK/SEAT SHELL AND ARMS)

zoom

rapid setup for a crew or a crowd

UPHOLSTERED SEAT - US

GSA SIN # 711-18

- Multi-purpose seating including nesting, task and task stool models
- Perfect for collaborative, meeting, training and break rooms spaces
- Torsion spring flex back movement with back lock feature
- Choice of two mesh, frame and plastic colors
- Plastic or upholstered seat
- Warranted to 300 lbs.



CREATING ZOOM MODEL NUMBER


| MODEL NUMBER | CONTROL | FRAME COLOR | PLASTIC COLOR | MESH COLOR | UPHOLSTERY | BASE | CASTERS | PACKAGING |
|--------------|---------|-------------|---------------|------------|------------|------|---------|-----------|
| 112 | | F | P | | US | BA | C | |

PACKAGING NOTES


| CODE | DESCRIPTION | LIST UPCHARGE |
|------|---------------------|---------------|
| AB | ASSEMBLED IN BAG | \$0 |
| AC | ASSEMBLED IN CARTON | \$0 |

| MODEL | CONTROL | DESCRIPTION | FRAME COLOR | PLASTIC | FEATURES | DIMENSIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---------|---|-------------|--|----------|------------|---|---|---|---|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| 1125 | B2 | TASK SEATING BASIC TASK Mesh back with upholstered seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>560</td><td>595</td><td>615</td><td>650</td><td>685</td><td>725</td><td>770</td></tr><tr><td>560</td><td>595</td><td>615</td><td>650</td><td>685</td><td>725</td><td>770</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 560 | 595 | 615 | 650 | 685 | 725 | 770 | 560 | 595 | 615 | 650 | 685 | 725 | 770 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Molded foam seat• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 18-23 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 25 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 595 | 615 | 650 | 685 | 725 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 560 | 595 | 615 | 650 | 685 | 725 | 770 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1126 | B2 | 10" STOOL BASIC TASK Mesh back with upholstered seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>685</td><td>720</td><td>740</td><td>775</td><td>810</td><td>850</td><td>895</td></tr><tr><td>685</td><td>720</td><td>740</td><td>775</td><td>810</td><td>850</td><td>895</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 685 | 720 | 740 | 775 | 810 | 850 | 895 | 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Molded foam seat• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 27-37 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 32 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1128 | B2 | 8" STOOL BASIC TASK Mesh back with upholstered seat | SF WF | <table><tr><th>A/COM</th><th>B</th><th>C</th><th>D</th><th>E</th><th>F</th><th>G</th></tr><tr><td>685</td><td>720</td><td>740</td><td>775</td><td>810</td><td>850</td><td>895</td></tr><tr><td>685</td><td>720</td><td>740</td><td>775</td><td>810</td><td>850</td><td>895</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table> | A/COM | B | C | D | E | F | G | 685 | 720 | 740 | 775 | 810 | 850 | 895 | 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | <ul style="list-style-type: none">• Pneumatic seat height adjustment• No seat and back tilt• Height adj. 20" diameter footring• Molded foam seat• Warranted to 300 lbs. | WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35 SEAT WIDTH: 17.5 SEAT DEPTH: 16.5 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 18 BACK HEIGHT: 19 COM: 1.0 YD WEIGHT: 31 LB |
| A/COM | B | C | D | E | F | G | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 685 | 720 | 740 | 775 | 810 | 850 | 895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CASTER OPTIONS



BASE OPTIONS



FRAME COLORS



PLASTIC AND MESH COLORS











SIT IN STYLE. WORK IN COMFORT. GET THE VALUE.


PACKAGING NOTES

| CODE | DESCRIPTION | LIST UPCHARGE |
|------|-------------------------------------|---------------|
| | SHIPS IN BOX ONLY | |
| | SOME ITEMS SHIP PARTIALLY ASSEMBLED | |
| | **SPLIT CARTON FEE APPLIES | \$25 NET |

| MODEL | FEATURES | DIMENSIONS | ARM | TEXTILES | MODEL | FEATURES | DIMENSIONS | ARM | TEXTILES |
|-------|--|---|--|--|-------|--|---|--|---|
| 103S | <div>\$245</div> <ul style="list-style-type: none">Guest chairBlack mesh backBlack upholstered seatSilver frameStacks 5 highWarranted to 300 lbs.Ships four per carton <div>** SPLIT CARTON FEE - \$25 NET</div> | <div>WIDTH: 18.0</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 32.0</div> <div>SEAT WIDTH: 17.5</div> <div>SEAT DEPTH: 17.5</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 16.0</div> <div>WEIGHT: 14.0 LB</div> | <div>A00</div>  | <div>BACK</div> <div>BLACK MESH M00</div> <div>SEAT</div> <div>BLACK 101</div> | 203 | <div>\$395</div> <ul style="list-style-type: none">Y1-Simple synchro2-way height adjustable armsBlack mesh backAir grid mesh seat3" thick high resilientMolded foam seatWarranted to 300 lbs.Assembly required | <div>WIDTH: 25.0</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 39.0-43.5</div> <div>SEAT WIDTH: 20.0</div> <div>SEAT DEPTH: 17.5</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 22.0</div> <div>WEIGHT: 31.0 LB</div> | <div>A203</div>  <div>2-way adjustable</div> | <div>BACK</div> <div>BLACK MESH M00</div> <div>SEAT</div> <div>BLACK AIR GRID MESH</div> |
| 103B | <div>\$245</div> <ul style="list-style-type: none">Guest chairBlack mesh backBlack upholstered seatBlack frameStacks 5 highWarranted to 300 lbs.Ships four per carton <div>** SPLIT CARTON FEE - \$25 NET</div> | <div>WIDTH: 18.0</div> <div>DEPTH: 23.5</div> <div>HEIGHT: 32.0</div> <div>SEAT WIDTH: 17.5</div> <div>SEAT DEPTH: 17.5</div> <div>SEAT HEIGHT: 18.0</div> <div>BACK WIDTH: 18.0</div> <div>BACK HEIGHT: 16.0</div> <div>WEIGHT: 14.0 LB</div> | <div>A00</div>  | <div>BACK</div> <div>BLACK MESH M00</div> <div>SEAT</div> <div>BLACK 101</div> | 216 | <div>\$545</div> <ul style="list-style-type: none">Y1-Simple synchroRatchet back w/ adjustable lumbar8-way adjustable armsGraphite mesh backAir grid mesh seat3" thick high resilient foam seatWarranted to 300 lbs.Assembly required | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 39.0-46.0</div> <div>SEAT WIDTH: 21.0</div> <div>SEAT DEPTH: 20.0</div> <div>SEAT HEIGHT: 18.0-22.5</div> <div>BACK WIDTH: 20.5</div> <div>BACK HEIGHT: 21.0-24.0</div> <div>WEIGHT: 44.0 LB</div> | <div>A36</div>  <div>8-way adjustable</div> | <div>BACK</div> <div>GRAPHITE MESH M31</div> <div>SEAT</div> <div>BLACK AIR GRID MESH</div> |
| 176 | <div>\$495</div> <ul style="list-style-type: none">M1-Multi-function4-way adjustable armsRatchet back3" thick high resilient foam seatBlack fabricWarranted to 300 lbs.Partially assembled | <div>WIDTH: 26.5</div> <div>DEPTH: 26.0</div> <div>HEIGHT: 39.0-46.5</div> <div>SEAT WIDTH: 22.0</div> <div>SEAT DEPTH: 18.5</div> <div>SEAT HEIGHT: 17.0-21.5</div> <div>BACK WIDTH: 20.0</div> <div>BACK HEIGHT: 20.5-23.5</div> <div>WEIGHT: 49.0 LB</div> | <div>A5</div>  <div>4-way adjustable</div> | <div>BACK</div> <div>BLACK 101</div> <div>SEAT</div> <div>BLACK 101</div> | 217 | <div>\$645</div> <ul style="list-style-type: none">Y3-Full synchroGraphite mesh seat and backRatchet back w/ adjustable lumbar8-way adjustable armsPolished aluminum baseWarranted to 300 lbs.Assembly required | <div>WIDTH: 26.5</div> <div>DEPTH: 26.5</div> <div>HEIGHT: 39.0-46.0</div> <div>SEAT WIDTH: 19.5</div> <div>SEAT DEPTH: 18.0</div> <div>SEAT HEIGHT: 17.5-22.0</div> <div>BACK WIDTH: 20.5</div> <div>BACK HEIGHT: 22.5-25.5</div> <div>WEIGHT: 46.0 LB</div> | <div>A36</div>  <div>8-way adjustable</div> | <div>BACK</div> <div>GRAPHITE MESH M31</div> <div>SEAT</div> <div>GRAPHITE MESH M31</div> |


arm guide

TASKING ARM OPTIONS




A2 **\$80**

2-WAY HEIGHT ADJUSTABLE ARM
The A2 arm features height adjustment via a simple trigger mechanism under the arm pad.




A4 **\$75**

ADJUSTABLE ARM
The A4 arm offers a soft touch polyurethane pad with 3" height adjustment. The arm pad features diamond padded anti-skid surface.




A5 **\$95**

MULTI-ADJUSTABLE ARM
The A5 arm is identical to the A4 arm but offers the added feature of a 4" arm width adjustment [activated via a knob under seat.




A6 **\$130**

ADJUSTABLE PIVOT/SWIVEL ARM
The A6 arm offers advanced features with Ura-Soft® arm pads. Features locking height adjustment, swivel pad, and adjustable arm pad position (slides forward and back).




A23 **\$75**

MULTI-ADJUSTABLE ARM
Height adjustable with 4 way sliding arm pad (front to back and side to side)




A28/A29 **\$100**

HEIGHT ADJUSTABLE ARM
The A28 / A29 is an aluminum height adjustable arm with a fixed arm cap. NOTE: A28 arms offer an additional 3" of interior width.




A30 **\$125**

MULTI-ADJUSTABLE ARM
Height adjustable arm with 4-way sliding pad (forward/back and side to side).



A36 **\$105**


ADJUSTABLE PIVOT/SWIVEL
8-Way Adjustable Arms
Soft-Touch sliding and pivoting arm pads



A90 **\$200**


BREAKAWAY ARM
Soft-touch polyurethane pad. 2.5" height adjustable. Use with all task series. Arms rotate back making chair armless. (pair)

PARTS AND ACCESSORIES DISCOUNT
INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT.
THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.




A7 **\$150**

MULTI-ADJUST. PIVOT/SWIVEL ARM
The A7 arm is identical to the A6 arm but offers the added feature of a 4" arm width adjustment activated via a knob under seat.




A8B/S **\$85**

ADJUSTABLE ARM (BLACK/SILVER)
The A8B/S height adjustable arm features push-button height adjustment with a range of 3.5". With matching black/silver powder coated base




A9B/S **\$105**

ADJUSTABLE ARM (BLACK/SILVER)
The A9B/S arm is identical to the A8B arm but offers the added feature of 4" arm width adjustment activated via a knob under seat.




A22 **\$50**

FIXED ARM WITH SOFT PAD
Fixed Arm with Soft Polyurethane Pad




A37 **\$125**

MULTI-ADJUST. PIVOT/SWIVEL
1Height adjustable arm with 4-way sliding pad (forward/back and side to side).



A40 **\$110**

ADJUSTABLE TASKING ARM
2-Way Adjustable Arm, Ratchet Height Adjustment with Fixed Arm Pad



A41 **\$130**

ADJUSTABLE TASKING ARM
6-Way Adjustable Arm Ratchet Height Adjustment with Side and Forward Sliding Arm Pad



A45B/G **\$65**


4-WAY HEIGHT ADJUSTABLE ARM
4-way Height Adjustable Arm-Black/Gray

arm guide


FIXED ARM OPTIONS




A1 **\$70**
LOOP ARM
Soft touch loop arm.



A10 **\$85**
CANTILEVER ARM
Soft touch cantilever arms provide sleek style and a durable surface. A great look for the office or conference room.



A12 **\$45**
FIXED ARM
For use on Bella only.




A14 **\$80**
EXTENDED ARM
Reinforced soft touch extended arm. For use on the Bella only.



A42 **\$55**
NYLON LOOP ARM
Nylon loop arm Luna only.




A43 **\$55**
NYLON FIXED ARM
Nylon fixed arm on Luna only.



A46 **\$45**
NYLON LOOP ARM
Nylon Loop Arm-Gray/White on Neo only.

PARTS AND ACCESSORIES DISCOUNT
INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT.
THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.



A16/A16P **\$100/\$150**
'C' ARM
A16 - Soft touch arm / A16P - Soft touch arm with upholstered pad.










A19 **\$200**
CHROME CANTILEVER ARM
Fixed C-shaped arm offers a smooth polished aluminum surface with black urethane insert.



A27 **\$180**
CHROME CANTILEVER ARM
Fixed C-shaped arm offers a smooth polished aluminum surface with matching upholstered pad.








caster guide

*Load Rating in (lbs) per caster/glide


| | | | |
|---|--|---|--|
|  | C1 STANDARD CASTERS \$25 | HOODED TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 42 MM LOAD RATING: 110 LBS* | Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low-to-medium pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. |
|  | C1S/C2S HARD FLOOR CASTERS (FIVE STAR BASE) \$35 | HOODED TWIN WHEEL CASTER WHEEL: 50 MM/ BARREL: 42 MM LOAD RATING: 110 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of five used with star bases. C2S -The wheels feature auto-lock; The safety brakes engage when the chair is not in use, this prevents the chair from rolling away when standing up. |
|  | C4 HEAVY DUTY CASTER \$35 | HOODED TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 38 MM LOAD RATING: 140 LBS* | Recommended when higher weight capacity is required. Large diameter hard nylon wheels designed for use on low- to medium-pile carpeting with or without padding. Large diameter dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. |
|  | C5 STANDARD CASTER (SHUTTLE AND BELLA GUEST CHAIRS) \$25 | HOODED TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 27 MM LOAD RATING: 110 LBS* | Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low- to medium-pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. Set of four used on guest chairs. |
|  | C5S HARD FLOOR CASTER (FOUR LEG GUEST CHAIRS) \$30 | HOODED TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 13 MM LOAD RATING: 110 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of four used on guest chairs. |
|  | C6 LARGE DIAMETER CASTER \$30 | TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS* | Recommended for use on carpeted surfaces. Large diameter hard nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 60 mm dual wheels place more wheel surface on the carpet pile for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting. |
|  | C6S HARD FLOOR LARGE DIAMETER CASTER (FIVE STAR BASE) \$35 | TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of five used with star bases. |

PARTS AND ACCESSORIES DISCOUNT

INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT.
THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.

| | | | |
|---|--|--|--|
|  | C7 60MM CHROME ACCENTED HOODLESS CASTERS \$35 | TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS* | Recommended for use on carpeted surfaces. Large diameter hard nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 65mm dual wheels place more wheel surface on the carpet pile for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting. Standard with A19 base. |
|  | C8S HARD FLOOR LARGE DIAMETER CASTER \$35 | TWIN WHEEL CASTER WHEEL: 75 MM BARREL: 22 MM LOAD RATING: 160 LBS* | Recommended for use on carpeted or hard surfaces. Large diameter soft nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 75mm dual wheels place more wheel surface on floors for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting. |
|  | C9S COMPRESSION LOCKING HARD FLOOR CASTER \$50 | HOODED TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 42 MM LOAD RATING: 110 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) The wheels feature compression-lock; The brakes engage when the user is seated in the chair. When seated this prevents the user from rolling away from the work surface. |
|  | C10S SELF-LOCKING HARD FLOOR CASTER \$50 | TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 18 MM LOAD RATING: 110 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) The wheels feature auto-lock; The safety brakes engage when the chair is not in use, this prevents the chair from rolling away when standing up. |
|  | C11S COMPRESSION LOCKING HARD FLOOR CASTER \$50 | TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 18 MM LOAD RATING: 110 LBS* | Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) The wheels feature compression-lock; The brakes engage when the user is seated in the chair. When seated this prevents the user from rolling away from the work surface. |
|  | C12 STANDARD CASTER (LINK) \$25 | TWIN WHEEL CASTER WHEEL: 50 MM BARREL: RECTANGULAR LOAD RATING: 110 LBS* | Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low-to-medium pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. C12 wheels match the rectangular tubing of the Link chair. |
|  | C22B/G STANDARD 60MM HUBLESS CASTER (CORE) \$35 | TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25MM LOAD RATING: 110 LBS* | Recommend for use on Carpet or Hard floors. Wheels made of Polyurethane. Available in Black or Gray accents. Stylish hubless design. |

glide guide




G1
STATIONARY BASE GLIDE

\$30

**HIGH BASE GLIDE
FOR 5 STAR BASE
LOAD RATING: 110 LBS***

Glide provide the best stationary support. Use only when a stationary position is desired. The glide height is the same as the caster height. Do not use on hard floor if marring is a concern.




G8
SELF-LEVELING
METAL GLIDE

\$20

**METAL BASE GLIDE
FOR 4 LEG GUEST CHAIRS
LOAD RATING: 150 LBS***

Metal self-leveling base glide are used as an alternate to standard nylon glides. The metal glide offers a 100% increase in weight capacity. The self-leveling articulation allows the glide to flatten against uneven floors for better weight distribution. For use on all surfaces.




G9
SELF-LEVELING
VCT GLIDE

\$30

**VCT BASE GLIDE
FOR 4 LEG GUEST CHAIRS
LOAD RATING: 150 LBS***

Metal self-leveling base glide with white VCT cap are used as an alternate to standard nylon glides. The VCT glide also offers a 100% increase in weight capacity. The self-leveling articulation allows the glide to flatten against VCT floors for better weight distribution and the white nylon cap protects VCT floors against marring and visible streaking.




G10
SELF-LEVELING
PLASTIC GLIDE
WITH FELT BASE

\$30

**FELT BASE ROUND
PLASTIC GLIDE
FOR 4 LEG GUEST CHAIRS
IDEAL FOR WOOD OR
SOFT COMPOSITE FLOORS
LOAD RATING: 110 LBS***

Plastic self-leveling base glide with felt base. Felt base offers additional protection against marring especially on wood or soft composite surfaces




G12/G13
SLED BASE
CLEAR PLASTIC GLIDE
(G13 W/ FELT BASE)

\$15/\$25

**CLEAR PLASTIC
RECTANGULAR GLIDE
(G13 W/ FELT BASE)
FOR INDY
SLED BASE
LOAD RATING: 90 LBS***

G12
Clear plastic rectangular glide for the Indy sled base. Ideal for use on light-colored floors where streaking may be a concern
G13
Clear plastic rectangular glide with felt base to provide additional protection on wood or soft composite floors where marring or streaking is a concern



G16/G17
SLED BASE
CLEAR PLASTIC GLIDE
(G17 W/ FELT BASE)

\$15/\$25

**CLEAR PLASTIC
RECTANGULAR GLIDE
(G13 W/ FELT BASE)
FOR MIMI AND KELLEY
SLED BASE
LOAD RATING: 90 LBS***

G16
Clear plastic rectangular glide for the Mimi and Kelley sled base. Ideal for use on light-colored floors where streaking may be a concern
G17
Clear plastic rectangular glide with felt base to provide additional protection on wood or soft composite floors where marring or streaking is a concern


*Load Rating in (lbs) per caster/glide

cylinder guide

| MODEL | SS | CONTROLS | CYLINDER | STROKE | BASE | CASTER |
|-----------|--------|--------------------|----------|--------|-------|--------|
| 1125 | | B2 | CYL240 | 5" | BA9 | C12 |
| 1126 | | B2 | CYL360 | 10" | BA9 | C12 |
| 1128 | | B2 | CYL300 | 8" | BA9 | C12 |
| 1325/1375 | | B2, S3 | CYL240 | 5" | BA9 | C6 |
| 1326/1376 | | B2 | CYL360 | 10" | BA9 | C6 |
| 1328/1378 | | B2 | CYL300 | 8" | BA9 | C6 |
| 1336 | | B2 | CYL360 | 10" | BA9 | C6 |
| 1338 | | B2 | CYL300 | 8" | BA9 | C6 |
| 1425 | | B2 | CYL240 | 5" | BA1 | C1 |
| 1425 | | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1425 | SS | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1425 | SS | Y2 | CYL160 | 3" | BA1 | C1 |
| 1426 | | B2, P1 | CYL360 | 10" | BA1 | C1 |
| 1428 | | B2, P1 | CYL300 | 8" | BA1 | C1 |
| 1460 | | Y1, Y3 | CYL190 | 5" | BA9 | C6 |
| 1460 | | K2 | CYL160 | 3" | BA9 | C6 |
| 1466 | | Y1 | CYL360 | 10" | BA9 | C6 |
| 1468 | | Y1 | CYL300 | 8" | BA9 | C6 |
| 1535/1537 | | Y1 | CYL190 | 5" | BA1 | C4 |
| 1535/1537 | SS | Y1 | CYL190 | 5" | BA1 | C4 |
| 1536 | | Y1 | CYL360 | 10" | BA1 | C4 |
| 1538 | | Y1 | CYL300 | 8" | BA1 | C4 |
| 1545/1555 | | Y1 | CYL190 | 5" | BA1 | C4 |
| 1545/1555 | SS | Y1 | CYL190 | 5" | BA1 | C4 |
| 1546 | | Y1 | CYL360 | 10" | BA1 | C4 |
| 1548 | | Y1 | CYL300 | 8" | BA1 | C4 |
| 1560/1580 | | Y2 | CYL190 | 5" | BA2S | C4 |
| 1560/1580 | SS | Y2 | CYL160 | 3" | BA2S | C4 |
| 1566 | | Y2 | CYL360 | 10" | BA2B | C4 |
| 1568 | | Y2 | CYL300 | 8" | BA2B | C4 |
| 1570/1590 | | Y2 | CYL190 | 5" | BA2S | C4 |
| 1570/1590 | SS | Y2 | CYL160 | 3" | BA2S | C4 |
| 1576 | | Y2 | CYL360 | 10" | BA2B | C4 |
| 1578 | | Y2 | CYL300 | 8" | BA2B | C4 |
| 1660 | | B2 | CYL240 | 5" | BA1 | C1 |
| 1660 | | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1660 | SS | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1660 | SS-STD | Y2 | CYL160 | 3" | BA1 | C1 |
| 1666 | | B2, P1 | CYL360 | 10" | BA1 | C1 |
| 1668 | | B2, P1 | CYL300 | 8" | BA1 | C1 |
| 1725 | | B2 | CYL240 | 5" | BA1 | C1 |
| 1725 | | S2, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1725 | SS | S2, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1726 | | B2, P1 | CYL360 | 10" | BA1 | C1 |
| 1728 | | B2, P1 | CYL300 | 8" | BA1 | C1 |
| 1760 | | S2, P1, R1, M1, Y2 | CYL190 | 5" | BA1 | C1 |
| 1760 | SS | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1760 | SS | Y2 | CYL160 | 3" | BA1 | C1 |
| 1766 | | P1 | CYL360 | 10" | BA1 | C1 |
| 1768 | | P1 | CYL300 | 8" | BA1 | C1 |
| 1780 | | S2, P1, R1, M1, Y2 | CYL190 | 5" | BA1 | C1 |
| 1780 | SS | S2, P1, R1, M1 | CYL190 | 5" | BA1 | C1 |
| 1780 | SS | Y2 | CYL160 | 3" | BA1 | C1 |
| 1790 | SS-STD | M2 | CYL197HD | 5" | BA1HD | C4 |

| MODEL | SS | CONTROLS | CYLINDER | STROKE | BASE | CASTER |
|-----------|--------|----------------|----------|--------|-----------|--------|
| 1860 | | Y1, Y3 | CYL190 | 5" | BA9 | C6 |
| 1866 | | Y1 | CYL360 | 10" | BA9 | C6 |
| 1868 | | Y1 | CYL300 | 8" | BA9 | C6 |
| 1880 | | Y4 | CYL160 | 3" | BA9 | C6 |
| 2060/2070 | | Y1, Y3, M1 | CYL190 | 5" | BA9 | C6 |
| 2066/2076 | | P1 | CYL360 | 10" | BA9 | C6 |
| 2068/2078 | | P1 | CYL300 | 8" | BA9 | C6 |
| 2160/2180 | SS | Y1, Y2, Y3 | CYL190 | 5" | BA9 | C6 |
| 2170/2190 | SS | Y1, Y2, Y3 | CYL190 | 5" | BA9 | C6 |
| 2166 | | Y1 | CYL360 | 10" | BA9 | C6 |
| 2168 | | Y1 | CYL300 | 8" | BA9 | C6 |
| 2260 | SS | K2, W1, Y5 | CYL190 | 5" | BA11 | C22 |
| 2266 | | W1 | CYL360 | 10" | BA11 | C22 |
| 2268 | | W1 | CYL300 | 8" | BA11 | C22 |
| 2360/2380 | | S2, R1, M1, Y2 | CYL190 | 5" | BA10B | C6 |
| 2360/2380 | SS | S2, R1, M1 | CYL190 | 5" | BA10B | C6 |
| 2360/2380 | SS | Y2 | CYL160 | 3" | BA10B | C6 |
| 2366 | | P1 | CYL360 | 10" | BA10B | C6 |
| 2368 | | P1 | CYL300 | 8" | BA10B | C6 |
| 2450 | | B1 | CYL240 | 5" | BA10P | C6 |
| 2450GT | | R2 | CYL190 | 5" | LG | Glide |
| 2450 | | S3 | CYL200 | 5" | BA10P | C6 |
| 2450GT | | B1 | CYL240 | NA | LG | Glide |
| 2600 | | S1 | CYL190 | 5" | BA1 | C1 |
| 2600 | | K1 | CYL160 | 3" | BA1 | C1 |
| 2610 | | S1 | CYL190 | 5" | BA1 | C1 |
| 2610 | | K1 | CYL160 | 3" | BA1 | C1 |
| 2780 | | W2, Y2 | CYL190 | 5" | BA11B | C6 |
| 2780 | SS-STD | Y5 | CYL190 | 5" | BA11B | C6 |
| 2800 | | S1 | CYL200 | 5" | BA2B/BA2P | C1 |
| 2800 | | K1 | CYL160 | 3" | BA2B/BA2P | C1 |
| 2810 | | S1 | CYL190 | 5" | BA2B/BA2P | C1 |
| 2810 | | K1 | CYL160 | 3" | BA2B/BA2P | C1 |
| 2900/2910 | | S2, M1, Y2 | CYL200 | 5" | BA19 | C7 |
| 3060/3065 | SS-STD | X1 | CYL200 | 5" | BA10 | C8S |
| 3080/3085 | SS-STD | X1 | CYL200 | 5" | BA10 | C8S |
| 3061/3066 | SS-STD | X1 | CYL360 | 10" | BA10 | C8S |
| 3063/3068 | SS-STD | X1 | CYL300 | 8" | BA10 | C8S |
| 3160 | SS-STD | W1, Y1, Y3 | CYL190 | 5" | BA9 | C6 |
| 3166 | SS-STD | Y1 | CYL360 | 10" | BA9 | C6 |
| 3168 | SS-STD | Y1 | CYL300 | 8" | BA9 | C6 |
| 3200/3210 | SS-STD | X2 | CYL200 | 5" | BA10P | C6 |
| 3220/3230 | SS-STD | X2 | CYL200 | 5" | BA10P | C6 |
| 3250/3260 | SS-STD | X2 | CYL200 | 5" | BA10P | C6 |
| 3300/3310 | | K3, S3 | CYL190 | 5" | BA9 | C6 |
| 3306 | | S3 | CYL360 | 10" | BA9 | C6 |
| 3308 | | S3 | CYL300 | 8" | BA9 | C6 |
| 3315 | | LG | | FIXED | LG | Glide |
| 3315 | | R2 | CYL190 | 5" | | Glide |
| 3460 | SS-STD | Y1, Y3, W1, W2 | CYL190 | 5" | BA11 | C6 |
| 3466 | SS-STD | Y1 | CYL360 | 10" | BA11 | C6 |
| 3468 | SS-STD | Y1 | CYL300 | 8" | BA11 | C6 |
| 3680 | SS-STD | W2 | CYL200 | 5" | BA36 | C6 |

accessories




PA4

\$20

SOFT-TOUCH POLYURETHANE
PAD ONLY

Use w/ A4, A5 Arm
(ea).




PA6

\$30

URA-SOFT® PAD ONLY

Use w/ A6, A7 Arm
(ea).




PA8

\$25

SOFT-TOUCH POLYURETHANE
PAD ONLY

Use w/ A8, A9 Arm
(ea).




PA20

\$25

LEATHER PAD ONLY

Use w/ A20, A21 Arm
(ea).




PA22

\$50

SOFT-TOUCH POLYURETHANE
PAD ONLY

Use w/ A30 Arm
(price per individual pad, specify L or R).




PA30

\$50

SOFT-TOUCH POLYURETHANE
PAD ONLY

Use w/ A30 Arm
(price per individual pad, specify L or R).




PA38

\$50

SOFT-TOUCH POLYURETHANE
PAD ONLY

Use w/ A30 Arm
(price per individual pad, specify L or R).




AW1

\$25

4" ARM WIDTH ADJUSTMENT
BRACKET

Use w/ A4, A6, A8, A22
(pair).




BA1B

\$75

26" NYLON BASE - BLACK

Use w/ all Task, Management, & Executive
Chairs (casters sold separately).




BA2B,S,P

\$100

26" ALUMINUM BASE
B - BLACK POWDER COATED BASE
S - SILVER POWDER COATED BASE
P - POLISHED ALUMINUM BASE

Use w/ all Task, Management, & Executive
Chairs (casters sold separately).




BA9B,G,W

\$75

26" HIGH PROFILE NYLON BASE -
BLACK

26" High Profile Black Nylon Base comes
standard w/ C6 65mm Hoodless Casters.




BA10B,S,P

\$100

26" HIGH PROFILE ALUMINUM BASE
B - BLACK POWDER COATED BASE
S - SILVER POWDER COATED BASE
P - POLISHED ALUMINUM BASE

High Profile Black Powder Coated Aluminum
Base (casters sold separately).




BA11B,G

\$75

27" MID-PROFILE NYLON BASE
B - BLACK NYLON
G - GRAY NYLON

(casters sold separately).




BA12P

\$100

27" MID-PROFILE ALUMINUM
BASE

High Profile Polished Aluminum Base
(casters sold separately).




BA19

\$125

27" ALUMINUM BASE - POLISHED

Use with all Task, Management, &
Executive Chairs (includes matching
casters with polished aluminum accents).



DL1

\$250

STACKING DOLLY

Use w/ Shuttle, Bella, Link and Mimi four
leg models.




DL4

\$250

STACKING DOLLY

Stacks Indy, Kelly and Mimi all plastic
Chairs.




FR20B

\$90

20" BLACK KNOB LESS FOOTRING


Use with any Stool (standard on Cydia).



CYL160

\$30


PNEUMATIC CYLINDER 3" LIFT



CYL190

\$30

PNEUMATIC CYLINDER 5" LIFT




CYL200C

\$30

PNEUMATIC CYLINDER 5" LIFT W/
CHROME FINISH

Use w/ Cortina, Vesta series or any
chrome base.




CYL200B

\$30

PNEUMATIC CYLINDER 5" LIFT W/
BLACK FINISH

Use w/ Vesta series.



CYL240

\$30


PNEUMATIC CYLINDER 5" LIFT

PARTS AND ACCESSORIES DISCOUNT

INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT.

THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.

accessories




SS

\$60

SEAT SLIDER 2.5" SIDE PADDLE
ACTIVATED


Add to S2, R1, M1, Y2 Controls Only on
Select Series*.



CYL300
CYL360

\$45/\$45

PNEUMATIC CYLINDER 8" LIFT/
PNEUMATIC CYLINDER 10" LIFT




CYL-ARH

\$110

SELF HEIGHT & FORWARD
RETURNING
PNEUMATIC CYLINDER 5" LIFT

Upon exiting chair the seat returns to
standard height & forward position for use
with JB1 Jury Base.




CYLTHSPD

\$60

THREADED SPINDLE CYLINDER

Replaces standard CYL190 gas lift for
applications where the client does not want
the chair height to be easily changed; such as
conference rooms, cafeterias.
*Not compatible with BA9.




JB1

\$300

STANDARD JURY BASE

Use w/ all task models
Consists of round plate which is bolted to
floor and receives pneumatic cylinder.




JB2

\$675

QUICK RELEASE JURY BASE

Use w/ all task models
Pedestal base with quick release to remove
chair and cylinder (includes JB1).




JB2-PLT

\$100

RAMP INSERT FOR JB2 JURY BASE

Use w/ JB2 Insert when chair & cylinder
removed for ADA compliance.




GC1

\$30

GANGING CLIP
ARMLESS-TO-ARMLESS

Distance between chairs is 1.25"
Use w/ Shuttle, Bella (2 per set).




GC2

\$30

GANGING CLIP
ARM-TO-ARM

Distance between chairs is 4.25"
Use w/ Shuttle, Bella (2 per set).




GC5

\$20

GANGING CLIP
ALL INDY SERIES, KELLEY
AND MIMI ARMLESS CHAIRS

Distance between chairs is 2.00"
Use with all Indy and Kelley
armless only.




HR-3080-
M1X

\$150

HEADREST

Use w/ Vesta series. Pattern "M1" mesh
specify: M11-Black, M12 Gray, M13 Silver,
M14 Green, M15 Red, M16 Blue.
Also specify bracket finish:
PF-Polished, SF-Silver, BF-Black.



HR-1580-T01


\$120

HEADREST

Use w/ Strata series.
T01 black mesh only (other upholstery
contact customer service).

PARTS AND ACCESSORIES DISCOUNT

INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT.
THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.




UB

\$100

PLASTIC OUTER BACK COVERED
WITH FABRIC

Use w/ Agent.




BN1
BN2

\$35/NC

UPHOLSTERED BACK
COVERED WITH BLACK BALLISTIC
NYLON

BN1 - Use with Grade A Fabrics
BN2 - Use with Grade B & Up Fabrics
Use w/ Logic, Precept, & Shuttle.




BNE

\$150

UPHOLSTERED BACK
COVERED WITH BLACK BALLISTIC
NYLON

Use w/ Axis, Cayman only.




BT

\$15

BOLT

Replace knob with bolt (for B2 and S2
controls only).




BSK

\$60

BELLA SIDE HANGING BASKET

Side Hanging Wire Basket for model 1310,
1315, 1360, 1365. Attach to left or right side.




BRK

\$70

SHUTTLE BOOK RACK

Book Rack in Black Only
Available on Shuttle.



KIT-FST8

\$150


8" GAS LIFT, 20" CHROME FIXED
FOOTRING W/ 75MM HARD FLOOR
CASTERS

Durable Classic Fixed Foot ring Base for Lab
Stool, Service Counter, Security Guard, and
Medical Applications. A Real Workhorse.

CYLINDER REFERENCE GUIDE


| PART # | Stroke | Note |
|----------|--------|--|
| CYL160 | 3" | Short, reduced range cylinder used to offset added height of SS seat slider or K1 control |
| CYL190 | 5" | Standard task cylinder with lower starting height than CYL240. May be substituted for CYL240 when lower starting seat height is required |
| CYL197 | 5" | 5" Stroke Heavy duty task cylinder |
| CYL200 | 5" | Standard task cylinder only used for high profile bases (BA10, ba19) |
| CYL240 | 5" | Standard task cylinder with higher starting height than CYL190. May be substituted for CYL190 when higher starting seat height is required |
| CYL300 | 8" | Stool cylinder with 2" lower starting seat height than stools with CYL360. Typically seat height starts at 19" so chair may be pushed under some desks. Use for workstations up to 36 inches high |
| CYL360 | 10" | Stool cylinder with 2" higher starting seat height than stools with CYL300. Generally seat height starts at 21" and chair will not fit under most desks. Use for workstations up to 42 inches high |
| CYLTHSPD | 2.5" | Cylinder with a threaded spindle rather than a gas lift. For applications where client prefers the seat height set and not easily changed, such as a conference room |
| CYL-ARH | 5" | Self height and forward position return. For use with jury base option |

control selection guide




B1 Basic Task

Our basic control for a one piece seat and back has simple adjustments. Ideal for clerical, casual meeting and general office use.




B2 Basic Task

Our basic control has simple adjustments. Ideal for clerical, casual meeting, and general office use. This control uses a 2.25" cold-rolled steel J-Bar for added strength and back-pull durability.




P1 Posture Back

Ideal for stool applications, the articulating back provides proper support for moderate tasking use.




W2 Advanced Weight Balanced Synchro

Auto-Balance tension adjustment utilizes the weight of the user to balance resistance of back. Sensing can be adjusted to suit individual preference. 3:1 back to seat synchronous movement with 4 position back-travel limiting lock.




M1 Multi-Function

For the highest level of ergonomic needs, suited for multi-task functions. Seat pivots from 0 to 6 degrees forward.




M2 Heavy Duty Multi-Function

With a weight capacity up to 500 lbs, in addition to multi-task ergonomic functions, its ideal for police departments, 911 emergency, hospitals or whenever a higher weight capacity is needed. A 3.00" wide 5/16" thick cold-rolled steel back support adds strength and back-pull durability.




R1 Rocking Tilt

For managerial and task applications. Similar to a swivel-tilt control with the added comfort of infinite back-angle adjustment and infinite tilt lock. Features 3" cold-rolled steel J-Bar.




R2 Rocking Tilt

For lounge, guest and collaboration applications. Rocking motion tilts right, left, front and back. Available on Cydia Lounge and Diddy Guest.




S1 Swivel - Tilt

Use for a variety of general office seating, including private office and conference room seating. Control locks upright for tasking.




K1 Knee Tilt

Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a reduced rise of front seat edge. 5 position multi-lock with built-in safety return feature.




K2 Advanced Knee Tilt

Ultimate seating comfort for manager, executive or conference seating. Allows for a full range of movement with a reduced rise of front seat edge. 4-position multi lock back. Side tension and back lock.




K3 Knee Tilt (for Cydia only)

Ultimate seating comfort for manager, executive or conference seating. Allows for a full range of movement with a reduced rise of front seat edge. 4-position multi lock back. Side tension and back lock.




S2 Swivel - Tilt

Use for a variety of general office seating. Similar function to the S1 however utilising a 2.25" cold-rolled steel J-Bar to connect seat and back. Control locks upright for tasking.




S3 Swivel - Tilt

Use for a variety of general office seating. Control locks upright for tasking.




W1 Weight Balanced Synchro

Auto-Balance tension adjustment utilizes the weight of the user to balance resistance of back. 3:1 back to seat synchronous movement with 2 position back lock.




Y1 Simple Synchro Tilt

Recline with a synchro back and seat movement. Reduced rise of front seat edge. Back may free float or be locked upright. Comparable to swivel tilt control but with asynchronous movement.



Y2 Heavy Duty Synchro Tilt

Recline with a synchro back and seat movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 4 position multi-lock with built-in safety return feature and slide tension control.




Y3 Full Synchro Tilt

Recline with a synchro back and seat movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 3 position multi-lock with built-in safety return feature.

CONTROL FUNCTION GUIDE

| | | | |
|---|---|----|---------------------------------------|
| 1 | INFINITE BACK ANGLE ADJUSTMENT | 7 | INFINITE POSITION TILT-LOCK |
| 2 | SEAT HEIGHT LEVER | 8 | FORWARD TILT LEVER |
| 3 | BACK DEPTH CONTROL KNOB | 9 | EASY-LIFT RATCHET BACK HEIGHT CONTROL |
| 4 | ARTICULATING POSTURE BACK W/ FREE FLOAT | 10 | BACK MULTI-LOCK W/ SAFETY RELEASE |
| 5 | SEAT HEIGHT & TILT LOCK LEVER | 11 | SEAT SLIDER PADDLE |
| 6 | TILT TENSION CONTROL KNOB | 12 | 4 POSITION BACK TRAVEL CONTROL |


control selection guide



Y4

Intensive Synchro
(for Aria HR only)


Recline with a synchro back and seat movement featuring a 2:1 back to seat-tilt ratio. Reduced rise of front seat edge. 4 position multi-lock back position with built-in safety return feature. Integrated seat slider.



Y5

Enhanced Synchro with
back angle adjustment
(for Core and Acclaim)

Enjoy the ride with this high function full 2:1 synchro control featuring an independent back angle adjustment. 4 position back lock, side tension control and built in seat slider depth adjustment.



X1/X2

X1 for Vesta Chairs
X2 for Cosmo Chairs

Recline with a synchro back and seat movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 11 position multi-lock with built-in safety return feature. Integrated seat slider and forward pitch adjustment.

BIFMA Ultimate test for fit (UTFF)

Ergonomics - The Work Chair

The Business and Institutional Furniture Manufacturer’s Association (BIFMA) has developed the following guidelines for UTFF. Parenthetical numbers following each item indicate corresponding subdivisions in the guidelines.

Seat Height (7.1)

Users should be able to sit with their feet comfortably on the floor or footrest without undue pressure on the underside of the thighs. The thigh-to-torso angle should not be less than 90°.

Seat Depth (7.2)

Users should be able to sit in the chair without undue pressure against the back of the knees, their back properly supported by the backrest and with adequate buttock and thigh support.

Seat Width (7.3)

The seat should be wider than the hip breadth of the user with allowance for movement and clothing. The seat width should not limit the ability to use the armrests comfortably.

Seat Pan Angle (7.4)

This should allow users to support their feet on the floor or footrest. They should not cause the user’s torso-to-thigh angle to be less than 90°. Forward seat pan angles should not cause users to shift excessive weight to their feet or experience the sensation of sliding out of the chair.

Back Support (7.5)

Seat Backrest Height (7.5.1)

All backrests should provide adequate support and buttocks clearance. For tasks requiring upper body mobility, the backrest should not interfere with the user’s movement. For users who prefer reclining postures or greater upper back support, the back height should provide support for the shoulder blades.

Backrest Width (7.5.2)

The width of the backrest should provide adequate support for the curvature of the user’s back without causing localized pressure points.

Lumbar Support (7.5.3)

The height and shape of the lumbar should coincide with the lumbar curve (“the small”) of the user’s back. The support should be firm, but not cause localized pressure points.

Movements of the Seat Pan and Back Support (7.6)

The user should be able to sit in a position where the torso-to-thigh angle is equal to or greater than 90°. The seat and backrest angles should accommodate the varying postures assumed by the user throughout the day.

Arm Support (7.7)

Armrest Height (7.7.1)


This should allow users to sit in a variety of postures while supporting their forearms and/or elbows in a manner that avoids lifting the shoulders (armrests too high) or leaning to the side to reach the armrest (armrests too low). The armrest height should allow accessibility to, and performance of, tasks.

Armrest Length (7.7.2)

The length of the armrest should allow users to sit close enough to the work surface to perform their tasks while maintaining contact with the backrest.

Inside Distance Between Armrests (7.7.3)

Armrests should allow users to sit in a variety of postures while supporting their forearms in a manner that avoids lifting the shoulders and/or excessive outward positioning of the elbows. Armrests should allow accessibility to, and performance of, tasks. The inside distance between the armrests should allow the user to enter and exit the chair easily. The hips should comfortably fit between the armrests or supports.



care and maintenance

- Insure the gas cylinder is inserted into the control firmly. Improper connection may cause wobbling.
- Choose correct casters for different floor surfaces. We suggest choosing hard floor casters for tile or concrete surfaces.
- For drafting stool use, we recommend self-locking casters for hard floors. See Caster Selection Guide for more details.
- Do not stand on footring
- Do not sit on any part of the chair except the seat; Do not sit on arms or backrest
- To avoid chair collapse do not remove knobs or screws.
- Properly dispose of packing materials. Do not use plastic as head covering. It may cause suffocation.
- If any parts are missing, broken, damaged or worn, do not use the chair until repairs are made using factory-authorized parts.
- Do not attempt to make any alterations to chair.
- Do not use chair on uneven floor surfaces.
- Do not drape coats or sweaters on back of chairs with casters. Hanging fabric may suddenly stop casters from rolling.
- Do not use excessive speed when moving the chair with casters while seated.
- Do not over exert the functions of a chair which are only to be used under normal conditions
- Do not stand on and/or use this chair as a stepladder. Use this product only for seating one person at a time
- Do not use this chair unless all bolts, screws and knobs are firmly secured

Check the following at 4 month intervals

- All exposed fasteners should be checked and any loose fasteners tightened. Use appropriate tools. Replace any fasteners that appear to be damaged in any way
- The chair mechanism should be checked for any looseness, excessive wear or signs of damage. Immediately remove the chair from service if any damage or failure is found.
- The base and casters should be checked for any signs of excessive wear for failure. Immediately replace any parts that show such wear or failure.

notes



notes

