TAKE OFF

Adjustable tables II

USA

price list

Effective January 31st 2018

artopex®

interactive links

index, page tabs & page references

→ document optimized for single page view

table of contents

VISUAL INDEX 4

GENERAL INFORMATION 5

general characteristics 6
specification examples 14
finish choices chart 15

ADJUSTABLE TABLES II 16

rectangular tables 17
90º corner table with rectangular reversible surfaces 18
90º corner tables with curved interior 19
120º corner tables with curved interior 21

COMPLEMENTS 22

CONDITIONS & GUARANTEES 26

RECTANGULAR TABLES 17

TEE3Pi2970
TEE3Pi2964
TEE3Pi2958
TEE3Pi2952
TEE3Pi2946
TEE3Pi2370
TEE3Pi2364
TEE3Pi2358
TEE3Pi2352
TEE3Pi2346

90° CORNER TABLE WITH RECTANGULAR REVERSIBLE SURFACE 18

TEE3PCR23297670
TEE3PCR23297070
TEE3PCR23296470
TEE3PCR23237070
TEE3PCR23236470
TEE3PCR23235870

90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS 19

TEE3PCO23297082R
TEE3PCO23297070R
TEE3PCO23295870R
TEE3PCO23237082R
TEE3PCO23237070R
TEE3PCO23235870R
TEE3PCO23234670R
TEE3PCO23235858R
TEE3PCO23234658R

90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS 20

TEE3PCO29238270L
TEE3PCO29237070L
TEE3PCO29237058L
TEE3PCO23238270L
TEE3PCO23237070L
TEE3PCO23237058L
TEE3PCO23237046L
TEE3PCO23235858L
TEE3PCO23235846L

120° CORNER TABLE WITH CURVED INTERIOR ACCESS 21

TEE3PCV29295858
TEE3PCV29295252
TEE3PCV29294646
TEE3PCV23235858
TEE3PCV23235252
TEE3PCV23234646

ACCESSORY BARS ON POSTS 22

VAPBS1266
VAPBS1260
VAPBS1254
VAPBS1248
VAPBS1242
VAPBS1236
VAPBS1230

VAPBD1266
VAPBD1260
VAPBD1254
VAPBD1248
VAPBD1242
VAPBD1236
AVAPBD1230

FROSTED ACRYLIC SCREENS 23

VRB66
VRB60
VRB54
VRB48
VRB42
VRB36
VRB30

SPACING BRACKETS 24

AC-OSB

CASTERS FOR ADJUSTABLE TABLE BASES 24

TL-CAS4

SHORT FOOTING 25

AC-BUNF

General Information

TAKE OFF ADJUSTABLE TABLES II

Take Off adjustable tables II work in open office configurations, in collaborative settings and in private offices.

They adapt to all tasks in any environment and their sleek, contemporary lines blend ingeniously with all Artopex collections.

This price list includes the electric height-adjustable tables of the Take Off Collection as well as the associated accessories.

THE LIMA SERIES

This series is characterized by either a T.F.L. or H.P.L. surface with straight edge banding. Available in a 1" thickness.

L Lima
1"

GENERAL CHARACTERISTICS

MATERIALS

Work surfaces are made of 1" (25 mm) thick pressed wood. Surfaces can be ordered in either Thermally Fused or High Pressure laminate. Add 1/16" (1.6 mm) to the thickness of High Pressure laminate surfaces. There is a 3/32" (2.5 mm) thick PVC edge banding on the work surface with a choice of matching or contrasting colors, striped or fluted.

LAMINATE FINISHES

The available finishes are divided into 2 categories:

- The **"Surface"** finish (applied on the surface of tables).
- The **"Edge banding"** finish (surface contour).

Refer to the product descriptions and finish chart for more information, see p.15.

WOOD GRAIN DIRECTION

Surfaces

The wood grain runs parallel to the longest side of the surface.

ASSEMBLY AND HARDWARE

The adjustable tables II are delivered knockdown with the base components packaged in multiple boxes with the necessary hardware included. Pre-drilled holes are provided to facilitate the positionning of the base for installation.

BASE

Take Off adjustable tables II have a metal base with a Silver or Black finish and legs with 3 sections. Its contemporary design blends with the styles of the various Artopex collections.

"T" BASES
The base of the adjustable tables II is composed of 2 or 3 legs: "T" legs (column is centered on the foot). A rectangular column 2" L. x 3⅛" D. is attached to a 23½" x 3⅛" x 1¾" H. Short levelers allow stability adjustment only, and longer levelers with ½" adjustment may be ordered.

STIFFENERS
Some tables include 1 or more black stiffeners.

WIRE FASTENERS
Five fasteners are provided with the base for attaching cables under the surface.

CASTERS
A set of 4 casters 2" H. in black plastic (2 with brakes) is available (ordered separately).
The casters will replace the glides, to be installed on site.

Base with "T" legs

ELECTRIC HEIGHT ADJUSTMENT

- **Electric activation system**
  80" long power cord with a conventional wall connection.
  ANSI/Bifma compliant, UL Certified (CAN-US).

- **Intuitive control pad with 3 customizable heights**
  The control pad installs on the front under the surface, on the left or right.

- **Height adjustment range** (1" Lima surface)
  - 3 sections: 24½" to 50" H.
- **Operating speed:** 1¼" per second.
- **Sound level:** 42 dB.
- **Weight capacity:** • 2 legs : 265 lbs
  • 3 legs : 300 lbs
  (including the surface weight).
  The table will not be functional beyond this capacity.

- **Automatic movement blocking / collision detector**
  - 12 kg and more going up
  - 9 kg and more going down

  However, a 3" minimum space between the underside of the hutch and the surface of the height-adjustable table at its maximum height is recommended.

Intuitive control pad

SURFACE SHAPES AND DIMENSIONS

Adjustable tables II are available in different shapes and dimensions:

Length and depth
The dimensions of the adjustable tables II indicated in the price list are exact.

The adjustable tables have:
1" less in depth and 2" less in length than Take Off Freestanding tables.

A 1" clearance is created when the table is surrounded by walls, divider screens or panel system in order to prevent finger pinching when mechanism is functioning.

IMPORTANT !
For security reasons: ensure a minimum clearance of 1" on all sides of the table when placed with freestanding furniture.

INTERIOR CLEARANCE

STANDARD POSITION

CLEARANCE POSITION FOR LATERAL SCREENS

Table LENGTH = length indicated in price list.

INTERIOR CLEARANCE - VERTICAL

The vertical clearance indicates the **free space under the structural beams of the height-adjustable table II** when the table is at its minimum height.

To ensure that the adjustable table is compatible with a mobile pedestal, a credenza or any other storage unit, refer to product heights as indicated in the price list.

GROMMETS (OPTIONAL)

The surfaces of the adjustable tables II do not come standard with grommets but they can be added.

In the "**Option**" (**grommets**) section: add position: Left (**L**), Center (**C**), Right (**R**) and/or Return (**E**) and the finish: White (**G1**) or Charcoal (**G2**) plastic grommets can be added when specifying the product.

The grommet with the Artopex logo has a cover with two openings:

- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for small wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed: 1 ⅝" x 3 ⅜".

Rectangular grommet

MULTI-OUTLET (OPTIONS)

Built-in multi-outlet is available for the adjustable tables II surfaces. The surface with the multi-outlet is prepared in our factory and the connection box must be added during installation. In the "**Options**" (**Multi-outlet**) section, add the code (**UC**), and the location of the module: Left (**L**), Center (**C**), Right (**R**) and/or Return (**E**).

The black plastic multi-outlet module has:
- 2 electrical outlets with ground and 12 AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid that can be closed when not in use.

CONNECTION TYPE
The multi-outlet is available with a conventional wall connection, UL and CSA certified. Power cord 108" long.

UC Multi-outlet

Multi-outlet UC
1-circuit with conventional wall connection

Grommet and multi-outlet positions

MULTI-OUTLET
The module will be visible under the table (1¾" H. with 1" Lima surface). It can be concealed by adding a Take Off modesty panel (sold separately).

Grommets and multi-outlets cannot be specified at the same position.

CABLE MANAGEMENT (ITEMS SOLD SEPARATELY)

Components allow for the routing of cables under the surface of the Take Off adjustable table II.

FLEXIBLE BRAIDED SLEEVE
(see Accessory price list)
- To contain and route cables
- 1¼" dia. x 72" long.
- Provides cable management from the surface to the floor.
- Black polyester

EXTENDABLE WIRE MANAGER
(see the Accessory price list)
- Installs under a surface with screws.
- 3½" diameter spiral extends up to 84" H.
- The floor base has a 6" diameter.
- Provides routing of wiring from surface to floor.
- Plastic, Black finish.

METAL CABLE TRAY
Metal cable tray, with a silver finish, installs under a work surface, and allows for the routing of cabling. Cable access via both ends and sides. Opening can accommodate moveable outlets (AC-ECM, AC-ECMK), telecomunication outlets (AC-ERF, E2-ERD), or can accommodate 1-circuit electrical system, see Accessory price list.

CONFIGURATION EXAMPLES WITH ELECTRICAL CONNECTION AND CABLE MANAGEMENT

ELECTRICAL UNIT - AIR LINE

The electrical unit allows for cable management and can accomodate 4-circuit or 1-circuit system components.

The power cord is routed from under the electrical unit.

TAKE OFF - CREDENZA

Take Off credenzas and some storage units have a top and side grommet option.

COMPLEMENTS

ACCESSORY BAR ON POSTS

- Stronger than the Take Off single or double (VAPB_) accessory bars, this bar is designed for the installation of a flat screen arm-support and / or Artopex accessories. One functional side only.
- Metal accessory bar 12" H. x 1" thick with: 1 hanging section 4" H. (single) or 8" H. (double).
- Installs with screw clamps to a 1", 1 ½" or 2" thick work surface.
- Accessory bar and posts are Silver finish with Black plastic finishing caps.
- Assembly screws are visible at the back of the accessory bar.

In general, the bar length is intended to allow for a 2¼" clearance on each side.

Length	For use with table (length):			
Bar	Rect. / dual-depth	Rect. corner	90º corner	120º corner
65½	70"	70-76"	70-82"	
59½	64"	64"		
53½	58"	58"	58"	58"
47½	52"			52"
41½	46"		46"	46"
35½				
29½				

SINGLE ACCESSORY BARS

2 supporting posts: 29½" to 53½" L.
1 flat screen arm-support can be attached.

3 supporting posts: 59½" L. and more.
2 flat screen arm-supports can be attached.

DOUBLE ACCESSORY BARS

2 supporting posts: 29½" to 53½" L.
1 flat screen arm-support can be attached.

3 supporting posts: 59½" L. and more.
2 flat screen arm-supports can be attached.

COMPLEMENTS

MODESTY PANEL AND ACCESSORY BAR
In order for the screw clamps to function under the surface, the accessory bar with posts can only be installed on an adjustable table with a recessed **modesty panel**.

8" H. FROSTED SCREENS
Rectangular frosted (on one side) acrylic screen of the **same length** installs on the top of an accessory bar with posts (single or double) and attaches to the back with fastening clips.

Single accessory bar on posts with frosted screen

TAKE OFF PRIVACY PANELS, MODESTY PANELS AND ACCESSORY BARS
Privacy panels and modesty panels (laminate, frosted) as well as single or double-height accessory bars from the Take Off Freestanding collection can be installed on the adjustable tables.

The maximum length for an Take Off privacy or modesty panel or for an accessory bar on a adjustable table is 4" less than the length of the surface.

Screen	Rect.	Rect. corner	90º corner	120º corner
72"		76"	82"	
66"	70"	70"	70"	
60"	64"	64"		
54"	58"	58"	58"	58"
48"	52"			52"
42"	46"		46"	46"

RECTANGULAR TABLES

LATERAL SCREENS

PRIVACY AND MODESTY PANEL

SIMPLE OR DOUBLE ACCESSORY BARS

COMPLEMENTS

SPACING BRACKETS

The spacing brackets allow for the installation of ergonomic accessories under the surface of an adjustable table, or under any other surface equipped with structural beams. The brackets lower the installation plate of the accessory by 2¼" H. Brackets are made of metal with a black finish.

The spacing brackets install onto the keyboard tray or CPU support with bolts (included) then to the surface with screws.

SPECIFICATION EXAMPLE

RECTANGULAR TABLE - ELECTRIC HEIGHT-ADJUSTABLE
Dimensions: 23" x 58"

SPECIFY						OPTIONS		
	Code		Surface		Edge	Grom.		M-Outlet
TL -	TEE2Pi2358	-	MGX	/	0GX	G1L	-	UCR

TL: Lima (top 1")
Surface: Galaxy (T.F.L.)
Edge band: Galaxy
Grommet option: White (**G1**) Left (**L**)
Multi-outlet option: on the right (**UCR**)

Ordering code: ***TL-TEE2Pi2358-MGX/0GX-G1L-UCR***

SHORT FOOTING

The corner foot can be replaced with a short footing.

IMPORTANT !
The short footing can only replace a corner foot on corner tables with curved interior acces: **TEE3PCO** and **TEE3PCV**.

FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list in reference to choice of colors.
Some exceptions apply, see the chart below or the finishing cards.

Warning! Colors, especially dark colors, may vary between Thermally Fused Laminate (T.F.L.) and High Pressure Laminate (H.P.L.).

SURFACE		EDGE BANDS (SURFACE)		LEGS
T.F.L.	**H.P.L.**	**EDGE**	**EDGES STRIPPED (NARROW)**	**METAL**
DOLOMITE FINISH	**MAT FINISH**			
Antique White (**MAW**)	Antique White (**SAW**)	Aluminium (**0W**)	Multiply Maple (**0V1**)	Black (**IMN**)
Charcoal (**MF**)	Cayenne Maple (**SCM**)	Antique White (**0AW**)	Coordinate with surface finishes:	Silver (**IMW**)
Frost (**MA**)	Charcoal (**SF**)	Black (**0N**)	**Maritime Maple - Moka**	
White (**MBW**)	Cherry (**SCH**)	Carbon (**0CB**)	**Douglas Pine**	
	Chestnut (**SCG**)	Cayenne Maple (**0CM**)		
SUEDE FINISH	Dark Oak (**SDK**)	Charcoal (**0MF**)		
Cayenne Maple (**MCM**)	Douglas Pine (**SDP**)	Cherry (**0CH**)		
Cherry (**MCH**)	Frost (**SA**)	Chestnut (**0CG**)		
Dark Oak (**MDK**)	Honey (**SHO**)	Dark Oak (**0DK**)		
Honey (**MHO**)	Maritime Maple (**SEM**)	Douglas Pine (**0DP**)		
	Moka (**SPM**)	Frost (**0A**)	**Actual size image**	
SUPERMAT FINISH	White (**SBW**)	Galaxy (**0GX**)	**1" thick surface**	
Chestnut (**MCG**)		Honey (**0HO**)		
Douglas Pine (**MDP**)	**NATURAL FINISH**	Maritime Maple (**0EM**)	**EDGES STRIPED (WIDE)**	
Maritime Maple (**MEM**)	Carbon (**SCB**)	Moka (**0PM**)		
Moka (**MPM**)	Galaxy (**SGX**)	Sea Salt (**0SM**)	Maple / Honey striped (**0R1**)	
	Sea Salt (**MSM**)	Twilight (**0TL**)	Coordinate with surface finishes:	
AURA FINISH	Twilight (**STL**)	White (**0BW**)	**Maritime Maple - Honey**	
Carbon (**MCB**)				
Galaxy (**MGX**)				
Sea Salt (**MSM**)				
Twilight (**MTL**)				
			Actual size image	
			1" thick surface	

Price List

take off ADJUSTABLE TABLES II

rectangular table

Rectangular table with electric height adjustment. Adjustment range: 24½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, Silver or Black finish. Assembly required.
Standard grommet or multi-outlet options available.
To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.12 and 13 for more information.

Dimensions			L Lima 1" Price		Specifications	
A	B	Code	T.F.L.	H.P.L.	Cu. Ft	lb
29	70	**TEE3Pi2970**	1615	1845	4.4	112.4
29	64	**TEE3Pi2964**	1598	1808	4.2	107.3
29	58	**TEE3Pi2958**	1579	1770	4.0	102.3
29	52	**TEE3Pi2952**	1561	1733	3.8	97.2
29	46	**TEE3Pi2946**	1460	1612	3.6	90.3
23	70	**TEE3Pi2370**	1587	1771	4.0	101.5
23	64	**TEE3Pi2364**	1573	1741	3.8	97.4
23	58	**TEE3Pi2358**	1550	1703	3.6	93.2
23	52	**TEE3Pi2352**	1535	1671	3.4	89.1
23	46	**TEE3Pi2346**	1434	1557	3.2	83.1

L R
Grommet and multi-outlets positions

SPECIFY **OPTIONS**

	Code	Surface	Edge	Metal	Grom.	M-Outlet
TL -	( ) -	( ) /	( ) -	( ) -	( ) -	( )

Specify **Code:** Consult the above price list.
Surface / Edge: Specify Take Off finishes for the surface and edge, see p.15.
Metal: Specify the leg finish: Black (**IMN**) or Silver (**IMW**).

Options **Grommet:** White grommet option (**G1…**) on the left … (**L**), and/or right … (**R**), or Charcoal grommet (**G2…**) on the left … (**L**), and/or right … (**R**), add $29 each, see p.9.
Multi-outlet: Multi-outlet "standard" position (**UC...**) on the left … (**L**), and/or right … (**R**), add $213 each, see p.9.

take off ADJUSTABLE TABLES II

price list

90° corner table with rectangular reversible surface

90° corner table with rectangular surface with electric height adjustment. Adjustment range: 24½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, Silver or Black finish. Assembly required.
Standard grommet or multi-outlet options available.
To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.12 and 13 for more information.

Dimensions						L Lima 1" Price		Specifications	
A	B	C	D	E	Code	T.F.L.	H.P.L.	Cu. Ft	lb
23	29	76	70	47	**TEE3PCR23297670**	2493	2847	6.7	171.1
23	29	70	70	41	**TEE3PCR23297070**	2476	2814	6.6	166.9
23	29	64	70	35	**TEE3PCR23296470**	2454	2778	6.4	162.7
23	23	70	70	47	**TEE3PCR23237070**	2465	2774	6.3	160.2
23	23	64	70	41	**TEE3PCR23236470**	2449	2741	6.1	155.9
23	23	58	70	35	**TEE3PCR23235870**	2427	2704	5.9	151.8

Grommet and multi-outlet positions

SPECIFY **OPTIONS**

	Code	Surface	Edge	Metal	Grom. P	Grom. R	M-Outlet P	M-Outlet R
TL -	____ -	____ /	____ -	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above price list.
Surface / Edge: Specify Take Off finishes for the surface and edge, see p.15.
Metal: Specify the leg finish: Black (**IMN**) or Silver (**IMW**).

Options **Grommet main surface:** White grommet option (**G1…**) on the left … (**L**), and/or right … (**R**), or Charcoal grommet (**G2…**) on the left… (**L**), and/or right … (**R**), add $29 each, see p.9
Grommet return surface: White grommet option (**G1**) in the center... (**E**) or Charcoal grommet (**G2**) in the center... (**E**), add $29 each, see p.9.
Multi-outlet main surface: Multi-outlet "Standard" option (**UC...**) on the left … (**L**), and/or right … (**R**), add $213 each, see p.9.
Multi-outlet return surface: Multi-outlet "Standard" option (**UC...**) in the center... (**E**), add $213 each, see p.9.

take off ADJUSTABLE TABLES II

90º right extended corner tables with curved interior access

46" and 58" return

70" return

90º corner table with curved interior access with electric height adjustment. Adjustment range: 24½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, Silver or Black finish. Assembly required.
Standard grommet or multi-outlet options available.
To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.12 and 13 for more information.

Dimensions						L Lima 1" Price		Specifications	
A	B	C	D	E	Code	T.F.L.	H.P.L.	Cu. Ft	lb
23	29	70	82	2	**TEE3PCO23297082R**	2671	3136	8.1	178.5
23	29	70	70	2	**TEE3PCO23297070R**	2624	3029	7.5	168.4
23	29	58	70	1	**TEE3PCO23295870R**	2459	2889	7.8	160.0
23	23	70	82	2	**TEE3PCO23237082R**	2638	3102	8.1	169.9
23	23	70	70	2	**TEE3PCO23237070R**	2592	2998	7.5	161.6
23	23	58	70	1	**TEE3PCO23235870R**	2427	2857	7.8	153.3
23	23	46	70	1	**TEE3PCO23234670R**	2317	2658	6.8	143.8
23	23	58	58	1	**TEE3PCO23235858R**	2361	2717	7.0	145.1
23	23	46	58	1	**TEE3PCO23234658R**	2258	2541	6.1	135.5

E: Number of sections

Grommet and multi-outlet positions

SPECIFY **OPTIONS**

	Code	Surface	Edge	Metal	Grom. P	Grom. R	M-Outlet P	M-Outlet R
TL -	( ) -	( ) /	( ) -	( ) -	( ) -	( ) -	( ) -	( )

Specify **Code:** Consult the above price list.
Surface / Edge: Specify Take Off finishes for the surface and edge, see p.15.
Metal: Specify the leg finish: Black (**IMN**) or Silver (**IMW**).

Options **Grommet main surface:** White grommet option (**G1…**) on the left … (**L**), and/or right … (**R**), or Charcoal grommet (**G2…**) on the left … (**L**), and/or right… (**R**), add $29 each, see p.9
Grommet return surface: White grommet option (**G1**) in the center... (**E**) or Charcoal grommet (**G2**) in the center... (**E**), add $29 each, see p.9.
Multi-Outlet main surface: Multi-outlet "standard" option (**UC...**) on the left … (**L**), in the center... (**C**) and/or right … (**R**), add $213 each, see p.9.
Multi-Outlet return surface: Multi-outlet "standard" option (**UC...**) in the center... (**E**), add $213 each, p.9.

take off ADJUSTABLE TABLES II

price list

90° left extended corner tables with curved interior access

46" and 58" return

70" return

90° corner table with curved interior acces with electric height adjustment. Adjustment range: 24½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, Silver or Black finish. Assembly required.
Standard grommet or multi-outlet options available.
To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.12 and 13 for more information.

Dimensions						L Lima 1" Price		Specifications	
A	B	C	D	E	Code	T.F.L.	H.P.L.	Cu. Ft	lb
29	23	82	70	2	**TEE3PCO29238270L**	2671	3136	8.1	178.5
29	23	70	70	2	**TEE3PCO29237070L**	2624	3029	7.5	168.4
29	23	70	58	1	**TEE3PCO29237058L**	2459	2889	7.8	160.0
23	23	82	70	2	**TEE3PCO23238270L**	2638	3102	8.1	169.9
23	23	70	70	2	**TEE3PCO23237070L**	2592	2998	7.5	161.6
23	23	70	58	1	**TEE3PCO23237058L**	2427	2857	7.8	153.3
23	23	70	46	1	**TEE3PCO23237046L**	2317	2658	6.8	143.8
23	23	58	58	1	**TEE3PCO23235858L**	2361	2717	7.0	145.1
23	23	58	46	1	**TEE3PCO23235846L**	2258	2541	6.1	135.5

E: Number of sections

Grommet and multi-outlet positions

SPECIFY **OPTIONS**

	Code	Surface	Edge	Metal	Grom. P	Grom. R	M-Outlet P	M-Outlet R
TL -	( ) -	( ) /	( ) -	( ) -	( ) -	( ) -	( ) -	( )

Specify **Code:** Consult the above price list.
Surface / Edge: Specify Take Off finishes for the surface and edge, see p.15.
Metal: Specify the leg finish: Black (**IMN**) or Silver (**IMW**).

Options **Grommet main surface:** White grommet option (**G1…**) on the left … (**L**), and/or right … (**R**), or Charcoal grommet (**G2…**) on the left… (**L**), and/or right … (**R**), add $29 each, see p.9
Grommet return surface.: White grommet option (**G1**) in the center... (**E**) or Charcoal grommet (**G2**) in the center... (**E**), add $29 each, see p.9.
Multi-outlet main surface: Multi-outlet "standard" option (**UC...**) on the left … (**L**), in the center... (**C**) and/or right … (**R**), add $213 each, see p.9.
Multi-outlet return surface: Multi-outlet "standard" option (**UC...)** in the center... (**E**), add $213 each, see p.9.

take off ADJUSTABLE TABLES II

price list

120º corner table with curved interior access

120º corner table with curved interior access with electric height adjustment. Adjustment range: 24½" to 50" H.
The control pad is programmable and installs on the front, left or right.
Base with "T" legs with levelers, Silver or Black finish. Assembly required.
Standard grommet or multi-outlet options available.
To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.12 and 13 for more information.

Dimensions			L Lima 1" Price		Specifications	
A	B	Code	T.F.L.	H.P.L.	Cu. Ft	lb
29	58	**TEE3PCV29295858**	2428	3003	9.4	161.2
29	52	**TEE3PCV29295252**	2363	2850	8.4	151.6
29	46	**TEE3PCV29294646**	2200	2605	7.4	140.2
23	58	**TEE3PCV23235858**	2394	2914	8.7	147.8
23	52	**TEE3PCV23235252**	2333	2771	7.9	140.1
23	46	**TEE3PCV23234646**	2173	2534	7.0	130.5

Grommet and multi-outlet positions

SPECIFY **OPTIONS**

	Code	Surface	Edge	Metal	Grom.	M-Outlet
TL -	( ) -	( ) /	( ) -	( ) -	( ) -	( )

Specify **Code:** Consult the above price list.
Surface / Edge: Specify Take Off finishes for the surface and edge, see p.15.
Metal: Specify the leg finish: Black (**IMN**) or Silver (**IMW**).

Options **Grommet:** White grommet option (**G1…**) on the left …(**L**), in the center... (**C**) and/or right … (**R**), or Charcoal grommet (**G2…**) on the left …(**L**) in the center... (**C**), and/or right …(**R**), add $29 each, see p.9
Multi-outlet: Multi-outlet "standard" position (**UC...**) on the left …(**L**), and/or center... (**C**), and/or right …(**R**), add $213 each, see p.9.

complements

accessory bars on posts

price list

Single or double accessory bar on supporting posts. The bar has one functional side. Silver finish, with Black covers on the posts.
Designed for use with a flat screen arm-support, see p.12. Can also hold Artopex accessories, see the "Accessories" price list.
Accessory bars 59½" and up have an additional central post. Some screws are noticeable on the back of the bars.
Installs with screw clamps to a 1", 1 ½" or 2" thick work surface.
The modesty panel must be recessed under the surface of the table to provide space for the accessory bar screw clamps.
The chart below indicates the **maximum length** of the accessory bar that can be installed on a height-adjustable table.

Dimensions					To use with table (length):			Specifications	
A	B	C	Code	Price	rect. / 2 deep	curved	corner	Cu.Ft.	lb
12	65½	3	**VAPBS1266**	568	70"	71"		2.1	13
12	59½	3	**VAPBS1260**	557	64"	65"		2.0	12
12	53½	2	**VAPBS1254**	382	58"	59"		1.9	10
12	47½	2	**VAPBS1248**	375	52"	53"		1.8	9
12	41½	2	**VAPBS1242**	370	46"	47"	46"	1.8	8
12	35½	2	**VAPBS1236**	364	40"		40"	1.7	7
12	29½	2	**VAPBS1230**	348	34"			1.7	6
12	65½	3	**VAPBD1266**	743	70"	71"		2.4	18
12	59½	3	**VAPBD1260**	706	64"	65"		2.3	17
12	53½	2	**VAPBD1254**	496	58"	59"		2.2	14
12	47½	2	**VAPBD1248**	485	52"	53"		2.1	13
12	41½	2	**VAPBD1242**	473	46"	47"	46"	2.1	12
12	35½	2	**VAPBD1236**	461	40"		40"	1.9	11
12	29½	2	**VAPBD1230**	428	34"			1.9	10

C: Number of posts

SPECIFY

Code

AC - ( ) **- 3090**

Specify Code: Consult the above price list.

complements

price list

frosted acrylic screens for accessory bars on posts

8" H. rectangular frosted (on one side) acrylic screen, ¼" thick.
The screen installs on top of the accessory bar (same length), with posts (single or double) and attaches to the back, see p.12.
The supports have a Silver finish.

Dimensions					Specifications	
A	B	C	Code	Price	Cu.Ft.	lb
8	65½	4	**VRB66**	352	0.5	7
8	59½	4	**VRB60**	343	0.4	6
8	53½	3	**VRB54**	295	0.4	5
8	47½	3	**VRB48**	286	0.4	5
8	41½	3	**VRB42**	274	0.3	4
8	35½	2	**VRB36**	228	0.3	3
8	29½	2	**VRB30**	215	0.2	3

C: Number of supports included

SPECIFY

Code

AC - ( ) **- 3090**

Specify Code: Consult the above price list.

complements

price list

spacing brackets

Metal spacing brackets, Black finish.

Ergonomic accessories can be installed (keyboard tray, CPU support) under the surface of an adjustable table or under any other surface equipped with structural beams.

The brackets lower the installation plate for the accessories by 2¼".

Attaches to the keyboard tray or CPU support with bolts (included) then to the surface with screws, see p.14

Dimensions			Specifications	
A	Code	Price	Cu.Ft.	lb
2¼	**AC-OSB**	78	0.5	2

casters for adjustable table bases

Set of 4 casters, 2 with brakes. Installs on base of the adjustable table.

Black finish.

Adds 2" to the table height, see p.7

			Specifications	
	Code	Price	Cu.Ft.	lb
4 casters	**TL-CAS4**	55	0.2	1

complements

price list

short footing

Short footing for corner leg.
Replaces standard footing.

Dimensions				Specifications	
A	B	Code	Price	Cu.Ft.	lb
5½	2¾	**AC-BUNF**	20	0.1	1

SPECIFY

	Code		Metal
AC -	( )	**-**	( )

Specify **Code :** Consult the above price list.
Metal: Specify the finish for the legs: Black (**IMN**) or Silver (**IMW**).

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing…) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct.The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are F.O.B. factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Artopex Warranty

Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.

The electrical and mechanical components of the adjustable base come with a two-year warranty.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

Designing, manufacturing, advising, planning and supporting: that's the art that distinguishes our purpose at Artopex.

HEAD OFFICE
800 Vadnais Street
Granby, Quebec
J2J 1A7 CANADA

Tel. : 450 378-0189
1 800 363-3040

Fax. : 450 378-9712

artopex.com