accessories

ORGANIZATION & COMPLEMENTS – ELECTRICITY & LIGHTING – ERGONOMICS

USA
price list

effective January 1st, 2015

UPDATED - January 15th, 2017
update summary - p.37

artopex®
the art and the purpose

interactive links

index, page tabs & page references

→ document optimized for single page view

accessories

finish choices chart 2

ORGANIZATION & COMPLEMENTS

pigeon-holes units 4
pencil trays and storage accessories 6
accessory bars 7
desk accessories 8

shelves 10
divider screens 12
markerboards / tackboards 13

keys and hardware 14
miscellaneous 15

ELECTRICITY & LIGHTING

multi-outlet modules - for conventional wall power outlet 18
1-circuit system 19

complements for electrical components 20
cable management 21

lighting 23

ERGONOMICS

keyboard shelves
retractable mechanism 26
"sit-stand" mechanism 28
pull-out 29

CPU holders 29

monitor arms
surface mount 30
pole mounted 32
mounted on accessory bar 34
wall mounted 35

conditions & guarantees 36

accessories

FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list with reference to choice of laminate finishes.

AURA finish

Sea Salt **SM**	Carbon **CB**	Galaxy **GX**
		Twilight **TL**

DOLOMITE finish

White **BW**	Frost **A**	Charcoal **F**
Antique White **AW**	Black **N**	

SUPERMAT finish

Maritime Maple **EM**	Moka **PM**	Chestnut **CG**
Douglas Pine **DP**	Tigerwood **TW**	Teak **TE**

SUEDE finish

Honey **HO**	Amberwood **Ci**	Burgundy **B**
Cherry **CH**	Cayenne Maple **CM**	Dark Oak **DK**

Reproduction of the colors are accurate as possible, please refer to actual samples available through your distributor before specifying.

accessories

ORGANIZATION & COMPLEMENTS

pigeon-holes units 4
pencil trays and storage accessories 6
accessory bars 7
desk accessories 8

shelves 10
divider screens 12
markerboards / tackboards 13

keys and hardware 14
miscellaneous 15

PIGEON-HOLE UNITS - LAMINATE

Pigeon-hole unit - 11" deep. Sides and shelves made of 11/16" thick Thermally Fused Laminate (T.F.L.) with assorted edge banding.
Depending on model, the pigeon-hole can accommodate letter or legal size documents.

Horizontal pigeon-hole unit

Can be installed on a credenza or suspended underneath a Take Off hutch.
Cannot be installed under a Take Off hutch with metal sides.
Mounting hardware included (to be used when suspending under a hutch).
Important ! If pigeon-hole is suspended under a hutch, select the appropriate tackboard.

Installed on a credenza

Installed underneath a hutch

Dimensions				Code	Price		Specifications	
A	B	C	D spaces				Cu.Ft.	lb
82	11	5	5	**TL-PiH**82	670	for 84" hutch	4,0	37
76	11	5	5	**TL-PiH**76	634	for 78" hutch	3,7	34
70	11	5	4	**TL-PiH**70	598	for 72" hutch	3,5	32
64	11	5	4	**TL-PiH**64	566	for 66" hutch	3,2	29
58	11	5	4	**TL-PiH**58	532	for 60" hutch	2,9	27
52	11	5	4	**TL-PiH**52	496	for 54" hutch	2,6	24
46	11	5	3	**TL-PiH**46	463	for 48" hutch	2,3	22
40	11	5	3	**TL-PiH**40	431	for 42" hutch	2,0	19
34	11	5	2	**TL-PiH**34	397	for 36" hutch	1,7	16
28	11	5	2	**TL-PiH**28	361	for 30" hutch	1,4	14
22	11	5	2	**TL-PiH**22	323	for 24" hutch	1,1	11

Legal size pigeon-hole unit

17	11	26	8	**TL-Pi**1726	356	3,5	48
17	11	20	6	**TL-Pi**1720	325	2,8	37
17	11	15	4	**AL-Pi**1715	296	2,4	20
17	11	11	3	**AL-Pi**1711	279	1,9	16

Letter size pigeon-hole unit

14	11	26	8	**TL-Pi**1426	295	2,5	37
14	11	20	6	**TL-Pi**1420	267	2,0	28
14	11	15	4	**AL-Pi**1415	266	2,0	17
14	11	11	3	**AL-Pi**1411	248	1,6	13

Vertical pigeon-hole unit

To store binders or other rigid documents.

7	11	26	12	**TL-Pi**726	190	1,6	18
7	11	20	12	**TL-Pi**720	162	1,2	14

SPECIFY

Code		Laminate
	-	

Specify **Code** : Consult the above product code list.
Laminate : Specify the color of the pigeon-hole. Laminate finishes, p.2.

PIGEON-HOLE UNITS - METAL SHELVES

Pigeon-hole units with metal shelves - 16" deep

Fram Fram Frame made of 11/16" thick Thermally Fused Laminate (T.F.L.).

Metal shelves with 2½" long identification tabs.

Vertical space between shelves is 2½" H.

Can accommodate letter or legal size documents.

	Dimensions				Code	Price	Specifications	
	A	B	C	spaces			Cu.Ft.	lb
9" H.	60	16	9	15	**PiM**6009	772	5,5	75

14" H.	32	16	14	15	**PiM**3214	757	4,6	62
	24	16	14	10	**PiM**2414	612	3,4	46
	12	16	14	5	**PiM**1214	402	1,7	23

19" H.	24	16	19	14	**PiM**2419	787	4,6	63
	12	16	19	7	**PiM**1219	490	2,3	31

Lower storage space on POM pigeon-hole is 9" H.

24" H.	24	16	24	18	**PiM**2424	945	5,9	79
	12	16	24	9	**PiM**1224	578	2,9	40
	24	16	24	10	**POM**2424	740	5,9	65

Pigeon-hole units with metal shelves - 11" deep

Vertical space between shelves is 2½" H.

Can accommodate letter (PHM1411) or legal (PHM1711) size documents.

Can be installed inside a hutch.

17	11	11½	4	**PHM**1711	416	1,4	19
14	11	11½	4	**PHM**1411	364	1,1	15

SPECIFY

	Code		Laminate		Metal
AC -		-		-	

Specify **Code** : Consult the above product code list.

Laminate : Specify the color of the pigeon-hole. Laminate finishes, **p.2**.

Metal : Silver **(3090)**, Polar White **(3002)**, China Blue **(3048)**, Charcoal (**3064**), Grenadine (**3044**), Kiwi (**3057**), Black (**3067**) or Tangerine (**3020).**

accessories – ORGANIZATION & COMPLEMENTS

Price List – USA

PENCIL TRAYS

Rectangular pencil tray, pull-out
1 space: 18½" x 11" for letter, legal or tabloid size documents.
1 compartment for pencils and 3 smaller compartments.
Plastic, Black finish. Total thickness: 2"

Dimensions A	B	C	Code	Price	Specifications Cu.Ft.	lb
16	21		**ACPDS**	100	0,5	3

Round pencil tray
360° pivoting.
Plastic, Black finish.

8	14		**ACPDR**	28	0,3	3

STORAGE ACCESSORIES

Lateral filing bar (letter size)
Included with all desks and combined storage units with 12" file drawers.
Must be ordered separately for suspended, freestanding and mobile pedestals.

12			**BL**12	15	0,1	1

Front-to-back filing bars for lateral filing cabinets
Pack of two, Black finish.

15			**BL**15	25	0,1	1

Recycling bin
Can be installed in any file drawer.
For use with letter and legal sized paper.
Made of blue HDPE.

15½	12½	8½	**AREC**	46	1,8	2

Metal storage case
Metal storage case for binders or books. Installs under a work surface, with screws.
Specify the finish.

12	7½	12	**ASUB**	154	0,8	5

SPECIFY

	Code		Metal
AC -		**-**	

Specify **Code** : Consult the above product code list.
Metal (ASUB): Specify the finish : Black **(3067)**, Charcoal (**3064**), Silver **(3090)** or Polar White **(3002)**.

ACCESSORY BARS

Single or double accessory bars

Installs on a work surface (1"-1½"-2"), a Take Off credenza or certain storage unit (from underneath).

Can hold (on both sides) Artopex accessories, p.8-9.

Can not accomodate a flat screen monitor support arm.

Anodized Aluminum bar and Silver finish metal supports.

Important ! Refer to the corresponding product price list on which the accessory bar will be installed for restrictions that may apply.

	Dimensions A	Dimensions B	Code	Price	Specifications Cu.Ft.	Specifications lb
Single	8	72	**AC-VABS**0872	305	0,5	12
	8	66	**AC-VABS**0866	297	0,5	11
	8	60	**AC-VABS**0860	282	0,4	10
	8	54	**AC-VABS**0854	231	0,4	10
	8	48	**AC-VABS**0848	227	0,4	9
	8	42	**AC-VABS**0842	213	0,3	8
	8	36	**AC-VABS**0836	206	0,3	7
	8	30	**AC-VABS**0830	204	0,3	7
	8	24	**AC-VABS**0824	198	0,2	6

Double	12	72	**AC-VABD**1272	381	0,9	22
	12	66	**AC-VABD**1266	367	0,8	21
	12	60	**AC-VABD**1260	348	0,7	19
	12	54	**AC-VABD**1254	297	0,7	18
	12	48	**AC-VABD**1248	287	0,6	16
	12	42	**AC-VABD**1242	270	0,6	15
	12	36	**AC-VABD**1236	256	0,5	13
	12	30	**AC-VABD**1230	249	0,4	12
	12	24	**AC-VABD**1224	239	0,4	10

Wall-mount accessory bar - 4"

Installs on any vertical laminate surface or to the wall with screws, not included.

Choose installation height according to accessories sizes.

Silver finish.

4	70	**RC2-ACBM**70-3090	210	0,5	7
4	64	**RC2-ACBM**64-3090	197	0,4	6
4	58	**RC2-ACBM**58-3090	186	0,4	6
4	52	**RC2-ACBM**52-3090	176	0,4	5
4	46	**RC2-ACBM**46-3090	165	0,3	5
4	40	**RC2-ACBM**40-3090	154	0,3	4
4	34	**RC2-ACBM**34-3090	143	0,2	4
4	28	**RC2-ACBM**28-3090	132	0,2	3
4	22	**RC2-ACBM**22-3090	122	0,2	2

accessories – ORGANIZATION & COMPLEMENTS

Price List – USA

METAL ACCESSORIES

The metal accessories are designed to be hooked on to accessory bars or rails of Artopex panels.
They can sit on a surface and for certain accessories, it is possible to hook a second on to the first to maximize storage space.

Horizontal tray
Horizontal tray for legal size paper.
Can be hooked on to the accessory bar or stacked on a surface. Interior available space : 1¾" H. when stacked.

Dimensions A	B	C	Code	Price		Specifications Cu.Ft.	lb
9	15½		**ASMLG**	43		0,4	3

Vertical tray
Vertical file tray for letter or legal size paper.
Can be hooked on to the accessory bar and a second file tray can be hooked onto the first.

1¾	12	6½	**ASMVLT**	46	Letter size	0,3	3
1¾	15½	6½	**ASMVLG**	52	Legal size	0,3	3

Stationary holder

4	9	**ASMPAP**	32		0,3	2

Pencil holder - A second holder can be hooked onto the first.

1¾	3	3¾	**ASMPE**	28	0,1	2

Cell phone holder - A cut-out holds the phone wire.

⅞	3⅛	6¾	**ASMCEL**	25	0,1	1

Business card holder - Reversible to sit on a surface.

2	3¾	**ASMBC**	20		0,1	1

Brochure / flyer holder - For use on a surface only.

3	8½	5	**ASMFH**	41	0,3	1

Storage box - For use on a surface only, stackable.

8	8	6	**ASMBOX**	43	0,3	3

SPECIFY

	Code		Metal
AC -		**-**	

Specify **Code** : Consult the above product code list.
Metal : Silver **(3090)**, Polar White **(3002)**, China Blue **(3048)**, Charcoal (**3064**), Grenadine (**3044**), Kiwi (**3057**), Black (**3067**) or Tangerine (**3020**).

accessories – ORGANIZATION & COMPLEMENTS

ACRYLIC ACCESSORIES

The acrylic accessories are designed to be hooked on to accessory bars or rails of Artopex panels.

Diagonal paper tray (double)
Can accomodate letter or legal size documents.
The dividers are always Clear.

Dimensions A	B	C	Code	Price	Specifications Cu.Ft.	lb
10	6½		**ASW**	64	0,1	1

Paper tray
Can accomodate letter or legal size documents.

10	15¾		**ASLG**	52	0,2	1

Pencil holder

2½	3		**ASPE**	25	0,1	1

Flower pot

5			**ASFL**	24	0,1	1

SPECIFY

	Code		Finish
AC -		**-**	

Specify **Code** : Consult the above product code list.
Finish : Specify Clear (**CL**) or Black (**N**).

STORAGE MODULE FOR ACCESSORY RAIL

Storage module
Attaches to the accessory rail of Artopex panels.
Laminate finish with assorted edge banding.
Supports included, Anodized Aluminum finish.
Important ! Cannot be attached above an acrylic section in the Nano series.
Cannot be attached to an accessory bar attached to a work surface.

11½	6	11½	**BOX**1212	162	0,6	12

SPECIFY

	Code		Laminate		
NAC -		**-**		**-**	**O**

Specify **Code** : Consult the above product code list.
Laminate : Specify the color of the storage. Laminate finishes, **p.2**.

11/16" SHELVES & BOOKENDS

C : number of supports included

11/16" thick shelves

Installs on the accessory bar or the accessory rail of Air line, Nano or Take Off series and work walls.

Laminate finish with assorted edge banding.

Supports included, anodized aluminum finish.

Important ! Do not install 10" or 13" deep shelves on to an accessory bar attached to a work surface or on the Air line panel of the electrical unit. Cannot be attached above either a tackboard or an acrylic section in the Nano series.

	Dimensions			Code	Price	Specifications	
	A	B	C			Cu.Ft.	lb
13" deep	13	36	2	**SHE**1336	116	0,6	8
	13	30	2	**SHE**1330	103	0,5	7
	13	24	2	**SHE**1324	92	0,4	6
10" deep	10	72	3	**SHE**1072	183	0,9	13
	10	66	3	**SHE**1066	174	0,9	12
	10	60	3	**SHE**1060	165	0,8	11
	10	54	3	**SHE**1054	131	0,7	10
	10	48	3	**SHE**1048	122	0,6	9
	10	42	2	**SHE**1042	112	0,5	8
	10	36	2	**SHE**1036	103	0,5	7
	10	30	2	**SHE**1030	94	0,4	6
	10	24	2	**SHE**1024	84	0,3	4
	10	21	2	**SHE**1021	79	0,3	4
	10	18	2	**SHE**1018	75	0,2	3
6" deep	6	72	3	**SHE**0672	127	0,6	8
	6	66	3	**SHE**0666	121	0,5	7
	6	60	3	**SHE**0660	117	0,5	7
	6	54	3	**SHE**0654	95	0,4	6
	6	48	3	**SHE**0648	89	0,4	5
	6	42	2	**SHE**0642	79	0,4	5
	6	36	2	**SHE**0636	75	0,3	4
	6	30	2	**SHE**0630	70	0,3	3
	6	24	2	**SHE**0624	65	0,2	3
	6	21	2	**SHE**0621	62	0,2	2
	6	18	2	**SHE**0618	59	0,2	2

SPECIFY

	Code		Laminate	
NAC -	( )	**-**	( )	**- O**

Specify **Code** : Consult the above product code list.

Laminate : Specify the color of the shelf. Laminate finishes, p.2.

Bookends for 11/16" thick shelves

Metal, elliptical shape.

Pack of 2. Specify the finish.

For 13" shelf	**ASDM**13	37	(pair)	0,3	1
For 10" shelf	**ASDM**10	34	(pair)	0,2	1
For 6" shelf	**ASDM**06	29	(pair)	0,1	1

SPECIFY

	Code		Metal
NA5 -	( )	**-**	( )

Specify **Code** : Consult the above product code list.

Metal : Silver **(3090)**, Polar White **(3002)**, China Blue **(3048)**, Charcoal (**3064**), Grenadine (**3044**), Kiwi (**3057**), Black (**3067**) or Tangerine (**3020).**

1" SHELVES & BOOKENDS

C : number of supports included

1" thick shelves

Installs on the accessory bar or the accessory rail of Air line, Nano or Take Off series and work walls..

Laminate finish with assorted edge banding.

Supports included, Anodized Aluminum finish.

Important ! Do not install 10" deep shelves to an accessory bar attached to a work surface or on the Air line panel of the electrical unit.

Cannot be attached above either a tackboard or an acrylic section in the Nano series.

	Dimensions			Code	Price	Specifications	
	A	B	C			Cu.Ft.	lb
10" deep	10	72	3	**SHE**1072	186	1,6	18
	10	66	3	**SHE**1066	179	1,5	16
	10	60	3	**SHE**1060	171	1,4	15
	10	54	3	**SHE**1054	163	1,2	13
	10	48	3	**SHE**1048	154	1,1	12
	10	42	2	**SHE**1042	136	1,0	10
	10	36	2	**SHE**1036	130	0,8	9
	10	30	2	**SHE**1030	120	0,7	7
	10	24	2	**SHE**1024	113	0,6	6
6" deep	6	72	3	**SHE**0672	166	1,1	11
	6	66	3	**SHE**0666	161	1,0	10
	6	60	3	**SHE**0660	155	0,9	9
	6	54	3	**SHE**0654	149	0,8	8
	6	48	3	**SHE**0648	141	0,7	7
	6	42	2	**SHE**0642	125	0,7	6
	6	36	2	**SHE**0636	120	0,6	5
	6	30	2	**SHE**0630	112	0,5	4
	6	24	2	**SHE**0624	107	0,4	3

SPECIFY

	Code		Laminate
TL -		-	

Specify **Code** : Consult the above product code list.

Laminate : Specify the color of the shelf. Laminate finishes, **p.2**.

Bookends for 1" thick shelves

Metal, square shape.

Pack of 2. Specify the finish.

For 10" shelf	**ASDM**10	33	(pair)	0,1	1
For 6" shelf	**ASDM**06	29	(pair)	0,1	1

SPECIFY

	Code		Metal
TL -		-	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

FROSTED ACRYLIC PRIVACY PANELS WITH SQUARE ANCHORING BRACKETS

C : number of supports included

Rectangular frosted acrylic privacy panel
Installs on a surface with the included metal supports (nickel finish).
Frosted acrylic on one side, ¼" thick.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
15	72	3	**AC-VRGiS**1572	563	1,0	13
15	66	3	**AC-VRGiS**1566	539	0,9	12
15	60	3	**AC-VRGiS**1560	513	0,9	11
15	54	2	**AC-VRGiS**1554	424	0,8	10
15	48	2	**AC-VRGiS**1548	398	0,8	9
15	42	2	**AC-VRGiS**1542	372	0,6	8
15	36	2	**AC-VRGiS**1536	347	0,5	7
15	30	2	**AC-VRGiS**1530	322	0,4	6
15	24	2	**AC-VRGiS**1524	297	0,4	5

DIVIDER SCREENS

Divider screen - laminate or tackboard
Can be installed, permanently or not, on a 1" or 1½" thick surface.
Laminate screen with assorted edge band.
Made of Marmoleum®, tackboard screen is available in 2 colors and is finished with a white contour (edge band).
Metal supports, specify the finish.

	For 1" surface					
Laminate screen	11	25	**TL-ASPSDL**1125	105	1,2	8
	11	19	**TL-ASPSDL**1119	101	0,9	7
Tackboard screen	11	25	**TL-ASPSDC**1125	262	1,2	8
	11	19	**TL-ASPSDC**1119	223	0,9	7

	For 1½" surface					
Laminate screen	11	25	**TM-ASPSDL**1125	121	1,2	8
	11	19	**TM-ASPSDL**1119	117	0,9	7
Tackboard screen	11	25	**TM-ASPSDC**1125	301	1,2	8
	11	19	**TM-ASPSDC**1119	257	0,9	7

SPECIFY

Code		Laminate or tackboard		Metal
	-		-	

Specify **Code** : Consult the above product code list.
Laminate (**ASPSDL**) : Specify the color of the screen. Laminate finishes, p.2.
or Tackboard (**ASPSDC**) : Specify the color : Red (**FO01**) or Charcoal (**FO04**), p.13.
Metal : Specify lthe finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

MARKERBOARD

Markerboard

Magnetic white markerboard, installs (double-face tape included) to the back of a storage unit.
Glossy enamel finish to be used with a non-permanent marker (not included).

Dimensions		Code	Price	Specifications	
A	B			Cu.Ft.	lb
13	22	**AC-ASWBF**	122	0,5	8

TACKBOARD

12" Round tackboard

Made of Marmoleum®, 1/4" thick.
Can stick to any laminate surface with double sided tape (included).

For the fabric tackboard, please refer to the specific Artopex product price lists.

12	**ASTB**	85	0,1	1

SPECIFY

	Code		Tackboard
AC -		**-**	

Specify **Code** : Consult the above product code list.
Tackboard : Specify the color : Red (**FO01**) or Charcoal (**FO04**).

FO01

FO04

HARDWARE

Standard Keys

The master key allows to lock / unlock all standard Artopex locks.

The lock Barrel Key allows the insertion and removal of the lock barrel from an Artopex storage unit (Magic Key).

*The replacement key code (AC-04-CLE) must be followed by the lock barrel number.

	Code	Price	Specifications	
			Cu.Ft.	lb
Master key	**AC-04-M248**	36		
Lock barrel key	**AC-04-CK248**	36		
Replacement key	**AC-04-CLE***	11		

MASTER KEY FOR NOKI ELECTRONIC LOCK

Master key to unlock and reset the noki electronic lock to the default code 1-2-3.

Identical master keys (with identical serial numbers) unlock and reset one or several identical electronic locks.

* The additional master key code (AC-16-KBLK-S) must be followed by the serial number inscribed on the originial master key (BN…).

Master key	**AC-16-KBLK-N**	195
Additional master key	**AC-16-KBLK-S***	195

SPECIFY

Code	Identical keys

Specify **Code** : Consult the above product code list.

Option **Identical keys (AC-16-KBLK-N) :** Specify 01 - REQUIRED - for the first key (or keys) ordered. "01" keys will be inscribed with identical serial numbers.
Specify 02 for a key (or keys) with different serial numbers, 03 for another set, etc.

HARDWARE

Stiffeners

Suggested for work surface 54" or more, 1" thick.

Also suggested for work surface 72" or more, 1½" or 2" thick.

Metal, Charcoal finish. Installation hardware included.

			Length		
For surface 72" ore more	**AC-RSTF**64	83	64	0,5	5
For surface 60"	**AC-RSTF**52	77	52	0,5	4
For surface 54"	**AC-RSTF**46	72	46	0,5	3
At the jonction of 2 surfaces	**AC-RSTi**18	44	18	0,1	1

Junction plates

Used to join 2 surfaces or 2 shelves side-by-side.

Metal, Black finish. Installation hardware included.

Pack of 2	**AC-FJP**2	20	0,1	1

Oversized junction plate

Used to join 2 work surfaces with reverse profile.

Dimensions : 4"x 8".

Metal, Charcoal finish. Installation hardware included.

Pack of 2	**AC-FJP**48	17	0,1	1

Locking ganging bracket

Used to join 2 mobile tables to create one surface.

Metal, Black finish. Sold individually.

1 locking bracket	**AC-FLP**	23	0,1	1

HOOK

Hook

Metal hook screws under a surface for hanging bags or personal belongings.

Sold individually. Specify the finish.

Dimensions		Code	Price	Specifications	
A	B			Cu.Ft.	lb
4½	2½	**HKB**	28	0,1	1

SPECIFY

	Code		Metal
DW -		-	

Specify **Code** : Consult the above product code list.
Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

CUSHIONS

Cushions

Made of polyurethane foam with a fabric cover sewn on all 4 sides.

Available in 3 sizes.

			Gr. 1	COM/Gr. 2	Gr. 3	Gr. 4	Gr. 5	Leather		
12	18	**CUSH**1218	211	231	248	272	292	371	0,7	1
14	14	**CUSH**1414	205	221	234	253	268	353	0,6	1
12	12	**CUSH**1212	201	215	224	241	254	307	0,5	1

SPECIFY

	Code		Fabric
DW -		-	

Specify **Code** : Consult the above product code list.
Fabric : Specify the fabric, refer to Artopex chair fabric sample cards.

OCCASIONAL TABLES

Occasional tables

Rectangular occasional table with metal tubular leg (2" diam.) and tripod base.

Laminate surface, 11/16" thick.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
16	20	26	**TAAK**261620	432	6,0	14

'C" shaped occasional table with metal base.

Top and sides are 1" laminate.

Storage space (magazines, etc.). Interior width: 3".

16	13	26	**TAAC**261316	523	4,4	38

SPECIFY

	Code		Laminate		Metal
DW -		-		-	

Specify **Code** : Consult the above product code list.

Laminate : Specify the color of laminate components. Laminate finishes, **p.2**.

Metal : Specify the finish of the base: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

accessories

ELECTRICITY & LIGHTING

multi-outlet modules - for conventional wall power outlet 18
1-circuit system 19

complements for electrical components 20
cable management 21

lighting 23

accessories – ELECTRICITY & LIGHTING

Price List – USA

MULTI-OUTLET MODULES - FOR CONVENTIONAL WALL POWER OUTLET

Surface multi-oultet module EPOS
Attaches to a surface with included Velcro strips.
With 2 - 12 amp outlets and 2 punch outs for communication outlets.
Connector and telecommunication wiring not included. Telecommunication outlet adaptors included.
108" electrical cord. The casing is made of black plastic.

Multi-outlet module EPA
Attaches to a 1" thick surface with screw clamps.
With 3 - 15 amp outlets and 2 punch outs for communication outlets.
Connector and telecommunication wiring not included. Removable covers are included.
72" electrical cord. The casing is made of anodized aluminum.

Multi-outlet module EPI
Attached with a clamp onto surfaces 1/2" to 1 1/2" thick.
With 2 - 15 amp outlets and 2.1 amp USB charger.
72" electrical cord. Casing made of grey and white plastic.

	Code	Price	Specifications	
			Cu.Ft.	lb
2 outlets	**AC-EPOS**	301	0.1	1
3 outlets	**AC-EPA**	323	0.4	5
2 outlets + 2 USB	**AC-EPI**	411	0.2	4

Multi-outlet module (installs under surface) EPU
2 outlets with a ground 12 amp circuit-breaker, surge suppressor.
1- RJ11 outlet for phone/fax/modem and a RJ45 category 5 outlet.
Connector and telecommunication wiring included.
108" electrical cord, 162" communication cables, the casing is made of black plastic.

Multi-outlet module (installs under surface) EPUP
3 outlets with a ground 12 amp circuit-breaker. 108" electrical cord, the casing is made of black plastic.

2 outlets	**AC-EPU**	180	0.1	1
3 outlets	**AC-EPUP**	127	0.1	1

Power bar with surge suppressor
Lighted main switch, 6 duplex outlets with ground.
EMI filter (Electro-Magnetic Interference). 72" power cord.

	AC-PWBE	46	0,1	1

MOVEABLE OUTLET - FOR CONVENTIONAL WALL POWER OUTLET

Movable outlet
Installs in the cable tray or under a work surface with the E2-EDT support, p.20.
108" electrical cord, the casing is made of black plastic.

2 outlets	**AC-ECM**	151	0,1	1

USB outlet
2 USB, 2 amp outlets, for use with the communication outlet plate ER-ERD, p. 20. Transformer included.

	E2-SUSB	133	0.1	1

accessories – ELECTRICITY & LIGHTING

Price List – USA

ELECTRICAL COMPONENTS - 1- CIRCUIT ELECTRIC SYSTEM

Power supply module

Power supply module with "male" connection at one end and a 120v. connection for wall outlet at the other.
Transformer with circuit breaker, surge protection (max. of 8 surface multi-outlet modules, series circuit), power supply status indicator.
120" connection cable.

	Code	Price	Specifications	
			Cu.Ft.	lb
	AC-ECFK	416	0,1	1

Jumpers

Jumper cable (different lengths available) with "male" connectors at both ends.
Used to connect 2 surface modules (built-in or moveable).
The 24" long jumper connects 2 outlets that are close together.

Length : 86"	**AC-ECEJK**86	139	0,1	1
Length : 72"	**AC-ECEJK**72	123	0,1	1
Length : 60"	**AC-ECEJK**60	110	0,1	1
Length : 48"	**AC-ECEJK**48	99	0,1	1
Length : 24"	**AC-ECEJK**24	76	0,1	1

Movable outlet

Duplex outlet, 12 amp (max of 8 surface multi-outlet modules, series circuit).
Installs in the cable tray or under a work surface with the E2-EDT support, p.20.
Power a table without cutting an opening for a built-in outlet.
12" connection cable. End of cable with three "female" type outlets.

	AC-ECMK	113	0,1	1

Multi-outlet module

Surface multi-outlet module, attaches to a surface with included Velcro strips.
With 2 - 12 amp outlets and 2 punch outs for communication outlets (max of 8 surface multi-outlet modules, series circuit).
Connector and telecommunication wiring not included. Telecommunication outlet adaptors included.
72" connection cable. 3 female connectors at end of cable. Casing made of black plastic.

	AC-EPOSK	245	0,1	1

Multi-outlet module EPIK

Attached with a clamp onto surfaces 1/2" to 1 1/2" thick. Casing made of grey and white plastic.
With 2 - 12 amp outlets and 2,1 amp. USB charger (max of 8 surface multi-outlet modules, series circuit).
12" connection cable. 3 female connectors at end of cable.

	AC-EPIK	411	0.2	4

ELECTRICAL COMPONENTS - 1- CIRCUIT ELECTRIC SYSTEM

USB outlet

2 USB, 2 amp outlets, attaches to the 4-circuit electrical system.

COMPLEMENTS FOR ELECTRICAL COMPONENTS

Cable trays
Metal, silver finish. Installs under a work surface with screws.
Allows for passage of electrical & communication cabling. Cabling acces via both ends and sides.
Can accommodate 1-circuit electrical system.
32" or more: 4 openings on each side.
26" or less: 2 openings on each side.
Opening can accommodate moveable outlets (AC-ECM p.18, AC-ECMK p.19) or telecommunication outlets (E2-ERF, E2-ERD, see below). Opening dimensions: 2½" L x 1⅜" H.

Dimensions			Code	Price		Specifications	
A	B	C			use with surface:	Cu.Ft.	lb
4¼	68	3	**WCMC**68	150	78" or 84"	1,0	6
4¼	62	3	**WCMC**62	142	72"	0,9	5
4¼	56	3	**WCMC**56	135	66"	0,8	5
4¼	50	3	**WCMC**50	128	60"	0,7	5
4¼	44	3	**WCMC**44	121	54"	0,6	4
4¼	38	3	**WCMC**38	117	48"	0,5	4
4¼	32	3	**WCMC**32	109	42"	0,5	3
4¼	26	3	**WCMC**26	102	36"	0,4	2
4¼	20	3	**WCMC**20	95	30"	0,3	2

SPECIFY

Code

AC - [ ] - 3090

Specify **Code** : Consult the above product code list.

Support bracket for multi-outlets (AC-ECM, AC-ECMK) or communication outlet (E2-ERD)
Black metal. Installs under a work surface with screws.
Dimensions of the cut-out: 2½" L x 1⅜" H.

E2-EDT	11	0,1	1

Cover plate
Installs on the openings of the cable trays, 2½" L x 1⅜" H.
Plastic, Black finish.

E2-ERF	6	0,1	1

Communication outlet plate
Installs on the openings of the cable trays.
Can accomodate 2 adaptors for communication outlets. Opening: 15/16" x 15/16".
Plastic, Black finish.

E2-ERD	6	0,1	1

Universal adaptor kit
Installs on communication outlet plates.
Compatible with most outlets on the market.
Plastic, Black finish.

E2-ERU	6	0,1	1

CABLE MANAGEMENT

Cable tray
Attaches under a work surface, Silver finish.
Two Velcro strips to hold cabling.
Installation hardware included.

Dimensions A	B	C	Code	Price	Specifications Cu.Ft.	lb
9½	15	3	**AC-EWS**	168	0,3	4

Cable fasteners
Attach under the surface to hold cabling. Black finish.
Assembly harware included.
Packages of 5.

Single	**AC-EWF**1	19	0,1	1
Double	**AC-EWF**2	25	0,1	1

Flexible wire trough
Wire trough, 72" long, can be easily cut to required length. 1" diameter.
Wraps around electrical and communications cables to protect and organize the cables underneath the work surface.
Gray finish.

	AC-WRF72	94	0,1	1

Wire trough
24" long wire trough, Black finish.
Multiple wire capacity and allows for wires to run along the modesty panels or other components.
Self-adhesive installation.

	AC-WR24	26	0,1	1

Narrow wire trough
24" long wire trough. Can be installed on the side of a leg, on the back of a hutch or a screen, or under a surface.
Can hold one or two small-sized wires.
Self-adhesive installation. Can be easily cut.
Specify the finish. Pack of 10 segments.

Pack of 10	**LW**24	55	0,6	1

SPECIFY

	Code		Finish
AC -		**-**	

Specify **Code** : Consult the above product code list.
Finish (LW24) : Specify the finish : White (**BW**), Gray (**G**), Charcoal (**F**) or Black (**N**).

CABLE MANAGEMENT (cont'd)

Flexible wire manager

Flexible wire manager (metallic gray finish), for wiring from surface to floor.

Shipped assembled with installation hardware.

Dimensions A	Dimensions B	Code	Price	Specifications Cu.Ft.	Specifications lb
		AC-EVCC	124	0,4	2

Extendable wire manager (Suitable for adjustable tables)

Extendable wire manager 3½" diameter with a 6" diameter base. Plastic with Black finish.

Installs under a surface and allows passage of wiring from surface to floor. The spiral extends up to 84" H.

6	84	**AC-EVCS**	108	0.5	2

Metal grommet

Metal grommet (2⅜" diam.) for on-site installation, Satin Chrome finish.

Brush grommet.

		AC-EGMR64	138	0,1	1

Plastic grommets

Plastic grommet (1½" diam.) for on-site installation, Dark Brown finish.

Cap can be closed when not in use.

Plastic grommet (2½" diam.) for on-site installation, Black finish.

Cap can be closed when not in use.

Grommet 1½" diam.		**AC-EGR**38**-B**	24	0,1	1
Grommet 2½" diam.		**AC-EGR**64**-N**	28	0,1	1

Oval grommet

For on-site installation. Requires drilling of a round hole (2¾" diam.).

Available in White, Frost, Charcoal or Black.

Oval grommet		**EGR**70	15	0,2	2

Rectangular grommet

For on-site installation. Opening dimensions: 3⅜" L x 1⅝" H.

Available in White or Charcoal.

Rectangular grommet		**EGRTF**	28	0,2	2

SPECIFY

	Code		Finish
AC -		**-**	

Specify **Code** : Consult the above product code list.

Finish (**EGR70**) : Specify the finish of the grommet : White (**BW**), Frost (**A**), Charcoal (**F**) or Black (**N**).

Finish (**EGRTF**) : Specify the finish of the grommet : White (**BW**) or Charcoal (**F**).

TASK LIGHTS

Fluorescent task light

Installs under a laminate hutch.

Included magnet allows for installation under a metal shelf.

Once installed, the task light pivots 45° to adjust light direction.

Includes a T5 fluorescent tube.

Power cord : 9'.

Aluminum finish.

Dimensions			Code	Price	Specifications			
A	B	C			exact length	Watt	Cu.Ft.	lb
48	3 3/8	1 1/8	**AC-ETLF**48	189	44⅜"	28	0.2	2
36	3 3/8	1 1/8	**AC-ETLF**36	149	36⅜"	21	0.2	2
24	3 3/8	1 1/8	**AC-ETLF**24	115	24½"	14	0.1	1

LED task light

Installs under a laminate hutch.

Included magnet allows for installation under a metal shelf.

Once installed, the task light pivots 45° to adjust light direction.

Optional activation of a pre-set movement detector (30 minutes period) using the switch.

Includes a 20" connection cable (maximum 8 tasklights, series circuit).

Power cord : 9'.

Silver finish.

48	3 3/8	1 1/8	**AC-ETLED**48	367	48¾"	18	0.2	2
36	3 3/8	1 1/8	**AC-ETLED**36	316	36⅜"	14	0.2	2
24	3 3/8	1 1/8	**AC-ETLED**24	287	24½"	8	0.1	1
18	3 3/8	1 1/8	**AC-ETLED**18	213	18¾"	6	0.1	1

C : Neck length

LED Desk lamp

Desk lamp, LED 5W, neutral white lighting.

Light dimming : 30%, 60% and 100%. Touch-control.

Flexible and strong gooseneck arm.

Power cord : 6'.

UL certified.

Silver finish metal, Black finish base.

7	5¼	25	**AC-ETLT**	502		5	0.5	2

accessories

ERGONOMICS

keyboard shelves

retractable mechanism 26

"sit-stand" mechanism 28

pull-out 29

CPU holders 29

monitor arms

surface mount 30

pole mounted 32

mounted on accessory bar 34

wall mounted 35

KEYBOARD SHELVES WITH RETRACTABLE MECHANISM

Resin shelf

Retractable mechanism with assisted adjustments.

The mechanism has a thin tapered profile, respects ergonomics requirements and is fully recyclable.

21 ¾" Slides : allows the keyboard shelf to glide deeper underneath the surface when not in use.

17" Slides : recommended for surfaces smaller than 24" deep.

Phenolic resin shelf with slip resistant strips.

Mousepad swivels (9" diam.) and can be installed for left or right-handed users, with cable guides.

Shelf and mousepad, Graphite finish.

Removable foam-gel wrist rest, Black finish.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
21¾	11	21	28	**AC-KRFP**21	656	1,6	25
17	11	21	28	**AC-KRFP**17	615	1,4	21

TECHNICAL SPECIFICATIONS

A - Height adjustment : assisted automatic lock (without knob)
B - Angle adjustment with handle (effortless)
C - Length of slide : 17" or 21 ¾"
D - 360° swivel
E - Keyboard shelf angle and height indicator

KEYBOARD SHELF ANGLE : + 10° to - 20°

HEIGHT ADJUSTMENT : + 2 ⅜" to - 6 ½"

KEYBOARD SHELVES WITH RETRACTABLE MECHANISM (cont'd)

Laminate shelf

Retractable mechanism with assisted adjustments.
The mechanism has a thin tapered profile, respects ergonomics requirements and is fully recyclable.
21 ¾" Slides : allows the keyboard shelf to glide further underneath the surface when not in use.
17" Slides : recommended for surfaces smaller than 24" deep.

Laminate shelf 11/16" thick that accomodates keyboard and mouse.
Shelf is reversible so it can be installed for left or right-handed users.
Gel wrist rest, Black finish.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
21¾	11	28	13	**KRFS**21	585	1,3	25
17	11	28	13	**KRFS**17	545	1,2	21

Rounded laminate shelf 11/16" thick that accomodates keyboard and mouse.
Installs on 90°extended corner tables with ergonomic interior access.
Gel wrist rest, Black finish.

21¾	13	24	**KRFC**21	519	1,1	22
17	13	24	**KRFC**17	477	1,0	18

SPECIFY

	Code		Laminate
AC -		-	

Specify **Code** : Consult the above product list.
Laminate : Specify the finish of the shelf. Laminate finishes, **p. 2.**

TECHNICAL SPECIFICATIONS

A - Height adjustment : assisted automatic lock (without knob)
B - Angle adjustment with handle (effortless)
C - Length of slide : 17" or 21 ¾"
D - 360° swivel
E - Keyboard shelf angle and height indicator

KEYBOARD SHELF ANGLE : + 10° to - 20°

HEIGHT ADJUSTMENT : + 2 ⅜" to - 6 ½"

KEYBOARD SHELF WITH "SIT-STAND" MECHANISM

Retractable mechanism with a high degree of "sit-stand" assisted adjustments.
Phenolic resin shelf with slip resistant strips.
Mousepad swivels (9" diam.) and can be installed for left or right-handed users, with cable guides.
Shelf and mousepad, Graphite finish.
Removable gel wrist rest, Black finish.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
21¾	11	21	28	**AC-KSSP**21	754	1,6	25

TECHNICAL SPECIFICATIONS

A - Height adjustment : assisted automatic lock (without knob)
B - Angle adjustment with handle (effortless)
C - Length of slide : 21 ¾"
D - 360° swivel
E - Keyboard shelf angle and height indicator

KEYBOARD SHELF ANGLE : + 10° to - 15°

HEIGHT ADJUSTMENT : + 8 ¼" to - 5 ⅞"

KEYBOARD SHELVES, PULL-OUT

Resin shelf
On ball bearing slides. Locks in open position.
When installed, this keyboard shelf is height adjustable (4 positions to the ½").
Installs under a surface 21" or more deep.
Urethane wrist rest.
Black finish.

Dimensions A	Dimensions B	Code	Price	Specifications Cu.Ft.	Specifications lb
10½	27	**KPMB**1027	200	1,0	4

Laminate shelf
Keyboard shelf on ball bearing slides that accomodates keyboard and mouse.
When installed, this keyboard shelf is height adjustable (4 positions, increments of ½").
Installs under a surface 21" and over deep.
Thermally Fused Laminate (T.F.L.) shelf 11/16" thick.
Optional gel wrist rest available (see below).

11	27	**KPL**1127	177	1,0	8

SPECIFY

	Code		Laminate
AC -		-	

Specify **Code** : Consult the above product list.
Laminate (KPL1127) : Specify the finish of the shelf. Laminate finishes, p. 2.

WRIST REST

Self-adhesive, ¾" thick.
Gel, Black finish.

19¼	2¼	**AC-KWG**19	46	0,1	1

CPU HOLDERS

Swivelling retractable holder
Swivels 360°. Installs underneath a work surface, with screws.
Accomodates CPU sizes from : 3 ½" - 9.3" wide and 13 ½" - 22 ½" high.
Load rating: 85 lb.
Black finish.

17		**AC-ACPU**	259	0,7	13

Holder on casters
Mobile metal CPU holder, width adjustement 5 ¼" - 10".
Foam pads on sides to protect computer's and holder's surfaces.
Locking casters.
Black finish.

8	9½	**AC-ACPUC**	106	0,8	6

DOUBLE EXTENSION MONITOR ARM, SURFACE MOUNT

Double extension monitor arm for 1 or 2 flat screens. Dynamic adjustments: arm height, monitor extension, tilt and rotation.
Includes two mounting brackets : one with screw clamp for surface or grommet mount *1, one for a hole drilled on-site *2 (see images below).
Includes VESA mount with 75 mm and 100 mm configurations.
Allows portrait or landscape monitor layout.
Metal, Silver finish.

Installs with screw clamp on 1", 1 ½" and 2" thick surfaces (no back) or a "benching" type surface without cable tray or electrical system.
Installs with screw clamp through the grommet (including the grommet on a "benching" type surface with cable tray and/or electrical system).
Warning ! Cannot be installed through the grommet on a 21" deep surface with pedestal.

	Code	Price	Specifications	
			Cu.Ft.	lb
monitor arm for 1 monitor	**AC-FSHDS1SX**	708	1,0	6
monitor arm for 2 monitors	**AC-FSHDS2SX**	1312	1,0	10

TECHNICAL SPECIFICATIONS

A **6.6 lb to maximum 17.6 lb** monitor can be installed per arm.

DYNAMIC ADJUSTMENTS

- Monitor extension : 21"
- Monitor retraction : 3 ½" (for maximum available work surface)
- Arm height adjustment range : 6 ½" - 19 ½" (13" total)
- 360° swivelling arms with 180° lockout feature
- Monitor rotation : + 90° / - 90°
- Monitor tilts + 30° to - 25°

*1 Screw clamp for surface or grommet mount

*2 Mount bracket for a hole drilled on-site

Cable management is integrated into the arm

Included mount allows quick release of monitor

CONVERSION KIT

Convert a monitor arm for 1 flat screen (AC-FSHDS1SX, p.30), to a monitor arm for 2 flat screens.

This conversion kit includes :

- 1 surface or grommet mount screw clamp and 1 for a hole drilled on-site (images *1 and *2 on previous page);
- 1 monitor arm with double extension for 1 flat screen;
- 1 anchor to install the additional monitor arm with double extension (AC-FSHDS1SX).

Dynamic adjustments specifications, p.30.

Metal, Silver finish.

	Code	Price	Specifications	
			Cu.Ft.	lb
1 conversion kit	**AC-FSHDS1AX**	713	1,0	6

SLIDER MOUNT

Installs on a monitor arm for 2 monitors (AC-FSHDS2SX, p.30).

For placing 2 large monitors (32" diagonal) side-by-side. Up to 9" of adjustment from left to right.

Sold individually. Order 2 slider mounts for the double extension monitor arm AC-FSHDS2SX.

Metal, Silver finish.

1 slider mount	**AC-FSHSUP2S**	281	0,2	2

VESA PLATE

VESA plate measures 4 ¾" x 4 ¾" x ⅜" thick. 75 mm and 100 mm configurations.

For use when monitor weight does not meet minimum requirement (6,6 lb). Adds 2,39 lb.

1 VESA plate	**AC-FSHVESA**	94	0,1	3

SINGLE EXTENSION MONITOR ARM, POLE MOUNTED

Single extension pole mounted monitor arm for 1 or 2 flat screens. Dynamic adjustments: arm height, monitor extension, tilt and rotation.
18" H. pole. Includes two mounting brackets : one with screw clamp for surface or grommet mount *1, one for a hole drilled on-site *2 (see images below).
Monitor arm for 2 monitors : included slider mounts for placing 2 large monitors (32" diagonal) side-by-side. Up to 9" of adjustment from left to right.
Includes VESA mount with 75 mm and 100 mm configurations.
Allows portrait or landscape monitor layout.
Metal, Silver finish.

Installs with screw clamp on 1", 1 ½" and 2" thick surfaces (no back) or a "benching" type surface without cable tray or electrical system.
Installs with screw clamp through the grommet (including the grommet on a "benching" type surface with cable tray and/or electrical system).
Warning ! Cannot be installed through the grommet on a 21" deep surface with pedestal.

	Code	Price	Specifications	
			Cu.Ft.	lb
monitor arm for 1 monitor	**AC-FSHDP1S**	741	1,0	8
monitor arm for 2 monitors	**AC-FSHDP2S**	1548	1,0	11

TECHNICAL SPECIFICATIONS

Weight capacity:
- **6.6 lb to 17.6 lb** per arm - monitor arm for 1 monitor
- **4.4 lb to 15.4 lb** per arm - monitor arm for 2 monitors

DYNAMIC ADJUSTMENTS

- Monitor extension - monitor arm for 1 monitor : 16 ¼"
- Monitor extension - monitor arm for 2 monitors : 18 ¾"
- Monitor retraction : 3 ½" (for maximum available work surface)
- Arm height adjustement range : 4 ½" - 26 ½"
- 360° swivelling arms with 180° lockout feature
- Monitor rotation : + 90° / - 90°
- Monitor tilts + 30° to - 25°

*1 Screw clamp for surface or grommet mount

*2 Mount bracket for a hole drilled on-site

Cable management is integrated into the arm

Included mount allows quick release of monitor

DOUBLE EXTENSION MONITOR ARM, POLE MOUNTED

Double extension pole mounted monitor arm for 1, 2 or 3 flat screens. Dynamic adjustments: arm height, monitor extension, tilt and rotation.
18" H. pole. Includes two mounting brackets : one with screw clamp for surface or grommet mount *1, one for a hole drilled on-site *2 (see images below).
Monitor arm for 2 or 3 monitors : included slider mounts for placing 2 or 3 large monitors (32" diagonal) side-by-side. Up to 9" of adjustment from left to right.
Includes VESA mount with 75 mm and 100 mm configurations.
Allows portrait or landscape monitor layout.
Metal, Silver finish.

Installs with screw clamp on 1", 1 ½" and 2" thick surfaces (no back) or a "benching" type surface without cable tray or electrical system.
Installs with screw clamp through the grommet (including the grommet on a "benching" type surface with cable tray and/or electrical system).
Warning ! Cannot be installed through the grommet on a 21" depth surface with pedestal.

	Code	Price	Specifications	
			Cu.Ft.	lb
monitor arm for 1 monitor	**AC-FSHDP1SX**	860	1,0	10
monitor arm for 2 monitors	**AC-FSHDP2SX**	1660	1,0	13
monitor arm for 3 monitors	**AC-FSHDP3SX**	2027	1,0	15

TECHNICAL SPECIFICATIONS

Weight capacity:
- **6.6 lb to 17.6 lb** per arm - monitor arm for 1 monitor
- **4.4 lb to 15.4 lb** per arm - monitor arm for 2 or 3 monitors

DYNAMIC ADJUSTMENTS

- Monitor extension - 1 monitor arm : 26 ¾"
- Monitor extension - 2 monitors arm : 28 ¾"
- Monitor extension - 3 monitors arm : 28 ¾" left / right monitor - 6" in the middle
- Monitor retraction : 3 ½" (for maximum available work surface)
- Arm height adjustement range : 4 ½" - 26 ½"
- 360° swivelling arms with 180° lockout feature
- Monitor rotation : + 90° / - 90°
- Monitor tilts + 30° to - 25°

*1 Screw clamp for surface or grommet mount

*2 Mount bracket for a hole drilled on-site

Cable management is integrated into the arm

Included mount allows quick release of monitor

SINGLE EXTENSION ARM MONITOR, MOUNTED ON ACCESSORY BAR

Single extension monitor arm for 1 flat screen. Dynamic adjustments: arm height, monitor extension, tilt and rotation.
Bracket for mounting on accessory bar.
Includes VESA mount with 75 mm and 100 mm configurations.
Allows portrait or landscape monitor layout.
Metal, Silver finish.

Fits on Artopex 4"H. accessory bars.
For Artopex panels system, it is recommended to install the monitor arm at one end of the accessory bar (Uni-T, Take Off, Time).
Warning ! Cannot be installed on an accessory bar mounted on a work surface.

	Code	Price	Specifications	
			Cu.Ft.	lb
monitor arm for 1 monitor	**AC-FSHDA1S**	708	0,4	4

TECHNICAL SPECIFICATIONS

A **6.6 lb to maximum 17.6 lb** monitor can be installed maximum on this monitor arm.

DYNAMIC ADJUSTMENTS

- Monitor extension : 10 ½"
- Monitor retraction : 3 ½" (for maximum available work surface)
- Arm height adjustement : 11 ⅞" total
- Monitor rotation : + 90° / - 90°
- Monitor tilts + 30° to - 25°

Included mount allows quick release of monitor

Cable management is integrated into the arm

DOUBLE EXTENSION MONITOR ARM, WALL MOUNTED

Double extension monitor arm for 1 flat screen. Dynamic adjustments: arm height, monitor extension, tilt and rotation.
Installs on a vertical surface or a wall with screws, not included.
Includes VESA mount with 75 mm and 100 mm configurations
Allows portrait or landscape monitor layout.
Metal, Silver finish.

	Code	Price	Specifications	
			Cu.Ft.	lb
monitor arm for 1 monitor	**AC-FSHDW1SX**	708	1,0	6

TECHNICAL SPECIFICATIONS

A **6.6 lb to maximum 17.6 lb** monitor can be installed maximum on this monitor arm.

DYNAMIC ADJUSTMENTS

- Monitor extension : 19"
- Monitor retraction : 3 ½" (for maximum available work surface)
- Arm height adjustement : 11 ⅞" total
- Monitor rotation : + 90° / - 90°
- Monitor tilts + 30° to - 25°

Included mount allows quick release of monitor

Cable management is integrated into the arm

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing…) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.
A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration.
B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are F.O.B. factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.
Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

• electrical components, which are warranted for (10) ten years from date of delivery,
• seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
• Artopex fabrics which are warranted for (5) five years from date of delivery,
• moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
• non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

• Customer's Own Material (COM) or finishes applied to Artopex products,
• ballast and light bulbs,
• products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

UPDATE SUMMARY

August 15th, 2016

PAGES	SECTION	PRODUCT	MODIFICATION
p. 6	Organization & complements	Recycling bin	Change of color (blue) and size.
p.14	Organization & complements	Standard keys	Standard keys are now available in the accessorie price list.
p. 14	Organization & complements	Noki master key	New : Noki master key for electronic lock.
p.15	Organization & complements	Cushions	COM fabric = grade 2.
p.30-35	Ergonomics	Monitor arm	Price adjustment.

January 15th, 2017

PAGES	SECTION	PRODUCT	MODIFICATION
p. 18	Electricity & lightning	Multi-outlet (EPI)	New product
p. 18	Electricity & lightning	USB outlets (SUBB)	New product
p. 19	Electricity & lightning	Multi-outlet (EPIK)	New product
p.21	Electricity & lightning	Flexible wire trough	New product
p.22	Electricity & lightning	Extendable wire manager	Available in the accessories price list.

Designing, manufacturing, advising, planning and supporting: that's the art that distinguishes our purpose at Artopex.

HEAD OFFICE
800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel.: 450.378.0189
1 800.363.3040

Fax.: 450.378.9712

artopex.com

© ARTOPEX INC. LWS17-U-Rev.01-2017