take off
CONFERENCE

MULTI-OUTLET M4

New price : $1,025

Effective June 25th 2016

artopex

USA
price list
effective November 17th 2014

artopex®
the art and the purpose

interactive links

index, page tabs & page references

→ document optimized for dual pages view

take off – CONFERENCE

visual index 2

general information

general characteristics 6
finish choices chart 16
specification examples 18
typical layouts 75

conference tables

29" H. conference tables 20
40" and 36" H. conference tables 46

meeting tables

square meeting tables 50
round meeting tables 56

modular tables

surfaces for modular tables 60
legs for modular tables surfaces 64
modesty panels & hardware 65

occasional tables 66

complementary products 68

work walls 70

shelves & accessories 72

conditions & guarantees 76

RECTANGULAR CONFERENCE TABLES

PANEL BASE - 20

CTSP48120	
CTSP4896	
CTSP3684	
CTSP48192	CTSP3672
CTSP48168	CTSP3072
CTSP48144	CTSP3060

X-LAMINATE BASES - 21

CTSC48120	
CTSC4896	
CTSC3684	
CTSC48192	CTSC3672
CTSC48168	
CTSC48144	

RECTANGULAR ARCHITECTURAL BASES - 22

All laminate	90° Corners	Rounded corners
CTSRW48192	CTSRS48192	CTSRR48192
CTSRW48168	CTSRS48168	CTSRR48168
CTSRW48144	CTSRS48144	CTSRR48144
CTSRW48120	CTSRS48120	CTSRR48120
CTSRW4896	CTSRS4896	CTSRR4896

TRIANGULAR ARCHITECTURAL BASES - 23

90° Corners	Rounded corners
CTSTS48192	CTSTR48192
CTSTS48168	CTSTR48168
CTSTS48144	CTSTR48144
CTSTS48120	CTSTR48120
CTSTS4896	CTSTR4896

TUBULAR LEGS WITH BASE PLATE - 24

Round	Square
CTSDR48192	CTSDS48192
CTSDR48168	CTSDS48168
CTSDR48144	CTSDS48144
CTSDR48120	CTSDS48120
CTSDR4896	CTSDS4896
CTSDR3684	CTSDS3684
CTSDR3672	CTSDS3672

METAL "T" LEGS - 25

CTSX48144	
CTSX48120	
CTSX4896	
CTSX3684	
CTSX3672	

CTSZ48144
CTSZ48120
CTSZ4896
CTSZ3684
CTSZ3672
CTSZ3072
CTSZ3060

BOAT-SHAPED CONFERENCE TABLES

PANEL BASE - 26

CTBP48144
CTBP48120
CTBP4896
CTBP3684
CTBP3672

X-LAMINATE BASES - 27

CTBC48144
CTBC48120
CTBC4896
CTBC3684
CTBC3672

RECTANGULAR ARCHITECTURAL BASES - 28

All laminate	90° Corners	Rounded corners
CTBRW48144	CTBRS48144	CTBRR48144
CTBRW48120	CTBRS48120	CTBRR48120
CTBRW4896	CTBRS4896	CTBRR4896

TRIANGULAR ARCHITECTURAL BASES - 29

90° Corners	Rounded corners
CTBTS48144	CTBTR48144
CTBTS48120	CTBTR48120
CTBTS4896	CTBTR4896

TUBULAR LEGS WITH BASE PLATE - 30

Round	Square
CTBDR48144	CTBDS48144
CTBDR48120	CTBDS48120
CTBDR4896	CTBDS4896
CTBDR3684	CTBDS3684
CTBDR3672	CTBDS3672

METAL "T" LEGS - 31

CTBX48144
CTBX48120
CTBX4896
CTBX3684
CTBX3672

CTBZ48144
CTBZ48120
CTBZ4896
CTBZ3684
CTBZ3672

"RACETRACK" CONFERENCE TABLES

PANEL BASE - 32

CTCP48120	
CTCP4896	
CTCP3684	
CTCP48192	CTCP3672
CTCP48168	CTCP3072
CTCP48144	CTCP3060

X-LAMINATE BASES - 33

CTCC48192
CTCC48168
CTCC48144
CTCC48120
CTCC4896
CTCC3684
CTCC3672

RECTANGULAR ARCHITECTURAL BASES - 34

All laminate	90° Corners	Rounded corners
CTCRW48192	CTCRS48192	CTCRR48192
CTCRW48168	CTCRS48168	CTCRR48168
CTCRW48144	CTCRS48144	CTCRR48144
CTCRW48120	CTCRS48120	CTCRR48120
CTCRW4896	CTCRS4896	CTCRR4896

TRIANGULAR ARCHITECTURAL BASES - 35

90° Corners	Rounded corners
CTCTS48192	CTCTR48192
CTCTS48168	CTCTR48168
CTCTS48144	CTCTR48144
CTCTS48120	CTCTR48120
CTCTS4896	CTCTR4896

TUBULAR LEGS WITH BASE PLATE - 36

Round	Square
CTCDR48192	CTCDS48192
CTCDR48168	CTCDS48168
CTCDR48144	CTCDS48144
CTCDR48120	CTCDS48120
CTCDR4896	CTCDS4896
CTCDR3684	CTCDS3684
CTCDR3672	CTCDS3672

METAL "T" LEGS - 37

CTCX48144
CTCX48120
CTCX4896
CTCX3684
CTCX3672

CTCZ48144
CTCZ48120
CTCZ4896
CTCZ3684
CTCZ3672
CTCZ3072
CTCZ3060

TAPERED CONFERENCE TABLES

PANEL BASE - 38

CTTP54120
CTTP5496

X-LAMINATE BASES - 38

CTTC54120
CTTC5496

ARCHITECTURAL BASES - 39

90° Corners	Rounded corners
CTTS54120	CTTR54120
CTTS5496	CTTR5496

TUBULAR LEGS WITH BASE PLATE - 40

Round	Square
CTTDR54120	CTTDS54120
CTTDR5496	CTTDS5496

METAL "T" LEGS - 41

CTTX54120
CTTX5496

ROUND TUBULAR LEGS - 41

CTTLER54120
CTTLER5496

ELLIPTICAL CONFERENCE TABLES

PANEL BASE - 42

CTOP48144
CTOP48120
CTOP4896

TUB. LEGS WITH BASE PLATE - 43

CTODR48144
CTODR48120
CTODR4896
CTODR4284

METAL "T" LEGS - 44

CTOX48144
CTOX48120
CTOX4896
CTOX4284

CTOZ48144
CTOZ48120
CTOZ4896
CTOZ4284

ROUND TUBULAR LEGS - 45

CTOLER48144
CTOLER48120
CTOLER4896
CTOLER4284

CONFERENCE TABLES WITH TUBULAR LEGS WITH BASE PLATE, ROUND or SQUARE - 40" and 36" H.

RECTANGULAR TABLES - 46

Round	Square
CTSDR403684	CTSDS403684
CTSDR403672	CTSDS403672
CTSDR363684	CTSDS363684
CTSDR363672	CTSDS363672

BOAT-SHAPED TABLES - 47

Round	Square
CTBDR403684	CTBDS403684
CTBDR403672	CTBDS403672
CTBDR363684	CTBDS363684
CTBDR363672	CTBDS363672

"RACETRACK" TABLES - 48

Round	Square
CTCDR403684	CTCDS403684
CTCDR403672	CTCDS403672
CTCDR363684	CTCDS363684
CTCDR363672	CTCDS363672

ELLIPTICAL TABLES - 49

Round
CTODR404284
CTODR364284

SQUARE MEETING TABLES

X-LAMINATE BASE - 50

TSC296060
TSC295454
TSC294848
TSC294242

ARCHITECTURAL BASE 29" and 24" H. - 50-51

All laminate	90° Corners	Rounded corners
TSRW296060	TSRS296060	TSRR296060
TSRW295454	TSRS295454	TSRR295454
TSRW294848	TSRS294848	TSRR294848
TSRW294242	TSRS294242	TSRR294242
TSRW246060	TSRS246060	
TSRW245454	TSRS245454	
TSRW244848	TSRS244848	
TSRW244242	TSRS244242	

TUBULAR LEG WITH SQUARE BASE PLATE - 52

		TSDS294848	TSDS244848
TSDS404242	TSDS364242	TSDS294242	TSDS244242
TSDS403636	TSDS363636	TSDS293636	TSDS243636
TSDS403030	TSDS363030	TSDS293030	TSDS243030

X-METAL LEG - 53

			TSZ293636
TSX294848	TSZ296060	TSZ294848	TSZ293030
TSX294242	TSZ295454	TSZ294242	TSZ292424

SQUARE TUBULAR LEGS - 54

TSLES296060
TSLES295454
TSLES294848
TSLES294242
TSLES293636

TSLES293684
TSLES293672
TSLES293666

ROUND TUBULAR LEGS - 55

TSLER296060
TSLER295454
TSLER294848
TSLER294242
TSLER293636

TSLER293684
TSLER293672
TSLER293666

ROUND MEETING TABLES

X-LAMINATE BASE - 56

TRC2960
TRC2954
TRC2948
TRC2942

TUBULAR LEG WITH ROUND BASE PLATE - 57

		TRDR2948	TRDR2448
TRDR4042	TRDR3642	TRDR2942	TRDR2442
TRDR4036	TRDR3636	TRDR2936	TRDR2436
TRDR4030	TRDR3630	TRDR2930	TRDR2430

X-METAL LEG - 58

			TRZ2936
TRX2948	TRZ2960	TRZ2948	TRZ2930
TRX2942	TRZ2954	TRZ2942	TRZ2924

ROUND TUBULAR LEGS - 59

TRLER2960
TRLER2954
TRLER2948
TRLER2942

MODULAR TABLES

RECTANGULAR & SQUARE SURFACES - 60

	MSi3072	MSi2472	
	MSi3060	MSi2460	
MSi3672	MSi3048	MSi2448	MSi4848
MSi3660	MSi3042	MSi2442	MSi4242
MSi3648	MSi3036	MSi2436	MSi3636

"CRESCENT" SURFACES - 61

MSC3072	MSC2472
MSC3060	MSC2460
MSC3048	MSC2448

"ARC" SURFACES - 62

MSA243060	MSA302460
MSA243048	MSA302448

"TRAPEZOID" SURFACES - 62

MSZ3060
MSZ2448

"HILL-TOP" SURFACES - 62

MSH4060
MSH3654
MSH3248

"SOFT SQUARE" SURFACES - 63

MSQ6060
MSQ4848
MSQ4242
MSQ3636

ROUND SURFACES - 63

MSR60
MSR48
MSR42
MSR36

TRIANGULAR SURFACES - 63

MST48
MST42
MST36

MODULAR TABLES (cont'd)

STANDARD LEGS -64

AC-LE291E
AC-LE294E

SLEEVE LEGS -64

AC-LE291D
AC-LE294D
AC-LE261D
AC-LE264D

CASTER -64

AC-LELC

METAL MODESTY - 65

AC-MMP60
AC-MMP48

JUNCTION PLATES - 65

AC-FJP2

LOCKING BRACKET - 65

AC-FLP

OCCASIONAL TABLES (LAMINATE BASE) - 66

Square

TMAS172424
TMAS172418
TMAS173030 TMAS171836
TMAS172448 TMAS171830
TMAS172442 TMAS171824
TMAS172430 TMAS171818

Ribbon type

TMAB2448 TMAB2424
TMAB2442 TMAB1836
TMAB2436 TMAB1830
TMAB2430 TMAB1824

Round

TMAR1736
TMAR1730
TMAR1724

OCCASIONAL TABLES (METAL BASE) - 67

Round

TMARD1730
TMARD1724

Elliptical

TMAED172136

Square

TSDS173030
TSDS172424

TMASS172436
TMASS172424

COMPLEMENTS

SIDEBOARDS - 68

UC2136
UC2124

PROJECTOR SHELF- 69

PROJ1315

LECTERN - 69

LECE162046

PRESENTATION BOARDS - 69

PB4845

PBS4845

WORK WALLS

UPPER WORK WALLS - 70

Laminate

WWW7243 WWW7237
WWW6643 WWW6637
WWW6043 WWW6037
WWW5443 WWW5437
WWW4843 WWW4837
WWW4243 WWW4237
WWW3643 WWW3637
WWW3043 WWW3037

1 accessory rail

WWB7243 WWB7237
WWB6643 WWB6637
WWB6043 WWB6037
WWB5443 WWB5437
WWB4843 WWB4837
WWB4243 WWB4237
WWB3643 WWB3637
WWB3043 WWB3037

3 accessory rails

WWU7243 WWU7237
WWU6643 WWU6637
WWU6043 WWU6037
WWU5443 WWU5437
WWU4843 WWU4837
WWU4243 WWU4237
WWU3643 WWU3637
WWU3043 WWU3037

White marker board

WWL7243 WWL7237
WWL6643 WWL6637
WWL6043 WWL6037
WWL5443 WWL5437
WWL4843 WWL4837
WWL4243 WWL4237
WWL3643 WWL3637
WWL3043 WWL3037

Tackboard

WWT7243 WWT7237
WWT6643 WWT6637
WWT6043 WWT6037
WWT5443 WWT5437
WWT4843 WWT4837
WWT4243 WWT4237
WWT3643 WWT3637
WWT3043 WWT3037

LOWER WORK WALLS - 71

Laminate

WBW7229 WBW4829
WBW6629 WBW4229
WBW6029 WBW3629
WBW5429 WBW3029

SHELVES & ACCESSORIES

SHELVES - 72

SHE1048
SHE1072 SHE1042
SHE1066 SHE1036
SHE1060 SHE1030
SHE1054 SHE1024

SHE0648
SHE0672 SHE0642
SHE0666 SHE0636
SHE0660 SHE0630
SHE0654 SHE0624

BOOKENDS - 72

ASDM10
ASDM06

STIFFENERS - 73

AC-RSTi64
AC-RSTi52
AC-RSTi46

FINISHING CASE - 73

AC-EFB

POWER BAR - 73

AC-PWBE

GROMMETS - 74

AC-EGR38-B

AC-EGR64-N

WIRE TROUGHS - 74

AC-WR24

LW24

PLASTIC FASTENERS - 74

AC-EWF1
AC-EWF2

FLEXIBLE WIRE MANAGER - 74

AC-EVCC

General Information

take off – CONFERENCE

DESCRIPTION

This price list groups the meeting tables of the Take Off Collection as well as the associated accessories and complementary products.

The collection is divided into 3 furniture series: **Lima**, **Mike** and **Victor**. These series differ mainly in the thickness of the surfaces and types of edges.

TAKE OFF CONFERENCE : 3 SERIES

The Lima and Mike series
These two series are characterized by TFL or HPL surfaces with straight edge banding. Available in 2 thicknesses: 1" (Lima) and 1½" (Mike).

L Lima	M Mike
1"	1½"

The Victor series
The Victor series is characterized by its HPL surfaces 1" thick (MDF) with reverse edge profiles.

V Victor
1"

The Take Off Conference series works in various meeting applications, such as :

Conference room

Work or meeting room

Training room

Gathering spaces and collaborative zones

GENERAL INFORMATION

MATERIALS

The Take Off Conference table surfaces are made of 1" (25 mm) thick pressed wood for the **Lima** series and 1½" (38 mm) for the **Mike** series. The surfaces can be specified in TFL or HPL. HPL adds 1/16" (1.6 mm) to the thickness of the surface. There is a 3/32" (2.5 mm) thick PVC edge banding on the surfaces with a choice of matching or contrasting colors, fluted or striped.

The surfaces of the Victor series are available in HPL only and are made of are made of 1" (25 mm) thick pressed wood with a 3/8" (10 mm) contour. The surface has a 3/32" (2.5 mm) thick PVC edge banding with a choice of matching or contrasting colors but not available fluted or striped.

The architectural table bases, sideboard cases, drawer fronts and doors are made of 11/16" (17.5 mm) thick pressed wood. These panels have a 3/32" (2.5 mm) thick PVC edge banding in matching TFL colors.

The panel and X-shaped bases, work walls (upper and lower) are made of 1" (25 mm) thick pressed wood. These panels have a 3/32" (2.5 mm) thick PVC edge banding in matching TFL colors.

LAMINATE FINISHES

The available finishes are divided into 4 categories :
- The "**Surface**" finish (applied on the surfaces of tables and sideboards).
- The "**Edge Banding**" (surface contour).
- The "**Base**" finish (applied on the bases of tables, sides of sideboards, presentation board, lectern and work walls).
- The "**Front**" finish (applied on the front of drawers and sideboard doors).

Casters and internal structural or mechanical components have a black finish while metal components (legs, finishing details, etc.) are available in 4 finishes: Silver (**3090**), Polar White (**3002**), Charcoal (**3064**), Black (**3067**), as specified in the price list.
Refer to the product descriptions and finish charts for more information, see p.16-17.

WOOD GRAIN DIRECTIONS

Surfaces

The wood grain runs parallel to the longest side of the surface.

CONFERENCE TABLES IN 2 SECTIONS
The wood grain is not aligned where the two surfaces meet.

Legs, Backs, Doors and Fronts

The wood grain is positioned vertically on:
- Table bases, sides and hinged doors of sideboards, presentation boards and lectern.

The wood grain is positioned horizontally on:
- Modesty panels, drawer fronts, upper and lower work walls.

ASSEMBLY AND HARDWARE

Pre-assembled products such as sideboards, lectern and presentation boards require no assembly upon delivery except for casters and pulls (if applicable).

Knockdown products are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. Table legs and bases are delivered with the necessary hardware for attaching to surfaces.

take off – CONFERENCE

MEETING AND CONFERENCE TABLES

The Take Off Conference collection offers a wide range of conference tables and meeting tables tailored to many uses and spaces, in a variety of shapes and sizes.

CONFERENCE TABLES

Rectangular Boat-shaped "Racetrack" Tapered Elliptical

Standard conference tables are 29"H. However, conference tables with metal legs with base plate (round or square) are available 29", 36" and 40" H.

Surfaces and bases
Table surfaces are available in the **Lima** Series (1" thick), the **Mike** Series (1½" thick) and the **Victor** series (reverse edge) with a choice of laminate bases or metal legs. The bases and legs are attached under the surface using screws. Pre-drilled holes assist the positioning during installation.

Multi-outlet module (optional)
Multi-outlet modules can be added. Refer to the product description for available options (module choices, position, etc).
For specific details regarding the multi-outlet modules, see p. 10.

MEETING TABLES

Square Rectangular Round

Meeting tables are 29"H. Certain models are also available in 24", 29", 36" and 40" H. Table 24" H. or "lounge" tables complete collaborative work environments and tables 36" and 40" H. suit "bistro" height meeting configurations.

Surfaces and Bases
Table surfaces are available in the **Lima** Series (1" thick), the **Mike** Series (1½" thick) and the **Victor** series (reverse edge) with a choice of laminate bases or metal legs. The bases and legs are attached under the surface using screws. Pre-drilled holes assist the positioning during installation.

Multi-outlet module (optional)
Multi-outlet modules can be added to the center of the table. Refer to the product description for available options. For specific details regarding the multi-outlet modules, see p. 10.

Conference table boat-shaped 96"

BASES

The conference and meeting tables include the surface and base. Various models of bases and legs are available according to the type of table (conference, meeting, etc). The number of bases or legs varies according to the shape and size of the table. Levelers allow for a height adjustment of 1½" (38 mm), unless otherwise indicated.

The metal legs and bases with metal accents are available in 4 finishes: Silver, Polar White, Charcoal or Black, unless otherwise indicated. Laminate bases are available in all the TFL "base" finishes (the modesty finish will be the same as the specified base finish).

LAMINATE BASES

PANEL bases
- 1" TFL panels and 11/16" modesties.
- Modesties 6½" H. are included to ensure stability and conceal conference table cabling.
- Assembly required.

X-SHAPED bases
- 1" TFL panels and 11/16" modesties.
- For tables where 3 bases are required, an X-shaped base is placed in the center
- Modesties 6½" H. are included to ensure stability and conceal conference table cabling.
- Assembly required.

RECTANGULAR Architectural Bases
- 11/16" TFL panels.
- Available in laminate, with or without metal corners (square or rounded).
- Modesties 6½" H. are included to ensure stability and conceal conference table cabling.
- Cables can be passed through the base and a removable door (optional) provides convenient access inside the base.
- Square architectural bases are available for meeting tables 29" and 24" H.

TRIANGULAR Architectural Bases
- 11/16" TFL panels.
- Available with metal corners (square or rounded).
- For tables where 3 bases are required, a rectangular base is placed in the center.
- Modesties 6½" H. are included to ensure stability and conceal conference table cabling.
- Cables can be passed through the base and a removable door (optional) provides convenient access inside the base.

METAL LEGS

Tubular legs with BASE PLATES
- Round tubular (4" diam.) metal with base plate, round or square.
- The tubular leg allows for the installation of a multi-outlet module and the cables can be passed through the leg to the floor.
- The size of the base plate varies according to the shape and size of the table.
- Tubular legs with base plates are available for tables 40", 36", 29" and 24" H.

"T" and X-BASE tubular metal legs
- Round tubular (2½" diam.).
- Flat metal base.

ROUND tubular legs
- Round tubular (3" diam.) metal with integrated black leveler.
- Casters* are available as an option.

SQUARE tubular legs
- Square tubular (2½" x 2½") metal with leveler allowing for a total height adjustment of 2".
- Casters* are available as an option.

*Black nylon casters 2½" H. A table with four legs on casters includes two locking casters; a table with six legs includes three locking casters.

"T" and X-BASE tubular metal legs
- Round tubular and vertical base support.
- Meeting tables 54" and 60" long have a reinforced base to ensure stability.

MULTI-OUTLET MODULES
Multi-outlet modules (M2, M3, M4, M5 and M6) may not be flush with the underside of certain models of tables.
A finishing case (sold separately) conceals the base of the module under the table, see following page.

MULTI-OUTLET MODULES (optional)

Recessed multi-outlet modules are available on the Take Off Conference series tables. The surface is pre-cut in factory but the connection box must be installed on-site.

The position and number of multi-outlet modules varies according to the shape and size of the table surface and the bases used.
Multi-outlet modules must be ordered at the time of specification of the table, they cannot be ordered separately.
Refer to the options listed in the product description.

MULTI-OUTLET MODULES

A range of multi-outlet modules responds to all user needs :

M2 Multi-outlet

- 4¼" diameter on the surface.
- Module will exceed 4" under the 1" surface.
- Two power outlets and two communication outlets (RJ45, cable not included).
- Power cord : 6'.
- UL Certified.
- Black finish.

M3 Multi-outlet

- 5½" x 11½" on the surface.
- Module will exceed 3" under the 1" surface.
- Three electric outlets.
- Power cord : 6'.
- Three punch outs for communication connections.
- UL Certified.
- Anodized aluminum finish.

M4 Multi-outlet

M4 MODULE CONFIGURATION
The configuration of the M4 multi-outlet module cannot be modified.

- The module opens and closes with a switch and automatically closes after a few minutes of non- use.
- 4¼" x 15½" on the surface.
- The module will exceed 4" under the 1" surface.
- Three electric outlets.
- Power cord : 6'.
- One communication outlet (RJ45).
- One phone jack (RJ11) and two audio jacks 3.5.
- One VGA and one HDMI outlet.
- Cables included for all outlets.
- UL Certified.
- Anodized aluminum finish.
- Sensor prevents rotation when the outlets are in use.

M5 Multi-outlet

- 4" x 5" on the surface.
- Module will exceed 1½" under the 1" surface.
- One power outlet and one punch out for communication outlets.
- Touch retractable.
- Power cord : 6'
- UL Certified.
- Anodized aluminum finish.

M6 Multi-outlet

- 4" x 5" on the surface.
- Module will exceed 1½" under the 1" surface.
- One power outlet and two USB charging outlets.
- Touch retractable.
- Power cord : 10'.
- UL Certified.
- Anodized aluminum finish.

FINISHING CASE

A finishing case 6¼" D. x 16" L. x 4¼" H. can be ordered to conceal the connection box of a multi-outlet module when it is visible under the table. For example, an M3 module on a meeting table with round tubular legs.

The finishing box is attached under the surface using screws and has openings for the passing of cables to the left, right and to the floor. The box is made of folded metal in 4 finishes: Silver, Polar White, Charcoal and Black.

CABLE MANAGEMENT

A variety of components (sold separately) allow for the routing of cables under the surfaces, along modesty panels, bases and legs.
For example, wire troughs (AC-WR24 and AC-LW24) and plastic cable fasteners can be used. Refer to the Accessories section, p.72.

MODULAR TABLES

The surfaces and legs of the modular tables are sold separately. The required number of legs to ensure maximum stability is indicated in the product description but layouts using junction plates and fewer legs are possible. Various shapes of surfaces are available in the **Lima** series (1" thick) and the **Mike** series (1½" thick).

LEGS

The legs are attached under the surface of the modular tables using screws (pre-drilled holes are provided). Two leg models are available in 3 finishes: Aluminum (**CMW**), White (**CMB**) and Black (**CMN**).

Standard Leg - Table 29" H.
• Round tubular metal, 2½" diameter, without sleeve.
• Integrated black leveler for a height adjustment from 27⅝" to 28¾".

Leg with sleeve - Table 26" or 29" H.
• Round tubular, 2½" diameter, with metal sleeve.
• Casters are available (sold separately).

"Standard" leg

Leg "with sleeve"

Caster with brake

GROMMETS or MULTI-OUTLET MODULES (optional)

Center grommets or multi-outlet modules can be specified on rectangular, square and crescent surfaces.

Rectangular grommet

Rectangular Grommet
The grommet with the Artopex logo has a cover with two openings :
• The first opening is for large cables (screen, computer, lamp, etc.).
• The second opening is for smaller wires (cell, USB plug, etc.).
• Dimensions of opening when the cover is removed: 3⅜" x 1⅝".

The grommet is available in two plastic finishes : White (**G1C**) and Charcoal (**G2C**).
The finish must be specified in the product specification.

Multi-outlet module

UCC and ECC Multi-Outlet Modules
The black plastic multi-outlet module has :
• 2 electrical outlets with ground and 12A circuit breaker.
• 2 punch outs for communication connections.
• 1 retractable lid that can be closed when module is not in use.

Conventional

1-circuit system

Connections
The multi-outlet module is available with two types of connections :
A conventional wall connection and a connection for the 1-circuit system.
Both modules are UL and CSA compliant.

UCC Recessed surface outlet
with conventional wall connection

ECC Recessed surface outlet
1-circuit electrical system

AC-ECFK
Power Module

M5 Multi-outlet module

The ECC option requires the use of 1-circuit system components such as the AC-ECFK power module.
For 1-circuit systems, consult the current Artopex Accessories price list.

M6 Multi-outlet module

M5 and M6 Multi-Outlet modules
These multi-outlet modules have an anodized aluminum finish.
For a complete description of these modules, see page 10.

MODULAR TABLES (continued)

MODULAR TABLE ACCESSORIES

Accessories such as locking brackets, metal modesty panels, privacy screens and Take Off accessory bars are available on modular tables.

Locking bracket
The locking bracket is attached under the surface using screws.
They are used to join the surfaces of two modular tables together.

Locking-bracket

Metal modesty panel
The perforated metal modesty panel is attached under the surface using screws and has a metal slot (1½") at the bottom to accommodate wiring.

The modesty panel is available in two lengths :
• 48" for surfaces 48" L.
• 60" for surfaces 60" and 72" L.

Metal modesty panel

Modesty panels, privacy screens and accessory bar
Modesty panels, laminate and frosted acrylic privacy screens as well as accessory bars from the Take Off Freestanding collection are available on modular tables.

To specify privacy screens, modesty panels and accessory bars on modular tables (rectangular, "crescent" and "arc"), the following rule applies :

Privacy screens, accessory bar, modesty panel

When ordering a privacy screen, modesty panel or accessory bar, specify the **MAXIMUM** length available, **6 inches shorter than the surface length** to allow for a 3" space on each side for the installation plates of the legs.

72" MODULAR TABLES

The legs under the 72" modular tables are recessed toward the interior. Therefore the privacy screen, modesty panel or accessory bar must be specified 54" L. in order to allow for the space necessary for the installation plates of the legs.

take off – CONFERENCE

OCCASIONAL TABLES

The occasional tables are available in various shapes in the **Lima** series (1" thick) and the **Mike** series (1½" thick) and the **Victor** series (reverse edge) with a choice of laminate or metal bases, unless otherwise indicated. The metal bases are available in 4 finishes: Silver, Polar White, Charcoal and Black.

X-base

Laminate base

Laminate base - ribbon style detail

Round tubular legs with round or square base

Square tubular legs

COMPLEMENTARY PRODUCTS

Practical and functional complementary products are available to complete the layout of conference or training room.

Sideboards
The sideboards are available in two sizes: 24" and 36" W. and 36" H.
They come with :
- Cutlery tray in the drawer.
- A pull on the left side so it can be easily moved.
- Four casters, two with brakes.

The Noki lock, exclusive to Artopex, is optional on sideboards (locks the doors).

36" wide Sideboard

Projector Shelf
The projector shelf is 13" L. x 15½" D. x 2½" H. and is used on the conference table surface.
It is made of 1" thick laminate with slip-resistant plastic posts, aluminum finish.

Projector shelf

Lectern
The lectern is made of laminate panels and metal posts available in 4 finishes :
Silver, Polar White, Charcoal and Black. It has :

- An angled upper shelf with document holder and a grommet for cables.
- A lower attached shelf for storage (presentation materials, etc.).
  A door under the shelf provides access to a multi-outlet module (AC-EPUP, included) and a support for managing access cable.
- A base with casters, two with brakes.

The AC-EPUP module includes the following :
- 3 power outlets with a ground, 12 amp circuit breaker.
- Electrical cord : 108".
- CSA Certified.

Lectern

Presentation Boards
Two models of presentation boards 48" L. x 45" H. with hinged door are available.

The first model includes :
- A writing pad 20" L. x 30" H.
- White marker board (high-gloss HPL for use with dry erase markers only).
- Dry erase markers and eraser.
- A tackboard.

Second model includes all the above items as well as :
- A retractable projection screen 46" W.

Presentation board

WORK WALL PANELS

Complete the look and utility of conference, meeting and training rooms as well as lounge spaces and closed offices with the work wall panels (whitemarker board, tackboard, etc) from the Take Off Conference collection. The upper work wall can be used alone, side-by-side or with a lower work wall panel of the same length (sold separately).

The work walls are available in all “base” laminate colors with a horizontal wood grain. The edge banding is in a matching color except for the white marker board and tackboard where the edge color will correspond with the specified “base” color. Wall mounting brackets are included on all work wall panels.

UPPER WORK WALL PANEL

Differents types of upper panels

- 2 heights: 43" and 37".
- 8 widths: 30" to 72" (increments of 6").
- Thickness: 2".

Laminate panel
- A monitor can be attached.

Accessory bar panel
- With one or more integrated accessory rails.
- The top and bottom of the panel are edged in a coordinated color while the sides are edged in aluminum which covers the ends of the accessory rail.
- The accessory rails have an anodized aluminum finish and are used to attached Artopex accessories and shelves (not for use with monitors).

White Marker Board panel
- The white marker board is made of high-gloss white HPL for use with dry erase markers only.

Tackboard panel
- The tackboard is covered in fabric (Refer to the current Artopex panel fabrics chart).
- Fabric is always positioned at 90° (railroad).

Fabric positioned at 90° (railroad)

LOWER WORK WALL PANEL

- Height : 29"
- 8 widths : 30" to 72" (increments of 6").
- Thickness : 2".

Lower work wall panel in laminate only

The lower work wall panel cannot be used alone; it must be specified with an upper work wall panel of the same width :
- Used with an upper work wall 43" H., the total height will be 72".
- Used with an upper work wall 37" H., the total height will be 66".

ACCESSORIES FOR ACCESSORY RAILS

Shelf
The shelf attaches to the accessory rail of the work wall panel.
It is made of 1” thick TFL with a matching straight edge banding.
Depending on its length, two or three supports finished in anodized aluminum are included.

- Lengths : 24" to 72".
- Depths : 6" or 10".

10" or 6" deep shelf

Bookends
The bookends are made of folded steel and attach to the shelves 6” or 10” deep.
They are sold in pairs and are available in 4 finishes: Silver, Polar White, Charcoal and Black.

Bookends

Plastic and Metal Accessories
A variety of plastic and metal accessories can be used on the accessory rail.
Refer to the current product lists at www.artopex.com.

Artopex metal accessories

take off – CONFERENCE

FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list with reference to choice of colors. Some exceptions apply, see the charts below or finish cards.

Warning! Colors, especially dark colors, may vary between Thermo Fused Laminate (T.F.L.) ans High Pressure Laminate (H.P.L.).

SURFACE

EDGE BANDS (surface)

T.F.L.	H.P.L.	Edges REGULAR / REVERSED	Edges FLUTED	Edges STRIPED (NARROW)
DOLOMITE FINISH	**MAT FINISH**		*Not available for **Victor** series*	
White (**MBW**) *	White (**SBW**)	Aluminum (**0W**)	Aluminum (**3W**)	Multiply Maple (**V1**)
Antique White (**MAW**) *	Antique White (**SAW**) *	White (**0BW**)	White (**3BW**)	Coordinate with this surface finishes :
Charcoal (**MF**) *	Charcoal (**SF**)	Antique White (**0AW**) *	Antique White (**3AW**) *	Maritime Maple - Moka
Frost (**MA**) *	Frost (**SA**)	Burgundy (**0B**)	Burgundy (**3B**)	Douglas Pine
	Burgundy (**SB**)	Carbon (**0CB**)	Carbon (**3CB**)	
SUEDE FINISH	Cherry (**SCH**)	Cherry (**0CH**)	Cherry (**3CH**)	
Burgundy (**MB**)	Dark Oak (**SDK**)	Chestnut (**0CG**)	Chestnut (**3CG**)	
Cherry (**MCH**)	Amberwood (**SCi**)	Dark Oak (**0DK**)	Dark Oak (**3DK**)	
Dark Oak (**MDK**)	Cayenne Maple(**SCM**)	Amberwood (**0Ci**)	Amberwood (**3Ci**)	
Amberwood (**MCi**)	Honey (**SHO**)	Cayenne Maple (**0CM**)	Cayenne Maple (**3CM**)	
Cayenne Maple (**MCM**)	Chestnut (**SCG**)	Maritime Maple (**0EM**)	Maritime Maple (**3EM**)	Image Actual Size 1" thick surface
Honey (**MHO**)	Maritime Maple(**SEM**)	Charcoal (**0F**)	Charcoal (**3F**)	
	Moka (**SPM**)	Galaxy (**0GX**)	Galaxy (**3GX**)	Edges **STRIPED (WIDE)**
SUPERMAT FINISH	Douglas Pine (**SDP**)	Frost (**0A**)	Frost (**3A**)	
Chestnut (**MCG**)	Teak (**STE**)	Honey (**0HO**)	Honey (**3HO**)	*Not available for **Victor** series*
Maritime Maple (**MEM**)	Tigerwood (**STW**)	Moka (**0PM**)	Moka (**3PM**)	Maple/Honey Striped (**R1**)
Moka (**MPM**)		Black (**0N**) *	Black (**3N**) *	Coordinate with this surface finishes :
Douglas Pine (**MDP**)	**NATURAL FINISH**	Douglas Pine (**0DP**)	Douglas Pine (**3DP**)	Maritime Maple - Honey
Teak (**MTE**)	Carbon (**SCB**)	Sea Salt (**0SM**)	Sea Salt (**3SM**)	
Tigerwood (**MTW**)	Galaxy (**SGX**)	Teak (**0TE**)	Teak (**3TE**)	Burgundy/Honey Striped (**R3**)
	Sea Salt (**SSM**)	Tigerwood (**0TW**)	Tigerwood (**3TW**)	Coordinate with this surface finishes :
AURA FINISH	Twilight (**STL**)	Twilight (**0TL**)	Twilight (**3TL**)	Burgundy - Cherry - Amberwood
Carbon (**MCB**)				Cayenne Maple - Honey
Galaxy (**MGX**)				
Sea Salt (**MSM**)				
Twilight (**MTL**)				
			1" Edge : 3 grooves 1½" Edge: 5 grooves	Image Actual Size 1" thick surface
** Not available for **Mike** series (1½" thick surface).*	** Not available for **Mike** series (1½" thick surface).*	** Not available for **Mike** series (1½" thick surface).*	** Not available for **Mike** series (1½" thick surface).*	

FINISH CHOICES CHART (continued) and PULLS TYPES

BASE **

FRONT

LEGS / BASES ACCESSORIES

T.F.L.	T.F.L.	METAL
DOLOMITE FINISH	**DOLOMITE FINISH**	
White (**BW**)	White (**BW**)	Silver (**3090**)
Antique White (**AW**)	Antique White (**AW**)	Polar White (**3002**)
Charcoal (**F**)	Charcoal (**F**)	Charcoal (**3064**)
Frost (**A**)	Frost (**A**)	Black (**3067**)
Black (**N**)	Black (**N**)	
SUEDE FINISH	**SUEDE FINISH**	
Burgundy (**B**)	Burgundy (**B**)	
Cherry (**CH**)	Cherry (**CH**)	
Dark Oak (**DK**)	Dark Oak (**DK**)	
Amberwood (**Ci**)	Amberwood (**Ci**)	
Cayenne Maple (**CM**)	Cayenne Maple (**CM**)	
Honey (**HO**)	Honey (**HO**)	
SUPERMAT FINISH	**SUPERMAT FINISH**	
Chestnut (**CG**)	Chestnut (**CG**)	
Maritime Maple (**EM**)	Maritime Maple (**EM**)	
Moka (**PM**)	Moka (**PM**)	
Douglas Pine (**DP**)	Douglas Pine (**DP**)	
Teak (**TE**)	Teak (**TE**)	
Tigerwood (**TW**)	Tigerwood (**TW**)	
AURA FINISH	**AURA FINISH**	
Carbon (**CB**)	Carbon (**CB**)	
Galaxy (**GX**)	Galaxy (**GX**)	
Sea Salt(**SM**)	Sea Salt (**SM**)	
Twilight (**TL**)	Twilight (**TL**)	

*** Modesty panels have the same finish as the laminate bases.*

Different pull styles are available for the sideboards of the Take Off Conference Collection.

It is necessary to specify the desired type under the "Pull" column of the product code line.

PULLS TYPES

TN - Nickel TECHNO

DN - Nickel DECO

J - Satin Chrome

X - Aluminum

YN - Brushed Nickel

YA - Antique Nickel

YB - Brushed Bronze

take off – CONFERENCE

SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

BOAT-SHAPED CONFERENCE TABLE WITH RECTANGULAR ARCHITECTURAL BASES

Dimensions : 36" x 48" x 96"

Ordering code :
TM - CTBRS4896 - MGX / 3GX - SM - 3090 - M4LR - PLPR

SPECIFY						OPTIONS		
Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T M -	CTBRS4896 -	MGX /	3GX -	SM -	3090 -	M4	LR -	PLPR

Series : Mike (top 1½")
Surface : Galaxy (TFL)
Edge band : Fluted (Galaxy)
Base : Sea Salt
90° metal corners : Silver
Multi-outlet modules option : Pivoting left and right
Removable door option on both bases

SQUARE MEETING TABLE WITH SQUARE TUBULAR LEGS

Dimensions : 48" x 48"

Ordering code :
TV - TSLES294848 - SCB / 0CB - 3064 - M6 - CA

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Casters
T V -	TSLES294848 -	SCB /	0CB -	3064 -	M6 -	CA

Series : Victor (top 1", reverse edge)
Surface : Carbon (HPL)
Edge band : Carbon
Legs : Charcoal
Multi-outlet module option : center
Casters option on all legs

"CRESCENT" SURFACE FOR MODULAR TABLES

Dimensions : 24" x 60"

Ordering code :
TL - MSC2460 - MDP / 0BW - G1C

SPECIFY				OPTIONS
Series	Code	Surface	Edge	Grom. or M-Outlet
T L -	MSC2460 -	MDP /	0BW -	G1C

Series : Lima (top 1")
Surface : Douglas pine (TFL)
Edge band: White
White grommet option : center

SIDEBOARD

Dimensions : 21" x 36" x 36"

Ordering code :
TL - UC2136 - SDP / V1 - DP / BW - TN - L

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Noki
T L -	UC2136 -	SDP /	V1 -	DP /	BW -	TN -	L

Series : Lima (top 1")
Surface : Douglas pine (HPL)
Edge band : Striped / Multiply-maple
Base : Douglas pine
Fronts : White
Pulls : Nickel TECHNO - TN
Noki electronic lock option

Price list

take off – CONFERENCE

Price List – USA

RECTANGULAR CONFERENCE TABLES WITH PANEL BASE

Rectangular table 29" H. with panel base.

6½" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

This base requires assembly.

Multi-outlet module option, see p.10.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	192	2	3	14	**CTSP**48192	1748	2543	–	2880	–	3663	**L - C - R**	23,9	304	407
48	168	2	3	12/14	**CTSP**48168	1563	2308	–	2604	–	3304	**L - C - R**	21,2	271	361
48	144	2	3	12	**CTSP**48144	1455	2081	2032	2338	–	2954	**L - C - R**	18,5	238	315
48	120	2	2	10	**CTSP**48120	1310	1824	1770	2032	–	2573	**L - C - R**	14,7	188	253
48	96	1	2	8	**CTSP**4896	935	1348	–	1526	–	1972	**L - C - R**	12,0	155	207
36	84	1	2	6/8	**CTSP**3684	777	1033	–	1155	–	1511	**C**	9,1	115	149
36	72	1	2	6	**CTSP**3672	692	906	758	1012	–	1331	**C**	8,1	104	133
30	72	1	2	4	**CTSP**3072	633	813	716	900	–	1199	**C**	7,1	89	113
30	60	1	2	4	**CTSP**3060	596	736	678	807	–	1071	**C**	6,3	79	99

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of panels

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be *M2LCR* .

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

RECTANGULAR CONFERENCE TABLES WITH X-LAMINATE BASES

Rectangular table 29" H. with X-laminate bases.

6½" H. modesty panels are included to ensure base stability.

For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

These bases require assembly.

Multi-outlet module option, see p.10.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	192	2	3	14	**CTSC**48192	2154	2949	–	3286	–	4069	**L - C - R**	24,4	322	425
48	168	2	3	12/14	**CTSC**48168	1964	2708	–	3004	–	3705	**L - C - R**	21,8	289	379
48	144	2	3	12	**CTSC**48144	1850	2476	2427	2732	–	3348	**L - C - R**	19,1	256	333
48	120	2	2	10	**CTSC**48120	1547	2060	2006	2268	–	2809	**L - C - R**	15,4	194	258
48	96	1	2	8	**CTSC**4896	1166	1579	–	1757	–	2203	**L - C - R**	12,7	161	212
36	84	1	2	6/8	**CTSC**3684	1002	1258	–	1381	–	1737	**C**	9,8	121	155
36	72	1	2	6	**CTSC**3672	917	1132	983	1238	–	1557	**C**	8,8	109	138

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

RECTANGULAR CONFERENCE TABLES WITH RECTANGULAR ARCHITECTURAL BASES

Rectangular table 29" H. with rectangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Three corner detailing options are available : all laminate (W), laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
All laminate															
48	192	2	3	14	**CTSRW**48192	2827	3622	–	3959	–	4742	**L - C - R**	36,5	375	478
48	168	2	3	12/14	**CTSRW**48168	2637	3381	–	3677	–	4378	**L - C - R**	33,8	342	432
48	144	2	3	12	**CTSRW**48144	2523	3149	3100	3406	–	4022	**L - C - R**	31,1	309	386
48	120	2	2	10	**CTSRW**48120	2052	2565	2511	2773	–	3314	**L - C - R**	23,1	236	301
48	96	1	2	8	**CTSRW**4896	1671	2083	–	2262	–	2708	**L - C - R**	20,5	203	255
90° Corners															
48	192	2	3	14	**CTSRS**48192	3694	4489	–	4826	–	5609	**L - C - R**	36,5	375	478
48	168	2	3	12/14	**CTSRS**48168	3504	4248	–	4544	–	5245	**L - C - R**	33,8	342	432
48	144	2	3	12	**CTSRS**48144	3390	4016	3967	4272	–	4888	**L - C - R**	31,1	309	386
48	120	2	2	10	**CTSRS**48120	2629	3143	3089	3351	–	3892	**L - C - R**	23,1	236	301
48	96	1	2	8	**CTSRS**4896	2248	2661	–	2839	–	3286	**L - C - R**	20,5	203	255
Rounded corners															
48	192	2	3	14	**CTSRR**48192	3694	4489	–	4826	–	5609	**L - C - R**	36,5	375	478
48	168	2	3	12/14	**CTSRR**48168	3504	4248	–	4544	–	5245	**L - C - R**	33,8	342	432
48	144	2	3	12	**CTSRR**48144	3390	4016	3967	4272	–	4888	**L - C - R**	31,1	309	386
48	120	2	2	10	**CTSRR**48120	2629	3143	3089	3351	–	3892	**L - C - R**	23,1	236	301
48	96	1	2	8	**CTSRR**4896	2248	2661	–	2839	–	3286	**L - C - R**	20,5	203	255

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T			/					

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

RECTANGULAR CONFERENCE TABLES WITH TRIANGULAR ARCHITECTURAL BASES

Rectangular table 29" H. with triangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Two corner detailing options are available : laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
90° Corners															
48	192	2	3	14	**CTSTS**48192	3428	4223	–	4560	–	5343	**L - C - R**	36,5	353	456
48	168	2	3	12/14	**CTSTS**48168	3237	3982	–	4278	–	4979	**L - C - R**	33,8	320	410
48	144	2	3	12	**CTSTS**48144	3124	3750	3700	4006	–	4622	**L - C - R**	31,1	287	364
48	120	2	2	10	**CTSTS**48120	2363	2877	2823	3084	–	3626	**L - C - R**	23,1	214	279
48	96	1	2	8	**CTSTS**4896	1982	2395	–	2573	–	3020	**L - C - R**	20,5	181	233
Rounded corners															
48	192	2	3	14	**CTSTR**48192	3428	4223	–	4560	–	5343	**L - C - R**	36,5	353	456
48	168	2	3	12/14	**CTSTR**48168	3237	3982	–	4278	–	4979	**L - C - R**	33,8	320	410
48	144	2	3	12	**CTSTR**48144	3124	3750	3700	4006	–	4622	**L - C - R**	31,1	287	364
48	120	2	2	10	**CTSTR**48120	2363	2877	2823	3084	–	3626	**L - C - R**	23,1	214	279
48	96	1	2	8	**CTSTR**4896	1982	2395	–	2573	–	3020	**L - C - R**	20,5	181	233

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T			/		

OPTIONS

M-Outlet	Position	Door

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

take off – CONFERENCE

Price List – USA

RECTANGULAR CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 29"H.

Rectangular table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.
Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
ROUND base																
48	192	2	3	14	**CTSDR**48192	3392	4188	–	4524	–	5308	**L - C - R**	**L - R**	51,3	429	532
48	168	2	3	12/14	**CTSDR**48168	3219	3963	–	4259	–	4960	**L - C - R**	**L - R**	49,3	401	491
48	144	2	3	12	**CTSDR**48144	3121	3747	3697	4003	–	4619	**L - C - R**	**L - R**	47,2	373	451
48	120	2	2	10	**CTSDR**48120	2246	2760	2706	2968	–	3509	**L - C - R**	**C**	33,6	277	341
48	96	1	2	8	**CTSDR**4896	1881	2294	–	2472	–	2918	**L - C - R**	**C**	31,5	249	300
36	84	1	2	6/8	**CTSDR**3684	1734	1990	–	2112	–	2468	**L - C - R**	**C**	28,7	210	244
36	72	1	2	6	**CTSDR**3672	1654	1869	1720	1975	–	2294	**L - C - R**	**C**	27,9	200	229
SQUARE base																
48	192	2	3	14	**CTSDS**48192	3392	4188	–	4524	–	5308	**L - C - R**	**L - R**	51,3	474	577
48	168	2	3	12/14	**CTSDS**48168	3219	3963	–	4259	–	4960	**L - C - R**	**L - R**	49,3	446	536
48	144	2	3	12	**CTSDS**48144	3121	3747	3697	4003	–	4619	**L - C - R**	**L - R**	47,2	418	496
48	120	2	2	10	**CTSDS**48120	2246	2760	2706	2968	–	3509	**L - C - R**	**C**	33,6	307	371
48	96	1	2	8	**CTSDS**4896	1881	2294	–	2472	–	2918	**L - C - R**	**C**	31,5	279	330
36	84	1	2	6/8	**CTSDS**3684	1734	1990	–	2112	–	2468	**L - C - R**	**C**	28,7	240	274
36	72	1	2	6	**CTSDS**3672	1654	1869	1720	1975	–	2294	**L - C - R**	**C**	27,9	230	259

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)
P : Number of legs
G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).
Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.
* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

RECTANGULAR CONFERENCE TABLES WITH METAL "T" LEGS

Rectangular table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	3	12	**CTSX**48144	2712	3450	3330	3706	–	4322	**L - R**	33,1	229	307
48	120	2	3	10	**CTSX**48120	2592	3207	3100	3414	–	3956	**L - R**	31,0	201	266
48	96	1	2	8	**CTSX**4896	1744	2229	–	2407	–	2853	**C**	22,1	153	204
36	84	1	2	6/8	**CTSX**3684	1429	1724	–	1846	–	2202	**C**	19,3	114	148
36	72	1	2	6	**CTSX**3672	1376	1597	1520	1704	–	2022	**C**	18,5	104	133

Rectangular table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

48	144	2	3	12	**CTSZ**48144	1741	2479	2360	2736	–	3352	**L - R**	33,1	229	307
48	120	2	3	10	**CTSZ**48120	1621	2236	2130	2444	–	2985	**L - R**	31,0	201	266
48	96	1	2	8	**CTSZ**4896	1095	1580	–	1758	–	2204	**C**	22,1	153	204
36	84	1	2	6/8	**CTSZ**3684	780	1075	–	1197	–	1553	**C**	19,3	114	148
36	72	1	2	6	**CTSZ**3672	727	948	872	1055	–	1373	**C**	18,5	104	133
30	72	1	2	4	**CTSZ**3072	700	889	832	978	–	1275	**C**	17,7	93	118
30	60	1	2	4	**CTSZ**3060	681	840	795	916	–	1176	**C**	17,0	85	105

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs (table CTSX…) : Specify the finish : Black (**3067),** Charcoal (**3064**)**,** Silver (**3090**) or Polar White (**3002**)**.**

Metal legs (table CTSZ…) : Specify the finish : Black (**3067**) or Chrome (**3501**). For the Chrome finish : Add $77 (2 bases) or $116 (3 bases).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on two positions, the option code will be M2LR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

BOAT-SHAPED CONFERENCE TABLES WITH PANEL BASE

Boat-shaped table 29" H. with panel base.

6½" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

This base requires assembly.

Multi-outlet module option, see p.10.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
36	48	144	2	3	12	**CTBP**48144	1540	2278	2229	2533	–	3150	**L - C - R**	18,5	221	291
36	48	120	2	2	10	**CTBP**48120	1405	2020	1966	2229	–	2769	**L - C - R**	14,7	174	232
36	48	96	1	2	8	**CTBP**4896	1058	1543	–	1723	–	2168	**L - C - R**	12,0	143	189
30	36	84	1	2	6/8	**CTBP**3684	912	1229	–	1351	–	1707	**C**	9,1	110	141
30	36	72	1	2	6	**CTBP**3672	833	1103	954	1208	–	1528	**C**	8,1	98	125

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of panels

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

BOAT-SHAPED CONFERENCE TABLES WITH X-LAMINATE BASES

Boat-shaped table 29" H. with X-laminate bases.

6½" H. modesty panels are included to ensure base stability.

For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

These bases require assembly.

Multi-outlet module option, see p.10.

Dimensions						Code	**L** Lima 1" Straight		**M** Mike 1½" Straight		**V** Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
36	48	144	2	3	12	**CTBC**48144	1935	2673	2624	2928	–	3545	**L - C - R**	19,1	239	309
36	48	120	2	2	10	**CTBC**48120	1546	2160	2107	2369	–	2910	**L - C - R**	15,4	179	237
36	48	96	1	2	8	**CTBC**4896	1289	1774	–	1954	–	2399	**L - C - R**	12,7	149	195
30	36	84	1	2	6/8	**CTBC**3684	1137	1454	–	1576	–	1933	**C**	9,8	115	146
30	36	72	1	2	6	**CTBC**3672	1058	1329	1179	1433	–	1753	**C**	8,8	104	130

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

BOAT-SHAPED CONFERENCE TABLES WITH RECTANGULAR ARCHITECTURAL BASES

Boat-shaped table 29" H. with rectangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Three corner detailing options are available : all laminate (W), laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions						Code	**L** Lima 1" Straight		**M** Mike 1½" Straight		**V** Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
All laminate																
36	48	144	2	3	12	**CTBRW**48144	2608	3346	3297	3601	–	4219	**L - C - R**	31,1	292	362
36	48	120	2	2	10	**CTBRW**48120	2050	2665	2611	2874	–	3414	**L - C - R**	23,1	222	280
36	48	96	1	2	8	**CTBRW**4896	1794	2279	–	2459	–	2904	**L - C - R**	20,5	191	237
90° Corners																
36	48	144	2	3	12	**CTBRS**48144	3475	4213	4164	4468	–	5085	**L - C - R**	31,1	292	362
36	48	120	2	2	10	**CTBRS**48120	2628	3243	3189	3452	–	3992	**L - C - R**	23,1	222	280
36	48	96	1	2	8	**CTBRS**4896	2372	2857	–	3036	–	3482	**L - C - R**	20,5	191	237
Rounded corners																
36	48	144	2	3	12	**CTBRR**48144	3475	4213	4164	4468	–	5085	**L - C - R**	31,1	292	362
36	48	120	2	2	10	**CTBRR**48120	2628	3243	3189	3452	–	3992	**L - C - R**	23,1	222	280
36	48	96	1	2	8	**CTBRR**4896	2372	2857	–	3036	–	3482	**L - C - R**	20,5	191	237

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

BOAT-SHAPED CONFERENCE TABLES WITH TRIANGULAR ARCHITECTURAL BASES

Boat-shaped table 29" H. with triangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Two corner detailing options are available : laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions						Code	**L** Lima 1" Straight		**M** Mike 1½" Straight		**V** Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
90° Corners																
36	48	144	2	3	12	**CTBTS**48144	3209	3947	3897	4202	–	4819	**L - C - R**	31,1	270	340
36	48	120	2	2	10	**CTBTS**48120	2362	2977	2923	3186	–	3726	**L - C - R**	23,1	200	258
36	48	96	1	2	8	**CTBTS**4896	2105	2591	–	2770	–	3215	**L - C - R**	20,5	169	215
Rounded corners																
36	48	144	2	3	12	**CTBTR**48144	3209	3947	3897	4202	–	4819	**L - C - R**	31,1	270	340
36	48	120	2	2	10	**CTBTR**48120	2362	2977	2923	3186	–	3726	**L - C - R**	23,1	200	258
36	48	96	1	2	8	**CTBTR**4896	2105	2591	–	2770	–	3215	**L - C - R**	20,5	169	215

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

take off – CONFERENCE

Price List – USA

BOAT-SHAPED CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 29" H.

Boat-shaped table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
A	B		S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
ROUND base																	
36	48	144	2	3	12	**CTBDR**48144	2949	3687	3638	3942	–	4560	**L - C - R**	**L - R**	47,2	356	426
36	48	120	2	2	10	**CTBDR**48120	2218	2833	2779	3042	–	3582	**L - C - R**	**C**	33,6	262	320
36	48	96	1	2	8	**CTBDR**4896	1971	2456	–	2636	–	3081	**L - C - R**	**C**	31,5	237	283
30	36	84	1	2	6/8	**CTBDR**3684	1832	2148	–	2270	–	2627	**L - C - R**	**C**	28,7	204	235
30	36	72	1	2	6	**CTBDR**3672	1752	2023	1873	2127	–	2448	**L - C - R**	**C**	27,9	194	221
SQUARE base																	
36	48	144	2	3	12	**CTBDS**48144	2949	3687	3638	3942	–	4560	**L - C - R**	**L - R**	47,2	401	471
36	48	120	2	2	10	**CTBDS**48120	2218	2833	2779	3042	–	3582	**L - C - R**	**C**	33,6	292	350
36	48	96	1	2	8	**CTBDS**4896	1971	2456	–	2636	–	3081	**L - C - R**	**C**	31,5	267	313
30	36	84	1	2	6/8	**CTBDS**3684	1832	2148	–	2270	–	2627	**L - C - R**	**C**	28,7	234	265
30	36	72	1	2	6	**CTBDS**3672	1752	2023	1873	2127	–	2448	**L - C - R**	**C**	27,9	224	251

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black **(3067),** Charcoal **(3064),** Silver **(3090)** or Polar White **(3002).**

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

BOAT-SHAPED CONFERENCE TABLES WITH METAL "T" LEGS

Boat-shaped table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
36	48	144	2	3	12	**CTBX**48144	2908	3647	3526	3903	–	4519	**L - R**	33,1	212	282
36	48	120	2	3	10	**CTBX**48120	2787	3402	3297	3611	–	4151	**L - R**	31,0	187	245
36	48	96	1	2	8	**CTBX**4896	1939	2424	–	2603	–	3049	**C**	22,1	141	187
30	36	84	1	2	6/8	**CTBX**3684	1626	1920	–	2042	–	2398	**C**	19,3	108	139
30	36	72	1	2	6	**CTBX**3672	1573	1794	1718	1901	–	2219	**C**	18,5	98	125

Boat-shaped table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

36	48	144	2	3	12	**CTBZ**48144	1847	2550	2435	2793	–	3422	**L - R**	33,1	212	282
36	48	120	2	3	10	**CTBZ**48120	1732	2317	2216	2516	–	3066	**L - R**	31,0	187	245
36	48	96	1	2	8	**CTBZ**4896	1230	1692	–	1862	–	2317	**C**	22,1	141	187
30	36	84	1	2	6/8	**CTBZ**3684	931	1211	–	1327	–	1690	**C**	19,3	108	139
30	36	72	1	2	6	**CTBZ**3672	881	1091	1018	1192	–	1516	**C**	18,5	98	125

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs (table CTBX…) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Metal legs (table CTBZ…) : Specify the finish : Black (**3067**) or Chrome (**3501**). For the Chrome finish : Add $77 (2 bases) or $116 (3 bases).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on two positions, the option code will be M2LR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

"RACETRACK" CONFERENCE TABLES WITH PANEL BASE

"Racetrack" table 29" H. with panel base.

6½" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

This base requires assembly.

Multi-outlet module option, see p.10.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	192	2	3	14	**CTCP**48192	1808	2739	–	3075	–	3859	**L - C - R**	23,9	292	390
48	168	2	3	12/14	**CTCP**48168	1638	2504	–	2800	–	3500	**L - C - R**	21,2	259	344
48	144	2	3	12	**CTCP**48144	1540	2278	2229	2533	–	3150	**L - C - R**	18,5	226	298
48	120	2	2	10	**CTCP**48120	1405	2020	1966	2229	–	2769	**L - C - R**	14,7	176	235
48	96	1	2	8	**CTCP**4896	1058	1543	–	1723	–	2168	**L - C - R**	12,0	143	189
36	84	1	2	6/8	**CTCP**3684	912	1229	–	1351	–	1707	**C**	9,1	109	140
36	72	1	2	6	**CTCP**3672	833	1103	954	1208	–	1528	**C**	8,1	97	123
30	72	1	2	4	**CTCP**3072	780	1009	912	1096	–	1395	**C**	7,1	84	107
30	60	1	2	4	**CTCP**3060	746	932	875	1003	–	1267	**C**	6,3	74	92

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of panels

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

"RACETRACK" CONFERENCE TABLES WITH X-LAMINATE BASES

"Racetrack" table 29" H. with X-laminate bases.

6½" H. modesty panels are included to ensure base stability.

For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

These bases require assembly.

Multi-outlet module option, see p.10.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	192	2	3	14	**CTCC**48192	2214	3145	–	3480	–	4265	**L - C - R**	24,4	310	408
48	168	2	3	12/14	**CTCC**48168	2038	2904	–	3200	–	3901	**L - C - R**	21,8	277	362
48	144	2	3	12	**CTCC**48144	1935	2673	2624	2928	–	3545	**L - C - R**	19,1	244	316
48	120	2	2	10	**CTCC**48120	1641	2256	2202	2465	–	3005	**L - C - R**	15,4	182	241
48	96	1	2	8	**CTCC**4896	1289	1774	–	1954	–	2399	**L - C - R**	12,7	149	195
36	84	1	2	6/8	**CTCC**3684	1137	1454	–	1576	–	1933	**C**	9,8	114	145
36	72	1	2	6	**CTCC**3672	1058	1329	1179	1433	–	1753	**C**	8,8	102	128

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

"RACETRACK" CONFERENCE TABLES WITH RECTANGULAR ARCHITECTURAL BASES

"Racetrack" table 29" H. with rectangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Three corner detailing options are available : all laminate (W), laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
All laminate															
48	192	2	3	14	**CTCRW**48192	2888	3818	–	4154	–	4938	**L - C - R**	36,5	363	461
48	168	2	3	12/14	**CTCRW**48168	2712	3577	–	3873	–	4574	**L - C - R**	33,8	330	415
48	144	2	3	12	**CTCRW**48144	2608	3346	3297	3601	–	4219	**L - C - R**	31,1	297	369
48	120	2	2	10	**CTCRW**48120	2146	2761	2707	2970	–	3510	**L - C - R**	23,1	224	283
48	96	1	2	8	**CTCRW**4896	1794	2279	–	2459	–	2904	**L - C - R**	20,5	191	237
90° Corners															
48	192	2	3	14	**CTCRS**48192	3754	4685	–	5020	–	5805	**L - C - R**	36,5	363	461
48	168	2	3	12/14	**CTCRS**48168	3578	4444	–	4740	–	5441	**L - C - R**	33,8	330	415
48	144	2	3	12	**CTCRS**48144	3475	4213	4164	4468	–	5085	**L - C - R**	31,1	297	369
48	120	2	2	10	**CTCRS**48120	2724	3339	3285	3548	–	4088	**L - C - R**	23,1	224	283
48	96	1	2	8	**CTCRS**4896	2372	2857	–	3036	–	3482	**L - C - R**	20,5	191	237
Rounded corners															
48	192	2	3	14	**CTCRR**48192	3754	4685	–	5020	–	5805	**L - C - R**	36,5	363	461
48	168	2	3	12/14	**CTCRR**48168	3578	4444	–	4740	–	5441	**L - C - R**	33,8	330	415
48	144	2	3	12	**CTCRR**48144	3475	4213	4164	4468	–	5085	**L - C - R**	31,1	297	369
48	120	2	2	10	**CTCRR**48120	2724	3339	3285	3548	–	4088	**L - C - R**	23,1	224	283
48	96	1	2	8	**CTCRR**4896	2372	2857	–	3036	–	3482	**L - C - R**	20,5	191	237

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

"RACETRACK" CONFERENCE TABLES WITH TRIANGULAR ARCHITECTURAL BASES

"Racetrack" table 29" H. with triangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Two corner detailing options are available : laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
90° Corners															
48	192	2	3	14	**CTCTS**48192	3489	4420	–	4755	–	5540	**L - C - R**	36,5	341	439
48	168	2	3	12/14	**CTCTS**48168	3313	4179	–	4475	–	5176	**L - C - R**	33,8	308	393
48	144	2	3	12	**CTCTS**48144	3210	3948	3898	4203	–	4820	**L - C - R**	31,1	275	347
48	120	2	2	10	**CTCTS**48120	2459	3073	3020	3282	–	3823	**L - C - R**	23,1	202	261
48	96	1	2	8	**CTCTS**4896	2107	2592	–	2771	–	3216	**L - C - R**	20,5	169	215
Rounded corners															
48	192	2	3	14	**CTCTR**48192	3489	4420	–	4755	–	5540	**L - C - R**	36,5	341	439
48	168	2	3	12/14	**CTCTR**48168	3313	4179	–	4475	–	5176	**L - C - R**	33,8	308	393
48	144	2	3	12	**CTCTR**48144	3210	3948	3898	4203	–	4820	**L - C - R**	31,1	275	347
48	120	2	2	10	**CTCTR**48120	2459	3073	3020	3282	–	3823	**L - C - R**	23,1	202	261
48	96	1	2	8	**CTCTR**4896	2107	2592	–	2771	–	3216	**L - C - R**	20,5	169	215

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : At left (**PL**), in center if 3 bases (**PC**), at right (**PR**). Add $165 ea. Ex.: For option at left and right, indicate *PLPR* .

take off – CONFERENCE

"RACETRACK" CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 29" H.

"Racetrack" table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.
Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
ROUND base																
48	192	2	3	14	**CTCDR**48192	3207	4137	–	4473	–	5257	**L - C - R**	**L - R**	51,3	417	515
48	168	2	3	12/14	**CTCDR**48168	3042	3907	–	4203	–	4904	**L - C - R**	**L - R**	49,3	389	474
48	144	2	3	12	**CTCDR**48144	2949	3687	3638	3942	–	4560	**L - C - R**	**L - R**	47,2	361	433
48	120	2	2	10	**CTCDR**48120	2313	2928	2874	3137	–	3677	**L - C - R**	**C**	33,6	265	324
48	96	1	2	8	**CTCDR**4896	1971	2456	–	2636	–	3081	**L - C - R**	**C**	31,5	237	283
36	84	1	2	6/8	**CTCDR**3684	1832	2148	–	2270	–	2627	**L - C - R**	**C**	28,7	204	234
36	72	1	2	6	**CTCDR**3672	1752	2023	1873	2127	–	2448	**L - C - R**	**C**	27,9	193	219
SQUARE base																
48	192	2	3	14	**CTCDS**48192	3207	4137	–	4473	–	5257	**L - C - R**	**L - R**	51,3	462	560
48	168	2	3	12/14	**CTCDS**48168	3042	3907	–	4203	–	4904	**L - C - R**	**L - R**	49,3	434	519
48	144	2	3	12	**CTCDS**48144	2949	3687	3638	3942	–	4560	**L - C - R**	**L - R**	47,2	406	478
48	120	2	2	10	**CTCDS**48120	2313	2928	2874	3137	–	3677	**L - C - R**	**C**	33,6	295	354
48	96	1	2	8	**CTCDS**4896	1971	2456	–	2636	–	3081	**L - C - R**	**C**	31,5	267	313
36	84	1	2	6/8	**CTCDS**3684	1832	2148	–	2270	–	2627	**L - C - R**	**C**	28,7	234	264
36	72	1	2	6	**CTCDS**3672	1752	2023	1873	2127	–	2448	**L - C - R**	**C**	27,9	223	249

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)
P : Number of legs
G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).
Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.
* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

"RACETRACK" CONFERENCE TABLES WITH "T" METAL LEGS

"Racetrack" table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	3	12	**CTCX**48144	2908	3647	3526	3903	–	4519	**L - R**	33,1	217	289
48	120	2	3	10	**CTCX**48120	2787	3402	3297	3611	–	4151	**L - R**	31,0	189	248
48	96	1	2	8	**CTCX**4896	1939	2424	–	2603	–	3049	**C**	22,1	141	187
36	84	1	2	6/8	**CTCX**3684	1626	1920	–	2042	–	2398	**C**	19,3	108	138
36	72	1	2	6	**CTCX**3672	1573	1794	1718	1901	–	2219	**C**	18,5	97	123

"Racetrack" table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

48	144	2	3	12	**CTCZ**48144	1938	2676	2556	2933	–	3549	**L - R**	33,1	217	289
48	120	2	3	10	**CTCZ**48120	1818	2432	2327	2641	–	3051	**L - R**	31,0	189	248
48	96	1	2	8	**CTCZ**4896	1290	1775	–	1954	–	2400	**C**	22,1	141	187
36	84	1	2	6/8	**CTCZ**3684	977	1272	–	1393	–	1653	**C**	19,3	108	138
36	72	1	2	6	**CTCZ**3672	924	1145	1069	1252	–	1570	**C**	18,5	97	123
30	72	1	2	4	**CTCZ**3072	897	1086	1029	1175	–	1392	**C**	17,7	89	111
30	60	1	2	4	**CTCZ**3060	877	1037	992	1113	–	1373	**C**	17,0	80	98

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T [ ] -	[ ] -	[ ] /	[ ] -	[ ] -	[ ]	[ ]

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs (table CTCX…) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Metal legs (table CTCZ…) : Specify the finish : Black (**3067**) or Chrome (**3501**). For the Chrome finish : Add $77 (2 bases) or $116 (3 bases).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on two positions, the option code will be M2LR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

TAPERED CONFERENCE TABLES WITH PANEL BASE

Tapered table 29" H. with panel base.
6½" H. modesty panels are included to ensure base stability.
Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.
This base requires assembly.
Multi-outlet module option, see p.10.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
30	54	120	2	2	10	**CTTP**54120	1639	2503	2255	2533	–	3304	**L - C - R**	14,7	176	235
30	54	96	1	2	8	**CTTP**5496	1405	2020	–	2229	–	2691	**L - C - R**	12,0	143	189

TAPERED CONFERENCE TABLES WITH X-LAMINATE BASES

Tapered table 29" H. with X-laminate bases.
6½" H. modesty panels are included to ensure base stability.
Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.
These bases require assembly.
Multi-outlet module option, see p.10.

30	54	120	2	2	10	**CTTC**54120	1870	2734	2486	2764	–	3535	**L - C - R**	15,4	182	241
30	54	96	1	2	8	**CTTC**5496	1636	2251	–	2460	–	2922	**L - C - R**	12,7	149	195

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)
P : Number of panels or bases
G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).
Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.
* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

TAPERED CONFERENCE TABLES WITH ARCHITECTURAL BASES

Tapered table 29" H. with one triangular and one rectangular architectural bases.

6½" H. modesty panels are included to ensure base stability.

Two corner detailing options are available : laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

Multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from surface to the floor).

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
90° Corners																
30	54	120	2	2	10	**CTTS**54120	2691	3554	3307	3585	–	4356	**L - C - R**	23,1	202	261
30	54	96	1	2	8	**CTTS**5496	2461	3076	–	3285	–	3747	**L - C - R**	20,5	169	215
Rounded corners																
30	54	120	2	2	10	**CTTR**54120	2691	3554	3307	3585	–	4356	**L - C - R**	23,1	202	261
30	54	96	1	2	8	**CTTR**5496	2461	3076	–	3285	–	3747	**L - C - R**	20,5	169	215

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of bases

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	Metal	M-Outlet	Position	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

Door : Option on the triangular base, add **PL**, for the rectangular base, add **PR** (+$165 ea.). Ex.: For option on both bases, indicate *PLPR* .

take off – CONFERENCE

Price List – USA

TAPERED CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 29" H.

Tapered table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
ROUND base																	
30	54	120	2	2	10	**CTTDR**54120	2584	3447	3200	3478	–	4249	**L - C - R**	**C**	33,6	314	373
30	54	96	1	2	8	**CTTDR**5496	2313	2928	–	3137	–	3599	**L - C - R**	**C**	31,5	286	332
SQUARE base																	
30	54	120	2	2	10	**CTTDS**54120	2584	3447	3200	3478	–	4249	**L - C - R**	**C**	33,6	353	412
30	54	96	1	2	8	**CTTDS**5496	2313	2928	–	3137	–	3599	**L - C - R**	**C**	31,5	325	371

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

TAPERED CONFERENCE TABLES WITH METAL "T" LEGS

Tapered table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	C	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
30	54	120	2	3	10	**CTTX**54120	2518	3381	3134	3412	–	4183	**L - R**	31,0	189	248
30	54	96	1	2	8	**CTTX**5496	2247	2862	–	3071	–	3533	**C**	22,1	141	187

TAPERED CONFERENCE TABLES WITH ROUND TUBULAR LEGS

Tapered table 29" H. with round tubular metal legs (3" diam.).

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

30	54	120	2	6	10	**CTTLER**54120	2236	3100	2852	3131	–	3902	**L - C - R**	13,6	164	223
30	54	96	1	6	6	**CTTLER**5496	1966	2581	–	2790	–	3252	**L - C - R**	11,5	136	182

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series | Code | Surface | Edge | Metal | M-Outlet | Position

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] [ ]

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on two positions, the option code will be M2LR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

ELLIPTICAL CONFERENCE TABLES WITH PANEL BASE

Elliptical table 29" H. with panel base.

6½" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see p.74.

This base requires assembly.

Multi-outlet module option, see p.10.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	3	12	**CTOP**48144	1541	2279	2230	2534	–	3152	**L - C - R**	18,5	208	271
48	120	2	2	10	**CTOP**48120	1406	2021	1967	2230	–	2770	**L - C - R**	14,7	158	209
48	96	1	2	8	**CTOP**4896	1059	1544	–	1724	–	2169	**L - C - R**	12,0	131	172

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of panels

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

ELLIPTICAL CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 29" H.

Elliptical table 29" H. with tubular metal legs (4" diam.) and round base plate (24" diam.).

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	3	12	**CTODR**48144	2395	3133	3083	3388	–	4005	**L - C - R**	**L - R**	47,2	343	407
48	120	2	2	10	**CTODR**48120	2265	2880	2826	3089	–	3629	**L - C - R**	**C**	33,6	247	297
48	96	1	2	8	**CTODR**4896	1946	2431	–	2610	–	3056	**L - C - R**	**C**	31,5	225	265
42	84	1	2	6	**CTODR**4284	1805	2122	–	2244	–	2600	**L - C - R**	**C**	29,6	204	235

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

ELLIPTICAL CONFERENCE TABLES WITH METAL "T" LEGS

Elliptical table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	3	12	**CTOX**48144	2910	3648	3527	3904	–	4520	**L - R**	33,1	199	263
48	120	2	3	10	**CTOX**48120	2789	3403	3298	3612	–	4153	**L - R**	31,0	171	222
48	96	1	2	8	**CTOX**4896	1940	2426	–	2604	–	3050	**C**	22,1	129	169
42	84	1	2	6	**CTOX**4284	1627	1921	–	2043	–	2441	**C**	20,2	108	139

Elliptical table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

48	144	2	3	12	**CTOZ**48144	1939	2677	2558	2934	–	3550	**L - R**	33,1	199	263
48	120	2	3	10	**CTOZ**48120	1819	2433	2328	2642	–	3182	**L - R**	31,0	171	222
48	96	1	2	8	**CTOZ**4896	1291	1777	–	1955	–	2401	**C**	22,1	129	169
42	84	1	2	6	**CTOZ**4284	978	1273	–	1394	–	1793	**C**	20,2	108	139

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs (table CTOX…) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Metal legs (table CTOZ…) : Specify the finish : Black (**3067**) or Chrome (**3501**). For the Chrome finish : Add $77 (2 bases) or $116 (3 bases).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on two positions, the option code will be M2LR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

ELLIPTICAL CONFERENCE TABLES WITH ROUND TUBULAR LEGS

Elliptical table 29" H. with round tubular metal legs (3" diam.).

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option	Specifications		
A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
48	144	2	8	8	**CTOLER**48144	3080	3818	3697	4074	–	4690	**L - C - R**	16,7	185	249
48	120	2	6	6/8	**CTOLER**48120	2666	3281	3176	3490	–	4030	**L - C - R**	13,6	146	196
48	96	1	6	6	**CTOLER**4896	1521	2006	–	2185	–	2631	**L - C - R**	11,5	124	164
42	84	1	4	4	**CTOLER**4284	1208	1502	–	1624	–	2022	**C**	8,6	91	122

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

RECTANGULAR CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" and 36" H.

Rectangular table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

	Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
	A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
	ROUND base																
40" H.	36	84	1	2	6/8	**CTSDR**403684	1761	2017	–	2140	–	2496	**L - C - R**	**C**	38,5	215	249
	36	72	1	2	6	**CTSDR**403672	1682	1896	1748	2002	–	2321	**L - C - R**	**C**	37,7	205	234
36" H.	36	84	1	2	6/8	**CTSDR**363684	1745	2001	–	2123	–	2479	**L - C - R**	**C**	33,7	213	247
	36	72	1	2	6	**CTSDR**363672	1665	1880	1731	1986	–	2305	**L - C - R**	**C**	32,9	203	232
	SQUARE base																
40" H.	36	84	1	2	6/8	**CTSDS**403684	1761	2017	–	2140	–	2496	**L - C - R**	**C**	38,5	246	280
	36	72	1	2	6	**CTSDS**403672	1682	1896	1748	2002	–	2321	**L - C - R**	**C**	37,7	235	264
36" H.	36	84	1	2	6/8	**CTSDS**363684	1745	2001	–	2123	–	2479	**L - C - R**	**C**	33,7	243	277
	36	72	1	2	6	**CTSDS**363672	1665	1880	1731	1986	–	2305	**L - C - R**	**C**	32,9	233	262

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

BOAT-SHAPED CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" and 36" H.

Boat-shaped table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

	Dimensions						Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
	A	B		S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
	ROUND base																	
40" H.	30	36	84	1	2	6/8	**CTBDR**403684	1859	2176	–	2298	–	2654	**L - C - R**	**C**	38,5	210	241
	30	36	72	1	2	6	**CTBDR**403672	1780	2050	1901	2155	–	2475	**L - C - R**	**C**	37,7	200	226
36" H.	30	36	84	1	2	6/8	**CTBDR**363684	1843	2159	–	2281	–	2638	**L - C - R**	**C**	33,7	207	238
	30	36	72	1	2	6	**CTBDR**363672	1763	2034	1884	2138	–	2459	**L - C - R**	**C**	32,9	197	224
	SQUARE base																	
40" H.	30	36	84	1	2	6/8	**CTBDS**403684	1859	2176	–	2298	–	2654	**L - C - R**	**C**	38,5	240	271
	30	36	72	1	2	6	**CTBDS**403672	1780	2050	1901	2155	–	2475	**L - C - R**	**C**	37,7	230	257
36" H.	30	36	84	1	2	6/8	**CTBDS**363684	1843	2159	–	2281	–	2638	**L - C - R**	**C**	33,7	237	268
	30	36	72	1	2	6	**CTBDS**363672	1763	2034	1884	2138	–	2459	**L - C - R**	**C**	32,9	227	254

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

"RACETRACK" CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" and 36" H.

"Racetrack" table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.
Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

	Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
	A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
	ROUND base																
40" H.	36	84	1	2	6/8	**CTCDR**403684	1859	2176	–	2298	–	2654	**L - C - R**	**C**	38,5	209	240
	36	72	1	2	6	**CTCDR**403672	1780	2050	1901	2155	–	2475	**L - C - R**	**C**	37,7	198	224
36" H.	36	84	1	2	6/8	**CTCDR**363684	1843	2159	–	2281	–	2638	**L - C - R**	**C**	33,7	206	237
	36	72	1	2	6	**CTCDR**363672	1763	2034	1884	2138	–	2459	**L - C - R**	**C**	32,9	196	222
	SQUARE base																
40" H.	36	84	1	2	6/8	**CTCDS**403684	1859	2176	–	2298	–	2654	**L - C - R**	**C**	38,5	239	270
	36	72	1	2	6	**CTCDS**403672	1780	2050	1901	2155	–	2475	**L - C - R**	**C**	37,7	229	255
36" H.	36	84	1	2	6/8	**CTCDS**363684	1843	2159	–	2281	–	2638	**L - C - R**	**C**	33,7	237	267
	36	72	1	2	6	**CTCDS**363672	1763	2034	1884	2138	–	2459	**L - C - R**	**C**	32,9	226	252

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)
P : Number of legs
G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).
Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.
* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

ELLIPTICAL CONFERENCE TABLES WITH TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" and 36" H.

Elliptical table 40" or 36" H. with tubular metal legs (4" diam.) and round base plate (24" diam.).

Legs allow cable passage (from surface to floor) using the M2 multi-outlet module.

Multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

	Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Multi-Outlet option		Specifications		
	A	B	S	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft.	lb (L-V)	lb (M)
40" H.	42	84	1	2	6	**CTODR**404284	1833	2149	–	2272	–	2628	**L - C - R**	**C**	39,4	209	240
36" H.	42	84	1	2	6	**CTODR**364284	1816	2133	–	2255	–	2611	**L - C - R**	**C**	34,6	207	238

S : Number of sections (the woodgrain is not aligned where the two surfaces meet)

P : Number of legs

G : Seating capacity

SPECIFY / OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Position
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330 ea.), recessed (**M3** +$1133 ea.), pivoting (**M4** +$825 ea.), data outlet (**M5** +$385 ea.) or USB outlet (**M6** +$660 ea.).

Position : For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet modules depending on the selected table.

take off – CONFERENCE

Price List – USA

SQUARE MEETING TABLES WITH X-LAMINATE BASE

Square table 29" H. with X-laminate base.

Use AC-WR24 or AC-LW24 wire troughs to secure cabling to the base panels, see p.74.

This base requires assembly.

Centered multi-outlet module option, see p.10. This option will generate a cut-out on the base, under the surface.

Dimensions				Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	B	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
60		29	8	**TSC**296060	743	1032	921	1164	–	1540	10,0	136	176
54		29	4	**TSC**295454	664	912	829	1021	–	1340	8,7	120	152
48		29	4	**TSC**294848	569	784	721	876	–	1162	7,1	97	122
42		29	4	**TSC**294242	508	693	649	768	–	1010	6,1	83	103

SQUARE MEETING TABLES WITH ARCHITECTURAL BASE - 29" and 24" H.

Square table 29" or 24" H. with square architectural base, all laminate.

Centered multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from table top to the floor).

29" H.	60	30	29	8	**TSRW**296060	908	1197	1086	1329	–	1705	24,2	153	194
	54	24	29	4	**TSRW**295454	839	1087	1004	1196	–	1515	17,0	126	158
	48	24	29	4	**TSRW**294848	732	947	883	1038	–	1324	15,9	111	137
	42	18	29	4	**TSRW**294242	682	867	823	942	–	1184	10,2	87	107
24" H.	60	30	24	8	**TSRW**246060	854	1143	1032	1275	–	1651	21,3	141	182
	54	24	24	4	**TSRW**245454	785	1033	950	1142	–	1461	15,1	116	148
	48	24	24	4	**TSRW**244848	678	893	829	985	–	1271	14,0	101	127
	42	18	24	4	**TSRW**244242	628	813	769	888	–	1130	9,1	79	99

G : Seating capacity

SPECIFY					OPTIONS	
Series	Code	Surface	Edge	Base	M-Outlet	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-outlet (TSC…)** : Round (**M2** +$330), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Multi-outlet (TSRW…) : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Door (TSRW…) : (**PC** +$165).

SQUARE MEETING TABLES WITH ARCHITECTURAL BASE - 29" and 24" H. (cont'd)

Square table 29" or 24" H. with square architectural base.

Two corner detailing options are available : laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Centered multi-outlet module option, see p.10.

A removable door option on the base allows access to interior cabling (from table top to the floor).

	Dimensions				Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
	A	B	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
	90° Corners													
29" H.	60	30	29	8	**TSRS**296060	1004	1372	1381	1624	–	2000	24,2	153	194
	54	24	29	4	**TSRS**295454	958	1255	1264	1507	–	1868	17,0	126	158
	48	24	29	4	**TSRS**294848	926	1154	1173	1328	–	1614	15,9	111	137
	42	18	29	4	**TSRS**294242	879	1027	1112	1231	–	1473	10,2	87	107
24" H.	60	30	24	8	**TSRS**246060	927	1295	1300	1543	–	1920	21,3	141	182
	54	24	24	4	**TSRS**245454	880	1177	1184	1427	–	1788	15,1	116	148
	48	24	24	4	**TSRS**244848	849	1077	1092	1247	–	1533	14,0	101	127
	42	18	24	4	**TSRS**244242	801	950	1032	1151	–	1393	9,1	79	99
	Rounded corners													
29" H.	60	30	29	8	**TSRR**296060	1004	1372	1381	1624	–	2000	24,2	153	194
	54	24	29	4	**TSRR**295454	958	1255	1264	1507	–	1868	17,0	126	158
	48	24	29	4	**TSRR**294848	926	1154	1173	1328	–	1614	15,9	111	137
	42	18	29	4	**TSRR**294242	879	1027	1112	1231	–	1473	10,2	87	107

G : Seating capacity

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Metal	M-Outlet	Door
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Metal corners (S or R): Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Door : (**PC** +$165).

take off – CONFERENCE

Price List – USA

SQUARE MEETING TABLES WITH TUBULAR LEG AND SQUARE BASE PLATE - 40", 36", 29" and 24" H.

Square table 40", 36", 29" or 24" H. with tubular metal legs (4" diam.) and square base plate (24").
Leg allows cable passage (from surface to floor) using the M2 multi-outlet module.
Centered round multi-outlet module option, see voir p.10.

	Dimensions				Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
	A	B	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
40" H.	42	24	40	4	**TSDS**404242	800	943	989	1108	–	1350	19,8	129	149
	36	24	40	4	**TSDS**403636	766	870	876	963	–	1141	18,9	117	132
	30	21	40	4	**TSDS**403030	700	763	792	853	–	977	14,7	92	102
36" H.	42	24	36	4	**TSDS**364242	791	935	972	1091	–	1333	17,4	128	148
	36	24	36	4	**TSDS**363636	733	837	864	950	–	1129	16,5	116	131
	30	21	36	4	**TSDS**363030	713	778	780	840	–	965	12,8	90	100
29" H.	48	24	29	4	**TSDS**294848	785	1005	1021	1176	–	1462	15,8	140	166
	42	24	29	4	**TSDS**294242	779	923	960	1079	–	1321	14,9	127	147
	36	21	29	4	**TSDS**293636	722	826	853	939	–	1118	11,4	98	113
	30	21	29	4	**TSDS**293030	702	767	769	829	–	954	10,7	89	99
24" H.	48	24	24	4	**TSDS**244848	759	979	982	1137	–	1423	13,7	139	165
	42	24	24	4	**TSDS**244242	752	897	922	1041	–	1283	12,8	126	146
	36	21	24	4	**TSDS**243636	701	805	814	901	–	1079	9,9	97	112
	30	21	24	4	**TSDS**243030	681	746	730	791	–	915	9,2	88	98

G : Seating capacity

SPECIFY					OPTIONS
Series	Code	Surface	Edge	Metal	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).
Options **Multi-Outlet** : Round (**M2** +$330).

SQUARE MEETING TABLES WITH X-METAL LEG

Square table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Dimensions			Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
48	29	4	**TSX**294848	1318	1568	1510	1640	–	1945	11,0	109	143
42	29	4	**TSX**294242	1264	1484	1455	1549	–	1801	10,2	93	120

Square table 29" H. with tubular metal legs and vertical steel base support.
54" and 60" tables have a reinforced base to ensure stability

60	29	8	**TSZ**296060	807	1090	965	1218	–	1598	23,8	146	200
54	29	4	**TSZ**295454	744	998	898	1099	–	1439	22,5	128	172
48	29	4	**TSZ**294848	674	891	815	977	–	1268	16,5	109	143
42	29	4	**TSZ**294242	620	815	758	881	–	1132	15,6	93	119
36	29	4	**TSZ**293636	523	674	646	728	–	935	11,4	80	99
30	29	4	**TSZ**293030	488	590	609	644	–	798	8,5	69	82
24	29	2	**TSZ**292424	462	524	575	578	–	683	6,1	60	68

G : Seating capacity

SPECIFY

Series	Code	Surface	Edge	Metal
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal leg (table TSX…) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).
Metal leg (table TSZ…) : Specify the finish : Black (**3067**) or Chrome (**3501** +$77).

take off – CONFERENCE

Price List – USA

SQUARE & RECTANGULAR MEETING TABLES WITH SQUARE TUBULAR LEGS

Square or rectangular table 29" H. with square tubular metal legs (2½" x 2½").

A stiffener is available for 54" to 72" surfaces, see p.73.

Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Caster option, see p.9.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	B	C	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
Square tables														
60	60	29	4	8	**TSLES**296060	663	1031	1075	1328	–	1708	8,7	115	156
54	54	29	4	4	**TSLES**295454	633	930	1008	1209	–	1549	7,4	99	131
48	48	29	4	4	**TSLES**294848	602	828	925	1087	–	1378	6,3	84	110
42	42	29	4	4	**TSLES**294242	585	734	868	991	–	1242	5,4	71	91
36	36	29	4	4	**TSLES**293636	553	658	756	838	–	1045	4,5	59	74
Rectangular tables														
36	84	29	6	6/8	**TSLES**293684	868	1134	–	1548	–	1928	8,7	115	149
36	72	29	4	6	**TSLES**293672	837	1054	1118	1319	–	1659	6,9	91	120
36	66	29	4	6	**TSLES**293666	824	1016	1035	1197	–	1488	6,5	86	112

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Casters
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Casters : Caster option, add **CA** (table with 4 legs +$22) (table with 6 legs +$33).

SQUARE & RECTANGULAR MEETING TABLES WITH ROUND TUBULAR LEGS

Square or rectangular table 29" H. with round tubular metal legs (3" diam.).

A stiffener is available for 54" to 72" surfaces, see p.73.

Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Caster option, see p.9.

Dimensions					Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	B	C	P	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
Square tables														
60	60	29	4	8	**TSLER**296060	904	1266	1224	1477	–	1858	8,7	111	152
54	54	29	4	4	**TSLER**295454	873	1165	1157	1359	–	1698	7,4	95	127
48	48	29	4	4	**TSLER**294848	833	1053	1075	1236	–	1528	6,3	80	106
42	42	29	4	4	**TSLER**294242	807	969	1018	1141	–	1392	5,4	67	87
36	36	29	4	4	**TSLER**293636	703	807	905	988	–	1195	4,5	55	70
Rectangular tables														
36	84	29	6	6/8	**TSLER**293684	1092	1359	–	1772	–	2153	8,7	111	145
36	72	29	4	6	**TSLER**293672	987	1203	1267	1469	–	1808	6,9	87	116
36	66	29	4	6	**TSLER**293666	974	1166	1185	1346	–	1638	6,5	82	108

P : Number of legs

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Casters
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Casters : Caster option, add **CA** (table with 4 legs +$22) (table with 6 legs +$33).

take off – CONFERENCE

Price List – USA

ROUND MEETING TABLES WITH X-LAMINATE BASE

Round table 29" H. with X-laminate base.

Use AC-WR24 or AC-LW24 wire troughs to secure cabling to the base panels, see p.74.

This base requires assembly.

Centered multi-outlet module option, see p.10. This option will generate a cut-out on the base, under the surface.

Dimensions			Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
60	29	6	**TRC**2960	743	1032	921	1164	–	1540	10,0	117	149
54	29	5	**TRC**2954	664	912	829	1021	–	1340	8,7	104	130
48	29	4/5	**TRC**2948	569	784	721	876	–	1162	7,1	84	105
42	29	4	**TRC**2942	508	693	649	768	–	1010	6,1	74	90

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Base	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

Options **Multi-Outlet** : Round (**M2** +$330), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

ROUND MEETING TABLES WITH TUBULAR LEG AND ROUND BASE PLATE - 40", 36", 29" and 24" H.

Round table 40", 36", 29" or 24" H. with tubular metal legs (4" diam.) and round base plate (24").

Leg allows cable passage (from surface to floor) using the M2 multi-outlet module.

Centered round multi-outlet module option, see p.10.

	Dimensions				Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
	A	B	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
40" H.	42	24	40	4	**TRDR**4042	800	943	989	1108	–	1350	19,8	104	120
	36	24	40	3/4	**TRDR**4036	766	870	876	963	–	1141	18,9	96	107
	30	21	40	3	**TRDR**4030	700	763	792	853	–	977	14,7	75	83
36" H.	42	24	36	4	**TRDR**3642	791	935	972	1091	–	1333	17,4	103	119
	36	24	36	3/4	**TRDR**3636	733	837	864	950	–	1129	16,5	95	106
	30	21	36	3	**TRDR**3630	713	778	780	840	–	965	12,8	74	82
29" H.	48	24	29	4/5	**TRDR**2948	785	1005	1021	1176	–	1462	15,8	113	133
	42	24	29	4	**TRDR**2942	779	923	960	1079	–	1321	14,9	102	118
	36	21	29	3/4	**TRDR**2936	722	826	853	939	–	1118	11,4	80	91
	30	21	29	3	**TRDR**2930	702	767	769	829	–	954	10,7	72	80
24" H.	48	24	24	4/5	**TRDR**2448	759	979	982	1137	–	1423	13,7	111	131
	42	24	24	4	**TRDR**2442	752	897	922	1041	–	1283	12,8	100	116
	36	21	24	3/4	**TRDR**2436	701	805	814	901	–	1079	9,9	79	90
	30	21	24	3	**TRDR**2430	681	746	730	791	–	915	9,2	71	79

G : Seating capacity

SPECIFY					OPTIONS
Series	Code	Surface	Edge	Metal	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330).

take off – CONFERENCE

Price List – USA

ROUND MEETING TABLES WITH X-METAL LEG

Round table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Dimensions			Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
48	29	4/5	**TRX**2948	1318	1568	1510	1640	–	1945	11,0	94	123
42	29	4	**TRX**2942	1264	1484	1455	1549	–	1801	10,2	82	104

Round table 29" H. with tubular metal legs and vertical steel base support.
54" and 60" tables have a reinforced base to ensure stability.

60	29	6	**TRZ**2960	807	1090	965	1218	–	1598	23,8	124	170
54	29	5	**TRZ**2954	744	998	898	1099	–	1439	22,5	109	147
48	29	4/5	**TRZ**2948	674	891	815	977	–	1268	16,5	94	123
42	29	4	**TRZ**2942	620	815	758	881	–	1132	15,6	82	104
36	29	3/4	**TRZ**2936	523	674	646	728	–	935	11,4	71	87
30	29	3	**TRZ**2930	488	590	609	644	–	798	8,5	62	73
24	29	2	**TRZ**2924	462	524	575	578	–	683	6,1	54	62

G : Seating capacity

SPECIFY

Series	Code	Surface	Edge	Metal
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Metal leg (table TRX …) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).
Metal leg (table TRZ …) : Specify the finish : Black (**3067**) or Chrome (**3501** +$77).

ROUND MEETING TABLES WITH ROUND TUBULAR LEGS

Round table 29" H. with 4 round tubular metal legs (2½" x 2½").

A stiffener is available for 54" to 60" surfaces, see p.73.

Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Caster option, see p.9.

Dimensions			Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	C	G		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
60	29	6	**TRLER**2960	904	1266	1224	1477	–	1858	8,7	93	124
54	29	5	**TRLER**2954	873	1165	1157	1359	–	1698	7,4	80	105
48	29	4/5	**TRLER**2948	833	1053	1075	1236	–	1528	6,3	68	88
42	29	4	**TRLER**2942	826	969	1018	1141	–	1392	5,4	57	73

G : Seating capacity

SPECIFY — OPTIONS

Series	Code	Surface	Edge	Metal	M-Outlet	Casters
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal legs : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Multi-Outlet** : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

Casters : Caster option, add **CA** (+$22).

take off – CONFERENCE

Price List – USA

RECTANGULAR & SQUARE SURFACES FOR MODULAR TABLES

Rectangular or square surface for modular tables. Order legs separately : individually or set of 4, see p.64.

Grommet or multi-outlet module option, centered.

With the grommet or multi-outlet module option, it is suggested to order a modesty panel, see p.65 and Take Off Freestanding price list.

Grommet or multi-outlet module position

On 72" tables, legs are recessed

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	4	**MSi**3672	372	590	521	697	3,9	72	109
36	60	4	**MSi**3660	310	492	436	581	3,3	60	92
36	48	4	**MSi**3648	267	424	378	495	2,6	49	75
30	72	4	**MSi**3072	311	492	435	581	3,3	60	92
30	60	4	**MSi**3060	278	426	378	499	2,7	55	83
30	48	4	**MSi**3048	246	394	348	466	2,2	44	67
30	42	4	**MSi**3042	233	365	326	432	1,9	42	63
30	36	4	**MSi**3036	220	338	288	397	1,7	39	59
24	72	4	**MSi**2472	267	424	378	495	2,6	49	74
24	60	4	**MSi**2460	239	369	328	426	2,2	44	67
24	48	4	**MSi**2448	210	334	288	394	1,8	36	54
24	42	4	**MSi**2442	199	315	285	365	1,6	34	51
24	36	4	**MSi**2436	185	294	279	338	1,3	32	48

48	48	4	**MSi**4848	332	525	464	619	3,5	66	99
42	42	4	**MSi**4242	278	425	377	499	2,7	51	76
36	36	4	**MSi**3636	233	365	326	432	2,0	37	56

Grommet or multi-outlet module position

D : Number of legs recommended

SPECIFY — OPTIONS

Series — Code — Surface — Edge — Grom. or M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐

Specify **Series** : L, M (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Options **Grommet** : Centered. Specify the color of the grommet, White (**G1C**) or Charcoal (**G2C**), add $32.

Multi-Outlet : Centered : "1 circuit" (**ECC** +$213), "standard" (**UCC** +$213), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

"CRESCENT" SURFACES FOR MODULAR TABLES

"Crescent" surface for modular tables. Order legs separately : individually or set of 4, see p.64.

Grommet or multi-outlet module option, centered.

With the grommet or multi-outlet module option, it is suggested to order a modesty panel, see p.65 and Take Off Freestanding price list.

Grommet or multi-outlet module position

On 72" tables, legs are recessed

D : Number of legs recommended

Dimensions			Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	4	**MSC**3072	344	534	479	624	3,6	60	92
30	60	4	**MSC**3060	307	459	413	534	3,0	55	83
30	48	4	**MSC**3048	278	426	402	499	2,4	44	67
24	72	4	**MSC**2472	301	463	418	535	3,0	49	74
24	60	4	**MSC**2460	270	400	361	459	2,5	44	67
24	48	4	**MSC**2448	239	369	348	426	2,0	36	54

SPECIFY — OPTIONS

Series — Code — Surface — Edge — Grom. or M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series** : L, M (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Options **Grommet** : Centered. Specify the color of the grommet, White (**G1C**) or Charcoal (**G2C**), add $32.

Multi-Outlet : Centered : "1 circuit" (**ECC** +$213), "standard" (**UCC** +$213), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

take off – CONFERENCE

Price List – USA

"ARC" SURFACES FOR MODULAR TABLES

"Arc" surface for modular tables. Order legs separately : individually or set of 4, see p.64.

left

right

Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	30	60	4	**MSA**243060	308	459	414	535	2,7	52	79
24	30	48	4	**MSA**243048	278	426	403	499	2,2	42	64
30	24	60	4	**MSA**302460	308	459	414	535	2,7	52	79
30	24	48	4	**MSA**302448	278	426	403	499	2,2	42	64

"TRAPEZOID" SURFACES FOR MODULAR TABLES

"Trapezoid" surface for modular tables. Order legs separately : individually or set of 4, see p.64.

30	60	4	**MSZ**3060	308	459	427	535	2,7	37	56
24	48	4	**MSZ**2448	271	400	362	459	1,8	25	36

"HILL-TOP" SURFACES FOR MODULAR TABLES

"Hill-Top" surface for modular tables. Order legs separately : individually or set of 4, see p.64.

40½	60	4	**MSH**4060	399	655	638	804	3,7	57	86
36½	54	4	**MSH**3654	345	535	479	625	3,0	47	70
32½	48	4	**MSH**3248	303	463	419	536	2,4	37	56

D : Number of legs recommended

SPECIFY

Series	Code	Surface	Edge
T ☐ -	☐ -	☐ /	☐

Specify **Series** : L, M (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.

"SOFT-SQUARE" SURFACES FOR MODULAR TABLES

"Soft-Square" surface for modular tables. Order legs separately : individually or set of 4, see p.64.
A stiffener is available for 60" surfaces, see p.73.
Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
60	60	4	**MSQ**6060	464	806	624	936	5,4	99	152
48	48	4	**MSQ**4848	376	616	601	757	3,5	64	98
42	42	4	**MSQ**4242	308	459	414	535	2,7	50	76
36	36	4	**MSQ**3636	271	400	362	459	2,0	35	54

ROUND SURFACES FOR MODULAR TABLES

Round surface for modular tables. Order legs separately : individually or set of 4, see p.64.
A stiffener is available for 60" surfaces, see p.73.
Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

60	4	**MSR**60	464	806	624	936	5,4	85	130
48	4	**MSR**48	376	616	601	757	3,5	56	84
42	4	**MSR**42	308	459	414	535	2,7	43	65
36	4	**MSR**36	271	400	362	459	2,0	30	46

TRIANGLE SURFACES FOR MODULAR TABLES

Triangle surface for modular tables. Order legs separately : individually, see p.64.
Centered multi-outlet module option, see p.10. The multi-outlet module will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet module under the table, see p.73.

48	3	**MST**48	376	616	601	757	3,5	47	72
42	3	**MST**42	308	459	414	535	2,7	35	55
36	3	**MST**36	271	400	362	459	2,0	24	38

D : Number of legs recommended

SPECIFY — OPTIONS

Series	Code	Surface	Edge	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series** : L, M (specifications p.6).
Code : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
Options **Multi-Outlet** : Round (**M2** +$330), recessed (**M3** +$1133), pivoting (**M4** +$825), data outlet (**M5** +$385) or USB outlet (**M6** +$660).

STANDARD LEGS FOR MODULAR TABLES SURFACES

Standard leg for 29" H. modular table. Tubular metal, 2½" diameter with integrated leveler.
For 29" H. table, height adjustment from 27⅝" to 28¾". Caster option not available.

	Code	Price	Specifications	
Surface height : 29"			Cu.Ft.	lb
1 leg	**AC-LE291E**	112	0,4	6
Set of 4 legs	**AC-LE294E**	411	1,7	19

SLEEVE LEGS FOR MODULAR TABLES SURFACES

Sleeve leg for 26" or 29" H. modular table. Tubular metal, 2½" diameter with integrated leveler.
For 29" H. table, height adjustment from 25⅝" to 29⅛" (with caster, add 2½").
For 26" H. table, height adjustment from 22½" to 26" (with caster, add 2½").
Caster option available, sold separately, see product below.

Surface height : 29"				
1 leg	**AC-LE291D**	132	0,4	6
Set of 4 legs	**AC-LE294D**	503	1,7	19
Surface height : 26"				
1 leg	**AC-LE261D**	132	0,4	5
Set of 4 legs	**AC-LE264D**	503	1,7	17

26" H. leg allows the unit to slide underneath
all regular height surface 29" H.

SPECIFY

Code		Metal
	-	

Specify **Code** : Consult the above product code list.
Metal : Specify the finish : Black (**CMN**), Aluminum (**CMW**) or White (**CMB**).

CASTER FOR SLEEVE LEGS

Braking caster for sleeve legs for modular tables, black.
Sold individually.

1 caster	**AC-LELC**	53	0,1	1

MODESTY PANEL FOR MODULAR TABLES

Perforated metal modesty panel for modular tables.
Installs under a surface, with screws.
A slot at the bottom can support wiring (width 1½").

Dimensions		Code		Price	Specifications	
A	B				Cu.Ft.	lb
52½	10	**AC-MMP**60	60" to 72" surfaces	128	1,7	12
40½	10	**AC-MMP**48	48" surface	114	1,2	9

SPECIFY

Code Metal

[ ] - [ ]

Specify **Code** : Consult the above product code list.
Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

JUNCTION PLATES

Metal junction plates, Black finish.
Used to join 2 surfaces side-by-side.

Pack of 2	**AC-FJP**2	20	0,1	1

LOCKING BRACKET

Locking ganging bracket to be used to join 2 mobile tables to create one surface.
Black. Sold individually.

1 locking bracket	**AC-FLP**	23	0,1	1

take off – CONFERENCE

Price List – USA

OCCASIONAL TABLES (LAMINATE BASE)

Square occasional table, 17½" H.

Laminate base.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	17½		**TMAS**173030	292	396	384	444	10,6	59	71
24	48	17½		**TMAS**172448	319	452	422	512	13,5	61	77
24	42	17½		**TMAS**172442	304	420	402	473	11,8	57	70
24	30	17½		**TMAS**172430	268	371	372	420	8,5	48	57
24	24	17½		**TMAS**172424	234	329	323	362	6,9	43	51
24	18	17½		**TMAS**172418	244	292	316	322	5,2	39	44
18	36	17½		**TMAS**171836	284	387	377	435	7,7	40	48
18	30	17½		**TMAS**171830	256	316	332	351	6,5	36	44
18	24	17½		**TMAS**171824	244	292	316	321	5,2	33	39
18	18	17½		**TMAS**171818	233	267	299	315	4,0	29	34

Occasional table with ribbon style detail.

Table height : 17½", ribbon height : 18½", ribbon width : 10".

24	48	18½	17½	**TMAB**2448	449	603	–	–	14,2	61
24	42	18½	17½	**TMAB**2442	435	571	–	–	12,4	56
24	36	18½	17½	**TMAB**2436	402	521	–	–	10,7	52
24	30	18½	17½	**TMAB**2430	386	480	–	–	9	48
24	24	18½	17½	**TMAB**2424	370	442	–	–	7,2	44
18	36	18½	17½	**TMAB**1836	384	460	–	–	8,1	42
18	30	18½	17½	**TMAB**1830	373	436	–	–	6,8	38
18	24	18½	17½	**TMAB**1824	363	411	–	–	5,5	35

Round occasional table, 17½" H.

Laminate base.

Dimensions		Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
36	17½	**TMAR**1736	309	462	560	603	–	833	15,1	51	68
30	17½	**TMAR**1730	281	428	502	537	–	728	10,6	52	60
24	17½	**TMAR**1724	241	354	426	455	–	587	6,9	38	43

SPECIFY

Series	Code	Surface	Edge	Base
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series** : L, M or V as indicated above (specifications p.6).

Code : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, p.16-17.

OCCASIONAL TABLES (METAL BASE)

Round occasional table 17½" H. with tubular metal leg (3" diam.) and round base plate (18" diam.).

Dimensions			Code	L Lima 1" Straight		M Mike 1½" Straight		V Victor 1" Reverse		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft.	lb (L-V)	lb (M)
30		17½	**TMARD**1730	680	828	901	936	–	1129	5,2	58	66
24		17½	**TMARD**1724	658	796	825	855	–	1030	4,8	52	57

Elliptical occasional table 17½" H. with tubular metal leg (3" diam.) and round base plate (18" diam.).

21	36	17½	**TMAED**172136	658	806	901	946	–	1150	5	54	60

Square occasional table 17½" H. with tubular metal leg (3" diam.) and square base plate (18" x 18").

30	30	17½	**TSDS**173030	680	828	901	936	–	1129	5,2	71	81
24	24	17½	**TSDS**172424	658	796	825	855	–	1030	4,8	63	69

Square or rectangular occasional table 17½" H. with square tubular metal legs (2½" x 2½").

24	36	17½	**TMASS**172436	546	662	644	758	–	910	2,5	35	45
24	24	17½	**TMASS**172424	510	613	614	705	–	846	2	28	34

SPECIFY

Series	Code	Surface	Edge	Metal
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series** : L, M or V (specifications p.6).

Code : Consult the above product code list.

Surface / Edge : Take Off finishes, p.16.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

take off – CONFERENCE

Price List – USA

STORAGE

Many storage units (credenza, cabinets, bookcase…etc.) with different configurations and dimensions are offered in the Take Off Freestanding Collection.
Refer to current Take Off Freestanding price list for details and complete offering.

Cabinets

Bookcases

29" or 35" H. credenza

30" or 36" wide storage

SIDEBOARDS

Sideboard on casters (2 braking) with lateral pull on left side.
1 adjustable shelf in the storage section.
Cutlery tray in the drawer.
Optional Noki electronic lock. Locks the door(s).

Dimensions			Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	36	36	**UC**2136	1058	1123	1196	1366	17,7	137	147
21	24	36	**UC**2124	1013	1082	1147	1294	12,1	92	98

SPECIFY — OPTIONS

Series Code Surface Edge Base Fronts Pull Noki

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series** : L or M (specifications p.6).
Code : Consult the above product code list.
Surface / Edge / Base / Front : Take Off finishes, p.16-17.
Pulls : Pulls included, specify the type, p.17.
Options **Noki** : Electronic lock option, add **L** (+$66).

PROJECTOR SHELF

Projector shelf to be used on a conference table. Height : 2½".
1" thick laminate shelf.
Slip-resistant plastic posts, aluminum finish.

Dimensions		Code	Price		Specifications	
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
13	15½	**PROJ**1315	177	212	0,5	6

SPECIFY

Series	Code	Surface	Edge
T L -	-	/	

Specify **Code** : Consult the above product code list.
Surface / Edge : Take Off finishes, p.16.
FLUTED edge not available on this product.

LECTERN

Lectern on casters (4 including 2 braking), metal and laminate structure.
Angled document holder, with black grommet.
1 fixed shelf and door for interior cable access.
Includes a multi-outlet (AC-EPUP) and a harness for extra cabling.

16	20	46	**LECE**162046	2075	–	11	53

PRESENTATION BOARDS

Presentation board with hinged doors.
Includes a tackboard, white marker board, markers, eraser and writing pad.
* Use only dry erase markers on marker board (White H.P.L.).

48	45	**PB**4845	1423	–	6,0	98

Presentation board with hinged doors.
Includes a retractable projection screen, tackboard, white marker board, markers, eraser and writing pad.
* Use only dry erase markers on marker board (White H.P.L.).

48	45	**PBS**4845	1798	–	6,0	108

SPECIFY

Series	Code	Base	Metal
T L -	-	-	

Specify **Code** : Consult the above product code list.
Base : Take Off finishes, p.17.
Metal (lectern) : Specify the structure finish : Black (**3067**), Charcoal (**3064**), SIlver (**3090**) or Polar White (**3002**).

take off – CONFERENCE

Price List – USA

UPPER WORK WALLS

Upper work wall. Can be used alone or placed over a lower work wall of the same width (sold separately).

Available in 5 models : all laminate, laminate with 1 or 3 accessory rail(s) (anodized aluminum finish), white marker board or tackboard.

The white marker board and tackboard edge color will be the same as the specified "base" finish.

Wood grain is horizontal. Mounting brackets included. For more information, see p.15.

	Dimensions		Code	Price							Specifications	
	A	B	Laminate		1 accessory rail		3 accessory rails		White marker board		Cu.Ft.	lb
43" H.	72	43	**WWW**7243	509	**WWB**7243	565	**WWU**7243	733	**WWL**7243	807	6,7	109
	66	43	**WWW**6643	458	**WWB**6643	514	**WWU**6643	681	**WWL**6643	734	6,2	100
	60	43	**WWW**6043	433	**WWB**6043	488	**WWU**6043	656	**WWL**6043	688	5,7	91
	54	43	**WWW**5443	408	**WWB**5443	464	**WWU**5443	575	**WWL**5443	641	5,1	82
	48	43	**WWW**4843	351	**WWB**4843	407	**WWU**4843	518	**WWL**4843	562	4,6	73
	42	43	**WWW**4243	326	**WWB**4243	382	**WWU**4243	460	**WWL**4243	513	4,0	64
	36	43	**WWW**3643	296	**WWB**3643	326	**WWU**3643	407	**WWL**3643	461	3,5	55
	30	43	**WWW**3043	271	**WWB**3043	301	**WWU**3043	382	**WWL**3043	415	2,9	46
37" H.	72	37	**WWW**7237	443	**WWB**7237	498	**WWU**7237	611	**WWL**7237	710	5,8	91
	66	37	**WWW**6637	427	**WWB**6637	483	**WWU**6637	594	**WWL**6637	683	5,4	84
	60	37	**WWW**6037	399	**WWB**6037	455	**WWU**6037	567	**WWL**6037	629	4,9	77
	54	37	**WWW**5437	378	**WWB**5437	433	**WWU**5437	546	**WWL**5437	589	4,4	70
	48	37	**WWW**4837	325	**WWB**4837	381	**WWU**4837	450	**WWL**4837	515	3,9	63
	42	37	**WWW**4237	303	**WWB**4237	359	**WWU**4237	428	**WWL**4237	472	3,5	56
	36	37	**WWW**3637	276	**WWB**3637	306	**WWU**3637	359	**WWL**3637	426	3,0	49
	30	37	**WWW**3037	254	**WWB**3037	285	**WWU**3037	338	**WWL**3037	385	2,5	42

				Price						
			Tackboard	COM / Gr. 1	Gr. 2	Gr. 3	Gr.4	Gr. 5		
43" H.	72	43	**WWT**7243	513	519	535	551	578	6,7	109
	66	43	**WWT**6643	472	496	512	528	554	6,2	100
	60	43	**WWT**6043	439	462	479	494	520	5,7	91
	54	43	**WWT**5443	416	439	455	471	498	5,1	82
	48	43	**WWT**4843	378	396	408	420	440	4,6	73
	42	43	**WWT**4243	355	373	385	397	417	4,0	64
	36	43	**WWT**3643	323	336	343	351	364	3,5	55
	30	43	**WWT**3043	300	312	320	329	342	2,9	46
37" H.	72	37	**WWT**7237	487	494	509	526	552	5,8	91
	66	37	**WWT**6637	448	472	488	504	530	5,4	84
	60	37	**WWT**6037	416	440	455	472	498	4,9	77
	54	37	**WWT**5437	394	418	433	450	476	4,4	70
	48	37	**WWT**4837	359	376	388	400	420	3,9	63
	42	37	**WWT**4237	337	354	366	378	398	3,5	56
	36	37	**WWT**3637	306	318	326	333	347	3,0	49
	30	37	**WWT**3037	284	296	304	312	326	2,5	42

SPECIFY

Series	Code	Base	Fabric
T L -	_____ -	_____ -	_____

Specify **Code** : Consult the above product code list.

Base : For **all** types of work walls, specifiy the finish. Take Off finishes, p.17.

Fabric (tackboard) : Specify the fabric, refer to current Artopex panel fabric charts.

LOWER WORK WALLS

Lower work wall. Cannot be used alone. Must be placed under an upper work wall of the same width (sold separately).
Available in laminate, wood grain is horizontal. Mounting brackets included.
When placed under a 43" H. upper work wall, the total height will be 72" (same height as the 72" H cabinet).
When placed under a 37" H. upper work wall, the total height will be 66" (same height as the 66" H cabinet).

	Dimensions		Code	Price	Specifications	
	A	B	Laminate		Cu.Ft.	lb
29" H.	72	29	**WBW**7229	507	4,6	68
	66	29	**WBW**6629	497	4,3	63
	60	29	**WBW**6029	488	3,9	58
	54	29	**WBW**5429	479	3,5	53
	48	29	**WBW**4829	469	3,1	48
	42	29	**WBW**4229	433	2,8	43
	36	29	**WBW**3629	424	2,4	38
	30	29	**WBW**3029	414	2,0	33

SPECIFY

Series	Code	Base
T L -		-

Specify **Code** : Consult the above product code list.
Base : Take Off finishes, p.17.

SHELVES FOR WORK WALLS WITH ACCESSORY RAIL

1" thick shelf, installs on the accessory rail of the work walls.
Straight edge profile, matching shelf finish.
Anodized aluminum support brackets included.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
10" Depth						
10	72	3	**SHE**1072	186	1,6	18
10	66	3	**SHE**1066	179	1,5	16
10	60	3	**SHE**1060	171	1,4	15
10	54	3	**SHE**1054	163	1,2	13
10	48	3	**SHE**1048	154	1,1	12
10	42	2	**SHE**1042	136	1,0	10
10	36	2	**SHE**1036	130	0,8	9
10	30	2	**SHE**1030	120	0,7	7
10	24	2	**SHE**1024	113	0,6	6
6" Depth						
6	72	3	**SHE**0672	166	1,1	11
6	66	3	**SHE**0666	161	1,0	10
6	60	3	**SHE**0660	155	0,9	9
6	54	3	**SHE**0654	149	0,8	8
6	48	3	**SHE**0648	141	0,7	7
6	42	2	**SHE**0642	125	0,7	6
6	36	2	**SHE**0636	120	0,6	5
6	30	2	**SHE**0630	112	0,5	4
6	24	2	**SHE**0624	107	0,4	3

C : Number of supports

SPECIFY

Series	Code	Base
T L -	____ -	____

Specify **Code** : Consult the above product code list.
Base : Specify the color of the shelf. Take Off finishes, p.17.

BOOKENDS FOR SHELVES

Metal bookends, install on 1" thick shelf for work walls with accessory rail.
Set of 2.

For 10" shelf - 2 bookends	**ASDM**10	33	0,1	1
For 6" shelf - 2 bookends	**ASDM**06	29	0,1	1

SPECIFY

Series	Code	Metal
T L -	____ -	____

Specify **Code** : Consult the above product code list.
Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

STIFFENERS

Metal stiffener, charcoal finish.
Stiffeners are recommended for tables 54" or more with tubular legs.
Installation hardware included.

	Code	Price	Specifications	
			Cu.Ft.	lb
For surface 72" or more	**AC-RSTi**64	83	0,5	5
For surfaces 60" and 66"	**AC-RSTi**52	77	0,5	4
For surface 54"	**AC-RSTi**46	72	0,5	3

FINISHING CASE

Metal finishing case.
Installs under a surface with screws.
Covers the base of the multi-outlet modules (M2, M3, M4, M5 or M6). See p.10.
Cut-outs at each end and at the bottom for cable passage.

Dimensions

A	B	C				
6¼	16	6¼	**AC-EFB**	79	0,4	3

SPECIFY

Code		Metal
	-	

Specify **Code** : Consult the above product code list.
Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

POWER BAR

Power bar with surge suppressor.
Lighted main switch, 6 duplex outlets with ground.
EMI filter (Electro-Magnetic-Interference).
6' power cord.

	AC-PWBE	46	0,1	1

GROMMETS

Plastic grommet (1½" diam.) for on-site installation, dark brown finish.
Cap can be closed when not in use.

Code	Price	Specifications	
		Cu.Ft.	lb
AC-EGR38-B	24	0,1	1

Plastic grommet (2½" diam.) for on-site installation, black finish.
Cap can be closed when not in use.

AC-EGR64-N	28	0,1	1

WIRE TROUGH

24" long wire trough, black finish.
Multiple wire capacity, allows wires to run along the modesty panels or other components.
Self-adhesive installation.

AC-WR24	26	0,1	1

NARROW WIRE TROUGH

24" long wire trough. Can be installed on the side of a leg, on the side of a storage unit or under the surface.
Can hold one or two small-sized wires.
Self-adhesive installation. Package of 10 segments.

LW24	55	0,6	1

SPECIFY

	Code		Finish
AC -		**-**	

Specify **Code** : Consult the above product code list.
Finish : Specify the finish : White (**BW**), Gray (**G**), Charcoal (**F**) or Black (**N**).

PLASTIC FASTENERS

Plastic fasteners, attach under the surface to hold cabling, black finish.
Assembly hardware included.
Sold in packages of 5.

Single	**AC-EWF1**	19	0,1	1
Double	**AC-EWF2**	25	0,1	1

FLEXIBLE WIRE MANAGER

Flexible wire manager, metallic gray finish, allows passage of wiring from surface to floor.
Shipped assembled with installation hardware.

AC-EVCC	124	0,4	2

TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following conditions :
- 1" thick surface (T.F.L.).
- Grade 1 fabric for tackboards.
- No option added.

Refer to the price list for the various options available for each component.

Layout TOC-14-01

TL-CTBC4896	96" Boat-shaped table with X-laminate bases	$ 1289
TL-LECE162046	Lectern	$ 2075
		$ 3364

Layout TOC-14-02

TL-CTCDR48120	120" "Racetrack" table with tubular leg and round base plate	$ 2313
TL-PB4845	Presentation board	$ 1423
		$ 3736

Layout TOC-14-03

TL-CTSRS48144	144" Rectangular table with architectural bases 90° metal corners	$ 3390
TL-UC2136	Sideboard	$ 1058
		$ 4448

Layout TOC-14-04

TL-TSDS294242	42" x 42" Square table	$ 779
TL-UC2124	Sideboard	$ 1013
TL-WWL4237	Upper w. wall - marker board	$ 472
TL-WWT4237	Upper w. wall - tackboard	$ 337
		$ 2601

Layout TOC-14-05

TL-MSH4060	(2)	"Hill-top" surface	$ 798
TL-MSC3060	(2)	"Crescent" surface	$ 614
AC-LE294D	(4)	Sleeve legs	$ 2012
AC-LELC	(8)	Caster	$ 424
TL-UC2136		Sideboard	$ 1058
			$ 4906

Layout TOC-14-06

TL-MSi2442	(6)	Rectangular surface	$ 1194
AC-LE294E	(4)	Standard legs	$ 1644
AC-FJP2	(3)	Junction plates	$ 60
			$ 2898

Layout TOC-14-07

TL-WBW3629 (2)	Lower w. wall- laminate	$ 848
TL-WBW7229	Lower w. wall- laminate	$ 507
TL-WWW3637 (2)	Upper w. wall.- laminate	$ 552
TL-WWL7237	Upper w. wall - marker board	$ 710
		$ 2617

Layout TOC-14-08

TL-WBW3629 (2)	Lower w. wall- laminate	$ 848
TL-WBW7229	Lower w. wall- laminate	$ 507
TL-WWT3637 (2)	Upper w. wall - tackboard	$ 612
TL-WWW7237	Upper w. wall - laminate	$ 443
		$ 2410

Layout TOC-14-09

TL-WBW3629 (2)	Lower w. wall- laminate	$ 848
TL-WBW7229	Lower w. wall- laminate	$ 507
TL-WWU3643 (2)	Upper w. wall- rails	$ 814
TL-WWW7243	Upper w. wall - laminate	$ 509
TL-SHE1036 (4)	Shelve	$ 520
		$ 3198

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing…) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.
A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration.
B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are F.O.B. factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.
Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Lock

Mechanism warranted for 10 years. Industrial and patent pending designs.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

- electrical components, which are warranted for (10) ten years from date of delivery,
- seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- Artopex fabrics which are warranted for (5) five years from date of delivery,
- moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

- Customer's Own Material (COM) or finishes applied to Artopex products,
- ballast and light bulbs,
- products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of merchantability or fitness for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

Designing, manufacturing, advising, planning and supporting: that's the art that distinguishes our purpose at Artopex.

HEAD OFFICE
800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel.: 450.378.0189
1 800.363.3040

Fax.: 450.378.9712

artopex.com

PRINTED IN CANADA © ARTOPEX INC. LT514-U-1114