take off
FREESTANDING

USA
price list
effective May 1st 2014

UPDATED - January 15th 2017

Update summary - p.335

artopex®
the art and the purpose

visual index 2

general information

general characteristics 24
finish chart 54
typical layouts 62

desks & tables L-M

assembled desks 64
returns 75
knockdown tables 79
convergent tables 95

storage

credenzas 116
storage units 119
cabinets 131
pedestals 160

hutches & top storage

hutches L-M 168
hutches S-T 180
modular hutches 192
wall-mounted hutches 195
bookcase hutches 201

tables / layering S-T

knockdown tables 212
surface-mounted tables 219

storage 23" H. / layering S-T 238

closed shared tables S 244

shared storage 258

screens & accessories 264

electricity 270

reception units & occasional tables 274

280

conditions & guarantees

ASSEMBLED RECTANGULAR DESKS - 64

	Di3060U		Di3060F		Di3060Y		Di3060Z
	Di2472U		Di2472F		Di2472Y		Di2472Z
	Di2466U		Di2466F		Di2466Y		Di2466Z
	Di2460U		Di2460F		Di2460Y		Di2460Z
Di3672U	Di2172U	Di3672F	Di2172F	Di3672Y	Di2172Y	Di3672Z	Di2172Z
Di3072U	Di2166U	Di3072F	Di2166F	Di3072Y	Di2166Y	Di3072Z	Di2166Z
Di3066U	Di2160U	Di3066F	Di2160F	Di3066Y	Di2160Y	Di3066Z	Di2160Z

	Di2472S		Di2472T		Di2472V		Di2472W
	Di2466S		Di2466T		Di2466V		Di2466W
Di3672S	Di2460S	Di3672T	Di2460T	Di3672V	Di2460V	Di3672W	Di2460W
Di3072S	Di2172S	Di3072T	Di2172T	Di3072V	Di2172V	Di3072W	Di2172W
Di3066S	Di2166S	Di3066T	Di2166T	Di3066V	Di2166V	Di3066W	Di2166W
Di3060S	Di2160S	Di3060T	Di2160T	Di3060V	Di2160V	Di3060W	Di2160W

			Di2472M		Di2472N
	Di2472P		Di2466M		Di2466N
	Di2466P	Di3672M	Di2460M	Di3672N	Di2460N
Di3672P	Di2460P	Di3072M	Di2448M	Di3072N	Di2448N
Di3072P	Di2172P	Di3066M	Di2172M	Di3066N	Di2172N
Di3066P	Di2166P	Di3060M	Di2166M	Di3060N	Di2166N
Di3060P	Di2160P	Di3048M	Di2160M	Di3048N	Di2160N

ASSEMBLED BOW FRONT DESK WITH CURVED INTERIOR ACCESS - 70

DC3672Y

DC3672U

DC3672P

DC3672T

DC3672S

ASSEMBLED BOW FRONT DESKS - 72

DD3672Y		DD3672U		DD3672P	
DD3666Y		DD3666U		DD3666P	
DD3660Y		DD3660U		DD3660P	

	DD3672S		DD3672T		DD3672M		DD3672N
	DD3666S		DD3666T		DD3666M		DD3666N
	DD3660S		DD3660T		DD3660M		DD3660N

ASSEMBLED OFFSET BOW FRONT DESKS - 74

DFL3072S	DFR3072T
DFL3066S	DFR3066T
DFL3060S	DFR3060T

ASSEMBLED RETURNS - 75

RIGHT return

RET2442	
RET2436	
RET2430	
RET2148	
RET2460	RET2142
RET2454	RET2136
RET2448	RET2130

LEFT return

RES2442	
RES2436	
RES2430	
RES2148	
RES2460	RES2142
RES2454	RES2136
RES2448	RES2130

RIGHT return

REW2442	
REW2436	
REW2430	
REW2148	
REW2460	REW2142
REW2454	REW2136
REW2448	REW2130

LEFT return

REV2442	
REV2436	
REV2430	
REV2148	
REV2460	REV2142
REV2454	REV2136
REV2448	REV2130

RIGHT return

REN2436	
REN2430	
REN2460	REN2148
REN2454	REN2142
REN2448	REN2136
REN2442	REN2130

LEFT return

REM2436	
REM2430	
REM2460	REM2148
REM2454	REM2142
REM2448	REM2136
REM2442	REM2130

REVERSIBLE RETURNS - 78

RER2436	
RER2430	
RER2148	
RER2142	
RER2460	RER2136
RER2454	RER2130
RER2448	RER1836
RER2442	RER1830

BRIDGE RETURNS - 78

REB2148	
REB2142	
REB2136	
REB2130	
REB2448	REB1848
REB2442	REB1842
REB2436	REB1836
REB2430	REB1830

RECTANGULAR TABLES (FULL END PANELS) - 79

Ti3672LL	Ti3072LL	Ti3030LL	Ti2454LL	Ti2178LL	Ti2136LL	Ti1860LL
Ti3666LL	Ti3066LL	Ti3024LL	Ti2448LL	Ti2172LL	Ti2130LL	Ti1854LL
Ti3660LL	Ti3060LL	Ti2484LL	Ti2442LL	Ti2166LL	Ti2124LL	Ti1848LL
Ti3654LL	Ti3054LL	Ti2478LL	Ti2436LL	Ti2160LL	Ti1884LL	Ti1842LL
Ti3648LL	Ti3048LL	Ti2472LL	Ti2430LL	Ti2154LL	Ti1878LL	Ti1836LL
Ti3684LL	Ti3084LL	Ti3042LL	Ti2466LL	Ti2424LL	Ti2148LL	Ti1872LL	Ti1830LL
Ti3678LL	Ti3078LL	Ti3036LL	Ti2460LL	Ti2184LL	Ti2142LL	Ti1866LL	Ti1824LL

RECTANGULAR TABLES (RECESSED END PANELS) - 81

CL

LC

CC

				Ti2478 …	Ti2430 …	Ti2148 …	Ti1866 …
				Ti2472 …	Ti2424 …	Ti2142 …	Ti1860 …
				Ti2466 …	Ti2184…	Ti2136 …	Ti1854 …
				Ti2460 …	Ti2178…	Ti2130 …	Ti1848 …
				Ti2454 …	Ti2172…	Ti2124 …	Ti1842 …
Ti3084 …	Ti3066 …	Ti3048 …	Ti3030 …	Ti2448 …	Ti2166…	Ti1884 …	Ti1836 …
Ti3078 …	Ti3060 …	Ti3042 …	Ti3024 …	Ti2442 …	Ti2160 …	Ti1878 …	Ti1830 …
Ti3072 …	Ti3054 …	Ti3036 …	Ti2484 …	Ti2436 …	Ti2154 …	Ti1872 …	Ti1824 …

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS - 83

TC364284LL
TC364272LL
TC303684LL
TC303672LL

BOW FRONT TABLES - 83

TD364284LL	TD303684LL	TD303666LL
TD364278LL	TD303678LL	TD303660LL
TD364272LL	TD303672LL	

OFFSET BOW FRONT TABLES - 84

TFL3072
TFL3066
TFL3060

TFR3072
TFR3066
TFR3060

OFFSET BOW FRONT TABLES W/ INTEGRATED HALF-RETURN - 84

TJL367224
TJL366624
TJL366024

TJR367224
TJR366624
TJR366024

TABLES ARRONDIES SUR UN CÔTÉ AVEC DEMI-RETOUR INTÉGRÉ - 85

TCL427224
TCL427221
TCL427218
TCL426618

TCR427224
TCR427221
TCR427218
TCR426618

TABLES À INTÉRIEUR CINTRÉ - 85

TCOL30488424
TCOL30487824
TCOL30487224
TCOL30486624
TCOL30486024
TCOL30427224
TCOL30426624
TCOL30426024

TCOR48308424
TCOR48307824
TCOR48307224
TCOR48306624
TCOR48306024
TCOR42307224
TCOR42306624
TCOR42306024

CONNECTING TABLES - 86

LEFT table

LL

LC

TV36247224 …	TV30186618 …
TV36246624 …	TV30186021 …
TV36246024 …	TV30186018 …
TV30187221 …	TV30184821 …
TV30187218 ...	TV30184818 …
TV30186621 …	TV24184218 …

RIGHT table

LL

LC

TV24367224 …	TV18306618 …
TV24366624 …	TV18306021 …
TV24366024 …	TV18306018 …
TV18307221 …	TV18304821 …
TV18307218 …	TV18304818 …
TV18306621 …	TV18244218 …

DUAL DEPTH TABLES - 87

LEFT table

LC

CC

			TW241824 …
		TW302424 …	TW211872 …
		TW241872 …	TW211866 …
		TW241866 …	TW211860 …
		TW241860 …	TW211854 …
		TW241854 …	TW211848 …
TW302472 …	TW302448 …	TW241848 …	TW211842 …
TW302466 …	TW302442 …	TW241842 …	TW211836 …
TW302460 …	TW302436 …	TW241836 …	TW211830 …
TW302454 …	TW302430 …	TW241830 …	TW211824 …

RIGHT table

CL

CC

			TW182424 …
		TW243024 …	TW182172 …
		TW182472 …	TW182166 …
		TW182466 …	TW182160 …
		TW182460 …	TW182154 …
		TW182454 …	TW182148 …
TW243072 …	TW243048 …	TW182448 …	TW182142 …
TW243066 …	TW243042 …	TW182442 …	TW182136 …
TW243060 …	TW243036 …	TW182436 …	TW182130 …
TW243054 …	TW243030 …	TW182430 …	TW182124 …

90° CORNER TABLES - 89

CS3048CC
CS3042CC
CS2448CC
CS2442CC
CS2436CC
CS1836CC

90° RIGHT EXTENDED CORNER TABLES - 90

CL

LC

CC

CS24243672 …
CS24243666 …
CS24243660 …
CS21213672 …
CS21213666 …
CS21213660 …

90° LEFT EXTENDED CORNER TABLES - 90

CS24247236 …
CS24246636 …
CS24246036 …
CS21217236 …
CS21216636 …
CS21216036 …

90° CORNER TABLES WITH CURVED INTERIOR ACCESS - 91

CO30304848 …
CO30244848 …
CO24304848 …
CO24244848 …
CO24244242 …
CO24243636 …

90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 92

CO30304884 …
CO30304878 …
CO30304872 …
CO30304866 …
CO30304860 …
CO30244884 …
CO30244878 …
CO30244872 …
CO30244866 …
CO30244860 …
CO30244284 …
CO30244278 …
CO30244272 …
CO30244266 …
CO30244260 …
CO30244248 …
CO24304884 …
CO24304878 …
CO24304872 …
CO24304866 …
CO24304860 …
CO24244884 …
CO24244878 …
CO24244872 …
CO24244866 …
CO24244860 …
CO24244284 …
CO24244278 …
CO24244272 …
CO24244266 …
CO24244260 …
CO24244248 …

90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS - 93

CO30308448 …
CO30307848 …
CO30307248 …
CO30306648 …
CO30306048 …
CO30248448 …
CO30247848 …
CO30247248 …
CO30246648 …
CO30246048 …
CO24308448 …
CO24308442 …
CO24307848 …
CO24307842 …
CO24307248 …
CO24307242 …
CO24306648 …
CO24306642 …
CO24306048 …
CO24306042 …
CO24304842 …
CO24248448 …
CO24248442 …
CO24247848 …
CO24247842 …
CO24247248 …
CO24247242 …
CO24246648 …
CO24246642 …
CO24246048 …
CO24246042 …
CO24244842 …

90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS - 94

Table GAUCHE

CE24187236 …
CE24186636 …
CE24186036 …

Table DROITE

CE18243672 …
CE18243666 …
CE18243660 …

"D" SHAPED TABLES WITH MODESTY PANEL - 95

DM3684**A**
DM3678**A**
DM3672**A**
DM3666**A**
DM3084**A**
DM3078**A**
DM3072**A**
DM3066**A**
DM3060**A**
DM3048**A**

"D" SHAPED TABLES WITH "T" END PANEL - 96

DT3678**B**
DT3672**B**
DT3660**B**
DT3084**B**
DT3078**B**
DT3072**B**
DT3066**B**
DT3060**B**
DT3054**B**
DT3048**B**
DT3042**B**
DT2472**B**
DT2466**B**
DT2460**B**
DT2448**B**

"D" SHAPED TABLES WITH "T" END PANEL - 97

DT3678 …
DT3672 …
DT3660 …
DT3084 …
DT3078 …
DT3072 …
DT3066 …
DT3060 …
DT3054 …
DT3048 …
DT2472 …
DT2466 …
DT2460 …
DT2448 …

"D" SHAPED TABLES, SURFACE SUPPORTED - 98

DS3672**A**
DS3660**A**
DS3072**A**
DS3066**A**
DS3060**A**
DS3054**A**
DS3048**A**
DS3042**A**
DS3036**A**
DS3030**A**
DS2472**A**
DS2466**A**
DS2460**A**
DS2454**A**
DS2448**A**
DS2442**A**
DS2436**A**
DS2430**A**

"D" SHAPED TABLES, SURFACE SUPPORTED - 99

DS3672 …
DS3660 …
DS3072 …
DS3066 …
DS3060 …
DS3054 …
DS3048 …
DS2472 …
DS2466 …
DS2460 …
DS2454 …
DS2448 …

"D" SHAPED (ARCHED) OR RECT. TABLES W/ MODESTY PANEL - 100

DMA3684**A**
DMA3678**A**
DMA3672**A**
DMA3666**A**
DMA3084**A**
DMA3078**A**
DMA3072**A**
DMA3066**A**
DMA3060**A**
DMA3048**A**

DMi3684**A**
DMi3678**A**
DMi3672**A**
DMi3666**A**
DMi3084**A**
DMi3078**A**
DMi3072**A**
DMi3066**A**
DMi3060**A**
DMi3048**A**

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 101

DTA3678**B**
DTA3672**B**
DTA3660**B**
DTA3084**B**
DTA3078**B**
DTA3072**B**
DTA3066**B**
DTA3060**B**
DTA3054**B**
DTA3048**B**
DTA2472**B**
DTA2466**B**
DTA2460**B**
DTA2448**B**

DTi3678**B**
DTi3672**B**
DTi3660**B**
DTi3084**B**
DTi3078**B**
DTi3072**B**
DTi3066**B**
DTi3060**B**
DTi3054**B**
DTi3048**B**
DTi2472**B**
DTi2466**B**
DTi2460**B**
DTi2448**B**

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 102

DTA3678 ...	**DTA**3072 ...	**DTA**2472 ...
DTA3672 ...	**DTA**3066 ...	**DTA**2466 ...
DTA3660 ...	**DTA**3060 ...	**DTA**2460 ...
DTA3084 ...	**DTA**3054 ...	**DTA**2448 ...
DTA3078 ...	**DTA**3048 ...	

DTi3678 ...	**DTi**3072 ...	**DTi**2472 ...
DTi3672 ...	**DTi**3066 ...	**DTi**2466 ...
DTi3660 ...	**DTi**3060 ...	**DTi**2460 ...
DTi3084 ...	**DTi**3054 ...	**DTi**2448 ...
DTi3078 ...	**DTi**3048 ...	

DTA3678 ...	**DTA**3072 ...	**DTA**2472 ...
DTA3672 ...	**DTA**3066 ...	**DTA**2466 ...
DTA3660 ...	**DTA**3060 ...	**DTA**2460 ...
DTA3084 ...	**DTA**3054 ...	**DTA**2448 ...
DTA3078 ...	**DTA**3048 ...	

DTi3678 ...	**DTi**3072 ...	**DTi**2472 ...
DTi3672 ...	**DTi**3066 ...	**DTi**2466 ...
DTi3660 ...	**DTi**3060 ...	**DTi**2460 ...
DTi3084 ...	**DTi**3054 ...	**DTi**2448 ...
DTi3078 ...	**DTi**3048 ...	

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES WITH "T" END PANEL - 104

DTA3678**G**	**DTA**3072**G**	**DTA**2472**G**
DTA3672**G**	**DTA**3066**G**	**DTA**2466**G**
DTA3660**G**	**DTA**3060**G**	**DTA**2460**G**
DTA3084**G**	**DTA**3054**G**	**DTA**2448**G**
DTA3078**G**	**DTA**3048**G**	

DTi3678**G**	**DTi**3072**G**	**DTi**2472**G**
DTi3672**G**	**DTi**3066**G**	**DTi**2466**G**
DTi3660**G**	**DTi**3060**G**	**DTi**2460**G**
DTi3084**G**	**DTi**3054**G**	**DTi**2448**G**
DTi3078**G**	**DTi**3048**G**	

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 105

DSA3672**A**	**DSA**3048**A**	**DSA**2460**A**
DSA3660**A**	**DSA**3042**A**	**DSA**2454**A**
DSA3072**A**	**DSA**3036**A**	**DSA**2448**A**
DSA3066**A**	**DSA**3030**A**	**DSA**2442**A**
DSA3060**A**	**DSA**2472**A**	**DSA**2436**A**
DSA3054**A**	**DSA**2466**A**	**DSA**2430**A**

DSi3672**A**	**DSi**3048**A**	**DSi**2460**A**
DSi3660**A**	**DSi**3042**A**	**DSi**2454**A**
DSi3072**A**	**DSi**3036**A**	**DSi**2448**A**
DSi3066**A**	**DSi**3030**A**	**DSi**2442**A**
DSi3060**A**	**DSi**2472**A**	**DSi**2436**A**
DSi3054**A**	**DSi**2466**A**	**DSi**2430**A**

DSA3672 ...	**DSA**3060 ...	**DSA**2466 ...
DSA3660 ...	**DSA**3054 ...	**DSA**2460 ...
DSA3072 ...	**DSA**3048 ...	**DSA**2454 ...
DSA3066 ...	**DSA**2472 ...	**DSA**2448 ...

DSi3672 ...	**DSi**3060 ...	**DSi**2466 ...
DSi3660 ...	**DSi**3054 ...	**DSi**2460 ...
DSi3072 ...	**DSi**3048 ...	**DSi**2454 ...
DSi3066 ...	**DSi**2472 ...	**DSi**2448 ...

DSA3672 ...	**DSA**3054 ...	**DSA**2460 ...
DSA3660 ...	**DSA**3048 ...	**DSA**2454 ...
DSA3072 ...	**DSA**3042 ...	**DSA**2448 ...
DSA3066 ...	**DSA**2472 ...	**DSA**2442 ...
DSA3060 ...	**DSA**2466 ...	

DSi3672 ...	**DSi**3054 ...	**DSi**2460 ...
DSi3660 ...	**DSi**3048 ...	**DSi**2454 ...
DSi3072 ...	**DSi**3042 ...	**DSi**2448 ...
DSi3066 ...	**DSi**2472 ...	**DSi**2442 ...
DSi3060 ...	**DSi**2466 ...	

"D" SHAPED (ARCHED) OR RECTANGULAR TABLES, SURFACE SUPPORTED - 108

DSA3672**G**	**DSA**3060**G**	**DSA**2466**G**
DSA3660**G**	**DSA**3054**G**	**DSA**2460**G**
DSA3072**G**	**DSA**3048**G**	**DSA**2454**G**
DSA3066**G**	**DSA**2472**G**	**DSA**2448**G**

DSi3672**G**	**DSi**3060**G**	**DSi**2466**G**
DSi3660**G**	**DSi**3054**G**	**DSi**2460**G**
DSi3072**G**	**DSi**3048**G**	**DSi**2454**G**
DSi3066**G**	**DSi**2472**G**	**DSi**2448**G**

"P" SHAPED TABLES WITH MODESTY PANEL - 109

LEFT table

PML364284
PML364278
PML364272
PML303684
PML303678
PML303672
PML303666
PML303660

RIGHT table

PMR364284
PMR364278
PMR364272
PMR303684
PMR303678
PMR303672
PMR303666
PMR303660

"P" SHAPED TABLES WITH "T" END PANEL - 110

LEFT table

PTL303672
PTL303666
PTL303660

RIGHT table

PTR303672
PTR303666
PTR303660

"L" SHAPED TABLES WITH MODESTY PANEL - 112

LEFT table

LML54368424
LML54367824
LML54367224
LML48308424
LML48307824
LML48307224
LML48306624
LML48306024
LML42307224
LML42306624
LML42306024

RIGHT table

LMR54368424
LMR54367824
LMR54367224
LMR48308424
LMR48307824
LMR48307224
LMR48306624
LMR48306024
LMR42307224
LMR42306624
LMR42306024

"P" SHAPED TABLES, SURFACE SUPPORTED - 111

LEFT table

PSL303672
PSL303666
PSL303660
PSL243060
PSL243054
PSL243048

RIGHT table

PSR303672
PSR303666
PSR303660
PSR243060
PSR243054
PSR243048

"PL" SHAPED TABLES WITH MODESTY PANEL - 113

LEFT table

PLL486024
PLL486018
PLL427224
PLL427218
PLL487224
PLL487218
PLL486624
PLL486618
PLL426624
PLL426618
PLL426024
PLL426018

RIGHT table

PLR486024
PLR486018
PLR427224
PLR427218
PLR487224
PLR487218
PLR486624
PLR486618
PLR426624
PLR426618
PLR426024
PLR426018

"SHARK" SHAPED TABLES WITH MODESTY PANEL - 114

LEFT table

SHL487824
SHL427224
SHL426624
SHL426618
SHL426018
SHL366618
SHL366018

RIGHT table

SHR487824
SHR427224
SHR426624
SHR426618
SHR426018
SHR366618
SHR366018

TEARDROP END SURFACES - 115

LEFT table

XTL36
XTL30
XTL24

RIGHT table

XTR36
XTR30
XTR24

SHARED CONFERENCE SURFACE - 115

XC60
XC54
XC48

ASSEMBLED CREDENZAS - 29" H. - 116

CZFD247229
CZFD246029
CZFD217229
CZFD216029

CZDF247229
CZDF246029
CZDF217229
CZDF216029

CZDD247229
CZDD246029
CZDD217229
CZDD216029

CZFF247229
CZFF246029
CZFF217229
CZFF216029

CZFO247229
CZFO246029
CZFO217229
CZFO216029

CZOF247229
CZOF246029
CZOF217229
CZOF216029

CZDO247229
CZDO246029
CZDO217229
CZDO216029

CZOD247229
CZOD246029
CZOD217229
CZOD216029

CZCO247229
CZCO246029
CZCO217229
CZCO216029

CZOC247229
CZOC246029
CZOC217229
CZOC216029

CZC247229
CZC246029
CZC217229
CZC216029

STORAGE UNITS - 29" H. - 119

SFF243629
SFF243029
SFF213629
SFF213029

SUUFF243629
SUUFF243029
SUUFF213629
SUUFF213029

SDD243629
SDD243029
SDD213629
SDD213029

SBDD243629
SBDD243029
SBDD213629
SBDD213029

SDUUF243629
SDUUF243029
SDUUF213629
SDUUF213029

SUUFD243629
SUUFD243029
SUUFD213629
SUUFD213029

SDO243629
SDO243029
SDO213629
SDO213029

SOD243629
SOD243029
SOD213629
SOD213029

SINGLE CABINETS - 121

SDL241850
SDL241841
SDL241835
SDL241829

SDL211850
SDL211841
SDL211835
SDL211829

SDR241850
SDR241841
SDR241835
SDR241829

SDR211850
SDR211841
SDR211835
SDR211829

ASSEMBLED CREDENZAS - 35" H. - 122

CZ4D247235
CZ4D246035
CZ4D217235
CZ4D216035

CZDOD247235
CZDOD246035
CZDOD217235
CZDOD216035

CZ2B4D247235
CZ2B4D246035
CZ2B4D217235
CZ2B4D216035

CZDUFFD247235
CZDUFFD246035
CZDUFFD217235
CZDUFFD216035

STORAGE UNITS - 35" H. - 123

SDUFF243635
SDUFF243035
SDUFF213635
SDUFF213035

SUFFD243635
SUFFD243035
SUFFD213635
SUFFD213035

SDD243635
SDD243035
SDD213635
SDD213035

SUDD243635
SUDD243035
SUDD213635
SUDD213035

STORAGE UNITS - 41" H. - 124

SFFF243641
SFFF243041
SFFF213641
SFFF213041

SDD243641
SDD243041
SDD213641
SDD213041

SDO243641
SDO243041
SDO213641
SDO213041

SOD243641
SOD243041
SOD213641
SOD213041

LAT. FILE CABINETS 53" H. - 125

S4F243653
S4F243053
S4F213653
S4F213053

COMBINED STORAGE UNITS - 72"-66"-50" H. - 127

SOFF243672	**SOFF**243650
SOFF243072	**SOFF**243050
SOFF213672	**SOFF**213650
SOFF213072	**SOFF**213050
SOFF243666	
SOFF243066	
SOFF213666	
SOFF213066	

COMBINED STORAGE UNITS - 72"-66 -50" H. - 129

SODD243672	**SODD**243650
SODD243072	**SODD**243050
SODD213672	**SODD**213650
SODD213072	**SODD**213050
SODD243666	
SODD243066	
SODD213666	
SODD213066	

COMBINED STORAGE UNITS -72" -66" H. - 125

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
SDD3F243672	**SDDM3F**243672	**SDDL3F**243672	**SDDGiC3F**243672	**SDDGiA3F**243672
SDD3F243072	**SDDM3F**243072	**SDDL3F**243072	**SDDGiC3F**243072	**SDDGiA3F**243072
SDD3F213672	**SDDM3F**213672	**SDDL3F**213672	**SDDGiC3F**213672	**SDDGiA3F**213672
SDD3F213072	**SDDM3F**213072	**SDDL3F**213072	**SDDGiC3F**213072	**SDDGiA3F**213072
SDD3F243666	**SDDM3F**243666	**SDDL3F**243666	**SDDGiC3F**243666	**SDDGiA3F**243666
SDD3F243066	**SDDM3F**243066	**SDDL3F**243066	**SDDGiC3F**243066	**SDDGiA3F**243066
SDD3F213666	**SDDM3F**213666	**SDDL3F**213666	**SDDGiC3F**213666	**SDDGiA3F**213666
SDD3F213066	**SDDM3F**213066	**SDDL3F**213066	**SDDGiC3F**213066	**SDDGiA3F**213066

COMBINED STORAGE UNITS - 72" - 66" H. - 127

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
SDDFF243672	**SDDMFF**243672	**SDDLFF**243672	**SDDGICFF**243672	**SDDGIAFF**243672
SDDFF243072	**SDDMFF**243072	**SDDLFF**243072	**SDDGICFF**243072	**SDDGIAFF**243072
SDDFF213672	**SDDMFF**213672	**SDDLFF**213672	**SDDGICFF**213672	**SDDGIAFF**213672
SDDFF213072	**SDDMFF**213072	**SDDLFF**213072	**SDDGICFF**213072	**SDDGIAFF**213072
SDDFF243666	**SDDMFF**243666	**SDDLFF**243666	**SDDGICFF**243666	**SDDGIAFF**243666
SDDFF243066	**SDDMFF**243066	**SDDLFF**243066	**SDDGICFF**243066	**SDDGIAFF**243066
SDDFF213666	**SDDMFF**213666	**SDDLFF**213666	**SDDGICFF**213666	**SDDGIAFF**213666
SDDFF213066	**SDDMFF**213066	**SDDLFF**213066	**SDDGICFF**213066	**SDDGIAFF**213066

COMBINED STORAGE UNITS - 72" - 66" H. - 129

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
S4D243672	**SDDMDD**243672	**SDDLDD**243672	**SDDGICDD**243672	**SDDGIADD**243672
S4D243072	**SDDMDD**243072	**SDDLDD**243072	**SDDGICDD**243072	**SDDGIADD**243072
S4D213672	**SDDMDD**213672	**SDDLDD**213672	**SDDGICDD**213672	**SDDGIADD**213672
S4D213072	**SDDMDD**213072	**SDDLDD**213072	**SDDGICDD**213072	**SDDGIADD**213072
S4D243666	**SDDMDD**243666	**SDDLDD**243666	**SDDGICDD**243666	**SDDGIADD**243666
S4D243066	**SDDMDD**243066	**SDDLDD**243066	**SDDGICDD**243066	**SDDGIADD**243066
S4D213666	**SDDMDD**213666	**SDDLDD**213666	**SDDGICDD**213666	**SDDGIADD**213666
S4D213066	**SDDMDD**213066	**SDDLDD**213066	**SDDGICDD**213066	**SDDGIADD**213066

CABINETS - 72" - 66" - 50" H. - 131

	Contemporary frame		Contemporary frame	Traditional frame
Shelves	Laminate	H-gloss white	Acrylic	Acrylic
SDD243672	**SDDM**243672	**SDDL**243672	**SDDGiC**243672	**SDDGiA**243672
SDD243072	**SDDM**243072	**SDDL**243072	**SDDGiC**243072	**SDDGiA**243072
SDD213672	**SDDM**213672	**SDDL**213672	**SDDGiC**213672	**SDDGiA**213672
SDD213072	**SDDM**213072	**SDDL**213072	**SDDGiC**213072	**SDDGiA**213072
SDD243666	**SDDM**243666	**SDDL**243666	**SDDGiC**243666	**SDDGiA**243666
SDD243066	**SDDM**243066	**SDDL**243066	**SDDGiC**243066	**SDDGiA**243066
SDD213666	**SDDM**213666	**SDDL**213666	**SDDGiC**213666	**SDDGiA**213666
SDD213066	**SDDM**213066	**SDDL**213066	**SDDGiC**213066	**SDDGiA**213066
SDD243650	**SDDM**243650	**SDDL**243650	**SDDGiC**243650	**SDDGiA**243650
SDD243050	**SDDM**243050	**SDDL**243050	**SDDGiC**243050	**SDDGiA**243050
SDD213650	**SDDM**213650	**SDDL**213650	**SDDGiC**213650	**SDDGiA**213650
SDD213050	**SDDM**213050	**SDDL**213050	**SDDGiC**213050	**SDDGiA**213050
Wardrobe at left		Wardrobe at left		Wardrobe at left
SWD243672	**SWDM**243672	**SWDL**243672	**SWDGiC**243672	**SWDGiA**243672
SWD243072	**SWDM**243072	**SWDL**243072	**SWDGiC**243072	**SWDGiA**243072
SWD213672	**SWDM**213672	**SWDL**213672	**SWDGiC**213672	**SWDGiA**213672
SWD213072	**SWDM**213072	**SWDL**213072	**SWDGiC**213072	**SWDGiA**213072
SWD243666	**SWDM**243666	**SWDL**243666	**SWDGiC**243666	**SWDGiA**243666
SWD243066	**SWDM**243066	**SWDL**243066	**SWDGiC**243066	**SWDGiA**243066
SWD213666	**SWDM**213666	**SWDL**213666	**SWDGiC**213666	**SWDGiA**213666
SWD213066	**SWDM**213066	**SWDL**213066	**SWDGiC**213066	**SWDGiA**213066
Wardrobe at right		Wardrobe at right		Wardrobe at right
SDW243672	**SDWM**243672	**SDWL**243672	**SDWGiC**243672	**SDWGiA**243672
SDW243072	**SDWM**243072	**SDWL**243072	**SDWGiC**243072	**SDWGiA**243072
SDW213672	**SDWM**213672	**SDWL**213672	**SDWGiC**213672	**SDWGiA**213672
SDW213072	**SDWM**213072	**SDWL**213072	**SDWGiC**213072	**SDWGiA**213072
SDW243666	**SDWM**243666	**SDWL**243666	**SDWGiC**243666	**SDWGiA**243666
SDW243066	**SDWM**243066	**SDWL**243066	**SDWGiC**243066	**SDWGiA**243066
SDW213666	**SDWM**213666	**SDWL**213666	**SDWGiC**213666	**SDWGiA**213666
SDW213066	**SDWM**213066	**SDWL**213066	**SDWGiC**213066	**SDWGiA**213066

SINGLE DOOR CABINETS - 72" - 66" - 50" H. - 135

Porte à GAUCHE

Shelves	Contemporary frame: Laminate	Contemporary frame: H-gloss white	Contemporary frame: Acrylic	Trad. frame - shelves: Acrylic
SDO243672	**SDOM**243672	**SDOL**243672	**SDOGiC**243672	**SDOGiA**243672
SDO243072	**SDOM**243072	**SDOL**243072	**SDOGiC**243072	**SDOGiA**243072
SDO213672	**SDOM**213672	**SDOL**213672	**SDOGiC**213672	**SDOGiA**213672
SDO213072	**SDOM**213072	**SDOL**213072	**SDOGiC**213072	**SDOGiA**213072
SDO243666	**SDOM**243666	**SDOL**243666	**SDOGiC**243666	**SDOGiA**243666
SDO243066	**SDOM**243066	**SDOL**243066	**SDOGiC**243066	**SDOGiA**243066
SDO213666	**SDOM**213666	**SDOL**213666	**SDOGiC**213666	**SDOGiA**213666
SDO213066	**SDOM**213066	**SDOL**213066	**SDOGiC**213066	**SDOGiA**213066
SDO243650	**SDOM**243650	**SDOL**243650	**SDOGiC**243650	**SDOGiA**243650
SDO243050	**SDOM**243050	**SDOL**243050	**SDOGiC**243050	**SDOGiA**243050
SDO213650	**SDOM**213650	**SDOL**213650	**SDOGiC**213650	**SDOGiA**213650
SDO213050	**SDOM**213050	**SDOL**213050	**SDOGiC**213050	**SDOGiA**213050
Wardrobe at left		Wardrobe at left		Wardrobe at left
SWO243672	**SWOM**243672	**SWOL**243672	**SWOGiC**243672	**SWOGiA**243672
SWO243072	**SWOM**243072	**SWOL**243072	**SWOGiC**243072	**SWOGiA**243072
SWO213672	**SWOM**213672	**SWOL**213672	**SWOGiC**213672	**SWOGiA**213672
SWO213072	**SWOM**213072	**SWOL**213072	**SWOGiC**213072	**SWOGiA**213072
SWO243666	**SWOM**243666	**SWOL**243666	**SWOGiC**243666	**SWOGiA**243666
SWO243066	**SWOM**243066	**SWOL**243066	**SWOGiC**243066	**SWOGiA**243066
SWO213666	**SWOM**213666	**SWOL**213666	**SWOGiC**213666	**SWOGiA**213666
SWO213066	**SWOM**213066	**SWOL**213066	**SWOGiC**213066	**SWOGiA**213066

Porte à DROITE

Shelves	Contemporary frame: Laminate	Contemporary frame: H-gloss white	Contemporary frame: Acrylic	Trad. frame - shelves: Acrylic
SOD243672	**SODM**243672	**SODL**243672	**SODGiC**243672	**SODGiA**243672
SOD243072	**SODM**243072	**SODL**243072	**SODGiC**243072	**SODGiA**243072
SOD213672	**SODM**213672	**SODL**213672	**SODGiC**213672	**SODGiA**213672
SOD213072	**SODM**213072	**SODL**213072	**SODGiC**213072	**SODGiA**213072
SOD243666	**SODM**243666	**SODL**243666	**SODGiC**243666	**SODGiA**243666
SOD243066	**SODM**243066	**SODL**243066	**SODGiC**243066	**SODGiA**243066
SOD213666	**SODM**213666	**SODL**213666	**SODGiC**213666	**SODGiA**213666
SOD213066	**SODM**213066	**SODL**213066	**SODGiC**213066	**SODGiA**213066
SOD243650	**SODM**243650	**SODL**243650	**SODGiC**243650	**SODGiA**243650
SOD243050	**SODM**243050	**SODL**243050	**SODGiC**243050	**SODGiA**243050
SOD213650	**SODM**213650	**SODL**213650	**SODGiC**213650	**SODGiA**213650
SOD213050	**SODM**213050	**SODL**213050	**SODGiC**213050	**SODGiA**213050
Wardrobe at right		Wardrobe at right		Wardrobe at right
SOW243672	**SOWM**243672	**SOWL**243672	**SOWGiC**243672	**SOWGiA**243672
SOW243072	**SOWM**243072	**SOWL**243072	**SOWGiC**243072	**SOWGiA**243072
SOW213672	**SOWM**213672	**SOWL**213672	**SOWGiC**213672	**SOWGiA**213672
SOW213072	**SOWM**213072	**SOWL**213072	**SOWGiC**213072	**SOWGiA**213072
SOW243666	**SOWM**243666	**SOWL**243666	**SOWGiC**243666	**SOWGiA**243666
SOW243066	**SOWM**243066	**SOWL**243066	**SOWGiC**243066	**SOWGiA**243066
SOW213666	**SOWM**213666	**SOWL**213666	**SOWGiC**213666	**SOWGiA**213666
SOW213066	**SOWM**213066	**SOWL**213066	**SOWGiC**213066	**SOWGiA**213066

SINGLE DOOR CABINETS WITH SHELVES - 143

		Contemporary frame: Laminate	Contemporary frame: H-gloss white	Contemporary frame: Acrylic	Traditional frame: Acrylic
GAUCHE	**SDL**242472	**SDML**242472	**SDLL**242472	**SDGiCL**242472	**SDGiAL**242472
	SDL212472	**SDML**212472	**SDLL**212472	**SDGiCL**212472	**SDGiAL**212472
	SDL242466	**SDML**242466	**SDLL**242466	**SDGiCL**242466	**SDGiAL**242466
	SDL212466	**SDML**212466	**SDLL**212466	**SDGiCL**212466	**SDGiAL**212466
DROITE	**SDR**242472	**SDMR**242472	**SDLR**242472	**SDGiCR**242472	**SDGiAR**242472
	SDR212472	**SDMR**212472	**SDLR**212472	**SDGiCR**212472	**SDGiAR**212472
	SDR242466	**SDMR**242466	**SDLR**242466	**SDGiCR**242466	**SDGiAR**242466
	SDR212466	**SDMR**212466	**SDLR**212466	**SDGiCR**212466	**SDGiAR**212466

SINGLE DOOR CABINETS WITH WARDROBE - 145

		Contemporary frame: Laminate	Contemporary frame: H-gloss white	Contemporary frame: Acrylic	Traditional frame: Acrylic
GAUCHE	**SWL**242472	**SWML**242472	**SWLL**242472	**SWGiCL**242472	**SWGiAL**242472
	SWL212472	**SWML**212472	**SWLL**212472	**SWGiCL**212472	**SWGiAL**212472
	SWL242466	**SWML**242466	**SWLL**242466	**SWGiCL**242466	**SWGiAL**242466
	SWL212466	**SWML**212466	**SWLL**212466	**SWGiCL**212466	**SWGiAL**212466
DROITE	**SWR**242472	**SWMR**242472	**SWLR**242472	**SWGiCR**242472	**SWGiAR**242472
	SWR212472	**SWMR**212472	**SWLR**212472	**SWGiCR**212472	**SWGiAR**212472
	SWR242466	**SWMR**242466	**SWLR**242466	**SWGiCR**242466	**SWGiAR**242466
	SWR212466	**SWMR**212466	**SWLR**212466	**SWGiCR**212466	**SWGiAR**212466

COMBINED STORAGE UNITS 50" H. - UF - 147

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
SWDUF242450		**SWDUFM**242450	**SWDUFL**242450	**SWDUFGiC**242450	**SWDUFGiA**242450
SWDUF212450		**SWDUFM**212450	**SWDUFL**212450	**SWDUFGiC**212450	**SWDUFGiA**212450
SDUFW242450		**SDUFWM**242450	**SDUFWL**242450	**SDUFWGiC**242450	**SDUFWGiA**242450
SDUFW212450		**SDUFWM**212450	**SDUFWL**212450	**SDUFWGiC**212450	**SDUFWGiA**212450

COMBINED STORAGE UNITS 66" H. - UUF - 149

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
SWDUUF242466		**SWDUUFM**242466	**SWDUUFL**242466	**SWDUUFGiC**242466	**SWDUUFGiA**242466
SWDUUF212466		**SWDUUFM**212466	**SWDUUFL**212466	**SWDUUFGiC**212466	**SWDUUFGiA**212466
SDUUFW242466		**SDUUFWM**242466	**SDUUFWL**242466	**SDUUFWGiC**242466	**SDUUFWGiA**242466
SDUUFW212466		**SDUUFWM**212466	**SDUUFWL**212466	**SDUUFWGiC**212466	**SDUUFWGiA**212466

COMBINED STORAGE UNITS 66" H. - FF - 151

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
SWDFF242466		**SWDFFM**242466	**SWDFFL**242466	**SWDFFGiC**242466	**SWDFFGiA**242466
SWDFF212466		**SWDFFM**212466	**SWDFFL**212466	**SWDFFGiC**212466	**SWDFFGiA**212466
SDFFW242466		**SDFFWM**242466	**SDFFWL**242466	**SDFFWGiC**242466	**SDFFWGiA**242466
SDFFW212466		**SDFFWM**212466	**SDFFWL**212466	**SDFFWGiC**212466	**SDFFWGiA**212466

COMBINED STORAGE UNITS 72" H. - UFF - 153

		Contemporary frame		Contemporary frame	Traditional frame
		Laminate	H-gloss white	Acrylic	Acrylic
SWDUFF242472		**SWDUFFM**242472	**SWDUFFL**242472	**SWDUFFGiC**242472	**SWDUFFGiA**242472
SWDUFF212472		**SWDUFFM**212472	**SWDUFFL**212472	**SWDUFFGiC**212472	**SWDUFFGiA**212472
SDUFFW242472		**SDUFFWM**242472	**SDUFFWL**242472	**SDUFFWGiC**242472	**SDUFFWGiA**242472
SDUFFW212472		**SDUFFWM**212472	**SDUFFWL**212472	**SDUFFWGiC**212472	**SDUFFWGiA**212472

2-WAY CABINETS - 66" - 50" H. - 155

SOUUFL241866	**SOUUFR**241866	**SOFFL**241866	**SOFFR**241866
SOUUFL211866	**SOUUFR**211866	**SOFFL**211866	**SOFFR**211866
SOUUFL241850	**SOUUFR**241850	**SOFFL**241850	**SOFFR**241850
SOUUFL211850	**SOUUFR**211850	**SOFFL**211850	**SOFFR**211850

2-WAY CABINETS - 50"H. - 156

SOUFL241850	**SOUFR**241850
SOUFL211850	**SOUFR**211850

TACKBOARDS - 156

BTL1735
BTL1726
BTL1720

BOOKCASES - 157

BK243684	**BK**243084	**BK**213684	**BK**213084	**BK**123684	**BK**123084
BK243672	**BK**243072	**BK**213672	**BK**213072	**BK**123672	**BK**123072
BK243666	**BK**243066	**BK**213666	**BK**213066	**BK**123666	**BK**123066
BK243650	**BK**243050	**BK**213650	**BK**213050	**BK**123650	**BK**123050
BK243641	**BK**243041	**BK**213641	**BK**213041	**BK**123641	**BK**123041
BK243629	**BK**243029	**BK**213629	**BK**213029	**BK**123629	**BK**123029

CORNER BOOKCASES - 158

BKC3029
BKC2472
BKC2466
BKC2450
BKC2441
BKC2435
BKC2429

BKC2172
BKC2166
BKC2150
BKC2141
BKC2135
BKC2129

BKC1272
BKC1266
BKC1250
BKC1241
BKC1229

SHELVES - 159

STS ...
BTS ...
BKS ...

SUSPENDED PEDESTALS - 160

SPUU

SPF

SPUUU

SPUF

FREESTANDING PEDESTALS WITHOUT TOP - 161

FPUUF

FPFF

FP4U

FREESTANDING PEDESTALS WITH RECYCLING BIN, W/out TOP - 161

FPUUY

FPFY

SUPPORT PEDESTALS - 162

FSPUUF

FSPFF

SUPPORT PEDESTALS- METAL - 162

45 Series
FP45-28-6612-LT1
FP45-22-6612-LT1
FP45-28-1212-LT1
FP45-22-1212-LT1

47 Series
FP47-28-6612-LT1
FP47-22-6612-LT1
FP47-28-1212-LT1
FP47-22-1212-LT1

FREESTANDING PEDESTALS 29" H. - 163

FSUUF

FSFF

FS4U

FSUUY

FSFY

CAISSONS MOBILES - 164

MPUUF1520

MPFF1520

MPUF1520

coussin
CUS2015

CABINETS WITHOUT TOP - 165

CABINET

LDN2436
LDN2430
LDN2136
LDN2130

LATERAL FILE

LFN2436
LFN2430
LFN2136
LFN2130

COMBINED STORAGE

LCNL2436
LCNL2430
LCNL2136
LCNL2130

LUUFDN2436
LUUFDN2430
LUUFDN2136
LUUFDN2130

CABINETS WITHOUT TOP

COMBINED STORAGE - 166

LDUUFN2436
LDUUFN2430
LDUUFN2136
LDUUFN2130

TOPS FOR LATERAL FILING - 167

LTOP24108
LTOP24102
LTOP2490
LTOP2484
LTOP2478
LTOP2472
LTOP2466
LTOP2460
LTOP2454
LTOP2448
LTOP2442
LTOP2436
LTOP2430

LTOP21108
LTOP21102
LTOP2190
LTOP2184
LTOP2178
LTOP2172
LTOP2166
LTOP2160
LTOP2154
LTOP2148
LTOP2142
LTOP2136
LTOP2130

LTOP18108
LTOP1890
LTOP1884
LTOP1878
LTOP1872
LTOP1866
LTOP1860
LTOP1842
LTOP1836
LTOP1830

OPEN HUTCHES - 168

HO8443
HO7843
HO7243
HO6643
HO6043
HO5443
HO4843
HO4243
HO3643
HO3043
HO2443

HO8437
HO7837
HO7237
HO6637
HO6037
HO5437
HO4837
HO4237
HO3637
HO3037
HO2437

HUTCHES WITH HINGED DOORS - 169

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HD8443	HDM8443	HDL8443	HDGiC8443	HDGiA8443
HD7843	HDM7843	HDL7843	HDGiC7843	HDGiA7843
HD7243	HDM7243	HDL7243	HDGiC7243	HDGiA7243
HD6643	HDM6643	HDL6643	HDGiC6643	HDGiA6643
HD6043	HDM6043	HDL6043	HDGiC6043	HDGiA6043
HD5443	HDM5443	HDL5443	HDGiC5443	HDGiA5443
HD4843	HDM4843	HDL4843	HDGiC4843	HDGiA4843
HD4243	HDM4243	HDL4243	HDGiC4243	HDGiA4243
HD3643	HDM3643	HDL3643	HDGiC3643	HDGiA3643
HD3043	HDM3043	HDL3043	HDGiC3043	HDGiA3043
HD2443	HDM2443	HDL2443	HDGiC2443	HDGiA2443
HD8437	HDM8437	HDL8437	HDGiC8437	HDGiA8437
HD7837	HDM7837	HDL7837	HDGiC7837	HDGiA7837
HD7237	HDM7237	HDL7237	HDGiC7237	HDGiA7237
HD6637	HDM6637	HDL6637	HDGiC6637	HDGiA6637
HD6037	HDM6037	HDL6037	HDGiC6037	HDGiA6037
HD5437	HDM5437	HDL5437	HDGiC5437	HDGiA5437
HD4837	HDM4837	HDL4837	HDGiC4837	HDGiA4837
HD4237	HDM4237	HDL4237	HDGiC4237	HDGiA4237
HD3637	HDM3637	HDL3637	HDGiC3637	HDGiA3637
HD3037	HDM3037	HDL3037	HDGiC3037	HDGiA3037
HD2437	HDM2437	HDL2437	HDGiC2437	HDGiA2437

HUCHES SEMI-OUVERTES AVEC PORTES - 173

	Contemporary frame		Contemporary frame	Cadre traditionnel
	Laminate	H-gloss white	Acrylic	Acrylique
HH7243	HHM7243	HHL7243	HHGiC7243	HHGiA7243
HH6643	HHM6643	HHL6643	HHGiC6643	HHGiA6643
HH6043	HHM6043	HHL6043	HHGiC6043	HHGiA6043
HH5443	HHM5443	HHL5443	HHGiC5443	HHGiA5443
HH4843	HHM4843	HHL4843	HHGiC4843	HHGiA4843
HH4243	HHM4243	HHL4243	HHGiC4243	HHGiA4243
HH7237	HHM7237	HHL7237	HHGiC7237	HHGiA7237
HH6637	HHM6637	HHL6637	HHGiC6637	HHGiA6637
HH6037	HHM6037	HHL6037	HHGiC6037	HHGiA6037
HH5437	HHM5437	HHL5437	HHGiC5437	HHGiA5437
HH4837	HHM4837	HHL4837	HHGiC4837	HHGiA4837
HH4237	HHM4237	HHL4237	HHGiC4237	HHGiA4237

HUTCHES WITH FLIPPER DOOR(S) - 175

HF7243	HF7237
HF6643	HF6637
HF6043	HF6037
HF5443	HF5437
HF4843	HF4837
HF4243	HF4237
HF3643	HF3637
HF3043	HF3037
HF2443	HF2437

HUTCHES WITH PIVOT-LIFT DOOR(S) - 176

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HU7243	HUM7243	HUL7243	HUGiC7243	HUGiA7243
HU6643	HUM6643	HUL6643	HUGiC6643	HUGiA6643
HU6043	HUM6043	HUL6043	HUGiC6043	HUGiA6043
HU5443	HUM5443	HUL5443	HUGiC5443	HUGiA5443
HU4843	HUM4843	HUL4843	HUGiC4843	HUGiA4843
HU4243	HUM4243	HUL4243	HUGiC4243	HUGiA4243
HU3643	HUM3643	HUL3643	HUGiC3643	HUGiA3643
HU3043	HUM3043	HUL3043	HUGiC3043	HUGiA3043
HU2443	HUM2443	HUL2443	HUGiC2443	HUGiA2443
HU7237	HUM7237	HUL7237	HUGiC7237	HUGiA7237
HU6637	HUM6637	HUL6637	HUGiC6637	HUGiA6637
HU6037	HUM6037	HUL6037	HUGiC6037	HUGiA6037
HU5437	HUM5437	HUL5437	HUGiC5437	HUGiA5437
HU4837	HUM4837	HUL4837	HUGiC4837	HUGiA4837
HU4237	HUM4237	HUL4237	HUGiC4237	HUGiA4237
HU3637	HUM3637	HUL3637	HUGiC3637	HUGiA3637
HU3037	HUM3037	HUL3037	HUGiC3037	HUGiA3037
HU2437	HUM2437	HUL2437	HUGiC2437	HUGiA2437

OPEN HUTCHES - 180

HO8443	HO4843	HO8437	HO4837
HO7843	HO4243	HO7837	HO4237
HO7243	HO3643	HO7237	HO3637
HO6643	HO3043	HO6637	HO3037
HO6043	HO2443	HO6037	HO2437
HO5443		HO5437	

HUTCHES WITH HINGED DOORS - 181

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HD8443	HDM8443	HDL8443	HDGiC8443	HDGiA8443
HD7843	HDM7843	HDL7843	HDGiC7843	HDGiA7843
HD7243	HDM7243	HDL7243	HDGiC7243	HDGiA7243
HD6643	HDM6643	HDL6643	HDGiC6643	HDGiA6643
HD6043	HDM6043	HDL6043	HDGiC6043	HDGiA6043
HD5443	HDM5443	HDL5443	HDGiC5443	HDGiA5443
HD4843	HDM4843	HDL4843	HDGiC4843	HDGiA4843
HD4243	HDM4243	HDL4243	HDGiC4243	HDGiA4243
HD3643	HDM3643	HDL3643	HDGiC3643	HDGiA3643
HD3043	HDM3043	HDL3043	HDGiC3043	HDGiA3043
HD2443	HDM2443	HDL2443	HDGiC2443	HDGiA2443
HD8437	HDM8437	HDL8437	HDGiC8437	HDGiA8437
HD7837	HDM7837	HDL7837	HDGiC7837	HDGiA7837
HD7237	HDM7237	HDL7237	HDGiC7237	HDGiA7237
HD6637	HDM6637	HDL6637	HDGiC6637	HDGiA6637
HD6037	HDM6037	HDL6037	HDGiC6037	HDGiA6037
HD5437	HDM5437	HDL5437	HDGiC5437	HDGiA5437
HD4837	HDM4837	HDL4837	HDGiC4837	HDGiA4837
HD4237	HDM4237	HDL4237	HDGiC4237	HDGiA4237
HD3637	HDM3637	HDL3637	HDGiC3637	HDGiA3637
HD3037	HDM3037	HDL3037	HDGiC3037	HDGiA3037
HD2437	HDM2437	HDL2437	HDGiC2437	HDGiA2437

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 185

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HH7243	HHM7243	HHL7243	HHGiC7243	HHGiA7243
HH6643	HHM6643	HHL6643	HHGiC6643	HHGiA6643
HH6043	HHM6043	HHL6043	HHGiC6043	HHGiA6043
HH5443	HHM5443	HHL5443	HHGiC5443	HHGiA5443
HH4843	HHM4843	HHL4843	HHGiC4843	HHGiA4843
HH4243	HHM4243	HHL4243	HHGiC4243	HHGiA4243
HH7237	HHM7237	HHL7237	HHGiC7237	HHGiA7237
HH6637	HHM6637	HHL6637	HHGiC6637	HHGiA6637
HH6037	HHM6037	HHL6037	HHGiC6037	HHGiA6037
HH5437	HHM5437	HHL5437	HHGiC5437	HHGiA5437
HH4837	HHM4837	HHL4837	HHGiC4837	HHGiA4837
HH4237	HHM4237	HHL4237	HHGiC4237	HHGiA4237

HUTCHES WITH PIVOT-LIFT DOOR(S) - 188

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HU7243	HUM7243	HUL7243	HUGiC7243	HUGiA7243
HU6643	HUM6643	HUL6643	HUGiC6643	HUGiA6643
HU6043	HUM6043	HUL6043	HUGiC6043	HUGiA6043
HU5443	HUM5443	HUL5443	HUGiC5443	HUGiA5443
HU4843	HUM4843	HUL4843	HUGiC4843	HUGiA4843
HU4243	HUM4243	HUL4243	HUGiC4243	HUGiA4243
HU3643	HUM3643	HUL3643	HUGiC3643	HUGiA3643
HU3043	HUM3043	HUL3043	HUGiC3043	HUGiA3043
HU2443	HUM2443	HUL2443	HUGiC2443	HUGiA2443
HU7237	HUM7237	HUL7237	HUGiC7237	HUGiA7237
HU6637	HUM6637	HUL6637	HUGiC6637	HUGiA6637
HU6037	HUM6037	HUL6037	HUGiC6037	HUGiA6037
HU5437	HUM5437	HUL5437	HUGiC5437	HUGiA5437
HU4837	HUM4837	HUL4837	HUGiC4837	HUGiA4837
HU4237	HUM4237	HUL4237	HUGiC4237	HUGiA4237
HU3637	HUM3637	HUL3637	HUGiC3637	HUGiA3637
HU3037	HUM3037	HUL3037	HUGiC3037	HUGiA3037
HU2437	HUM2437	HUL2437	HUGiC2437	HUGiA2437

HUTCHES WITH FLIPPER DOOR(S) - 187

HF7243	**HF**4243	**HF**7237	**HF**4237
HF6643	**HF**3643	**HF**6637	**HF**3637
HF6043	**HF**3043	**HF**6037	**HF**3037
HF5443	**HF**2443	**HF**5437	**HF**2437
HF4843		**HF**4837	

MODULAR HUTCHES - 192

HM8427	**HM**8421
HM7827	**HM**7821
HM7227	**HM**7221
HM6627	**HM**6621
HM6027	**HM**6021
HM5427	**HM**5421
HM4827	**HM**4821
HM4227	**HM**4221
HM3627	**HM**3621
HM3027	**HM**3021

STORAGE MODULES FOR MODULAR HUTCHES - 193

	Contemporary frame	Contemporary frame	Contemporary frame	Traditional frame
	Laminate	H-gloss white	H-gloss white	Acrylic
HB42	**HBM**42	**HBL**42	**HBGiC**42	**HBGiA**42
	Laminate	H-gloss white	H-gloss white	Acrylic
HB30	**HBM**30	**HBL**30	**HBGiC**30	**HBGiA**30

OPEN WALL MOUNTED HUTCHES - 195

HWO7216	**HWO**5416	**HWO**3616
HWO6616	**HWO**4816	**HWO**3016
HWO6016	**HWO**4216	**HWO**2416

WALL MOUNTED HUTCHES WITH HINGED DOORS - 195

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HWD7216	**HWDM**7216	**HWDL**7216	**HWDGiC**7216	**HWDGiA**7216
HWD6616	**HWDM**6616	**HWDL**6616	**HWDGiC**6616	**HWDGiA**6616
HWD6016	**HWDM**6016	**HWDL**6016	**HWDGiC**6016	**HWDGiA**6016
HWD5416	**HWDM**5416	**HWDL**5416	**HWDGiC**5416	**HWDGiA**5416
HWD4816	**HWDM**4816	**HWDL**4816	**HWDGiC**4816	**HWDGiA**4816
HWD4216	**HWDM**4216	**HWDL**4216	**HWDGiC**4216	**HWDGiA**4216
HWD3616	**HWDM**3616	**HWDL**3616	**HWDGiC**3616	**HWDGiA**3616
HWD3016	**HWDM**3016	**HWDL**3016	**HWDGiC**3016	**HWDGiA**3016
HWD2416	**HWDM**2416	**HWDL**2416	**HWDGiC**2416	**HWDGiA**2416

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS - 197

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HWH7216	**HWHM**7216	**HWHL**7216	**HWHGiC**7216	**HWHGiA**7216
HWH6616	**HWHM**6616	**HWHL**6616	**HWHGiC**6616	**HWHGiA**6616
HWH6016	**HWHM**6016	**HWHL**6016	**HWHGiC**6016	**HWHGiA**6016
HWH5416	**HWHM**5416	**HWHL**5416	**HWHGiC**5416	**HWHGiA**5416
HWH4816	**HWHM**4816	**HWHL**4816	**HWHGiC**4816	**HWHGiA**4816
HWH4216	**HWHM**4216	**HWHL**4216	**HWHGiC**4216	**HWHGiA**4216

WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S) - 199

HWF7216	**HWF**5416	**HWF**3616
HWF6616	**HWF**4816	**HWF**3016
HWF6016	**HWF**4216	**HWF**2416

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S) - 199

	Contemporary frame		Contemporary frame	Traditional frame
	Laminate	H-gloss white	Acrylic	Acrylic
HWU7216	**HWUM**7216	**HWUL**7216	**HWUGiC**7216	**HWUGiA**7216
HWU6616	**HWUM**6616	**HWUL**6616	**HWUGiC**6616	**HWUGiA**6616
HWU6016	**HWUM**6016	**HWUL**6016	**HWUGiC**6016	**HWUGiA**6016
HWU5416	**HWUM**5416	**HWUL**5416	**HWUGiC**5416	**HWUGiA**5416
HWU4816	**HWUM**4816	**HWUL**4816	**HWUGiC**4816	**HWUGiA**4816
HWU4216	**HWUM**4216	**HWUL**4216	**HWUGiC**4216	**HWUGiA**4216
HWU3616	**HWUM**3616	**HWUL**3616	**HWUGiC**3616	**HWUGiA**3616
HWU3016	**HWUM**3016	**HWUL**3016	**HWUGiC**3016	**HWUGiA**3016
HWU2416	**HWUM**2416	**HWUL**2416	**HWUGiC**2416	**HWUGiA**2416

WALL MODULES - 201

HWB107207
HWB106607
HWB106007
HWB105407
HWB104807
HWB104207
HWB103607
HWB103007
HWB102407

CORNER ROUNDED BOOKCASE HUTCHES - 206

HC43
HC37

BOOKCASE HUTCHES - 201

HBK3643
HBK3043
HBK3637
HBK3037

BOOKCASE HUTCHES WITH DOOR(S) - 202

HPDD3643
HPDD3043
HPDD3637
HPDD3037

Contemporary frame		Contemporary frame	Traditional frame
Laminate	H-gloss white	Acrylic	Acrylic
HPDDM3643	HPDDL3643	HPDDGiC3643	HPDDGiA3643
HPDDM3043	HPDDL3043	HPDDGiC3043	HPDDGiA3043
HPDDM3637	HPDDL3637	HPDDGiC3637	HPDDGiA3637
HPDDM3037	HPDDL3037	HPDDGiC3037	HPDDGiA3037

HPDDGiA3643
HPDDGiA3043
HPDDGiA3637
HPDDGiA3037

HPDO3643
HPDO3043
HPDO3637
HPDO3037

HPDOM3643	HPDOL3643	HPDOGiC3643	HPDOGiA3643
HPDOM3043	HPDOL3043	HPDOGiC3043	HPDOGiA3043
HPDOM3637	HPDOL3637	HPDOGiC3637	HPDOGiA3637
HPDOM3037	HPDOL3037	HPDOGiC3037	HPDOGiA3037

HPDOGiA3643
HPDOGiA3043
HPDOGiA3637
HPDOGiA3037

HPOD3643
HPOD3043
HPOD3637
HPOD3037

HPODM3643	HPODL3643	HPODGiC3643	HPODGiA3643
HPODM3043	HPODL3043	HPODGiC3043	HPODGiA3043
HPODM3637	HPODL3637	HPODGiC3637	HPODGiA3637
HPODM3037	HPODL3037	HPODGiC3037	HPODGiA3037

HPODGiA3643
HPODGiA3043
HPODGiA3637
HPODGiA3037

TACKBOARDS FOR 43" H. HUTCHES - 207

without pigeonhole	with pigeonhole
BT8225	BT8221
BT7625	BT7621
BT7025	BT7021
BT6425	BT6421
BT5825	BT5821
BT5225	BT5221
BT4625	BT4621
BT4025	BT4021
BT3425	BT3421
BT2825	BT2821
BT2225	BT2221

TACKBOARDS FOR 37" H. HUTCHES - 208

without pigeonhole	with pigeonhole
BT8219	BT8215
BT7619	BT7615
BT7019	BT7015
BT6419	BT6415
BT5819	BT5815
BT5219	BT5215
BT4619	BT4615
BT4019	BT4015
BT3419	BT3415
BT2819	BT2815
BT2219	BT2215

TACKBOARD FOR MODULAR HUTCHES - 209

27" H.	21" H.
BT8219	BT8213
BT7619	BT7613
BT7019	BT7013
BT6419	BT6413
BT5819	BT5813
BT5219	BT5213
BT4619	BT4613
BT4019	BT4013
BT3419	BT3413
BT2819	BT2813
BT2219	BT2213

PIGEON-HOLE UNITS - 210

PiH82
PiH76
PiH70
PiH64
PiH58
PiH52

PiH46
PiH40
PiH34
PiH28
PiH22

Pi1726
Pi1720

Pi1426
Pi1420

Pi726
Pi720

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 212

LL

LC

CL

TiX3684LL	TiX3084 …	TiX3042 …	TiX2484 …	TiX2442 …
TiX3678LL	TiX3078 …	TiX3036 …	TiX2478 …	TiX2436 …
TiX3672LL	TiX3072 …	TiX3030 …	TiX2472 …	TiX2430 …
TiX3666LL	TiX3066 …	TiX3024 …	TiX2466 …	TiX2424 …
TiX3660LL	TiX3060 …		TiX2460 …	
TiX3654LL	TiX3054 …		TiX2454 …	
TiX3648LL	TiX3048 …		TiX2448 …	

RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 213

LL

LC

CL

TiM3684LL	TiM3084 …	TiM3042 …	TiM2484 …	TiM2442 …
TiM3678LL	TiM3078 …	TiM3036 …	TiM2478 …	TiM2436 …
TiM3672LL	TiM3072 …	TiM3030 …	TiM2472 …	TiM2430 …
TiM3666LL	TiM3066 …	TiM3024 …	TiM2466 …	TiM2424 …
TiM3660LL	TiM3060 …		TiM2460 …	
TiM3654LL	TiM3054 …		TiM2454 …	
TiM3648LL	TiM3048 …		TiM2448 …	

RECTANGULAR TABLES (OPEN METAL END PANELS) - 214

TiO3684LL	TiO3084 …	TiO3042 …	TiO2484 …	TiO2442 …
TiO3678LL	TiO3078 …	TiO3036 …	TiO2478 …	TiO2436 …
TiO3672LL	TiO3072 …	TiO3030 …	TiO2472 …	TiO2430 …
TiO3666LL	TiO3066 …	TiO3024 …	TiO2466 …	TiO2424 …
TiO3660LL	TiO3060 …		TiO2460 …	
TiO3654LL	TiO3054 …		TiO2454 …	
TiO3648LL	TiO3048 …		TiO2448 …	

RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS) - 215

TiO3084CC	TiO3048CC	TiO2484CC	TiO2448CC	CSO3048CC
TiO3078CC	TiO3042CC	TiO2478CC	TiO2442CC	CSO3042CC
TiO3072CC	TiO3036CC	TiO2472CC	TiO2436CC	CSO2448CC
TiO3066CC	TiO3030CC	TiO2466CC	TiO2430CC	CSO2442CC
TiO3060CC	TiO3024CC	TiO2460CC	TiO2424CC	CSO2436CC
TiO3054CC		TiO2454CC		CSO1836CC

REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL) - 216

RERX2460	RERX2148	RERX1848
RERX2454	RERX2142	RERX1842
RERX2448	RERX2136	RERX1836
RERX2442	RERX2130	RERX1830
RERX2436		
RERX2430		

REVERSIBLE RETURNS (PERFORATED METAL END PANEL) - 216

RERM2460	RERM2148	RERM1848
RERM2454	RERM2142	RERM1842
RERM2448	RERM2136	RERM1836
RERM2442	RERM2130	RERM1830
RERM2436		
RERM2430		

REVERSIBLE RETURNS (OPEN METAL END PANEL) - 217

RERO2460	RERO2142
RERO2454	RERO2136
RERO2448	RERO2130
RERO2442	RERO1848
RERO2436	RERO1842
RERO2430	RERO1836
RERO2148	RERO1830

BRIDGE-RETURNS - 217

REB2448	REB2136
REB2442	REB2130
REB2436	REB1848
REB2430	REB1842
REB2148	REB1836
REB2142	REB1830

BRIDGE-SURFACES - 218

	REBS2148
	REBS2142
	REBS2136
	REBS2130
REBS2448	REBS1848
REBS2442	REBS1842
REBS2436	REBS1836
REBS2430	REBS1830

LAYERING

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL) - 219

LEFT table

DPi3684L	DPi3084L	DPi2484L
DPi3678L	DPi3078L	DPi2478L
DPi3672L	DPi3072L	DPi2472L
DPi3666L	DPi3066L	DPi2466L
DPi3660L	DPi3060L	DPi2460L

RIGHT table

DPi3684R	DPi3084R	DPi2484R
DPi3678R	DPi3078R	DPi2478R
DPi3672R	DPi3072R	DPi2472R
DPi3666R	DPi3066R	DPi2466R
DPi3660R	DPi3060R	DPi2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL) - 220

LEFT table

DPiX3684L	DPiX3084L	DPiX2484L
DPiX3678L	DPiX3078L	DPiX2478L
DPiX3672L	DPiX3072L	DPiX2472L
DPiX3666L	DPiX3066L	DPiX2466L
DPiX3660L	DPiX3060L	DPiX2460L

RIGHT table

DPiX3684R	DPiX3084R	DPiX2484R
DPiX3678R	DPiX3078R	DPiX2478R
DPiX3672R	DPiX3072R	DPiX2472R
DPiX3666R	DPiX3066R	DPiX2466R
DPiX3660R	DPiX3060R	DPiX2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL) - 221

LEFT table

DPiM3684L	DPiM3084L	DPiM2484L
DPiM3678L	DPiM3078L	DPiM2478L
DPiM3672L	DPiM3072L	DPiM2472L
DPiM3666L	DPiM3066L	DPiM2466L
DPiM3660L	DPiM3060L	DPiM2460L

RIGHT table

DPiM3684R	DPiM3084R	DPiM2484R
DPiM3678R	DPiM3078R	DPiM2478R
DPiM3672R	DPiM3072R	DPiM2472R
DPiM3666R	DPiM3066R	DPiM2466R
DPiM3660R	DPiM3060R	DPiM2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL) - 222

LEFT table

DPiO3684L	DPiO3084L	DPiO2484L
DPiO3678L	DPiO3078L	DPiO2478L
DPiO3672L	DPiO3072L	DPiO2472L
DPiO3666L	DPiO3066L	DPiO2466L
DPiO3660L	DPiO3060L	DPiO2460L

RIGHT table

DPiO3684R	DPiO3084R	DPiO2484R
DPiO3678R	DPiO3078R	DPiO2478R
DPiO3672R	DPiO3072R	DPiO2472R
DPiO3666R	DPiO3066R	DPiO2466R
DPiO3660R	DPiO3060R	DPiO2460R

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT - 223

LEFT return☐

REEP2472**L**	**REEP**2172**L**	**REEP**1872**L**
REEP2466**L**	**REEP**2166**L**	**REEP**1866**L**
REEP2460**L**	**REEP**2160**L**	**REEP**1860**L**

RIGHT return

REEP2472**R**	**REEP**2172**R**	**REEP**1872**R**
REEP2466**R**	**REEP**2166**R**	**REEP**1866**R**
REEP2460**R**	**REEP**2160**R**	**REEP**1860**R**

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 224

LEFT table

DLDA3684**L**	**DLDA**3084**L**	**DLDA**2484**L**
DLDA3678**L**	**DLDA**3078**L**	**DLDA**2478**L**
DLDA3672**L**	**DLDA**3072**L**	**DLDA**2472**L**

RIGHT table

DLDA3684**R**	**DLDA**3084**R**	**DLDA**2484**R**
DLDA3678**R**	**DLDA**3078**R**	**DLDA**2478**R**
DLDA3672**R**	**DLDA**3072**R**	**DLDA**2472**R**

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 225

Table GAUCHE

Plateau rond	Plateau carré
DLDC3684**L**	**DLDD**3684**L**
DLDC3678**L**	**DLDD**3678**L**
DLDC3672**L**	**DLDD**3672**L**
DLDC3084**L**	**DLDD**3084**L**
DLDC3078**L**	**DLDD**3078**L**
DLDC3072**L**	**DLDD**3072**L**
DLDC2484**L**	**DLDD**2484**L**
DLDC2478**L**	**DLDD**2478**L**
DLDC2472**L**	**DLDD**2472**L**

Table DROITE

Plateau rond	Plateau carré
DLDC3684**R**	**DLDD**3684**R**
DLDC3678**R**	**DLDD**3678**R**
DLDC3672**R**	**DLDD**3672**R**
DLDC3084**R**	**DLDD**3084**R**
DLDC3078**R**	**DLDD**3078**R**
DLDC3072**R**	**DLDD**3072**R**
DLDC2484**R**	**DLDD**2484**R**
DLDC2478**R**	**DLDD**2478**R**
DLDC2472**R**	**DLDD**2472**R**

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPPORT

TABLES EN "D" DÉPOSÉES AVEC SUPPORT AJUSTABLE

TUBULAR LEG - 226

DADA3684	**DADA**3084	**DADA**2484
DADA3678	**DADA**3078	**DADA**2478
DADA3672	**DADA**3072	**DADA**2472

TUBULAR LEG WITH BASE - 226

Plateau rond	Plateau carré
DADC3684	**DADD**3684
DADC3678	**DADD**3678
DADC3672	**DADD**3672
DADC3084	**DADD**3084
DADC3078	**DADD**3078
DADC3072	**DADD**3072
DADC2484	**DADD**2484
DADC2478	**DADD**2478
DADC2472	**DADD**2472

TABLES ARQUÉES DÉPOSÉES AVEC SUPPORT EN "L" (PATTE TUBULAIRE) - 227

LEFT table

DLAA3684**L**	**DLAA**3084**L**	**DLAA**2484**L**
DLAA3678**L**	**DLAA**3078**L**	**DLAA**2478**L**
DLAA3672**L**	**DLAA**3072**L**	**DLAA**2472**L**

RIGHT table

DLAA3684**R**	**DLAA**3084**R**	**DLAA**2484**R**
DLAA3678**R**	**DLAA**3078**R**	**DLAA**2478**R**
DLAA3672**R**	**DLAA**3072**R**	**DLAA**2472**R**

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 228

LEFT table

Plateau rond	Plateau carré
DLAC3684**L**	**DLAD**3684**L**
DLAC3678**L**	**DLAD**3678**L**
DLAC3672**L**	**DLAD**3672**L**
DLAC3084**L**	**DLAD**3084**L**
DLAC3078**L**	**DLAD**3078**L**
DLAC3072**L**	**DLAD**3072**L**
DLAC2484**L**	**DLAD**2484**L**
DLAC2478**L**	**DLAD**2478**L**
DLAC2472**L**	**DLAD**2472**L**

RIGHT table

Plateau rond	Plateau carré
DLAC3684**R**	**DLAD**3684**R**
DLAC3678**R**	**DLAD**3678**R**
DLAC3672**R**	**DLAD**3672**R**
DLAC3084**R**	**DLAD**3084**R**
DLAC3078**R**	**DLAD**3078**R**
DLAC3072**R**	**DLAD**3072**R**
DLAC2484**R**	**DLAD**2484**R**
DLAC2478**R**	**DLAD**2478**R**
DLAC2472**R**	**DLAD**2472**R**

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS) - 229

LEFT table

Pattes rondes	Pattes carrées
DLAE3684**L**	**DLAF**3684**L**
DLAE3678**L**	**DLAF**3678**L**
DLAE3672**L**	**DLAF**3672**L**
DLAE3084**L**	**DLAF**3084**L**
DLAE3078**L**	**DLAF**3078**L**
DLAE3072**L**	**DLAF**3072**L**
DLAE2484**L**	**DLAF**2484**L**
DLAE2478**L**	**DLAF**2478**L**
DLAE2472**L**	**DLAF**2472**L**

RIGHT table

Pattes rondes	Pattes carrées
DLAE3684**R**	**DLAF**3684**R**
DLAE3678**R**	**DLAF**3678**R**
DLAE3672**R**	**DLAF**3672**R**
DLAE3084**R**	**DLAF**3084**R**
DLAE3078**R**	**DLAF**3078**R**
DLAE3072**R**	**DLAF**3072**R**
DLAE2484**R**	**DLAF**2484**R**
DLAE2478**R**	**DLAF**2478**R**
DLAE2472**R**	**DLAF**2472**R**

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 230

LEFT table

DLAG3684**L**	**DLAG**3084**L**	**DLAG**2484**L**
DLAG3678**L**	**DLAG**3078**L**	**DLAG**2478**L**
DLAG3672**L**	**DLAG**3072**L**	**DLAG**2472**L**

RIGHT table

DLAG3684**R**	**DLAG**3084**R**	**DLAG**2484**R**
DLAG3678**R**	**DLAG**3078**R**	**DLAG**2478**R**
DLAG3672**R**	**DLAG**3072**R**	**DLAG**2472**R**

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJ. SUPP TABLES ARQUÉES DÉP. SUPPORT AJUSTABLE AVEC PATTE AVEC PLATEAU - 231

TUBULAR LEG - 231

DAAA3684	DAAA2484
DAAA3678	DAAA2478
DAAA3672	DAAA2472
DAAA3084	
DAAA3078	
DAAA3072	

TUBULAR LEG WITH BASE - 231

Round base		Square base	
DAAC3684	DAAC3072	DAAD3684	DAAD3072
DAAC3678	DAAC2484	DAAD3678	DAAD2484
DAAC3672	DAAC2478	DAAD3672	DAAD2478
DAAC3084	DAAC2472	DAAD3084	DAAD2472
DAAC3078		DAAD3078	

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG) - 232

LEFT table

DLiA3684L	DLiA3084L	DLiA2484L
DLiA3678L	DLiA3078L	DLiA2478L
DLiA3672L	DLiA3072L	DLiA2472L

RIGHT table

DLiA3684R	DLiA3084R	DLiA2484R
DLiA3678R	DLiA3078R	DLiA2478R
DLiA3672R	DLiA3072R	DLiA2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) - 233

LEFT table

Plateau rond	Plateau carré
DLiC3684L	DLiD3684L
DLiC3678L	DLiD3678L
DLiC3672L	DLiD3672L
DLiC3084L	DLiD3084L
DLiC3078L	DLiD3078L
DLiC3072L	DLiD3072L
DLiC2484L	DLiD2484L
DLiC2478L	DLiD2478L
DLiC2472L	DLiD2472L

RIGHT table

Plateau rond	Plateau carré
DLiC3684R	DLiD3684R
DLiC3678R	DLiD3678R
DLiC3672R	DLiD3672R
DLiC3084R	DLiD3084R
DLiC3078R	DLiD3078R
DLiC3072R	DLiD3072R
DLiC2484R	DLiD2484R
DLiC2478R	DLiD2478R
DLiC2472R	DLiD2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH LAMINATE "L" SUPPORT (TUBULAR LEGS) - 234

LEFT table

Pattes rondes	Pattes carrées
DLiE3684L	DLiF3684L
DLiE3678L	DLiF3678L
DLiE3672L	DLiF3672L
DLiE3084L	DLiF3084L
DLiE3078L	DLiF3078L
DLiE3072L	DLiF3072L
DLiE2484L	DLiF2484L
DLiE2478L	DLiF2478L
DLiE2472L	DLiF2472L

RIGHT table

Pattes rondes	Pattes carrées
DLiE3684R	DLiF3684R
DLiE3678R	DLiF3678R
DLiE3672R	DLiF3672R
DLiE3084R	DLiF3084R
DLiE3078R	DLiF3078R
DLiE3072R	DLiF3072R
DLiE2484R	DLiF2484R
DLiE2478R	DLiF2478R
DLiE2472R	DLiF2472R

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE) - 235

LEFT table

DLiG3684L	DLiG3084L	DLiG2484L
DLiG3678L	DLiG3078L	DLiG2478L
DLiG3672L	DLiG3072L	DLiG2472L

Table DROITE

DLiG3684R	DLiG3084R	DLiG2484R
DLiG3678R	DLiG3078R	DLiG2478R
DLiG3672R	DLiG3072R	DLiG2472R

RECTANGULAR SURFACE-MOUNTED"LAYERING" TABLES WITH ADJUSTABLE SUPPORT

TUBULAR LEG - 236

DAiA3684	DAiA2484
DAiA3678	DAiA2478
DAiA3672	DAiA2472
DAiA3084	
DAiA3078	
DAiA3072	

TUBULAR LEG WITH BASE - 237

Plateau rond		Plateau carré	
DAiC3684	DAiC3072	DAiD3684	DAiD3072
DAiC3678	DAiC2484	DAiD3678	DAiD2484
DAiC3672	DAiC2478	DAiD3672	DAiD2478
DAiC3084	DAiC2472	DAiD3084	DAiD2472
DAiC3078		DAiD3078	

CREDENZAS - 23" H. - 238

CZOO247223
CZOO246023
CZOO217223
CZOO216023

CZUFO247223
CZUFO246023
CZUFO217223
CZUFO216023

CZOUF247223
CZOUF246023
CZOUF217223
CZOUF216023

CZDUFO247223
CZDUFO246023
CZDUFO217223
CZDUFO216023

CZOUFD247223
CZOUFD246023
CZOUFD217223
CZOUFD216023

CZDDO247223
CZDDO246023
CZDDO217223
CZDDO216023

CZODD247223
CZODD246023
CZODD217223
CZODD216023

CZUFUF247223
CZUFUF246023
CZUFUF217223
CZUFUF216023

CZ4D247223
CZ4D246023
CZ4D217223
CZ4D216023

CZUFDD247223
CZUFDD246023
CZUFDD217223
CZUFDD216023

CZDDUF247223
CZDDUF246023
CZDDUF217223
CZDDUF216023

STORAGE UNITS - 23" H. - 241

CZO243623
CZO243023
CZO213623
CZO213023

CZDD243623
CZDD243023
CZDD213623
CZDD213023

CZUF243623
CZUF243023
CZUF213623
CZUF213023

MINI STORAGE - 242

Tiroir

PiD151805

Pigeonnier

PiS171805

CUSHIONS - 242

CUS2472
CUS2460
CUS2436
CUS2430

CUS2172
CUS2160
CUS2136
CUS2130

BENCHING

CLOSED SHARED "BENCHING" TABLES (FULL END PANELS) - 244

BC2i3072
BC2i3066
BC2i3060
BC2i3054
BC2i3048
BC2i3042
BC2i3036

BC2i2472
BC2i2466
BC2i2460
BC2i2454
BC2i2448
BC2i2442
BC2i2436

BC4i3072
BC4i3066
BC4i3060
BC4i3054
BC4i3048
BC4i3042
BC4i3036

BC4i2472
BC4i2466
BC4i2460
BC4i2454
BC4i2448
BC4i2442
BC4i2436

BC6i3072
BC6i3066
BC6i3060
BC6i3054
BC6i3048
BC6i3042
BC6i3036

BC6i2472
BC6i2466
BC6i2460
BC6i2454
BC6i2448
BC6i2442
BC6i2436

BC8i3072
BC8i3066
BC8i3060
BC8i3054
BC8i3048
BC8i3042
BC8i3036

BC8i2472
BC8i2466
BC8i2460
BC8i2454
BC8i2448
BC8i2442
BC8i2436

CLOSED SHARED "BENCHING" TABLES (COMBINED MATERIAL END PANELS) - 247

BC2iX3072
BC2iX3066
BC2iX3060
BC2iX3054
BC2iX3048
BC2iX3042
BC2iX3036

BC2iX2472
BC2iX2466
BC2iX2460
BC2iX2454
BC2iX2448
BC2iX2442
BC2iX2436

BC4iX3072
BC4iX3066
BC4iX3060
BC4iX3054
BC4iX3048
BC4iX3042
BC4iX3036

BC4iX2472
BC4iX2466
BC4iX2460
BC4iX2454
BC4iX2448
BC4iX2442
BC4iX2436

BC6iX3072
BC6iX3066
BC6iX3060
BC6iX3054
BC6iX3048
BC6iX3042
BC6iX3036

BC6iX2472
BC6iX2466
BC6iX2460
BC6iX2454
BC6iX2448
BC6iX2442
BC6iX2436

BC8iX3072
BC8iX3066
BC8iX3060
BC8iX3054
BC8iX3048
BC8iX3042
BC8iX3036

BC8iX2472
BC8iX2466
BC8iX2460
BC8iX2454
BC8iX2448
BC8iX2442
BC8iX2436

CLOSED SHARED "BENCHING" TABLES (PERFORATED METAL END PANELS) - 250

BC2iM3072
BC2iM3066
BC2iM3060
BC2iM3054
BC2iM3048
BC2iM3042
BC2iM3036

BC2iM2472
BC2iM2466
BC2iM2460
BC2iM2454
BC2iM2448
BC2iM2442
BC2iM2436

BC4iM3072
BC4iM3066
BC4iM3060
BC4iM3054
BC4iM3048
BC4iM3042
BC4iM3036

BC4iM2472
BC4iM2466
BC4iM2460
BC4iM2454
BC4iM2448
BC4iM2442
BC4iM2436

BC6iM3072
BC6iM3066
BC6iM3060
BC6iM3054
BC6iM3048
BC6iM3042
BC6iM3036

BC6iM2472
BC6iM2466
BC6iM2460
BC6iM2454
BC6iM2448
BC6iM2442
BC6iM2436

BC8iM3072
BC8iM3066
BC8iM3060
BC8iM3054
BC8iM3048
BC8iM3042
BC8iM3036

BC8iM2472
BC8iM2466
BC8iM2460
BC8iM2454
BC8iM2448
BC8iM2442
BC8iM2436

CLOSED SHARED "BENCHING" TABLES (OPEN METAL END PANELS) - 253

BC2iO3072	**BC2iO**2472
BC2iO3066	**BC2iO**2466
BC2iO3060	**BC2iO**2460
BC2iO3054	**BC2iO**2454
BC2iO3048	**BC2iO**2448
BC2iO3042	**BC2iO**2442
BC2iO3036	**BC2iO**2436

BC4iO3072	**BC4iO**2472
BC4iO3066	**BC4iO**2466
BC4iO3060	**BC4iO**2460
BC4iO3054	**BC4iO**2454
BC4iO3048	**BC4iO**2448
BC4iO3042	**BC4iO**2442
BC4iO3036	**BC4iO**2436

BC6iO3072	**BC6iO**2472
BC6iO3066	**BC6iO**2466
BC6iO3060	**BC6iO**2460
BC6iO3054	**BC6iO**2454
BC6iO3048	**BC6iO**2448
BC6iO3042	**BC6iO**2442
BC6iO3036	**BC6iO**2436

BC8iO3072	**BC8iO**2472
BC8iO3066	**BC8iO**2466
BC8iO3060	**BC8iO**2460
BC8iO3054	**BC8iO**2454
BC8iO3048	**BC8iO**2448
BC8iO3042	**BC8iO**2442
BC8iO3036	**BC8iO**2436

120° CLOSED "BENCHING" TABLES (FULL END PANELS) - 256

BC3CV3048	**BC3CV**2448
BC3CV3042	**BC3CV**2442
BC3CV3036	**BC3CV**2436

120° CLOSED "BENCHING" TABLES (COMB. MAT. END PANELS) - 256

BC3CVX3048	**BC3CVX**2448
BC3CVX3042	**BC3CVX**2442
BC3CVX3036	**BC3CVX**2436

120° CLOSED "BENCHING" TABLES (PERF. METAL END PANELS) - 257

BC3CVM3048	**BC3CVM**2448
BC3CVM3042	**BC3CVM**2442
BC3CVM3036	**BC3CVM**2436

120° CLOSED "BENCHING" TABLES (OPEN METAL END PANELS) - 257

BC3CVO3048	**BC3CVO**2448
BC3CVO3042	**BC3CVO**2442
BC3CVO3036	**BC3CVO**2436

SHARED END-OF-RUN STORAGE UNITS - 258

FBPUUF156029
FBPUUF154829

FBPUF156023
FBPUF154823

CUS1560
CUS1548

OPEN HUTCHES (LOW) - 21"H. - 259

HTCO7221
HTCO6621
HTCO6021
HTCO5421
HTCO4821
HTCO4221
HTCO3621
HTCO3021
HTCO2421

OPEN HUTCHES (LOW) WITH SHARED ACCESS - 21"H. - 259

Opening at RIGHT

HTCRO7221
HTCRO6621
HTCRO6021
HTCRO5421
HTCRO4821
HTCRO4221
HTCRO3621
HTCRO3021

Opening at LEFT

HTCOR7221
HTCOR6621
HTCOR6021
HTCOR5421
HTCOR4821
HTCOR4221
HTCOR3621
HTCOR3021

HUTCHES (LOW) WITH SLIDING DOORS - 21"H. - 260

HTCGi7221
HTCGi6621
HTCGi6021
HTCGi5421
HTCGi4821
HTCGi4221
HTCGi3621
HTCGi3021

Sliding door at LEFT

HTCGiO7221
HTCGiO6621
HTCGiO6021
HTCGiO5421
HTCGiO4821
HTCGiO4221
HTCGiO3621
HTCGiO3021

Sliding door at RIGHT

HTCOGi7221
HTCOGi6621
HTCOGi6021
HTCOGi5421
HTCOGi4821
HTCOGi4221
HTCOGi3621
HTCOGi3021

HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21"H. - 261

Sliding door at LEFT

HTCGiR7221
HTCGiR6621
HTCGiR6021
HTCGiR5421
HTCGiR4821
HTCGiR4221
HTCGiR3621
HTCGiR3021

Sliding door at RIGHT

HTCRGi7221
HTCRGi6621
HTCRGi6021
HTCRGi5421
HTCRGi4821
HTCRGi4221
HTCRGi3621
HTCRGi3021

TACKBOARDS - 261

For 21" H. hutches with shared access.

BTL3414	**BTL**2214
BTL3114	**BTL**1914
BTL2814	**BTL**1614
BTL2514	**BTL**1314

SHELVES WITH INTEGRATED PIGEONHOLE UNIT - 13" H. - 262

HMA7213
HMA6613
HMA6013
HMA5413
HMA4813
HMA4213
HMA3613
HMA3013
HMA2413

SHELVES - 6"H. - 262

HA7206A
HA6606A
HA6006A
HA5406A
HA4806A
HA4206A
HA3606A
HA3006A
HA2406A

HA7206C
HA6606C
HA6006C
HA5406C
HA4806C
HA4206C
HA3606C
HA3006C
HA2406C

END-OF-RUN BOOKCASE - 263

BKP151650

25" H. FREESTANDING PEDESTALS FOR SHARED "BENCHING" TABLES - 263

FSLUUF25

FSLFF25

PRIVACY PANELS

LAMINATE - 264

PPOV1572
PPOV1566
PPOV1560
PPOV1554
PPOV1548
PPOV1542
PPOV1536
PPOV1530
PPOV1524
PPOV1518

PPFR2972
PPFR2966
PPFR2960
PPFR2954
PPFR2948
PPFR2942
PPFR2936
PPFR2930
PPFR2924

PPUN1372
PPUN1366
PPUN1360
PPUN1354
PPUN1348
PPUN1342
PPUN1336
PPUN1330
PPUN1324

FROSTED ACRYLIC - 265

PPOVGiA1572
PPOVGiA1566
PPOVGiA1560
PPOVGiA1554
PPOVGiA1548
PPOVGiA1542
PPOVGiA1536
PPOVGiA1530
PPOVGiA1524
PPOVGiA1518

PRIVACY PANELS

FROSTED ACRYLIC - 265

PPFRGiA2972
PPFRGiA2966
PPFRGiA2960
PPFRGiA2954
PPFRGiA2948
PPFRGiA2942
PPFRGiA2936
PPFRGiA2930
PPFRGiA2924

PPUNGiA1372
PPUNGiA1366
PPUNGiA1360
PPUNGiA1354
PPUNGiA1348
PPUNGiA1342
PPUNGiA1336
PPUNGiA1330
PPUNGiA1324

TACKBOARDS

FOR PRIVACY PANELS - 266

BTL7109
BTL6509
BTL5909
BTL5309
BTL4709
BTL4109
BTL3509
BTL2909
BTL2309
BTL1709

WALL MOUNT BRACKETS - 266

FOR TACKBOARDS

BTHK

FROSTED ACRYLIC PRIVACY PANELS

W/SQUARE BRACKETS - 266

AC-VRGiS1572
AC-VRGiS1566
AC-VRGiS1560
AC-VRGiS1554
AC-VRGiS1548
AC-VRGiS1542
AC-VRGiS1536
AC-VRGiS1530
AC-VRGiS1524

ACCESSORIES - 267

ACCESSORY PANEL | STORAGE CASE | MARKER BOARD

ASASP

ASUB

AC-ASWBA

CORNER SHELF - 268

JC1414

STIFFENERS - 268

AC-RSTF64
AC-RSTF52
AC-RSTF46

JUNCTION PLATES - 268

AC-FJP2

CABLING TRAYS - 270

WCMC68
WCMC62
WCMC56
WCMC50
WCMC44
WCMC38
WCMC32
WCMC26
WCMC20

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 270-271

1 Côté

WCMA58
WCMA52
WCMA46
WCMA40
WCMA34
WCMA28
WCMA22
WCMA16

CABLING CHANNELS - 271

WCMAS58
WCMAS52
WCMAS46
WCMAS40
WCMAS34
WCMAS28
WCMAS22
WCMAS16

CABLE POLE - 272

A5-EPEU23
A5-EPEU22

4-CIRCUIT ELECTRICAL SYSTEM - 272 - 273

CEILING POWER CONNECTIONS

E2-EC15

E2-EC18

OUTLET FOR POWER FEED CONNECTORS

E2-ECWD

E2-ECJO

JUMPERS

E2-EJT82
E2-EJT76
E2-EJT70
E2-EJT64
E2-EJT58

E2-EJT52
E2-EJT47
E2-EJT35
E2-EJT21
E2-EJT18

COUPLING

IE-I

FASTENERS FOR JUMPER

E2-EJB5

4-CIRCUIT ELECTRICAL SYSTEM

DUPLEX OUTLETS / USB - 273

E2-ER1
E2-ER2
E2-ER3
E2-ER4
E2-USB

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL) - 274

DESK

RDS3072
RDS3066

RDV3072
RDV3066

RDM3072
RDM3066

RDRT2460
RDRT2448
RDRT2442

RDRW2460
RDRW2448
RDRW2442

RDRN2460
RDRN2448
RDRN2442

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL) - 275

DESK

RDT3072
RDT3066

RDW3072
RDW3066

RDN3072
RDN3066

RETURN

RDRS2460
RDRS2448
RDRS2442

RDRV2460
RDRV2448
RDRV2442

RDRM2460
RDRM2448
RDRM2442

COUNTERTOPS - 276

Pour convertir un bureau régulier en bureau réception.

RSB1260
RSB1254
RSB1248
RSB1284
RSB1242
RSB1278
RSB1236
RSB1272
RSB1230
RSB1266
RSB1224

RSQ1260
RSQ1254
RSQ1248
RSQ1284
RSQ1242
RSQ1278
RSQ1236
RSQ1272
RSQ1230
RSQ1266
RSQ1224

COUNTERTOP EXTENSIONS - 277

À ajouter à la tablette du bureau réception.

Tablette DROITE

RSR1260
RSR1254
RSR1248
RSR1284
RSR1242
RSR1278
RSR1236
RSR1272
RSR1230
RSR1266
RSR1224

Tablette GAUCHE

RSL1260
RSL1254
RSL1248
RSL1284
RSL1242
RSL1278
RSL1236
RSL1272
RSL1230
RSL1266
RSL1224

OCCASIONAL TABLES (LAMINATE BASE) - 278

TMAR1736
TMAR1730
TMAR1724

TMAS173030

TMAS172448
TMAS172442
TMAS172430
TMAS172424
TMAS172418

TMAS171836
TMAS171830
TMAS171824
TMAS171818

OCCASIONAL TABLES - 278 - 279

TMAB2448
TMAB2442
TMAB2436
TMAB2430

TMAB2424
TMAB1836
TMAB1830
TMAB1824

TMARD1730
TMARD1724

TMAED172136

TSDS173030
TSDS172424

TMASS172436
TMASS172424

General Information

DESCRIPTION

With its rectilinear and contemporary design, combination of materials (textured laminate finishes, metal, etc.), various options (legs, pulls, etc.), choice of components (storage, layering or benching tables, etc.) and exclusive features (Noki electronic lock), Take Off meets current office environment requirements by uniting outstanding design, quality and function.

The collection is divided into 4 series of freestanding furniture: **Lima**, **Mike**, **Sierra** and **Tango**. These series differ mainly in the thickness of the surfaces, the options of materials (laminate, combined, metal). The 4 series share a maximum of features, including sizes, finishes, choice of pulls, etc. It is therefore possible, if required, to harmoniously combine components from each series within a configuration.

TAKE OFF : 4 SERIES

The Lima and Mike Series
Pre-assembled laminate furniture (desks, credenzas, storage, etc.) and modular components (returns, tables, etc.).

Classic linear design and uniform height (29" H) allow for the quick configuration of workstations. These series are usually suited to closed office configurations.

The Sierra and Tango Series
Modular furniture mixing laminate and metal. Components allow for configurations adapted to new working styles (layering S-T, benching S, etc.).

Contemporary linear design with the possibility of surface supported "layering" workstations (29" and 23" H.) particularly for use in open and shared workspaces.

L Lima	**M** Mike
1″	1½″

S Sierra	**T** Tango
1″	1½″

APPLICATIONS AND COMPONENTS

From the reception area to private office, through to open space layouts, the Take Off Collection of freestanding furniture offers an infinite number of solutions to meet all workplace needs. Examples of applications :

Uniform-Height Workstation (29" H.)

Surface Supported "Layering" Workstation (29" and 23" H.)

Multi-User "Benching" Workstation and Shared Storage

GENERAL INFORMATION

Materials

Work surfaces, storage tops and floor supports are made of 1" (25 mm) thick pressed wood for the **Lima** and **Sierra** series; 1½" (38 mm) thick for the **Mike** and **Tango** series. Surfaces can be ordered in either thermally fused or high pressure laminate. Add 1/16" (1.6 mm) to the thickness of high pressure laminate surfaces.

There is a PVC 3/32" (2.5 mm) thick edge banding on the work surfaces and tops of storage with a choice of matching or contrasting colors, striped or fluted. Other components such as the floor supports also have a PVC 3/32" (2.5 mm) thick edge banding (matching TFL colors).

As a general rule, the panels, sides and backs of storage units, modesty panels and drawer fronts are made of 11/16" (17.5 mm) thick pressed wood and are edged with PVC 3/32" (2.5 mm) thick edge banding (matching TFL colors).

Laminate Finishes

The available finishes are divided into 4 categories:

- The "Surface" finish (applied on the surfaces of desks, tables or storage).
- The type of "Edge Banding" (surface contour).
- The "Base" finish (applied on the sides and back of desks, tables or storage).
- The "Front" finish (applied on the front of the desk drawers or fronts/doors of storage).

Casters, accessories and internal structural or mechanical components have a black finish while metal components (legs, panel supports, structure, etc.) are available in 4 finishes: Silver (**3090**), Polar White (**3002**), Charcoal (**3064**), Black (**3067**).

Refer to the product descriptions and finish charts for more information (p.54-55).

Wood Grain Direction

Surfaces

The wood grain generally runs parallel to the longest side of the surface while tables with symmetrical surfaces have the wood grain positioned at 45°.

Legs, backs, doors and fronts

The wood grain is positioned vertically on:
- table and desks legs.
- sides of storage.
- backs of tables, desks and storage.
- hinged doors.

Horizontally on:
- flipper or pivot-lift doors.
- drawer fronts.

Assembly and Hardware

Assembled products such as **desks, returns with pedestal, credenzas, cabinets and storage** as well as **all pedestals** require no assembly upon delivery except for levelers and pulls.

Knockdown products are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. The **bridge returns and returns without pedestal, junction surfaces** and **various tables with choice of legs or half legs** are delivered with the necessary hardware for attaching to adjacent surfaces.

All furniture is equipped with adjustable levelers except bridge returns (to be added during installation).

GENERAL INFORMATION (continued)

Doors
The doors have hinges that allow for a 110° opening. They are also available with other door opening mechanisms : flipper doors, flipper doors with soft-closing option and pivot-lift doors.

Drawers
The drawers are equipped with a progressive slide comprised of ball bearings with a total extension of 16", 18" or 22". The weight capacity is 100 pounds for the 6" and 12" drawers on pedestals and cabinets and 150 pounds for lateral file drawers. All drawer slides meet BIFMA Standards.

Interlock
Certain storage units have an Interlock system. Interlock is a blocking mechanism that allows for the opening of only one drawer at a time to eliminate the possibility of the filing unit tipping over.

Pencil tray installed either width or length wise

Accessories for Drawers
Storage units that include at least one 6" utility drawer come with a pencil tray that can be installed either width or length wise.

File drawers have PVC rails along the top for hanging letter or legal size files. A filing bar (letter size) is included with all desks and combined storage units with filing drawers (12"). Filing bars (letter size) must be ordered separately for surface attached, freestanding and mobile pedestals. Front-to-back filing bars are also available. Refer to the product description for more details.

Pulls
Pulls are included on storage units such as credenzas, filing cabinets and cabinets. However, it is necessary to specify the desired type.

Pulls are not included on pedestals (suspended, freestanding or mobile) or assembled desks. Pulls can be added as an option.

Hutch doors do not have pulls, a space behind the door allows for opening. For the types of pulls available, see p.56.

Kick Plate
Storage units (pedestals, credenzas, cabinets, etc.) have a full length kick plate that is flush with the front or doors.

Kick plate flush with fronts

Locks: Noki Electronic Locks / Locks & Keys
In the Take Off Collection, storage and desk drawers are equipped with the chrome-finished Noki, the electronic lock exclusive to Artopex. With some products, such as hutches and bookcase hutches, a Noki electronic lock can be added as an option by specifying it in the "Lock" column of the code. Key locks and keyed-alike locks are also available as an option (no upcharge).

Noki is a simple and efficient locking system.

⚠

• Locks are not available on doors with aluminum frames unless specified in the product description.

• A unique combination per user, department or storage unit as required (more than 9,000 combinations).
• A forgotten code, an absent user ... use the master key or an authorized person may obtain a master code from Artopex.
• After four attempts to open with a wrong code, a brief alarm sounds.
• Battery powered (included), with easy access to change the battery.

GROMMET

Factory-installed rectangular grommets are included on tables, returns and bridge returns and are optional on desks and closed shared "Benching" tables as well as credenzas and storage 29" H. or less. To specify products with no grommets, use the "**NG**" option (no upcharge).

The grommet with the Artopex logo has a cover with two openings:
- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for smaller wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed : 3⅜"x 1⅝".

The grommet is available in two plastic finishes : White (**G1**) and Charcoal (**G2**). The finish must be specified in the product specification.

Products with Grommets

Rectangular tables, returns and bridge returns 42" long or less have 1 grommet at the center and items 48" or more are fitted with 2 grommets. The corner tables have 1 grommet positioned at the center back unless one side measures 60" or more, then 2 grommets are aligned on this side. Modular tables have 1 grommet.

1- Position of grommets on TABLES and CORNERS

48" or more — 42" or less — 48" or less — 60" or more

2- Position of grommets on RETURNS

48" or more — 42" or less WITH pedestal — 42" or less WITHOUT pedestal

3- Position of grommet on CONVERGENT and LAYERED TABLES

Products Without Grommets (optional grommets)

It is possible to add grommets on desks and certain other products when the option is indicated. The finish and the grommet position must be specified in the product specification. For example, if a white grommet (**G1**) positioned to the left (**L**) and right (**R**) is required, add the code **G1LR** under the "Grommet Options" section. For credenzas and storage, the option includes 3 or 4 grommets according to the length of the item. The illustrations below explain the position of the grommet according to the item.

1) Position of grommets on DESKS and RECEPTION DESKS

The placement of pedestals under the desk could affect cable passage. ⚠

2) Position of grommets on CREDENZAS and STORAGE 29"H. or less

60" or 72" — 36" or less

Grommets on the surface and sides

MULTI-OUTLET MODULES (optional)

A recessed multi-outlet module can be ordered on the majority of products. The surface has a pre-drilled hole but the module must be installed on site.

The black plastic multi-outlet module has:
- 2 electrical outlets with ground and 13AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid can be closed when not in use.

Specify the type and location of the module under the "Options" section (M-Outlet).

Types
The multi-outlet module is available with two types of connections:
A conventional wall connection and a connection for the 1-circuit system.
Both modules are UL and CSA compliant.

Conventional 1-circuit system

Recessed multi-outlet module **UC**
1-circuit with conventional connections

Recessed multi-outlet module **EC**
1-circuit electrical system

AC-ECFK
Power module

- A clearance of 5" is required behind a pedestal to install a multi-outlet module.
  Refer to the specification chart on pages 60-61 for the clearance requirements for the different pedestals.

- The EC option requires the use of 1-circuit system components such as the AC-ECFK power supply.

- Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) **is not possible** with the UCC and ECC options.
- The installation of the 4-circuit power system, 1-sided (AC-WCMA_) **is possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface. Example : For a 72" surface, specify the AC-WCMA46.

The illustrations below explain the position of the multi-outlet modules according to the surface type.

Multi-outlet modules positions on DESKS, RETURNS with pedestals and RECEPTION DESKS

Multi-outlet modules positions on CONVERGENT and LAYERED TABLES

* The specification of a multi-outlet module automatically replaces the existing grommet.

Multi-outlet modules positions on RETURNS without pedestals, TABLES and CORNERS

DESKS AND TABLES

The Take Off work surface height is 29" for the **Lima** and **Sierra** series and 29½" for the **Mike** and **Tango** series unless otherwise indicated. A ¼" space between modesty panel and underside of knockdown table surfaces allows for the installation of a privacy panel or an accessory bar.

Modesty Panel (back)
Tables Lima/Mike
Lima and Mike series tables and desks have a standard modesty panel (back), full height (28").

On **assembled desks,** the modesty panel is recessed:
• 11" on desks 36" in depth.
• 5" on desks 30" in depth.
• Flush on desks 24" or less.

A modesty panel can be ordered with a rounded accent at the base, 1" thick and is the same color as the work surface. Option available on desks 30" in depth or more.

Standard (desks)

Modesty panel with rounded accent (option **JJ**)

For **knockdown tables,** the modesty panel is recessed :
• 11" on tables 36" in depth.
• Flush on tables 30" in depth or less (unless otherwise indicated).

A modesty panel can be ordered recessed (5") on 30" tables or ordered shorter: 9" or 18" high (no upcharge). These two options cannot be combined and the availability varies depending on the product. Refer to the option choices for each product.

Corner tables with a full height modesty panel have a leveler installed at the connection of two panels for stability.

Those with 18"and 9" high modesty panels have a 1"x 1" black metal leg in the back corner.

Sierra / Tango Tables
Sierra and **Tango** series tables with **combined, perforated metal** and **open metal** end panels have a standard modesty panel, flush, and 4" from the floor. Shorter modesty panels are available: 9" or 18" high (no upcharge).

The **corner tables** have a 2½" x 2½" metal leg in the back corner. The finish is coordinated with the open half-legs.

CHOICE OF SUPPORTS

Different models of legs are available according to the type of table and the selected series (Lima, Mike, Sierra and Tango). Levelers allow for an adjustment of 1½" (38 mm) in height, unless otherwise indicated. The metal legs or legs with metal components are available in a choice of 4 finishes : Silver, Polar White, Charcoal or Black. The laminate legs are available in all the "base" laminate finishes.

LAMINATE end panels *
1" thermally fused laminate panel.

COMBINED end panel, metal-laminate *
Frame of 1"x 3" metal tubes with thermally fused laminate panel insertion.
Sierra / Tango series only.

PERFORATED METAL end panel *
Frame of 1" x 3" metal tubes with a perforated metal panel insertion.
Sierra / Tango series only.

OPEN METAL end panel *
Frame of 1 "x 3" metal tubes.
Sierra / Tango series only.

MONOLITHIC leg
4" x 12" rectangular base panels made of 1" thermally fused laminate.

ROUND 2½" leg
Tubular metal leg, 2½" diameter allowing for a height adjustment of 1 3/16".

ROUND 4" leg
Metal telescopic leg, 4" in diameter allowing for a height adjustment of 4".

TUBULAR leg WITH BASE PLATE
Round 4" diameter tubular leg with round or square base plate. The plate is 18" in diameter or 18" x 18".
Height adjustment from 27" to 30" H. Under the surface.

TUBULAR leg set
(2) round tubular metal legs, 2½" diameter allowing for a height adjustment of 1 3/16".
OR
(2) square tubular metal legs, 2 ½" x 2½" with a height adjustment of 2".

* Half-legs of knockdown **Lima** and **Mike** tables are **always in thermally fused laminate** while half-legs of knockdown **Sierra** and **Tango** tables are Open Metal end panels.

Bridge Return

The rectangular bridge return is comprised of a surface and a modesty that do not touch the floor once assembled. It is held in place using junction plates and "Z" fasteners (included) to secure the modesty panel to the adjacent units. The height of the regular bridge is 29" for **Lima** and **Sierra** series and 29½" for **Mike** and **Tango** unless otherwise indicated. The bridge return is delivered unassembled and a privacy panel or accessory bar can be installed on it using the ¼" space between the modesty panel and the top.

It is not possible to attach a suspended pedestal to a bridge return.

The modesty panel of the bridge return in the **Lima** and **Mike** series is full height, and in the **Sierra** and **Tango** series, it is 4" from the floor to align with the modesty panel of tables with Combined, Perforated metal or Open metal ends panels with which it is assembled.

Modesty Panel (option)
Modesty panels are available 9" or 18" H. as an option (no charge).

Bridge Return Without Modesty Panel
This surface is attached to adjacent surfaces using junction plates (included) and allows the joining of two tables, a table and a credenza or table and a desk. This surface may also be supported by support pedestals.

CONVERGENT TABLES

Convergent tables ("D"and "P" shaped, arched tables, etc.) serve as the main work surface or meeting surface of a workstation. They must be attached to an adjacent component (bridge return, credenza ...) and are available in a variety of shapes with a choice of metal legs, a monolithic or laminate leg.

Modesty Panel (back)
The modesty panel on convergent tables is 12" H. and is the same laminate finish as the "base".

X-base Leg
The X-base leg on convergent tables has a clearance for the passage of cables through the grommet.

Multi-Outlet Module (optional)
Recessed multi-outlet modules are available on convergent tables. The surface has a pre-drilled hole but the module must be installed on site. The specification of a multi-outlet module automatically replaces the existing grommet, see p.28.

Stiffener
A stiffener is recommended for surface supported tables 54" or more.

Convergent tables

"L" shaped tables

"P" shaped tables

"Shark" tables

Surface Supported Tables

Arched table

Rectangular tables

Monolithic leg

"D" shaped tables

END SURFACES

The end surfaces ("teardrop" table and meeting surfaces) are placed at the end of a table or two tables back-to-back.

The end surface is attached using junction plates (included) and has a telescopic metal leg, 4" in diameter allowing for a height adjustement of 4". The leg is available in 4 finishes: Silver, Polar White, Charcoal and Black.

STORAGE

The Take Off Collection offers storage in numerous configurations: with drawers, with door(s) or a combination of both and in various dimensions. For further information on storage construction, see p.26-27.

Grommets (option)
Rectangular Artopex grommets can be specified as an option on the surface and sides of credenzas and storage units 29" H. or less to allow for the passage of cables. See p.28.

Privacy Panel and Accessory Bar
A ¼" space between the surface and back of credenzas and storage units 29" H. or less allows for the installation of a privacy panel or an accessory bar for metal or plastic accessories.

Maximum length of the privacy panel = total length of the unit minus 6"
OR
Maximum length of the privacy panel when installed
on a unit with a division (in the construction) = ½ the length of the unit minus 6"

Credenzas
Assembled credenzas are available in different configurations with the following features:

- Two depths: 21" and 24".
- Two widths: 60" and 72".
- Two surface thicknesses: 1" and 1½".

Sierra and Tango Series
Assembled credenzas 23" H. are available in many configurations of doors and / or drawers with or without an open section.

Credenzas in the **Sierra** series (1" surface) serve as support for tables to create surface supported "layering" workstations. Grommets are optional on the surface and sides, see p.28.

Lima and Mike Series
Assembled credenzas 29" and 35" H. are available in many configurations of doors and / or drawers, or doors with an open section and adjustable shelves.

STORAGE UNITS

Storage units are available in various configurations (shelves, drawers, wardrobe, etc.) and heights. Pulls and at least one Noki electronic lock (depending on configuration) are included. A key lock is available as an option (no up-charge). Storage units have 1 door, opening left or right.

Storage Unit Heights
When positioned next to a credenza + hutch configuration:
- Storage unit 66" H. will be flush with the hutch 37" H.
- Storage unit 72" H. will be flush with the hutch 43" H.

The products must have the same surface thickness, either 1" or 1½".

Door Styles
Depending on the configuration of the storage, different door styles are available: all laminate or aluminum frame with choice of interior material, see p.56. Refer to price list for exceptions.

2-Way Cabinets
2-way Cabinets units are 18½" wide and 21" or 24" deep. They are positioned at the end of a credenza or storage unit 23" or 29" H. and are configured with drawers and an open space (left or right) with adjustable shelf or shelves. The section above the drawers has the same laminate finish as the "base".

It is possible to order extra shelves and a tackboard may be added on the section above the drawers.

BOOKCASES

Regular or corner bookcases are available in many sizes (depths : 12", 21", 24"). The shelves and sides of the bookcases are made of 1" laminate panels and the surfaces can be specified 1" (Lima series) or 1½ "(series Mike) laminate.

It is recommended to place bookcases that are 12" D. and 41" H. or more as well as corner bookcases over 41" H. against a wall or back-to-back with other storage.

Shelves
Storage units and bookcases with shelves have holes for height adjustment. Shelves are 1" laminate and have the same finish as the base.

Additional shelves can be ordered for certain storage, see product description for details.

PEDESTALS

The Take Off Collection includes many types of pedestals (with or without tops, fixed or mobile...) in various configurations. The Noki electronic lock is always included with laminate pedestals. Key locks, keyed-alike and pulls are optional.

Suspended Pedestals
Suspended pedestals can be attached under the majority of surfaces. Refer to the price list for exceptions.

Freestanding Pedestals - 29" H.
Freestanding pedestals 29" H. can be put adjacent to a table or storage of the same depth, 24" D. They are available with a 1" (Lima series) or 1½" (Mike series) top.

Support Metal Pedestals
Support metal pedestals attach under a surface. Key lock included; the Noki electonic lock and keyed-alike locks are available as an option with no upcharge Locks are available in current Artopex metal finishes and with 2 styles of pulls: integrated central pull in aluminum or full width.

45 series

47 series

Surfaces for Storage - 27½" H.
Surfaces are available in lengths from 30" to 108" and can be installed on storage without tops 21" or 24" deep.

Recycling Pedestal
The recycling pedestal is available with or without a top. It is equipped with an opening for inserting paper for recycling and includes a removable bin.

Support Pedestals
Support pedestals do not have tops. They are 24" deep and are attached under a surface or table of the same depth.

Mobile Pedestals
Mobile pedestals (with casters) can be positioned under a surface positioned at 29" H. A cushion may be added on the top.

HUTCHES

Supports
The various models of hutches in the Take Off Collection are available with laminate panel legs or open metal legs. The metal legs are available in a choice of 4 finishes: Silver, Polar White, Charcoal or Black.

Doors
Different styles of doors are available depending on the hutch configuration: all laminate or with an aluminum frame and choice of interior panel material. See possibilities on p.56.

Types of Mechanisms (some exceptions apply):
- Hinged (with 110° hinges).
- Standard flipper.*
- Flipper with "Easy-Down" option (with dampers).*
- Pivot-lift (107° vertical assisted opening and soft closing with dampers).

Flipper door

Pivot-lift

* The flipper mechanism is not available on aluminum frame doors.
Refer to price list for details.

Lock
The Noki electronic lock, the key lock and keyed-alike lock are available as an option on certain hutch models. Refer to the product description.

Clearance Under the Hutch
It is important to check the height clearance under the hutch (shown in the price list) as the space available varies by model, with or without a horizontal pigeon-hole unit. This will influence the choice of a tackboard.

Cable Passage
Hutches feature two elements allowing for the passage of cables :
- There is an opening with a removable cap (black) at the back top center. This allows for the passage of the wire from the light installed under the hutch if no horizontal pigeon-hole unit is installed.
- The back bottom of the hutch has a horizontal grommet (black) that can accommodate all sizes of cables and their connection plug (except oversized adaptors).

Vertical
Pigeon-hole units

Pigeon-Hole Units
Available in various models, the Take Off Collection pigeon-holes units can be positioned under any hutch with a vertical clearance of at least 20". Letter or legal size documents can be stored depending on the model. A vertical pigeon-hole unit is also available for storing binders or other rigid materials.

The horizontal pigeon-hole units can simply be placed on the surface or attached under the hutch. It is always 2" shorter in length than the nominal dimension.

Horizontal pigeon-hole units

* Horizontal pigeon-hole units cannot be used on hutches with open metal legs.

MODULAR HUTCHES

Modular hutches have an integrated horizontal pigeon-hole unit upon which one or more storage modules for modular storage hutches can be installed. The module can be installed in various positions and two modules can be installed facing opposite directions.

Hutch 27" H. - Total height: 43"
Hutch 21" H. - Total height: 37"

TACKBOARDS

Tackboards can be installed on various models of freestanding hutches. Refer to the Accessories price list. Wall hanging supports are available to hang a tackboard directly to the wall (under a wall mounted hutch for example). Refer to the current Artopex charts for the selection of fabrics available.

Wall hanging supports

Round Tackboard
A round tackboard of ¼" thick Marmoleum (12" diameter) is also available and can be attached using double-sided tape (included) to any vertical laminate panel. Available in red or charcoal.

Round tackboard

BOOKCASE HUTCHES

Bookcase hutches are placed on credenzas or other storage. They have adjustable shelves and open bookcase hutches have a horizontal grommet (black) at the base to accommodate all sizes of cables and their connection plug (except oversized adapters).

Open

2 doors

1 door left or right

Doors
Different door styles are available: all laminate or with aluminum frame and choice of interior. See possibilities on p.56.

Dimensions
Bookcase hutches are available in two widths: 30" and 36" and in the same heights and depths as freestanding hutches.

Modularity with Different Height Credenzas / Storage

TOTAL HEIGHT for Lima/ Sierra (Add 1" for Mike/Tango series)

Lock (option)
The Noki electronic lock, key lock and keyed-alike locks are optional on bookcase hutches with laminate doors only (without aluminum frame).

Noki lock or key lock position (option)

WALL MOUNTED MODULES

Wall mounted modules are constructed entirely of 1" thermally fused laminate and can be specified in all laminate finishes. They attach to the wall with wall mounting brackets (included) and can support a normal, non-excessive weight load.

- Interior: 5½" H x 9" D.
- Module 54" or more with a central divider.

Maximum load :
- Modules 48" long or less - 50 lbs.
- Modules 54" long or more - 100 lbs.

SURFACE SUPPORTED "LAYERING" TABLES - FIXED HEIGHT

Sierra and **Tango** series tables allow for **layering**. Available in left or right versions, they are installed over **Sierra** credenzas 23" H. preferably aligned with the open section and are available in three shapes: rectangular, arched and "D". Various leg options are available according to the surface shape and the type of support selected.

Choice of surfaces and end panels with **LONG** laminate support :

Choice of surfaces and legs with **SHORT** laminate support :

Laminate Support

The laminate support is a 5" H. "L" construction with an end support* and a long or short back depending on the leg model. It attaches to a Sierra 23" H. credenza using the included hardware.

A ¼" space between the underside of the surface and the back allows for the installation of a privacy panel, accessory bar or modesty panel for use with the short laminate support. Exceptions apply for certain types of tables (dimensions, surface shape, leg model). Refer to the specification charts on pages 58-59.

* **A privacy panel or accessory bar cannot be used on the part that is placed on the credenza (end support).**

Individual Drawer and Pigeon-Hole Shelf

The layered tables with laminate supports can accommodate small 5" H. storage: drawer or pigeon-hole shelf.

The drawer has side pulls and is placed under left or right work surfaces. It also includes a Noki electronic lock and a grommet 1⅛" in diameter at the rear for the passage of cables for connecting small devices such as a cell phone, tablet, laptop, etc.

For surfaces 21" deep or less, installing a drawer or a pigeon-hole prevents the cables from passing through the grommet to the floor.

The laminate pigeon-hole is 17" L. x 4⅝" H. It can be placed under left or right layering surfaces. It has two filing spaces for letter or legal size documents.

Inside drawer dimension :
12" W. x 15" D. x 2" H.

Can accommodate letter or legal size documents.

SURFACE SUPPORTED "LAYERING" - ADJUSTABLE HEIGHT

Sierra and **Tango** series tables are available with a height adjustable metal bracket.

Mechanical height adjustment 28" to 31" H.

Surface and leg choices with **ADJUSTABLE** metal support :

Adjustable Metal Support

The adjustable metal support is 18" L. x 1¾" D. x 5" H. and is available with the leg models shown above. The support is attached under the surface and on the credenza with screws and allows for a mechanical adjustment from 28" to 31" high. It is available in the same finishes as the legs : Silver, Polar White, Charcoal or Black.

The metal support permits the installation of a privacy panel, accessory bar or modesty panel. Exceptions apply for certain types of tables (dimensions), surface shape, leg model). Refer to the specification charts on pages 58-59.

Stiffener
It is recommended to use a stiffener on surfaces 54" L. or more, see p.268.

SURFACE SUPPORTED "LAYERING" RETURNS

Layering returns in the **Sierra** and **Tango** series have a long laminate support and are installed on **Sierra** credenzas 23" H. before being attached to a table or desk using junction plates (included).

A ¼" space between the underside of the surface and the back allows for the installation of a privacy panel or accessory bar. But a privacy panel or accessory bar cannot be installed on the end support (part that is installed on the credenza).

CLOSED SHARED "BENCHING" TABLES

The closed shared tables of the **Sierra** series are available with rectangular or 120 degree work surfaces and are used to create **shared "benching" workstations** for 2, 3, 4, 6 or even 8 users. The surfaces are connected to a structure consisting of legs, metal crosspiece and one or more central modesty panels of 18" H., according to the selected table model. The structure of shared tables with 120 degree surfaces has a central round tubular support. The shared tables are available in two depths: 48" and 60" with a choice of end panels: all laminate, combined, perforated metal or open metal.

Pedestals

Types of pedestals that can be used under shared "benching" tables :

Tables 48" D.
- Mobile pedestal 21" H. (UF).
- Pedestal 25" H. (see p.263).

Tables 60" D.
- Mobile pedestal 21" or 27" H.
- Pedestal without top*
- Suspended pedestal *

** Pedestals without top or suspended must be installed close to full width laminate end panels.*

48" D. tables cannot be specified with pedestals without top or suspended pedestals.

Privacy Panels and Accessory Bars

A ¼" space between the surfaces (front and sides) allows for the installation of privacy panels or accessory bars.
It is not possible to install a privacy screen or accessory bar at the end of a surface if a pedestal is installed.

Grommets and Multi-Outlet Modules (optional)

Surfaces do not have grommets. Grommets and multi-outlet modules can be specified on shared "benching" tables. The type, position and finish (grommets) must be indicated in the product specification. For example, white grommets (G1) positioned to the left (L) and right (R) and a centered 1-circuit multi-outlet module (ECC), add the codes "**G1LR–ECC**" in the "Options" section. The illustrations below explain the position of grommets and / or multi-outlet modules according to the type of surface.

The same choice of grommets or multi-outlet option will be applied to all surfaces of the workstation.

Position of Grommet on SHARED "BENCHING" TABLES (Multi-Outlet modules are always in the center)

Surface 36" or less — Surface 42" or more — Surface 36" — Surface 42" or more

Electricity and Cable Management

A 5" H. space between the underside of surfaces and the top of the modesty panel allows for the installation of cable trays for the cables of the 1-circuit electrical system (p.47) or 4-circuit electrical distribution system 4 - 2-sided (appendix p.285).

4-circuit electrical distribution system

SHARED STORAGE

Storage completes the shared "benching" table layout by dividing the space according to the privacy level required and storage needs. The storage may also be used with the other tables, credenzas, etc. of the Take Off Collection.

Low Hutches
Low hutches 15" D. x 21" H. are available in various lengths and configurations. Installed on a surface 29" H., the total height will be 50" H. Tackboards can be installed on the open low hutches with shared access.

1 sided hutches

Open Sliding doors

Shared access hutches

Open Sliding doors

Shelves
Thermally fused laminate shelves 6" H. with 1" thick tops can be installed on the work surfaces. Personal shelves have a structural bar at the back and shared shelves have a central structural bar. Installed on a surface 29" H., the total height is 35" H.

Shelf Choices

Shelves with Pigeon-Hole Units
Shelves with thermally fused laminate pigeon-holes units 13" H. with 1" thick tops and a central structural bar can be installed on the work surfaces. The pigeon-holes units are open and accessible from both sides. Installed on a surface 29" H., the total height is 42" H. All shelves can be attached using a double-sided adhesive tape.

Toutes les tablettes peuvent être fixées à l'aide d'une bande autocollante double-face.

End-of-Run
The end-of-run bookcase is 50" H. and is attached to a low hutch 21" H. using the included hardware.

A) 1 wardrobe space with silver finish hook.
B) 2 open spaces (one with an adjustable shelf).
C) 1 small shared storage space (9" W. x 5" H. x 7" D.).

Shared Pedestals
A shared pedestal can be placed to the left or right, at the end of shared "benching" tables or at the end of two back-to-back tables. This allows two users to have one common bookcase area with an adjustable shelf or shelves and personal storage drawers. Depending on the product height, each user will have:
1 utility drawer / 1 file drawer or 2 utility drawers / 1 file drawer.

A cushion may be added on the top of the pedestal.

PRIVACY PANELS

Tables, credenzas and certain storage 29" H. or less in the Take Off Collection are constructed with a ¼" space between the surface and the back allowing for the installation of a privacy panels, accessory bar or modesty panel.

Types of Privacy Panels
Privacy panels are available in two heights : 15" or 28" H.
The height of 28" H. serves as both a privacy panel and modesty panel on modular tables, layering tables or supported tables.

Laminate
Laminate panel 11/16" thick, in all "base" laminate finishes.

Translucent
Acrylic panel ¼" thick, translucent finish, frosted on one side.

The panels are equipped with metal brackets that are attached beneath the surface using screws. Panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three support brackets to ensure rigidity. The metal support brackets are available in 4 finishes : Silver, Polar White, Charcoal or Black.

Accessories for Laminate Privacy Panels
Accessories can be installed on the privacy panels to complete the workstations. Refer to the Accessories price list.

Marker Board
The magnetic marker board 10" H. x 17 ¼" L. is made of folded steel with a high-gloss white enamel paint for writing with dry erase markers only. An integrated trough holds markers.

Tackboards
Rectangular fabric tackboards 9" H. and in various lengths are attached to the laminate privacy panels with Velcro ®. Refer to the current Artopex charts for the complete selection of fabrics available.

Accessory Panel
The accessory panel 10" H. x 17¼" L. is made of folded steel with three slots 15¼" wide for installing metal or plastic Artopex accessories. Available in 4 finishes: Silver, Polar White, Charcoal or Black.

It is not possible to install the horizontal trays (plastic or metal) on the accessory panel.

ACCESSORY BARS

The accessory bars are made of ¾" thick anodized aluminum in two heights: 8" or 12" H. They are equipped with two metal support brackets that attach under the surface using screws. A variety of plastic and metal Artopex accessories can be installed. Accessories can be installed on both sides of the bar. Refer to teh Accessories price list.

Total height:
- 8" Single bar.
- 12" Double bar.

Clearance on top of the surface: **4" H.**

Accessory Bars

Specifying Privacy Panels and Accessory Bars
To specify privacy panels or accessory bars on freestanding tables (rectangular, corner, connecting, etc.), surface supported "layering" rectangular tables with a long laminate support, shared "benching" tables, the general rule is (except for assembled desks):

The **MAXIMUM length** must be specified **6" less** than the length of the surface on which the privacy panel or the accessory bar is installed in order to keep a clearance of 3" on each side.

Rectangular and corner tables

Closed shared "benching" tables

"Layering" tables LONG laminate support

Credenzas or storage, see p.33

- It is not possible to install a panel or accessory bar at the end of a surface if a pedestal is attached.
- Exceptions apply for certain other types of tables according to dimensions, surface shape, or leg model. For more details, refer to the specification tables on pages 58-59.

MODESTY PANELS

Modesty panels 13½" H. can be added to the tables (supported, layering).
Once installed, a clearance of 1" H. under the surface allows the passage of cables.

Types of Modesty Panels
Laminate
Laminate panel 11/16" thick in all laminate "base" finishes.
Translucent
Acrylic panel ¼" thick, translucent finish, frosted on one side.

The panels are equipped with metal support brackets attached beneath a surface using screws. The panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three brackets to ensure rigidity. The metal support brackets are available in 4 finishes: Silver, Polar White, Charcoal or Black.

For the **MAXIMUM length** of modesty panel that can be installed on tables of the Take Off Collection, refer to the specification chart on page 59.

SCREENS AND ACCESSORIES

Divider Screens
Refer to the Accessories price list.

Translucent Screens with Square Brackets
Translucent screens with square brackets can be attached to a work surface or on top of laminate storage using anchors. They are composed of metal anchors with a brushed nickel finish that grip an acrylic panel ¼" thick, translucent finish, frosted on one side.

Storage Case
The storage case is made of folded metal and is attached under a surface using screws. It is available in 4 finishes: Silver, Polar White, Charcoal or Black and can be used to store binders or books.

Storage space: 7½" W. x 12" H. x 12" D.

RECEPTION DESKS

Closed reception desks with rounded shelves are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick). The shelves will have the same features as work surfaces (finish, edge band and thickness) but the finish of the drawer fronts of the pedestals must be specified.

The return of the main unit as well as certain shelves must be specified separately. Information on how to order these products is available in the product descriptions of the price list.

Surface and Shelf Heights
The illustration below shows the different heights (surface/shelf). Add ½" for the **Mike** series.

Transaction Shelf
It is possible to convert a rectangular desk (or table) into a reception desk using the transaction shelf. It is attached with double-sided adhesive tape on to the work surface. Once installed on a surface 29" in height, the transaction shelf is at 42" H. An extension can be added on the return, left or right.

OCCASIONAL TABLES - 17½" H.

Occasional tables with various shaped tops are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick) with a choice of laminate or metal base. The metal bases are available with a choice of 4 finishes : Silver, Polar White, Charcoal or Black.

X-base

Laminate base

Laminate base - ribbon style detail

Round tubular legs with round or square base plate

Square tubular legs

ELECTRICAL WIRING AND MANAGEMENT

The Take Off Collection offers a variety of solutions to provide electricity and cable management in one or more workstations. Cables trays specific to 1-circuit and 4-circuit electrical systems are available in this price list. Refer to the Accessories price list to order multi-outlet modules for conventional electrical outlets, cable conduits and fasteners.

Multi-outlet Modules with Conventional Wall Plug (Refer to the Accessories price list to order)
Multi-outlet modules are available with a conventional 120V wall plug :

EPI Multi-Outlet Module
- Attaches to a ½" to 1½" surface with screw claws.
- 2 Electrical outlets 15 AMP.
- 2 USB charger outlet 2.1AMP.
- Electrical cord is 72" long.
- Aluminum and white casing.

EPU Multi-Outlet Module
- Installs under a surface with screws.
- 2 Electrical outlets 12 amp with a ground and circuit-breaker.
- 1 RJ-11 outlet for telephone-modem-fax.
- 1 RJ-45 computer outlet Category 5.
- Connector and telecom. wiring included.
- Electrical cord is 108" long.
- Communication cables are 162" long.
- Black plastic casing.

ECM Mobile Outlet
- Installs under a surface using the E2-EDT support or the cable tray ACWCMC_.
- 2 Electrical outlets.
- Electrical cord is 108" long.
- Black plastic casing.

Grommets
To facilitate the passage of cables, the Artopex rectangular grommet is provided standard on the tables and returns.
This same grommet is also optional on :

- Assembled desks and reception desks.
- Shared "benching" tables.
- Storage units and credenzas 29" H. or less where indicated as an option in the price list.

For more details on this option, see p.28.

Round grommets are also available (sold separately, installed on site in the desired location) to add access for the passage of cables in furniture, refer to Accessories price list.

Cable Management
To complete an installation and to facilitate cable management, cable conduits and fasteners are available in the Accessories price list:

- The **plastic cable conduits** are attached with double-sided tape. They can accomodate cables in order to run them along modesties and other components.

- The **plastic fasteners** (single or double) attach under the surface using screws in order to hold the cables.

Plastic cable conduits

Plastic fasteners

CABLE TRAYS AND 1-CIRCUIT SYSTEM (refer to the Accessories price list for these items)

Cable Trays

The cable trays are attached under the surface using screws. They are made of metal with a silver finish and have openings for movable outlets (AC-ECM, AC-ECMK) or adaptor plates (AC-ERF, E2-ERD), not included.

Cable trays can support several types of wiring and cable and plug access is possible from both sides and ends. They are available in different lengths and have been designed to accommodate the components of the 1-circuit electrical system. Cable trays cannot support the components of the 4-circuit electrical system.

Cable Tray (AC-WCMC_)
20" at 68" length - p. 270

32" or more: 4 openings on each side.

26" or less: 2 openings on each side.

EPIK
Movable surface outlet

ECMK
Movable outlet

EC *
Recessed surface outlet

EPOSK
Movable surface outlet

ECEJK
Jumper

ECFK
Power supply module

1-circuit electrical system

Includes two types of surface outlets (recessed or movable), jumpers and power supply module, the 1-circuit electrical system is ideal for a simple installation that does not require an electrician and offers reconfiguration flexibility.

- Powered by a **standard 120v outlet** from the wall or floor.
- A **maximum of 8 surface outlets** (16 individual outlets) can be connected to a system.

* Recessed surface outlet (EC) cannot be ordered separately, it is an option on work surfaces only. See p.29.

• 1- CIRCUIT ELECTRICAL SYSTEM UNDER SHARED "BENCHING" TABLES (specification)

- The cable tray **must be attached** to the center of the section and at the center of the surfaces. Pre-drilled holes are provided.
- **1 cable tray** is required per shared section (2 facing surfaces).
- Refer to the price list to determine the **required length** (AC-WCMC_), see p.275.

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED

The 4-circuit electrical distribution system is installed under the workstation surface but is not available for shared tables (benching). It includes a bracket with 1 electrical harness and 1 front in metal with a silver finish. The front conceals the harness, part of the shielded cabling and communication cables (if added). It is provided with openings for the double electrical outlets and faceplates (not included).

The system is available in different lengths and designed to accommodate the components of the 4-circuit electric system such as: the jumpers to connect the harnesses, the cables for power supply, etc.

Features of cabling trays with one front:
- 28" or more: 2 spaces for double outlets and 2 openings
- 22": 1 space for double outlet and 2 openings
- 16": 1 space for double outlet

Electrical Distribution System - 1-sided AC-WCMA_

Warning! The installation of the 4-circuit power system, 1-sided (AC-WCMA_) **is not possible** with the UCC and ECC multi-outlet options. The installation of the system **is possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface.
Example : For a 72" surface, specify the AC-WCMA46.

Cable Supports
The metal cable support with silver finish is sold separately and is installed on the front of the 4-circuit electrical distribution system (no hardware required). It allows the management of cables that are plugged into the outlets.

Cable Support

Integrated Electric System
It is an 8-cable electrical system and 4 circuits of 20A (U.S.) 15A (CAN) each.

- Rated power of grounded circuit: At single-phase current of 120/240V, 20A, 60HZ or three-phase current of 120/208V, 20A, 60HZ.
- Double outlet capacity: 15A (U.S. and CAN).
- Maximum use of double outlets: 13 (U.S.) or 12 (CAN) per circuit, for a total of 52 (U.S.) or 48 (CAN) on each power supply.

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED (CONTINUED)

•SURFACES AGAINST A WALL or TABLES WITH MODESTY PANEL (specification)

- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
- Refer to the price list to determine the **required length** (AC-WCMA_), see p.270.

To calculate the **length of jumpers** (cables) required:
- Refer to the **shaded part** of the specification charts, see p.50-51.
- Always specify the **jumper that is the longest and closest to the required length.**
  Example: For 54", order the 58" long jumper or E2-EJT58.

1 - Example to provide electricity to a workstation with tables PLACED BACK-TO-BACK

Use the jumper E2-EJT18 to connect distribution systems of tables with modesty panels that are placed back-to-back.

A round grommet 2½" in diameter can be ordered and installed on site so the cable can pass through modesty panel.
See accessories price list.

2 - Example to provide electricity to a workstation with TABLES PLACED END-TO-END

Use specification charts p.50-51 to calculate the length of the jumper:

Table 72" =	30" length under the table
Table 48" =	18" length under the table
30" + 18" =	**48" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT52**

3 - Example for providing electricity to a workstation with a PERPENDICULAR TABLE

Use specification charts p.50-51 to calculate the length of the jumper:

Table 60" =	48" length under the table
Table 48" =	18" length under the table
48" + 18" =	**66" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT70**

SPECIFICATION CHARTS – Length of Jumpers (cables)

To calculate the length of jumpers (**E2-EJT...**) required according to the model and dimensions of a table and according to the type of cable installation : continuous, or at 90°, refer to the shaded area of the following charts.

Rectangular tables

Continuous cable

A \ B	18" - 21" - 24" - 30" or 36"
84"	36"
78"	33"
72"	30"
66"	27"
60"	24"
54"	21"
48"	18"
42"	15"
36"	15"
30"	12"
	DISTANCE UNDER THE TABLE

90° cable

A \ B	18"	21"	24"	30"
84"	48"	51"	54"	60"
78"	45"	48"	51"	57"
72"	42"	45"	48"	54"
66"	39"	42"	45"	51"
60"	36"	39"	42"	48"
54"	33"	36"	39"	45"
48"	30"	33"	36"	42"
42"	27"	30"	33"	39"
36"	27"	30"	33"	39"
30"	24"	27"	30"	36"
	DISTANCE UNDER THE TABLE			

Connecting tables

A \ B x C	24"x 36"
72"	60"
66"	57"
60"	54"
	DISTANCE UNDER THE TABLE

Retangular tables (recessed back)

A \ B	30"	36"
84"	55"	55"
78"	52"	52"
72"	49"	49"
66"	46"	46"
60"	43"	43"
54"	40"	40"
48"	37"	37"
42"	34"	-
36"	34"	-
30"	31"	-
	DISTANCE UNDER THE TABLE	

SPECIFICATION CHARTS - Length of Jumpers (cables)

90° Corner Tables

A	X	Y
48" x 48"	60"	18"
42" x 42"	51"	15"
36" x 36"	45"	15"
	DISTANCE UNDER THE TABLE	

Extended Corner Tables

A x B	X	Y
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
	DISTANCE UNDER THE TABLE	

A x B	X	Y
48" x 84"	78"	36"
48" x 78"	75"	33"
48" x 72"	72"	30"
48" x 66"	69"	27"
48" x 60"	66"	24"
42" x 84"	72"	36"
42" x 78"	69"	33"
42" x 72"	66"	30"
42" x 66"	63"	27"
42" x 60"	60"	24"
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"
	DISTANCE UNDER THE TABLE	

Extended Corner Tables (recessed back)

B x C / A	30" x 42"	30" x 48"
84"	67"	73"
78"	64"	70"
72"	61"	67"
66"	58"	64"
60"	55"	61"
	DISTANCE UNDER THE TABLE	

Asymmetrical tables/integrated half-return

B x C / A	30" x 36"
72"	55"
66"	52"
60"	49"
	DISTANCE UNDER THE TABLE

Tables with 1 rounded side, curved int.

B x C / A	30" x 42"
72"	61"
66"	58"
	DISTANCE UNDER THE TABLE

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 1-SIDED (continued)

•SURFACE SUPPORTED "LAYERING" TABLES (specification)

- The 1-sided distribution system must be **attached under the surface and against the modesty panel.**
- To establish the **required length** (AC-WCMA_) use the "X" distance (image below) and consult the price list, see p.270.

To calculate **the length of jumpers** (cables) required:
- Refer to the **shaded part** of the specification charts, below.
- Always specify the **jumper that is the longest and closest to the required length.**
- Example: For 54", specify the 58" long jumper: E2-EJT58

SPECIFICATION CHARTS - Jumper Length (cables)

To calculate the length of the jumper required (**E2-EJT...**), refer to the shaded area of the following charts:

Rectangular surface supported "layering" tables

A \ B	24" - 30" - 36"
84"	44"
78"	41"
72"	38"
66"	35"
60"	35"
	DISTANCE UNDER THE TABLE

Storage units or credenzas (with optional grommet)

A \ B	21" - 24"
72"	72"
60"	60"
36"	36"
30"	30"
	INTERIOR DISTANCE STORAGE UNIT/CREDENZA

Do not specify a multi-outlet module to the positions indicated below if a 4-circuit distribution system must be installed.

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 2-SIDED

FOR THE 4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEM - 2 SIDES INSTALLED ON SHARED TABLES (BENCHING),
SEE APPENDIX P.281.

FINISH CHOICES CHART

This is the coding system to use in the specific fields of the list price with reference to choice of colors. Some exceptions apply, see the charts below or finish charts.

⚠ Colors, especially dark colors, may vary between thermo fused laminate (T.F.L.) and high pressure laminate (H.P.L.).

SURFACE

EDGE BANDS (surface)

T.F.L.	H.P.L.	Edges **REGULAR**	Edges **FLUTED**	Edges **STRIPED (NARROW)**
DOLOMITE FINISH	**MAT FINISH**			
White (**MBW**) *	White (**SBW**)	Aluminum (**0W**)	Aluminum (**3W**)	Multiply Maple (**V1**)
Antique White (**MAW**) *	Antique White (**SAW**) *	White (**0BW**)	White (**3BW**)	Coordinate with this surface finishes:
Charcoal (**MF**) *	Charcoal (**SF**)	Antique White (**0AW**) *	Antique White (**3AW**) *	Maritime Maple - Moka
Frost (**MA**) *	Frost (**SA**)	Burgundy (**0B**)	Burgundy (**3B**)	Douglas Pine
	Burgundy (**SB**)	Carbon (**0CB**)	Carbon (**3CB**)	
SUEDE FINISH	Cherry (**SCH**)	Cherry (**0CH**)	Cherry (**3CH**)	
Burgundy (**MB**)	Dark Oak (**SDK**)	Chestnut (**0CG**)	Chestnut (**3CG**)	
Cherry (**MCH**)	Amberwood (**SCi**)	Dark Oak (**0DK**)	Dark Oak (**3DK**)	
Dark Oak (**MDK**)	Cayenne Maple (**SCM**)	Amberwood (**0Ci**)	Amberwood (**3Ci**)	
Amberwood (**MCi**)	Honey (**SHO**)	Cayenne Maple (**0CM**)	Cayenne Maple (**3CM**)	Image Actual Size 1" thick surface
Cayenne Maple (**MCM**)	Chestnut (**SCG**)	Maritime Maple (**0EM**)	Maritime Maple (**3EM**)	
Honey (**MHO**)	Maritime Maple (**SEM**)	Charcoal (**0F**)	Charcoal (**3F**)	
	Moka (**SPM**)	Galaxy (**0GX**)	Galaxy (**3GX**)	
SUPERMAT FINISH	Douglas Pine (**SDP**)	Frost (**0A**)	Frost (**3A**)	Edges **STRIPED (WIDE)**
Chestnut (**MCG**)	Teak (**STE**)	Honey (**0HO**)	Honey (**3HO**)	
Maritime Maple (**MEM**)	Tigerwood (**STW**)	Moka (**0PM**)	Moka (**3PM**)	Maple/Honey Striped (**R1**)
Moka (**MPM**)		Black (**0N**) *	Black (**3N**) *	Coordinate with surface finishes:
Douglas Pine (**MDP**)	**NATURAL FINISH**	Douglas Pine (**0DP**)	Douglas Pine (**3DP**)	Maritime Maple - Honey
Teak (**MTE**)	Carbon (**SCB**)	Sea Salt (**0SM**)	Sea Salt (**3SM**)	
Tigerwood (**MTW**)	Galaxy (**SGX**)	Teak (**0TE**)	Teak (**3TE**)	Burgundy/Honey Striped (**R3**)
	Sea Salt (**SSM**)	Tigerwood (**0TW**)	Tigerwood (**3TW**)	Coordinate with surface finishes:
AURA FINISH	Twilight (**STL**)	Twilight (**0TL**)	Twilight (**3TL**)	Burgundy - Cherry - Amberwood
Carbon (**MCB**)				Cayenne Maple - Honey
Galaxy (**MGX**)				
Sea Salt (**MSM**)				
Twilight (**MTL**)				
			1" Edge: 3 grooves 1½" Edge: 5 grooves	Image Actual Size 1" thick surface
** Not available for* **Mike** *and* **Tango** *series. (1½" thick surface).*	** Not available for* **Mike** *and* **Tango** *series. (1½" thick surface).*	** Not available for* **Mike** *and* **Tango** *series. (1½" thick surface).*	** Not available for* **Mike** *and* **Tango** *series. (1½" thick surface).*	

FINISH CHOICES CHART (continued)

Some products have specific finish choices due to the nature of their components. For the metal support pedestals, refer to the current Artopex metal finish chart to view the finishes.

Metal Support Pedestal

BASE

FRONT

PRIVACY PANEL/ DIVIDER SCREEN

LEG/SUPPORT STRUCTURE

T.F.L.	T.F.L.	T.F.L.	METAL
DOLOMITE FINISH	**DOLOMITE FINISH**	**DOLOMITE FINISH**	Silver (**3090**)
White (**BW**)	White (**BW**)	White (**BW**)	Polar White (**3002**)
Antique White (**AW**)	Antique White (**AW**)	Antique White (**AW**)	Charcoal (**3064**)
Charcoal (**F**)	Charcoal (**F**)	Charcoal (**F**)	Black (**3067**)
Frost (**A**)	Frost (**A**)	Frost (**A**)	
Black (**N**)	Black (**N**)	Black (**N**)	
SUEDE FINISH	**SUEDE FINISH**	**SUEDE FINISH**	
Burgundy (**B**)	Burgundy (**B**)	Burgundy (**B**)	
Cherry (**CH**)	Cherry (**CH**)	Cherry (**CH**)	
Dark Oak (**DK**)	Dark Oak (**DK**)	Dark Oak (**DK**)	
Amberwood (**Ci**)	Amberwood (**Ci**)	Amberwood (**Ci**)	
Cayenne Maple (**CM**)	Cayenne Maple (**CM**)	Cayenne Maple (**CM**)	
Honey (**HO**)	Honey (**HO**)	Honey (**HO**)	
SUPERMAT FINISH	**SUPERMAT FINISH**	**SUPERMAT FINISH**	
Chestnut (**CG**)	Chestnut (**CG**)	Chestnut (**CG**)	
Maritime Maple (**EM**)	Maritime Maple (**EM**)	Maritime Maple (**EM**)	
Moka (**PM**)	Moka (**PM**)	Moka (**PM**)	
Douglas Pine (**DP**)	Douglas Pine (**DP**)	Douglas Pine (**DP**)	
Teak (**TE**)	Teak (**TE**)	Teak (**TE**)	
Tigerwood (**TW**)	Tigerwood (**TW**)	Tigerwood (**TW**)	
AURA FINISH	**AURA FINISH**	**AURA FINISH**	
Carbon (**CB**)	Carbon (**CB**)	Carbon (**CB**)	
Galaxy (**GX**)	Galaxy (**GX**)	Galaxy (**GX**)	
Sea Salt (**SM**)	Sea Salt (**SM**)	Sea Salt (**SM**)	
Twilight (**TL**)	Twilight (**TL**)	Twilight (**TL**)	
		METAL(support)	
		Silver (**3090**)	
		Polar White (**3002**)	
		Charcoal (**3064**)	
		Black (**3067**)	

PULLS

Different styles of pulls are available on most storage and furniture with pedestals or with integrated storage. Pulls all have predrilled holes 5" (128 mm) center-to-center.

Some components such as credenzas, lateral files and storage units must have pulls and it is important to specify the type in the line of code. In the case of desks and pedestals, this is an option that must be added ($22 per drawer). Specify this option under the "Pull" column of the line of coding.

TN - Nickel TECHNO

DN - Nickel DECO

J - Satin Chrome

X - Aluminum

YN - Brushed Nickel

YA - Antique Nickel

YB - Brushed Bronze

FRAMES

Doors with contemporary or traditional style aluminum frames with a choice of interior panel, are available on hutches and most storage 50"H. or more. The codes are listed in the product description, some restrictions apply, refer to the price list. *The high-gloss white finish is a high pressure laminate finish that can be written on with dry erase markers only.

Contemporary/Laminate

Contemporary/High-Gloss White

Contemporary/Frosted Acrylic

Traditional/Frosted Acrylic

FABRICS

For a complete selection of available fabrics, refer to current Artopex fabrics chart.

SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

ASSEMBLED DESK WITH RIGHT-SIDE PEDESTAL

Dimensions: 30" x 36" x 72"

Ordering code:

TM-DD3672T-STL/3TL-SM/SM-TN-G2L-JJ

SPECIFY							OPTIONS			
Series	Code	Surface	Edge	Base	Fronts		Pull	Grom.	M-Outlet	Mod.
T M -	DD3672T -	STL /	3TL -	SM /	SM -		TN -	G2L -	-	JJ

Series: Mike (top 1½")
Surface: Twilight (HPL)
Edge band: Fluted (Twilight)
Base: Sea Salt
Drawer fronts: Sea Salt
Pulls option: Nickel TECHNO- TN
Grommet option: Charcoal, left
Modesty option: With rounded accent

RECTANGULAR SHARED "BENCHING" TABLES WITH COMBINED END PANELS

Dimensions: 60" x 144"

Ordering code:

TS-BC4iX3072-MGX/0GX-GX-3002-G1LR-ECC

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	BC4iX3072 -	MGX /	0GX -	GX -	3002 -	G1LR -	ECC

Series: Sierra (top1")
Surface: Galaxy (TFL)
Edge band: Galaxy
Base: Galaxy
Metal: White
Grommet option: White, left and right
Multi-outlet module option: 1-circuit multi-outlet module, center.

CREDENZA WITH DRAWERS – 23" H.

Dimensions: 21" x 72" x 23"

Ordering code:

TS-CZOUF217223-MDP/0DP-DP/BW-YN-G14

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock
T S -	CZOUF217223 -	MDP /	0DP -	DP /	BW -	YN -	G14 -	

Series: Sierra (top 1")
Surface: Douglas Pine (TFL)
Edge band: Douglas Pine
Base: Douglas Pine
Drawer fronts: White
Pulls option: Brushed Nickel - YN
Grommet option: White

BOOKCASE HUTCH – 2 DOORS

Dimensions: 14" x 36"x 37"

Ordering code:

TL-HPDD3637-MDP/V1-DP/DP-YN-L

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T L -	HPDD3637 -	MDP /	V1 -	DP /	DP -	YN -	L

Series: Lima (top 1")
Surface: Douglas Pine (TFL)
Edge band: Striped/Multiply-maple
Base: Douglas Pine
Fronts: Douglas Pine
Pulls option: Brushed Nickel - YN
Noki electronic lock option

HUTCH WITH FLIPPER DOORS, METAL LEGS, CONTEMPORARY ALUMINUM FRAME, LAMINATE INTERIOR

Dimensions: 14" x 72" x 43"

Ordering code:

TS-HUM7243-GX/CB-3090

SPECIFY				
Series	Code	Base	Fronts	Metal
T S -	HUM7243 -	GX /	CB -	3090

Series: Sierra
Base: Galaxy (TFL)
Fronts: Carbon
Metal: Silver

SPECIFICATION CHARTS – PRIVACY PANELS AND ACCESSORY BARS

The tables below indicate the **MAXIMUM length** of the privacy panel or accessory bar that can be installed on the different models of tables of the Take Off Collection.

LENGTH of the surface = length indicated in the price list.

CONVERGENT or SUPPORTED Tables

Surface Shape: / Types of legs:		Tubular 4" / Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED	36" D. 30" D.	Maximum length = Surface length **minus 24"**	-	-
			-	-
			-	-
	24" D.	Maximum length = Surface length **minus 18"**	-	-
			-	-
			-	-
ARCHED		Maximum length = Surface length **minus 12"**		Maximum length = Surface length **minus 18"**
RECTANGULAR		Maximum length = Surface length **minus 6"**		Maximum length = Surface length **minus 12"**

Surface Supported "Layering" Tables
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.

Surface Shape: / Types of legs:		Tubular 4" / Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED	36x84	Maximum length = 60"	-	-
	36x78	Maximum length = 54"	-	-
	36x72	Maximum length = 48"	-	-
	30x84	Maximum length = 60"	-	-
	30x78	Maximum length = 54"	-	-
	30x72	Maximum length = 48"	-	-
	24x84	Maximum length = 66"	-	-
	24x78	Maximum length = 60"	-	-
	24x72	Maximum length = 54"	-	-
ARCHED		Maximum length = Surface length **minus 12"**		Maximum length = Surface length **minus 18"**
RECTANGULAR		Maximum length = Surface length **minus 6"**		Maximum length = Surface length **minus 12"**

SPECIFICATION CHARTS – DOUBLE PANELS AND MODESTY PANELS

The charts below indicate the **MAXIMUM length** of the double panel or modesty panels that can be installed on the different models of tables of the Take Off Collection.

LENGTH of the surface = length indicated in the price list.

CONVERGENT or SUPPORTED Tables

Surface Shape: / Types of legs:		Tubular 4" / Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED	36" D. 30" D.	Maximum length = Surface length **minus 24"**	-	-
			-	-
			-	-
	24" D.	Maximum length = Surface length **minus 18"**	-	-
			-	-
			-	-
ARCHED		Maximum length = Surface length **minus 12"**		Maximum length = Surface length **minus 18"**
RECTANGULAR		Maximum length = Surface length **minus 6"**		Maximum length = Surface length **minus 12"**

Modesty panels cannot be used with CONVERGENT "D" shaped tables 42" or less, as well as arched or rectangular SUPPORTED tables of 30" as the smallest panel is 24" L.

Surface Supported "Layering" Tables
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep.

Surface Shape: / Types of legs:		Tubular 4" / Base plate round or square	Monolithic	Tubular round or square
"D" SHAPED	36x84	Maximum length = 36"	-	-
	36x78	Maximum length = 30"	-	-
	36x72	Maximum length = 24"	-	-
	30x84	Maximum length = 36"	-	-
	30x78	Maximum length = 30"	-	-
	30x72	Maximum length = 24"	-	-
	24x84	Maximum length = 42"	-	-
	24x78	Maximum length = 36"	-	-
	24x72	Maximum length = 30"	-	-
ARCHED		Maximum length = Surface length **minus 36"**		Maximum length = Surface length **minus 42"**
RECTANGULAR		Maximum length = Surface length **minus 30"**		Maximum length = Surface length **minus 36"**

SPECIFICATION CHART – INTERIOR CLEARANCE FOR LAMINATE STORAGE

INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of LAMINATE storage units. This chart illustrates the clearance available under the desks and tables.

SURFACE depth	LAMINATE STORAGE UNIT depth			
	18"	20"	21"	24"
18"	Does not fit	Does not fit	Does not fit	Does not fit
21"	2¼" Space	⅜" Space	Does not fit	Does not fit
24"	5¼" Space	3⅜" Space	2⅜" Space	Does not fit
30"	11¼" Space	9⅜" Space	8⅜" Space	5⅜" Space
30" (modesty recessed 5")	6½" Space	4¾" Space	35/8" Space	5/8" Space
36"	17¼" Space	15⅜" Space	14⅜" Space	11⅜" Space
36" (modesty recessed 11")	6½" Space	4¾" Space	35/8" Space	5/8" Space

INTERIOR CLEARANCE (vertical) UNDER THE SURFACES

Pictured is the vertical space used when a LAMINATE storage unit is placed under a surface 29" H.

SPECIFICATION CHART – INTERIOR CLEARANCE FOR METAL STORAGE

INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of METAL storage units. Refer to the Metal storage price list for the available products with the exception of the FP45/47 pedestal that is available in this price list on p.162.

SURFACE depth	METAL STORAGE UNIT depth 18"	22"	28"
18"	Does not fit	Does not fit	Does not fit
21"	2¼" Space	Does not fit	Does not fit
24"	5¼" Space	1¼" Space	Does not fit
30"	11¼" Space	7¼" Space	1¼" Space
30" (modesty recessed 5")	6⅜" Space	2⅜" Space	Does not fit
36"	17¼" Space	13¼" Space	7¼" Space
36" (modesty recessed 11")	6⅜" Space	2⅜" Space	Does not fit

INTERIOR CLEARANCE (Vertical) UNDER THE SURFACES

Pictured is the vertical space used when a METAL storage unit is placed under a surface 29" H.

Pedestals 25.75"H. Space: 2.25"

Pedestals 22.75"H. Space: 5.25"

Pedestals 27.375"H. Space: 0.625"

Pedestals 24.375"H. Space: 3.625"

Pedestals 21.375"H. Space: 6.625"

45 and 47 Series 27.938"H lateral files and combined storage Space: 0.125"

** Other types of 2-drawer lateral files with metal or laminate fronts come into interference with the surface.*

TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following specifications:

- 1" thick surface.
- Grade 1 fabric on cushions.
- No options added.

Refer to the price list for the various options available for each component.

Layout TO-14-01

TL-SWDUFF212472	Combined storage 72" H.	$ 1544
TL-HWD7216	Wall mounted hutch	$ 758
TS-CZUFO217223	Credenza 23" H. - drawers	$ 1305
TS-REEP2172L	Surface-mounted return - left	$ 273
TL-Di3072T	Rectangular desk - single pedestal UUF	$ 1056
		$ 4936

Layout TO-14-02

TS-HF7237	Hutch 37" H. - metal legs	$ 1539
TL-CZCO217229	Credenza 29" H. - combined storage unit	$ 1202
TL-REB2148	Bridge return	$ 305
TL-DTi3072G	Rectangular table - monolithic laminate base	$ 650
		$ 3696

Layout TO-14-03

TL-SDDGiCFF213672	Combined storage 72" H. - contemp. frame acry.	$ 2520
TL-HDGiC7243	Hutch - contemporary frame / acrylic	$ 2023
TL-Ti2172LL	Rectangular table - full end panels	$ 563
TL-FPUUF	Freestanding pedestal - without top / with pulls	$ 751
TL-DS2460C	"D" shaped table- round base	$ 516
		$ 6373

Layout TO-14-04

TL-SDO213650	Single door cabinet 50" H.	$ 1056
TL-RER2142	Reversible return	$ 350
TL-FPUUY	Freestanding pedestal with recycling bin	$ 646
TL-DTA3072F	"D" shaped table (arched) - square legs	$ 736
		$ 2788

Layout TO-14-05

TS-CZDD213623	Storage 23" H. - doors	$ 758
TL-HWUGiC7216	Wall mounted hutch pivot lift - cont. frame/acrylic	$ 1936
TS-DPiX3072L	Left surface mounted table - combined material	$ 750
TS-CZOUF217223	Credenza 23" H. - drawers	$ 1305
TL-HPDD3643	Bookcase hutch 43" H.	$ 749
TS-CZUF213623	Storage 23" H. - drawers	$ 801
		$ 6299

Layout TO-14-06

TL-SOUFL211850	2-Way cabinet 50" H. - left	$ 1020
TS-CZOO217223(2)	Open credenza 23" H.	$ 1790
TL-SOUFR211850	2-Way cabinet 50" H. - right	$ 1020
TS-DPiO3072R	Right surface mounted table - open metal	$ 690
TS-DPiO3072L	Left surface mounted table - open metal	$ 690
TS-PPOV1566	Laminate privacy panel	$ 312
		$ 5522

TYPICAL LAYOUTS

Layout TO-14-07

TS-DAiD3078 (2)	Surface mounted table adjust. height - square base	$ 1734
TS-CZOUF217223	Credenza 23" H. - drawers	$ 1305
TL-HPDD3643	Bookcase hutch 43" H.	$ 749
TS-CZUF213623	Storage 23" H. - drawers	$ 801
TS-CZUFO217223	Credenza 23" H. - drawers	$ 1305

$ 5894

Layout TO-14-08

TS-CZUFO217223(3)	Credenza 23" H. - drawers	$ 3915
TS-DPiX3072R (3)	Right surface mounted table - comb. material	$ 2250
TL-HWF7216 (3)	Wall mounted hutch	$ 2565

$ 8730

Layout TO-14-09

TS-BC2iO3072	Rect. shared "benching" tables - open metal	$ 1826
TS-PPOV1566	Laminate privacy panel	$ 312
TL-MPUF1520 (2)	Mobile pedestal	$ 1116

$ 3254

Layout TO-14-10

TS-BC3CVM3048	120° shared "benching" tables - perforated metal	$ 4516
TS-PPOVGiA1542(3)	Frosted acrylic privacy panel	$ 894

$ 5410

Layout TO-14-11

TS-BC4i3060	Rect. shared "benching" tables- full end panels	$ 2870
TS-FBPUF156023 (2)	Shared end-of-run storage unit	$ 2578
TL-CUS1560 (2)	Cushion	$ 994
TL-HMA6013 (2)	Shelf with integrated pigeon-hole unit	$ 1254

$ 7696

Layout TO-14-12

TS-BC6iX3072	Rect. shared "benching" tables - comb. material	$ 4906
TS-CZDUFO217223(3)	Credenza 23" H. - doors and drawers	$ 3417
TS-CZOUFD217223(3)	Credenza 23" H. - drawers and doors	$ 3417
TS-PPOVGiA1566 (3)	Frosted acrylic privacy panel	$ 1239

$ 12979

Take Off

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with double pedestals (6" & 12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**Di3672U**	1492	1707	1726	1865	50.3	296	337
30	72	**Di3072U**	1458	1651	1669	1795	42.5	287	321
30	66	**Di3066U**	1417	1606	1623	1749	39.0	253	284
30	60	**Di3060U**	1403	1518	1535	1658	39.0	242	271
24	72	**Di2472U**	1386	1494	1509	1620	34.0	264	291
24	66	**Di2466U**	1356	1454	1461	1580	31.2	257	282
24	60	**Di2460U**	1282	1412	1428	1538	28.4	249	272
21	72	**Di2172U**	1363	1433	1437	1553	30.7	244	266
21	66	**Di2166U**	1327	1396	1405	1516	30.7	237	258
21	60	**Di2160U**	1253	1360	1373	1480	25.6	218	250

Rectangular desk with double pedestals (12" drawers).

Desks with depths of 21" and 24" can be used as credenzas.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

36	72	**Di3672F**	1492	1707	1726	1865	50.3	299	340
30	72	**Di3072F**	1458	1651	1669	1795	42.5	276	310
30	66	**Di3066F**	1417	1606	1623	1749	39.0	268	299
30	60	**Di3060F**	1403	1518	1535	1658	39.0	259	288
24	72	**Di2472F**	1386	1494	1509	1620	34.0	254	281
24	66	**Di2466F**	1356	1454	1461	1580	31.2	246	271
24	60	**Di2460F**	1282	1412	1428	1538	28.4	239	261
21	72	**Di2172F**	1363	1433	1437	1553	30.7	233	256
21	66	**Di2166F**	1327	1396	1405	1516	30.7	227	248
21	60	**Di2160F**	1253	1360	1373	1480	25.6	220	239

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea.

or Charcoal grommet option (**G2…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (**UCC**), add $213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with double pedestals (3 drawers at left and 2 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

Dimensions		Code	Price				Specifications		
			L Lima 1"		M Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672Y	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Y	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Y	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Y	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Y	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Y	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Y	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Y	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Y	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Y	1253	1360	1373	1480	25.6	226	245

Rectangular desk with double pedestals (2 drawers at left and 3 drawers at right).

Desks with depths of 21" and 24" can be used as credenzas.

Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

36	72	Di3672Z	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Z	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Z	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Z	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Z	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Z	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Z	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Z	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Z	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Z	1253	1360	1373	1480	25.6	226	245

SPECIFY — Series, Code, Surface, Edge, Base, Fronts

OPTIONS — Pull, Grom., M-Outlet, Mod., Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea.

or Charcoal grommet option (**G2…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (**UCC**), add $213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with single left pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672S	1100	1296	1167	1417	50.3	247	288
30	72	Di3072S	1056	1238	1133	1343	42.5	218	254
30	66	Di3066S	1023	1197	1114	1305	39.0	207	239
30	60	Di3060S	957	1121	1046	1220	39.0	197	225
24	72	Di2472S	937	1096	1016	1188	34.0	221	248
24	66	Di2466S	871	1016	944	1101	31.2	214	239
24	60	Di2460S	836	957	891	1034	28.4	206	229
21	72	Di2172S	878	1004	935	1086	30.7	201	223
21	66	Di2166S	815	932	868	1005	30.7	194	215
21	60	Di2160S	789	894	837	963	25.6	175	207

Rectangular desk with single right pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

36	72	Di3672T	1100	1296	1167	1417	50.3	247	288
30	72	Di3072T	1056	1238	1133	1343	42.5	218	254
30	66	Di3066T	1023	1197	1114	1305	39.0	207	239
30	60	Di3060T	957	1121	1046	1220	39.0	197	225
24	72	Di2472T	937	1096	1016	1188	34.0	221	248
24	66	Di2466T	871	1016	944	1101	31.2	214	239
24	60	Di2460T	836	957	891	1034	28.4	206	229
21	72	Di2172T	878	1004	935	1086	30.7	201	223
21	66	Di2166T	815	932	868	1005	30.7	194	215
21	60	Di2160T	789	894	837	963	25.6	175	207

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module (Di___S): Option of standard multi-outlet module (**UC**…) centered …**C** and/or at right …**R**, add $213 ea., p.29.

Multi-Outlet Module (Di___T): Option of standard multi-outlet module (**UC**…) at left …**L** and/or centered …**C**, add $213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with single left pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672V	1100	1296	1167	1417	50.3	252	293
30	72	Di3072V	1056	1238	1133	1343	42.5	229	263
30	66	Di3066V	1023	1197	1114	1305	39.0	221	252
30	60	Di3060V	957	1121	1046	1220	39.0	212	241
24	72	Di2472V	937	1096	1016	1188	34.0	207	234
24	66	Di2466V	871	1016	944	1101	31.2	199	224
24	60	Di2460V	836	957	891	1034	28.4	192	214
21	72	Di2172V	878	1004	935	1086	30.7	186	209
21	66	Di2166V	815	932	868	1005	30.7	180	201
21	60	Di2160V	789	894	837	963	25.6	173	192

Rectangular desk with single right pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

36	72	Di3672W	1100	1296	1167	1417	50.3	252	293
30	72	Di3072W	1056	1238	1133	1343	42.5	229	263
30	66	Di3066W	1023	1197	1114	1305	39.0	221	252
30	60	Di3060W	957	1121	1046	1220	39.0	212	241
24	72	Di2472W	937	1096	1016	1188	34.0	207	234
24	66	Di2466W	871	1016	944	1101	31.2	199	224
24	60	Di2460W	836	957	891	1034	28.4	192	214
21	72	Di2172W	878	1004	935	1086	30.7	186	209
21	66	Di2166W	815	932	868	1005	30.7	180	201
21	60	Di2160W	789	894	837	963	25.6	173	192

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module (Di___V): Option of standard multi-outlet module (**UC**…) centered …**C** and/or at right …**R**, add $213 ea., p.29.

Multi-Outlet Module (Di___W): Option of standard multi-outlet module (**UC**…) at left …**L** and/or centered …**C**, add $213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672P	1286	1491	1394	1643	50.3	263	304
30	72	Di3072P	1235	1432	1365	1569	42.5	230	264
30	66	Di3066P	1210	1394	1339	1529	39.0	222	253
30	60	Di3060P	1148	1322	1274	1448	39.0	212	240
24	72	Di2472P	1142	1320	1287	1426	34.0	224	251
24	66	Di2466P	1113	1258	1234	1367	31.2	216	241
24	60	Di2460P	1045	1199	1166	1298	28.4	209	231
21	72	Di2172P	1130	1307	1268	1415	30.7	186	210
21	66	Di2166P	1090	1249	1217	1344	30.7	181	196
21	60	Di2160P	1040	1184	1155	1279	25.6	175	189

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (**UCC**), add $213, p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

or Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RECTANGULAR DESKS

Rectangular desk with single left suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

Dimensions		Code	Price				Specifications		
			L Lima 1"		M Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672M	996	1189	1058	1309	50.3	231	272
30	72	Di3072M	972	1137	1042	1245	42.5	203	239
30	66	Di3066M	954	1099	1015	1206	39.0	192	223
30	60	Di3060M	848	1009	935	1109	39.0	181	210
30	48	Di3048M	792	939	888	1026	28.7	160	183
24	72	Di2472M	950	1016	977	1082	34.0	192	219
24	66	Di2466M	811	968	908	1053	31.2	184	209
24	60	Di2460M	798	946	897	1034	28.4	177	199
24	48	Di2448M	736	873	837	948	23.4	137	156
21	72	Di2172M	822	992	936	1005	30.7	159	182
21	66	Di2166M	773	932	879	953	30.7	149	164
21	60	Di2160M	760	905	809	1021	25.6	143	157

Rectangular desk with single right suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

36	72	Di3672N	996	1189	1058	1309	50.3	231	272
30	72	Di3072N	972	1137	1042	1245	42.5	203	239
30	66	Di3066N	954	1099	1015	1206	39.0	192	223
30	60	Di3060N	848	1009	935	1109	39.0	181	210
30	48	Di3048N	792	939	888	1026	28.7	160	183
24	72	Di2472N	950	1016	977	1082	34.0	192	219
24	66	Di2466N	811	968	908	1053	31.2	184	209
24	60	Di2460N	798	946	897	1034	28.4	177	199
24	48	Di2448N	736	873	837	948	23.4	137	156
21	72	Di2172N	822	992	936	1005	30.7	159	182
21	66	Di2166N	773	932	879	953	30.7	149	164
21	60	Di2160N	760	905	809	1021	25.6	143	157

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module (Di___M): Option of standard multi-outlet module (**UC**…) centered …**C** and/or at right …**R**, add $213 ea., p.29.

Multi-Outlet Module (Di___N): Option of standard multi-outlet module (**UC**…) at left …**L** and/or centered …**C**, add $213 ea., p.29.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (**JJ**), add $83.

or Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the bottom 4 drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**DC3672Y**	1515	1731	1638	1888	50.3	272	308

30	36	72	**DC3672U**	1515	1731	1638	1888	50.3	272	308

36" wide bow front desk (curved interior access) with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.

30	36	72	**DC3672P**	1306	1513	1425	1673	50.3	241	278

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	M-Outlet	Mod.	Lock
T										

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (**UCC**), add $213, p.29.

Modesty panel: Option of modesty panel with curved base detail (**JJ**), add $83.

Modesty panel (DC_P): Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS

36" wide bow front desk (curved interior access) with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Grommet or multi-outlet module option is available at center or the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**DC**3672**S**	1121	1320	1190	1441	50.3	226	263
30	36	72	**DC**3672**T**	1121	1320	1190	1441	50.3	226	263

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea.

or Charcoal grommet option (**G2…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea., p.28.

Multi-Outlet Module (**DC___S**): Option of standard multi-outlet module (**UC…**) centered **…C** and/or at right **…R**, add $213 ea., p.29.

Multi-Outlet Module (**DC___T**): Option of standard multi-outlet module (**UC…**) at left **…L** and/or centered **…C**, add $213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED BOW FRONT DESKS

Bow front desk with double pedestals.

Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**DD3672Y**	1485	1697	1607	1858	50.3	272	308
30	36	66	**DD3666Y**	1460	1665	1587	1817	50.3	263	297
30	36	60	**DD3660Y**	1407	1599	1538	1746	42.1	255	285

30	36	72	**DD3672U**	1485	1697	1607	1858	50.3	276	314
30	36	66	**DD3666U**	1460	1665	1587	1817	50.3	264	299
30	36	60	**DD3660U**	1407	1599	1538	1746	42.1	253	285

Bow front desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

30	36	72	**DD3672P**	1274	1473	1383	1618	50.3	245	283
30	36	66	**DD3666P**	1254	1449	1370	1599	50.3	233	269
30	36	60	**DD3660P**	1190	1376	1326	1533	42.1	222	254

SPECIFY — Series, Code, Surface, Edge, Base, Fronts

OPTIONS — Pull, Grom., M-Outlet, Mod., Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea.

or Charcoal grommet option (**G2**…) at left …**L**, centered …**C** and/or at right …**R**, add $32 ea., p.28.

Multi-Outlet Module: Option of standard multi-outlet module, centered (**UCC**), add $213, p.29.

Modesty panel: Option of modesty panel with curved base detail (**JJ**), add $83.

Modesty panel (DD_P): Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED BOW FRONT DESKS

Bow front desk with single pedestal (left or right).

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**DD3672S**	1089	1286	1158	1409	50.3	230	268
30	36	66	**DD3666S**	1065	1256	1142	1371	50.3	218	254
30	36	60	**DD3660S**	998	1174	1077	1285	42.1	207	239

30	36	72	**DD3672T**	1089	1286	1158	1409	50.3	230	268
30	36	66	**DD3666T**	1065	1256	1142	1371	50.3	218	254
30	36	60	**DD3660T**	998	1174	1077	1285	42.1	207	239

Bow front desk with single suspended pedestal (left or right).

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

30	36	72	**DD3672M**	989	1183	1052	1301	50.3	215	253
30	36	66	**DD3666M**	950	1135	1019	1247	50.3	203	238
30	36	60	**DD3660M**	912	1088	985	1194	42.1	192	224

30	36	72	**DD3672N**	989	1183	1052	1301	50.3	215	253
30	36	66	**DD3666N**	950	1135	1019	1247	50.3	203	238
30	36	60	**DD3660N**	912	1088	985	1194	42.1	192	224

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea.

or Charcoal grommet option (**G2…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea., p.28.

Multi-Outlet Module (DD___S-M): Option of standard multi-outlet module (**UC…**) centered **…C** and/or at right **…R**, add $213 ea., p.29.

Multi-Outlet Module (DD___T-N): Option of standard multi-outlet module (**UC…**) at left **…L** and/or centered **…C**, add $213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (**JJ**), add $83.

Modesty panel (DD_M) (DD_N): Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED OFFSET BOW FRONT DESKS

Offset bow front desk with single pedestal (left or right).

The bow front overhangs by 6".

Pencil tray included in the top 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24	**DFL**3072**S**	1123	1376	1212	1514	50.3	230	268
30	66	18	**DFL**3066**S**	1097	1339	1191	1467	50.3	218	254
30	60	18	**DFL**3060**S**	1026	1249	1122	1373	42.1	207	239

30	72	24	**DFR**3072**T**	1123	1376	1212	1514	50.3	230	268
30	66	18	**DFR**3066**T**	1097	1339	1191	1467	50.3	218	254
30	60	18	**DFR**3060**T**	1026	1249	1122	1373	42.1	207	239

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. M-Outlet Mod. Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Grommet: White grommet option (**G1…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea.

or Charcoal grommet option (**G2…**) at left **…L**, centered **…C** and/or at right **…R**, add $32 ea., p.28.

Multi-Outlet Module (DFL___S): Option of standard multi-outlet module (**UC…**) centered **…C** and/or at right **…R**, add $213 ea., p.29.

Multi-Outlet Module (DFR___T): Option of standard multi-outlet module (**UC…**) at left **…L** and/or centered **…C**, add $213 ea., p.29.

Modesty panel: Option of modesty panel with curved base detail (**JJ**), add $83.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RETURNS

29" H. assembled return (right or left) with 3-drawer pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (**UC…**) at left **...L** and/or centered **...C**, add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (**UCL**), add $213.
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	**RET**2460	849	1010	891	1029	28,9	146	167
24	54	**RET**2454	826	978	871	996	26,1	139	159
24	48	**RET**2448	803	946	851	963	23.4	133	151
24	42	**RET**2442	780	914	832	930	23.4	126	142
24	36	**RET**2436	768	881	812	891	17.8	119	133
24	30	**RET**2430	755	848	791	853	17.8	111	123
21	48	**RET**2148	788	926	836	930	20.5	127	143
21	42	**RET**2142	766	894	814	899	18.3	120	134
21	36	**RET**2136	754	866	795	865	15.8	113	125
21	30	**RET**2130	743	837	778	831	15.8	105	115

Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (**UC…**) centered **...C** and/or at right **...R** , add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (**UCR**), add $213.
- 30": Multi-outlet module option not available.

24	60	**RES**2460	849	1010	891	1029	28,9	146	167
24	54	**RES**2454	826	978	871	996	26,1	139	159
24	48	**RES**2448	803	946	851	963	23.4	133	151
24	42	**RES**2442	780	914	832	930	23.4	126	142
24	36	**RES**2436	768	881	812	891	17.8	119	133
24	30	**RES**2430	755	848	791	853	17.8	111	123
21	48	**RES**2148	788	926	836	930	20.5	127	143
21	42	**RES**2142	766	894	814	899	18.3	120	134
21	36	**RES**2136	754	866	795	865	15.8	113	125
21	30	**RES**2130	743	837	778	831	15.8	105	115

SPECIFY							OPTIONS			
Series	Code	Surface	Edge	Base	Fronts	Grom.	Pull	M-Outlet	Mod.	Lock
T -	-	/	-	/	-	-	-	-	-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Multi-Outlet Module: Option of standard Multi-outlet module, as per above specifications, add $213 ea., p.29.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

ASSEMBLED RETURNS

29" H. assembled return (right or left) with 2 drawer pedestal.

12" drawers include a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (**UC…**) at left **...L** and/or centered **...C**, add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (**UCL**).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	**REW**2460	849	1010	891	1029	28,9	150	171
24	54	**REW**2454	826	978	871	996	26,1	143	163
24	48	**REW**2448	803	946	851	963	23.4	133	151
24	42	**REW**2442	780	914	832	930	23.4	126	142
24	36	**REW**2436	768	881	812	891	17.8	119	133
24	30	**REW**2430	755	848	791	853	17.8	111	123
21	48	**REW**2148	788	926	836	930	20.5	127	143
21	42	**REW**2142	766	894	814	899	18.3	120	134
21	36	**REW**2136	754	866	795	865	15.8	113	125
21	30	**REW**2130	743	837	778	831	15.8	105	115

Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (**UC…**) centered **...C** and/or at right **...R** , add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (**UCR**).
- 30": Multi-outlet module option not available.

24	60	**REV**2460	849	1010	891	1029	28,9	150	171
24	54	**REV**2454	826	978	871	996	26,1	143	163
24	48	**REV**2448	803	946	851	963	23.4	133	151
24	42	**REV**2442	780	914	832	930	23.4	126	142
24	36	**REV**2436	768	881	812	891	17.8	119	133
24	30	**REV**2430	755	848	791	853	17.8	111	123
21	48	**REV**2148	788	926	836	930	20.5	127	143
21	42	**REV**2142	766	894	814	899	18.3	120	134
21	36	**REV**2136	754	866	795	865	15.8	113	125
21	30	**REV**2130	743	837	778	831	15.8	105	115

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add $213 ea., p.29.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED RETURNS

29" H. assembled return (right or left) with 2-drawer suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

Multi-Outlet Module (right return):

- 48" and more: Standard multi-outlet module option (**UC…**) at left **...L** and/or centered **...C**, add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at left (**UCL**).
- 30": Multi-outlet module option not available.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	**REN**2460	743	894	859	999	28,9	135	156
24	54	**REN**2454	717	865	835	960	26,1	128	148
24	48	**REN**2448	692	835	811	922	23.4	123	141
24	42	**REN**2442	667	805	787	883	23.4	116	132
24	36	**REN**2436	653	773	766	845	17.8	109	123
24	30	**REN**2430	640	740	746	807	17.8	101	113
21	48	**REN**2148	667	806	787	887	20.5	117	133
21	42	**REN**2142	656	778	768	853	18.3	110	124
21	36	**REN**2136	644	749	750	818	15.8	103	115
21	30	**REN**2130	633	721	732	785	15.8	95	105

Multi-Outlet Module (left return):

- 48" and more: Standard multi-outlet module option (**UC…**) centered **...C** and/or at right **...R** , add $213 ea., p.29.
- 42" and 36": Standard multi-outlet module option at right (**UCR**).
- 30": Multi-outlet module option not available.

24	60	**REM**2460	743	894	859	999	28,9	135	156
24	54	**REM**2454	717	865	835	960	26,1	128	148
24	48	**REM**2448	692	835	811	922	23.4	123	141
24	42	**REM**2442	667	805	787	883	23.4	116	132
24	36	**REM**2436	653	773	766	845	17.8	109	123
24	30	**REM**2430	640	740	746	807	17.8	101	113
21	48	**REM**2148	667	806	787	887	20.5	117	133
21	42	**REM**2142	656	778	768	853	18.3	110	124
21	36	**REM**2136	644	749	750	818	15.8	103	115
21	30	**REM**2130	633	721	732	785	15.8	95	105

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet Mod. Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Multi-Outlet Module: Option of standard multi-outlet module, as per above specifications, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) modesty panel, option free of charge.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Take Off

REVERSIBLE RETURNS

29" H. reversible return.

Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	**RER**2460	457	627	572	695	5,1	91	112
24	54	**RER**2454	424	585	541	645	4,6	84	104
24	48	**RER**2448	391	543	510	594	4.2	78	96
24	42	**RER**2442	358	502	480	543	3.9	70	86
24	36	**RER**2436	327	462	461	512	3.5	63	78
24	30	**RER**2430	304	431	451	498	3.2	56	68
21	48	**RER**2148	382	527	502	572	3.8	72	88
21	42	**RER**2142	350	487	464	525	3.5	64	78
21	36	**RER**2136	321	435	443	496	3.2	57	70
21	30	**RER**2130	297	422	430	485	2.9	50	60
18	36	**RER**1836	315	453	438	494	2.7	51	63
18	30	**RER**1830	293	413	425	472	2.4	44	53

BRIDGE RETURNS

29" H. bridge return.

Bridge returns cannot accomodate suspended pedestals.

Returns 42" and less have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	48	**REB**2448	311	448	397	497	2.8	60	78
24	42	**REB**2442	299	406	369	448	2.5	52	68
24	36	**REB**2436	287	374	349	416	2.1	45	60
24	30	**REB**2430	276	334	339	402	1.8	38	50
21	48	**REB**2148	305	437	386	482	2.5	56	72
21	42	**REB**2142	294	397	359	432	2.2	48	62
21	36	**REB**2136	282	365	339	402	1.9	41	54
21	30	**REB**2130	270	323	328	386	1.6	34	44
18	48	**REB**1848	299	426	375	466	2.2	52	67
18	42	**REB**1842	287	386	348	417	1.9	44	57
18	36	**REB**1836	276	354	328	391	1.6	37	49
18	30	**REB**1830	264	312	317	374	1.3	30	39

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On returns 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

RECTANGULAR TABLES (FULL END PANELS)

Rectangular table with full end panels.

Recessed (11") modesty panel on tables 36" deep ("A" dimension).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	Price				Specifications		
			L Lima 1"		**M** Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	**Ti3684LL**	729	1005	—	1111	11.1	193	241
36	78	**Ti3678LL**	712	959	—	1056	10.5	183	227
36	72	**Ti3672LL**	693	912	777	1001	9.8	173	214
36	66	**Ti3666LL**	641	886	748	967	9.2	163	201
36	60	**Ti3660LL**	611	839	715	913	8.6	153	188
36	54	**Ti3654LL**	580	798	693	872	8.0	143	174
36	48	**Ti3648LL**	550	752	671	831	7.4	134	161
30	84	**Ti3084LL**	672	920	—	1010	9.2	168	208
30	78	**Ti3078LL**	657	880	—	964	8.7	159	196
30	72	**Ti3072LL**	640	842	730	919	8.1	150	185
30	66	**Ti3066LL**	609	803	697	869	7.6	142	173
30	60	**Ti3060LL**	581	763	668	824	7.1	133	162
30	54	**Ti3054LL**	554	729	651	792	6.6	125	150
30	48	**Ti3048LL**	526	692	634	758	6.1	116	139
30	42	**Ti3042LL**	493	651	593	701	5.6	107	127
30	36	**Ti3036LL**	462	609	558	651	5.1	99	116
30	30	**Ti3030LL**	454	578	539	618	4.6	90	104
30	24	**Ti3024LL**	439	538	514	580	4.1	80	92
24	84	**Ti2484LL**	609	829	—	905	7.4	143	175
24	78	**Ti2478LL**	596	798	—	868	7.0	136	165
24	72	**Ti2472LL**	583	767	681	831	6.5	128	155
24	66	**Ti2466LL**	561	726	650	788	6.1	120	145
24	60	**Ti2460LL**	524	692	619	745	5.7	113	136
24	54	**Ti2454LL**	499	660	597	710	5.3	105	126
24	48	**Ti2448LL**	482	635	584	684	4.9	98	116
24	42	**Ti2442LL**	449	593	556	635	4.5	90	106
24	36	**Ti2436LL**	418	552	536	603	4.1	83	96
24	30	**Ti2430LL**	394	523	526	589	3.7	75	87
24	24	**Ti2424LL**	371	494	509	560	3.3	68	77

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Grom.		M-Outlet	Mod.
T	-	- /	-	-	-		-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**), 9" high (**U9**) or recessed (**R**) modesty panel, option free of charge.

"R" option: Offered on tables where dimension "A" is 30", the modesty panel is recessed 5".

"R" option: Not available when the modesty panel is 18" or 9" high (options U18 & U9).

Take Off

RECTANGULAR TABLES (FULL END PANELS - cont'd)

Rectangular table with full end panels.

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	84	Ti2184LL	586	789	—	855	6.7	120	147
21	78	Ti2178LL	575	761	—	822	6.3	114	139
21	72	Ti2172LL	563	734	658	789	5.9	108	130
21	66	Ti2166LL	542	693	630	750	5.6	101	122
21	60	Ti2160LL	507	662	600	710	5.2	95	114
21	54	Ti2154LL	484	634	579	678	4.9	88	105
21	48	Ti2148LL	466	611	569	657	4.5	82	97
21	42	Ti2142LL	435	572	534	609	4.2	75	88
21	36	Ti2136LL	405	549	514	581	3.8	69	80
21	30	Ti2130LL	382	507	499	569	3.4	62	72
21	24	Ti2124LL	361	482	472	550	3.1	56	63
18	84	Ti1884LL	564	746	—	804	6.0	109	132
18	78	Ti1878LL	554	721	—	776	5.7	103	124
18	72	Ti1872LL	545	697	635	747	5.3	97	117
18	66	Ti1866LL	524	661	607	711	5	91	109
18	60	Ti1860LL	490	634	579	673	4.7	85	102
18	54	Ti1854LL	470	607	560	658	4.4	79	94
18	48	Ti1848LL	450	587	554	629	4.1	73	86
18	42	Ti1842LL	420	552	518	598	3.8	67	79
18	36	Ti1836LL	393	531	502	572	3.5	61	71
18	30	Ti1830LL	371	490	488	550	3.2	56	64
18	24	Ti1824LL	351	468	450	528	2.9	50	56

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

RECTANGULAR TABLES (RECESSED END PANELS)

CL

LC

CC

Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	84	Ti3084	672	920	—	1010	9.2	154	194
30	78	Ti3078	657	880	—	964	8.7	145	182
30	72	Ti3072	640	842	730	919	8.1	136	171
30	66	Ti3066	609	803	697	869	7.6	128	159
30	60	Ti3060	581	763	668	824	7.1	119	148
30	54	Ti3054	554	729	651	792	6.6	111	136
30	48	Ti3048	526	692	634	758	6.1	102	125
30	42	Ti3042	493	651	593	701	5.6	93	113
30	36	Ti3036	462	609	558	651	5.1	85	102
30	30	Ti3030	454	578	539	618	4.6	76	90
30	24	Ti3024	439	538	514	580	4.1	67	78
24	84	Ti2484	609	829	—	905	7.4	134	166
24	78	Ti2478	596	798	—	868	7	126	156
24	72	Ti2472	583	767	681	831	6.5	119	146
24	66	Ti2466	561	726	650	788	6.1	111	136
24	60	Ti2460	524	692	619	745	5.7	103	126
24	54	Ti2454	499	660	597	710	5.3	96	117
24	48	Ti2448	482	635	584	684	4.9	88	107
24	42	Ti2442	449	593	556	635	4.5	81	97
24	36	Ti2436	418	552	536	603	4.1	73	87
24	30	Ti2430	394	523	526	589	3.7	66	77
24	24	Ti2424	371	494	509	560	3.3	58	67

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea.

or option of standard multi-outlet module (**UC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Take Off

RECTANGULAR TABLES (RECESSED END PANELS - cont'd)

CL

LC

CC

Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	Price				Specifications		
			L Lima **1"**		**M** Mike **1½"**				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	84	Ti2184	586	789	—	855	6.7	114	140
21	78	Ti2178	575	761	—	822	6.3	107	132
21	72	Ti2172	563	734	658	789	5.9	101	124
21	66	Ti2166	542	693	630	750	5.6	95	115
21	60	Ti2160	507	662	600	710	5.2	88	107
21	54	Ti2154	484	634	579	678	4.9	82	99
21	48	Ti2148	466	611	569	657	4.5	75	90
21	42	Ti2142	435	572	534	609	4.2	69	82
21	36	Ti2136	405	549	514	581	3.8	62	74
21	30	Ti2130	382	507	499	569	3.4	56	65
21	24	Ti2124	361	482	472	550	3.1	49	57
18	84	Ti1884	564	746	—	804	6.0	105	128
18	78	Ti1878	554	721	—	776	5.7	99	120
18	72	Ti1872	545	697	635	747	5.3	93	112
18	66	Ti1866	524	661	607	711	5.0	87	105
18	60	Ti1860	490	634	579	673	4.7	81	97
18	54	Ti1854	470	607	560	658	4.4	75	90
18	48	Ti1848	450	587	554	629	4.1	69	82
18	42	Ti1842	420	552	518	598	3.8	63	75
18	36	Ti1836	393	531	502	572	3.5	57	67
18	30	Ti1830	371	490	488	550	3.2	51	59
18	24	Ti1824	351	468	450	528	2.9	45	52

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ( ) - ( )		( ) -	( ) /	( ) -	( ) -	( ) -	( ) -	( )

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS

Bow front table with curved interior access.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	42	84	18	**TC364284LL**	846	1166	—	1288	12.5	198	249
36	42	72	18	**TC364272LL**	801	1056	895	1158	11.0	178	222
30	36	84	18	**TC303684LL**	784	1036	—	1139	10.6	173	215
30	36	72	18	**TC303672LL**	737	974	836	1062	9.3	155	191

BOW FRONT TABLES

Bow front table.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

36	42	84	**TD364284LL**	837	1154	—	1279	12.5	204	257
36	42	78	**TD364278LL**	816	1104	—	1221	11.8	193	243
36	42	72	**TD364272LL**	798	1055	862	1164	11.0	182	228
30	36	84	**TD303684LL**	776	1035	—	1143	10.6	177	222
30	36	78	**TD303678LL**	750	1010	—	1120	10.0	168	209
30	36	72	**TD303672LL**	732	961	803	1063	9.3	158	197
30	36	66	**TD303666LL**	700	924	783	1022	8.7	149	184
30	36	60	**TD303660LL**	667	880	777	997	8.1	140	172

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) modesty panel, option free of charge.

OFFSET BOW FRONT TABLES

Offset bow front table (left or right).

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions					Code	Price				Specifications		
						L Lima 1"		M Mike 1½"				
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24			**TFL**3072	771	1021	862	1125	9.7	163	203
30	66	18			**TFL**3066	748	966	827	1060	9.1	154	190
30	60	18			**TFL**3060	726	910	793	996	8.5	144	176
30	72	24			**TFR**3072	771	1021	862	1125	9.7	163	203
30	66	18			**TFR**3066	748	966	827	1060	9.1	154	190
30	60	18			**TFR**3060	726	910	793	996	8.5	144	176

OFFSET BOW FRONT TABLES WITH INTEGRATED HALF-RETURN

Bow front table (left or right) with integrated half return.

The offset overhangs by 8"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

30	36	72	24	24	**TJL**367224	770	1092	902	1217	11.4	178	220
30	36	66	18	24	**TJL**366624	735	1045	865	1166	10.7	167	206
30	36	60	18	24	**TJL**366024	700	993	827	1130	10.0	157	192
30	36	72	24	24	**TJR**367224	770	1092	902	1217	11.4	178	220
30	36	66	18	24	**TJR**366624	735	1045	865	1166	10.7	167	206
30	36	60	18	24	**TJR**366024	700	993	827	1130	10.0	157	192

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T -	-	/	-	-	-	-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) modesty panel, option free of charge.

BOW FRONT TABLES WITH CURVED INTERIOR ACCESS AND INTEGRATED HALF-RETURN

Bow front table (left or right) with curved interior access and integrated half return.

The offset overhangs by 6"; 5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions					Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	42	72	24	17	**TCL**427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	**TCL**427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	**TCL**427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	**TCL**426618	813	1086	914	1194	11.7	178	219
30	42	72	24	17	**TCR**427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	**TCR**427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	**TCR**427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	**TCR**426618	813	1086	914	1194	11.7	178	219

RECTANGULAR TABLES WITH INTEGRATED HALF-RETURN

Rectangular table (left or right) with integrated half return.

5" recessed modesty panel.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

30	48	84	24	**TCOL**30488424	955	1327	—	1441	15.5	232	289
30	48	78	24	**TCOL**30487824	920	1279	—	1390	14.5	218	270
30	48	72	24	**TCOL**30487224	884	1232	1009	1368	13.6	204	252
30	48	66	24	**TCOL**30486624	868	1206	982	1346	12.6	184	228
30	48	60	24	**TCOL**30486024	854	1179	956	1319	11.7	165	204
30	42	72	24	**TCOL**30427224	849	1155	971	1304	12.5	165	204
30	42	66	24	**TCOL**30426624	814	1133	934	1253	11.6	156	192
30	42	60	24	**TCOL**30426024	779	1081	897	1217	10.7	144	175
48	30	84	24	**TCOR**48308424	955	1327	—	1441	15.5	232	289
48	30	78	24	**TCOR**48307824	920	1279	—	1390	14.5	218	270
48	30	72	24	**TCOR**48307224	884	1232	1009	1368	13.6	204	252
48	30	66	24	**TCOR**48306624	868	1206	982	1346	12.6	184	228
48	30	60	24	**TCOR**48306024	854	1179	956	1319	11.7	165	204
42	30	72	24	**TCOR**42307224	849	1155	945	1265	12.5	165	204
42	30	66	24	**TCOR**42306624	814	1133	934	1253	11.6	156	192
42	30	60	24	**TCOR**42306024	779	1081	897	1217	10.7	144	175

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel (TCL-TCR): Option of 18" high (**U18**) modesty panel, option free of charge.

Modesty panel (TCOL-TCOR): Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Take Off

CONNECTING TABLES

LL

LC

Left connecting table, available with 2 full end panels (LL) or full / recessed end panels (LC).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price				Specifications		
					L Lima **1"**		**M** Mike **1½"**				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	24	72	24	**TV36247224**	685	910	755	993	9.8	149	182
36	24	66	24	**TV36246624**	664	861	725	938	9.2	141	171
36	24	60	24	**TV36246024**	616	814	694	882	8.6	132	159
30	18	72	21	**TV30187221**	630	832	707	905	8.6	129	157
30	18	72	18	**TV30187218**	630	832	707	905	8.6	129	157
30	18	66	21	**TV30186621**	613	791	681	858	8.1	122	147
30	18	66	18	**TV30186618**	613	791	681	858	8.1	122	147
30	18	60	21	**TV30186021**	595	751	656	811	7.6	114	137
30	18	60	18	**TV30186018**	595	751	656	811	7.6	114	137
30	18	48	21	**TV30184821**	539	677	608	734	6.6	98	117
30	18	48	18	**TV30184818**	539	677	608	734	6.6	98	117
24	18	42	18	**TV24184218**	470	593	547	635	5.4	80	93

LL

CL

Right connecting table, available with 2 full end panels (LL) or recessed / full end panels (CL).

Table 42" long has 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	36	72	24	**TV24367224**	685	910	755	993	9.8	149	182
24	36	66	24	**TV24366624**	664	861	725	938	9.2	141	171
24	36	60	24	**TV24366024**	616	814	694	882	8.6	132	159
18	30	72	21	**TV18307221**	630	832	707	905	8.6	129	157
18	30	72	18	**TV18307218**	630	832	707	905	8.6	129	157
18	30	66	21	**TV18306621**	613	791	681	858	8.1	122	147
18	30	66	18	**TV18306618**	613	791	681	858	8.1	122	147
18	30	60	21	**TV18306021**	595	751	656	811	7.6	114	137
18	30	60	18	**TV18306018**	595	751	656	811	7.6	114	137
18	30	48	21	**TV18304821**	539	677	608	734	6.6	98	117
18	30	48	18	**TV18304818**	539	677	608	734	6.6	98	117
18	24	42	18	**TV18244218**	470	593	547	635	5.4	80	93

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**LL**), (**LC**) or (**CL**).

Surface / Edge / Base: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

DUAL DEPTH TABLES

LC

CC

Left dual depth table, available with full / recessed end panels (LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	24	72	55½	TW302472	684	864	752	941	8.1	135	168
30	24	66	49½	TW302466	652	825	721	892	7.6	126	157
30	24	60	43½	TW302460	624	787	689	845	7.1	118	145
30	24	54	37½	TW302454	595	751	673	814	6.6	109	134
30	24	48	31½	TW302448	582	714	656	780	6.1	100	123
30	24	42	25½	TW302442	531	672	614	722	5.6	92	111
30	24	36	19½	TW302436	499	631	579	672	5.1	83	100
30	24	30	16	TW302430	493	598	562	640	4.6	75	88
30	24	24	10	TW302424	475	559	537	593	4.1	66	77
24	18	72	55½	TW241872	607	788	710	859	6.5	117	144
24	18	66	49½	TW241866	579	750	679	816	6.1	110	134
24	18	60	43½	TW241860	552	713	662	788	5.7	102	124
24	18	54	37½	TW241854	515	661	607	719	5.3	94	114
24	18	48	31½	TW241848	476	609	551	651	4.9	87	104
24	18	42	25½	TW241842	447	573	535	618	4.5	79	95
24	18	36	19½	TW241836	421	540	528	607	4.1	72	85
24	18	30	16	TW241830	394	508	510	573	3.7	65	76
24	18	24	10	TW241824	380	475	490	536	3.3	57	66
21	18	72	61¼	TW211872	592	769	694	825	5.9	100	122
21	18	66	55¼	TW211866	563	734	674	794	5.6	98	118
21	18	60	49¼	TW211860	534	695	655	771	5.2	95	114
21	18	54	43¼	TW211854	498	642	603	700	4.9	87	101
21	18	48	37¼	TW211848	461	589	540	628	4.5	81	97
21	18	42	31¼	TW211842	430	552	528	605	4.2	74	88
21	18	36	25¼	TW211836	405	524	514	578	3.8	67	79
21	18	30	19¼	TW211830	383	493	496	545	3.4	60	70
21	18	24	13¼	TW211824	370	464	476	516	3.1	53	61

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Take Off

DUAL DEPTH TABLES (cont'd)

CL

CC

Right dual depth table, available with recessed / full end panels (CL) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	30	72	55½	TW243072	684	864	752	941	8.1	135	168
24	30	66	49½	TW243066	652	825	721	892	7.6	126	157
24	30	60	43½	TW243060	624	787	689	845	7.1	118	145
24	30	54	37½	TW243054	595	751	673	814	6.6	109	134
24	30	48	31½	TW243048	582	714	656	780	6.1	100	123
24	30	42	25½	TW243042	531	672	614	722	5.6	92	111
24	30	36	19½	TW243036	499	631	579	672	5.1	83	100
24	30	30	16	TW243030	493	598	562	640	4.6	75	88
24	30	24	10	TW243024	475	559	537	593	4.1	66	77
18	24	72	55½	TW182472	607	788	710	859	6.5	117	144
18	24	66	49½	TW182466	579	750	679	816	6.1	110	134
18	24	60	43½	TW182460	552	713	662	788	5.7	102	124
18	24	54	37½	TW182454	515	661	607	719	5.3	94	114
18	24	48	31½	TW182448	476	609	551	651	4.9	87	104
18	24	42	25½	TW182442	447	573	535	618	4.5	79	95
18	24	36	19½	TW182436	421	540	528	607	4.1	72	85
18	24	30	16	TW182430	394	508	510	573	3.7	65	76
18	24	24	10	TW182424	380	475	490	536	3.3	57	66
18	21	72	61¼	TW182172	592	769	694	825	5.9	100	122
18	21	66	55¼	TW182166	563	734	674	794	5.6	98	118
18	21	60	49¼	TW182160	534	695	655	771	5.2	95	114
18	21	54	43¼	TW182154	498	642	603	700	4.9	87	101
18	21	48	37¼	TW182148	461	589	540	628	4.5	81	97
18	21	42	31¼	TW182142	430	552	528	605	4.2	74	88
18	21	36	25¼	TW182136	405	524	514	578	3.8	67	79
18	21	30	19¼	TW182130	383	493	496	545	3.4	60	70
18	21	24	13¼	TW182124	370	464	476	516	3.1	53	61

SPECIFY — **OPTIONS**

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T ☐ - ☐ ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

90° CORNER TABLES

90° corner table with recessed end panels.

For corners CS3042CC and CS2436CC: the "D" dimension of 17" limits the keyboard choices.

Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	25½	**CS**3048**CC**	811	1044	979	1183	8.6	135	169
30	30	42	17	**CS**3042**CC**	744	949	916	1073	7.2	115	141
24	24	48	34	**CS**2448**CC**	781	1010	945	1148	8.6	131	163
24	24	42	25½	**CS**2442**CC**	714	915	882	1038	7.2	112	137
24	24	36	17	**CS**2436**CC**	642	813	809	924	6.0	94	113
18	18	36	25½	**CS**1836**CC**	609	781	776	890	6.0	91	109

SPECIFY						OPTIONS	
Series	Code	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea.

or option of standard multi-outlet module (**UC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

90° RIGHT EXTENDED CORNER TABLES

CL

LC

CC

90° right extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price				Specifications		
					L Lima **1"**		**M** Mike **1½"**				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	36	72	**CS**24243672	869	1120	1031	1260	11.8	151	185
24	24	36	66	**CS**24243666	842	1081	1009	1219	11.0	143	175
24	24	36	60	**CS**24243660	822	1033	978	1162	10.1	132	161
21	21	36	72	**CS**21213672	869	1120	1031	1260	11.8	144	175
21	21	36	66	**CS**21213666	842	1081	1009	1219	11.0	136	166
21	21	36	60	**CS**21213660	822	1033	978	1162	10.1	126	153

90° LEFT EXTENDED CORNER TABLES

CL

LC

CC

90° left extended corner table with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

24	24	72	36	**CS**24247236	869	1120	1031	1260	11.8	151	185
24	24	66	36	**CS**24246636	842	1081	1009	1219	11.0	143	175
24	24	60	36	**CS**24246036	822	1033	978	1162	10.1	132	161
21	21	72	36	**CS**21217236	869	1120	1031	1260	11.8	144	175
21	21	66	36	**CS**21216636	842	1081	1009	1219	11.0	136	166
21	21	60	36	**CS**21216036	822	1033	978	1162	10.1	126	153

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T -			-	/	-	-	-	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

90° CORNER TABLES WITH CURVED INTERIOR ACCESS

CL

LC

CC

90° corner table (curved int. access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

Woodgrain is positioned at a 45° angle on these surfaces.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price				Specifications		
					L Lima 1"		**M** Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	48	**CO**30304848	911	1219	1090	1353	9.8	146	178
30	24	48	48	**CO**30244848	899	1206	1047	1332	9.4	144	175
24	30	48	48	**CO**24304848	899	1206	1047	1332	9.8	142	172
24	24	48	48	**CO**24244848	886	1194	1004	1310	9.4	134	163
24	24	42	42	**CO**24244242	837	1096	939	1186	8.0	118	142
24	24	36	36	**CO**24243636	721	963	832	1068	6.8	102	124
18	18	36	36	**CO**18183636	672	878	787	950	6.8	92	107

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS

CL

LC

CC

90° right extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC)

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price				Specifications		
					L Lima 1"		**M** Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	84	**CO**30304884	1035	1438	—	1643	15.5	232	289
30	30	48	78	**CO**30304878	1009	1374	—	1569	14.5	218	270
30	30	48	72	**CO**30304872	983	1309	1187	1493	13.6	204	252
30	30	48	66	**CO**30304866	939	1236	1132	1412	12.6	184	228
30	30	48	60	**CO**30304860	895	1166	1077	1332	11.7	165	204
30	24	48	84	**CO**30244884	997	1387	—	1533	15.1	202	250
30	24	48	78	**CO**30244878	971	1322	—	1458	14.1	189	234
30	24	48	72	**CO**30244872	945	1258	1128	1383	13.2	173	214
30	24	48	66	**CO**30244866	901	1187	1047	1302	12.2	164	202
30	24	48	60	**CO**30244860	858	1117	967	1221	11.3	153	187
30	24	42	84	**CO**30244284	920	1287	—	1409	14.3	188	234
30	24	42	78	**CO**30244278	898	1231	—	1343	13.4	177	219
30	24	42	72	**CO**30244272	875	1175	1009	1277	12.5	165	204
30	24	42	66	**CO**30244266	840	1111	960	1206	11.6	156	192
30	24	42	60	**CO**30244260	806	1047	910	1134	10.7	144	175
30	24	42	48	**CO**30244248	718	933	839	1018	8.9	128	155
24	30	48	84	**CO**24304884	997	1387	—	1533	15.5	202	250
24	30	48	78	**CO**24304878	971	1322	—	1458	14.5	189	234
24	30	48	72	**CO**24304872	945	1258	1128	1383	13.6	173	214
24	30	48	66	**CO**24304866	901	1187	1047	1302	12.6	164	202
24	30	48	60	**CO**24304860	858	1117	967	1221	11.7	153	187
24	24	48	84	**CO**24244884	997	1387	—	1533	15.1	197	245
24	24	48	78	**CO**24244878	971	1322	—	1458	14.1	184	229
24	24	48	72	**CO**24244872	945	1258	1128	1383	13.2	168	209
24	24	48	66	**CO**24244866	901	1187	1047	1302	12.2	159	197
24	24	48	60	**CO**24244860	858	1117	967	1221	11.3	148	182
24	24	42	84	**CO**24244284	920	1287	—	1409	14.3	188	234
24	24	42	78	**CO**24244278	898	1231	—	1343	13.4	177	219
24	24	42	72	**CO**24244272	875	1175	1009	1277	12.5	165	204
24	24	42	66	**CO**24244266	840	1111	960	1206	11.6	156	192
24	24	42	60	**CO**24244260	806	1047	910	1134	10.7	144	175
24	24	42	48	**CO**24244248	718	933	839	1018	8.9	128	155

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea.

or option of standard multi-outlet module (**UC**…) at left …**L**, centered …**C** and/or at right …**R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS

LC

CL

CC

90° left extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions				Code	Price				Specifications		
					L Lima 1"		**M** Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	84	48	**CO**30308448	1035	1438	—	1643	15.5	232	289
30	30	78	48	**CO**30307848	1009	1374	—	1569	14.5	218	270
30	30	72	48	**CO**30307248	983	1309	1187	1493	13.6	204	252
30	30	66	48	**CO**30306648	939	1236	1132	1412	12.6	184	228
30	30	60	48	**CO**30306048	895	1166	1077	1332	11.7	165	204
30	24	84	48	**CO**30248448	997	1387	—	1533	15.1	202	250
30	24	78	48	**CO**30247848	971	1322	—	1458	14.1	189	234
30	24	72	48	**CO**30247248	945	1258	1128	1383	13.2	173	214
30	24	66	48	**CO**30246648	901	1187	1047	1302	12.2	164	202
30	24	60	48	**CO**30246048	858	1117	967	1221	11.3	153	187
24	30	84	48	**CO**24308448	997	1387	—	1533	15.5	202	250
24	30	84	42	**CO**24308442	920	1287	—	1409	14.7	188	234
24	30	78	48	**CO**24307848	971	1322	—	1458	14.5	189	234
24	30	78	42	**CO**24307842	898	1231	—	1343	13.8	177	219
24	30	72	48	**CO**24307248	945	1258	1128	1383	13.6	173	214
24	30	72	42	**CO**24307242	875	1175	1009	1277	12.9	177	219
24	30	66	48	**CO**24306648	901	1187	1047	1302	12.6	164	202
24	30	66	42	**CO**24306642	840	1111	960	1206	12.0	156	192
24	30	60	48	**CO**24306048	858	1117	967	1221	11.7	153	187
24	30	60	42	**CO**24306042	806	1047	910	1134	11.1	144	175
24	30	48	42	**CO**24304842	718	933	839	1018	9.3	128	155
24	24	84	48	**CO**24248448	997	1387	—	1533	15.1	197	245
24	24	84	42	**CO**24248442	920	1287	—	1409	14.3	188	234
24	24	78	48	**CO**24247848	971	1322	—	1458	14.1	184	229
24	24	78	42	**CO**24247842	898	1231	—	1343	13.4	177	219
24	24	72	48	**CO**24247248	945	1258	1128	1383	13.2	168	209
24	24	72	42	**CO**24247242	875	1175	1009	1277	12.5	165	204
24	24	66	48	**CO**24246648	901	1187	1047	1302	12.2	159	197
24	24	66	42	**CO**24246642	840	1111	960	1206	11.6	156	192
24	24	60	48	**CO**24246048	858	1117	967	1221	11.3	148	182
24	24	60	42	**CO**24246042	806	1047	910	1134	10.7	144	175
24	24	48	42	**CO**24244842	718	933	839	1018	8.9	128	155

SPECIFY — **OPTIONS**

Series Code Legs Surface Edge Base Grom. M-Outlet Mod.

T [ ] - [ ] [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

Take Off

90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS

90° left extended corner table (ergonomic interior access) with full / recessed end panels (LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

LC

CC

Dimensions					Code	Price				Specifications		
						L Lima **1"**		**M** Mike **1½"**				
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	72	36	22	**CE**24187236	869	1120	1031	1260	11.8	144	173
24	18	66	36	16	**CE**24186636	842	1081	1009	1219	11.0	136	164
24	18	60	36	16	**CE**24186036	822	1033	978	1162	10.1	126	151

90° left extended corner table (ergonomic interior access) with recessed / full end panels (CL) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

Allow 16" minimum ("E" dimension) for installation of a pedestal.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

CL

CC

18	24	36	72	22	**CE**18243672	869	1120	1031	1260	11.8	144	173
18	24	36	66	16	**CE**18243666	842	1081	1009	1219	11.0	136	164
18	24	36	60	16	**CE**18243660	822	1033	978	1162	10.1	126	151

SPECIFY							OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Grom.	M-Outlet	Mod.
T ☐ -	☐	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).

"D" SHAPED TABLES WITH MODESTY PANEL

"D" shaped table with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	**DM3684A**	875	1159	—	1368	10.4	134	179
36	78	**DM3678A**	858	1117	—	1316	9.8	127	169
36	72	**DM3672A**	835	1069	1042	1267	9.3	119	158
36	66	**DM3666A**	812	1026	1014	1214	8.7	114	150
30	84	**DM3084A**	818	1056	—	1250	9.1	115	153
30	78	**DM3078A**	805	1020	—	1206	8.7	110	144
30	72	**DM3072A**	788	1005	1004	1191	8.2	102	135
30	66	**DM3066A**	773	969	981	1147	7.7	96	126
30	60	**DM3060A**	751	948	954	1110	7.3	90	117
30	48	**DM3048A**	713	890	911	1036	6.4	77	99

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED TABLES WITH "T" END PANEL

"D" shaped table with "T" end panel and telescopic metal leg.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DT3678B**	688	948	—	1148	7.1	115	115
36	72	**DT3672B**	671	904	878	1101	6.8	109	109
36	60	**DT3660B**	625	831	842	1016	6.2	104	104
30	84	**DT3084B**	671	904	—	1101	6.2	107	107
30	78	**DT3078B**	639	867	—	1054	6	102	102
30	72	**DT3072B**	625	831	842	1016	5.7	98	98
30	66	**DT3066B**	608	809	816	988	5.4	93	93
30	60	**DT3060B**	590	783	793	945	5.2	88	88
30	54	**DT3054B**	575	770	773	916	4.9	83	83
30	48	**DT3048B**	561	734	760	879	4.6	78	78
30	42	**DT3042B**	546	697	710	795	4.3	73	73
24	72	**DT2472B**	523	705	771	843	4.7	81	81
24	66	**DT2466B**	509	675	750	809	4.4	77	77
24	60	**DT2460B**	496	686	737	788	4.2	73	73
24	48	**DT2448B**	483	652	718	773	3.8	65	65

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED TABLES WITH "T" END PANEL

"D" shaped table with "T" end panel and telescopic metal leg with base plate.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DT3678C**	**DT3678D**	767	1027	—	1228	12.1	121	163
36	72	**DT3672C**	**DT3672D**	750	983	957	1180	11.8	115	148
36	60	**DT3660C**	**DT3660D**	704	910	921	1096	11.2	110	146
30	84	**DT3084C**	**DT3084D**	750	983	—	1181	11.2	113	148
30	78	**DT3078C**	**DT3078D**	718	946	—	1133	11	108	142
30	72	**DT3072C**	**DT3072D**	704	910	921	1096	10.7	104	136
30	66	**DT3066C**	**DT3066D**	688	888	895	1067	10.4	99	129
30	60	**DT3060C**	**DT3060D**	669	862	872	1024	10.2	94	121
30	54	**DT3054C**	**DT3054D**	655	849	853	996	9.9	89	114
30	48	**DT3048C**	**DT3048D**	640	813	839	958	9.6	84	105
24	72	**DT2472C**	**DT2472D**	602	784	850	922	9.7	87	113
24	66	**DT2466C**	**DT2466D**	589	755	829	888	9.4	83	108
24	60	**DT2460C**	**DT2460D**	575	766	816	867	9.2	79	101
24	48	**DT2448C**	**DT2448D**	562	732	798	853	8.8	71	88

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED TABLES, SURFACE SUPPORTED

"D" shaped table, surface supported.

Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DS**3672**A**	604	809	809	983	4.5	76	115
36	60	**DS**3660**A**	565	761	769	915	3.9	70	107
30	72	**DS**3072**A**	565	761	769	915	3.9	64	97
30	66	**DS**3066**A**	550	741	751	884	3.6	59	89
30	60	**DS**3060**A**	535	716	735	856	3.4	54	81
30	54	**DS**3054**A**	520	706	715	818	3.1	49	74
30	48	**DS**3048**A**	505	669	694	774	2.8	44	66
30	42	**DS**3042**A**	491	633	675	732	2.6	39	59
30	36	**DS**3036**A**	476	605	660	710	2.3	35	52
30	30	**DS**3030**A**	462	578	649	671	2	30	44
24	72	**DS**2472**A**	515	714	763	851	3.3	52	78
24	66	**DS**2466**A**	503	684	744	816	3.1	48	73
24	60	**DS**2460**A**	493	677	724	795	2.8	44	66
24	54	**DS**2454**A**	481	646	705	760	2.6	40	60
24	48	**DS**2448**A**	462	640	688	746	2.4	36	53
24	42	**DS**2442**A**	454	619	672	722	2.2	32	47
24	36	**DS**2436**A**	444	598	656	699	2	28	41
24	30	**DS**2430**A**	433	570	638	663	1.8	24	35

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED TABLES, SURFACE SUPPORTED

"D" shaped table, supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Dimensions		Code		Price				Specifications		
				L Lima **1"**		**M** Mike **1½"**				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DS**3672**C**	**DS**3672**D**	627	832	832	1007	9.5	82	121
36	60	**DS**3660**C**	**DS**3660**D**	589	784	792	939	8.9	76	113
30	72	**DS**3072**C**	**DS**3072**D**	589	784	792	939	8.9	70	103
30	66	**DS**3066**C**	**DS**3066**D**	573	765	774	908	8.6	65	95
30	60	**DS**3060**C**	**DS**3060**D**	558	739	758	879	8.4	60	87
30	54	**DS**3054**C**	**DS**3054**D**	543	729	738	842	8.1	55	80
30	48	**DS**3048**C**	**DS**3048**D**	528	692	717	798	7.8	50	72
24	72	**DS**2472**C**	**DS**2472**D**	538	737	787	875	8.3	58	84
24	66	**DS**2466**C**	**DS**2466**D**	526	707	767	839	8.1	54	79
24	60	**DS**2460**C**	**DS**2460**D**	516	700	747	818	7.8	50	72
24	54	**DS**2454**C**	**DS**2454**D**	504	669	728	783	7.6	46	66
24	48	**DS**2448**C**	**DS**2448**D**	485	663	711	769	7.4	42	59

SPECIFY — **OPTIONS**

Series Code Surface Edge Metal Grom. M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge:** Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH MODESTY PANEL

"D" shaped table (arched or rectangular) with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	**DMA3684A**	875	1159	—	1368	10,4	134	179
36	78	**DMA3678A**	858	1117	—	1316	9,8	127	169
36	72	**DMA3672A**	835	1069	1042	1267	9,3	119	158
36	66	**DMA3666A**	812	1026	1014	1214	8,7	114	150
30	84	**DMA3084A**	818	1056	—	1250	8,1	115	153
30	78	**DMA3078A**	805	1020	—	1206	8,7	110	144
30	72	**DMA3072A**	788	1005	1004	1191	8,2	102	135
30	66	**DMA3066A**	773	969	981	1147	7,7	96	126
30	60	**DMA3060A**	751	948	954	1110	7,3	89	117
30	48	**DMA3048A**	713	890	911	1036	6,4	77	99

Rectangular

36	84	**DMi3684A**	853	1137	—	1346	10,4	134	179
36	78	**DMi3678A**	836	1095	—	1294	9,8	127	169
36	72	**DMi3672A**	813	1047	1020	1245	9,3	119	158
36	66	**DMi3666A**	790	1004	992	1192	8,7	114	150
30	84	**DMi3084A**	796	1034	—	1228	8,1	115	153
30	78	**DMi3078A**	783	998	—	1184	8,7	110	144
30	72	**DMi3072A**	766	983	982	1169	8,2	102	135
30	66	**DMi3066A**	751	947	959	1125	7,7	96	126
30	60	**DMi3060A**	729	926	932	1088	7,3	89	117
30	48	**DMi3048A**	691	868	889	1014	6,4	77	99

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DTA3678B**	688	948	—	1148	7.1	115	157
36	72	**DTA3672B**	671	904	878	1101	6.8	108	141
36	60	**DTA3660B**	625	831	842	1016	6.2	104	140
30	84	**DTA3084B**	671	904	—	1101	6.2	107	142
30	78	**DTA3078B**	639	867	—	1054	6	102	136
30	72	**DTA3072B**	625	831	842	1016	5.7	98	130
30	66	**DTA3066B**	608	809	816	988	5.4	93	123
30	60	**DTA3060B**	590	783	793	945	5.2	88	115
30	54	**DTA3054B**	575	770	773	916	4.9	83	108
30	48	**DTA3048B**	561	734	760	879	4.6	78	99
24	72	**DTA2472B**	523	705	771	843	4.7	81	107
24	66	**DTA2466B**	509	675	750	809	4.4	77	102
24	60	**DTA2460B**	496	686	737	788	4.2	73	95
24	48	**DTA2448B**	483	652	718	773	3.8	65	82

Rectangular

36	78	**DTi3678B**	666	926	—	1126	7.1	115	157
36	72	**DTi3672B**	649	882	856	1079	6.8	108	141
36	60	**DTi3660B**	603	809	820	994	6.2	104	140
30	84	**DTi3084B**	649	882	—	1079	6.2	107	142
30	78	**DTi3078B**	617	845	—	1032	6	102	136
30	72	**DTi3072B**	603	809	820	994	5.7	98	130
30	66	**DTi3066B**	586	787	794	966	5.4	93	123
30	60	**DTi3060B**	568	761	771	923	5.2	88	115
30	54	**DTi3054B**	553	748	751	894	4.9	83	108
30	48	**DTi3048B**	539	712	738	857	4.6	78	99
24	72	**DTi2472B**	501	683	749	821	4.7	81	107
24	66	**DTi2466B**	487	653	728	787	4.4	77	102
24	60	**DTi2460B**	474	664	715	766	4.2	73	95
24	48	**DTi2448B**	461	630	696	751	3.8	65	82

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T							

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg with base.

2 choices of 4" tubular legs: with round or square base.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code		Price				Specifications		
				L Lima **1"**		**M** Mike **1½"**				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DTA3678C**	**DTA3678D**	767	1027	—	1228	12.1	121	163
36	72	**DTA3672C**	**DTA3672D**	750	983	957	1180	11.8	114	147
36	60	**DTA3660C**	**DTA3660D**	704	910	921	1096	11.2	110	146
30	84	**DTA3084C**	**DTA3084D**	750	983	—	1180	11.2	113	148
30	78	**DTA3078C**	**DTA3078D**	718	946	—	1133	11	108	142
30	72	**DTA3072C**	**DTA3072D**	704	910	921	1096	10.7	104	136
30	66	**DTA3066C**	**DTA3066D**	688	888	895	1067	10.4	99	129
30	60	**DTA3060C**	**DTA3060D**	669	862	872	1024	10.2	94	121
30	54	**DTA3054C**	**DTA3054D**	655	849	853	996	9.9	89	114
30	48	**DTA3048C**	**DTA3048D**	640	813	839	958	9.6	84	105
24	72	**DTA2472C**	**DTA2472D**	602	784	850	922	9.7	87	113
24	66	**DTA2466C**	**DTA2466D**	589	755	829	888	9.4	83	108
24	60	**DTA2460C**	**DTA2460D**	575	766	816	867	9.2	79	101
24	48	**DTA2448C**	**DTA2448D**	562	732	798	853	8.8	71	88

Rectangular

36	78	**DTi3678C**	**DTi3678D**	745	1005	—	1206	12.1	121	163
36	72	**DTi3672C**	**DTi3672D**	728	961	935	1158	11.8	114	147
36	60	**DTi3660C**	**DTi3660D**	682	888	899	1074	11.2	110	146
30	84	**DTi3084C**	**DTi3084D**	728	961	—	1158	11.2	113	148
30	78	**DTi3078C**	**DTi3078D**	696	924	—	1111	11	108	142
30	72	**DTi3072C**	**DTi3072D**	682	888	899	1074	10.7	104	136
30	66	**DTi3066C**	**DTi3066D**	666	866	873	1045	10.4	99	129
30	60	**DTi3060C**	**DTi3060D**	647	840	850	1002	10.2	94	121
30	54	**DTi3054C**	**DTi3054D**	633	827	831	974	9.9	89	114
30	48	**DTi3048C**	**DTi3048D**	618	791	817	936	9.6	84	105
24	72	**DTi2472C**	**DTi2472D**	580	762	828	900	9.7	87	113
24	66	**DTi2466C**	**DTi2466D**	567	755	807	866	9.4	83	108
24	60	**DTi2460C**	**DTi2460D**	553	744	794	845	9.2	79	101
24	48	**DTi2448C**	**DTi2448D**	540	710	776	831	8.8	71	88

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T -	-	/	-	-	-	-	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal legs.

2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code		Price				Specifications		
				L Lima **1"**		**M** Mike **1½"**				
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DTA3678E**	**DTA3678F**	799	1059	—	1260	7.1	121	163
36	72	**DTA3672E**	**DTA3672F**	782	1015	989	1212	6.8	114	147
36	60	**DTA3660E**	**DTA3660F**	736	942	953	1128	6.2	103	139
30	84	**DTA3084E**	**DTA3084F**	782	1015	—	1212	6.2	106	141
30	78	**DTA3078E**	**DTA3078F**	750	978	—	1165	6	101	135
30	72	**DTA3072E**	**DTA3072F**	736	942	953	1128	5.7	97	129
30	66	**DTA3066E**	**DTA3066F**	719	920	927	1099	5.4	92	122
30	60	**DTA3060E**	**DTA3060F**	701	894	904	1056	5.2	87	114
30	54	**DTA3054E**	**DTA3054F**	686	881	884	1027	4.9	82	107
30	48	**DTA3048E**	**DTA3048F**	672	845	871	990	4.6	77	98
24	72	**DTA2472E**	**DTA2472F**	634	816	882	954	4.7	80	106
24	66	**DTA2466E**	**DTA2466F**	620	787	861	920	4.4	76	101
24	60	**DTA2460E**	**DTA2460F**	607	798	848	899	4.2	72	94
24	48	**DTA2448E**	**DTA2448F**	594	763	829	884	3.8	64	81

Rectangular

36	78	**DTi3678E**	**DTi3678F**	777	1037	—	1238	7.1	121	163
36	72	**DTi3672E**	**DTi3672F**	760	993	967	1191	6.8	114	147
36	60	**DTi3660E**	**DTi3660F**	714	920	931	1106	6.2	103	139
30	84	**DTi3084E**	**DTi3084F**	760	993	—	1191	6.2	106	141
30	78	**DTi3078E**	**DTi3078F**	728	956	—	1143	6	101	135
30	72	**DTi3072E**	**DTi3072F**	714	920	931	1106	5.7	97	129
30	66	**DTi3066E**	**DTi3066F**	697	898	905	1077	5.4	92	122
30	60	**DTi3060E**	**DTi3060F**	679	872	882	1034	5.2	87	114
30	54	**DTi3054E**	**DTi3054F**	664	859	862	1005	4.9	82	107
30	48	**DTi3048E**	**DTi3048F**	650	823	849	968	4.6	77	98
24	72	**DTi2472E**	**DTi2472F**	612	794	860	932	4.7	80	106
24	66	**DTi2466E**	**DTi2466F**	598	787	839	898	4.4	76	101
24	60	**DTi2460E**	**DTi2460F**	585	776	826	877	4.2	72	94
24	48	**DTi2448E**	**DTi2448F**	572	741	807	862	3.8	64	81

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES WITH "T" END PANEL

"D" shaped table (arched or rectangular) with "T" end panel and laminate leg.

Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	**DTA3678G**	735	996	—	1196	7.6	127	169
36	72	**DTA3672G**	718	952	925	1148	7.3	120	153
36	60	**DTA3660G**	672	878	889	1064	6.7	109	145
30	84	**DTA3084G**	718	952	—	1148	6.7	112	147
30	78	**DTA3078G**	686	914	—	1101	6.5	107	141
30	72	**DTA3072G**	672	878	889	1064	6.2	103	135
30	66	**DTA3066G**	656	856	864	1035	5.9	98	128
30	60	**DTA3060G**	637	831	840	992	5.7	93	120
30	54	**DTA3054G**	623	817	821	964	5.4	88	113
30	48	**DTA3048G**	608	781	807	926	5.1	83	104
24	72	**DTA2472G**	570	752	818	890	5.2	86	112
24	66	**DTA2466G**	557	723	798	856	4.9	82	107
24	60	**DTA2460G**	543	734	784	835	4.7	72	100
24	48	**DTA2448G**	530	700	766	821	4.3	64	87

Rectangular

36	78	**DTi3678G**	713	974	—	1174	7.6	127	169
36	72	**DTi3672G**	696	930	903	1128	7.3	120	153
36	60	**DTi3660G**	650	856	867	1042	6.7	109	145
30	84	**DTi3084G**	696	930	—	1128	6.7	112	147
30	78	**DTi3078G**	664	892	—	1079	6.5	107	141
30	72	**DTi3072G**	650	856	867	1042	6.2	103	135
30	66	**DTi3066G**	634	834	842	1013	5.9	98	128
30	60	**DTi3060G**	615	809	818	970	5.7	93	120
30	54	**DTi3054G**	601	795	799	942	5.4	88	113
30	48	**DTi3048G**	586	759	785	904	5.1	83	104
24	72	**DTi2472G**	548	730	796	868	5.2	86	112
24	66	**DTi2466G**	535	723	776	834	4.9	82	107
24	60	**DTi2460G**	521	712	762	813	4.7	72	100
24	48	**DTi2448G**	508	678	744	799	4.3	64	87

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture. Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSA**3672**A**	604	809	809	983	4.5	76	115
36	60	**DSA**3660**A**	565	761	769	916	3.9	70	109
30	72	**DSA**3072**A**	565	761	769	916	3.9	64	97
30	66	**DSA**3066**A**	550	741	751	884	3.6	59	89
30	60	**DSA**3060**A**	535	716	735	856	3.4	54	81
30	54	**DSA**3054**A**	520	706	715	818	3.1	49	74
30	48	**DSA**3048**A**	505	669	694	774	2.8	44	66
30	42	**DSA**3042**A**	491	633	675	732	2.6	39	59
30	36	**DSA**3036**A**	476	605	661	710	2.3	35	52
30	30	**DSA**3030**A**	462	578	649	671	2	30	44
24	72	**DSA**2472**A**	515	714	763	851	3.3	52	78
24	66	**DSA**2466**A**	503	684	744	816	3.1	48	73
24	60	**DSA**2460**A**	493	677	724	795	2.8	44	66
24	54	**DSA**2454**A**	481	646	705	760	2.6	40	60
24	48	**DSA**2448**A**	462	640	688	746	2.4	36	53
24	42	**DSA**2442**A**	454	619	672	722	2.2	32	47
24	36	**DSA**2436**A**	444	598	656	699	2	28	41
24	30	**DSA**2430**A**	433	570	638	663	1.8	24	35

Rectangular

36	72	**DSi**3672**A**	582	787	787	961	4.5	76	115
36	60	**DSi**3660**A**	543	739	747	894	3.9	70	109
30	72	**DSi**3072**A**	543	739	747	894	3.9	64	97
30	66	**DSi**3066**A**	528	719	729	862	3.6	59	89
30	60	**DSi**3060**A**	513	694	713	834	3.4	54	81
30	54	**DSi**3054**A**	498	684	693	796	3.1	49	74
30	48	**DSi**3048**A**	483	647	672	752	2.8	44	66
30	42	**DSi**3042**A**	469	611	653	710	2.6	39	59
30	36	**DSi**3036**A**	454	583	639	688	2.3	35	52
30	30	**DSi**3030**A**	440	556	627	649	2	30	44
24	72	**DSi**2472**A**	493	692	741	829	3.3	52	78
24	66	**DSi**2466**A**	481	662	722	794	3.1	48	73
24	60	**DSi**2460**A**	471	655	702	773	2.8	44	66
24	54	**DSi**2454**A**	459	624	683	738	2.6	40	60
24	48	**DSi**2448**A**	440	618	666	724	2.4	36	53
24	42	**DSi**2442**A**	432	597	650	700	2.2	32	47
24	36	**DSi**2436**A**	422	576	634	677	2	28	41
24	30	**DSi**2430**A**	411	548	616	641	1.8	24	35

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSA3672C**	**DSA3672D**	627	832	832	1007	9.5	82	121
36	60	**DSA3660C**	**DSA3660D**	587	784	792	939	8.9	76	115
30	72	**DSA3072C**	**DSA3072D**	587	784	792	939	8.9	70	103
30	66	**DSA3066C**	**DSA3066D**	573	765	774	908	8.6	65	95
30	60	**DSA3060C**	**DSA3060D**	558	739	758	879	8.4	60	87
30	54	**DSA3054C**	**DSA3054D**	543	729	738	842	8.1	55	80
30	48	**DSA3048C**	**DSA3048D**	528	692	717	798	7.8	50	72
24	72	**DSA2472C**	**DSA2472D**	538	737	787	875	8.3	58	84
24	66	**DSA2466C**	**DSA2466D**	526	707	767	839	8.1	54	79
24	60	**DSA2460C**	**DSA2460D**	516	700	747	818	7.8	50	72
24	54	**DSA2454C**	**DSA2454D**	504	669	728	783	7.6	46	66
24	48	**DSA2448C**	**DSA2448D**	485	663	711	769	7.4	42	59

Rectangular

A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSi3672C**	**DSi3672D**	605	810	810	985	9.5	82	121
36	60	**DSi3660C**	**DSi3660D**	567	762	770	917	8.9	76	115
30	72	**DSi3072C**	**DSi3072D**	567	762	770	917	8.9	70	103
30	66	**DSi3066C**	**DSi3066D**	551	743	752	886	8.6	65	95
30	60	**DSi3060C**	**DSi3060D**	536	717	736	857	8.4	60	87
30	54	**DSi3054C**	**DSi3054D**	521	707	716	820	8.1	55	80
30	48	**DSi3048C**	**DSi3048D**	506	670	695	776	7.8	50	72
24	72	**DSi2472C**	**DSi2472D**	516	715	765	853	8.3	58	84
24	66	**DSi2466C**	**DSi2466D**	504	685	745	817	8.1	54	79
24	60	**DSi2460C**	**DSi2460D**	494	678	725	796	7.8	50	72
24	54	**DSi2454C**	**DSi2454D**	482	647	706	761	7.6	46	66
24	48	**DSi2448C**	**DSi2448D**	463	641	689	747	7.4	42	59

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T -	-	/	-	-	-	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge:** Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.

2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSA**3672E	**DSA**3672F	659	864	864	1038	4.5	82	121
36	60	**DSA**3660E	**DSA**3660F	620	816	824	971	3.9	76	115
30	72	**DSA**3072E	**DSA**3072F	620	816	824	971	3.9	70	103
30	66	**DSA**3066E	**DSA**3066F	605	796	806	939	3.6	65	95
30	60	**DSA**3060E	**DSA**3060F	590	771	790	911	3.4	60	87
30	54	**DSA**3054E	**DSA**3054F	575	761	770	873	3.1	55	80
30	48	**DSA**3048E	**DSA**3048F	560	724	749	829	2.8	50	72
30	42	**DSA**3042E	**DSA**3042F	546	688	730	787	2,6	45	65
24	72	**DSA**2472E	**DSA**2472F	570	769	818	906	2,3	58	84
24	66	**DSA**2466E	**DSA**2466F	558	739	799	871	2,0	54	79
24	60	**DSA**2460E	**DSA**2460F	548	732	779	850	2.8	50	72
24	54	**DSA**2454E	**DSA**2454F	536	701	760	815	2.6	46	66
24	48	**DSA**2448E	**DSA**2448F	517	695	743	801	2.4	42	59
24	42	**DSA**2442E	**DSA**2442F	509	674	727	777	2.2	38	53

Rectangular

A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSi**3672E	**DSi**3672F	637	842	842	1016	4.5	82	121
36	60	**DSi**3660E	**DSi**3660F	598	794	802	949	3.9	76	115
30	72	**DSi**3072E	**DSi**3072F	598	794	802	949	3.9	70	103
30	66	**DSi**3066E	**DSi**3066F	583	774	784	917	3.6	65	95
30	60	**DSi**3060E	**DSi**3060F	568	749	768	889	3.4	60	87
30	54	**DSi**3054E	**DSi**3054F	553	739	748	851	3.1	55	80
30	48	**DSi**3048E	**DSi**3048F	538	702	727	807	2.8	50	72
30	42	**DSi**3042E	**DSi**3042F	524	666	708	765	2,6	45	65
24	72	**DSi**2472E	**DSi**2472F	548	747	796	884	3.3	58	84
24	66	**DSi**2466E	**DSi**2466F	536	717	777	849	3.1	54	79
24	60	**DSi**2460E	**DSi**2460F	526	710	757	828	2.8	50	72
24	54	**DSi**2454E	**DSi**2454F	514	679	738	793	2,6	46	66
24	48	**DSi**2448E	**DSi**2448F	495	673	721	779	2,3	42	59
24	42	**DSi**2442E	**DSi**2442F	487	652	705	755	2,0	38	53

SPECIFY — **OPTIONS**

Series | Code | Surface | Edge | Metal | Grom. | M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"D" SHAPED (ARCHED OR RECTANGULAR) TABLES, SURFACE SUPPORTED

"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.

Monolithic laminate base, 4" x 12".

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Arched

Dimensions		Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	**DSA3672G**	650	855	855	1030	5	88	127
36	60	**DSA3660G**	612	807	815	961	4.4	82	121
30	72	**DSA3072G**	612	807	815	961	4.4	76	109
30	66	**DSA3066G**	596	788	798	931	4.1	71	101
30	60	**DSA3060G**	581	762	781	902	3.9	66	93
30	54	**DSA3054G**	567	752	761	865	3.6	61	86
30	48	**DSA3048G**	551	715	740	821	3.3	56	78
24	72	**DSA2472G**	561	760	810	898	3.8	64	90
24	66	**DSA2466G**	549	730	790	862	3.6	60	85
24	60	**DSA2460G**	539	723	770	842	3.3	56	78
24	54	**DSA2454G**	527	692	751	806	3.1	52	72
24	48	**DSA2448G**	508	686	734	792	2.9	48	65

Rectangular

36	72	**DSi3672G**	628	833	833	1008	5	88	127
36	60	**DSi3660G**	590	785	793	939	4.4	82	121
30	72	**DSi3072G**	590	785	793	939	4.4	76	109
30	66	**DSi3066G**	574	766	776	909	4.1	71	101
30	60	**DSi3060G**	559	740	759	880	3.9	66	93
30	54	**DSi3054G**	545	730	739	843	3.6	61	86
30	48	**DSi3048G**	529	693	718	799	3.3	56	78
24	72	**DSi2472G**	539	738	788	876	3.8	64	90
24	66	**DSi2466G**	527	708	768	840	3.6	60	85
24	60	**DSi2460G**	517	701	748	820	3.3	56	78
24	54	**DSi2454G**	505	670	729	784	3.1	52	72
24	48	**DSi2448G**	486	664	712	770	2.9	48	65

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"P" SHAPED TABLES WITH MODESTY PANEL

"P" shaped table, left or right, with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Dimensions			Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	42	84	**PML**364284	910	1191	—	1431	11.6	146	199
36	42	78	**PML**364278	892	1166	—	1399	11	141	191
36	42	72	**PML**364272	848	1130	1085	1342	10.4	130	176
30	36	84	**PML**303684	848	1130	—	1342	10.4	122	166
30	36	78	**PML**303678	833	1092	—	1299	9.8	118	159
30	36	72	**PML**303672	820	1056	1030	1254	9.3	113	152
30	36	66	**PML**303666	798	1022	1004	1210	8.7	106	142
30	36	60	**PML**303660	777	989	980	1168	8.2	99	132

Right

36	42	84	**PMR**364284	910	1191	—	1431	11.6	146	199
36	42	78	**PMR**364278	892	1166	—	1399	11	141	191
36	42	72	**PMR**364272	848	1130	1085	1342	10.4	130	176
30	36	84	**PMR**303684	848	1130	—	1342	10,4	122	166
30	36	78	**PMR**303678	833	1092	—	1299	9.8	118	159
30	36	72	**PMR**303672	820	1056	1030	1254	9.3	113	152
30	36	66	**PMR**303666	798	1022	1004	1210	8.7	106	142
30	36	60	**PMR**303660	777	989	980	1168	8.2	99	132

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T -	-	/	-	-	-	-	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"P" SHAPED TABLES WITH "T" END PANEL

"P" shaped table with "T" end panel and telescopic metal leg.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Right

Dimensions			Code	Price				Specifications		
				L Lima **1"**		**M** Mike **1½"**				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**PTL**303672	671	904	878	1102	6.8	108	140
30	36	66	**PTL**303666	642	864	850	1051	6.5	102	130
30	36	60	**PTL**303660	625	831	842	1016	6.2	96	120
30	36	72	**PTR**303672	671	904	878	1102	6.8	108	140
30	36	66	**PTR**303666	642	864	850	1051	6.5	102	130
30	36	60	**PTR**303660	625	831	842	1016	6.2	96	120

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"P" SHAPED TABLES, SURFACE SUPPORTED

"P" shaped table (left or right), supported by adjacent freestanding furniture.

Telescopic metal leg, 4" diameter.

No modesty panel on this table, can be ordered separately, p.264.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	**PSL**303672	604	809	809	982	4.5	74	114
30	36	66	**PSL**303666	581	788	792	952	4.2	69	105
30	36	60	**PSL**303660	564	761	769	916	3.9	63	96
24	30	60	**PSL**243060	535	716	735	856	3.4	54	81
24	30	54	**PSL**243054	520	706	701	818	3.1	50	76
24	30	48	**PSL**243048	506	670	678	774	2.8	46	70

Right

30	36	72	**PSR**303672	604	809	809	982	4.5	74	114
30	36	66	**PSR**303666	581	788	792	952	4.2	69	105
30	36	60	**PSR**303660	564	761	769	916	3.9	63	96
24	30	60	**PSR**243060	535	716	735	856	3.4	54	81
24	30	54	**PSR**243054	520	706	701	818	3.1	50	76
24	30	48	**PSR**243048	506	670	678	774	2.8	46	70

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T -		-	/	-	-	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge:** Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"L" SHAPED TABLES WITH MODESTY PANEL

"L" shaped table, left or right, with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
54	36	84	24	**LML**54368424	1240	1661	—	1821	13,8	164	218
54	36	78	24	**LML**54367824	1174	1572	—	1724	13,1	156	207
54	36	72	24	**LML**54367224	1108	1483	1329	1627	12,4	148	196
48	30	84	24	**LML**48308424	1101	1474	—	1618	12.9	149	197
48	30	78	24	**LML**48307824	1078	1417	—	1549	12.2	141	186
48	30	72	24	**LML**48307224	1057	1359	1180	1481	11.4	134	175
48	30	66	24	**LML**48306624	1015	1302	1139	1416	10.7	126	163
48	30	60	24	**LML**48306024	992	1267	1126	1376	10	118	152
42	30	72	24	**LML**42307224	1015	1297	1153	1410	10.4	119	155
42	30	66	24	**LML**42306624	1003	1283	1125	1394	9.7	112	145
42	30	60	24	**LML**42306024	977	1243	1111	1349	9.1	105	135

Right

54	36	84	24	**LMR**54368424	1240	1661	—	1821	13,8	164	218
54	36	78	24	**LMR**54367824	1174	1572	—	1724	13,1	156	207
54	36	72	24	**LMR**54367224	1108	1483	1329	1627	12,4	148	196
48	30	84	24	**LMR**48308424	1101	1474	—	1618	12.9	149	197
48	30	78	24	**LMR**48307824	1078	1417	—	1549	12.2	141	186
48	30	72	24	**LMR**48307224	1057	1359	1180	1481	11.4	134	175
48	30	66	24	**LMR**48306624	1015	1302	1139	1416	10.7	126	163
48	30	60	24	**LMR**48306024	992	1267	1126	1376	10	118	152
42	30	72	24	**LMR**42307224	1015	1297	1153	1410	10.4	119	155
42	30	66	24	**LMR**42306624	1003	1283	1125	1394	9.7	112	145
42	30	60	24	**LMR**42306024	977	1243	1111	1349	9.1	105	135

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

"PL" SHAPED TABLES WITH MODESTY PANEL

"PL" shaped table, left or right, with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	54	72	24	**PLL**487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	**PLL**487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	**PLL**486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	**PLL**486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	**PLL**486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	**PLL**486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	**PLL**427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	**PLL**427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	**PLL**426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	**PLL**426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	**PLL**426024	1003	1316	1155	1434	10	128	168
42	48	60	18	**PLL**426018	1003	1316	1155	1434	10	128	168

Right

48	54	72	24	**PLR**487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	**PLR**487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	**PLR**486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	**PLR**486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	**PLR**486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	**PLR**486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	**PLR**427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	**PLR**427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	**PLR**426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	**PLR**426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	**PLR**426024	1003	1316	1155	1434	10	128	168
42	48	60	18	**PLR**426018	1003	1316	1155	1434	10	128	168

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

Take Off

"SHARK" TABLES WITH MODESTY PANEL

"Shark" table, left or right, with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" high.

Single-circuit or standard multi-outlet module option available.

The (**EC**) option requires the use of the AC-ECFK power module (1 circuit system), see Accessories price list.

Left

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	78	24	**SHL**487824	1068	1440	—	1577	12.2	128	166
42	72	24	**SHL**427224	1015	1297	1153	1410	10.4	115	148
42	66	24	**SHL**426624	1003	1283	1125	1394	9.7	108	139
42	66	18	**SHL**426618	1003	1283	1125	1394	9.7	108	139
42	60	18	**SHL**426018	977	1243	1111	1349	9.1	101	129
36	66	18	**SHL**366618	922	1163	1047	1253	8.7	95	121
36	60	18	**SHL**366018	894	1128	1024	1211	8.2	89	113

Right

48	78	24	**SHR**487824	1068	1440	—	1577	12.2	128	166
42	72	24	**SHR**427224	1015	1297	1153	1410	10.4	115	148
42	66	24	**SHR**426624	1003	1283	1125	1394	9.7	108	139
42	66	18	**SHR**426618	1003	1283	1125	1394	9.7	108	139
42	60	18	**SHR**426018	977	1243	1111	1349	9.1	101	129
36	66	18	**SHR**366618	922	1163	1047	1253	8.7	95	121
36	60	18	**SHR**366018	894	1128	1024	1211	8.2	89	113

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module, centered (**ECC**),

or option of standard multi-outlet module, centered (**UCC**), add $213 ea., p.29.

TEARDROP END SURFACES

Teardrop end surface (left or right), supported by adjacent freestanding furniture.

Telescopic metal leg, 4" diameter.

Left

Right

Dimensions		Code	Price				Specifications		
			L Lima 1"		M Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	37	**XTL**36	531	714	634	783	2.7	40	55
30	34	**XTL**30	493	660	597	710	2.2	33	44
24	32	**XTL**24	475	625	572	660	1.8	28	36
36	37	**XTR**36	531	714	634	783	2.7	40	55
30	34	**XTR**30	493	660	597	710	2.2	33	44
24	32	**XTR**24	475	625	572	660	1.8	28	36

SHARED MEETING SURFACES

Semi-circle shared meeting surface, attaches to the end of 2 back-to-back surfaces.

Telescopic metal leg, 4" diameter.

Dimensions		Code	Price				Specifications		
			L Lima 1"		M Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
60	36	**XC**60	598	799	694	882	3.9	63	95
54	33	**XC**54	546	726	637	792	3.3	47	71
48	30	**XC**48	509	668	590	715	2.8	34	50

SPECIFY

Series	Code	Surface	Edge	Metal
T ☐ -	☐ -	☐ /	☐ -	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

ASSEMBLED CREDENZAS AND STORAGE UNITS - 23" H. For complete listing, see p.238.

ASSEMBLED CREDENZAS - 29" H.

Credenza with lateral filing at left and storage unit at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers & doors.

Grommet option available (4 positions), see p.28.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	**CZFD**247229	1469	1668	1555	1731	34,5	199	218
24	60	29	**CZFD**246029	1421	1585	1499	1634	28,9	174	191
21	72	29	**CZFD**217229	1448	1620	1528	1673	30,7	185	202
21	60	29	**CZFD**216029	1403	1544	1475	1583	25,6	161	174

Credenza with storage unit at left and lateral filing at right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers & doors.

Grommet option available (4 positions), see p.28.

24	72	29	**CZDF**247229	1469	1668	1555	1731	34,5	199	218
24	60	29	**CZDF**246029	1421	1585	1499	1634	28,9	174	191
21	72	29	**CZDF**217229	1448	1620	1528	1673	30,7	185	202
21	60	29	**CZDF**216029	1403	1544	1475	1583	25,6	161	174

Credenza with double storage units.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

Grommet option available (4 positions), see p.28.

24	72	29	**CZDD**247229	1191	1389	1277	1454	34,5	178	198
24	60	29	**CZDD**246029	1144	1307	1221	1356	28,9	154	171
21	72	29	**CZDD**217229	1170	1342	1250	1396	30,7	163	180
21	60	29	**CZDD**216029	1125	1266	1197	1306	25,6	139	153

Credenza with double lateral files.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

Grommet option available (4 positions), see p.28.

24	72	29	**CZFF**247229	1632	1832	1719	1895	34,5	178	198
24	60	29	**CZFF**246029	1585	1749	1663	1797	28,9	154	171
21	72	29	**CZFF**217229	1612	1784	1692	1837	30,7	163	180
21	60	29	**CZFF**216029	1566	1708	1639	1747	25,6	139	153

SPECIFY								OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull		Grom.	Lock
T	-	-	/	-	/	-	-	-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet**: Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 29" H.

Credenza with lateral file at left or right.

Drawer section occupies half of the total length (dimension B).

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Grommet option available (4 positions), see p.28.

Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	**CZFO**247229	1188	1378	1261	1438	34,5	162	182
24	60	29	**CZFO**246029	1144	1299	1208	1343	28,9	138	154
21	72	29	**CZFO**217229	1167	1331	1233	1379	30,7	151	168
21	60	29	**CZFO**216029	1125	1258	1184	1293	25,6	127	141

24	72	29	**CZOF**247229	1188	1378	1261	1438	34,5	162	182
24	60	29	**CZOF**246029	1144	1299	1208	1343	28,9	138	154
21	72	29	**CZOF**217229	1167	1331	1233	1379	30,7	151	168
21	60	29	**CZOF**216029	1125	1258	1184	1293	25,6	127	141

Credenza with storage unit at left or right.

Cabinet section occupies half of the total length (dimension B).

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (4 positions), see p.28.

24	72	29	**CZDO**247229	1010	1208	1096	1273	34,5	157	176
24	60	29	**CZDO**246029	966	1129	1043	1178	28,9	133	149
21	72	29	**CZDO**217229	989	1161	1068	1214	30,7	146	163
21	60	29	**CZDO**216029	947	1088	1019	1128	25,6	122	136

24	72	29	**CZOD**247229	1010	1208	1096	1273	34,5	157	176
24	60	29	**CZOD**246029	966	1129	1043	1178	28,9	133	149
21	72	29	**CZOD**217229	989	1161	1068	1214	30,7	146	163
21	60	29	**CZOD**216029	947	1088	1019	1128	25,6	122	136

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet**: Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 29" H.

Credenza with a combined unit at left or right.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (4 positions), see p.28.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	**CZCO**247229	1223	1414	1296	1473	34,5	205	139
24	60	29	**CZCO**246029	1179	1334	1243	1378	28,9	181	197
21	72	29	**CZCO**217229	1202	1366	1268	1415	30,7	194	211
21	60	29	**CZCO**216029	1161	1294	1219	1328	25,6	170	184

24	72	29	**CZOC**247229	1223	1414	1296	1473	34,5	205	139
24	60	29	**CZOC**246029	1179	1334	1243	1378	28,9	181	197
21	72	29	**CZOC**217229	1202	1366	1268	1415	30,7	194	211
21	60	29	**CZOC**216029	1161	1294	1219	1328	25,6	170	184

Credenza with suspended pedestals at left and right and central cabinet.

Pencil tray included in one of the 6" top drawers. File drawers include a lateral filing bar.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	72	29	**CZC**247229	1345	1510	1528	1705	34,5	254	273
24	60	29	**CZC**246029	1298	1428	1472	1607	28,9	230	246
21	72	29	**CZC**217229	1324	1463	1500	1647	30,7	229	249
21	60	29	**CZC**216029	1279	1387	1448	1557	25,6	207	224

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet**: Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 29" H.

Laminate lateral file cabinet with 2 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Grommet option available (3 positions), see p.28.

Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	29	**SFF**243629	911	1033	1012	1096	17,8	140	151
24	30	29	**SFF**243029	867	989	968	1037	17,8	125	135
21	36	29	**SFF**213629	877	988	974	1047	15,8	142	152
21	30	29	**SFF**213029	832	943	927	989	15,8	126	134

Combined storage unit with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (3 positions), see p.28.

24	36	29	**SUUFF**243629	1053	1168	1177	1260	17,8	158	169
24	30	29	**SUUFF**243029	1007	1109	1131	1200	17,8	139	148
21	36	29	**SUUFF**213629	1019	1122	1137	1211	15,8	139	149
21	30	29	**SUUFF**213029	972	1063	1091	1152	15,8	124	132

Cabinet with 2 doors and adjustable shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.28.

24	36	29	**SDD**243629	804	879	948	1078	17,8	155	169
24	30	29	**SDD**243029	760	838	898	1060	17,8	124	136
21	36	29	**SDD**213629	765	829	902	1073	15,8	141	153
21	30	29	**SDD**213029	719	789	854	1000	15,8	114	125

Combined storage unit with a bottom cabinet section and a 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.28.

24	36	29	**SBDD**243629	903	978	1047	1177	17,8	165	179
24	30	29	**SBDD**243029	859	937	997	1159	17,8	134	146
21	36	29	**SBDD**213629	864	928	1001	1172	15,8	151	163
21	30	29	**SBDD**213029	818	888	953	1099	15,8	124	135

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. C-Weight Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet**: Add grommets on top and sides & specify color: White (**G13**) or Charcoal (**G23**), add $96, p.28.

Counter-weight (SFF & SUUFF only): For the counter-weight option, add (**CW**), add $94.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 29" H.

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.

Grommet option available (3 positions), see p.28.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	29	**SDUUF**243629	1004	1112	1076	1185	17,8	158	169
24	30	29	**SDUUF**243029	949	1043	1024	1118	17,8	139	148
21	36	29	**SDUUF**213629	964	1058	1032	1130	15,8	139	149
21	30	29	**SDUUF**213029	909	990	981	1063	15,8	124	132

Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.

Grommet option available (3 positions), see p.28.

24	36	29	**SUUFD**243629	1004	1112	1076	1185	17,8	158	169
24	30	29	**SUUFD**243029	949	1043	1024	1118	17,8	139	148
21	36	29	**SUUFD**213629	964	1058	1032	1130	15,8	139	149
21	30	29	**SUUFD**213029	909	990	981	1063	15,8	124	132

Storage unit with a cabinet section with door at left and open section at right.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

Grommet option available (3 positions), see p.28.

24	36	29	**SDO**243629	799	873	943	1073	17,8	148	162
24	30	29	**SDO**243029	755	833	892	1055	17,8	119	130
21	36	29	**SDO**213629	759	824	897	1067	15,8	135	147
21	30	29	**SDO**213029	714	783	848	994	15,8	108	119

Storage unit with a cabinet section with door at right and open section at left.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

Grommet option available (3 positions), see p.28.

24	36	29	**SOD**243629	799	873	943	1073	17,8	148	162
24	30	29	**SOD**243029	755	833	892	1055	17,8	119	130
21	36	29	**SOD**213629	759	824	897	1067	15,8	135	147
21	30	29	**SOD**213029	714	783	848	994	15,8	108	119

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	Grom.	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull(s) included, specify type, p.56.

Options: **Grommet**: Add grommets on top and sides & specify color: White (**G13**) or Charcoal (**G23**), add $96, p.28.

Key locks: Locks with keys (LS) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE CABINETS

Single door cabinet (left).

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge).

Dimensions				Code	Price				Specifications		
					L Lima 1"		M Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	50	3	**SDL**241850	1035	1101	1158	1202	15,7	124	129
24	18	41	2	**SDL**241841	910	976	1090	1134	12,9	102	107
24	18	35	2	**SDL**241835	853	919	980	1024	11,1	88	93
24	18	29	1	**SDL**241829	751	817	895	939	9,3	74	78
21	18	50	3	**SDL**211850	968	1029	1091	1130	13,9	116	120
21	18	41	2	**SDL**211841	854	914	1034	1073	11,5	96	100
21	18	35	2	**SDL**211835	813	873	941	979	9,9	82	87
21	18	29	1	**SDL**211829	712	772	856	894	8,3	69	73

Single door cabinet (right).

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge).

24	18	50	3	**SDR**241850	1129	1101	1264	1202	15,7	124	129
24	18	41	2	**SDR**241841	992	976	1189	1134	12,9	102	107
24	18	35	2	**SDR**241835	930	919	1069	1024	11,1	88	93
24	18	29	1	**SDR**241829	820	817	977	939	9,3	74	78
21	18	50	3	**SDR**211850	1056	1029	1181	1130	13,9	116	120
21	18	41	2	**SDR**211841	931	914	1116	1073	11,5	96	100
21	18	35	2	**SDR**211835	887	873	1019	979	9,9	82	87
21	18	29	1	**SDR**211829	776	772	926	894	8,3	69	73

D: Number of shelves

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

ASSEMBLED CREDENZAS - 35" H.

Credenza with 2 cabinets.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	35	**CZ4D**247235	1663	1914	1772	2028	41,2	202	221
24	60	35	**CZ4D**246035	1604	1810	1701	1903	34,5	178	194
21	72	35	**CZ4D**217235	1637	1855	1737	1954	36,5	186	203
21	60	35	**CZ4D**216035	1580	1758	1671	1837	30,5	162	176

Credenza with cabinet sections at each end and open section at center (2 shelves).

Adjustable shelves inside the cabinets.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	72	35	**CZDOD**247235	1529	1780	1638	1894	41,2	192	212
24	60	35	**CZDOD**246035	1470	1675	1566	1769	34,5	168	185
21	72	35	**CZDOD**217235	1503	1720	1603	1819	36,5	177	194
21	60	35	**CZDOD**216035	1445	1624	1537	1703	30,5	153	167

Credenza with 2 cabinets and 2 - 6" top drawers.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

24	72	35	**CZ2B4D**247235	1759	2010	1868	2124	41,0	220	234
24	60	35	**CZ2B4D**246035	1700	1905	1796	1999	34,5	189	205
21	72	35	**CZ2B4D**217235	1733	1950	1833	2049	36,5	199	216
21	60	35	**CZ2B4D**216035	1675	1854	1767	1933	30,5	173	187

Credenza with 2 cabinet sections at each end and 3 drawers (1 - 6" and 2 file drawers) at center.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all central drawers and left door.

24	72	35	**CZDUFFD**247235	1876	2126	1984	2241	41,2	251	270
24	60	35	**CZDUFFD**246035	1816	2022	1913	2115	34,5	225	241
21	72	35	**CZDUFFD**217235	1849	2067	1949	2166	36,5	235	252
21	60	35	**CZDUFFD**216035	1792	1970	1883	2049	30,5	210	223

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 35" H.

Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	35	**SDUFF**243635	1235	1353	1364	1473	21,1	170	181
24	30	35	**SDUFF**243035	1173	1276	1305	1395	17,8	150	160
21	36	35	**SDUFF**213635	1188	1294	1313	1409	18,7	151	162
21	30	35	**SDUFF**213035	1128	1216	1253	1332	15,7	135	143

Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	36	35	**SUFFD**243635	1235	1353	1364	1473	21,1	170	181
24	30	35	**SUFFD**243035	1173	1276	1305	1395	17,8	150	160
21	36	35	**SUFFD**213635	1188	1294	1313	1409	18,7	151	162
21	30	35	**SUFFD**213035	1128	1216	1253	1332	15,7	135	143

Cabinet with 2 doors.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	35	**SDD**243635	905	964	1033	1163	21,1	181	195
24	30	35	**SDD**243035	861	923	982	1145	17,8	147	159
21	36	35	**SDD**213635	866	914	987	1157	18,7	167	179
21	30	35	**SDD**213035	821	873	938	1085	15,7	136	148

Combined storage unit with a bottom cabinet section with 2 doors and 6" top drawer.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	35	**SUDD**243635	988	1063	1132	1262	21,1	188	202
24	30	35	**SUDD**243035	944	1022	1081	1244	17,8	153	164
21	36	35	**SUDD**213635	948	1013	1086	1256	18,7	174	186
21	30	35	**SUDD**213035	903	972	1037	1184	15,7	142	153

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 41" H.

Laminate lateral file cabinet with 3 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	41	**SFFF**243641	1349	1451	1524	1540	24,5	185	196
24	30	41	**SFFF**243041	1302	1406	1476	1480	20,7	170	180
21	36	41	**SFFF**213641	1312	1404	1482	1489	21,7	187	197
21	30	41	**SFFF**213041	1267	1360	1432	1456	18,3	171	179

Cabinet with 2 doors and 2 adjustable shelves.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	41	**SDD**243641	987	1115	1167	1210	24.6	207	221
24	30	41	**SDD**243041	919	1043	1093	1124	20.7	170	182
21	36	41	**SDD**213641	931	1046	1100	1135	21.8	189	201
21	30	41	**SDD**213041	862	974	1026	1049	18.3	156	167

Storage unit with a cabinet section with door at left and open section at right. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

24	36	41	**SDO**243641	925	1054	1106	1148	24.6	196	210
24	30	41	**SDO**243041	857	981	1032	1063	20.7	161	173
21	36	41	**SDO**213641	869	985	1038	1074	21.8	178	190
21	30	41	**SDO**213041	801	912	965	988	18.3	146	157

Storage unit with a cabinet section with door at right and open section at left. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

24	36	41	**SOD**243641	925	1054	1106	1148	24.6	196	210
24	30	41	**SOD**243041	857	981	1032	1063	20.7	161	173
21	36	41	**SOD**213641	869	985	1038	1074	21.8	178	190
21	30	41	**SOD**213041	801	912	965	988	18.3	146	157

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull(s) included, specify type, p.56.

Options: **Counter-weight (SFFF only)**: For the counter-weight option, add (**CW**), add $94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p. 27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

LATERAL FILE CABINETS WITH 4 DRAWERS - 53" H.

Laminate lateral file cabinet with 4 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	53	**S4F**243653	1697	1819	1800	1882	31,4	230	241
24	30	53	**S4F**243053	1653	1763	1755	1824	26,4	215	225
21	36	53	**S4F**213653	1663	1774	1760	1834	27,8	232	242
21	30	53	**S4F**213053	1618	1729	1714	1775	23,4	216	224

SPECIFY — OPTIONS

Series Code Surface Edge Base Fronts Pull C-Weight Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Counter-weight**: For the counter-weight option, add (**CW**), add $94.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72"- 66" H.

Combined storage unit with 3 lateral file drawers and top cabinet with 2 laminate doors.

Front-to-back filing bars (AC-BL15) sold separately, p.16.

1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

72"	24	36	72	**SDD3F**243672	2001	2125	2136	2220	42.3	332	346
	24	30	72	**SDD3F**243072	1889	1999	2025	2093	35.6	287	296
	21	36	72	**SDD3F**213672	1932	2043	2055	2129	37.4	307	319
	21	30	72	**SDD3F**213072	1819	1915	1944	2001	31.5	265	273
66"	24	36	66	**SDD3F**243666	1915	2041	2052	2135	38,9	317	331
	24	30	66	**SDD3F**243066	1804	1913	1940	2008	32,7	273	283
	21	36	66	**SDD3F**213666	1846	1957	1969	2043	34,4	293	305
	21	30	66	**SDD3F**213066	1735	1830	1858	1916	29	252	261

SPECIFY — OPTIONS

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72"- 66" H.

Combined storage unit with 3 lateral file drawers and top cabinet with 2 aluminum framed doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

1 adjustable shelf. Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Choice of finishes for top doors:

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions			Code		Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C	Doors: Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"											
24	36	72	**SDDM3F**243672	**SDDL3F**243672	2741	2866	2877	2960	42.3	332	346
24	30	72	**SDDM3F**243072	**SDDL3F**243072	2629	2739	2765	2834	35.6	287	296
21	36	72	**SDDM3F**213672	**SDDL3F**213672	2672	2783	2795	2869	37.4	307	319
21	30	72	**SDDM3F**213072	**SDDL3F**213072	2560	2655	2684	2741	31.5	265	273
66"											
24	36	66	**SDDM3F**243666	**SDDL3F**243666	2655	2781	2792	2875	38,9	317	331
24	30	66	**SDDM3F**243066	**SDDL3F**243066	2544	2653	2681	2748	32,7	273	283
21	36	66	**SDDM3F**213666	**SDDL3F**213666	2586	2697	2709	2783	34,4	293	305
21	30	66	**SDDM3F**213066	**SDDL3F**213066	2475	2571	2598	2657	29,0	252	261

Contemporary aluminum frame/
Acrylic interior panel

			Acrylic							
72"										
24	36	72	**SDDGiC3F**243672	2635	2759	2770	2853	42.3	332	346
24	30	72	**SDDGiC3F**243072	2522	2632	2659	2727	35.6	287	296
21	36	72	**SDDGiC3F**213672	2565	2676	2688	2762	37.4	307	319
21	30	72	**SDDGiC3F**213072	2453	2549	2577	2635	31.5	265	273
66"										
24	36	66	**SDDGiC3F**243666	2549	2674	2685	2769	38,9	317	331
24	30	66	**SDDGiC3F**243066	2438	2547	2574	2641	32,7	273	283
21	36	66	**SDDGiC3F**213666	2479	2591	2603	2676	34,4	293	305
21	30	66	**SDDGiC3F**213066	2368	2464	2492	2550	29,0	252	261

Traditional aluminum frame/
Acrylic interior panel

			Acrylic							
72"										
24	36	72	**SDDGiA3F**243672	2673	2798	2809	2893	42.3	332	346
24	30	72	**SDDGiA3F**243072	2561	2672	2698	2767	35.6	287	296
21	36	72	**SDDGiA3F**213672	2604	2715	2728	2809	37.4	307	319
21	30	72	**SDDGiA3F**213072	2493	2587	2617	2682	31.5	265	273
66"										
24	36	66	**SDDGiA3F**243666	2588	2714	2725	2808	38,9	317	331
24	30	66	**SDDGiA3F**243066	2477	2586	2614	2681	32,7	273	283
21	36	66	**SDDGiA3F**213666	2519	2630	2642	2716	34,4	293	305
21	30	66	**SDDGiA3F**213066	2408	2503	2531	2588	29,0	252	261

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.

Combined storage unit with 2 lateral file drawers and top open section with shelves.

Adjustable shelves: 2 (1 for the 50" H. unit). Front-to-back filing bars (AC-BL15) sold separately, p.166.

Extra shelves: Order separately, see p.159.

"Interlock" mechanism on drawers (50" H. unit).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	2	**SOFF**243672	1549	1673	1684	1768	42.3	305	319
	24	30	72	2	**SOFF**243072	1455	1564	1592	1659	35.6	260	273
	21	36	72	2	**SOFF**213672	1478	1590	1603	1676	37.4	281	293
	21	30	72	2	**SOFF**213072	1386	1481	1509	1568	31.5	238	246
66"	24	36	66	2	**SOFF**243666	1480	1605	1616	1700	38,9	294	308
	24	30	66	2	**SOFF**243066	1385	1494	1520	1588	32.7	250	260
	21	36	66	2	**SOFF**213666	1410	1521	1533	1607	34,4	269	282
	21	30	66	2	**SOFF**213066	1315	1410	1439	1496	29.0	229	238
50"	24	36	50	1	**SOFF**243650	1382	1506	1517	1601	29.7	248	262
	24	30	50	1	**SOFF**243050	1293	1401	1429	1496	25.0	210	219
	21	36	50	1	**SOFF**213650	1318	1429	1442	1516	26.3	228	241
	21	30	50	1	**SOFF**213050	1230	1326	1353	1411	22.2	193	201

Combined storage unit with 2 lateral file drawers and top cabinet with 2 doors.

Front-to-back filing bars (AC-BL15) sold separately, p.166.

2 adjustable shelves. Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

72"	24	36	72	2	**SDDFF**243672	1738	1863	1874	1958	42,3	317	331
	24	30	72	2	**SDDFF**243072	1627	1736	1763	1830	35,6	287	296
	21	36	72	2	**SDDFF**213672	1669	1780	1793	1874	37,4	293	305
	21	30	72	2	**SDDFF**213072	1558	1653	1681	1739	31,5	265	273
66"	24	36	66	2	**SDDFF**243666	1653	1779	1790	1872	38,9	317	331
	24	30	66	2	**SDDFF**243066	1542	1651	1678	1746	32,7	273	283
	21	36	66	2	**SDDFF**213666	1584	1695	1707	1781	34,4	293	305
	21	30	66	2	**SDDFF**213066	1472	1568	1596	1653	29	252	261

D: Number of shelves

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Combined storage unit with 2 lateral file drawers and top cabinet with 2 aluminum framed doors (2 adjustable shelves).

Front-to-back filing bars (AC-BL15) sold separately, p.166.

2 adjustable shelves. Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Choice of finishes for top doors:

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions				Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C		Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
24	36	72	72"	**SDDMFF**243672	**SDDLFF**243672	2776	2902	2913	2996	42,3	317	331
24	30	72		**SDDMFF**243072	**SDDLFF**243072	2665	2774	2802	2869	35,6	287	296
21	36	72		**SDDMFF**213672	**SDDLFF**213672	2707	2818	2831	2913	37,4	293	305
21	30	72		**SDDMFF**213072	**SDDLFF**213072	2596	2692	2719	2778	31,5	265	273
24	36	66	66"	**SDDMFF**243666	**SDDLFF**243666	2692	2817	2828	2911	38,9	317	331
24	30	66		**SDDMFF**243066	**SDDLFF**243066	2581	2690	2716	2784	32,7	273	283
21	36	66		**SDDMFF**213666	**SDDLFF**213666	2622	2734	2746	2819	34,4	293	305
21	30	66		**SDDMFF**213066	**SDDLFF**213066	2510	2606	2635	2692	29,0	252	261

Contemporary aluminum frame/
Acrylic interior panel

				Acrylic							
24	36	72	72"	**SDDGiCFF**243672	2589	2715	2726	2809	42,3	317	331
24	30	72		**SDDGiCFF**243072	2478	2587	2615	2682	35,6	287	296
21	36	72		**SDDGiCFF**213672	2520	2631	2644	2726	37,4	293	305
21	30	72		**SDDGiCFF**213072	2409	2505	2532	2591	31,5	265	273
24	36	66	66"	**SDDGiCFF**243666	2505	2630	2641	2724	38,9	317	331
24	30	66		**SDDGiCFF**243066	2394	2503	2529	2597	32,7	273	283
21	36	66		**SDDGiCFF**213666	2435	2547	2559	2632	34,4	293	305
21	30	66		**SDDGiCFF**213066	2323	2419	2448	2505	29,0	252	261

Traditional aluminum frame/
Acrylic interior panel

				Acrylic							
24	36	72	72"	**SDDGiAFF**243672	2525	2650	2661	2745	42,3	317	331
24	30	72		**SDDGiAFF**243072	2413	2539	2550	2633	35,6	287	296
21	36	72		**SDDGiAFF**213672	2455	2566	2580	2661	37,4	293	305
21	30	72		**SDDGiAFF**213072	2344	2455	2468	2550	31,5	265	273
24	36	66	66"	**SDDGiAFF**243666	2440	2565	2576	2660	38,9	317	331
24	30	66		**SDDGiAFF**243066	2329	2454	2465	2549	32,7	273	283
21	36	66		**SDDGiAFF**213666	2371	2482	2494	2567	34,4	293	305
21	30	66		**SDDGiAFF**213066	2259	2371	2383	2456	29,0	252	261

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" - 66" - 50" H.

Combination storage unit with open section and cabinet with 2 doors.

Adjustable shelves: 2 in top section (1 for the 50" H. unit) and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

	Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	**SODD**243672	1434	1572	1573	1665	42,3	303	317
	24	30	72	**SODD**243072	1331	1452	1471	1546	35,6	252	264
	21	36	72	**SODD**213672	1342	1464	1475	1551	37,4	274	286
	21	30	72	**SODD**213072	1240	1345	1366	1431	31,5	228	239
66"	24	36	66	**SODD**243666	1360	1497	1498	1591	38,9	292	306
	24	30	66	**SODD**243066	1254	1374	1394	1467	32,7	242	254
	21	36	66	**SODD**213666	1267	1389	1395	1475	34,4	264	276
	21	30	66	**SODD**213066	1162	1267	1289	1353	29	219	230
50"	24	36	50	**SODD**243650	1251	1388	1389	1482	29,7	239	253
	24	30	50	**SODD**243050	1153	1274	1291	1366	25	197	209
	21	36	50	**SODD**213650	1167	1289	1294	1374	26,3	217	229
	21	30	50	**SODD**213050	1069	1173	1195	1258	22,2	178	189

Combined storage unit with 4 doors.

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.

72"	24	36	72	**S4D**243672	1619	1753	1756	1845	42,3	330	344
	24	30	72	**S4D**243072	1497	1616	1635	1708	35,6	279	291
	21	36	72	**S4D**213672	1528	1649	1653	1734	37,4	301	313
	21	30	72	**S4D**213072	1408	1510	1532	1595	31,5	255	266
66"	24	36	66	**S4D**243666	1526	1662	1663	1753	38,9	315	329
	24	30	66	**S4D**243066	1406	1524	1542	1615	32,7	265	277
	21	36	66	**S4D**213666	1436	1555	1561	1640	34,4	287	299
	21	30	66	**S4D**213066	1315	1419	1440	1504	29	242	253

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ▢ - ▢ - ▢ / ▢ - ▢ / ▢ - ▢ - ▢

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITH ALUMINUM FRAMED DOORS - 72" - 66" H.

Storage unit with 2 aluminum framed doors (top) and 2 laminate doors (bottom).

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.

Choice of finishes for top doors:

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

Dimensions			Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
			Laminate	H-Gloss White							
24	36	72	**SDDMDD**243672	**SDDLDD**243672	2672	2806	2808	2897	42,3	330	344
24	30	72	**SDDMDD**243072	**SDDLDD**243072	2550	2669	2687	2761	35,6	279	291
21	36	72	**SDDMDD**213672	**SDDLDD**213672	2581	2702	2706	2786	37,4	301	313
21	30	72	**SDDMDD**213072	**SDDLDD**213072	2461	2563	2585	2648	31,5	255	266
24	36	66	**SDDMDD**243666	**SDDLDD**243666	2578	2715	2716	2806	38,9	315	329
24	30	66	**SDDMDD**243066	**SDDLDD**243066	2459	2576	2595	2668	32,7	265	277
21	36	66	**SDDMDD**213666	**SDDLDD**213666	2488	2608	2614	2693	34,4	287	299
21	30	66	**SDDMDD**213066	**SDDLDD**213066	2367	2472	2493	2556	29	242	253

Contemporary aluminum frame/
Acrylic interior panel

A	B	C	Acrylic							
24	36	72	**SDDGiCDD**243672	2485	2619	2621	2710	42,3	330	344
24	30	72	**SDDGiCDD**243072	2363	2482	2500	2574	35,6	279	291
21	36	72	**SDDGiCDD**213672	2394	2515	2519	2599	37,4	301	313
21	30	72	**SDDGiCDD**213072	2274	2376	2398	2461	31,5	255	266
24	36	66	**SDDGiCDD**243666	2391	2528	2529	2619	38,9	315	329
24	30	66	**SDDGiCDD**243066	2272	2389	2408	2481	32,7	265	277
21	36	66	**SDDGiCDD**213666	2301	2421	2427	2506	34,4	287	299
21	30	66	**SDDGiCDD**213066	2180	2285	2306	2369	29	242	253

Traditional aluminum frame/
Acrylic interior panel

A	B	C	Acrylic							
24	36	72	**SDDGiADD**243672	2280	2405	2407	2490	42,3	330	344
24	30	72	**SDDGiADD**243072	2169	2294	2296	2379	35,6	279	291
21	36	72	**SDDGiADD**213672	2191	2308	2312	2386	37,4	301	313
21	30	72	**SDDGiADD**213072	2080	2197	2201	2275	31,5	255	266
24	36	66	**SDDGiADD**243666	2195	2320	2321	2405	38,9	315	329
24	30	66	**SDDGiADD**243066	2083	2209	2210	2294	32,7	265	277
21	36	66	**SDDGiADD**213666	2111	2223	2226	2300	34,4	287	299
21	30	66	**SDDGiADD**213066	2000	2112	2115	2189	29	242	253

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. (LAMINATE DOORS)

Cabinet with 2 laminate doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Shelves

Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"											
24	36	72	4	**SDD**243672	1488	1623	1624	1713	42,3	330	344
24	30	72	4	**SDD**243072	1370	1486	1505	1576	35,6	279	291
21	36	72	4	**SDD**213672	1399	1519	1522	1601	37,4	301	313
21	30	72	4	**SDD**213072	1280	1383	1404	1466	31,5	255	266
66"											
24	36	66	4	**SDD**243666	1398	1531	1533	1623	38,9	315	329
24	30	66	4	**SDD**243066	1279	1396	1414	1486	32,7	265	277
21	36	66	4	**SDD**213666	1309	1428	1432	1510	34,4	287	299
21	30	66	4	**SDD**213066	1190	1291	1313	1375	29	242	253
50"											
24	36	50	3	**SDD**243650	1112	1243	1235	1324	29,7	253	267
24	30	50	3	**SDD**243050	1026	1150	1150	1222	25	210	222
21	36	50	3	**SDD**213650	1045	1164	1159	1239	26,3	230	242
21	30	50	3	**SDD**213050	960	1069	1073	1136	22.2	191	202

Wardrobe cabinet

WARDROBE AT LEFT

72"											
24	36	72	4	**SWD**243672	1467	1648	1648	1731	42,3	300	314
24	30	72	4	**SWD**243072	1363	1544	1544	1627	35,6	252	264
21	36	72	4	**SWD**213672	1376	1551	1551	1627	37,4	275	287
21	30	72	4	**SWD**213072	1272	1450	1450	1524	31,5	231	242
66"											
24	36	66	4	**SWD**243666	1383	1563	1563	1647	38,9	281	295
24	30	66	4	**SWD**243066	1278	1459	1459	1542	32,7	236	248
21	36	66	4	**SWD**213666	1296	1465	1465	1542	34,4	257	269
21	30	66	4	**SWD**213066	1192	1362	1362	1438	29	217	227

Wardrobe cabinet

WARDROBE AT RIGHT

72"											
24	36	72	4	**SDW**243672	1467	1648	1648	1731	42,3	300	314
24	30	72	4	**SDW**243072	1363	1544	1544	1627	35,6	252	264
21	36	72	4	**SDW**213672	1376	1551	1551	1627	37,4	275	287
21	30	72	4	**SDW**213072	1272	1450	1450	1524	31,5	231	242
66"											
24	36	66	4	**SDW**243666	1383	1563	1563	1647	38,9	281	295
24	30	66	4	**SDW**243066	1278	1459	1459	1542	32,7	236	248
21	36	66	4	**SDW**213666	1296	1465	1465	1542	34,4	257	269
21	30	66	4	**SDW**213066	1192	1362	1362	1438	29	217	227

D: Number of shelves

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	-	/	-	/	-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Cabinet with 2 doors with shelves only or shelves & wardrobe configuration.

Contemporary aluminum framed door with choice of either laminate or high-gloss white interior panel.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Will lock both doors.

	Dimensions				Code		Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D	Doors: Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDDM**243672	**SDDL**243672	2943	3077	3078	3167	42,3	330	344
	24	30	72	4	**SDDM**243072	**SDDL**243072	2824	2940	2959	3031	35,6	279	291
	21	36	72	4	**SDDM**213672	**SDDL**213672	2853	2973	2977	3055	37,4	301	313
	21	30	72	4	**SDDM**213072	**SDDL**213072	2735	2837	2858	2921	31,5	255	266
66"	24	36	66	4	**SDDM**243666	**SDDL**243666	2852	2985	2988	3077	38,9	315	329
	24	30	66	4	**SDDM**243066	**SDDL**243066	2734	2850	2868	2940	32,7	265	277
	21	36	66	4	**SDDM**213666	**SDDL**213666	2763	2882	2886	2965	34,4	287	299
	21	30	66	4	**SDDM**213066	**SDDL**213066	2644	2746	2768	2829	29	242	253
50"	24	36	50	3	**SDDM**243650	**SDDL**243650	2566	2697	2690	2779	29,7	253	267
	24	30	50	3	**SDDM**243050	**SDDL**243050	2481	2604	2604	2676	25	210	222
	21	36	50	3	**SDDM**213650	**SDDL**213650	2499	2618	2614	2693	26,3	230	242
	21	30	50	3	**SDDM**213050	**SDDL**213050	2415	2523	2527	2591	22.2	191	202

Wardrobe cabinet

WARDROBE AT LEFT

					Laminate	H-Gloss White							
72"	24	36	72	4	**SWDM**243672	**SWDL**243672	2922	3102	3102	3186	42,3	300	314
	24	30	72	4	**SWDM**243072	**SWDL**243072	2817	2999	2999	3081	35,6	252	264
	21	36	72	4	**SWDM**213672	**SWDL**213672	2830	3005	3007	3081	37,4	275	287
	21	30	72	4	**SWDM**213072	**SWDL**213072	2726	2901	2904	2978	31,5	231	242
66"	24	36	66	4	**SWDM**243666	**SWDL**243666	2837	3017	3017	3101	38,9	281	295
	24	30	66	4	**SWDM**243066	**SWDL**243066	2732	2913	2913	2996	32,7	236	248
	21	36	66	4	**SWDM**213666	**SWDL**213666	2750	2919	2923	2996	34,4	257	269
	21	30	66	4	**SWDM**213066	**SWDL**213066	2647	2816	2818	2892	29	217	227

Wardrobe cabinet

WARDROBE AT RIGHT

					Laminate	H-Gloss White							
72"	24	36	72	4	**SDWM**243672	**SDWL**243672	2922	3102	3102	3186	42,3	300	314
	24	30	72	4	**SDWM**243072	**SDWL**243072	2817	2999	2999	3081	35,6	252	264
	21	36	72	4	**SDWM**213672	**SDWL**213672	2830	3005	3007	3081	37,4	275	287
	21	30	72	4	**SDWM**213072	**SDWL**213072	2726	2901	2904	2978	31,5	231	242
66"	24	36	66	4	**SDWM**243666	**SDWL**243666	2837	3017	3017	3101	38,9	281	295
	24	30	66	4	**SDWM**243066	**SDWL**243066	2732	2913	2913	2996	32,7	236	248
	21	36	66	4	**SDWM**213666	**SDWL**213666	2750	2919	2923	2996	34,4	257	269
	21	30	66	4	**SDWM**213066	**SDWL**213066	2647	2816	2818	2892	29	217	227

D: Number of shelves

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CABINETS 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDDGiC**243672	2641	2775	2776	2866	42,3	330	344
	24	30	72	4	**SDDGiC**243072	2522	2639	2658	2729	35,6	279	291
	21	36	72	4	**SDDGiC**213672	2552	2672	2675	2753	37,4	301	313
	21	30	72	4	**SDDGiC**213072	2433	2536	2556	2619	31,5	255	266
66"	24	36	66	4	**SDDGiC**243666	2551	2684	2686	2775	38,9	315	329
	24	30	66	4	**SDDGiC**243066	2432	2549	2566	2639	32,7	265	277
	21	36	66	4	**SDDGiC**213666	2462	2581	2585	2663	34,4	287	299
	21	30	66	4	**SDDGiC**213066	2343	2444	2466	2528	29	242	253
50"	24	36	50	3	**SDDGiC**243650	2265	2396	2388	2477	29,7	253	267
	24	30	50	3	**SDDGiC**243050	2179	2302	2302	2375	25	210	222
	21	36	50	3	**SDDGiC**213650	2198	2317	2312	2391	26,3	230	242
	21	30	50	3	**SDDGiC**213050	2113	2222	2225	2289	22.2	191	202

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWDGiC**243672	2620	2801	2801	2884	42,3	300	314
	24	30	72	4	**SWDGiC**243072	2516	2697	2697	2780	35,6	252	264
	21	36	72	4	**SWDGiC**213672	2529	2704	2706	2780	37,4	275	287
	21	30	72	4	**SWDGiC**213072	2424	2599	2603	2676	31,5	231	242
66"	24	36	66	4	**SWDGiC**243666	2536	2716	2716	2800	38,9	281	295
	24	30	66	4	**SWDGiC**243066	2431	2611	2611	2695	32,7	236	248
	21	36	66	4	**SWDGiC**213666	2449	2618	2621	2695	34,4	257	269
	21	30	66	4	**SWDGiC**213066	2345	2515	2517	2591	29	217	227

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SDWGiC**243672	2620	2801	2801	2884	42,3	300	314
	24	30	72	4	**SDWGiC**243072	2516	2697	2697	2780	35,6	252	264
	21	36	72	4	**SDWGiC**213672	2529	2704	2706	2780	37,4	275	287
	21	30	72	4	**SDWGiC**213072	2424	2599	2603	2676	31,5	231	242
66"	24	36	66	4	**SDWGiC**243666	2536	2716	2716	2800	38,9	281	295
	24	30	66	4	**SDWGiC**243066	2431	2611	2611	2695	32,7	236	248
	21	36	66	4	**SDWGiC**213666	2449	2618	2621	2695	34,4	257	269
	21	30	66	4	**SDWGiC**213066	2345	2515	2517	2591	29	217	227

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CABINETS 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDDGiA**243672	2180	2314	2316	2405	42,3	330	344
	24	30	72	4	**SDDGiA**243072	2061	2178	2197	2268	35,6	279	291
	21	36	72	4	**SDDGiA**213672	2091	2211	2214	2292	37,4	301	313
	21	30	72	4	**SDDGiA**213072	1972	2075	2096	2158	31,5	255	266
66"	24	36	66	4	**SDDGiA**243666	2090	2223	2225	2314	38,9	315	329
	24	30	66	4	**SDDGiA**243066	1971	2088	2105	2178	32,7	265	277
	21	36	66	4	**SDDGiA**213666	2001	2120	2124	2202	34,4	287	299
	21	30	66	4	**SDDGiA**213066	1882	1983	2005	2067	29	242	253
50"	24	36	50	3	**SDDGiA**243650	1804	1935	1927	2016	29,7	253	267
	24	30	50	3	**SDDGiA**243050	1718	1841	1841	1914	25	210	222
	21	36	50	3	**SDDGiA**213650	1737	1856	1851	1931	26,3	230	242
	21	30	50	3	**SDDGiA**213050	1652	1761	1764	1828	22.2	191	202

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWDGiA**243672	2159	2340	2340	2423	42,3	300	314
	24	30	72	4	**SWDGiA**243072	2055	2236	2236	2319	35,6	252	264
	21	36	72	4	**SWDGiA**213672	2068	2243	2245	2319	37,4	275	287
	21	30	72	4	**SWDGiA**213072	1964	2138	2142	2215	31,5	231	242
66"	24	36	66	4	**SWDGiA**243666	2075	2255	2255	2339	38,9	281	295
	24	30	66	4	**SWDGiA**243066	1970	2151	2151	2234	32,7	236	248
	21	36	66	4	**SWDGiA**213666	1988	2157	2160	2234	34,4	257	269
	21	30	66	4	**SWDGiA**213066	1884	2054	2056	2130	29	217	227

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SDWGiA**243672	2159	2340	2340	2423	42,3	300	314
	24	30	72	4	**SDWGiA**243072	2055	2236	2236	2319	35,6	252	264
	21	36	72	4	**SDWGiA**213672	2068	2243	2245	2319	37,4	275	287
	21	30	72	4	**SDWGiA**213072	1964	2138	2142	2215	31,5	231	242
66"	24	36	66	4	**SDWGiA**243666	2075	2255	2255	2339	38,9	281	295
	24	30	66	4	**SDWGiA**243066	1970	2151	2151	2234	32,7	236	248
	21	36	66	4	**SDWGiA**213666	1988	2157	2160	2234	34,4	257	269
	21	30	66	4	**SDWGiA**213066	1884	2054	2056	2130	29	217	227

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.

Cabinet with 1 laminate door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

Shelves

Dimensions					Code	Price				Specifications		
						L Lima 1"		M Mike 1½"				
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDO**243672	1499	1634	1635	1724	42,3	309	323
	24	30	72	4	**SDO**243072	1381	1497	1516	1587	35,6	262	274
	21	36	72	4	**SDO**213672	1410	1530	1533	1612	37,4	280	292
	21	30	72	4	**SDO**213072	1291	1394	1415	1477	31,5	237	249
66"	24	36	66	4	**SDO**243666	1409	1542	1544	1634	38,9	294	308
	24	30	66	4	**SDO**243066	1290	1407	1425	1497	32,7	250	262
	21	36	66	4	**SDO**213666	1320	1439	1443	1521	34,4	266	278
	21	30	66	4	**SDO**213066	1201	1302	1324	1386	29	226	237
50"	24	36	50	3	**SDO**243650	1123	1254	1246	1335	29,7	239	253
	24	30	50	3	**SDO**243050	1037	1161	1161	1233	25	198	210
	21	36	50	3	**SDO**213650	1056	1175	1170	1250	26,3	216	228
	21	30	50	3	**SDO**213050	971	1080	1084	1147	22.2	180	191

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWO**243672	1478	1659	1659	1742	42,3	279	293
	24	30	72	4	**SWO**243072	1374	1555	1555	1638	35,6	235	247
	21	36	72	4	**SWO**213672	1387	1562	1564	1638	37,4	254	266
	21	30	72	4	**SWO**213072	1283	1458	1461	1535	31,5	214	224
66"	24	36	66	4	**SWO**243666	1394	1574	1574	1658	38,9	262	276
	24	30	66	4	**SWO**243066	1289	1470	1470	1553	32,7	221	232
	21	36	66	4	**SWO**213666	1307	1476	1480	1553	34,4	239	251
	21	30	66	4	**SWO**213066	1203	1373	1375	1449	29	201	212

D: Number of shelves

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ▢ - ▢ - ▢ / ▢ - ▢ / ▢ - ▢ - ▢

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.

Cabinet with 1 laminate door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge).

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SOD**243672	1499	1634	1635	1724	42,3	309	323
	24	30	72	4	**SOD**243072	1381	1497	1516	1587	35,6	262	274
	21	36	72	4	**SOD**213672	1410	1530	1533	1612	37,4	280	292
	21	30	72	4	**SOD**213072	1291	1394	1415	1477	31,5	237	249
66"	24	36	66	4	**SOD**243666	1409	1542	1544	1634	38,9	294	308
	24	30	66	4	**SOD**243066	1290	1407	1425	1497	32,7	250	262
	21	36	66	4	**SOD**213666	1320	1439	1443	1521	34,4	266	278
	21	30	66	4	**SOD**213066	1201	1302	1324	1386	29	226	237
50"	24	36	50	3	**SOD**243650	1123	1254	1246	1335	29,7	239	253
	24	30	50	3	**SOD**243050	1037	1161	1161	1233	25	198	210
	21	36	50	3	**SOD**213650	1056	1175	1170	1250	26,3	216	228
	21	30	50	3	**SOD**213050	971	1080	1084	1147	22.2	180	191

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SOW**243672	1478	1659	1659	1742	42,3	279	293
	24	30	72	4	**SOW**243072	1374	1555	1555	1638	35,6	235	247
	21	36	72	4	**SOW**213672	1387	1562	1564	1638	37,4	254	266
	21	30	72	4	**SOW**213072	1283	1458	1461	1535	31,5	214	224
66"	24	36	66	4	**SOW**243666	1394	1574	1574	1658	38,9	262	276
	24	30	66	4	**SOW**243066	1289	1470	1470	1553	32,7	221	232
	21	36	66	4	**SOW**213666	1307	1476	1480	1553	34,4	239	251
	21	30	66	4	**SOW**213066	1203	1373	1375	1449	29	201	212

D: Number of shelves

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ▢ - ▢ - ▢ / ▢ - ▢ / ▢ - ▢ - ▢

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.
("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)

Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only.

Shelves

	Dimensions				Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
	A	B	C	D	Door:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
					Laminate	H-Gloss White							
72"	24	36	72	4	**SDOM**243672	**SDOL**243672	2226	2361	2362	2451	42,3	309	323
	24	30	72	4	**SDOM**243072	**SDOL**243072	2108	2224	2243	2314	35,6	262	274
	21	36	72	4	**SDOM**213672	**SDOL**213672	2137	2257	2261	2339	37,4	280	292
	21	30	72	4	**SDOM**213072	**SDOL**213072	2019	2121	2142	2204	31,5	237	249
66"	24	36	66	4	**SDOM**243666	**SDOL**243666	2136	2269	2272	2361	38,9	294	308
	24	30	66	4	**SDOM**243066	**SDOL**243066	2017	2134	2152	2224	32,7	250	262
	21	36	66	4	**SDOM**213666	**SDOL**213666	2047	2166	2170	2248	34,4	266	278
	21	30	66	4	**SDOM**213066	**SDOL**213066	1928	2030	2052	2113	29	226	237
50"	24	36	50	3	**SDOM**243650	**SDOL**243650	1850	1981	1973	2063	29,7	239	253
	24	30	50	3	**SDOM**243050	**SDOL**243050	1764	1888	1888	1960	25	198	210
	21	36	50	3	**SDOM**213650	**SDOL**213650	1783	1902	1898	1977	26,3	216	228
	21	30	50	3	**SDOM**213050	**SDOL**213050	1698	1807	1811	1874	22,2	180	191

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWOM**243672	**SWOL**243672	2206	2386	2386	2470	42,3	279	293
	24	30	72	4	**SWOM**243072	**SWOL**243072	2101	2283	2283	2365	35,6	235	247
	21	36	72	4	**SWOM**213672	**SWOL**213672	2114	2289	2291	2365	37,4	254	266
	21	30	72	4	**SWOM**213072	**SWOL**213072	2010	2185	2188	2262	31,5	214	224
66"	24	36	66	4	**SWOM**243666	**SWOL**243666	2121	2301	2301	2385	38,9	262	276
	24	30	66	4	**SWOM**243066	**SWOL**243066	2016	2197	2197	2280	32,7	221	232
	21	36	66	4	**SWOM**213666	**SWOL**213666	2034	2203	2207	2280	34,4	239	251
	21	30	66	4	**SWOM**213066	**SWOL**213066	1931	2100	2102	2176	29	201	212

D: Number of shelves

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H.
("CONTEMPORARY" ALUM. FRAME w/ LAMINATE or H-GLOSS WHITE int. panel)

Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only.

Shelves

	Dimensions				Code		Price (L Lima 1")		Price (M Mike 1½")		Specifications		
	A	B	C	D	Door: Laminate	Door: H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SODM**243672	**SODL**243672	2226	2361	2362	2451	42,3	309	323
	24	30	72	4	**SODM**243072	**SODL**243072	2108	2224	2243	2314	35,6	262	274
	21	36	72	4	**SODM**213672	**SODL**213672	2137	2257	2261	2339	37,4	280	292
	21	30	72	4	**SODM**213072	**SODL**213072	2019	2121	2142	2204	31,5	237	249
66"	24	36	66	4	**SODM**243666	**SODL**243666	2136	2269	2272	2361	38,9	294	308
	24	30	66	4	**SODM**243066	**SODL**243066	2017	2134	2152	2224	32,7	250	262
	21	36	66	4	**SODM**213666	**SODL**213666	2047	2166	2170	2248	34,4	266	278
	21	30	66	4	**SODM**213066	**SODL**213066	1928	2030	2052	2113	29	226	237
50"	24	36	50	3	**SODM**243650	**SODL**243650	1850	1981	1973	2063	29,7	239	253
	24	30	50	3	**SODM**243050	**SODL**243050	1764	1888	1888	1960	25	198	210
	21	36	50	3	**SODM**213650	**SODL**213650	1783	1902	1898	1977	26,3	216	228
	21	30	50	3	**SODM**213050	**SODL**213050	1698	1807	1811	1874	22,2	180	191

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SOWM**243672	**SOWL**243672	2206	2386	2386	2470	42,3	279	293
	24	30	72	4	**SOWM**243072	**SOWL**243072	2101	2283	2283	2365	35,6	235	247
	21	36	72	4	**SOWM**213672	**SOWL**213672	2114	2289	2291	2365	37,4	254	266
	21	30	72	4	**SOWM**213072	**SOWL**213072	2010	2185	2188	2262	31,5	214	224
66"	24	36	66	4	**SOWM**243666	**SOWL**243666	2121	2301	2301	2385	38,9	262	276
	24	30	66	4	**SOWM**243066	**SOWL**243066	2016	2197	2197	2280	32,7	221	232
	21	36	66	4	**SOWM**213666	**SOWL**213666	2034	2203	2207	2280	34,4	239	251
	21	30	66	4	**SOWM**213066	**SOWL**213066	1931	2100	2102	2176	29	201	212

D: Number of shelves

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDOGiC**243672	2076	2210	2211	2300	42,3	309	323
	24	30	72	4	**SDOGiC**243072	1957	2074	2092	2164	35,6	262	274
	21	36	72	4	**SDOGiC**213672	1987	2107	2110	2188	37,4	280	292
	21	30	72	4	**SDOGiC**213072	1868	1970	1991	2054	31,5	237	249
66"	24	36	66	4	**SDOGiC**243666	1986	2119	2121	2210	38,9	294	308
	24	30	66	4	**SDOGiC**243066	1867	1983	2001	2074	32,7	250	262
	21	36	66	4	**SDOGiC**213666	1896	2015	2020	2098	34,4	266	278
	21	30	66	4	**SDOGiC**213066	1778	1879	1901	1962	29	226	237
50"	24	36	50	3	**SDOGiC**243650	1700	1830	1823	1912	29,7	239	253
	24	30	50	3	**SDOGiC**243050	1614	1737	1737	1810	25	198	210
	21	36	50	3	**SDOGiC**213650	1632	1751	1747	1826	26,3	216	228
	21	30	50	3	**SDOGiC**213050	1548	1657	1660	1724	22,2	180	191

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWOGiC**243672	2055	2235	2235	2319	42,3	279	293
	24	30	72	4	**SWOGiC**243072	1950	2132	2132	2214	35,6	235	247
	21	36	72	4	**SWOGiC**213672	1964	2138	2141	2214	37,4	254	266
	21	30	72	4	**SWOGiC**213072	1859	2034	2037	2111	31,5	214	224
66"	24	36	66	4	**SWOGiC**243666	1970	2151	2151	2234	38,9	262	276
	24	30	66	4	**SWOGiC**243066	1866	2046	2046	2130	32,7	221	232
	21	36	66	4	**SWOGiC**213666	1883	2053	2056	2130	34,4	239	251
	21	30	66	4	**SWOGiC**213066	1780	1949	1951	2025	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SODGiC**243672	2076	2210	2211	2300	42,3	309	323
	24	30	72	4	**SODGiC**243072	1957	2074	2092	2164	35,6	262	274
	21	36	72	4	**SODGiC**213672	1987	2107	2110	2188	37,4	280	292
	21	30	72	4	**SODGiC**213072	1868	1970	1991	2054	31,5	237	249
66"	24	36	66	4	**SODGiC**243666	1986	2119	2121	2210	38,9	294	308
	24	30	66	4	**SODGiC**243066	1867	1983	2001	2074	32,7	250	262
	21	36	66	4	**SODGiC**213666	1896	2015	2020	2098	34,4	266	278
	21	30	66	4	**SODGiC**213066	1778	1879	1901	1962	29	226	237
50"	24	36	50	3	**SODGiC**243650	1700	1830	1823	1912	29,7	239	253
	24	30	50	3	**SODGiC**243050	1614	1737	1737	1810	25	198	210
	21	36	50	3	**SODGiC**213650	1632	1751	1747	1826	26,3	216	228
	21	30	50	3	**SODGiC**213050	1548	1657	1660	1724	22,2	180	191

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SOWGiC**243672	2055	2235	2235	2319	42,3	279	293
	24	30	72	4	**SOWGiC**243072	1950	2132	2132	2214	35,6	235	247
	21	36	72	4	**SOWGiC**213672	1964	2138	2141	2214	37,4	254	266
	21	30	72	4	**SOWGiC**213072	1859	2034	2037	2111	31,5	214	224
66"	24	36	66	4	**SOWGiC**243666	1970	2151	2151	2234	38,9	262	276
	24	30	66	4	**SOWGiC**243066	1866	2046	2046	2130	32,7	221	232
	21	36	66	4	**SOWGiC**213666	1883	2053	2056	2130	34,4	239	251
	21	30	66	4	**SOWGiC**213066	1780	1949	1951	2025	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SDOGiA**243672	1845	1979	1980	2069	42,3	309	323
	24	30	72	4	**SDOGiA**243072	1726	1843	1861	1933	35,6	262	274
	21	36	72	4	**SDOGiA**213672	1756	1876	1879	1957	37,4	280	292
	21	30	72	4	**SDOGiA**213072	1637	1739	1760	1823	31,5	237	249
66"	24	36	66	4	**SDOGiA**243666	1755	1888	1890	1979	38,9	294	308
	24	30	66	4	**SDOGiA**243066	1636	1752	1770	1843	32,7	250	262
	21	36	66	4	**SDOGiA**213666	1665	1784	1789	1867	34,4	266	278
	21	30	66	4	**SDOGiA**213066	1547	1648	1670	1731	29	226	237
50"	24	36	50	3	**SDOGiA**243650	1469	1599	1592	1681	29,7	239	253
	24	30	50	3	**SDOGiA**243050	1383	1506	1506	1579	25	198	210
	21	36	50	3	**SDOGiA**213650	1401	1520	1516	1595	26,3	216	228
	21	30	50	3	**SDOGiA**213050	1317	1426	1429	1493	22,2	180	191

Wardrobe cabinet

WARDROBE AT LEFT

72"	24	36	72	4	**SWOGiA**243672	1824	2004	2004	2088	42,3	279	293
	24	30	72	4	**SWOGiA**243072	1719	1901	1901	1983	35,6	235	247
	21	36	72	4	**SWOGiA**213672	1733	1907	1910	1983	37,4	254	266
	21	30	72	4	**SWOGiA**213072	1628	1803	1806	1880	31,5	214	224
66"	24	36	66	4	**SWOGiA**243666	1739	1920	1920	2003	38,9	262	276
	24	30	66	4	**SWOGiA**243066	1635	1815	1815	1899	32,7	221	232
	21	36	66	4	**SWOGiA**213666	1652	1822	1825	1899	34,4	239	251
	21	30	66	4	**SWOGiA**213066	1549	1718	1720	1794	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS - 72" - 66" - 50" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.

Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.159.

No lock.

Shelves

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	**SODGiA**243672	1845	1979	1980	2069	42,3	309	323
	24	30	72	4	**SODGiA**243072	1726	1843	1861	1933	35,6	262	274
	21	36	72	4	**SODGiA**213672	1756	1876	1879	1957	37,4	280	292
	21	30	72	4	**SODGiA**213072	1637	1739	1760	1823	31,5	237	249
66"	24	36	66	4	**SODGiA**243666	1755	1888	1890	1979	38,9	294	308
	24	30	66	4	**SODGiA**243066	1636	1752	1770	1843	32,7	250	262
	21	36	66	4	**SODGiA**213666	1665	1784	1789	1867	34,4	266	278
	21	30	66	4	**SODGiA**213066	1547	1648	1670	1731	29	226	237
50"	24	36	50	3	**SODGiA**243650	1469	1599	1592	1681	29,7	239	253
	24	30	50	3	**SODGiA**243050	1383	1506	1506	1579	25	198	210
	21	36	50	3	**SODGiA**213650	1401	1520	1516	1595	26,3	216	228
	21	30	50	3	**SODGiA**213050	1317	1426	1429	1493	22,2	180	191

Wardrobe cabinet

WARDROBE AT RIGHT

72"	24	36	72	4	**SOWGiA**243672	1824	2004	2004	2088	42,3	279	293
	24	30	72	4	**SOWGiA**243072	1719	1901	1901	1983	35,6	235	247
	21	36	72	4	**SOWGiA**213672	1733	1907	1910	1983	37,4	254	266
	21	30	72	4	**SOWGiA**213072	1628	1803	1806	1880	31,5	214	224
66"	24	36	66	4	**SOWGiA**243666	1739	1920	1920	2003	38,9	262	276
	24	30	66	4	**SOWGiA**243066	1635	1815	1815	1899	32,7	221	232
	21	36	66	4	**SOWGiA**213666	1652	1822	1825	1899	34,4	239	251
	21	30	66	4	**SOWGiA**213066	1549	1718	1720	1794	29	201	212

D: Number of shelves

SPECIFY

Series	Code	Surface	Edge	Base	Pull
T -	-	/	-	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

SINGLE DOOR CABINETS WITH SHELVES (LEFT)

Cabinet (LEFT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.

Laminate door

Contemporary aluminum frame/ Laminate or H-Gloss White int. panel

Contemporary aluminum frame/ Acrylic interior panel

Traditional aluminum frame/ Acrylic interior panel

Dimensions			Code		Price L Lima 1" T.F.L.	Price L Lima 1" H.P.L.	Price M Mike 1½" T.F.L.	Price M Mike 1½" H.P.L.	Specifications Cu.Ft.	Specifications lb (L)	Specifications lb (M)
A	B	C									
Laminate door											
72" 24	24	72	**SDL**242472		1221	1366	1392	1444	29	261	270
21	24	72	**SDL**212472		1167	1304	1330	1376	25,6	237	246
66" 24	24	66	**SDL**242466		1165	1311	1334	1387	26,6	240	249
21	24	66	**SDL**212466		1112	1247	1274	1320	23,5	218	226
Contemporary aluminum frame/ Laminate or H-Gloss White int. panel			Door: Laminate	Door: H-Gloss White							
72" 24	24	72	**SDML**242472	**SDLL**242472	2082	2228	2253	2306	29	261	270
21	24	72	**SDML**212472	**SDLL**212472	2028	2165	2191	2237	25,6	237	246
66" 24	24	66	**SDML**242466	**SDLL**242466	2026	2173	2196	2248	26,6	240	249
21	24	66	**SDML**212466	**SDLL**212466	1973	2109	2135	2181	23,5	218	226
Contemporary aluminum frame/ Acrylic interior panel			Acrylic								
72" 24	24	72	**SDGiCL**242472		1887	2032	2057	2110	29	261	270
21	24	72	**SDGiCL**212472		1833	1969	1995	2042	25,6	237	246
66" 24	24	66	**SDGiCL**242466		1830	1977	2000	2053	26,6	240	249
21	24	66	**SDGiCL**212466		1778	1913	1939	1986	23,5	218	226
Traditional aluminum frame/ Acrylic interior panel			Acrylic								
72" 24	24	72	**SDGiAL**242472		1610	1756	1781	1834	29	261	270
21	24	72	**SDGiAL**212472		1557	1693	1719	1766	25,6	237	246
66" 24	24	66	**SDGiAL**242466		1554	1701	1724	1777	26,6	240	249
21	24	66	**SDGiAL**212466		1502	1637	1663	1709	23,5	218	226

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T - - / - / - - -

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH SHELVES (RIGHT)

Cabinet (RIGHT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Shelves have the same finish as the base color.

Extra shelves: Order separately, see p.159.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.

Laminate door

	Dimensions			Code		Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	**SDR**242472		1221	1366	1392	1444	29	261	270
	21	24	72	**SDR**212472		1167	1304	1330	1376	25,6	237	246
66"	24	24	66	**SDR**242466		1165	1311	1334	1387	26,6	240	249
	21	24	66	**SDR**212466		1112	1247	1274	1320	23,5	218	226

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

				Door: Laminate	Door: H-Gloss White							
72"	24	24	72	**SDMR**242472	**SDLR**242472	2082	2228	2253	2306	29	261	270
	21	24	72	**SDMR**212472	**SDLR**212472	2028	2165	2191	2237	25,6	237	246
66"	24	24	66	**SDMR**242466	**SDLR**242466	2026	2173	2196	2248	26,6	240	249
	21	24	66	**SDMR**212466	**SDLR**212466	1973	2109	2135	2181	23,5	218	226

Contemporary aluminum frame/
Acrylic interior panel

				Acrylic							
72"	24	24	72	**SDGiCR**242472	1887	2032	2057	2110	29	261	270
	21	24	72	**SDGiCR**212472	1833	1969	1995	2042	25,6	237	246
66"	24	24	66	**SDGiCR**242466	1830	1977	2000	2053	26,6	240	249
	21	24	66	**SDGiCR**212466	1778	1913	1939	1986	23,5	218	226

Traditional aluminum frame/
Acrylic interior panel

				Acrylic							
72"	24	24	72	**SDGiAR**242472	1610	1756	1781	1834	29	261	270
	21	24	72	**SDGiAR**212472	1557	1693	1719	1766	25,6	237	246
66"	24	24	66	**SDGiAR**242466	1554	1701	1724	1777	26,6	240	249
	21	24	66	**SDGiAR**212466	1502	1637	1663	1709	23,5	218	226

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH WARDROBE (LEFT)

Cabinet (LEFT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.

Laminate door

	Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	**SWL**242472	1015	1140	1161	1207	29	219	229
	21	24	72	**SWL**212472	977	1093	1115	1155	25,6	200	208
66"	24	24	66	**SWL**242466	967	1090	1111	1157	26,6	206	216
	21	24	66	**SWL**212466	928	1044	1066	1107	23,5	188	196

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

				Door: Laminate	Door: H-Gloss White						
72"	24	24	72	**SWML**242472	**SWLL**242472	1877	2001	2022	2068	29	219	229
	21	24	72	**SWML**212472	**SWLL**212472	1838	1955	1977	2016	25,6	200	208
66"	24	24	66	**SWML**242466	**SWLL**242466	1828	1951	1972	2019	26,6	206	216
	21	24	66	**SWML**212466	**SWLL**212466	1790	1905	1927	1968	23,5	188	196

Contemporary aluminum frame/
Acrylic interior panel

				Acrylic						
72"	24	24	72	**SWGiCL**242472	1681	1805	1826	1872	29	219	229
	21	24	72	**SWGiCL**212472	1642	1759	1781	1821	25,6	200	208
66"	24	24	66	**SWGiCL**242466	1632	1756	1777	1823	26,6	206	216
	21	24	66	**SWGiCL**212466	1594	1709	1731	1772	23,5	188	196

Traditional aluminum frame/
Acrylic interior panel

				Acrylic						
72"	24	24	72	**SWGiAL**242472	1405	1529	1550	1596	29	219	229
	21	24	72	**SWGiAL**212472	1366	1483	1505	1544	25,6	200	208
66"	24	24	66	**SWGiAL**242466	1356	1480	1500	1547	26,6	206	216
	21	24	66	**SWGiAL**212466	1318	1433	1455	1496	23,5	188	196

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SINGLE DOOR CABINETS WITH WARDROBE (RIGHT)

Cabinet (RIGHT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Noki locks standard or key locks available as an option (no upcharge), on door with laminate interior panel only. Not available on door with H-Gloss White or Acrylic interior panel.

	Dimensions			Code	Price L Lima 1" T.F.L.	Price L Lima 1" H.P.L.	Price M Mike 1½" T.F.L.	Price M Mike 1½" H.P.L.	Specifications Cu.Ft.	Specifications lb (L)	Specifications lb (M)
	A	B	C								
72"	24	24	72	**SWR**242472	1015	1140	1161	1207	29	219	229
	21	24	72	**SWR**212472	977	1093	1115	1155	25,6	200	208
66"	24	24	66	**SWR**242466	967	1090	1111	1157	26,6	206	216
	21	24	66	**SWR**212466	928	1044	1066	1107	23,5	188	196

Laminate door

				Door: Laminate	Door: H-Gloss White						
72"	24	24	72	**SWMR**242472	**SWLR**242472	1877	2001	2022	2068	29	219	229
	21	24	72	**SWMR**212472	**SWLR**212472	1838	1955	1977	2016	25,6	200	208
66"	24	24	66	**SWMR**242466	**SWLR**242466	1828	1951	1972	2019	26,6	206	216
	21	24	66	**SWMR**212466	**SWLR**212466	1790	1905	1927	1968	23,5	188	196

Contemporary aluminum frame/
Laminate or H-Gloss White int. panel

				Acrylic						
72"	24	24	72	**SWGiCR**242472	1681	1805	1826	1872	29	219	229
	21	24	72	**SWGiCR**212472	1642	1759	1781	1821	25,6	200	208
66"	24	24	66	**SWGiCR**242466	1632	1756	1777	1823	26,6	206	216
	21	24	66	**SWGiCR**212466	1594	1709	1731	1772	23,5	188	196

Contemporary aluminum frame/
Acrylic interior panel

				Acrylic						
72"	24	24	72	**SWGiAR**242472	1405	1529	1550	1596	29	219	229
	21	24	72	**SWGiAR**212472	1366	1483	1505	1544	25,6	200	208
66"	24	24	66	**SWGiAR**242466	1356	1480	1500	1547	26,6	206	216
	21	24	66	**SWGiAR**212466	1318	1433	1455	1496	23,5	188	196

Traditional aluminum frame/
Acrylic interior panel

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	- /	-	/	-	-	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Pull: Pull included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 50" H.

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	**SWDUF**242450	1306	1486	1486	1569	20,3	225	233
21	24	50	**SWDUF**212450	1219	1388	1390	1465	18	207	214

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	**SDUFW**242450	1306	1486	1486	1569	20,3	225	233
21	24	50	**SDUFW**212450	1219	1388	1390	1465	18	207	214

COMBINED STORAGE UNITS - 50" H.
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

			Doors:								
			Laminate	H-Gloss White							
24	24	50	**SWDUFM**24245C	**SWDUFL**242450	2044	2224	2224	2307	20,3	225	233
21	24	50	**SWDUFM**21245C	**SWDUFL**212450	1957	2126	2129	2203	18	207	214

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

			Doors:								
			Laminate	H-Gloss White							
24	24	50	**SDUFWM**24245C	**SDUFWL**242450	2044	2224	2224	2307	20,3	225	233
21	24	50	**SDUFWM**21245C	**SDUFWL**212450	1957	2126	2129	2203	18	207	214

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 50" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	**SWDUFGiC**242450	1943	2123	2123	2206	20,3	225	233
21	24	50	**SWDUFGiC**212450	1856	2025	2027	2102	18	207	214

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	**SDUFWGiC**242450	1943	2123	2123	2206	20,3	225	233
21	24	50	**SDUFWGiC**212450	1856	2025	2027	2102	18	207	214

COMBINED STORAGE UNITS - 50" H. ("TRADITIONAL" FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	**SWDUFGiA**242450	1960	2142	2142	2224	20,3	225	233
21	24	50	**SWDUFGiA**212450	1874	2044	2046	2121	18	207	214

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	50	**SDUFWGiA**242450	1960	2142	2142	2224	20,3	225	233
21	24	50	**SDUFWGiA**212450	1874	2044	2046	2121	18	207	214

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.21.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H.

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	**SWDUUF**242466	1533	1690	1690	1772	26,6	257	265
21	24	66	**SWDUUF**212466	1447	1591	1594	1669	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	**SDUUFW**242466	1533	1690	1690	1772	26,6	257	265
21	24	66	**SDUUFW**212466	1447	1591	1594	1669	23,5	237	244

COMBINED STORAGE UNITS - 66" H.
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	66	**SWDUUFM**24246	**SWDUUFL**242466	2272	2428	2428	2510	26,6	257	265
21	24	66	**SWDUUFM**21246	**SWDUUFL**212466	2185	2329	2332	2407	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	66	**SDUUFWM**24246	**SDUUFWL**242466	2272	2428	2428	2510	26,6	257	265
21	24	66	**SDUUFWM**21246	**SDUUFWL**212466	2185	2329	2332	2407	23,5	237	244

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ☐ -	☐ -	☐ /	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	**SWDUUFGiC**242466	2170	2327	2327	2409	26,6	257	265
21	24	66	**SWDUUFGiC**212466	2083	2228	2231	2306	23,5	237	244

Wardrobe at right

Combined storage unit withf a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	**SDUUFWGiC**242466	2170	2327	2327	2409	26,6	257	265
21	24	66	**SDUUFWGiC**212466	2083	2228	2231	2306	23,5	237	244

COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UUF) at right. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	**SWDUUFGiA**242466	2295	2476	2476	2559	26,6	257	265
21	24	66	**SWDUUFGiA**212466	2209	2377	2380	2455	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UUF) at left. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	66	**SDUUFWGiA**242466	2295	2476	2476	2559	26,6	257	265
21	24	66	**SDUUFWGiA**212466	2209	2377	2380	2455	23,5	237	244

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H.

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	**SWDFF242466**	1506	1664	1637	1719	26,6	257	265
21	24	66	**SWDFF212466**	1416	1565	1541	1616	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	**SDFFW**242466	1506	1664	1637	1719	26,6	257	265
21	24	66	**SDFFW**212466	1416	1565	1541	1616	23,5	237	244

COMBINED STORAGE UNITS - 66" H.
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	66	**SWDFFM**242466	**SWDFFL**242466	2244	2402	2375	2457	26,6	257	265
21	24	66	**SWDFFM**212466	**SWDFFL**212466	2154	2303	2279	2354	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	66	**SDFFWM**242466	**SDFFWL**242466	2244	2402	2375	2457	26,6	257	265
21	24	66	**SDFFWM**212466	**SDFFWL**212466	2154	2303	2279	2354	23,5	237	244

SPECIFY							OPTIONS
Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T ▭ -	▭ -	▭ /	▭ -	▭ /	▭ -	▭ -	▭

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 66" H. (CONTEMPORARY ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	**SWDFFGiC**242466	2143	2301	2274	2356	26,6	257	265
21	24	66	**SWDFFGiC**212466	2053	2202	2178	2253	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	**SDFFWGiC**242466	2143	2301	2274	2356	26,6	257	265
21	24	66	**SDFFWGiC**212466	2053	2202	2178	2253	23,5	237	244

COMBINED STORAGE UNITS - 66" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and 2 file drawers at right. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	**SWDFFGiA**242466	2243	2423	2423	2506	26,6	257	265
21	24	66	**SWDFFGiA**212466	2156	2325	2328	2402	23,5	237	244

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and 2 file drawers at left. Aluminum framed doors.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	24	66	**SDFFWGiA**242466	2243	2423	2423	2506	26,6	257	265
21	24	66	**SDFFWGiA**212466	2156	2325	2328	2402	23,5	237	244

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" H.

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	**SWDUFF**242472	1634	1761	1761	1844	29	272	280
21	24	72	**SWDUFF**212472	1544	1663	1665	1740	25,6	251	257

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	**SDUFFW**242472	1634	1761	1761	1844	29	272	280
21	24	72	**SDUFFW**212472	1544	1663	1665	1740	25,6	251	257

COMBINED STORAGE UNITS - 72" H.
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	72	**SWDUFFM**24247	**SWDUFFL**242472	2372	2499	2499	2582	29	272	280
21	24	72	**SWDUFFM**21247	**SWDUFFL**212472	2283	2401	2404	2478	25,6	251	257

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			Doors: Laminate	Doors: H-Gloss White							
24	24	72	**SDUFFWM**24247	**SDUFFWL**242472	2372	2499	2499	2582	29	272	280
21	24	72	**SDUFFWM**21247	**SDUFFWL**212472	2283	2401	2404	2478	25,6	251	257

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS - 72" H. ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	**SWDUFFGiC**242472	2270	2398	2398	2481	29	272	280
21	24	72	**SWDUFFGiC**212472	2181	2300	2302	2377	25,6	251	257

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	**SDUFFWGiC**242472	2270	2398	2398	2481	29	272	280
21	24	72	**SDUFFWGiC**212472	2181	2300	2302	2377	25,6	251	257

COMBINED STORAGE UNITS - 72" H. ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Wardrobe at left

Combined storage unit with a wardrobe at left, mini-cabinet and drawers (UFF) at right. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	**SWDUFFGiA**242472	2367	2548	2548	2630	29	272	280
21	24	72	**SWDUFFGiA**212472	2280	2450	2452	2527	25,6	251	257

Wardrobe at right

Combined storage unit with a wardrobe at right, mini-cabinet and drawers (UFF) at left. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, see p.159.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	**SDUFFWGiA**242472	2367	2548	2548	2630	29	272	280
21	24	72	**SDUFFWGiA**212472	2280	2450	2452	2527	25,6	251	257

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ▭ - ▭ - ▭ / ▭ - ▭ / ▭ - ▭ - ▭

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

2-WAY CABINETS - 66" - 50" H.

Combined storage unit with front drawer section (UUF) and side open storage with adjustable shelf.
Pencil tray included in the 6" top drawer. Front-to-back filing bars sold separately, see p.166.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.
Extra shelves: Order separately, see p.159.

	Dimensions A	B	C	Code	Price L Lima 1" T.F.L.	H.P.L.	M Mike 1½" T.F.L.	H.P.L.	Specifications Cu.Ft.	lb (L)	lb (M)
Left											
66"	24	18½	66	**SOUUFL**241866	1074	1158	1158	1212	21	159	164
	21	18½	66	**SOUUFL**211866	1060	1143	1144	1196	18,6	142	147
50"	24	18½	50	**SOUUFL**241850	1033	1114	1114	1166	16	121	126
	21	18½	50	**SOUUFL**211850	1020	1099	1100	1150	14,2	108	113
Right											
66"	24	18½	66	**SOUUFR**241866	1074	1158	1158	1212	21	159	164
	21	18½	66	**SOUUFR**211866	1060	1143	1144	1196	18,6	142	147
50"	24	18½	50	**SOUUFR**241850	1033	1114	1114	1166	16	121	126
	21	18½	50	**SOUUFR**211850	1020	1099	1100	1150	14,2	108	113

Combined storage unit with front drawer section (FF) and side open storage with adjustable shelf.
Front-to-back filing bars sold separately, see p.166.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.
Extra shelves: Order separately, see p.159.

Left											
66"	24	18½	66	**SOFFL**241866	1074	1158	1158	1212	21	157	161
	21	18½	66	**SOFFL**211866	1060	1143	1144	1196	18,6	140	144
50"	24	18½	50	**SOFFL**241850	1033	1114	1114	1166	16	119	124
	21	18½	50	**SOFFL**211850	1020	1099	1100	1150	14,2	107	111
Right											
66"	24	18½	66	**SOFFR**241866	1074	1158	1158	1212	21	157	161
	21	18½	66	**SOFFR**211866	1060	1143	1144	1196	18,6	140	144
50"	24	18½	50	**SOFFR**241850	1033	1114	1114	1166	16	119	124
	21	18½	50	**SOFFR**211850	1020	1099	1100	1150	14,2	107	111

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (Drawers)**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

2-WAY CABINETS - 50" H.

Combined storage unit with front drawer section (UF) and side open storage with adjustable shelf. Use with 23" H. credenzas.

Pencil tray included in the 6" drawer. Front-to-back filing bars sold separately, see p.166.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Tackboard available: 17"x26", see below.

Extra shelves: Order separately, see p.159.

Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
Left											
24	18½	50	23	**SOUFL**241850	1033	1114	1114	1166	16	113	118
21	18½	50	23	**SOUFL**211850	1020	1099	1100	1150	14,2	100	105
Right											
24	18½	50	23	**SOUFR**241850	1033	1114	1114	1166	16	113	118
21	18½	50	23	**SOUFR**211850	1020	1099	1100	1150	14,2	100	105

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (Drawers)**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

TACKBOARDS

Fabric-covered tackboard for 2-way cabinets.

Installs with Velcro strips.

Dimensions			Code	Price					Specifications	
A	B	Use with cabinets:		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb (L)
17	35	66"	**BTL**1735	206	228	249	263	271	0,8	8
17	26	50" (with 2 drawers)	**BTL**1726	153	169	185	196	201	0,6	6
17	20	50" (with 3 drawers)	**BTL**1720	130	158	162	172	182	0,5	5

SPECIFY

Code Fabric

AC - [ ] - [ ]

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

BOOKCASES

Bookcase 24", 21" or 12" deep.

Shelves and sides 1".

Extra shelves: Order separately, see p.159.

* 84" high bookcases have 4 adjustable shelves and 1 fixed shelf.

Dimensions				Code	Price				Specifications		
					L Lima 1"		M Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	84	4*	**BK**243684	1008	1109	1122	1224	49,2	336	346
24	36	72	4	**BK**243672	890	994	1008	1110	42,3	289	303
24	36	66	4	**BK**243666	846	952	922	1024	38,9	278	292
24	36	50	3	**BK**243650	700	804	824	926	29,7	225	239
24	36	41	2	**BK**243641	613	716	702	804	24,6	186	196
24	36	29	1	**BK**243629	449	551	545	647	17,7	134	144
24	30	84	4*	**BK**243084	932	1048	1060	1156	41,4	285	293
24	30	72	4	**BK**243072	821	925	945	1041	35,6	245	257
24	30	66	4	**BK**243066	779	884	858	954	32,7	234	246
24	30	50	3	**BK**243050	635	739	766	861	25	187	198
24	30	41	2	**BK**243041	550	655	648	744	20,7	155	163
24	30	29	1	**BK**243029	393	497	496	592	14,9	111	119
21	36	84	4*	**BK**213684	974	1095	1088	1190	43,5	302	310
21	36	72	4	**BK**213672	856	977	974	1076	37,5	260	272
21	36	66	4	**BK**213666	812	933	888	990	34,4	250	268
21	36	50	3	**BK**213650	664	785	789	891	26,3	202	214
21	36	41	2	**BK**213641	579	700	668	770	21,7	167	175
21	36	29	1	**BK**213629	415	536	510	613	15,7	121	129
21	30	84	4*	**BK**213084	905	1010	1034	1130	36,6	256	263
21	30	72	4	**BK**213072	794	899	919	1014	31,5	220	231
21	30	66	4	**BK**213066	752	857	832	927	29	210	222
21	30	50	3	**BK**213050	607	712	738	834	22,1	168	179
21	30	41	2	**BK**213041	524	628	622	717	18,3	139	146
21	30	29	1	**BK**213029	366	471	470	565	13,2	100	107
12	36	84	4*	**BK**123684	854	902	955	994	26,4	170	177
12	36	72	4	**BK**123672	751	803	856	895	22,8	151	158
12	36	66	4	**BK**123666	715	768	778	817	20,1	142	148
12	36	50	3	**BK**123650	589	640	700	739	16	123	129
12	36	41	2	**BK**123641	514	564	590	629	13,2	102	109
12	36	29	1	**BK**123629	365	415	448	487	9,9	84	91
12	30	84	4*	**BK**123084	785	849	901	934	22,3	151	157
12	30	72	4	**BK**123072	690	741	801	834	19,2	134	140
12	30	66	4	**BK**123066	656	708	722	755	17,6	126	131
12	30	50	3	**BK**123050	531	583	649	682	13,5	108	114
12	30	41	2	**BK**123041	459	510	543	576	11,2	90	95
12	30	29	1	**BK**123029	317	369	407	440	6,1	72	78

D: Number of shelves

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

CORNER BOOKCASES

Freestanding (on floor) corner bookcase 30", 24", 21" or 12" deep.

41" and higher bookcases need to be attached to an adjacent boockcase or to the wall for stability.

The "hutch" version of this bookcase (installed on a surface) is available at p.206.

Dimensions				Code	Price				Specifications		
					L Lima 1"		M Mike 1½"				
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	29	1	**BKC**3029	754	875	824	986	18,4	139	151
24	24	72	4	**BKC**2472	1042	1119	1315	1415	28,9	188	196
24	24	66	4	**BKC**2466	1002	1078	1269	1368	26,6	180	188
24	24	50	3	**BKC**2450	870	947	1118	1218	20,3	143	151
24	24	41	2	**BKC**2441	739	815	967	1067	16,8	116	123
24	24	35	2	**BKC**2435	700	774	922	1021	14,5	107	114
24	24	29	1	**BKC**2429	600	675	806	905	12,1	98	105
21	21	72	4	**BKC**2172	912	981	1172	1250	22,7	154	160
21	21	66	4	**BKC**2166	879	948	1134	1211	20,8	147	153
21	21	50	3	**BKC**2150	767	837	1005	1082	15,9	117	123
21	21	41	2	**BKC**2141	656	725	878	954	13,2	95	100
21	21	35	2	**BKC**2135	623	692	839	922	11,4	87	93
21	21	29	1	**BKC**2129	530	600	733	809	9,5	79	85
12	12	72	4	**BKC**1272	646	696	717	782	8,4	74	76
12	12	66	4	**BKC**1266	581	630	651	717	7,7	69	71
12	12	50	3	**BKC**1250	515	565	586	651	5,9	53	55
12	12	41	2	**BKC**1241	454	502	536	586	4,9	43	45
12	12	29	1	**BKC**1229	309	351	393	428	3,5	35	37

D: Number of shelves

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

EXTRA SHELVES FOR CABINETS, OPEN STORAGE UNITS AND BOOKCASES

Extra shelf for storage units and bookcases.

Shelf has 1" thickness and is compatible with all series.

	Dimensions		Code	Price	Storage type	Specifications	
	A	B		T.F.L.		Cu.Ft.	lb
For storage units 24" x 18"	22	16	**STS**2216	77		0,6	9
For storage units 21" x 18"	19	16	**STS**1916	68		0,5	7
For storage units 24" x 36"	22	34	**STS**2234	123		1,0	18
For storage units 24" x 30"	22	28	**STS**2228	112		0,8	15
For storage units 21" x 36"	19	34	**STS**1934	114		0,9	16
For storage units 21" x 30"	19	28	**STS**1928	106		0,7	13
ngle door cabinets 24" x 24"	22	22	**STS**2222	96		0,7	12
ngle door cabinets 21" x 24"	19	22	**STS**1922	83		0,6	10
DO../SOD../SWO../SOW..)							
ngle door cabinets 24" x 36"	22	17	**STS**2217	78		0,5	9
ngle door cabinets 24" x 30"	22	14	**STS**2214	74		0,4	8
(codes **STWS/STSW**)							
two door cabinets 21" x 36"	19	17	**STS**1917	72		0,5	8
two door cabinets 21" x 30"	19	14	**STS**1914	67		0,4	7
mbination storage 24" x 24"	14	22	**STS**1422	52		0,4	8
mbination storage 21" x 24"	14	19	**STS**1419	50		0,4	7
2-way cabinets 24" x 18½"	22	17	**BTS**2217	77		0,5	9
2-way cabinets 21" x 18½"	19	17	**BTS**1917	68		0,5	8
For bookcases 24" x 36"	23	34	**BKS**2334	138		1,0	19
For bookcases 24" x 30"	23	28	**BKS**2328	116		0,9	16
For bookcases 21" x 36"	20	34	**BKS**2034	121		0,9	17
For bookcases 21" x 30"	20	28	**BKS**2028	99		0,8	14
For bookcases 12" x 36"	11	34	**BKS**1134	55		0,5	9
For bookcases 12" x 30"	11	28	**BKS**1128	53		0,5	8

SPECIFY

Series	Code	Base
T L -	-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

SUSPENDED PEDESTALS

Suspended pedestal with 2 - 6" drawers.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	12	**SPUU**	342	3,0	33

Suspended pedestal with 1 - 12" drawer.
Noki locks standard, key locks available as an option (no upcharge).
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	12	**SPF**	342	3,0	33

Suspended pedestal with 3 - 6" drawers.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	18	18	**SPUUU**	477	4,3	39

Suspended pedestal with 1 - 6" drawer and 1 - 12" drawer.
Pencil tray included in the 6" drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	18	**SPUF**	477	4,3	39

SPECIFY | **OPTIONS**

Series Code Base Fronts Pull Lock

T [L] - [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

FREESTANDING PEDESTALS WITHOUT TOP

Freestanding surface-attached pedestal.
Pencil tray included in the 6" top drawer.
Use under surfaces 21" and deeper.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
Freestanding pedestal with 2 - 6" drawers and 1 - 12" file drawer.						
15½	18	27½	**FPUUF**	685	6,6	65

Freestanding pedestal with 2 - 12" file drawers.						
15½	18	27½	**FPFF**	685	6,6	63

Freestanding pedestal with 4 - 6" drawers.						
15½	18	27½	**FP4U**	701	6,0	67

FREESTANDING PEDESTALS WITH INTEGRATED RECYCLING BIN, WITHOUT TOP

Freestanding surface-attached pedestal with 2 - 6" drawers and 1 recycling bin drawer.
Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.
Use under surfaces 21" and deeper.
Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.

15½	18	27½	**FPUUY**	646	6,0	56

Freestanding surface-attached pedestal with 1 - 12" file drawer and 1 recycling bin drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer. Recycling bin included in the bottom drawer.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	18	27½	**FPFY**	646	6,0	54

SPECIFY					OPTIONS	
Series	Code	Base	Fronts		Pull	Lock
T L -	____ -	____ /	____ -		____ -	____

Specify **Code**: Consult the above product code list.
Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.
Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SUPPORT PEDESTALS - LAMINATE

Support pedestal with 2 - 6" drawers and 1 - 12" file drawer.

Use under surfaces 24" and deeper, and replaces an end panel (or leg) when necessary, see p.35.

Pencil tray included in the 6" top drawer.

Noki lock standard, key lock available as an option (no upcharge). Will lock all drawers.

Must be used under a surface without base or modesty panel where the pedestal is positioned.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	24	27½	**FSPUUF**	699	7,5	70
15½	24	27½	**FSPFF**	699	7,5	70

SPECIFY

Series | Code | Base | Fronts

T [L] - [ ] - [ ] / [ ]

OPTIONS

Pull | Lock

[ ] - [ ]

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

SUPPORT PEDESTALS - METAL

Freestanding surface-attached **metal** pedestal with center pull, with 2 or 3 drawers.

Pencil tray included in the 6" top drawer.

Use 22" deep pedestal under surfaces 24" and deeper.

Use 28" deep pedestal under surfaces 30" and deeper.

Explanations on pedestal dimensions are available, see p.61.

Lock & key included. NOKI lock or keyed-alike available as an option (no upcharge). Will lock all drawers.

45 Series

			Drawers				
15	28	27½	3	**FP45**-28-6612	770	9,1	90
15	22	27½	3	**FP45**-22-6612	722	6,8	75
15	28	27½	2	**FP45**-28-1212	773	9,1	90
15	22	27½	2	**FP45**-22-1212	693	6,8	75

47 Series

Freestanding surface-attached **metal** pedestal with full width pull, with 2 or 3 drawers.

			Drawers				
15	28	27½	3	**FP47**-28-6612	803	9,1	90
15	22	27½	3	**FP47**-22-6612	781	6,8	75
15	28	27½	2	**FP47**-28-1212	792	9,1	90
15	22	27½	2	**FP47**-22-1212	726	6,8	75

SPECIFY

Code | Metal

[ ] - [ ]

OPTIONS

Lock

[ ]

Specify **Code**: Consult the above product code list.

Metal: Specify the metal finish, refer to the current Artopex Enamel Finishes charts. For metallic finishes, add $39 for the 1212 pedestal and 44$ for the 6612 pedestal.

Options: **Lock:** Noki electronic lock (**LTI**) or keyed-alike (**K**) options available (no upcharge), p.27.

Specify code K01 to the components in the first workstation; K02 to the components in the second workstation, and so on to identify the keyed-alike products.

FREESTANDING PEDESTALS - 29" H.

Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Can be placed next to a work surface.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price (without pull)				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15½	24	29	**FSUUF**	699	762	814	943	7,5	79	83

Pedestal with 2 - 12" drawers. Can be placed next to a work surface.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Lateral filing bars (letter size: AC-BL12) sold separately, p.166.
In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	**FSFF**	699	762	814	943	7,5	77	81

Pedestal with 4 - 6" drawers. Can be placed next to a work surface.
Pencil tray included in the 6" top drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	24	29	**FS4U**	714	779	832	964	7,5	81	85

Pedestal with 2 - 6" drawers and 1 recycling bin drawer. Can be placed next to a work surface.
Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.

15½	24	29	**FSUUY**	659	718	768	889	7,5	71	75

Pedestal with 1 -12" file drawer and 1 recycling bin drawer. Can be placed next to a work surface.
Recycling bin included in the bottom drawer.
Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer.
In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	**FSFY**	659	718	768	889	7,5	69	73

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull C-Weight Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Counter-weight: (FSFF and FSFY only): For counter-weight option, add (**CW**), add $116.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

MOBILE PEDESTALS

Mobile pedestal with 2 - 6" drawers and 1 - 12" file drawer. Equipped with a 5th caster for stability.
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.
Pencil tray included in the 6" top drawer.
Striped or fluted edge not available.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	27	**MPUUF**1520	685	6,5	61

Mobile pedestal with 2 - 12" file drawers. Equipped with a 5th caster for stability.
In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	20	27	**MPFF**1520	685	6,5	61

Mobile pedestal with 1 - 6" drawer and 1 - 12" file drawer. Equipped with a 5th caster for stability.
Pencil tray included in the 6" drawer.

15½	20	21	**MPUF**1520	558	5,1	55

SPECIFY | **OPTIONS**

Series | Code | Base | Fronts | Pull | C-Weight | Lock

T L - ____ - ____ / ____ - ____ - ____ - ____

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Counter-weight: (MPFF only): For counter-weight option, add (**CW**), add $116.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CUSHIONS

Cushion for mobile pedestal.
Installs with Velcro strips.

				Price					Specifications	
				Gr. 1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	20	1½	**CUS2015**	227	246	266	286	318	1	6

SPECIFY

Series | Code | Fabric

T L - ____ - ____

Specify **Code**: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

CABINETS WITHOUT TOP

Surface-attached cabinet with 2 doors and 1 adjustable shelf.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Noki locks standard, key locks available as an option (no upcharge). Will lock boor doors.

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
24	36	27½	**LDN**2436	746	17,8	98
24	30	27½	**LDN**2430	704	17,8	85
21	36	27½	**LDN**2136	715	15,8	83
21	30	27½	**LDN**2130	673	15,8	73

LATERAL FILE CABINETS WITHOUT TOP

Surface-attached cabinet with 2 - 12" lateral file drawers.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	36	27½	**LFN**2436	854	17,8	130
24	30	27½	**LFN**2430	820	17,8	115
21	36	27½	**LFN**2136	826	15,8	117
21	30	27½	**LFN**2130	792	15,8	105

COMBINED STORAGE UNITS WITHOUT TOP

Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and 1 - 12" lateral file drawer.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 file drawers (right and bottom).

24	36	27½	**LCNL**2436	1022	17,8	135
24	30	27½	**LCNL**2430	982	17,8	120
21	36	27½	**LCNL**2136	994	15,8	119
21	30	27½	**LCNL**2130	955	15,8	107

SPECIFY					OPTIONS	
Series	Code	Base	Fronts	Pull	C-Weight	Lock
T L -	____ -	____ /	____ -	____ -	____ -	____

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Counter-weight: (LFN** or **LCNL)** : For counter-weight option, add (**CW**), **LFN** add $105, **LCNL** add $94.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COMBINED STORAGE UNITS WITHOUT TOP

Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and cabinet section with door.

Use 21" deep cabinet under surfaces 24" and deeper.

Use 24" deep cabinet under surfaces 30" and deeper.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
24	36	27½	**LUUFDN**2436	908	17,8	135
24	30	27½	**LUUFDN**2430	868	17,8	119
21	36	27½	**LUUFDN**2136	880	15,8	119
21	30	27½	**LUUFDN**2130	840	15,8	106

24	36	27½	**LDUUFN**2436	908	17,8	135
24	30	27½	**LDUUFN**2430	868	17,8	119
21	36	27½	**LDUUFN**2136	880	15,8	119
21	30	27½	**LDUUFN**2130	840	15,8	106

SPECIFY — **OPTIONS**

Series	Code	Base	Fronts	Pull	Lock
T L -	____ -	____ /	____ -	____ -	____

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

DRAWER ACCESSORIES

Lateral filing bar (letter size).

Included with all desks and combined storage units with 12" file drawers.

Must be ordered separately for suspended, freestanding and mobile pedestals.

Sold individually.

Dimensions	Code	Price	Specifications	
A			Cu.Ft.	lb
12	**AC-BL**12	15	0,1	1

Front-to-back filing bars for lateral filing cabinets.

Pack of 2, black finish.

15	**AC-BL**15	25	0,1	1

TOPS FOR LATERAL FILING

Tops for storage units 24" or 21" deep and for metal lateral files 18" deep (see "A" dimension).

Dimensions		Code	Price				Specifications		
			L Lima 1"		M Mike 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	108	LTOP24108	333	593	—	763	3,9	71	107
24	102	LTOP24102	319	559	—	721	3,7	67	101
24	90	LTOP2490	289	491	—	636	3,2	59	89
24	84	LTOP2484	268	460	—	593	3,0	55	83
24	78	LTOP2478	249	428	—	551	2,8	51	77
24	72	LTOP2472	227	398	317	512	2,6	47	71
24	66	LTOP2466	213	371	298	479	2,4	43	65
24	60	LTOP2460	195	338	272	435	2,2	39	59
24	54	LTOP2454	182	309	251	398	1,9	35	53
24	48	LTOP2448	167	281	230	360	1,7	32	47
24	42	LTOP2442	153	251	209	322	1,6	28	42
24	36	LTOP2436	139	221	189	283	1,3	24	36
24	30	LTOP2430	125	195	168	249	1,1	20	30
21	108	LTOP21108	310	537	—	691	3,4	62	93
21	102	LTOP21102	298	510	—	657	3,2	59	88
21	90	LTOP2190	272	460	—	590	2,8	52	78
21	84	LTOP2184	251	427	—	548	2,7	48	73
21	78	LTOP2178	231	394	—	506	2,5	45	67
21	72	LTOP2172	211	360	295	463	2,3	41	62
21	66	LTOP2166	204	337	277	432	2,1	38	57
21	60	LTOP2160	184	306	253	394	1,9	34	52
21	54	LTOP2154	171	282	234	361	1,7	31	47
21	48	LTOP2148	156	255	215	327	1,6	28	42
21	42	LTOP2142	143	229	195	293	1,3	24	36
21	36	LTOP2136	130	196	173	257	1,1	21	31
21	30	LTOP2130	119	179	155	227	0,9	17	26
18	108	LTOP18108	287	481	—	618	3	53	80
18	90	LTOP1890	254	429	—	543	2,5	44	67
18	84	LTOP1884	233	394	—	503	2,3	41	62
18	78	LTOP1878	213	360	—	461	2,1	38	58
18	72	LTOP1872	196	321	273	415	2	35	53
18	66	LTOP1866	194	303	256	386	1,8	32	49
18	60	LTOP1860	173	274	234	353	1,6	30	44
18	42	LTOP1842	133	207	180	263	1,1	21	31
18	36	LTOP1836	121	171	156	232	1	18	27
18	30	LTOP1830	112	164	142	205	0,8	15	22

SPECIFY

Series	Code	Surface	Edge
T ☐ -	☐ -	☐ /	☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

OPEN HUTCHES

Open hutch with laminate sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price				Specifications		
						L Lima 1"		M Mike 1½"				
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	**HO**8443	1010	1166	—	1352	35.8	198	207
	78	14	43	26	**HO**7843	903	1051	—	1095	33.3	185	193
	72	14	43	26	**HO**7243	826	961	908	1012	30.8	166	182
	66	14	43	26	**HO**6643	781	908	860	957	28.3	156	170
	60	14	43	26	**HO**6043	733	847	814	901	25.8	145	159
	54	14	43	26	**HO**5443	667	771	745	823	23.3	137	149
	48	14	43	26	**HO**4843	601	693	673	743	20.8	125	136
	42	14	43	26	**HO**4243	557	638	631	692	18.3	115	124
	36	14	43	26	**HO**3643	505	575	576	628	15.8	105	113
	30	14	43	26	**HO**3043	458	520	529	573	13.3	95	101
	24	14	43	26	**HO**2443	411	462	476	510	10.8	84	90
37" H.	84	14	37	20	**HO**8437	894	1051	—	1240	29.8	173	181
	78	14	37	20	**HO**7837	838	986	—	1032	27.7	161	169
	72	14	37	20	**HO**7237	765	900	847	953	25.6	142	158
	66	14	37	20	**HO**6637	723	849	805	901	23.6	132	147
	60	14	37	20	**HO**6037	678	792	761	847	21.5	123	136
	54	14	37	20	**HO**5437	615	719	694	772	19.9	115	127
	48	14	37	20	**HO**4837	552	644	627	696	17.3	104	114
	42	14	37	20	**HO**4237	510	592	586	646	15.2	94	103
	36	14	37	20	**HO**3637	461	531	532	585	13.2	85	92
	30	14	37	20	**HO**3037	419	480	490	534	11.1	75	82
	24	14	37	20	**HO**2437	375	425	440	475	9.0	65	71

SPECIFY

Series Code Surface Edge Base

T ( ) - ( ) - ( ) / ( ) - ( )

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS

Hutch with hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

	Dimensions						Code	L Lima 1" Price		M Mike 1½"		Specifications		
	A	B	C	D	E	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	5	3	**HD**8443	1309	1473	—	1627	35.8	225	243
	78	14	43	26	5	3	**HD**7843	1209	1362	—	1514	33.3	210	227
	72	14	43	26	4	2	**HD**7243	952	1088	1071	1169	30.8	197	213
	66	14	43	26	4	2	**HD**6643	903	1027	1052	1141	28.3	184	199
	60	14	43	26	4	2	**HD**6043	851	967	968	1049	25.8	172	185
	54	14	43	26	4	2	**HD**5443	787	891	932	1004	23.3	159	171
	48	14	43	26	3	2	**HD**4843	719	813	821	884	20.8	146	156
	42	14	43	26	3	2	**HD**4243	695	780	803	859	18.3	133	142
	36	14	43	26	2	1	**HD**3643	661	735	758	806	15.8	120	128
	30	14	43	26	2	1	**HD**3043	568	631	689	728	13.3	108	114
	24	14	43	26	2	1	**HD**2443	474	525	580	612	10.8	95	100
37" H.	84	14	37	20	5	3	**HD**8437	1199	1362	—	1520	29.0	185	202
	78	14	37	20	5	3	**HD**7837	1147	1301	—	1454	26.9	173	189
	72	14	37	20	4	2	**HD**7237	893	1030	1015	1112	24.7	161	175
	66	14	37	20	4	2	**HD**6637	847	972	999	1088	22.5	149	162
	60	14	37	20	4	2	**HD**6037	800	914	919	999	20.3	137	149
	54	14	37	20	4	2	**HD**5437	737	842	884	957	18.1	125	135
	48	14	37	20	3	2	**HD**4837	673	767	777	840	16.0	112	122
	42	14	37	20	3	2	**HD**4237	651	735	760	815	13.8	100	108
	36	14	37	20	2	1	**HD**3637	619	694	718	767	11.6	88	95
	30	14	37	20	2	1	**HD**3037	530	593	651	692	9.4	76	81
	24	14	37	20	2	1	**HD**2437	439	490	546	578	9.4	76	81

E = Number of doors

F = Number of locks

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base/Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH HINGED DOORS
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

	Dimensions					Code		Price				Specifications		
								L Lima 1"		M Mike 1½"				
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
						Laminate	H-Gloss White							
43" H.	84	14	43	26	5	**HDM**8443	**HDL**8443	2806	2970	—	3124	35.8	225	243
	78	14	43	26	5	**HDM**7843	**HDL**7843	2706	2859	—	3011	33.3	210	227
	72	14	43	26	4	**HDM**7243	**HDL**7243	2149	2286	2269	2367	30.8	197	213
	66	14	43	26	4	**HDM**6643	**HDL**6643	2101	2225	2250	2339	28.3	184	199
	60	14	43	26	4	**HDM**6043	**HDL**6043	2049	2165	2166	2247	25.8	172	185
	54	14	43	26	4	**HDM**5443	**HDL**5443	1984	2089	2130	2202	23.3	159	171
	48	14	43	26	3	**HDM**4843	**HDL**4843	1618	1712	1719	1783	20.8	146	156
	42	14	43	26	3	**HDM**4243	**HDL**4243	1594	1679	1702	1758	18.3	133	142
	36	14	43	26	2	**HDM**3643	**HDL**3643	1261	1334	1357	1406	15.8	120	128
	30	14	43	26	2	**HDM**3043	**HDL**3043	1167	1231	1288	1328	13.3	108	114
	24	14	43	26	2	**HDM**2443	**HDL**2443	1074	1124	1179	1211	10.8	95	100
37" H.	84	14	37	20	5	**HDM**8437	**HDL**8437	2696	2859	—	3017	29.0	185	202
	78	14	37	20	5	**HDM**7837	**HDL**7837	2644	2798	—	2951	26.9	173	189
	72	14	37	20	4	**HDM**7237	**HDL**7237	2091	2228	2213	2310	24.7	161	175
	66	14	37	20	4	**HDM**6637	**HDL**6637	2045	2170	2197	2286	22.5	149	162
	60	14	37	20	4	**HDM**6037	**HDL**6037	1998	2112	2116	2197	20.3	137	149
	54	14	37	20	4	**HDM**5437	**HDL**5437	1935	2039	2082	2155	18.1	125	135
	48	14	37	20	3	**HDM**4837	**HDL**4837	1572	1665	1675	1739	16.0	112	122
	42	14	37	20	3	**HDM**4237	**HDL**4237	1550	1634	1659	1714	13.8	100	108
	36	14	37	20	2	**HDM**3637	**HDL**3637	1219	1294	1318	1366	11.6	88	95
	30	14	37	20	2	**HDM**3037	**HDL**3037	1130	1192	1251	1291	9.4	76	81
	24	14	37	20	2	**HDM**2437	**HDL**2437	1038	1089	1145	1177	9.4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base Façade

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

	Dimensions					Code	L Lima 1" Price		M Mike 1½"		Specifications		
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	5	**HDGiC**8443	2648	2812	—	2966	35.8	225	243
	78	14	43	26	5	**HDGiC**7843	2548	2701	—	2852	33.3	210	227
	72	14	43	26	4	**HDGiC**7243	2023	2159	2143	2241	30.8	197	213
	66	14	43	26	4	**HDGiC**6643	1975	2099	2123	2212	28.3	184	199
	60	14	43	26	4	**HDGiC**6043	1923	2038	2039	2121	25.8	172	185
	54	14	43	26	4	**HDGiC**5443	1858	1962	2003	2076	23.3	159	171
	48	14	43	26	3	**HDGiC**4843	1524	1617	1625	1689	20.8	146	156
	42	14	43	26	3	**HDGiC**4243	1499	1584	1607	1663	18.3	133	142
	36	14	43	26	2	**HDGiC**3643	1197	1271	1294	1342	15.8	120	128
	30	14	43	26	2	**HDGiC**3043	1103	1167	1224	1264	13.3	108	114
	24	14	43	26	2	**HDGiC**2443	1010	1060	1115	1147	10.8	95	100
37" H.	84	14	37	20	5	**HDGiC**8437	2538	2701	—	2859	29.0	185	202
	78	14	37	20	5	**HDGiC**7837	2486	2640	—	2793	26.9	173	189
	72	14	37	20	4	**HDGiC**7237	1965	2101	2087	2184	24.7	161	175
	66	14	37	20	4	**HDGiC**6637	1918	2044	2070	2159	22.5	149	162
	60	14	37	20	4	**HDGiC**6037	1871	1986	1990	2070	20.3	137	149
	54	14	37	20	4	**HDGiC**5437	1808	1913	1956	2028	18.1	125	135
	48	14	37	20	3	**HDGiC**4837	1477	1571	1581	1645	16.0	112	122
	42	14	37	20	3	**HDGiC**4237	1455	1539	1564	1619	13.8	100	108
	36	14	37	20	2	**HDGiC**3637	1155	1230	1254	1302	11.6	88	95
	30	14	37	20	2	**HDGiC**3037	1066	1129	1187	1228	9.4	76	81
	24	14	37	20	2	**HDGiC**2437	975	1025	1081	1113	9.4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

	Dimensions					Code	Price				Specifications		
							L Lima 1"		M Mike 1½"				
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	5	**HDGiA**8443	2445	2605	—	2806	35.8	225	243
	78	14	43	26	5	**HDGiA**7843	2350	2498	—	2694	33.3	210	227
	72	14	43	26	4	**HDGiA**7243	1865	1997	2016	2113	30.8	197	213
	66	14	43	26	4	**HDGiA**6643	1817	1938	1997	2085	28.3	184	199
	60	14	43	26	4	**HDGiA**6043	1768	1879	1913	1993	25.8	172	185
	54	14	43	26	4	**HDGiA**5443	1704	1805	1876	1948	23.3	159	171
	48	14	43	26	3	**HDGiA**4843	1404	1494	1529	1593	20.8	146	156
	42	14	43	26	3	**HDGiA**4243	1381	1462	1511	1566	18.3	133	142
	36	14	43	26	2	**HDGiA**3643	1111	1183	1230	1279	15.8	120	128
	30	14	43	26	2	**HDGiA**3043	1021	1082	1161	1200	13.3	108	114
	24	14	43	26	2	**HDGiA**2443	931	979	1052	1084	10.8	95	100
37" H.	84	14	37	20	5	**HDGiA**8437	2340	2498	—	2701	29.0	185	202
	78	14	37	20	5	**HDGiA**7837	2290	2439	—	2635	26.9	173	189
	72	14	37	20	4	**HDGiA**7237	1807	1939	1959	2057	24.7	161	175
	66	14	37	20	4	**HDGiA**6637	1763	1884	1943	2032	22.5	149	162
	60	14	37	20	4	**HDGiA**6037	1717	1828	1862	1943	20.3	137	149
	54	14	37	20	4	**HDGiA**5437	1657	1758	1828	1901	18.1	125	135
	48	14	37	20	3	**HDGiA**4837	1360	1450	1484	1548	16.0	112	122
	42	14	37	20	3	**HDGiA**4237	1337	1419	1467	1524	13.8	100	108
	36	14	37	20	2	**HDGiA**3637	1070	1143	1190	1239	11.6	88	95
	30	14	37	20	2	**HDGiA**3037	985	1045	1123	1164	9.4	76	81
	24	14	37	20	2	**HDGiA**2437	897	945	1018	1049	9.4	76	81

E = Number of doors

SPECIFY

Series Code Surface Edge Base

T ☐ - ☐ - ☐ / ☐ - ☐

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

Hutch with central opening, hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

	Dimensions				Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	72	14	43	26	**HH**7243	855	987	1007	1103	31	173	189
	66	14	43	26	**HH**6643	807	928	987	1076	28	163	177
	60	14	43	26	**HH**6043	758	870	903	983	26	152	166
	54	14	43	26	**HH**5443	694	795	867	938	23	144	156
	48	14	43	26	**HH**4843	663	754	788	851	21	132	143
	42	14	43	26	**HH**4243	639	722	770	826	18	122	131
37" H.	72	14	37	20	**HH**7237	799	931	949	1047	27	149	165
	66	14	37	20	**HH**6637	754	875	933	1022	25	139	154
	60	14	37	20	**HH**6037	708	820	853	933	22	130	143
	54	14	37	20	**HH**5437	647	748	820	891	20	122	134
	48	14	37	20	**HH**4837	618	708	744	807	18	111	121
	42	14	37	20	**HH**4237	596	679	727	782	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

					Doors:								
					Laminate	H-Gloss White							
43" H.	72	14	43	26	**HHM**7243	**HHL**7243	1453	1585	1605	1702	31	173	189
	66	14	43	26	**HHM**6643	**HHL**6643	1406	1527	1585	1674	28	163	177
	60	14	43	26	**HHM**6043	**HHL**6043	1356	1469	1502	1582	26	152	166
	54	14	43	26	**HHM**5443	**HHL**5443	1293	1394	1465	1537	23	144	156
	48	14	43	26	**HHM**4843	**HHL**4843	1262	1352	1386	1450	21	132	143
	42	14	43	26	**HHM**4243	**HHL**4243	1238	1320	1368	1425	18	122	131
37" H.	72	14	37	20	**HHM**7237	**HHL**7237	1397	1529	1548	1646	27	149	165
	66	14	37	20	**HHM**6637	**HHL**6637	1352	1473	1531	1620	25	139	154
	60	14	37	20	**HHM**6037	**HHL**6037	1307	1418	1451	1531	22	130	143
	54	14	37	20	**HHM**5437	**HHL**5437	1245	1346	1418	1489	20	122	134
	48	14	37	20	**HHM**4837	**HHL**4837	1217	1307	1342	1406	18	111	121
	42	14	37	20	**HHM**4237	**HHL**4237	1195	1277	1326	1381	16	101	110

SPECIFY — **OPTIONS**

Series | Code | Surface | Edge | Base | Fronts | Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Options: **Lock (HH...)**: Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS
("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

	Dimensions				Code	Price				Specifications		
						L Lima 1"		M Mike 1½"				
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	72	14	43	26	**HHGiC**7243	1390	1522	1542	1639	31	173	189
	66	14	43	26	**HHGiC**6643	1343	1464	1522	1612	28	163	177
	60	14	43	26	**HHGiC**6043	1294	1406	1439	1519	26	152	166
	54	14	43	26	**HHGiC**5443	1230	1331	1403	1474	23	144	156
	48	14	43	26	**HHGiC**4843	1199	1289	1323	1387	21	132	143
	42	14	43	26	**HHGiC**4243	1175	1257	1306	1362	18	122	131
37" H.	72	14	37	20	**HHGiC**7237	1334	1466	1485	1583	27	149	165
	66	14	37	20	**HHGiC**6637	1289	1410	1469	1558	25	139	154
	60	14	37	20	**HHGiC**6037	1244	1355	1388	1469	22	130	143
	54	14	37	20	**HHGiC**5437	1183	1284	1355	1427	20	122	134
	48	14	37	20	**HHGiC**4837	1154	1244	1279	1343	18	111	121
	42	14	37	20	**HHGiC**4237	1132	1214	1263	1318	16	101	110

("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)
HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

43" H.	72	14	43	26	**HHGiA**7243	1327	1459	1478	1575	31	173	189
	66	14	43	26	**HHGiA**6643	1279	1400	1459	1548	28	163	177
	60	14	43	26	**HHGiA**6043	1231	1342	1375	1455	26	152	166
	54	14	43	26	**HHGiA**5443	1166	1267	1339	1411	23	144	156
	48	14	43	26	**HHGiA**4843	1135	1225	1260	1323	21	132	143
	42	14	43	26	**HHGiA**4243	1112	1194	1242	1298	18	122	131
37" H.	72	14	37	20	**HHGiA**7237	1271	1403	1421	1519	27	149	165
	66	14	37	20	**HHGiA**6637	1225	1346	1405	1494	25	139	154
	60	14	37	20	**HHGiA**6037	1180	1291	1324	1405	22	130	143
	54	14	37	20	**HHGiA**5437	1119	1220	1291	1363	20	122	134
	48	14	37	20	**HHGiA**4837	1090	1180	1216	1279	18	111	121
	42	14	37	20	**HHGiA**4237	1068	1151	1199	1254	16	101	110

SPECIFY

Series	Code	Surface	Edge	Base
T [ ] -	[ ] -	[ ] /	[ ] -	[ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

HUTCHES WITH FLIPPER DOOR(S)

Hutch with flipper door(s) and laminate sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft closing of the door(s).

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.

"Easy-down"

Flipper door

	Dimensions					Code	Price	Price	Specifications	
	A	B	C	D	E		Standard (TD)	Easy-Down (DW)	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HF7243**	1287	1393	30.8	197
	66	14	43	26	2	**HF6643**	1088	1194	28.3	184
	60	14	43	26	2	**HF6043**	1051	1156	25.8	172
	54	14	43	26	2	**HF5443**	1008	1113	23.3	159
	48	14	43	26	2	**HF4843**	958	1064	20.8	146
	42	14	43	26	1	**HF4243**	827	880	18.3	133
	36	14	43	26	1	**HF3643**	800	853	15.8	120
	30	14	43	26	1	**HF3043**	695	748	13.3	108
	24	14	43	26	1	**HF2443**	623	675	10.8	95
37" H.	72	14	37	20	2	**HF7237**	1231	1337	26.9	173
	66	14	37	20	2	**HF6637**	1035	1141	24.7	161
	60	14	37	20	2	**HF6037**	1000	1106	22.5	149
	54	14	37	20	2	**HF5437**	959	1065	20.3	137
	48	14	37	20	2	**HF4837**	914	1020	18.1	125
	42	14	37	20	1	**HF4237**	783	836	16	112
	36	14	37	20	1	**HF3637**	760	813	13.8	100
	30	14	37	20	1	**HF3037**	658	711	11.6	88
	24	14	37	20	1	**HF2437**	589	641	9.4	76

E = Number of doors

SPECIFY — **OPTIONS**

Series Code Mecan. Base Fronts Lock

T [L] - [ ] [ ] - [ ] / [ ] - [ ]

Specify **Code**: Consult the above product code list.

Mechanism: Specify door mechanism: Standard (**TD**) or with "Easy-down" soft-closing system (**DW**).

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)

Hutch with pivot-lift door(s) and laminate sides.

Doors equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.

Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HU**7243	1593	30.8	197
	66	14	43	26	2	**HU**6643	1394	28.3	184
	60	14	43	26	2	**HU**6043	1356	25.8	172
	54	14	43	26	2	**HU**5443	1313	23.3	159
	48	14	43	26	2	**HU**4843	1264	20.8	146
	42	14	43	26	1	**HU**4243	980	18.3	133
	36	14	43	26	1	**HU**3643	953	15.8	120
	30	14	43	26	1	**HU**3043	848	13.3	108
	24	14	43	26	1	**HU**2443	776	10.8	95
37" H.	72	14	37	20	2	**HU**7237	1537	26.9	173
	66	14	37	20	2	**HU**6637	1341	24.7	161
	60	14	37	20	2	**HU**6037	1306	22.5	149
	54	14	37	20	2	**HU**5437	1265	20.3	137
	48	14	37	20	2	**HU**4837	1220	18.1	125
	42	14	37	20	1	**HU**4237	936	16	112
	36	14	37	20	1	**HU**3637	913	13.8	100
	30	14	37	20	1	**HU**3037	811	11.6	88
	24	14	37	20	1	**HU**2437	741	9.4	76

E = Number of doors

SPECIFY **OPTIONS**

Series Code Base Fronts Lock

T [L] - [ ] - [ ] / [ ] - [ ]

Specify **Code:** Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Doors equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.

Pivot-lift door

	Dimensions					Code		Price	Specifications	
	A	B	C	D	E	Doors:		T.F.L.	Cu.Ft.	lb
						Laminate	H-Gloss White			
43" H.	72	14	43	26	2	**HUM**7243	**HUL**7243	2508	30.8	197
	66	14	43	26	2	**HUM**6643	**HUL**6643	2309	28.3	184
	60	14	43	26	2	**HUM**6043	**HUL**6043	2272	25.8	172
	54	14	43	26	2	**HUM**5443	**HUL**5443	2229	23.3	159
	48	14	43	26	2	**HUM**4843	**HUL**4843	2179	20.8	146
	42	14	43	26	1	**HUM**4243	**HUL**4243	1438	18.3	133
	36	14	43	26	1	**HUM**3643	**HUL**3643	1410	15.8	120
	30	14	43	26	1	**HUM**3043	**HUL**3043	1306	13.3	108
	24	14	43	26	1	**HUM**2443	**HUL**2443	1233	10.8	95
37" H.	72	14	37	20	2	**HUM**7237	**HUL**7237	2452	26.9	173
	66	14	37	20	2	**HUM**6637	**HUL**6637	2256	24.7	161
	60	14	37	20	2	**HUM**6037	**HUL**6037	2221	22.5	149
	54	14	37	20	2	**HUM**5437	**HUL**5437	2180	20.3	137
	48	14	37	20	2	**HUM**4837	**HUL**4837	2135	18.1	125
	42	14	37	20	1	**HUM**4237	**HUL**4237	1394	16	112
	36	14	37	20	1	**HUM**3637	**HUL**3637	1371	13.8	100
	30	14	37	20	1	**HUM**3037	**HUL**3037	1268	11.6	88
	24	14	37	20	1	**HUM**2437	**HUL**2437	1199	9.4	76

E = Number of doors

SPECIFY

Series	Code	Base	Fronts
T L -	-	/	

Specify **Code**: Consult the above product code list.

Base / Fronts (laminate): Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Doors equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.

Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HUGiC**7243	2368	30.8	197
	66	14	43	26	2	**HUGiC**6643	2169	28.3	184
	60	14	43	26	2	**HUGiC**6043	2132	25.8	172
	54	14	43	26	2	**HUGiC**5443	2089	23.3	159
	48	14	43	26	2	**HUGiC**4843	2039	20.8	146
	42	14	43	26	1	**HUGiC**4243	1368	18.3	133
	36	14	43	26	1	**HUGiC**3643	1341	15.8	120
	30	14	43	26	1	**HUGiC**3043	1236	13.3	108
	24	14	43	26	1	**HUGiC**2443	1164	10.8	95
37" H.	72	14	37	20	2	**HUGiC**7237	2312	26.9	173
	66	14	37	20	2	**HUGiC**6637	2116	24.7	161
	60	14	37	20	2	**HUGiC**6037	2081	22.5	149
	54	14	37	20	2	**HUGiC**5437	2041	20.3	137
	48	14	37	20	2	**HUGiC**4837	1995	18.1	125
	42	14	37	20	1	**HUGiC**4237	1324	16	112
	36	14	37	20	1	**HUGiC**3637	1301	13.8	100
	30	14	37	20	1	**HUGiC**3037	1199	11.6	88
	24	14	37	20	1	**HUGiC**2437	1130	9.4	76

E = Number of doors

SPECIFY

Series	Code	Base
T L -	-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeon-hole unit can be ordered separately, see p.210.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

No lock.

Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HUGiA**7243	2111	30.8	197
	66	14	43	26	2	**HUGiA**6643	1912	28.3	184
	60	14	43	26	2	**HUGiA**6043	1874	25.8	172
	54	14	43	26	2	**HUGiA**5443	1832	23.3	159
	48	14	43	26	2	**HUGiA**4843	1782	20.8	146
	42	14	43	26	1	**HUGiA**4243	1240	18.3	133
	36	14	43	26	1	**HUGiA**3643	1212	15.8	120
	30	14	43	26	1	**HUGiA**3043	1108	13.3	108
	24	14	43	26	1	**HUGiA**2443	1035	10.8	95
37" H.	72	14	37	20	2	**HUGiA**7237	2055	26.9	173
	66	14	37	20	2	**HUGiA**6637	1859	24.7	161
	60	14	37	20	2	**HUGiA**6037	1824	22.5	149
	54	14	37	20	2	**HUGiA**5437	1783	20.3	137
	48	14	37	20	2	**HUGiA**4837	1738	18.1	125
	42	14	37	20	1	**HUGiA**4237	1196	16	112
	36	14	37	20	1	**HUGiA**3637	1173	13.8	100
	30	14	37	20	1	**HUGiA**3037	1070	11.6	88
	24	14	37	20	1	**HUGiA**2437	1001	9.4	76

E = Number of doors

SPECIFY

Series	Code	Base
T L -	-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

OPEN HUTCHES

Open hutch with metal sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

	Dimensions				Code	Price				Specifications		
						S Sierra 1"		T Tango 1½"				
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	**HO**8443	1318	1474	—	1660	35.8	198	207
	78	14	43	26	**HO**7843	1211	1359	—	1403	33.3	185	193
	72	14	43	26	**HO**7243	1134	1269	1216	1320	30.8	166	182
	66	14	43	26	**HO**6643	1089	1216	1168	1265	28.3	156	170
	60	14	43	26	**HO**6043	1041	1155	1122	1209	25.8	145	159
	54	14	43	26	**HO**5443	975	1079	1053	1131	23.3	137	149
	48	14	43	26	**HO**4843	909	1001	981	1051	20.8	125	136
	42	14	43	26	**HO**4243	865	946	939	1000	18.3	115	124
	36	14	43	26	**HO**3643	813	883	884	936	15.8	105	113
	30	14	43	26	**HO**3043	766	828	837	881	13.3	95	101
	24	14	43	26	**HO**2443	719	770	784	818	10.8	84	90
37" H.	84	14	37	20	**HO**8437	1202	1359	—	1548	29.8	173	181
	78	14	37	20	**HO**7837	1146	1294	—	1340	27.7	161	169
	72	14	37	20	**HO**7237	1073	1208	1155	1261	25.6	142	158
	66	14	37	20	**HO**6637	1031	1157	1113	1209	23.6	132	147
	60	14	37	20	**HO**6037	986	1100	1069	1155	21.5	123	136
	54	14	37	20	**HO**5437	923	1027	1002	1080	19.9	115	127
	48	14	37	20	**HO**4837	860	952	935	1004	17.3	104	114
	42	14	37	20	**HO**4237	818	900	894	954	15.2	94	103
	36	14	37	20	**HO**3637	769	839	840	893	13.2	85	92
	30	14	37	20	**HO**3037	727	788	798	842	11.1	75	82
	24	14	37	20	**HO**2437	683	733	748	783	9.0	65	71

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T			/		

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH HINGED DOORS

Hutch with hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeonhole unit.

Noki lock and key lock not included, available as an option.

	Dimensions						Code	Price				Specifications		
								S Sierra 1"		T Tango 1½"				
	A	B	C	D	E	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	5	3	**HD**8443	1617	1781	—	1935	35.8	225	243
	78	14	43	26	5	3	**HD**7843	1517	1670	—	1822	33.3	210	227
	72	14	43	26	4	2	**HD**7243	1260	1396	1379	1477	30.8	197	213
	66	14	43	26	4	2	**HD**6643	1211	1335	1360	1449	28.3	184	199
	60	14	43	26	4	2	**HD**6043	1159	1275	1276	1357	25.8	172	185
	54	14	43	26	4	2	**HD**5443	1095	1199	1240	1312	23.3	159	171
	48	14	43	26	3	2	**HD**4843	1027	1121	1129	1192	20.8	146	156
	42	14	43	26	3	2	**HD**4243	1003	1088	1111	1167	18.3	133	142
	36	14	43	26	2	1	**HD**3643	969	1043	1066	1114	15.8	120	128
	30	14	43	26	2	1	**HD**3043	876	939	997	1036	13.3	108	114
	24	14	43	26	2	1	**HD**2443	782	833	888	920	10.8	95	100
37" H.	84	14	37	20	5	3	**HD**8437	1507	1670	—	1828	29.0	185	202
	78	14	37	20	5	3	**HD**7837	1455	1609	—	1762	26.9	173	189
	72	14	37	20	4	2	**HD**7237	1201	1338	1323	1420	24.7	161	175
	66	14	37	20	4	2	**HD**6637	1155	1280	1307	1396	22.5	149	162
	60	14	37	20	4	2	**HD**6037	1108	1222	1227	1307	20.3	137	149
	54	14	37	20	4	2	**HD**5437	1045	1150	1192	1265	18.1	125	135
	48	14	37	20	3	2	**HD**4837	981	1075	1085	1148	16.0	112	122
	42	14	37	20	3	2	**HD**4237	959	1043	1068	1123	13.8	100	108
	36	14	37	20	2	1	**HD**3637	927	1002	1026	1075	11.6	88	95
	30	14	37	20	2	1	**HD**3037	838	901	959	1000	9.4	76	81
	24	14	37	20	2	1	**HD**2437	747	798	854	886	9.4	76	81

E = Number of doors

F = Number of locks

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Metal Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts:** Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH HINGED DOORS
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeonhole unit.

No lock.

	Dimensions					Code		Price				Specifications		
								S Sierra 1"		**T** Tango 1½"				
	A	B	C	D	E	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
						Laminate	H-Gloss White							
43" H.	84	14	43	26	5	**HDM**8443	**HDL**8443	3114	3278	—	3432	35.8	225	243
	78	14	43	26	5	**HDM**7843	**HDL**7843	3014	3167	—	3319	33.3	210	227
	72	14	43	26	4	**HDM**7243	**HDL**7243	2457	2594	2577	2675	30.8	197	213
	66	14	43	26	4	**HDM**6643	**HDL**6643	2409	2533	2558	2647	28.3	184	199
	60	14	43	26	4	**HDM**6043	**HDL**6043	2357	2473	2474	2555	25.8	172	185
	54	14	43	26	4	**HDM**5443	**HDL**5443	2292	2397	2438	2510	23.3	159	171
	48	14	43	26	3	**HDM**4843	**HDL**4843	1926	2020	2027	2091	20.8	146	156
	42	14	43	26	3	**HDM**4243	**HDL**4243	1902	1987	2010	2066	18.3	133	142
	36	14	43	26	2	**HDM**3643	**HDL**3643	1569	1642	1665	1714	15.8	120	128
	30	14	43	26	2	**HDM**3043	**HDL**3043	1475	1539	1596	1636	13.3	108	114
	24	14	43	26	2	**HDM**2443	**HDL**2443	1382	1432	1487	1519	10.8	95	100
37" H.	84	14	37	20	5	**HDM**8437	**HDL**8437	3004	3167	—	3325	29.0	185	202
	78	14	37	20	5	**HDM**7837	**HDL**7837	2952	3106	—	3259	26.9	173	189
	72	14	37	20	4	**HDM**7237	**HDL**7237	2399	2536	2521	2618	24.7	161	175
	66	14	37	20	4	**HDM**6637	**HDL**6637	2353	2478	2505	2594	22.5	149	162
	60	14	37	20	4	**HDM**6037	**HDL**6037	2306	2420	2424	2505	20.3	137	149
	54	14	37	20	4	**HDM**5437	**HDL**5437	2243	2347	2390	2463	18.1	125	135
	48	14	37	20	3	**HDM**4837	**HDL**4837	1880	1973	1983	2047	16.0	112	122
	42	14	37	20	3	**HDM**4237	**HDL**4237	1858	1942	1967	2022	13.8	100	108
	36	14	37	20	2	**HDM**3637	**HDL**3637	1527	1602	1626	1674	11.6	88	95
	30	14	37	20	2	**HDM**3037	**HDL**3037	1438	1500	1559	1599	9.4	76	81
	24	14	37	20	2	**HDM**2437	**HDL**2437	1346	1397	1453	1485	9.4	76	81

E = Number of doors

SPECIFY

Series		Code		Surface		Edge		Base		Fronts		Metal
T	-		-		/		-		/		-	

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate):** Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

	Dimensions					Code	S Sierra 1" Price		T Tango 1½" Price		Specifications		
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	5	**HDGiC**8443	2956	3120	—	3274	35.8	225	243
	78	14	43	26	5	**HDGiC**7843	2856	3009	—	3160	33.3	210	227
	72	14	43	26	4	**HDGiC**7243	2331	2467	2451	2549	30.8	197	213
	66	14	43	26	4	**HDGiC**6643	2283	2407	2431	2520	28.3	184	199
	60	14	43	26	4	**HDGiC**6043	2231	2346	2347	2429	25.8	172	185
	54	14	43	26	4	**HDGiC**5443	2166	2270	2311	2384	23.3	159	171
	48	14	43	26	3	**HDGiC**4843	1832	1925	1933	1997	20.8	146	156
	42	14	43	26	3	**HDGiC**4243	1807	1892	1915	1971	18.3	133	142
	36	14	43	26	2	**HDGiC**3643	1505	1579	1602	1650	15.8	120	128
	30	14	43	26	2	**HDGiC**3043	1411	1475	1532	1572	13.3	108	114
	24	14	43	26	2	**HDGiC**2443	1318	1368	1423	1455	10.8	95	100
37" H.	84	14	37	20	5	**HDGiC**8437	2846	3009	—	3167	29.0	185	202
	78	14	37	20	5	**HDGiC**7837	2794	2948	—	3101	26.9	173	189
	72	14	37	20	4	**HDGiC**7237	2273	2409	2395	2492	24.7	161	175
	66	14	37	20	4	**HDGiC**6637	2226	2352	2378	2467	22.5	149	162
	60	14	37	20	4	**HDGiC**6037	2179	2294	2298	2378	20.3	137	149
	54	14	37	20	4	**HDGiC**5437	2116	2221	2264	2336	18.1	125	135
	48	14	37	20	3	**HDGiC**4837	1785	1879	1889	1953	16.0	112	122
	42	14	37	20	3	**HDGiC**4237	1763	1847	1872	1927	13.8	100	108
	36	14	37	20	2	**HDGiC**3637	1463	1538	1562	1610	11.6	88	95
	30	14	37	20	2	**HDGiC**3037	1374	1437	1495	1536	9.4	76	81
	24	14	37	20	2	**HDGiC**2437	1283	1333	1389	1421	9.4	76	81

E = Number of doors

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

	Dimensions					Code	Price				Specifications		
							S Sierra 1"		T Tango 1½"				
	A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	84	14	43	26	5	**HDGiA**8443	2753	2913	—	3114	35.8	225	243
	78	14	43	26	5	**HDGiA**7843	2658	2806	—	3002	33.3	210	227
	72	14	43	26	4	**HDGiA**7243	2173	2305	2324	2421	30.8	197	213
	66	14	43	26	4	**HDGiA**6643	2125	2246	2305	2393	28.3	184	199
	60	14	43	26	4	**HDGiA**6043	2076	2187	2221	2301	25.8	172	185
	54	14	43	26	4	**HDGiA**5443	2012	2113	2184	2256	23.3	159	171
	48	14	43	26	3	**HDGiA**4843	1712	1802	1837	1901	20.8	146	156
	42	14	43	26	3	**HDGiA**4243	1689	1770	1819	1874	18.3	133	142
	36	14	43	26	2	**HDGiA**3643	1419	1491	1538	1587	15.8	120	128
	30	14	43	26	2	**HDGiA**3043	1329	1390	1469	1508	13.3	108	114
	24	14	43	26	2	**HDGiA**2443	1239	1287	1360	1392	10.8	95	100
37" H.	84	14	37	20	5	**HDGiA**8437	2648	2806	—	3009	29.0	185	202
	78	14	37	20	5	**HDGiA**7837	2598	2747	—	2943	26.9	173	189
	72	14	37	20	4	**HDGiA**7237	2115	2247	2267	2365	24.7	161	175
	66	14	37	20	4	**HDGiA**6637	2071	2192	2251	2340	22.5	149	162
	60	14	37	20	4	**HDGiA**6037	2025	2136	2170	2251	20.3	137	149
	54	14	37	20	4	**HDGiA**5437	1965	2066	2136	2209	18.1	125	135
	48	14	37	20	3	**HDGiA**4837	1668	1758	1792	1856	16.0	112	122
	42	14	37	20	3	**HDGiA**4237	1645	1727	1775	1832	13.8	100	108
	36	14	37	20	2	**HDGiA**3637	1378	1451	1498	1547	11.6	88	95
	30	14	37	20	2	**HDGiA**3037	1293	1353	1431	1472	9.4	76	81
	24	14	37	20	2	**HDGiA**2437	1205	1253	1326	1357	9.4	76	81

E = Number of doors

SPECIFY

Series	Code	Surface	Edge	Base	Metal
T [ ] -	[ ] -	[ ] /	[ ] -	[ ] -	[ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

Hutch with central opening, hinged doors and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

Cannot accomodate a horizontal pigeon-hole unit.

	Dimensions				Code	Price				Specifications		
						S Sierra 1"		T Tango 1½"				
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	**HH**7243	1163	1295	1315	1411	31	173	189
	66	14	43	26	**HH**6643	1115	1236	1295	1384	28	163	177
	60	14	43	26	**HH**6043	1066	1178	1211	1291	26	152	166
	54	14	43	26	**HH**5443	1002	1103	1175	1246	23	144	156
	48	14	43	26	**HH**4843	971	1062	1096	1159	21	132	143
	42	14	43	26	**HH**4243	947	1030	1078	1134	18	122	131
37" H.	72	14	37	20	**HH**7237	1107	1239	1257	1355	27	149	165
	66	14	37	20	**HH**6637	1062	1183	1241	1330	25	139	154
	60	14	37	20	**HH**6037	1016	1128	1161	1241	22	130	143
	54	14	37	20	**HH**5437	955	1056	1128	1199	20	122	134
	48	14	37	20	**HH**4837	926	1016	1052	1115	18	111	121
	42	14	37	20	**HH**4237	904	987	1035	1090	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

					Doors:								
					Laminate	H-Gloss White							
43" H.	72	14	43	26	**HHM**7243	**HHL**7243	1761	1893	1913	2010	31	173	189
	66	14	43	26	**HHM**6643	**HHL**6643	1714	1835	1893	1982	28	163	177
	60	14	43	26	**HHM**6043	**HHL**6043	1664	1777	1810	1890	26	152	166
	54	14	43	26	**HHM**5443	**HHL**5443	1601	1702	1773	1845	23	144	156
	48	14	43	26	**HHM**4843	**HHL**4843	1570	1660	1694	1758	21	132	143
	42	14	43	26	**HHM**4243	**HHL**4243	1546	1628	1676	1733	18	122	131
37" H.	72	14	37	20	**HHM**7237	**HHL**7237	1705	1837	1856	1954	27	149	165
	66	14	37	20	**HHM**6637	**HHL**6637	1660	1781	1839	1928	25	139	154
	60	14	37	20	**HHM**6037	**HHL**6037	1615	1726	1759	1839	22	130	143
	54	14	37	20	**HHM**5437	**HHL**5437	1553	1654	1726	1797	20	122	134
	48	14	37	20	**HHM**4837	**HHL**4837	1525	1615	1650	1714	18	111	121
	42	14	37	20	**HHM**4237	**HHL**4237	1503	1585	1634	1689	16	101	110

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Metal Lock

T - ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

	Dimensions				Code	Price S Sierra 1"		Price T Tango 1½"		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
43" H.	72	14	43	26	**HHGiC**7243	1698	1830	1850	1947	31	173	189
	66	14	43	26	**HHGiC**6643	1651	1772	1830	1920	28	163	177
	60	14	43	26	**HHGiC**6043	1602	1714	1747	1827	26	152	166
	54	14	43	26	**HHGiC**5443	1538	1639	1711	1782	23	144	156
	48	14	43	26	**HHGiC**4843	1507	1597	1631	1695	21	132	143
	42	14	43	26	**HHGiC**4243	1483	1565	1614	1670	18	122	131
37" H.	72	14	37	20	**HHGiC**7237	1642	1774	1793	1891	27	149	165
	66	14	37	20	**HHGiC**6637	1597	1718	1777	1866	25	139	154
	60	14	37	20	**HHGiC**6037	1552	1663	1696	1777	22	130	143
	54	14	37	20	**HHGiC**5437	1491	1592	1663	1735	20	122	134
	48	14	37	20	**HHGiC**4837	1462	1552	1587	1651	18	111	121
	42	14	37	20	**HHGiC**4237	1440	1522	1571	1626	16	101	110

HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

43" H.	72	14	43	26	**HHGiA**7243	1635	1767	1786	1883	31	173	189
	66	14	43	26	**HHGiA**6643	1587	1708	1767	1856	28	163	177
	60	14	43	26	**HHGiA**6043	1539	1650	1683	1763	26	152	166
	54	14	43	26	**HHGiA**5443	1474	1575	1647	1719	23	144	156
	48	14	43	26	**HHGiA**4843	1443	1533	1568	1631	21	132	143
	42	14	43	26	**HHGiA**4243	1420	1502	1550	1606	18	122	131
37" H.	72	14	37	20	**HHGiA**7237	1579	1711	1729	1827	27	149	165
	66	14	37	20	**HHGiA**6637	1533	1654	1713	1802	25	139	154
	60	14	37	20	**HHGiA**6037	1488	1599	1632	1713	22	130	143
	54	14	37	20	**HHGiA**5437	1427	1528	1599	1671	20	122	134
	48	14	37	20	**HHGiA**4837	1398	1488	1524	1587	18	111	121
	42	14	37	20	**HHGiA**4237	1376	1459	1507	1562	16	101	110

SPECIFY

Series		Code		Surface		Edge		Base		Metal
T	-		-		/		-		-	

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH FLIPPER DOOR(S)

Hutch with flipper door(s) and metal sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft-closing of the door(s).

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accomodate a horizontal pigeon-hole unit.

Noki lock and key lock not included, available as an option.

"Easy-Down"

Flipper door

	Dimensions					Code	Price	Price	Specifications	
	A	B	C	D	E		Standard (TD)	Easy-Down (DW)	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HF**7243	1595	1701	30.8	197
	66	14	43	26	2	**HF**6643	1396	1502	28.3	184
	60	14	43	26	2	**HF**6043	1359	1464	25.8	172
	54	14	43	26	2	**HF**5443	1316	1421	23.3	159
	48	14	43	26	2	**HF**4843	1266	1372	20.8	146
	42	14	43	26	1	**HF**4243	1135	1188	18.3	133
	36	14	43	26	1	**HF**3643	1108	1161	15.8	120
	30	14	43	26	1	**HF**3043	1003	1056	13.3	108
	24	14	43	26	1	**HF**2443	931	983	10.8	95
37" H.	72	14	37	20	2	**HF**7237	1539	1645	26.9	173
	66	14	37	20	2	**HF**6637	1343	1449	24.7	161
	60	14	37	20	2	**HF**6037	1308	1414	22.5	149
	54	14	37	20	2	**HF**5437	1267	1373	20.3	137
	48	14	37	20	2	**HF**4837	1222	1328	18.1	125
	42	14	37	20	1	**HF**4237	1091	1144	16	112
	36	14	37	20	1	**HF**3637	1068	1121	13.8	100
	30	14	37	20	1	**HF**3037	966	1019	11.6	88
	24	14	37	20	1	**HF**2437	897	949	9.4	76

E = Number of doors

SPECIFY **OPTIONS**

Series Code Mecan. Base Fronts Metal Lock

T S - ____ ____ - ____ / ____ - ____ - ____

Specify **Code:** Consult the above product code list.

Mechanism: Specify door mechanism: Standard (**TD**) or with "Easy-Down" soft-closing system (**DW**).

Base / Fronts: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)

Hutch with pivot-lift door(s) and metal sides.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accomodate a horizontal pigeon-hole unit.

Noki lock and key lock not included, available as an option.

Pivot-lift door

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HU**7243	1901	30.8	197
	66	14	43	26	2	**HU**6643	1702	28.3	184
	60	14	43	26	2	**HU**6043	1664	25.8	172
	54	14	43	26	2	**HU**5443	1621	23.3	159
	48	14	43	26	2	**HU**4843	1572	20.8	146
	42	14	43	26	1	**HU**4243	1288	18.3	133
	36	14	43	26	1	**HU**3643	1261	15.8	120
	30	14	43	26	1	**HU**3043	1156	13.3	108
	24	14	43	26	1	**HU**2443	1084	10.8	95
37" H.	72	14	37	20	2	**HU**7237	1845	26.9	173
	66	14	37	20	2	**HU**6637	1649	24.7	161
	60	14	37	20	2	**HU**6037	1614	22.5	149
	54	14	37	20	2	**HU**5437	1573	20.3	137
	48	14	37	20	2	**HU**4837	1528	18.1	125
	42	14	37	20	1	**HU**4237	1244	16	112
	36	14	37	20	1	**HU**3637	1221	13.8	100
	30	14	37	20	1	**HU**3037	1119	11.6	88
	24	14	37	20	1	**HU**2437	1049	9.4	76

E = Number of doors

SPECIFY **OPTIONS**

Series Code Base Fronts Metal Lock

T S - ____ - ____ / ____ - ____ - ____

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S)
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal sides.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

Pivot-lift door

	Dimensions					Code		Price	Specifications	
	A	B	C	D	E	Doors:		T.F.L.	Cu.Ft.	lb
						Laminate	H-Gloss White			
43" H.	72	14	43	26	2	**HUM**7243	**HUL**7243	2816	30.8	197
	66	14	43	26	2	**HUM**6643	**HUL**6643	2617	28.3	184
	60	14	43	26	2	**HUM**6043	**HUL**6043	2580	25.8	172
	54	14	43	26	2	**HUM**5443	**HUL**5443	2537	23.3	159
	48	14	43	26	2	**HUM**4843	**HUL**4843	2487	20.8	146
	42	14	43	26	1	**HUM**4243	**HUL**4243	1746	18.3	133
	36	14	43	26	1	**HUM**3643	**HUL**3643	1718	15.8	120
	30	14	43	26	1	**HUM**3043	**HUL**3043	1614	13.3	108
	24	14	43	26	1	**HUM**2443	**HUL**2443	1541	10.8	95
37" H.	72	14	37	20	2	**HUM**7237	**HUL**7237	2760	26.9	173
	66	14	37	20	2	**HUM**6637	**HUL**6637	2564	24.7	161
	60	14	37	20	2	**HUM**6037	**HUL**6037	2529	22.5	149
	54	14	37	20	2	**HUM**5437	**HUL**5437	2488	20.3	137
	48	14	37	20	2	**HUM**4837	**HUL**4837	2443	18.1	125
	42	14	37	20	1	**HUM**4237	**HUL**4237	1702	16	112
	36	14	37	20	1	**HUM**3637	**HUL**3637	1679	13.8	100
	30	14	37	20	1	**HUM**3037	**HUL**3037	1576	11.6	88
	24	14	37	20	1	**HUM**2437	**HUL**2437	1507	9.4	76

E = Number of doors

SPECIFY

Series	Code	Base	Fronts	Metal
T S -	-	/	-	

Specify **Code**: Consult the above product code list.

Base / **Fronts (laminate)**: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal sides.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

Pivot-lift door

E = Number of doors

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HUGiC**7243	2676	30.8	197
	66	14	43	26	2	**HUGiC**6643	2477	28.3	184
	60	14	43	26	2	**HUGiC**6043	2440	25.8	172
	54	14	43	26	2	**HUGiC**5443	2397	23.3	159
	48	14	43	26	2	**HUGiC**4843	2347	20.8	146
	42	14	43	26	1	**HUGiC**4243	1676	18.3	133
	36	14	43	26	1	**HUGiC**3643	1649	15.8	120
	30	14	43	26	1	**HUGiC**3043	1544	13.3	108
	24	14	43	26	1	**HUGiC**2443	1472	10.8	95
37" H.	72	14	37	20	2	**HUGiC**7237	2620	26.9	173
	66	14	37	20	2	**HUGiC**6637	2424	24.7	161
	60	14	37	20	2	**HUGiC**6037	2389	22.5	149
	54	14	37	20	2	**HUGiC**5437	2349	20.3	137
	48	14	37	20	2	**HUGiC**4837	2303	18.1	125
	42	14	37	20	1	**HUGiC**4237	1632	16	112
	36	14	37	20	1	**HUGiC**3637	1609	13.8	100
	30	14	37	20	1	**HUGiC**3037	1507	11.6	88
	24	14	37	20	1	**HUGiC**2437	1438	9.4	76

SPECIFY

Series	Code	Base	Metal
T S -	-	-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

HUTCHES WITH PIVOT-LIFT DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and metal sides.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accomodate a horizontal pigeon-hole unit.

No lock.

Pivot-lift door

E = Number of doors

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	**HUGiA**7243	2419	30.8	197
	66	14	43	26	2	**HUGiA**6643	2220	28.3	184
	60	14	43	26	2	**HUGiA**6043	2182	25.8	172
	54	14	43	26	2	**HUGiA**5443	2140	23.3	159
	48	14	43	26	2	**HUGiA**4843	2090	20.8	146
	42	14	43	26	1	**HUGiA**4243	1548	18.3	133
	36	14	43	26	1	**HUGiA**3643	1520	15.8	120
	30	14	43	26	1	**HUGiA**3043	1416	13.3	108
	24	14	43	26	1	**HUGiA**2443	1343	10.8	95
37" H.	72	14	37	20	2	**HUGiA**7237	2363	26.9	173
	66	14	37	20	2	**HUGiA**6637	2167	24.7	161
	60	14	37	20	2	**HUGiA**6037	2132	22.5	149
	54	14	37	20	2	**HUGiA**5437	2091	20.3	137
	48	14	37	20	2	**HUGiA**4837	2046	18.1	125
	42	14	37	20	1	**HUGiA**4237	1504	16	112
	36	14	37	20	1	**HUGiA**3637	1481	13.8	100
	30	14	37	20	1	**HUGiA**3037	1378	11.6	88
	24	14	37	20	1	**HUGiA**2437	1309	9.4	76

SPECIFY

	Series		Code		Base		Metal
T	S	-		-		-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

MODULAR HUTCHES

Modular hutch with integrated horizontal pigeon-hole unit.

One or more storage module(s) can be installed on a modular hutch.

The 27" H. hutch with storage module has an overall height of 43".

The 21" H. hutch with storage module has an overall height of 37".

Hutch is equipped with a horizontal grommet at base.

Do not install this hutch on to a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price	Specifications	
	A	B	C	D		T.F.L.	Cu.Ft.	lb
27" H.	84	13	27	20	**HM**8427	950	21.5	140
	78	13	27	20	**HM**7827	903	20	131
	72	13	27	20	**HM**7227	854	19	123
	66	13	27	20	**HM**6627	811	17	115
	60	13	27	20	**HM**6027	763	15.5	106
	54	13	27	20	**HM**5427	724	14	98
	48	13	27	20	**HM**4827	683	12.5	90
	42	13	27	20	**HM**4227	642	11	82
	36	13	27	20	**HM**3627	586	9.5	73
	30	13	27	20	**HM**3027	539	8	65
21" H.	84	13	21	14	**HM**8421	834	17	123
	78	13	21	14	**HM**7821	788	16	116
	72	13	21	14	**HM**7221	743	15	108
	66	13	21	14	**HM**6621	702	13.4	101
	60	13	21	14	**HM**6021	660	12.2	93
	54	13	21	14	**HM**5421	616	11.1	86
	48	13	21	14	**HM**4821	584	9.9	78
	42	13	21	14	**HM**4221	546	8.7	71
	36	13	21	14	**HM**3621	493	7.5	63
	30	13	21	14	**HM**3021	449	6.3	56

Storage module can be installed in various positions.

27" H. hutch: X = 43" total
21" H. hutch: X = 37" total

SPECIFY

Series	Code	Base
T L -	_____ -	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

STORAGE MODULES FOR MODULAR HUTCHES

Storage modules with hinged doors for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

Noki lock and key lock not included, available as an option.

Dimensions					Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
42	14	16½	3	2	**HB**42	574	639	666	681	7.4	76	85
30	14	16½	2	1	**HB**30	488	527	545	556	5.4	58	64

STORAGE MODULES FOR MODULAR HUTCHES ("CONTEMPORARY" ALU. FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.

				Doors: Laminate	Doors: H-Gloss White							
42	14	16½	3	**HBM**42	**HBL**42	1473	1538	1564	1580	7.4	76	85
30	14	16½	2	**HBM**30	**HBL**30	1088	1126	1144	1155	5.4	58	64

D = Number of doors

F = Number of locks

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ]

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (laminate)**: Take Off finishes, p.54-55.

Options: **Lock (HB…)**: Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE MODULES FOR MODULAR HUTCHES ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.

Dimensions				Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
42	14	16½	3	**HBGiC**42	1378	1443	1470	1485	7.4	76	85
30	14	16½	2	**HBGiC**30	1024	1063	1080	1091	5.4	58	64

STORAGE MODULES FOR MODULAR HUTCHES ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Storage modules with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) for modular hutch.

Installs without hardware on the modular hutch.

Can be easily moved from left to right.

No lock.

42	14	16½	3	**HBGiA**42	1222	1298	1373	1388	7.4	76	85
30	14	16½	2	**HBGiA**30	909	958	1016	1027	5.4	58	64

D = Number of doors

SPECIFY

Series	Code	Surface	Edge	Base
T -		-	/	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

OPEN WALL MOUNTED HUTCHES

Open wall mounted hutch.

Hutches 54" and longer have a central divider.

Wall mounting brackets included.

Dimensions					Code	Price				Specifications		
						L Lima 1"		M Mike 1½"				
A	B	C	D	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16			**HWO**7216	602	682	651	704	13	103	119
66	14½	16			**HWO**6616	561	637	618	662	12	95	110
60	14½	16			**HWO**6016	521	592	573	622	11	88	102
54	14½	16			**HWO**5416	482	548	524	579	10	80	93
48	14½	16			**HWO**4816	443	505	459	537	9	73	84
42	14½	16			**HWO**4216	415	463	431	495	8	65	75
36	14½	16			**HWO**3616	387	422	402	453	7	57	66
30	14½	16			**HWO**3016	361	382	375	411	6	49	57
24	14½	16			**HWO**2416	333	343	350	370	4.6	42	48

SPECIFY

Series	Code	Surface	Edge	Base
T	-	-	/	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH HINGED DOORS

Open wall mounted hutch with hinged doors.

Wall mounting brackets included.

Noki lock and key lock not included, available as an option.

72	14½	16	4	2	**HWD**7216	758	884	953	980	13	121	137
66	14½	16	4	2	**HWD**6616	729	847	920	945	12	112	126
60	14½	16	4	2	**HWD**6016	667	774	859	882	11	103	116
54	14½	16	4	2	**HWD**5416	618	715	805	826	10	94	106
48	14½	16	3	2	**HWD**4816	546	631	715	734	9	85	95
42	14½	16	3	2	**HWD**4216	514	590	666	681	8	76	85
36	14½	16	2	1	**HWD**3616	470	528	583	597	7	67	74
30	14½	16	2	1	**HWD**3016	437	486	545	556	6	58	64
24	14½	16	2	1	**HWD**2416	375	416	452	461	4.6	48	54

D = Number of doors

F = Number of locks

SPECIFY / **OPTIONS**

Series	Code	Surface	Edge	Base	Fronts	Lock
T	-	-	/	-	/	-

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

WALL MOUNTED HUTCHES WITH HINGED DOORS
(ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)

Open wall mounted hutch with hinged aluminum framed doors.

Wall mounting brackets included.

No lock.

Contemporary aluminum frame/

Laminate or H-Gloss White int. panel

Dimensions				Code		L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
72	14½	16	4	**HWDM**7216	**HWDL**7216	1956	2082	2151	2178	13	121	137
66	14½	16	4	**HWDM**6616	**HWDL**6616	1927	2045	2118	2143	12	112	126
60	14½	16	4	**HWDM**6016	**HWDL**6016	1865	1972	2057	2080	11	103	116
54	14½	16	4	**HWDM**5416	**HWDL**5416	1816	1913	2003	2024	10	94	106
48	14½	16	3	**HWDM**4816	**HWDL**4816	1444	1530	1614	1632	9	85	95
42	14½	16	3	**HWDM**4216	**HWDL**4216	1412	1488	1564	1580	8	76	85
36	14½	16	2	**HWDM**3616	**HWDL**3616	1069	1128	1183	1197	7	67	74
30	14½	16	2	**HWDM**3016	**HWDL**3016	1036	1086	1144	1155	6	58	64
24	14½	16	2	**HWDM**2416	**HWDL**2416	975	1015	1052	1060	4.6	48	54

Contemporary aluminum frame/

Acrylic interior panel

				Acrylic							
72	14½	16	4	**HWDGiC**7216	1829	1956	2024	2052	13	121	137
66	14½	16	4	**HWDGiC**6616	1801	1918	1991	2016	12	112	126
60	14½	16	4	**HWDGiC**6016	1738	1846	1931	1954	11	103	116
54	14½	16	4	**HWDGiC**5416	1690	1786	1877	1898	10	94	106
48	14½	16	3	**HWDGiC**4816	1350	1436	1519	1538	9	85	95
42	14½	16	3	**HWDGiC**4216	1318	1394	1470	1485	8	76	85
36	14½	16	2	**HWDGiC**3616	1005	1064	1119	1133	7	67	74
30	14½	16	2	**HWDGiC**3016	972	1022	1080	1091	6	58	64
24	14½	16	2	**HWDGiC**2416	911	952	988	997	4.6	48	54

Traditional aluminum frame/

Acrylic interior panel

				Acrylic							
72	14½	16	4	**HWDGiA**7216	1702	1828	1896	1925	13	121	137
66	14½	16	4	**HWDGiA**6616	1673	1791	1863	1889	12	112	126
60	14½	16	4	**HWDGiA**6016	1610	1719	1804	1826	11	103	116
54	14½	16	4	**HWDGiA**5416	1562	1659	1749	1770	10	94	106
48	14½	16	3	**HWDGiA**4816	1254	1340	1423	1441	9	85	95
42	14½	16	3	**HWDGiA**4216	1222	1298	1373	1388	8	76	85
36	14½	16	2	**HWDGiA**3616	942	1000	1055	1069	7	67	74
30	14½	16	2	**HWDGiA**3016	909	958	1016	1027	6	58	64
24	14½	16	2	**HWDGiA**2416	847	889	924	933	4.6	48	54

D = Number of doors

SPECIFY

Series	Code	Surface	Edge	Base	Fronts
T	-	- /	-	/	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (HWDM)**: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

Wall mounted hutch with central opening, hinged doors.

Wall mounting brackets included.

Noki lock and key lock not included, available as an option.

Dimensions			Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	**HWH**7216	693	820	888	915	13	103	119
66	14½	16	**HWH**6616	663	782	854	879	12	95	110
60	14½	16	**HWH**6016	601	710	794	816	11	88	102
54	14½	16	**HWH**5416	552	650	740	761	10	80	93
48	14½	16	**HWH**4816	513	600	682	701	9	73	84
42	14½	16	**HWH**4216	481	558	633	648	8	65	75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Contemporary aluminum frame/

Laminate or Gloss White int. panel

Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel).

Wall mounting brackets included.

No lock.

			Doors: Laminate	Doors: H-Gloss White							
72	14½	16	**HWHM**7216	**HWHL**7216	1293	1419	1487	1515	13	103	119
66	14½	16	**HWHM**6616	**HWHL**6616	1263	1382	1453	1478	12	95	110
60	14½	16	**HWHM**6016	**HWHL**6016	1200	1309	1394	1416	11	88	102
54	14½	16	**HWHM**5416	**HWHL**5416	1152	1250	1340	1361	10	80	93
48	14½	16	**HWHM**4816	**HWHL**4816	1112	1199	1282	1300	9	73	84
42	14½	16	**HWHM**4216	**HWHL**4216	1080	1157	1232	1247	8	65	75

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWH & HWHM): Take Off finishes, p.54-55.

Options: **Lock (HWH…):** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $132, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

Wall mounting brackets included.

No lock.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	HWHGiC7216	1229	1355	1423	1451	13	103	119
66	14½	16	HWHGiC6616	1199	1318	1389	1415	12	95	110
60	14½	16	HWHGiC6016	1136	1245	1330	1352	11	88	102
54	14½	16	HWHGiC5416	1088	1186	1276	1297	10	80	93
48	14½	16	HWHGiC4816	1048	1135	1218	1236	9	73	84
42	14½	16	HWHGiC4216	1016	1093	1168	1184	8	65	75

WALL MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Wall mounted hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel).

Wall mounting brackets included.

No lock.

72	14½	16	HWHGiA7216	1165	1291	1360	1387	13	103	119
66	14½	16	HWHGiA6616	1135	1254	1326	1351	12	95	110
60	14½	16	HWHGiA6016	1073	1181	1266	1288	11	88	102
54	14½	16	HWHGiA5416	1024	1122	1212	1233	10	80	93
48	14½	16	HWHGiA4816	985	1071	1154	1173	9	73	84
42	14½	16	HWHGiA4216	953	1030	1104	1120	8	65	75

SPECIFY

Series	Code	Surface	Edge	Base
T -	-	/	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

WALL MOUNTED HUTCHES WITH FLIPPER DOOR(S)

Wall mounted hutch with flipper door(s).

Available with the standard closing mechanism or with the "Easy-down" option allowing soft-closing of the door(s).

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.

"easy-down"

Flipper door

D = Number of doors

Dimensions				Code	Price	Price	Specifications	
A	B	C	D		Standard (TD)	Easy-down (DW)	Cu.Ft.	lb (L)
72	14	16	2	**HWF**7216	855	960	12.7	121
66	14	16	2	**HWF**6616	813	919	11.7	112
60	14	16	2	**HWF**6016	769	875	10.7	103
54	14	16	2	**HWF**5416	734	839	9.7	94
48	14	16	2	**HWF**4816	696	802	8.6	85
42	14	16	1	**HWF**4216	564	617	7.6	76
36	14	16	1	**HWF**3616	527	580	6.6	67
30	14	16	1	**HWF**3016	490	542	5.6	58
24	14	16	1	**HWF**2416	451	504	4.6	48

SPECIFY — **OPTIONS**

Series Code Mecan. Base Fronts Lock

T [L] - [ ] [ ] - [ ] / [ ] - [ ]

Specify **Code**: Consult the above product code list.

Mechanism: Specify door mechanism: Standard (**TD**) or with "Easy-down" soft-closing system (**DW**).

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

WALL MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S)

Wall mounted hutch with pivot-lift door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.

Pivot-lift door

D = Number of doors

72	**14**	16	2	**HWU**7216	1161	12.7	121
66	**14**	16	2	**HWU**6616	1119	11.7	112
60	**14**	16	2	**HWU**6016	1075	10.7	103
54	**14**	16	2	**HWU**5416	1040	9.7	94
48	**14**	16	2	**HWU**4816	1002	8.6	85
42	**14**	16	1	**HWU**4216	717	7.6	76
36	**14**	16	1	**HWU**3616	680	6.6	67
30	**14**	16	1	**HWU**3016	642	5.6	58
24	**14**	16	1	**HWU**2416	604	4.6	48

SPECIFY — **OPTIONS**

Series Code Base Fronts Lock

T [L] - [ ] - [ ] / [ ] - [ ]

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per door, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

HUTCHES WITH PIVOT-LIFT DOOR(S) (ALUMINUM FRAME with LAMINATE, H-GLOSS WHITE or ACRYLIC interior panel)

Wall mounted hutch with pivot-lift aluminum framed door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.

Striped or fluted edge not available.

No lock.

Contemporary aluminum frame/

Laminate or H-Gloss White int. panel

Dimensions				Code		Price	Specifications	
A	B	C	D	Doors:		T.F.L.	Cu.Ft.	lb (L)
				Laminate	H-Gloss White			
72	14	16	2	**HWUM**7216	**HWUL**7216	2076	12.7	121
66	14	16	2	**HWUM**6616	**HWUL**6616	2034	11.7	112
60	14	16	2	**HWUM**6016	**HWUL**6016	1990	10.7	103
54	14	16	2	**HWUM**5416	**HWUL**5416	1955	9.7	94
48	14	16	2	**HWUM**4816	**HWUL**4816	1917	8.6	85
42	14	16	1	**HWUM**4216	**HWUL**4216	1175	7.6	76
36	14	16	1	**HWUM**3616	**HWUL**3616	1137	6.6	67
30	14	16	1	**HWUM**3016	**HWUL**3016	1100	5.6	58
24	14	16	1	**HWUM**2416	**HWUL**2416	1062	4.6	48

Contemporary aluminum frame/

Acrylic interior panel

				Acrylic			
72	14	16	2	**HWUGiC**7216	1936	12.7	121
66	14	16	2	**HWUGiC**6616	1894	11.7	112
60	14	16	2	**HWUGiC**6016	1850	10.7	103
54	14	16	2	**HWUGiC**5416	1815	9.7	94
48	14	16	2	**HWUGiC**4816	1778	8.6	85
42	14	16	1	**HWUGiC**4216	1106	7.6	76
36	14	16	1	**HWUGiC**3616	1068	6.6	67
30	14	16	1	**HWUGiC**3016	1031	5.6	58
24	14	16	1	**HWUGiC**2416	992	4.6	48

Traditional aluminum frame/

Acrylic interior panel

				Acrylic			
72	14	16	2	**HWUGiA**7216	1679	12.7	121
66	14	16	2	**HWUGiA**6616	1637	11.7	112
60	14	16	2	**HWUGiA**6016	1593	10.7	103
54	14	16	2	**HWUGiA**5416	1558	9.7	94
48	14	16	2	**HWUGiA**4816	1520	8.6	85
42	14	16	1	**HWUGiA**4216	977	7.6	76
36	14	16	1	**HWUGiA**3616	939	6.6	67
30	14	16	1	**HWUGiA**3016	902	5.6	58
24	14	16	1	**HWUGiA**2416	864	4.6	48

D = Number of doors

SPECIFY

Series	Code	Base	Fronts
T L -	____ -	____ /	____

Specify **Code**: Consult the above product code list.

Base / Fronts (HWUM): Take Off finishes, p.54-55.

WALL MOUNTED MODULES

Wall module, interior dimension 5½".

Modules 54" and longer have a central divider.

Wall mounting brackets included, able to support a regular & non excessive load.

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb (L)
72	10	7½	**HWB**107207	481	4.4	88
66	10	7½	**HWB**106607	449	4	85
60	10	7½	**HWB**106007	418	3.7	82
54	10	7½	**HWB**105407	386	3.3	79
48	10	7½	**HWB**104807	356	3	59
42	10	7½	**HWB**104207	337	2.6	56
36	10	7½	**HWB**103607	318	2.2	53
30	10	7½	**HWB**103007	300	1.9	50
24	10	7½	**HWB**102407	281	1.5	47

SPECIFY

	Series		Code		Base
T	L	-		-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

BOOKCASE HUTCHES

Bookcase hutch.

2 shelves: 1 fixed & 1 adjustable.

Hutch is equipped with a horizontal grommet at base.

	Dimensions			Code	Price				Specifications		
					L Lima 1"		**M** Mike 1½"				
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	**HBK**3643	557	629	691	733	15	85	91
	14	30	43	**HBK**3043	503	573	644	679	12.6	75	80
37" H.	14	36	37	**HBK**3637	480	550	575	618	13	76	82
	14	30	37	**HBK**3037	429	497	531	567	10.9	67	71

SPECIFY

	Series		Code		Surface		Edge		Base
T		-		-		/		-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

BOOKCASE HUTCHES WITH DOOR(S)

Bookcase hutch with 2 doors.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.Will lock both doors.

	Dimensions			Code	Price				Specifications		
					L Lima 1"		M Mike 1½"				
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	**HPDD**3643	749	822	883	925	15	134	139
	14	30	43	**HPDD**3043	695	766	836	871	12.6	117	122
37" H.	14	36	37	**HPDD**3637	672	743	768	811	13	119	124
	14	30	37	**HPDD**3037	622	690	724	759	10.9	104	108

Bookcase hutch with door at left.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.

43" H.	14	36	43	**HPDO**3643	653	726	788	829	15	116	121
	14	30	43	**HPDO**3043	600	670	740	776	12.6	102	107
37" H.	14	36	37	**HPDO**3637	576	647	672	715	13	103	108
	14	30	37	**HPDO**3037	526	594	628	663	10.9	91	95

Bookcase hutch with door at right.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.

43" H.	14	36	43	**HPOD**3643	653	726	788	829	15	116	121
	14	30	43	**HPOD**3043	600	670	740	776	12.6	102	107
37" H.	14	36	37	**HPOD**3637	576	647	672	715	13	103	108
	14	30	37	**HPOD**3037	526	594	628	663	10.9	91	95

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T - ( ) - ( ) / ( ) - ( ) / ( ) - ( ) - ( )

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Lock:** Noki electronic lock (**L**), key lock (**LS**) or keyed-alike (**LSK**) options, add $66 per lock, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

BOOKCASE HUTCHES WITH DOOR(S)
("CONTEMPORARY" ALUMINUM FRAME with LAMINATE or H-GLOSS WHITE interior panel)

Bookcase hutch with 2 doors ("Contemporary" aluminum frame with laminate or H-Gloss

2 shelves: 1 fixed & 1 adjustable.

No lock.

	Dimensions			Code		Price				Specifications		
						L Lima 1"		M Mike 1½"				
	A	B	C	Doors:		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
				Laminate	H-Gloss White							
43" H.	14	36	43	**HPDDM**3643	**HPDDL**3643	1596	1669	1730	1772	15	134	139
	14	30	43	**HPDDM**3043	**HPDDL**3043	1542	1613	1683	1718	12.6	117	122
37" H.	14	36	37	**HPDDM**3637	**HPDDL**3637	1519	1590	1615	1658	13	119	124
	14	30	37	**HPDDM**3037	**HPDDL**3037	1469	1537	1571	1606	10.9	104	108

Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPDOM**3643	**HPDOL**3643	1077	1150	1211	1253	15	116	121
	14	30	43	**HPDOM**3043	**HPDOL**3043	1023	1093	1164	1199	12.6	102	107
37" H.	14	36	37	**HPDOM**3637	**HPDOL**3637	1000	1070	1096	1139	13	103	108
	14	30	37	**HPDOM**3037	**HPDOL**3037	949	1018	1052	1087	10.9	91	95

Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPODM**3643	**HPODL**3643	1077	1150	1211	1253	15	116	121
	14	30	43	**HPODM**3043	**HPODL**3043	1023	1093	1164	1199	12.6	102	107
37" H.	14	36	37	**HPODM**3637	**HPODL**3637	1000	1070	1096	1139	13	103	108
	14	30	37	**HPODM**3037	**HPODL**3037	949	1018	1052	1087	10.9	91	95

SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull
T -	-	/	-	/	-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts (HP___M)**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("CONTEMPORARY" ALUMINUM FRAME with ACRYLIC interior panel)

Bookcase hutch with 2 doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

	Dimensions			Code	Price				Specifications		
					L Lima 1"		M Mike 1½"				
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	**HPDDGiC**3643	1455	1528	1590	1631	15	134	139
	14	30	43	**HPDDGiC**3043	1401	1472	1542	1577	12.6	117	122
37" H.	14	36	37	**HPDDGiC**3637	1378	1449	1474	1517	13	119	124
	14	30	37	**HPDDGiC**3037	1328	1396	1430	1465	10.9	104	108

Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPDOGiC**3643	1007	1079	1141	1183	15	116	121
	14	30	43	**HPDOGiC**3043	953	1023	1093	1129	12.6	102	107
37" H.	14	36	37	**HPDOGiC**3637	930	1000	1025	1068	13	103	108
	14	30	37	**HPDOGiC**3037	879	947	981	1016	10.9	91	95

Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPODGiC**3643	1007	1079	1141	1183	15	116	121
	14	30	43	**HPODGiC**3043	953	1023	1093	1129	12.6	102	107
37" H.	14	36	37	**HPODGiC**3637	930	1000	1025	1068	13	103	108
	14	30	37	**HPODGiC**3037	879	947	981	1016	10.9	91	95

SPECIFY

Series		Code		Surface		Edge		Base		Pull
T	-		-		/		-		-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

BOOKCASE HUTCHES WITH DOOR(S) ("TRADITIONAL" ALUMINUM FRAME with ACRYLIC interior panel)

Bookcase hutch with 2 doors ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

	Dimensions			Code	Price L Lima 1"		Price M Mike 1½"		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	14	36	43	**HPDDGiA**3643	1199	1272	1333	1375	15	134	139
	14	30	43	**HPDDGiA**3043	1145	1216	1286	1321	12.6	117	122
37" H.	14	36	37	**HPDDGiA**3637	1122	1192	1218	1261	13	119	124
	14	30	37	**HPDDGiA**3037	1071	1140	1174	1209	10.9	104	108

Bookcase hutch with 1 door at left ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPDOGiA**3643	1103	1176	1238	1279	15	116	121
	14	30	43	**HPDOGiA**3043	1049	1120	1190	1225	12.6	102	107
37" H.	14	36	37	**HPDOGiA**3637	1026	1097	1122	1165	13	103	108
	14	30	37	**HPDOGiA**3037	976	1044	1078	1113	10.9	91	95

Bookcase hutch with 1 door at right ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

43" H.	14	36	43	**HPODGiA**3643	1103	1176	1238	1279	15	116	121
	14	30	43	**HPODGiA**3043	1049	1120	1190	1225	12.6	102	107
37" H.	14	36	37	**HPODGiA**3637	1026	1097	1122	1165	13	103	108
	14	30	37	**HPODGiA**3037	976	1044	1078	1113	10.9	91	95

SPECIFY

Series		Code		Surface		Edge		Base		Pull
T	-		-		/		-		-	

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

CORNER ROUNDED BOOKCASE HUTCHES

Corner rounded bookcase hutch.

Bottom shelf is adjustable, top one is fixed.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	43	HC43	597	653	633	689	5.7	39	42
14	14	37	HC37	553	609	589	645	4.9	35	38

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

TACKBOARDS FOR 43" H. HUTCHES

Tackboard for hutch.

Installs under 43" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.

Dimensions			Code	Price					Specifications	
A	B			COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	25	for 84" hutch	BT8225	384	430	472	497	517	2.2	21
76	25	for 78" hutch	BT7625	358	399	439	462	480	2.0	21
70	25	for 72" hutch	BT7025	331	371	405	430	448	1.8	19
64	25	for 66" hutch	BT6425	294	329	362	383	402	1.7	17
58	25	for 60" hutch	BT5825	248	279	304	311	318	1.5	16
52	25	for 54" hutch	BT5225	234	263	287	294	303	1.4	14
46	25	for 48" hutch	BT4625	228	253	273	283	290	1.2	12
40	25	for 42" hutch	BT4025	193	216	232	241	249	1.1	11
34	25	for 36" hutch	BT3425	177	196	216	223	231	0.9	9
28	25	for 30" hutch	BT2825	163	178	195	205	210	0.8	8
22	25	for 24" hutch	BT2225	151	163	176	185	193	0.6	6

TACKBOARDS FOR 43" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE

Tackboard for hutch.

Installs under 43" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.

82	21	for 84" hutch	BT8221	355	400	442	468	487	2.2	21
76	21	for 78" hutch	BT7621	330	371	410	433	452	2.0	21
70	21	for 72" hutch	BT7021	304	343	377	403	421	1.8	19
64	21	for 66" hutch	BT6421	267	303	336	356	376	1.7	17
58	21	for 60" hutch	BT5821	222	254	278	286	292	1.5	16
52	21	for 54" hutch	BT5221	210	239	262	270	277	1.4	14
46	21	for 48" hutch	BT4621	204	230	250	259	266	1.2	12
40	21	for 42" hutch	BT4021	171	194	210	218	227	1.1	11
34	21	for 36" hutch	BT3421	155	175	194	202	210	0.9	9
28	21	for 30" hutch	BT2821	142	157	174	184	189	0.8	8
22	21	for 24" hutch	BT2221	131	143	157	165	174	0.6	6

SPECIFY

	Code		Fabric
AC -		**-**	

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

TACKBOARDS FOR 37" H. HUTCHES

Tackboard for hutch.

Installs under 37" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.

Dimensions			Code	Price					Specifications	
A	B			COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2.2	21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2.0	21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1.8	19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1.7	17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1.5	16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1.4	14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1.2	12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1.1	11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0.9	9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0.8	8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0.6	6

TACKBOARDS FOR 37" H. HUTCHES WITH HORIZONTAL PIGEON-HOLE

Tackboard for hutch.

Installs under 37" H. hutches with horizontal pigeon-hole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.

82	15	for 84" hutch	BT8215	334	381	422	448	468	2.2	21
76	15	for 78" hutch	BT7615	310	352	392	415	432	2.0	21
70	15	for 72" hutch	BT7015	287	326	361	385	403	1.8	19
64	15	for 66" hutch	BT6415	251	286	320	341	360	1.7	17
58	15	for 60" hutch	BT5815	208	240	264	272	277	1.5	16
52	15	for 54" hutch	BT5215	197	226	250	256	265	1.4	14
46	15	for 48" hutch	BT4615	193	219	238	248	256	1.2	12
40	15	for 42" hutch	BT4015	161	184	200	208	217	1.1	11
34	15	for 36" hutch	BT3415	147	166	186	194	201	0.9	9
28	15	for 30" hutch	BT2815	135	151	167	177	182	0.8	8
22	15	for 24" hutch	BT2215	125	138	152	160	168	0.6	6

SPECIFY

	Code		Fabric
AC -		**-**	

Specify **Code:** Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

TACKBOARDS FOR 27" H. MODULAR HUTCHES

Tackboard for hutch.

Installs under 27" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.

Dimensions			Code	Price					Specifications	
A	B			COM / Gr.1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2.2	21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2.0	21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1.8	19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1.7	17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1.5	16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1.4	14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1.2	12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1.1	11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0.9	9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0.8	8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0.6	6

TACKBOARDS FOR 21" H. MODULAR HUTCHES

Tackboard for hutch.

Installs under 27" H. modular hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.

82	13	for 84" hutch	BT8213	338	383	425	450	471	2.2	21
76	13	for 78" hutch	BT7613	314	355	395	418	437	2.0	21
70	13	for 72" hutch	BT7013	290	329	364	389	407	1.8	19
64	13	for 66" hutch	BT6413	255	290	323	344	364	1.7	17
58	13	for 60" hutch	BT5813	212	244	268	276	282	1.5	16
52	13	for 54" hutch	BT5213	201	231	254	262	270	1.4	14
46	13	for 48" hutch	BT4613	198	224	243	253	262	1.2	12
40	13	for 42" hutch	BT4013	160	187	198	211	216	1.1	11
34	13	for 36" hutch	BT3413	145	165	182	189	200	0.9	9
28	13	for 30" hutch	BT2813	134	149	165	177	182	0.8	8
22	13	for 24" hutch	BT2213	123	132	149	158	166	0.6	6

SPECIFY

	Code		Fabric
AC -		**-**	

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

PIGEON-HOLE UNITS

Horizontal pigeon-hole unit.

Can be installed on a credenza or suspended underneath a hutch.

Cannot be installed under a hutch with metal sides.

Mounting hardware included (to be used when suspending under a hutch)

Select the appropriate tackboard, see p.207-208-209.

Installed on a credenza

Installed underneath a hutch

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
82	11	5	for 84" hutch	PiH82	670	4.0	37
76	11	5	for 78" hutch	PiH76	634	3.7	34
70	11	5	for 72" hutch	PiH70	598	3.5	32
64	11	5	for 66" hutch	PiH64	566	3.2	29
58	11	5	for 60" hutch	PiH58	532	2.9	27
52	11	5	for 54" hutch	PiH52	496	2.6	24
46	11	5	for 48" hutch	PiH46	463	2.3	22
40	11	5	for 42" hutch	PiH40	431	2.0	19
34	11	5	for 36" hutch	PiH34	397	1.7	16
28	11	5	for 30" hutch	PiH28	361	1.4	14
22	11	5	for 24" hutch	PiH22	323	1.1	11

Pigeon-hole unit, to accommodate "legal" size documents.

17	11	26	Pi1726	356	3.5	48
17	11	20	Pi1720	325	2.8	37

Pigeon-hole unit, to accommodate "letter" size documents.

14	11	26	Pi1426	295	2.5	37
14	11	20	Pi1420	267	2.0	28

Vertical pigeon-hole unit.

7	11	26	12	Pi726	190	1.6	18
7	11	20	12	Pi720	162	1.2	14

SPECIFY

Series	Code	Base
T L -	-	

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.

Edge will match the selected "Base" finish.

Tables / Layering

Sierra–Tango

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS)

29" H. rectangular table with combined-material (metal-laminate) end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

LL

LC

CL

Dimensions		Code		Price				Specifications		
				S Sierra 1"		**T** Tango 1½"				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	TiX3684	LL end panels only	1080	1297	—	1403	11.1	193	241
36	78	TiX3678	LL end panels only	1062	1251	—	1348	10.5	183	227
36	72	TiX3672	LL end panels only	1042	1203	1068	1293	9.8	173	214
36	66	TiX3666	LL end panels only	986	1177	1040	1258	9.2	163	201
36	60	TiX3660	LL end panels only	952	1131	1007	1205	8.6	153	188
36	54	TiX3654	LL end panels only	919	1089	985	1164	8	143	174
36	48	TiX3648	LL end panels only	887	1044	963	1122	7.4	134	161
30	84	TiX3084		986	1178	—	1268	9,2	168	208
30	78	TiX3078		969	1139	—	1222	8,7	159	196
30	72	TiX3072		952	1100	989	1177	8,1	150	185
30	66	TiX3066		917	1062	956	1128	7,6	142	173
30	60	TiX3060		887	1022	926	1082	7,7	133	162
30	54	TiX3054		858	988	910	1051	6,6	125	150
30	48	TiX3048		827	950	892	1016	6,1	116	139
30	42	TiX3042		792	910	851	959	5,6	107	127
30	36	TiX3036		759	868	816	910	5,1	99	116
30	30	TiX3030		750	836	798	877	4,6	90	104
30	24	TiX3024		734	796	772	838	4,1	80	92
24	84	TiX2484		884	1055	—	1131	7.4	143	175
24	78	TiX2478		870	1023	—	1093	7	136	165
24	72	TiX2472		856	992	906	1056	6.5	128	155
24	66	TiX2466		833	952	876	1013	6.1	120	145
24	60	TiX2460		792	917	845	970	5.7	113	136
24	54	TiX2454		766	886	823	935	5.3	105	126
24	48	TiX2448		747	860	810	910	4.9	98	116
24	42	TiX2442		712	818	781	860	4.5	90	106
24	36	TiX2436		678	778	761	828	4.1	83	96
24	30	TiX2430		652	748	751	814	3.7	75	87
24	24	TiX2424		627	719	735	785	3.7	68	77

SPECIFY								OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Metal	Grom.	M-Outlet	Mod.
T ▭ -	▭	▭ -	▭ /	▭ -	▭ -	▭ -	▭ -	▭ -	▭

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**LL**), (**LC**) or (**CL**).

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.30.

RECTANGULAR TABLES (PERFORATED METAL END PANELS)

LL

LC

CL

29" H. rectangular table with perforated metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

NOTE: The recessed end panel always has an "open" design.

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

Dimensions		Code		Price				Specifications		
				S Sierra 1"		**T** Tango 1½"				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	TiM3684	LL end panel only	1080	1297	—	1403	11.1	193	241
36	78	TiM3678	LL end panel only	1062	1251	—	1348	10.5	183	227
36	72	TiM3672	LL end panel only	1042	1203	1068	1293	9.8	173	214
36	66	TiM3666	LL end panel only	986	1177	1040	1258	9.2	163	201
36	60	TiM3660	LL end panel only	952	1131	1007	1205	8.6	153	188
36	54	TiM3654	LL end panel only	919	1089	985	1164	8	143	174
36	48	TiM3648	LL end panel only	887	1044	963	1122	7.4	134	161
30	84	TiM3084		986	1178	—	1268	9,2	168	208
30	78	TiM3078		969	1139	—	1222	8,7	159	196
30	72	TiM3072		952	1100	989	1177	8,1	150	185
30	66	TiM3066		917	1062	956	1128	7,6	142	173
30	60	TiM3060		887	1022	926	1082	7,7	133	162
30	54	TiM3054		858	988	910	1051	6,6	125	150
30	48	TiM3048		827	950	892	1016	6,1	116	139
30	42	TiM3042		792	910	851	959	5,6	107	127
30	36	TiM3036		759	868	816	910	5,1	99	116
30	30	TiM3030		750	836	798	877	4,6	90	104
30	24	TiM3024		734	796	772	838	4,1	80	92
24	84	TiM2484		884	1055	—	1131	7,4	143	175
24	78	TiM2478		870	1023	—	1093	7	136	165
24	72	TiM2472		856	992	906	1056	6.5	128	155
24	66	TiM2466		833	952	876	1013	6.1	120	145
24	60	TiM2460		792	917	845	970	5.7	113	136
24	54	TiM2454		766	886	823	935	5.3	105	126
24	48	TiM2448		747	860	810	910	4.9	98	116
24	42	TiM2442		712	818	781	860	4.5	90	106
24	36	TiM2436		678	778	761	828	4.1	83	96
24	30	TiM2430		652	748	751	814	3.7	75	87
24	24	TiM2424		627	719	735	785	3.7	68	77

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**LL**), (**LC**) or (**CL**).

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.30.

RECTANGULAR TABLES (OPEN METAL END PANELS)

29" H. rectangular table with open metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at page 215.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

LL

LC

CL

Dimensions		Code		Price				Specifications		
				S Sierra 1"		T Tango 1½"				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	Ti03684	LL end panel only	926	1143	—	1249	11.1	174	222
36	78	Ti03678	LL end panel only	908	1097	—	1194	10.5	164	209
36	72	Ti03672	LL end panel only	888	1049	914	1139	9.8	154	196
36	66	Ti03666	LL end panel only	832	1023	886	1104	9.2	145	182
36	60	Ti03660	LL end panel only	798	977	853	1051	8.6	135	169
36	54	Ti03654	LL end panel only	765	935	831	1010	8	125	156
36	48	Ti03648	LL end panel only	733	890	809	968	7.4	115	143
30	84	Ti03084		865	1057	—	1147	9,2	151	191
30	78	Ti03078		848	1018	—	1101	8,7	143	180
30	72	Ti03072		831	979	868	1056	8,1	134	168
30	66	Ti03066		796	941	835	1007	7,6	125	157
30	60	Ti03060		766	901	805	961	7,7	117	145
30	54	Ti03054		737	867	789	930	6,6	108	134
30	48	Ti03048		706	829	771	895	6,1	99	122
30	42	Ti03042		671	789	730	838	5,6	91	111
30	36	Ti03036		638	747	695	789	5,1	82	99
30	30	Ti03030		629	715	677	756	4,6	74	88
30	24	Ti03024		613	675	651	717	4,1	64	75
24	84	Ti02484		774	945	—	1021	7,4	129	161
24	78	Ti02478		760	913	—	983	7	121	151
24	72	Ti02472		746	882	796	946	6.5	113	141
24	66	Ti02466		723	842	766	903	6.1	106	131
24	60	Ti02460		682	807	735	860	5.7	98	121
24	54	Ti02454		656	776	713	825	5.3	91	111
24	48	Ti02448		637	750	700	800	4.9	83	102
24	42	Ti02442		602	708	671	750	4.5	76	92
24	36	Ti02436		568	668	651	718	4.1	68	82
24	30	Ti02430		542	638	641	704	3.7	61	72
24	24	Ti02424		517	609	625	675	3.7	53	62

SPECIFY								OPTIONS	
Series	Code	Legs	Surface	Edge	Base	Metal	Grom.	M-Outlet	Mod.
T -			-	/	-	-	-	-	-

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**LL**), (**LC**) or (**CL**).

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC**/**UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.30.

RECTANGULAR & CORNER TABLES (OPEN METAL "CC" END PANELS)

29" H. rectangular table with open metal end panels. Available with 2 recessed end panels.

This table features the same specifications as the 3 previous tables.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.

CC

Dimensions				Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
30	84			**Ti03084CC**	799	991	—	1081	9.2	154	194
30	78			**Ti03078CC**	782	952	—	1035	8.7	145	182
30	72			**Ti03072CC**	765	913	802	990	8.1	136	171
30	66			**Ti03066CC**	730	875	769	941	7.6	128	159
30	60			**Ti03060CC**	700	835	739	895	7.1	119	148
30	54			**Ti03054CC**	671	801	723	864	6.6	111	136
30	48			**Ti03048CC**	640	763	705	829	6.1	102	125
30	42			**Ti03042CC**	605	723	664	772	5.6	93	113
30	36			**Ti03036CC**	572	681	629	723	5.1	85	102
30	30			**Ti03030CC**	563	649	611	690	4.6	76	90
30	24			**Ti03024CC**	547	609	585	651	4.1	67	78
24	84			**Ti02484CC**	752	923	—	999	7.4	134	166
24	78			**Ti02478CC**	738	891	—	961	7	126	156
24	72			**Ti02472CC**	724	860	774	924	6.5	119	146
24	66			**Ti02466CC**	701	820	744	881	6.1	111	136
24	60			**Ti02460CC**	660	785	713	838	5.7	103	126
24	54			**Ti02454CC**	634	754	691	803	5.3	96	117
24	48			**Ti02448CC**	615	728	678	778	4.9	88	107
24	42			**Ti02442CC**	580	686	649	728	4.5	81	97
24	36			**Ti02436CC**	546	646	629	696	4.1	73	87
24	30			**Ti02430CC**	520	616	619	682	3.7	66	77
24	24			**Ti02424CC**	495	587	603	653	3.3	58	67

90° corner table with recessed open metal end panels. Woodgrain is positioned at a 45° angle on these surfaces.

For corners CSO3042CC and CSO2436CC: the "D" dimension being 17" limits the keyboard choice.

CC

30	30	48	25½	**CSO3048CC**	954	1187	1122	1326	8,6	135	169
30	30	42	17	**CSO3042CC**	887	1092	1059	1216	7.2	115	141
24	24	48	34	**CSO2448CC**	924	1153	1088	1291	8.6	131	163
24	24	42	25½	**CSO2442CC**	857	1058	1025	1181	7.2	112	137
24	24	36	17	**CSO2436CC**	785	956	952	1067	6	94	113
18	18	36	25½	**CSO1836CC**	752	924	919	1033	6	91	109

SPECIFY							OPTIONS	
Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet	Mod.
T ▭ -	▭ -	▭ /	▭ -	▭ -	▭ -	▭ -	▭ -	▭

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panels: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC/UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.30.

REVERSIBLE RETURNS (COMBINED MATERIAL END PANEL)

29" H. reversible return with combined material (metal-laminate) end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	60	**RERX**2460	626	732	658	800	5	97	120
24	54	**RERX**2454	589	690	628	749	4.6	89	111
24	48	**RERX**2448	551	648	598	699	4.2	78	96
24	42	**RERX**2442	514	606	569	648	3.9	70	86
24	36	**RERX**2436	479	567	550	616	3.5	63	78
24	30	**RERX**2430	452	536	540	603	3.2	56	68
21	48	**RERX**2148	534	623	581	668	3.8	72	88
21	42	**RERX**2142	497	583	545	620	3.5	64	78
21	36	**RERX**2136	465	560	525	592	3.2	57	70
21	30	**RERX**2130	438	518	512	581	2.9	50	60
18	48	**RERX**1848	523	604	570	644	3.3	66	82
18	42	**RERX**1842	487	567	527	600	3	58	71
18	36	**RERX**1836	457	547	517	587	2.7	51	63
18	30	**RERX**1830	431	506	504	565	2.4	44	53

REVERSIBLE RETURNS (PERFORATED METAL END PANEL)

29" H. reversible return with perforated metal end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

24	60	**RERM**2460	626	732	658	800	5	97	120
24	54	**RERM**2454	589	690	628	749	4.6	89	111
24	48	**RERM**2448	551	648	598	699	4.2	78	96
24	42	**RERM**2442	514	606	569	648	3.9	70	86
24	36	**RERM**2436	479	567	550	616	3.5	63	78
24	30	**RERM**2430	452	536	540	603	3.2	56	68
21	48	**RERM**2148	534	623	581	668	3.8	72	88
21	42	**RERM**2142	497	583	545	620	3.5	64	78
21	36	**RERM**2136	465	560	525	592	3.2	57	70
21	30	**RERM**2130	438	518	512	581	2.9	50	60
18	48	**RERM**1848	523	604	570	644	3.3	66	82
18	42	**RERM**1842	487	567	527	600	3	58	71
18	36	**RERM**1836	457	547	517	587	2.7	51	63
18	30	**RERM**1830	431	506	504	565	2.4	44	53

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet Mod.

T ▭ - ▭ - ▭ / ▭ - ▭ - ▭ - ▭ - ▭ - ▭

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC**/**UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.30.

REVERSIBLE RETURNS (OPEN METAL END PANEL)

29" H. reversible return with open metal end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	60	**RERO**2460	571	677	603	745	5	90	113
24	54	**RERO**2454	534	635	573	694	4.6	82	104
24	48	**RERO**2448	496	593	543	644	4.2	71	89
24	42	**RERO**2442	459	551	514	593	3.9	63	79
24	36	**RERO**2436	424	512	495	561	3.5	56	71
24	30	**RERO**2430	397	481	485	548	3.2	49	61
21	48	**RERO**2148	484	573	531	618	3.8	66	82
21	42	**RERO**2142	448	534	495	571	3.5	58	72
21	36	**RERO**2136	416	510	475	542	3.2	51	64
21	30	**RERO**2130	388	469	462	531	2.9	44	54
18	48	**RERO**1848	473	554	520	594	3.3	61	76
18	42	**RERO**1842	438	517	477	550	3	54	66
18	36	**RERO**1836	407	497	468	538	2.7	46	58
18	30	**RERO**1830	382	457	454	516	2.4	38	48

BRIDGE-RETURNS

29" H. bridge-return with modesty panel, 4" from the floor.

Bridge-returns can not accomodate suspended pedestals.

24	48	**REB**2448	311	448	397	497	2.8	60	78
24	42	**REB**2442	299	406	369	448	2.5	52	68
24	36	**REB**2436	287	374	349	416	2.1	45	60
24	30	**REB**2430	276	334	339	402	1.8	38	50
21	48	**REB**2148	305	437	386	482	2.5	56	72
21	42	**REB**2142	294	397	359	432	2.2	48	62
21	36	**REB**2136	282	365	339	402	1.9	41	54
21	30	**REB**2130	270	323	328	386	1.6	34	44
18	48	**REB**1848	299	426	375	466	2.2	52	67
18	42	**REB**1842	287	386	348	417	1.9	44	57
18	36	**REB**1836	276	354	328	391	1.6	37	49
18	30	**REB**1830	264	312	317	374	1.3	30	39

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panel (RERO): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On tables 36" or less in length, only the centered module (**ECC**/**UCC**) is available.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, option free of charge, p.31.

BRIDGE-SURFACES

Bridge-surface with no modesty panel.

Attaches to 2 surfaces.

Surfaces 42" and less in length have 1 central grommet included.

Bridge-surfaces can be used with "support" pedestals but can not accomodate suspended pedestals.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	48	**REBS**2448	263	399	349	449	1.7	32	47
24	42	**REBS**2442	255	362	325	404	1.6	28	42
24	36	**REBS**2436	246	333	308	375	1.3	24	36
24	30	**REBS**2430	240	298	303	365	1.1	19	30
21	48	**REBS**2148	256	388	338	433	1.6	28	42
21	42	**REBS**2142	250	353	315	388	1.3	24	36
21	36	**REBS**2136	241	325	298	361	1.1	21	31
21	30	**REBS**2130	233	287	292	350	0.9	17	26
18	48	**REBS**1848	251	377	327	418	1.3	24	36
18	42	**REBS**1842	243	342	304	373	1.1	21	31
18	36	**REBS**1836	235	314	287	350	1	18	27
18	30	**REBS**1830	228	276	281	338	0.8	15	22

SPECIFY — **OPTIONS**

Series Code Surface Edge Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.29.

On surfaces 36" or less in length, only the centered module (**ECC/UCC**) is available.

** NOTE: The module will not be covered and will be noticeable.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (FULL END PANEL)

Left or right rectangular table with 1 full laminate end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DPi3684L**	710	926	—	1032	9.9	109	143
36	78	**DPi3678L**	691	880	—	977	9.4	103	134
36	72	**DPi3672L**	671	833	697	922	8.8	97	125
36	66	**DPi3666L**	615	806	669	888	8.2	91	116
36	60	**DPi3660L**	581	760	636	834	7.6	86	107
30	84	**DPi3084L**	658	850	—	941	8.0	91	119
30	78	**DPi3078L**	641	811	—	894	7.5	87	113
30	72	**DPi3072L**	624	772	661	849	6.9	82	106
30	66	**DPi3066L**	590	734	628	800	6.4	77	99
30	60	**DPi3060L**	559	694	598	755	5.9	72	92
24	84	**DPi2484L**	598	769	—	845	6.6	75	97
24	78	**DPi2478L**	584	737	—	807	6.2	71	92
24	72	**DPi2472L**	570	706	620	770	5.7	67	86
24	66	**DPi2466L**	547	666	590	727	5.3	63	80
24	60	**DPi2460L**	506	631	559	684	4.9	59	75

RIGHT table									
36	84	**DPi3684R**	710	926	—	1032	9.9	109	143
36	78	**DPi3678R**	691	880	—	977	9.4	103	134
36	72	**DPi3672R**	671	833	697	922	8.8	97	125
36	66	**DPi3666R**	615	806	669	888	8.2	91	116
36	60	**DPi3660R**	581	760	636	834	7.6	86	107
30	84	**DPi3084R**	658	850	—	941	8.0	91	119
30	78	**DPi3078R**	641	811	—	894	7.5	87	113
30	72	**DPi3072R**	624	772	661	849	6.9	82	106
30	66	**DPi3066R**	590	734	628	800	6.4	77	99
30	60	**DPi3060R**	559	694	598	755	5.9	72	92
24	84	**DPi2484R**	598	769	—	845	6.6	75	97
24	78	**DPi2478R**	584	737	—	807	6.2	71	92
24	72	**DPi2472R**	570	706	620	770	5.7	67	86
24	66	**DPi2466R**	547	666	590	727	5.3	63	80
24	60	**DPi2460R**	506	631	559	684	4.9	59	75

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANEL)

Left or right rectangular table with 1 combined material (metal/laminate)end-panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra 1"		**T** Tango 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DPiX3684L**	853	1069	—	1175	9.9	109	143
36	78	**DPiX3678L**	834	1023	—	1120	9.4	103	134
36	72	**DPiX3672L**	814	976	840	1065	8.8	97	125
36	66	**DPiX3666L**	758	949	812	1031	8.2	91	116
36	60	**DPiX3660L**	724	903	779	977	7.6	86	107
30	84	**DPiX3084L**	784	977	—	1067	8.0	91	119
30	78	**DPiX3078L**	768	937	—	1021	7.5	87	113
30	72	**DPiX3072L**	750	899	788	976	6.9	82	106
30	66	**DPiX3066L**	716	860	755	926	6.4	77	99
30	60	**DPiX3060L**	685	821	725	881	5.9	72	92
24	84	**DPiX2484L**	708	879	—	955	6.6	75	97
24	78	**DPiX2478L**	694	847	—	917	6.2	71	92
24	72	**DPiX2472L**	680	816	730	880	5.7	67	86
24	66	**DPiX2466L**	657	776	700	837	5.3	63	80
24	60	**DPiX2460L**	616	741	669	794	4.9	59	75

RIGHT table									
36	84	**DPiX3684R**	853	1069	—	1175	9.9	109	143
36	78	**DPiX3678R**	834	1023	—	1120	9.4	103	134
36	72	**DPiX3672R**	814	976	840	1065	8.8	97	125
36	66	**DPiX3666R**	758	949	812	1031	8.2	91	116
36	60	**DPiX3660R**	724	903	779	977	7.6	86	107
30	84	**DPiX3084R**	784	977	—	1067	8.0	91	119
30	78	**DPiX3078R**	768	937	—	1021	7.5	87	113
30	72	**DPiX3072R**	750	899	788	976	6.9	82	106
30	66	**DPiX3066R**	716	860	755	926	6.4	77	99
30	60	**DPiX3060R**	685	821	725	881	5.9	72	92
24	84	**DPiX2484R**	708	879	—	955	6.6	75	97
24	78	**DPiX2478R**	694	847	—	917	6.2	71	92
24	72	**DPiX2472R**	680	816	730	880	5.7	67	86
24	66	**DPiX2466R**	657	776	700	837	5.3	63	80
24	60	**DPiX2460R**	616	741	669	794	4.9	59	75

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (PERFORATED METAL END PANEL)

Left or right rectangular table with 1 perforated metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DPiM3684L**	853	1069	—	1175	9.9	109	143
36	78	**DPiM3678L**	834	1023	—	1120	9.4	103	134
36	72	**DPiM3672L**	814	976	840	1065	8.8	97	125
36	66	**DPiM3666L**	758	949	812	1031	8.2	91	116
36	60	**DPiM3660L**	724	903	779	977	7.6	86	107
30	84	**DPiM3084L**	784	977	—	1067	8.0	91	119
30	78	**DPiM3078L**	768	937	—	1021	7.5	87	113
30	72	**DPiM3072L**	750	899	788	976	6.9	82	106
30	66	**DPiM3066L**	716	860	755	926	6.4	77	99
30	60	**DPiM3060L**	685	821	725	881	5.9	72	92
24	84	**DPiM2484L**	708	879	—	955	6.6	75	97
24	78	**DPiM2478L**	694	847	—	917	6.2	71	92
24	72	**DPiM2472L**	680	816	730	880	5.7	67	86
24	66	**DPiM2466L**	657	776	700	837	5.3	63	80
24	60	**DPiM2460L**	616	741	669	794	4.9	59	75

RIGHT table									
36	84	**DPiM3684R**	853	1069	—	1175	9.9	109	143
36	78	**DPiM3678R**	834	1023	—	1120	9.4	103	134
36	72	**DPiM3672R**	814	976	840	1065	8.8	97	125
36	66	**DPiM3666R**	758	949	812	1031	8.2	91	116
36	60	**DPiM3660R**	724	903	779	977	7.6	86	107
30	84	**DPiM3084R**	784	977	—	1067	8.0	91	119
30	78	**DPiM3078R**	768	937	—	1021	7.5	87	113
30	72	**DPiM3072R**	750	899	788	976	6.9	82	106
30	66	**DPiM3066R**	716	860	755	926	6.4	77	99
30	60	**DPiM3060R**	685	821	725	881	5.9	72	92
24	84	**DPiM2484R**	708	879	—	955	6.6	75	97
24	78	**DPiM2478R**	694	847	—	917	6.2	71	92
24	72	**DPiM2472R**	680	816	730	880	5.7	67	86
24	66	**DPiM2466R**	657	776	700	837	5.3	63	80
24	60	**DPiM2460R**	616	741	669	794	4.9	59	75

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T - ____ - ____ / ____ - ____ - ____ - ____ - ____

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (OPEN METAL END PANEL)

Left or right rectangular table with 1 open metal full end panel.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DPi03684L**	776	992	—	1098	9.9	100	134
36	78	**DPi03678L**	757	946	—	1043	9.4	94	125
36	72	**DPi03672L**	737	899	763	988	8.8	88	116
36	66	**DPi03666L**	681	872	735	954	8.2	82	107
36	60	**DPi03660L**	647	826	702	900	7.6	77	98
30	84	**DPi03084L**	724	916	—	1007	8.0	83	111
30	78	**DPi03078L**	707	877	—	960	7.5	79	105
30	72	**DPi03072L**	690	838	727	915	6.9	74	98
30	66	**DPi03066L**	656	800	694	866	6.4	69	91
30	60	**DPi03060L**	625	760	664	821	5.9	64	84
24	84	**DPi02484L**	653	824	—	900	6.6	68	90
24	78	**DPi02478L**	639	792	—	862	6.2	64	85
24	72	**DPi02472L**	625	761	675	825	5.7	60	79
24	66	**DPi02466L**	602	721	645	782	5.3	56	73
24	60	**DPi02460L**	561	686	614	739	4.9	52	68

RIGHT table									
36	84	**DPi03684R**	776	992	—	1098	9.9	100	134
36	78	**DPi03678R**	757	946	—	1043	9.4	94	125
36	72	**DPi03672R**	737	899	763	988	8.8	88	116
36	66	**DPi03666R**	681	872	735	954	8.2	82	107
36	60	**DPi03660R**	647	826	702	900	7.6	77	98
30	84	**DPi03084R**	724	916	—	1007	8.0	83	111
30	78	**DPi03078R**	707	877	—	960	7.5	79	105
30	72	**DPi03072R**	690	838	727	915	6.9	74	98
30	66	**DPi03066R**	656	800	694	866	6.4	69	91
30	60	**DPi03060R**	625	760	664	821	5.9	64	84
24	84	**DPi02484R**	653	824	—	900	6.6	68	90
24	78	**DPi02478R**	639	792	—	862	6.2	64	85
24	72	**DPi02472R**	625	761	675	825	5.7	60	79
24	66	**DPi02466R**	602	721	645	782	5.3	56	73
24	60	**DPi02460R**	561	686	614	739	4.9	52	68

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T - ____ - ____ - ____ / ____ - ____ - ____ - ____ - ____

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal end panel: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.28.

RECTANGULAR SURFACE-MOUNTED "LAYERING" RETURNS WITH "L" SUPPORT

Rectangular return, left or right.

5" high laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Returns have 2 grommets.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT return									
24	72	**REEP**2472**L**	304	440	349	521	3.3	52	71
24	66	**REEP**2466**L**	292	418	338	494	3.1	48	66
24	60	**REEP**2460**L**	275	396	310	458	2.8	44	60
21	72	**REEP**2172**L**	273	410	319	475	3.0	46	63
21	66	**REEP**2166**L**	262	388	303	454	2.7	43	58
21	60	**REEP**2160**L**	255	366	290	421	2.5	39	53
18	72	**REEP**1872**L**	248	370	294	430	2.6	41	55
18	66	**REEP**1866**L**	241	332	277	408	2.4	38	51
18	60	**REEP**1860**L**	234	320	270	376	2.2	34	47

RIGHT return									
24	72	**REEP**2472**R**	304	440	349	521	3.3	52	71
24	66	**REEP**2466**R**	292	418	338	494	3.1	48	66
24	60	**REEP**2460**R**	275	396	310	458	2.8	44	60
21	72	**REEP**2172**R**	273	410	319	475	3.0	46	63
21	66	**REEP**2166**R**	262	388	303	454	2.7	43	58
21	60	**REEP**2160**R**	255	366	290	421	2.5	39	53
18	72	**REEP**1872**R**	248	370	294	430	2.6	41	55
18	66	**REEP**1866**R**	241	332	277	408	2.4	38	51
18	60	**REEP**1860**R**	234	320	270	376	2.2	34	47

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T - ☐ - ☐ - ☐ / ☐ - ☐ - ☐ - ☐

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of single-circuit multi-outlet module (**EC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea.

or option of standard multi-outlet module (**UC…**) at left **…L**, centered **…C** and/or at right **…R**, add $213 ea., p.28.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)

"D" shaped table.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra **1"**		**T** Tango **1½"**				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DLDA**3684**L**	756	1041	—	1250	5,1	88	128
36	78	**DLDA**3678**L**	744	1002	—	1201	4,8	85	125
36	72	**DLDA**3672**L**	725	959	932	1157	4.5	82	121
30	84	**DLDA**3084**L**	711	948	—	1142	4,4	79	117
30	78	**DLDA**3078**L**	702	916	—	1102	4,1	74	109
30	72	**DLDA**3072**L**	689	906	905	1092	3.9	69	102
24	84	**DLDA**2484**L**	666	893	—	1034	3,7	64	94
24	78	**DLDA**2478**L**	660	872	—	1003	3,5	59	88
24	72	**DLDA**2472**L**	652	836	858	975	3.3	56	82

RIGHT table									
36	84	**DLDA**3684**R**	756	1041	—	1250	5,1	88	128
36	78	**DLDA**3678**R**	744	1002	—	1201	4,8	85	124
36	72	**DLDA**3672**R**	725	959	932	1157	4.5	82	121
30	84	**DLDA**3084**R**	711	948	—	1142	4,4	79	117
30	78	**DLDA**3078**R**	702	916	—	1102	4,1	74	109
30	72	**DLDA**3072**R**	689	906	905	1092	3.9	69	102
24	84	**DLDA**2484**R**	666	893	—	1034	3,7	64	94
24	78	**DLDA**2478**R**	660	872	—	1003	3,5	59	88
24	72	**DLDA**2472**R**	652	836	858	975	3.3	56	82

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T - ____ - ____ / ____ - ____ - ____ - ____ - ____

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code		S Sierra 1" Price		T Tango 1½" Price		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	**DLDC**3684**L**	**DLDD**3684**L**	779	1064	—	1273	10.1	94	134
36	78	**DLDC**3678**L**	**DLDD**3678**L**	767	1025	—	1224	9.8	91	130
36	72	**DLDC**3672**L**	**DLDD**3672**L**	748	982	955	1180	9.5	88	127
30	84	**DLDC**3084**L**	**DLDD**3084**L**	734	971	—	1165	9.4	85	123
30	78	**DLDC**3078**L**	**DLDD**3078**L**	725	939	—	1125	9.1	80	115
30	72	**DLDC**3072**L**	**DLDD**3072**L**	712	930	928	1115	8.9	75	108
24	84	**DLDC**2484**L**	**DLDD**2484**L**	689	916	—	1057	8.7	70	100
24	78	**DLDC**2478**L**	**DLDD**2478**L**	683	895	—	1026	8.5	65	94
24	72	**DLDC**2472**L**	**DLDD**2472**L**	675	859	881	998	8.3	62	88

RIGHT table										
36	84	**DLDC**3684**R**	**DLDD**3684**R**	779	1064	—	1273	10.1	94	134
36	78	**DLDC**3678**R**	**DLDD**3678**R**	767	1025	—	1224	9.8	91	130
36	72	**DLDC**3672**R**	**DLDD**3672**R**	748	982	955	1180	9.5	88	127
30	84	**DLDC**3084**R**	**DLDD**3084**R**	734	971	—	1165	9.4	85	123
30	78	**DLDC**3078**R**	**DLDD**3078**R**	725	939	—	1125	9.1	80	115
30	72	**DLDC**3072**R**	**DLDD**3072**R**	712	930	928	1115	8.9	75	108
24	84	**DLDC**2484**R**	**DLDD**2484**R**	689	916	—	1057	8.7	70	100
24	78	**DLDC**2478**R**	**DLDD**2478**R**	683	895	—	1026	8.5	65	94
24	72	**DLDC**2472**R**	**DLDD**2472**R**	675	859	881	998	8.3	62	88

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)

"D" shaped table.

Telescopic metal leg (4" dia.).

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	**DADA**3684	920	1205	—	1414	5,4	92	126
36	78	**DADA**3678	908	1166	—	1365	5,1	87	119
36	72	**DADA**3672	889	1123	1096	1321	5	82	111
30	84	**DADA**3084	875	1112	—	1306	4.9	80	108
30	78	**DADA**3078	866	1080	—	1266	4.6	76	102
30	72	**DADA**3072	853	1070	1069	1256	4,4	71	96
24	84	**DADA**2484	829	1057	—	1198	4.2	68	90
24	78	**DADA**2478	824	1036	—	1167	4.0	64	85
24	72	**DADA**2472	816	1000	1022	1139	3,8	61	80

"D" SHAPED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

		Round base	Square base							
36	84	**DADC**3684	**DADD**3684	943	1228	—	1437	9.8	99	133
36	78	**DADC**3678	**DADD**3678	931	1189	—	1388	9.5	94	125
36	72	**DADC**3672	**DADD**3672	912	1146	1119	1344	9.4	88	117
30	84	**DADC**3084	**DADD**3084	898	1135	—	1329	9.3	87	115
30	78	**DADC**3078	**DADD**3078	889	1103	—	1289	9.0	82	108
30	72	**DADC**3072	**DADD**3072	876	1093	1092	1279	8.8	78	102
24	84	**DADC**2484	**DADD**2484	853	1080	—	1221	8.6	74	97
24	78	**DADC**2478	**DADD**2478	847	1059	—	1190	8.4	71	92
24	72	**DADC**2472	**DADD**2472	839	1023	1045	1162	8.2	67	87

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T -	-	/	-	-	-	-

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge**: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)

"D" shaped table (arched), left or right.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DLAA3684L**	756	1041	—	1250	5,1	88	128
36	78	**DLAA3678L**	744	1002	—	1201	4,8	85	124
36	72	**DLAA3672L**	725	959	932	1157	4.5	82	121
30	84	**DLAA3084L**	711	948	—	1142	4,4	79	117
30	78	**DLAA3078L**	702	916	—	1102	4,1	74	109
30	72	**DLAA3072L**	689	906	905	1092	3.9	69	102
			0	0	0	0			
24	84	**DLAA2484L**	666	893	—	1034	3,7	64	94
24	78	**DLAA2478L**	660	872	—	1003	3,5	59	88
24	72	**DLAA2472L**	652	836	858	975	3.3	56	82

RIGHT table									
36	84	**DLAA3684R**	756	1041	—	1250	5,1	88	128
36	78	**DLAA3678R**	744	1002	—	1201	4,8	85	124
36	72	**DLAA3672R**	725	959	932	1157	4.5	82	121
30	84	**DLAA3084R**	711	948	—	1142	4,4	79	117
30	78	**DLAA3078R**	702	916	—	1102	4,1	74	109
30	72	**DLAA3072R**	689	906	905	1092	3.9	69	102
24	84	**DLAA2484R**	666	893	—	1034	3,7	64	94
24	78	**DLAA2478R**	660	872	—	1003	3,5	59	88
24	72	**DLAA2472R**	652	836	858	975	3.3	56	82

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T - ( ) - ( ) / ( ) - ( ) - ( ) - ( ) - ( )

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table (arched), left or right with telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code		Price				Specifications		
				S Sierra **1"**		**T** Tango **1½"**				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	**DLAC**3684L	**DLAD**3684L	779	1064	—	1273	10.1	94	134
36	78	**DLAC**3678L	**DLAD**3678L	767	1025	—	1224	9.8	91	130
36	72	**DLAC**3672L	**DLAD**3672L	748	982	955	1180	9.5	88	127
30	84	**DLAC**3084L	**DLAD**3084L	734	971	—	1165	9.4	85	123
30	78	**DLAC**3078L	**DLAD**3078L	725	939	—	1125	9.1	80	115
30	72	**DLAC**3072L	**DLAD**3072L	712	930	928	1115	8.9	75	108
24	84	**DLAC**2484L	**DLAD**2484L	689	916	—	1057	8.7	70	100
24	78	**DLAC**2478L	**DLAD**2478L	683	895	—	1026	8.5	65	94
24	72	**DLAC**2472L	**DLAD**2472L	675	859	881	998	8.3	62	88

RIGHT table										
36	84	**DLAC**3684R	**DLAD**3684R	779	1064	—	1273	10.1	94	134
36	78	**DLAC**3678R	**DLAD**3678R	767	1025	—	1224	9.8	91	130
36	72	**DLAC**3672R	**DLAD**3672R	748	982	955	1180	9.5	88	127
30	84	**DLAC**3084R	**DLAD**3084R	734	971	—	1165	9.4	85	123
30	78	**DLAC**3078R	**DLAD**3078R	725	939	—	1125	9.1	80	115
30	72	**DLAC**3072R	**DLAD**3072R	712	930	928	1115	8.9	75	108
24	84	**DLAC**2484R	**DLAD**2484R	689	916	—	1057	8.7	70	100
24	78	**DLAC**2478R	**DLAD**2478R	683	895	—	1026	8.5	65	94
24	72	**DLAC**2472R	**DLAD**2472R	675	859	881	998	8.3	62	88

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)

"D" shaped table (arched), left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

F

Dimensions		Code		Price (S Sierra 1")		Price (T Tango 1½")		Specifications		
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round legs	Square legs							
36	84	**DLAE3684L**	**DLAF3684L**	811	1096	—	1305	5,1	94	134
36	78	**DLAE3678L**	**DLAF3678L**	799	1057	—	1256	4,8	91	130
36	72	**DLAE3672L**	**DLAF3672L**	780	1014	987	1212	4.5	88	127
30	84	**DLAE3084L**	**DLAF3084L**	766	1003	—	1197	4,4	85	123
30	78	**DLAE3078L**	**DLAF3078L**	757	971	—	1157	4,1	80	115
30	72	**DLAE3072L**	**DLAF3072L**	744	961	960	1147	3.9	75	108
24	84	**DLAE2484L**	**DLAF2484L**	721	948	—	1089	3,7	70	100
24	78	**DLAE2478L**	**DLAF2478L**	715	927	—	1058	3,5	65	94
24	72	**DLAE2472L**	**DLAF2472L**	707	891	913	1030	3.3	62	88

F

RIGHT table										
36	84	**DLAE3684R**	**DLAF3684R**	811	1096	—	1305	5,1	94	134
36	78	**DLAE3678R**	**DLAF3678R**	799	1057	—	1256	4,8	91	130
36	72	**DLAE3672R**	**DLAF3672R**	780	1014	987	1212	4.5	88	127
30	84	**DLAE3084R**	**DLAF3084R**	766	1003	—	1197	4,4	85	123
30	78	**DLAE3078R**	**DLAF3078R**	757	971	—	1157	4,1	80	115
30	72	**DLAE3072R**	**DLAF3072R**	744	961	960	1147	3.9	75	108
24	84	**DLAE2484R**	**DLAF2484R**	721	948	—	1089	3,7	70	100
24	78	**DLAE2478R**	**DLAF2478R**	715	927	—	1058	3,5	65	94
24	72	**DLAE2472R**	**DLAF2472R**	707	891	913	1030	3.3	62	88

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or polar white (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)

"D" shaped table (arched), left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra 1"		T Tango 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DLAG3684L**	747	1032	—	1241	5.0	100	140
36	78	**DLAG3678L**	735	993	—	1192	5.3	97	136
36	72	**DLAG3672L**	716	950	923	1148	5.0	94	133
30	84	**DLAG3084L**	702	939	—	1133	4.9	91	129
30	78	**DLAG3078L**	693	908	—	1093	4.6	86	121
30	72	**DLAG3072L**	680	898	897	1084	4.4	81	114
24	84	**DLAG2484L**	657	884	—	1025	4.2	76	106
24	78	**DLAG2478L**	651	864	—	994	4.0	71	100
24	72	**DLAG2472L**	644	827	849	966	3.8	68	64

RIGHT table									
36	84	**DLAG3684R**	747	1032	—	1241	5.0	100	140
36	78	**DLAG3678R**	735	993	—	1192	5.3	97	136
36	72	**DLAG3672R**	716	950	923	1148	5.0	94	133
30	84	**DLAG3084R**	702	939	—	1133	4.9	91	129
30	78	**DLAG3078R**	693	908	—	1093	4.6	86	121
30	72	**DLAG3072R**	680	898	897	1084	4.4	81	114
24	84	**DLAG2484R**	657	884	—	1025	4.2	76	106
24	78	**DLAG2478R**	651	864	—	994	4.0	71	100
24	72	**DLAG2472R**	644	827	849	966	3.8	68	64

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)

"D" shaped table (arched) with telescopic metal leg (4" dia.).

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra 1"		**T** Tango 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	**DAAA**3684	920	1205	—	1414	5,4	92	126
36	78	**DAAA**3678	908	1166	—	1365	5,1	87	119
36	72	**DAAA**3672	889	1123	1096	1321	5	82	111
30	84	**DAAA**3084	875	1112	—	1306	4.9	80	108
30	78	**DAAA**3078	866	1080	—	1266	4.6	76	102
30	72	**DAAA**3072	853	1070	1069	1256	4,4	71	96
24	84	**DAAA**2484	829	1057	—	1198	4.2	68	90,4
24	78	**DAAA**2478	824	1036	—	1167	4.0	64	85
24	72	**DAAA**2472	816	1000	1022	1139	3,8	61	80

ARCHED SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)

"D" shaped table (arched, left or right) with telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

		Round base	Square base							
36	84	**DAAC**3684	**DAAD**3684	943	1228	—	1437	9.8	99	133
36	78	**DAAC**3678	**DAAD**3678	931	1189	—	1388	9.5	94	125
36	72	**DAAC**3672	**DAAD**3672	912	1146	1119	1344	9.4	88	117
30	84	**DAAC**3084	**DAAD**3084	898	1135	—	1329	9.3	87	115
30	78	**DAAC**3078	**DAAD**3078	889	1103	—	1289	9.0	82	108
30	72	**DAAC**3072	**DAAD**3072	876	1093	1092	1279	8.8	78	102
24	84	**DAAC**2484	**DAAD**2484	853	1080	—	1221	8.6	74	97
24	78	**DAAC**2478	**DAAD**2478	847	1059	—	1190	8.4	71	92
24	72	**DAAC**2472	**DAAD**2472	839	1023	1045	1162	8.2	67	87

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG)

Rectangular table, left or right.

Telescopic metal leg (4" dia.).

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra 1"		**T** Tango 1½"				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DLiA3684L**	734	1019	—	1228	5,1	88	128
36	78	**DLiA3678L**	722	980	—	1179	4,8	85	124
36	72	**DLiA3672L**	703	937	910	1135	4.5	82	121
30	84	**DLiA3084L**	689	926	—	1120	4,4	79	117
30	78	**DLiA3078L**	680	894	—	1080	4,1	74	109
30	72	**DLiA3072L**	667	884	883	1070	3.9	69	102
24	84	**DLiA2484L**	644	871	—	1012	3,7	64	94
24	78	**DLiA2478L**	638	850	—	981	3,5	59	88
24	72	**DLiA2472L**	630	814	836	953	3.3	56	82

RIGHT table									
36	84	**DLiA3684R**	734	1019	—	1228	5,1	88	128
36	78	**DLiA3678R**	722	980	—	1179	4,8	85	124
36	72	**DLiA3672R**	703	937	910	1135	4.5	82	121
30	84	**DLiA3084R**	689	926	—	1120	4,4	79	117
30	78	**DLiA3078R**	680	894	—	1080	4,1	74	109
30	72	**DLiA3072R**	667	884	883	1070	3.9	69	102
24	84	**DLiA2484R**	644	871	—	1012	3,7	64	94
24	78	**DLiA2478R**	638	850	—	981	3,5	59	88
24	72	**DLiA2472R**	630	814	836	953	3.3	56	82

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T - ____ - ____ - ____ / ____ - ____ - ____ - ____ - ____

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE)

Rectangular table, left or right.

Telescopic metal leg (4" dia.) with round or square base plate.

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code		Price				Specifications		
				S Sierra **1"**		**T** Tango **1½"**				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round base	Square base							
36	84	**DLiC3684L**	**DLiD3684L**	757	1042	—	1251	10.1	94	134
36	78	**DLiC3678L**	**DLiD3678L**	745	1003	—	1202	9.8	91	130
36	72	**DLiC3672L**	**DLiD3672L**	726	960	933	1158	9.5	88	127
30	84	**DLiC3084L**	**DLiD3084L**	712	949	—	1143	9.4	85	123
30	78	**DLiC3078L**	**DLiD3078L**	703	917	—	1103	9.1	80	115
30	72	**DLiC3072L**	**DLiD3072L**	690	908	906	1093	8.9	75	108
24	84	**DLiC2484L**	**DLiD2484L**	667	894	—	1035	8.7	70	100
24	78	**DLiC2478L**	**DLiD2478L**	661	873	—	1004	8.5	65	94
24	72	**DLiC2472L**	**DLiD2472L**	653	837	859	976	8.3	62	88

RIGHT table

36	84	**DLiC3684R**	**DLiD3684R**	757	1042	—	1251	10.1	94	134
36	78	**DLiC3678R**	**DLiD3678R**	745	1003	—	1202	9.8	91	130
36	72	**DLiC3672R**	**DLiD3672R**	726	960	933	1158	9.5	88	127
30	84	**DLiC3084R**	**DLiD3084R**	712	949	—	1143	9.4	85	123
30	78	**DLiC3078R**	**DLiD3078R**	703	917	—	1103	9.1	80	115
30	72	**DLiC3072R**	**DLiD3072R**	690	908	906	1093	8.9	75	108
24	84	**DLiC2484R**	**DLiD2484R**	667	894	—	1035	8.7	70	100
24	78	**DLiC2478R**	**DLiD2478R**	661	873	—	1004	8.5	65	94
24	72	**DLiC2472R**	**DLiD2472R**	653	837	859	976	8.3	62	88

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal leg: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (TUBULAR LEGS)

Rectangular table, left or right.

Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code		Price				Specifications		
				S Sierra **1"**		**T** Tango **1½"**				
A	B			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table		Round leg	Square leg							
36	84	**DLiE3684L**	**DLiF3684L**	789	1074	—	1283	5,1	94	134
36	78	**DLiE3678L**	**DLiF3678L**	777	1035	—	1234	4,8	91	130
36	72	**DLiE3672L**	**DLiF3672L**	758	992	965	1190	4.5	88	127
30	84	**DLiE3084L**	**DLiF3084L**	744	981	—	1175	4,4	85	123
30	78	**DLiE3078L**	**DLiF3078L**	735	949	—	1135	4,1	80	115
30	72	**DLiE3072L**	**DLiF3072L**	722	939	938	1125	3.9	75	108
24	84	**DLiE2484L**	**DLiF2484L**	699	926	—	1067	3,7	70	100
24	78	**DLiE2478L**	**DLiF2478L**	693	905	—	1036	3,5	65	94
24	72	**DLiE2472L**	**DLiF2472L**	685	869	891	1008	3.3	62	88

RIGHT table

36	84	**DLiE3684R**	**DLiF3684R**	789	1074	—	1283	5,1	94	134
36	78	**DLiE3678R**	**DLiF3678R**	777	1035	—	1234	4,8	91	130
36	72	**DLiE3672R**	**DLiF3672R**	758	992	965	1190	4.5	88	127
30	84	**DLiE3084R**	**DLiF3084R**	744	981	—	1175	4,4	85	123
30	78	**DLiE3078R**	**DLiF3078R**	735	949	—	1135	4,1	80	115
30	72	**DLiE3072R**	**DLiF3072R**	722	939	938	1125	3.9	75	108
24	84	**DLiE2484R**	**DLiF2484R**	699	926	—	1067	3,7	70	100
24	78	**DLiE2478R**	**DLiF2478R**	693	905	—	1036	3,5	65	94
24	72	**DLiE2472R**	**DLiF2472R**	685	869	891	1008	3.3	62	88

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Metal Grom. M-Outlet

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal legs: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH "L" SUPPORT (MONOLITHIC BASE)

Rectangular table, left or right.

Monolithic laminate base, 4" x 12".

5" high laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	Price				Specifications		
			S Sierra **1"**		**T** Tango **1½"**				
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
LEFT table									
36	84	**DLiG3684L**	725	1010	—	1219	5.0	100	140
36	78	**DLiG3678L**	713	971	—	1170	5.3	97	136
36	72	**DLiG3672L**	694	928	901	1126	5.0	94	133
30	84	**DLiG3084L**	680	917	—	1111	4.9	91	129
30	78	**DLiG3078L**	671	886	—	1071	4.6	86	121
30	72	**DLiG3072L**	658	876	875	1062	4.4	81	114
24	84	**DLiG2484L**	635	862	—	1003	4.2	76	106
24	78	**DLiG2478L**	629	842	—	972	4.0	71	100
24	72	**DLiG2472L**	622	805	827	944	3.8	68	64

RIGHT table									
36	84	**DLiG3684R**	725	1010	—	1219	5.0	100	140
36	78	**DLiG3678R**	713	971	—	1170	5.3	97	136
36	72	**DLiG3672R**	694	928	901	1126	5.0	94	133
30	84	**DLiG3084R**	680	917	—	1111	4.9	91	129
30	78	**DLiG3078R**	671	886	—	1071	4.6	86	121
30	72	**DLiG3072R**	658	876	875	1062	4.4	81	114
24	84	**DLiG2484R**	635	862	—	1003	4.2	76	106
24	78	**DLiG2478R**	629	842	—	972	4.0	71	100
24	72	**DLiG2472R**	622	805	827	944	3.8	68	64

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom. M-Outlet

T - [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG)

Rectangular table.

Telescopic metal leg (4" dia.).

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series**, see p.239-240.

Assembly hardware included.

Dimensions		Code	S Sierra 1" Price		T Tango 1½"		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	**DAiA**3684	898	1183	—	1392	5,4	92	126
36	78	**DAiA**3678	886	1144	—	1343	5,1	87	119
36	72	**DAiA**3672	867	1101	1074	1299	5	82	111
30	84	**DAiA**3084	853	1090	—	1284	4.9	80	108
30	78	**DAiA**3078	844	1058	—	1244	4.6	76	102
30	72	**DAiA**3072	831	1048	1047	1234	4,4	71	96
24	84	**DAiA**2484	807	1035	—	1176	4.2	68	90
24	78	**DAiA**2478	802	1014	—	1145	4.0	64	85
24	72	**DAiA**2472	794	978	1000	1117	3,8	61	80

SPECIFY | **OPTIONS**

Series Code Surface Edge Metal Grom. M-Outlet

T - ____ - ____ / ____ - ____ - ____ - ____

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module**: Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

RECTANGULAR SURFACE-MOUNTED "LAYERING" TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE)

Rectangular table.

Telescopic metal leg (4" dia.) with round or square base plate.

5" high adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the **Sierra 1" (S) series,** see p.239-240.

Assembly hardware included.

Dimensions		Code		Price				Specifications		
				S Sierra 1"		T Tango 1½"				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
36	84	**DAiC**3684	**DAiD**3684	921	1206	—	1415	9.8	99	133
36	78	**DAiC**3678	**DAiD**3678	909	1167	—	1366	9.5	94	125
36	72	**DAiC**3672	**DAiD**3672	890	1124	1097	1322	9.4	88	117
30	84	**DAiC**3084	**DAiD**3084	876	1113	—	1307	9.3	87	115
30	78	**DAiC**3078	**DAiD**3078	867	1081	—	1267	9.0	82	108
30	72	**DAiC**3072	**DAiD**3072	854	1071	1070	1257	8.8	78	102
24	84	**DAiC**2484	**DAiD**2484	831	1058	—	1199	8.6	74	97
24	78	**DAiC**2478	**DAiD**2478	825	1037	—	1168	8.4	71	92
24	72	**DAiC**2472	**DAiD**2472	817	1001	1023	1140	8.2	67	87

SPECIFY						OPTIONS
Series	Code	Surface	Edge	Metal	Grom.	M-Outlet
T ☐ -	☐ -	☐ /	☐ -	☐ -	☐ -	☐

Specify **Series:** S or T (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal leg & support: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Multi-Outlet Module:** Option of centered single-circuit multi-outlet module (**ECC**), add $213

or option of centered standard multi-outlet module (**UCC**), add $213, p.29.

OPEN CREDENZAS - 23" H.

Open credenza with 2 adjustable shelves.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

Dimensions			Code	Price				Specifications		
				S Sierra 1"		T Tango 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	72	23	**CZOO**247223	916	1114	1002	1179	27,8	170	189
24	60	23	**CZOO**246023	869	1032	946	1081	23,3	146	162
21	72	23	**CZOO**217223	895	1067	975	1121	24,6	152	169
21	60	23	**CZOO**216023	850	991	922	1031	20,6	120	134

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom.

T - ____ - ____ - ____ / ____ - ____ - ____

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Options: **Grommet:** Add grommets & specify color: White (**G14**) or Charcoal (**G24**), located on top and sides, add $128, p.28.

CREDENZAS WITH DRAWERS - 23" H.

Combined credenza (left or right): open storage with adjustable shelf, 1 - 6" and 1 - 12" filing drawer.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Drawers at LEFT

24	72	23	**CZUFO**247223	1326	1525	1412	1588	27,8	187	206
24	60	23	**CZUFO**246023	1278	1442	1356	1491	23,3	163	179
21	72	23	**CZUFO**217223	1305	1477	1385	1530	24,6	171	188
21	60	23	**CZUFO**216023	1260	1401	1332	1440	20,6	149	163

Drawers at RIGHT

24	72	23	**CZOUF**247223	1326	1525	1412	1588	27,8	187	206
24	60	23	**CZOUF**246023	1278	1442	1356	1491	23,3	163	179
21	72	23	**CZOUF**217223	1305	1477	1385	1530	24,6	171	188
21	60	23	**CZOUF**216023	1260	1401	1332	1440	20,6	149	163

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. Lock

T - ____ - ____ - ____ / ____ - ____ / ____ - ____ - ____ - ____

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet:** Add grommets & specify color: White (**G14**) or Charcoal (**G24**), located on top and sides, add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first subsetting, LSK02 to the components in the second subsetting, and so on to identify the keyed-alike groups.

COMBINED STORAGE CREDENZAS - 23" H.

Combined credenza (left or right): open storage with adjustable shelf on one side, 1 - 6" drawer, 1 - 12" file drawer and 1 door on the other side.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Pencil tray included in the 6" drawer.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price				Specifications		
				S Sierra 1"		**T** Tango 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
Drawers & door at LEFT										
24	72	23	**CZDUFO**247223	1159	1324	1342	1519	27,8	185	204
24	60	23	**CZDUFO**246023	1112	1242	1286	1421	23,3	161	177
21	72	23	**CZDUFO**217223	1139	1277	1315	1461	24,6	169	186
21	60	23	**CZDUFO**216023	1093	1201	1262	1371	20,6	147	161
Drawers & door at RIGHT										
24	72	23	**CZOUFD**247223	1159	1324	1342	1519	27,8	185	204
24	60	23	**CZOUFD**246023	1112	1242	1286	1421	23,3	161	177
21	72	23	**CZOUFD**217223	1139	1277	1315	1461	24,6	169	186
21	60	23	**CZOUFD**216023	1093	1201	1262	1371	20,6	147	161

Combined credenza (left or right): open storage with adjustable shelf, storage with hinged doors and adjustable shelf inside.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.219 to 237.

Grommet option available (4 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Doors at LEFT										
24	72	23	**CZDDO**247223	1049	1247	1135	1312	27,8	180	199
24	60	23	**CZDDO**246023	1002	1165	1079	1214	23,3	155	171
21	72	23	**CZDDO**217223	1029	1200	1108	1254	24,6	162	179
21	60	23	**CZDDO**216023	983	1124	1055	1164	20,6	129	143
Doors at RIGHT										
24	72	23	**CZODD**247223	1049	1247	1135	1312	27,8	180	199
24	60	23	**CZODD**246023	1002	1165	1079	1214	23,3	155	171
21	72	23	**CZODD**217223	1029	1200	1108	1254	24,6	162	179
21	60	23	**CZODD**216023	983	1124	1055	1164	20,6	129	143

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. Lock

T - - / - / - - - -

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p56.

Options: **Grommet:** Add grommets & specify color: White (**G14**) or Charcoal (**G24**), located on top and sides, add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

CREDENZAS - 23" H.

Credenza with 4 drawers (2 - 6" drawers and 2 - 12" file drawers.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the drawers, see p.219 to 237.

Pencil tray included in one of the 6" drawers.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.

Dimensions			Code	Price S Sierra 1"		Price T Tango 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	72	23	**CZUFUF**247223	1484	1683	1571	1747	27,8	209	228
24	60	23	**CZUFUF**246023	1437	1601	1515	1649	23,3	182	198
21	72	23	**CZUFUF**217223	1463	1636	1543	1689	24,6	193	210
21	60	23	**CZUFUF**216023	1418	1560	1491	1598	20,6	168	182

Credenza with 4 doors.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.

24	72	23	**CZ4D**247223	1180	1378	1266	1443	27,8	191	210
24	60	23	**CZ4D**246023	1133	1296	1210	1345	23,3	164	180
21	72	23	**CZ4D**217223	1159	1331	1239	1385	24,6	173	190
21	60	23	**CZ4D**216023	1114	1255	1186	1295	20,6	138	152

Combined credenza (left or right): storage with hinged doors with adjustable shelf and lateral file unit (1 - 6" + 1 - 12" file drawer).

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.219 to 237.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (4 positions), see p.28.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all doors & drawers.

Drawers at LEFT

24	72	23	**CZUFDD**247223	1388	1587	1475	1651	27,8	198	217
24	60	23	**CZUFDD**246023	1341	1505	1419	1553	23,3	172	188
21	72	23	**CZUFDD**217223	1367	1540	1448	1593	24,6	182	199
21	60	23	**CZUFDD**216023	1322	1464	1395	1503	20,6	158	172

Drawers at RIGHT

24	72	23	**CZDDUF**247223	1388	1587	1475	1651	27,8	198	217
24	60	23	**CZDDUF**246023	1341	1505	1419	1553	23,3	172	188
21	72	23	**CZDDUF**217223	1367	1540	1448	1593	24,6	182	199
21	60	23	**CZDDUF**216023	1322	1464	1395	1503	20,6	158	172

SPECIFY | **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet:** Add grommets & specify color: White (**G14**) or Charcoal (**G24**), located on top and sides, add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

STORAGE UNITS - 23" H.

Open storage unit with 1 adjustable shelf.

Grommet option available (3 positions), see p.28.

Dimensions			Code	Price				Specifications		
				S Sierra 1"		T Tango 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
24	36	23	**CZO**243623	663	738	807	937	14,3	87	97
24	30	23	**CZO**243023	619	697	761	920	12	75	83
21	36	23	**CZO**213623	624	689	750	932	12,6	78	87
21	30	23	**CZO**213023	579	648	713	859	10,6	68	75

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Grom.

T [ ] - [ ] - [ ] / [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Options: **Grommet:** Add grommets & specify color: White (**G13**) or Charcoal (**G23**), located on top and sides, add $128, p.28.

Storage unit with 2 doors.

Grommet option available (3 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

24	36	23	**CZDD**243623	798	872	942	1071	14,3	98	108
24	30	23	**CZDD**243023	754	832	895	1054	12	84	92
21	36	23	**CZDD**213623	758	823	884	1066	12,6	89	98
21	30	23	**CZDD**213023	713	782	847	993	10,6	77	84

Storage unit with 1 - 6" drawer and 1 - file drawer.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, p.166.

Grommet option available (3 positions), see p.28.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

24	36	23	**CZUF**243623	835	957	936	1020	14,3	99	108
24	30	23	**CZUF**243023	791	913	892	961	12	85	93
21	36	23	**CZUF**213623	801	912	898	971	12,6	94	102
21	30	23	**CZUF**213023	756	867	851	913	10,6	81	88

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Pull Grom. Lock

T [ ] - [ ] - [ ] / [ ] - [ ] / [ ] - [ ] - [ ] - [ ]

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Grommet:** Add grommets & specify color: White (**G13**) or Charcoal (**G23**), located on top and sides, add $128, p.28.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

DRAWER

Stationary drawer, slides under the work surface.

Installation harware included.

Noki locks standard, key locks available as an option (no upcharge).

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	5	**PiD**151805	248	1,4	11

SPECIFY — Series, Code, Base, Fronts

OPTIONS — Lock

T [S] - [ ] - [ ] - [ ] - [ ]

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pigeon-hole that can be slided under a surface-mounted table. Can accomodate "legal" or "letter" size documents.

Installation harware included.

17	18	5	**PiS**171805	165	1,5	9

SPECIFY — Series, Code, Base

T [S] - [ ] - [ ]

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

CUSHIONS

Cushion for storage units.

Installs with Velcro strips.

				Price					Specifications	
		Thickness		Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	1½	**CUS**2472	682	743	803	866	967	2,8	25
24	60	1½	**CUS**2460	583	636	688	738	824	2,3	21
24	36	1½	**CUS**2436	387	419	453	486	554	1,4	13
24	30	1½	**CUS**2430	342	372	400	429	476	1,2	11
21	72	1½	**CUS**2172	671	732	792	855	956	2,5	22
21	60	1½	**CUS**2160	572	625	677	727	813	2,1	19
21	36	1½	**CUS**2136	382	414	448	481	549	1,3	11
21	30	1½	**CUS**2130	337	366	395	424	471	1,1	9

SPECIFY — Series, Code, Fabric

T [L] - [ ] - [ ]

Specify **Code**: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

Shared Tables / Benching

Sierra-Tango

CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full laminate end panels.

Quad unit: Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions A	B	C	D	Code	Price T.F.L.	H.P.L.	Specifications Cu.Ft.	lb
30	72	60¼		**BC2i**3072	1700	1997	13,3	247
30	66	60¼		**BC2i**3066	1631	1920	12,9	234
30	60	60¼		**BC2i**3060	1559	1829	12,3	222
30	54	60¼		**BC2i**3054	1502	1761	11,7	210
30	48	60¼		**BC2i**3048	1440	1686	11,3	198
30	42	60¼		**BC2i**3042	1370	1605	10,7	185
30	36	60¼		**BC2i**3036	1298	1516	10,1	173
24	72	48¼		**BC2i**2472	1552	1825	11,1	208
24	66	48¼		**BC2i**2466	1506	1744	10,7	197
24	60	48¼		**BC2i**2460	1414	1664	10,3	186
24	54	48¼		**BC2i**2454	1361	1601	9,7	176
24	48	48¼		**BC2i**2448	1323	1550	9,3	165
24	42	48¼		**BC2i**2442	1253	1466	8,9	155
24	36	48¼		**BC2i**2436	1179	1379	8,5	144

30	72	60¼	144	**BC4i**3072	3152	3746	23,6	429
30	66	60¼	132	**BC4i**3066	3015	3592	22,8	405
30	60	60¼	120	**BC4i**3060	2870	3411	21,6	380
30	54	60¼	108	**BC4i**3054	2756	3275	20,4	356
30	48	60¼	96	**BC4i**3048	2632	3125	19,6	331
30	42	60¼	84	**BC4i**3042	2492	2962	18,4	306
30	36	60¼	72	**BC4i**3036	2349	2784	17,2	282
24	72	48¼	144	**BC4i**2472	2923	3468	20,2	368
24	66	48¼	132	**BC4i**2466	2830	3306	19,4	347
24	60	48¼	120	**BC4i**2460	2646	3147	18,6	326
24	54	48¼	108	**BC4i**2454	2540	3020	17,4	305
24	48	48¼	96	**BC4i**2448	2465	2918	16,6	283
24	42	48¼	84	**BC4i**2442	2324	2751	15,8	262
24	36	48¼	72	**BC4i**2436	2177	2577	15	241

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code** : Consult the above product code list.

Surface / Edge / Base : Take Off finishes, see p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**, or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and recessed mid panels in the center.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	216	**BC6i**3072	4604	5495	33,9	612
30	66	60¼	198	**BC6i**3066	4399	5264	32,7	575
30	60	60¼	180	**BC6i**3060	4181	4993	30,9	538
30	54	60¼	162	**BC6i**3054	4010	4788	29,1	501
30	48	60¼	144	**BC6i**3048	3825	4564	27,9	465
30	42	60¼	126	**BC6i**3042	3614	4320	26,1	428
30	36	60¼	108	**BC6i**3036	3399	4052	24,3	391
24	72	48¼	216	**BC6i**2472	4293	5112	29,3	529
24	66	48¼	198	**BC6i**2466	4155	4868	28,1	497
24	60	48¼	180	**BC6i**2460	3878	4630	26,9	465
24	54	48¼	162	**BC6i**2454	3719	4439	25,1	433
24	48	48¼	144	**BC6i**2448	3607	4287	23,9	402
24	42	48¼	126	**BC6i**2442	3396	4036	22,7	370
24	36	48¼	108	**BC6i**2436	3175	3775	21,5	338

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**, or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

Take Off

CLOSED SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end and center panels , and 2 recessed mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	288	**BC8i**3072	6303	7491	44,6	814
30	66	60¼	264	**BC8i**3066	6030	7183	43	766
30	60	60¼	240	**BC8i**3060	5740	6822	40,6	716
30	54	60¼	216	**BC8i**3054	5511	6549	38,2	667
30	48	60¼	192	**BC8i**3048	5265	6250	36,6	618
30	42	60¼	168	**BC8i**3042	4983	5925	34,2	569
30	36	60¼	144	**BC8i**3036	4697	5568	31,8	520
24	72	48¼	288	**BC8i**2472	5845	6937	38,3	709
24	66	48¼	264	**BC8i**2466	5661	6611	36,7	667
24	60	48¼	240	**BC8i**2460	5291	6294	35,1	625
24	54	48¼	216	**BC8i**2454	5080	6039	32,7	582
24	48	48¼	192	**BC8i**2448	4930	5837	31,1	540
24	42	48¼	168	**BC8i**2442	4649	5502	29,5	497
24	36	48¼	144	**BC8i**2436	4354	5155	27,9	455

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Mixed legs, metal-laminate end panels.

Quad unit: Mixed legs, metal-laminate end panel and recessed open metal mid panels in the middle.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions A	B	C	D	Code	Price T.F.L.	H.P.L.	Specifications Cu.Ft.	lb
30	72	60¼		**BC2iX**3072	2112	2409	13,3	247
30	66	60¼		**BC2iX**3066	2044	2332	12,9	234
30	60	60¼		**BC2iX**3060	1971	2242	12,3	222
30	54	60¼		**BC2iX**3054	1914	2174	11,7	210
30	48	60¼		**BC2iX**3048	1852	2099	11,3	198
30	42	60¼		**BC2iX**3042	1782	2017	10,7	185
30	36	60¼		**BC2iX**3036	1711	1928	10,1	173
24	72	48¼		**BC2iX**2472	1932	2204	11,1	208
24	66	48¼		**BC2iX**2466	1885	2123	10,7	197
24	60	48¼		**BC2iX**2460	1793	2044	10,3	186
24	54	48¼		**BC2iX**2454	1740	1980	9,7	176
24	48	48¼		**BC2iX**2448	1703	1929	9,3	165
24	42	48¼		**BC2iX**2442	1632	1846	8,9	155
24	36	48¼		**BC2iX**2436	1559	1759	8,5	144

30	72	60¼	144	**BC4iX**3072	3509	4103	23,6	429
30	66	60¼	132	**BC4iX**3066	3373	3949	22,8	405
30	60	60¼	120	**BC4iX**3060	3227	3769	21,6	380
30	54	60¼	108	**BC4iX**3054	3113	3632	20,4	356
30	48	60¼	96	**BC4iX**3048	2990	3483	19,6	331
30	42	60¼	84	**BC4iX**3042	2849	3320	18,4	306
30	36	60¼	72	**BC4iX**3036	2706	3142	17,2	282
24	72	48¼	144	**BC4iX**2472	3247	3793	20,2	368
24	66	48¼	132	**BC4iX**2466	3155	3630	19,4	347
24	60	48¼	120	**BC4iX**2460	2970	3472	18,6	326
24	54	48¼	108	**BC4iX**2454	2864	3344	17,4	305
24	48	48¼	96	**BC4iX**2448	2790	3243	16,6	283
24	42	48¼	84	**BC4iX**2442	2649	3076	15,8	262
24	36	48¼	72	**BC4iX**2436	2501	2902	15	241

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Mixed legs, metal-laminate end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	Price S Sierra 1"		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	216	**BC6iX**3072	4906	5797	33,9	612
30	66	60¼	198	**BC6iX**3066	4701	5566	32,7	575
30	60	60¼	180	**BC6iX**3060	4484	5295	30,9	538
30	54	60¼	162	**BC6iX**3054	4312	5091	29,1	501
30	48	60¼	144	**BC6iX**3048	4127	4866	27,9	465
30	42	60¼	126	**BC6iX**3042	3916	4622	26,1	428
30	36	60¼	108	**BC6iX**3036	3702	4355	24,3	391
24	72	48¼	216	**BC6iX**2472	4563	5381	29,3	529
24	66	48¼	198	**BC6iX**2466	4424	5137	28,1	497
24	60	48¼	180	**BC6iX**2460	4147	4899	26,9	465
24	54	48¼	162	**BC6iX**2454	3989	4708	25,1	433
24	48	48¼	144	**BC6iX**2448	3876	4556	23,9	402
24	42	48¼	126	**BC6iX**2442	3665	4305	22,7	370
24	36	48¼	108	**BC6iX**2436	3444	4045	21,5	338

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (MIXED LEGS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Mixed legs, metal-laminate end panels, full open in the center and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	288	**BC8iX**3072	6669	7857	44,6	814
30	66	60¼	264	**BC8iX**3066	6397	7549	43	766
30	60	60¼	240	**BC8iX**3060	6106	7189	40,6	716
30	54	60¼	216	**BC8iX**3054	5877	6916	38,2	667
30	48	60¼	192	**BC8iX**3048	5631	6617	36,6	618
30	42	60¼	168	**BC8iX**3042	5349	6291	34,2	569
30	36	60¼	144	**BC8iX**3036	5063	5935	31,8	520
24	72	48¼	288	**BC8iX**2472	6212	7303	38,3	709
24	66	48¼	264	**BC8iX**2466	6027	6977	36,7	667
24	60	48¼	240	**BC8iX**2460	5657	6661	35,1	625
24	54	48¼	216	**BC8iX**2454	5446	6405	32,7	582
24	48	48¼	192	**BC8iX**2448	5297	6203	31,1	540
24	42	48¼	168	**BC8iX**2442	5015	5869	29,5	497
24	36	48¼	144	**BC8iX**2436	4720	5521	27,9	455

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full perforated metal end panels.

Quad unit: perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions A	B	C	D	Code	Price T.F.L.	Price H.P.L.	Specifications Cu.Ft.	Specifications lb
30	72	60¼		**BC2iM**3072	2112	2409	13,3	247
30	66	60¼		**BC2iM**3066	2044	2332	12,9	234
30	60	60¼		**BC2iM**3060	1971	2242	12,3	222
30	54	60¼		**BC2iM**3054	1914	2174	11,7	210
30	48	60¼		**BC2iM**3048	1852	2099	11,3	198
30	42	60¼		**BC2iM**3042	1782	2017	10,7	185
30	36	60¼		**BC2iM**3036	1711	1928	10,1	173
24	72	48¼		**BC2iM**2472	1932	2204	11,1	208
24	66	48¼		**BC2iM**2466	1885	2123	10,7	197
24	60	48¼		**BC2iM**2460	1793	2044	10,3	186
24	54	48¼		**BC2iM**2454	1740	1980	9,7	176
24	48	48¼		**BC2iM**2448	1703	1929	9,3	165
24	42	48¼		**BC2iM**2442	1632	1846	8,9	155
24	36	48¼		**BC2iM**2436	1559	1759	8,5	144

A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	144	**BC4iM**3072	3509	4103	23,6	429
30	66	60¼	132	**BC4iM**3066	3373	3949	22,8	405
30	60	60¼	120	**BC4iM**3060	3227	3769	21,6	380
30	54	60¼	108	**BC4iM**3054	3113	3632	20,4	356
30	48	60¼	96	**BC4iM**3048	2990	3483	19,6	331
30	42	60¼	84	**BC4iM**3042	2849	3320	18,4	306
30	36	60¼	72	**BC4iM**3036	2706	3142	17,2	282
24	72	48¼	144	**BC4iM**2472	3247	3793	20,2	368
24	66	48¼	132	**BC4iM**2466	3155	3630	19,4	347
24	60	48¼	120	**BC4iM**2460	2970	3472	18,6	326
24	54	48¼	108	**BC4iM**2454	2864	3344	17,4	305
24	48	48¼	96	**BC4iM**2448	2790	3243	16,6	283
24	42	48¼	84	**BC4iM**2442	2649	3076	15,8	262
24	36	48¼	72	**BC4iM**2436	2501	2902	15	241

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	**S** Sierra **1"** Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	216	**BC6iM**3072	4906	5797	33,9	612
30	66	60¼	198	**BC6iM**3066	4701	5566	32,7	575
30	60	60¼	180	**BC6iM**3060	4484	5295	30,9	538
30	54	60¼	162	**BC6iM**3054	4312	5091	29,1	501
30	48	60¼	144	**BC6iM**3048	4127	4866	27,9	465
30	42	60¼	126	**BC6iM**3042	3916	4622	26,1	428
30	36	60¼	108	**BC6iM**3036	3702	4355	24,3	391
24	72	48¼	216	**BC6iM**2472	4563	5381	29,3	529
24	66	48¼	198	**BC6iM**2466	4424	5137	28,1	497
24	60	48¼	180	**BC6iM**2460	4147	4899	26,9	465
24	54	48¼	162	**BC6iM**2454	3989	4708	25,1	433
24	48	48¼	144	**BC6iM**2448	3876	4556	23,9	402
24	42	48¼	126	**BC6iM**2442	3665	4305	22,7	370
24	36	48¼	108	**BC6iM**2436	3444	4045	21,5	338

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels, full open halfway panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	288	**BC8iM**3072	6669	7857	44,6	814
30	66	60¼	264	**BC8iM**3066	6397	7549	43	766
30	60	60¼	240	**BC8iM**3060	6106	7189	40,6	716
30	54	60¼	216	**BC8iM**3054	5877	6916	38,2	667
30	48	60¼	192	**BC8iM**3048	5631	6617	36,6	618
30	42	60¼	168	**BC8iM**3042	5349	6291	34,2	569
30	36	60¼	144	**BC8iM**3036	5063	5935	31,8	520
24	72	48¼	288	**BC8iM**2472	6212	7303	38,3	709
24	66	48¼	264	**BC8iM**2466	6027	6977	36,7	667
24	60	48¼	240	**BC8iM**2460	5657	6661	35,1	625
24	54	48¼	216	**BC8iM**2454	5446	6405	32,7	582
24	48	48¼	192	**BC8iM**2448	5297	6203	31,1	540
24	42	48¼	168	**BC8iM**2442	5015	5869	29,5	497
24	36	48¼	144	**BC8iM**2436	4720	5521	27,9	455

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Open metal full end panels.

Quad unit: Open metal full end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricy section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions A	B	C	D	Code	Price T.F.L.	H.P.L.	Specifications Cu.Ft.	lb
30	72	60¼		**BC2iO**3072	1826	2123	13,3	222
30	66	60¼		**BC2iO**3066	1758	2046	12,9	209
30	60	60¼		**BC2iO**3060	1685	1956	12,3	197
30	54	60¼		**BC2iO**3054	1628	1888	11,7	185
30	48	60¼		**BC2iO**3048	1566	1813	11,3	173
30	42	60¼		**BC2iO**3042	1496	1731	10,7	160
30	36	60¼		**BC2iO**3036	1425	1642	10,1	148
24	72	48¼		**BC2iO**2472	1701	1973	11,1	183
24	66	48¼		**BC2iO**2466	1654	1892	10,7	172
24	60	48¼		**BC2iO**2460	1562	1813	10,3	161
24	54	48¼		**BC2iO**2454	1509	1749	9,7	151
24	48	48¼		**BC2iO**2448	1472	1698	9,3	140
24	42	48¼		**BC2iO**2442	1401	1615	8,9	130
24	36	48¼		**BC2iO**2436	1328	1528	8,5	119

30	72	60¼	144	**BC4iO**3072	3223	3817	23,6	404
30	66	60¼	132	**BC4iO**3066	3087	3663	22,8	380
30	60	60¼	120	**BC4iO**3060	2941	3483	21,6	355
30	54	60¼	108	**BC4iO**3054	2827	3346	20,4	331
30	48	60¼	96	**BC4iO**3048	2704	3197	19,6	306
30	42	60¼	84	**BC4iO**3042	2563	3034	18,4	281
30	36	60¼	72	**BC4iO**3036	2420	2856	17,2	257
24	72	48¼	144	**BC4iO**2472	3016	3562	20,2	343
24	66	48¼	132	**BC4iO**2466	2924	3399	19,4	322
24	60	48¼	120	**BC4iO**2460	2739	3241	18,6	301
24	54	48¼	108	**BC4iO**2454	2633	3113	17,4	280
24	48	48¼	96	**BC4iO**2448	2559	3012	16,6	258
24	42	48¼	84	**BC4iO**2442	2418	2845	15,8	237
24	36	48¼	72	**BC4iO**2436	2270	2671	15	216

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	216	**BC6iO**3072	4620	5511	33,9	587
30	66	60¼	198	**BC6iO**3066	4415	5280	32,7	550
30	60	60¼	180	**BC6iO**3060	4198	5009	30,9	513
30	54	60¼	162	**BC6iO**3054	4026	4805	29,1	476
30	48	60¼	144	**BC6iO**3048	3841	4580	27,9	440
30	42	60¼	126	**BC6iO**3042	3630	4336	26,1	403
30	36	60¼	108	**BC6iO**3036	3416	4069	24,3	366
24	72	48¼	216	**BC6iO**2472	4332	5150	29,3	504
24	66	48¼	198	**BC6iO**2466	4193	4906	28,1	472
24	60	48¼	180	**BC6iO**2460	3916	4668	26,9	440
24	54	48¼	162	**BC6iO**2454	3758	4477	25,1	408
24	48	48¼	144	**BC6iO**2448	3645	4325	23,9	377
24	42	48¼	126	**BC6iO**2442	3434	4074	22,7	345
24	36	48¼	108	**BC6iO**2436	3213	3814	21,5	313

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels, full open metal halfway panels and 2 recessed open metal mid panels.

Privacy panels can be installed between surfaces or on sides, see p.264.

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet module option, position will be identical on each table, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	Price S Sierra 1"		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	288	**BC8iO**3072	6383	7571	44,6	777
30	66	60¼	264	**BC8iO**3066	6111	7263	43	728
30	60	60¼	240	**BC8iO**3060	5820	6903	40,6	679
30	54	60¼	216	**BC8iO**3054	5591	6630	38,2	630
30	48	60¼	192	**BC8iO**3048	5345	6331	36,6	581
30	42	60¼	168	**BC8iO**3042	5063	6005	34,2	531
30	36	60¼	144	**BC8iO**3036	4777	5649	31,8	482
24	72	48¼	288	**BC8iO**2472	5981	7072	38,3	672
24	66	48¼	264	**BC8iO**2466	5796	6746	36,7	630
24	60	48¼	240	**BC8iO**2460	5426	6430	35,1	587
24	54	48¼	216	**BC8iO**2454	5215	6174	32,7	545
24	48	48¼	192	**BC8iO**2448	5066	5972	31,1	502
24	42	48¼	168	**BC8iO**2442	4784	5638	29,5	460
24	36	48¼	144	**BC8iO**2436	4489	5290	27,9	418

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - 120° TABLES (FULL END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).
Full laminate end panels and 1 round central metal leg.
Privacy panels can be installed between surfaces or on sides, see p.264.
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
Grommet or multi-outlet module option, position will be identical on each table, see p.40.
For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60¼	**BC3CV**3048	3897	5112	30,3	381
30	42	60¼	**BC3CV**3042	3827	5030	26,9	352
30	36	60¼	**BC3CV**3036	3761	4947	23,4	323
24	48	48¼	**BC3CV**2448	3847	5041	27,3	331
24	42	48¼	**BC3CV**2442	3776	4958	24,2	304
24	36	48¼	**BC3CV**2436	3708	4876	21,1	280

CLOSED SHARED BENCHING - 120° TABLES (MIXED LEGS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).
Mixed legs metal-laminate end panels and 1 central metal leg.
Privacy panels can be installed between surfaces or on sides, see p.264.
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
Grommet or multi-outlet module option, position will be identical on each table, see p.40.
For appropriate pedestal selection, see p.40.

30	48	60¼	**BC3CVX**3048	4516	5730	30,3	381
30	42	60¼	**BC3CVX**3042	4445	5649	26,9	352
30	36	60¼	**BC3CVX**3036	4379	5565	23,4	323
24	48	48¼	**BC3CVX**2448	4415	5610	27,3	331
24	42	48¼	**BC3CVX**2442	4345	5526	24,2	304
24	36	48¼	**BC3CVX**2436	4277	5445	21,1	280

SPECIFY **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.
Surface / **Edge** / **Base:** Take Off finishes, p.54-55.
Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,
or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.
Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

CLOSED SHARED BENCHING - 120° TABLES (PERFORATED END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).
Full perforated metal end panels and 1 round central metal leg.
Privacy panels can be installed between surfaces or on sides, see p.264.
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
Grommet or multi-outlet module option, position will be identical on each table, see p.40.
For appropriate pedestal selection, see p.40.

S Sierra 1"

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60¼	**BC3CVM**3048	4516	5730	30,3	381
30	42	60¼	**BC3CVM**3042	4445	5649	26,9	352
30	36	60¼	**BC3CVM**3036	4379	5565	23,4	323
24	48	48¼	**BC3CVM**2448	4415	5610	27,3	331
24	42	48¼	**BC3CVM**2442	4345	5526	24,2	304
24	36	48¼	**BC3CVM**2436	4277	5445	21,1	280

CLOSED SHARED BENCHING - 120° TABLES (OPEN END PANELS)

Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).
Full open metal end panels and 1 round central metal leg.
Privacy panels can be installed between surfaces or on sides, see p.264.
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.
Grommet or multi-outlet module option, position will be identical on each table, see p.40.
For appropriate pedestal selection, see p.40.

30	48	60¼	**BC3CVO**3048	4087	5301	30,3	344
30	42	60¼	**BC3CVO**3042	4016	5220	26,9	315
30	36	60¼	**BC3CVO**3036	3950	5136	23,4	285
24	48	48¼	**BC3CVO**2448	4069	5264	27,3	294
24	42	48¼	**BC3CVO**2442	3999	5180	24,2	267
24	36	48¼	**BC3CVO**2436	3930	5099	21,1	243

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Grom.	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ -	____

Specify **Code:** Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black **(3067)**, Charcoal **(3064)**, Silver **(3090)** or Polar White **(3002)**.

Options : **Grommet:** Option to add White grommet(s) **(G1…)** at left **…L**, centered **…C** and/or at right **…R**,

or Charcoal grommet(s) **(G2…)** at left **…L**, centered **…C** and/or at right **…R**, add $32 each, see p.28.

Multi-outlets : Option to add multi-outlets modules "1 circuit" **(ECC) or** "standard" multi-outlets modules **(UCC)** at the center, add $213 each, see p.29.

SHARED END-OF-RUN STORAGE UNITS

Shared end-of-run storage unit, 29" H.

Pedestal with 2 - 6" drawers / 1 - file drawer at both ends and central opening with 2 adjustable shelves.

Pencil tray included in the 6" top drawers.

To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Dimensions			Code	Price				Specifications		
				S Sierra 1"		T Tango 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
15½	60¼	29	**FBPUUF**156029	1298	1408	1469	1577	19.5	176	186
15½	48¼	29	**FBPUUF**154829	1216	1323	1384	1493	15.7	152	159

Shared end-of-run storage unit, 23" H.

Pedestal with 1 - 6" drawers / 1 - file drawer at both ends and central opening with 1 adjustable shelf.

Pencil tray included in the 6" drawers.

To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	60¼	23	**FBPUF**156023	1289	1397	1458	1566	15.7	147	157
15½	48¼	23	**FBPUF**154823	1207	1315	1375	1484	12.7	125	132

SPECIFY **OPTIONS**

Series Code Surface Edge Base Fronts Pull Lock

T ☐ - ☐ - ☐ / ☐ - ☐ / ☐ - ☐ - ☐

Specify **Series**: S or T (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

Options: **Key locks**: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CUSHIONS

Cushion for shared end-of-run storage unit.

Installs with Velcro strips.

Dimensions			Code	Price					Specifications	
A	B	Thickness		Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	60¼	1½	**CUS**1560	497	542	586	630	703	1.6	14
15½	48¼	1½	**CUS**1548	407	444	480	517	579	1.3	11

SPECIFY

Series Code Fabric

T L - ☐ - ☐

Specify **Code**: Consult the above product code list.

Fabric: Specify fabric for the cushion, refer to current Artopex Seating Fabric charts.

OPEN HUTCHES (LOW) - 21" H.

Open hutch (low).

Hutches 54" and longer have a central divider.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
72	15	21	**HTCO**7221	625	17.4	95
66	15	21	**HTCO**6621	582	16	89
60	15	21	**HTCO**6021	540	14.6	83
54	15	21	**HTCO**5421	498	13.2	77
48	15	21	**HTCO**4821	459	11.8	66
42	15	21	**HTCO**4221	428	10.4	60
36	15	21	**HTCO**3621	398	8.9	54
30	15	21	**HTCO**3021	370	7.5	48
24	15	21	**HTCO**2421	341	6.1	42

OPEN HUTCHES (LOW) WITH SHARED ACCESS - 21" H.

Open hutch (low) with shared access (openings on both sides).

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

It is possible to install a tackboard on the side surface next to the opening, see p.261.

Opening at RIGHT

72	15	21	**HTCRO**7221	625	17.4	95
66	15	21	**HTCRO**6621	582	16	89
60	15	21	**HTCRO**6021	540	14.6	83
54	15	21	**HTCRO**5421	498	13.2	77
48	15	21	**HTCRO**4821	459	11.8	66
42	15	21	**HTCRO**4221	428	10.4	60
36	15	21	**HTCRO**3621	398	8.9	54
30	15	21	**HTCRO**3021	370	7.5	48

Opening at LEFT

72	15	21	**HTCOR**7221	625	17.4	95
66	15	21	**HTCOR**6621	582	16	89
60	15	21	**HTCOR**6021	540	14.6	83
54	15	21	**HTCOR**5421	498	13.2	77
48	15	21	**HTCOR**4821	459	11.8	66
42	15	21	**HTCOR**4221	428	10.4	60
36	15	21	**HTCOR**3621	398	8.9	54
30	15	21	**HTCOR**3021	370	7.5	48

SPECIFY

Series	Code	Base
T L -	____ -	____

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

HUTCHES (LOW) WITH SLIDING DOORS - 21" H.

Hutch (low) with frosted acrylic sliding doors.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
72	15	21	**HTCGi**7221	919	17.4	107
66	15	21	**HTCGi**6621	876	16	100
60	15	21	**HTCGi**6021	834	14.6	93
54	15	21	**HTCGi**5421	792	13.2	86
48	15	21	**HTCGi**4821	605	11.8	74
42	15	21	**HTCGi**4221	574	10.4	67
36	15	21	**HTCGi**3621	545	8.9	60
30	15	21	**HTCGi**3021	516	7.5	53

Open hutch (low) with frosted acrylic sliding door and open storage.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

Sliding door at LEFT

72	15	21	**HTCGiO**7221	771	17.4	101
66	15	21	**HTCGiO**6621	728	16	95
60	15	21	**HTCGiO**6021	686	14.6	88
54	15	21	**HTCGiO**5421	645	13.2	82
48	15	21	**HTCGiO**4821	531	11.8	70
42	15	21	**HTCGiO**4221	501	10.4	64
36	15	21	**HTCGiO**3621	471	8.9	57
30	15	21	**HTCGiO**3021	442	7.5	51

Sliding door at RIGHT

72	15	21	**HTCOGi**7221	771	17.4	101
66	15	21	**HTCOGi**6621	728	16	95
60	15	21	**HTCOGi**6021	686	14.6	88
54	15	21	**HTCOGi**5421	645	13.2	82
48	15	21	**HTCOGi**4821	531	11.8	70
42	15	21	**HTCOGi**4221	501	10.4	64
36	15	21	**HTCOGi**3621	471	8.9	57
30	15	21	**HTCOGi**3021	442	7.5	51

SPECIFY

Series	Code	Base	Pull
T L -	-	-	-

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

HUTCHES (LOW) WITH SLIDING DOORS AND SHARED ACCESS - 21" H.

Hutch (low) with frosted acrylic sliding door and shared access.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50".

Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
Sliding door at LEFT						
72	15	21	**HTCGiR**7221	919	17.4	101
66	15	21	**HTCGiR**6621	876	16	95
60	15	21	**HTCGiR**6021	834	14.6	88
54	15	21	**HTCGiR**5421	792	13.2	82
48	15	21	**HTCGiR**4821	605	11.8	70
42	15	21	**HTCGiR**4221	574	10.4	64
36	15	21	**HTCGiR**3621	545	8.9	57
30	15	21	**HTCGiR**3021	516	7.5	51

Sliding door at RIGHT						
72	15	21	**HTCRGi**7221	919	17.4	101
66	15	21	**HTCRGi**6621	876	16	95
60	15	21	**HTCRGi**6021	834	14.6	88
54	15	21	**HTCRGi**5421	792	13.2	82
48	15	21	**HTCRGi**4821	605	11.8	70
42	15	21	**HTCRGi**4221	574	10.4	64
36	15	21	**HTCRGi**3621	545	8.9	57
30	15	21	**HTCRGi**3021	516	7.5	51

SPECIFY

Series	Code	Base	Pull
T L -	-	-	-

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

Pull: Pulls included, specify type, p.56.

TACKBOARDS FOR LOW HUTCHES WITH SHARED ACCESS - 21" H.

Fabric tackboard for low shared access hutches 21" H. (HTCRO & HTCOR).

Installs with Velcro strips.

				Price					Specifications	
A	B			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	13½	For low hutch 72" long	**BTL**3414	146	165	185	193	200	0.7	6
31	13½	For low hutch 66" long	**BTL**3114	141	144	161	176	193	0.6	6
28	13½	For low hutch 60" long	**BTL**2814	134	136	151	160	171	0.5	5
25	13½	For low hutch 54" long	**BTL**2514	131	132	145	157	164	0.5	5
22	13½	For low hutch 48" long	**BTL**2214	124	125	138	144	152	0.4	4
19	13½	For low hutch 42" long	**BTL**1914	119	120	128	138	147	0.3	4
16	13½	For low hutch 36" long	**BTL**1614	109	110	116	124	132	0.3	3
13	13½	For low hutch 30" long	**BTL**1314	97	98	101	108	114	0.2	2

SPECIFY

	Code	Fabric
AC -	-	-

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

SHELVES WITH INTEGRATED PIGEON-HOLE UNIT - 13" H.

Shelf with integrated pigeon-hole unit. Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 42".

Can accommodate "letter" or "legal" size documents.

D = Number of openings

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
72	15	13	5	HMA7213	693	11.2	71
66	15	13	5	HMA6613	660	10.3	67
60	15	13	5	HMA6013	627	9.4	62
54	15	13	4	HMA5413	591	8.5	57
48	15	13	3	HMA4813	529	7.6	52
42	15	13	3	HMA4213	497	6.7	47
36	15	13	2	HMA3613	463	5.8	42
30	15	13	2	HMA3013	427	4.9	38
24	15	13	2	HMA2413	389	3.9	33

SHELVES - 6" H.

Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35".

Structural back panel.

72	15	6	HA7206A	419	6	43
66	15	6	HA6606A	386	5.5	40
60	15	6	HA6006A	382	5	38
54	15	6	HA5406A	345	4.5	35
48	15	6	HA4806A	312	4	32
42	15	6	HA4206A	309	3.5	30
36	15	6	HA3606A	275	3	27
30	15	6	HA3006A	266	2.5	25
24	15	6	HA2406A	229	2	22

Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35".

Structural central panel.

72	15	6	HA7206C	419	6	43
66	15	6	HA6606C	386	5.5	40
60	15	6	HA6006C	382	5	38
54	15	6	HA5406C	345	4.5	35
48	15	6	HA4806C	312	4	32
42	15	6	HA4206C	309	3.5	30
36	15	6	HA3606C	275	3	27
30	15	6	HA3006C	266	2.5	25
24	15	6	HA2406C	229	2	22

SPECIFY

Series	Code	Base
T L -	-	

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

END-OF-RUN BOOKCASE - 50" H.

To be positioned next to shared "benching" tables, attached to a 21" H. low hutch.

Open on both sides, with open wardrobe section and coat hook (silver finish).

Assembly hardware included.

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
16	15	11	50	**BKP**151650	660	10	60

SPECIFY

Series	Code	Base
T L -	_____ -	____

Specify **Code**: Consult the above product code list.

Base: Take Off finishes, p.54-55.

FREESTANDING PEDESTALS 25" H. FOR SHARED"BENCHING" TABLES 24" D.

Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Counterweight included for stability.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
15½	20	25	**FSLUUF**25	682	#	6.5	61

Pedestal with 2 - 12" file drawer. Reduced height to slide under shared "benching" tables 24" D.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Counterweight included for stability.

Lateral filing bars (letter size: AC-BL12) sold separately, p.166.

15½	20	25	**FSLFF**25	682	#	6.5	61

* Striped or fluted edge **not** available.

SPECIFY / **OPTIONS**

Series	Code	Base	Fronts	Pull	Lock
T L -	_____ -	____ /	____ -	____ -	____

Specify **Code**: Consult the above product code list.

Base / **Fronts**: Take Off finishes, p.54-55.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

LAMINATE PRIVACY PANELS

Rectangular laminate privacy panel, 11/16" thick. Can accommodate tackboards and various accessories, see Accessories price list.

Installs on a work surface, credenza or storage unit with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
15¼	72	3	78	**PPOV**1572	317	1,0	22
15¼	66	3	72	**PPOV**1566	312	0,9	20
15¼	60	3	66	**PPOV**1560	309	0,9	18
15¼	54	2	60	**PPOV**1554	264	0,8	16
15¼	48	2	54	**PPOV**1548	260	0,8	14
15¼	42	2	48	**PPOV**1542	231	0,6	13
15¼	36	2	42	**PPOV**1536	227	0,5	11
15¼	30	2	36	**PPOV**1530	222	0,4	10
15¼	24	2	30	**PPOV**1524	218	0,4	8
15¼	18	2	24	**PPOV**1518	213	0,3	7

Rectangular laminate privacy panel (double-height), 11/16" thick. Can accommodate tackboards and various accessories.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29¾	72	3	78	**PPFR**2972	359	2,0	42
29¾	66	3	72	**PPFR**2966	351	1,8	39
29¾	60	3	66	**PPFR**2960	343	1,6	36
29¾	54	2	60	**PPFR**2954	295	1,5	31
29¾	48	2	54	**PPFR**2948	264	1,3	28
29¾	42	2	48	**PPFR**2942	256	1,2	25
29¾	36	2	42	**PPFR**2936	249	1,0	22
29¾	30	2	36	**PPFR**2930	241	0,8	19
29¾	24	2	30	**PPFR**2924	233	0,7	16

Rectangular laminate modesty panel, 11/16" thick.

Installs under a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13½	72	3	78	**PPUN**1372	312	1,0	18
13½	66	3	72	**PPUN**1366	308	0,9	17
13½	60	3	66	**PPUN**1360	305	0,9	16
13½	54	2	60	**PPUN**1354	260	0,8	14
13½	48	2	54	**PPUN**1348	232	0,8	13
13½	42	2	48	**PPUN**1342	228	0,6	12
13½	36	2	42	**PPUN**1336	224	0,5	10
13½	30	2	36	**PPUN**1330	220	0,4	9
13½	24	2	30	**PPUN**1324	217	0,4	8

C = Number of supports included.

D = Length of the host surface.

SPECIFY

Series	Code	Base	Metal
T S -	-	-	

Specify **Code:** Consult the above product code list.

Base: Take Off finishes, p.54-55.

Metal (supports): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

FROSTED ACRYLIC PRIVACY PANELS

Rectangular frosted (on one side) acrylic privacy panel, ¼ thick.

Installs on a work surface, credenza or certain storage unit with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
15¼	72	3	78	**PPOVGiA**1572	427	1,0	16
15¼	66	3	72	**PPOVGiA**1566	413	0,9	15
15¼	60	3	66	**PPOVGiA**1560	398	0,9	14
15¼	54	2	60	**PPOVGiA**1554	344	0,8	12
15¼	48	2	54	**PPOVGiA**1548	325	0,8	11
15¼	42	2	48	**PPOVGiA**1542	298	0,6	10
15¼	36	2	42	**PPOVGiA**1536	284	0,5	9
15¼	30	2	36	**PPOVGiA**1530	270	0,4	7
15¼	24	2	30	**PPOVGiA**1524	255	0,4	6
15¼	18	2	24	**PPOVGiA**1518	241	0,3	5

Rectangular (double-height) frosted (on one side) acrylic privacy panel, ¼ thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

29¾	72	3	78	**PPFRGiA**2972	640	2,0	32
29¾	66	3	72	**PPFRGiA**2966	608	1,8	29
29¾	60	3	66	**PPFRGiA**2960	576	1,6	27
29¾	54	2	60	**PPFRGiA**2954	504	1,5	23
29¾	48	2	54	**PPFRGiA**2948	472	1,3	21
29¾	42	2	48	**PPFRGiA**2942	422	1,2	19
29¾	36	2	42	**PPFRGiA**2936	391	1,0	16,,7
29¾	30	2	36	**PPFRGiA**2930	359	0,8	15
29¾	24	2	30	**PPFRGiA**2924	327	0,7	12

Rectangular frosted (on one side) acrylic modesty panel, ¼ thick.

Installs on a work surface with the provided metal supports.

Panel length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.

13½	72	3	78	**PPUNGiA**1372	430	1,0	15
13½	66	3	72	**PPUNGiA**1366	416	0,9	14
13½	60	3	66	**PPUNGiA**1360	402	0,9	13
13½	54	2	60	**PPUNGiA**1354	347	0,8	11
13½	48	2	54	**PPUNGiA**1348	332	0,8	10
13½	42	2	48	**PPUNGiA**1342	300	0,6	9
13½	36	2	42	**PPUNGiA**1336	286	0,5	8
13½	30	2	36	**PPUNGiA**1330	271	0,4	7
13½	24	2	30	**PPUNGiA**1324	256	0,4	6

C = Number of supports included.

D = Length of the host surface.

SPECIFY

Series	Code	Metal
T S -	[ ] -	[ ]

Specify **Code:** Consult the above product code list.

Metal (supports): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

TACKBOARD FOR PRIVACY PANELS

Rectangular fabric-tackboard for 11/16" thick laminate privacy panel.

Installs with Velcro strips on privacy panel.

Dimensions			Code	Price					Specifications	
A	B	C		COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
71	9	72	**BTL**7109	153	161	165	171	178	0,9	9
65	9	66	**BTL**6509	147	154	160	165	173	0,8	8
59	9	60	**BTL**5909	142	149	154	158	167	0,7	7
53	9	54	**BTL**5309	132	140	144	150	157	0,6	7
47	9	48	**BTL**4709	130	136	142	147	155	0,6	6
41	9	42	**BTL**4109	128	134	140	144	153	0,5	5
35	9	36	**BTL**3509	124	131	136	142	150	0,4	4
29	9	30	**BTL**2909	124	131	135	141	150	0,4	4
23	9	24	**BTL**2309	123	130	134	140	149	0,3	3
17	9	18	**BTL**1709	122	129	133	139	147	0,2	2

C = Length of the host privacy panel.

SPECIFY

	Code		Fabric
AC -		**-**	

Specify **Code**: Consult the above product code list.

Fabric: Refer to current Artopex Panel Fabric charts.

WALL MOUNT BRACKETS FOR HUTCH-TYPE TACKBOARDS

Hook brackets for installing a hutch-type tackboard on a wall.

Order 2 packs for tackboards 60" and over.

Available in 4 colors.

WARNING! Cannot be used with "BTL" tackboards.

Pack of 4	**BTHK**	50	0,1	1

SPECIFY

	Code		Metal
AC -		**-**	

Specify **Code**: Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

FROSTED ACRYLIC PRIVACY PANELS WITH SQUARE ANCHORING BRACKETS

Rectangular frosted (on one side) acrylic privacy panel, ¼ thick.

Installs on a work surface with the provided metal supports (nickel finish).

15	72	3	**AC-VRGiS 1572**	563	1,0	13
15	66	3	**AC-VRGiS 1566**	539	0,9	12
15	60	3	**AC-VRGiS 1560**	513	0,9	11
15	54	2	**AC-VRGiS 1554**	424	0,8	10
15	48	2	**AC-VRGiS 1548**	398	0,8	9
15	42	2	**AC-VRGiS 1542**	372	0,6	8
15	36	2	**AC-VRGiS 1536**	347	0,5	7
15	30	2	**AC-VRGiS 1530**	322	0,4	6
15	24	2	**AC-VRGiS 1524**	297	0,4	5

C = Number of supports included.

ACCESSORY PANEL

Metal accessory panel with 3 attachment levels.

Installs to any 11/16" thick laminate panel.

Can hold Artopex accessories (plastic or metal), see Accessories price list.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
10	17		**ASASP**	61	0,3	3

STORAGE CASE

Metal storage case for binders or books.

Installs under a work surface, with screws.

12	7½	12	**ASUB**	154	0,8	5

SPECIFY

	Code		Metal
AC -		**-**	

Specify **Code:** Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

MARKER BOARD PANEL

Magnetic metal marker board (High-gloss white enamel finish).

Installs to any 11/16" thick laminate panel.

A base tray for storing markers.

NOTE: Use only dry-erase markers.

10	17		**AC-ASWBA**	57	0,3	3

CORNER SHELF

Corner shelf for keyboard or keyboard mechanism in a 90° surface configuration.
Installs to adjacent surfaces with junction plates (included).

Dimensions			Code	Lima 1" Price		Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	20	**JC**1414	90	110	99	120	0,2	2	4

SPECIFY

Series Code Surface Edge

T [ ] - [ ] - [ ] / [ ]

Specify **Series**: L or M (specifications p24).
Code: Consult the above product code list.
Surface / **Edge**: Take Off finishes, p.54-55.

STIFFENERS

Metal stiffener, Charcoal finish.
Suggested for work surfaces 54" or more.
Installation harware included.

For surface 72" or more	**AC-RSTF**64	83	0,5	5
For surface 60"	**AC-RSTF**52	77	0,5	4
For surface 54"	**AC-RSTF**46	72	0,5	3

JUNCTION PLATES

Metal junction plates, Black finish.
Used to join 2 surfaces side-by-side.

Pack of 2	**AC-FJP**2	20

Electricity

CABLE TRAYS

Metal CABLE TRAY, silver finish.

Installs under a work surface with screws.

Allows passage of electrical & communication cabling. Cabling acces via both ends and sides.

Can accommodate 1-circuit electrical system (see Accessories price list).

32" or more: 4 openings on each side.

26" or less: 2 openings on each side.

Opening can accommodate mobile outlets (AC-ECM, AC-ECMK) or telecommunication outlets (AC-ERF, E2-ERD).

Accessories price list.

Opening dimensions: 2½" L x $1^{3}/_{8}$" H.

Dimensions			Code	Price		Specification	
A	B	C			Use with surface:	Cu.Ft.	lb
4¼	68	3	**WCMC**68	150	78" or 84"	1,0	6
4¼	62	3	**WCMC**62	142	72"	0,9	5
4¼	56	3	**WCMC**56	135	66"	0,8	5
4¼	50	3	**WCMC**50	128	60"	0,7	5
4¼	44	3	**WCMC**44	121	54"	0,6	4
4¼	38	3	**WCMC**38	117	48"	0,5	4
4¼	32	3	**WCMC**32	109	42"	0,5	3
4¼	26	3	**WCMC**26	102	36"	0,4	2
4¼	20	3	**WCMC**20	95	30"	0,3	2

4-CIRCUIT ELECTRICAL DISTRIBUTION SYSTEMS - 1 SIDE

4-circuit electrical distribution system with 1 electrical harness and 1 metal front cover (silver finish).

Installs under a surface placed next to a wall or under a surface with a modesty panel (with screws).

Can accommodate 4-circuit system components and a cabling support (see next page).

28" or more: 2 openings for a duplex outlet and 2 other access openings.

22": 1 opening for a duplex outlet and 2 other access openings.

16": 1 opening for a duplex outlet.

Openings can accommodate cover plates or telecommunication outlets. Opening dimensions: 2½" L x 13/8" H.

Duplex outlets not included, order separately, see p.273.

To determine the required length of a system under a surface supported "layering" table, see p.52.

28" or more

22"

16"

H = Length of the included harness

A	B	C	H			Use with table:		
2½	58	5	14½	**WCMA**58	278	72" to 84"	0,9	10
2½	52	5	14½	**WCMA**52	275	66"	0,8	9
2½	46	5	14½	**WCMA**46	272	60"	0,7	9
2½	40	5	14½	**WCMA**40	268	54"	0,6	8
2½	34	5	14½	**WCMA**34	265	48"	0,5	8
2½	28	5	14½	**WCMA**28	263	42"	0,4	7
2½	22	5	8½	**WCMA**22	251	36"	0,3	6
2½	16	5	8½	**WCMA**16	248	30"	0,2	5

SPECIFY

Code

AC - ( ) - 3090

Specify **Code**: Consult the above product code list.

CABLING SUPPORTS

Metal cabling support, silver finish.

Installs on the front cover of the 4-circuit electrical distribution system of same length (no harware required).

Allows management of cables plugged into the outlets.

Dimensions			Code	Price		Specifications	
A	B	C			Use with surface:	Cu.Ft.	lb
2	58		**WCMAS**58	40		0,2	2
2	52		**WCMAS**52	39		0,2	2
2	46		**WCMAS**46	37		0,2	2
2	40		**WCMAS**40	37		0,1	2
2	34		**WCMAS**34	36		0,1	2
2	28		**WCMAS**28	35		0,1	1
2	22		**WCMAS**22	34		0,1	1
2	16		**WCMAS**16	34		0,1	1

SPECIFY

Code

AC - [ ] **- 3090**

Specify **Code**: Consult the above product code list.

CABLE POLES - 4-CIRCUIT ELECTRICAL SYSTEM

Credenza with grommet

Pole for ceiling power connection (10' H.)

Special raceway end cap and finishing plates included.

Power feed connector to be ordered separately.

Available in sizes (tube): 2" x 2" or 2" x 3".

The 2"x3" cable pole comes with an integrated metal divider down its length.

2	3	120	**A5-EPEU**23	271		0,8	8
2	2	120	**A5-EPEU**22	245		0,8	7

SPECIFY

Code Metal

[ ] - [ ]

Specify **Code**: Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

COUPLING - 4-CIRCUIT ELECTRICAL SYSTEM

"i" to connect 2 jumpers end-to-end or a ceiling power connector with a "male" end connector.

	Code	Price	Specification	
			Cu.Ft.	lb
"i" Connector	**IE-I**	64	0,1	1

CEILING POWER CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM

E2-EC15
To be plugged in the terminal block (supplied by the electrician

E2-EC18
To be plugged in the outlet for power feed connectors E2-ECWD

The ceiling connector is a shielded flexible cable.

The E2-EC15 connector must be installed by a certified electrician in accordance with local building codes.

Connects at the end of a harness.

The E2-EC18 can be attached to the power feed connector during re-configuration by the user.

Length: 180" (15')	**E2-EC15**	208	0,6	3
Length: 216" (18')	**E2-EC18**	365	0,7	4

OUTLET FOR POWER FEED CONNECTORS - 4-CIRCUIT ELECTRICAL SYSTEM

E2-EC18 Power feed connector
(not included, see previous item)

Outlet for the power feed connector allows easy plugging/unplugging by the user.

The box (not included) can be installed on the wall (at approximate height of 20") or on the ceiling, near the top of the Cable pole.

Must be installed on site by a certified electrician in accordance with local electricity code. Afterwards, it is possible to plug the E2-EC18 Ceiling power feed connector in to it.

	E2-ECWD	257	0,1	1

OPEN END PLUG CONNECTOR

To distribute current from the junction box to the power distribution harnesses.

It is fitted with a male plug which connects to a power distribution harness.

Length 60"	**E2-ECJO**	179	0,1	3

JUMPERS - 4-CIRCUIT ELECTRICAL SYSTEM

MALE MALE

Jumper carries power between 2 - 4-circuit electrical distribution systems.

Equipped at both ends with a terminal "male" connector (8 wires in flexible shielded cable).

To determine required length, see information on pages 49 to 53.

	Code	Price	Specifications	
			Cu.Ft.	lb
82½	**E2-EJT**82	245	0,1	4
76½	**E2-EJT**76	242	0,1	4
70½	**E2-EJT**70	238	0,1	4
64¼	**E2-EJT**64	215	0,1	3
58	**E2-EJT**58	209	0,1	3
52	**E2-EJT**52	205	0,1	3
47	**E2-EJT**47	202	0,1	2
35	**E2-EJT**35	196	0,1	2
21½	**E2-EJT**21	193	0,1	1
18½	**E2-EJT**18	187	0,1	1

FASTENERS FOR JUMPER

Metal fastener, galvanized steel. Pack of 5 fasteners.

To attach shielded cables (jumpers) under a surface, screws included.

Pack of 5	**E2-EJB5**	11	0,1	1

DUPLEX OUTLETS - 4-CIRCUIT ELECTRICAL SYSTEM

NEW

Duplex and USB outlet. Fastened to the power distribution harness by a spring latch.

For protection against induced voltage variations, **circuit #4 is a dedicated circuit** with its own neutral and ground conductors.

Duplex outlet for circuit #1	**E2-ER**1	25	0,2	1
Duplex outlet for circuit #2	**E2-ER**2	25	0,2	1
Duplex outlet for circuit #3	**E2-ER**3	25	0,2	1
Duplex outlet for circuit #4	**E2-ER**4	25	0,2	1
USB charger outlet	**E2-USB**	134	0,2	1

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL)

DESK

Reception desk with pedestal at left, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	42	**RDS**3072	1428	1709	1517	1835	58,9	293	345
30	66	42	**RDS**3066	1393	1653	1448	1730	58,9	283	319
30	72	42	**RDV**3072	1428	1709	1517	1835	58,9	293	345
30	66	42	**RDV**3066	1393	1653	1448	1730	58,9	283	319
30	72	42	**RDM**3072	1349	1615	1429	1741	58,9	278	330
30	66	42	**RDM**3066	1328	1560	1354	1636	58,9	268	304

RIGHT RETURN

Right return with right pedestal for reception desk with pedestal at left.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

24	60	41	**RDRT**2460	1066	1249	1128	1278	39.2	187	205
24	48	41	**RDRT**2448	1008	1151	1056	1166	31.6	167	181
24	42	41	**RDRT**2442	975	1107	1025	1123	31.6	156	169
24	60	41	**RDRW**2460	1066	1249	1128	1278	39.2	187	205
24	48	41	**RDRW**2448	1008	1151	1056	1166	31.6	167	181
24	42	41	**RDRW**2442	975	1107	1025	1123	31.6	156	169
24	60	41	**RDRN**2460	960	1143	1022	1173	39.2	172	190
24	48	41	**RDRN**2448	902	1045	950	1060	31.6	152	166
24	42	41	**RDRN**2442	869	1001	920	1018	31.6	141	154

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Multi-Outlet Module - DESK: Option of standard multi-outlet module at right (**UCR**) or centered (**UCC**), add $213 ea., p.29.

Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at left (**UCL**) or centered (**UCC**), add $213 ea.

or (42") Option of standard multi-outlet module at left (**UCL**), add $213 ea., p.29.

Modesty panel (**RDM-RDRN**): Option of 18" high (**U18**) modesty panel, option free of charge, p.30.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL)

DESK

Reception desk with pedestal at right, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	42	**RDT**3072	1428	1709	1517	1835	58.9	293	345
30	66	42	**RDT**3066	1393	1653	1448	1730	58.9	283	319

30	72	42	**RDW**3072	1428	1709	1517	1835	58.9	293	345
30	66	42	**RDW**3066	1393	1653	1448	1730	58.9	283	319

30	72	42	**RDN**3072	1349	1615	1429	1741	58.9	278	330
30	66	42	**RDN**3066	1328	1560	1354	1636	58.9	268	304

LEFT RETURN

Left return with left pedestal for reception desk with pedestal at right.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

24	60	41	**RDRS**2460	1066	1249	1128	1278	39.2	187	205
24	48	41	**RDRS**2448	1008	1151	1056	1166	31.6	167	181
24	42	41	**RDRS**2442	975	1107	1025	1123	31.6	156	169

24	60	41	**RDRV**2460	1066	1249	1128	1278	39.2	187	205
24	48	41	**RDRV**2448	1008	1151	1056	1166	31.6	167	181
24	42	41	**RDRV**2442	975	1107	1025	1123	31.6	156	169

24	60	41	**RDRM**2460	960	1143	1022	1173	39.2	172	190
24	48	41	**RDRM**2448	902	1045	950	1060	31.6	152	166
24	42	41	**RDRM**2442	869	1001	920	1018	31.6	141	154

SPECIFY — **OPTIONS**

Series Code Surface Edge Base Fronts Grom. Pull M-Outlet Mod. Lock

T - ____ - ____ / ____ - ____ / ____ - ____ - ____ - ____ - ____ - ____

Specify **Series**: L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base** / **Fronts**: Take Off finishes, p.54-55.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" option (**NG**), option free of charge, p.28.

Options: **Pull**: Pull option, specify type, add $22 per drawer, p.56.

Multi-Outlet Module - DESK: Option of standard multi-outlet module at left (**UCL**) or centered (**UCC**), add $213 ea., p.29.

Multi-Outlet Module - RETURN: (48" & 60") Option of standard multi-outlet module at right (**UCR**) or centered (**UCC**), add $213 ea.

or (42") Option of standard multi-outlet module at right (**UCR**), add $213 ea., p.29.

Modesty panel (RDN-RDRM): Option of 18" high (**U18**) modesty panel, option free of charge, p.30.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.27.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

COUNTERTOPS (to convert a regular desk into a reception desk)

Countertop with bow front transforms a regular desk into a reception desk.

Attaches to the surface with double sided tape.

Dimensions			Code	Price				Specifications		
				L Lima 1"		M Mike 1½"				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	**RSB**1284	373	515	—	567	11.0	61	77
12	78	13	**RSB**1278	365	497	—	547	10.2	57	72
12	72	13	**RSB**1272	356	481	422	526	9.5	53	67
12	66	13	**RSB**1266	345	458	404	499	8.7	50	62
12	60	13	**RSB**1260	334	436	388	475	7.9	46	58
12	54	13	**RSB**1254	326	419	376	454	7.1	42	53
12	48	13	**RSB**1248	318	402	364	433	6.4	38	48
12	42	13	**RSB**1242	309	384	350	413	5.6	35	43
12	36	13	**RSB**1236	303	367	339	393	4.8	31	38
12	30	13	**RSB**1230	295	351	327	373	4.0	27	33
12	24	13	**RSB**1224	285	333	315	352	3.2	24	28

Rectangular countertop transforms a regular desk into a reception desk.

Attaches to the surface with double sided tape.

12	84	13	**RSQ**1284	347	462	—	506	9.0	55	68
12	78	13	**RSQ**1278	338	446	—	485	8.3	51	64
12	72	13	**RSQ**1272	330	428	382	465	7.7	48	59
12	66	13	**RSQ**1266	319	409	366	442	7.1	45	55
12	60	13	**RSQ**1260	309	392	352	422	6.4	41	51
12	54	13	**RSQ**1254	301	374	340	402	5.8	38	46
12	48	13	**RSQ**1248	293	358	328	381	5.2	35	42
12	42	13	**RSQ**1242	284	339	314	360	4.5	32	38
12	36	13	**RSQ**1236	277	323	303	340	3.9	28	34
12	30	13	**RSQ**1230	270	306	290	320	3.3	25	30
12	24	13	**RSQ**1224	261	289	278	299	2.6	22	26

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

COUNTERTOP EXTENSIONS (add to elongate a reception countertop)

RIGHT SHELF

Right extension countertop, to be used with a countertop for a reception desk.

Attaches to the surface with double sided tape and 2 flat junction plates, included.

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	**RSR**1284	330	444	—	488	9.0	50	64
12	78	13	**RSR**1278	320	427	—	469	8.3	47	59
12	72	13	**RSR**1272	312	410	364	448	7.7	44	55
12	66	13	**RSR**1266	303	393	349	426	7.1	40	51
12	60	13	**RSR**1260	292	374	336	405	6.4	37	47
12	54	13	**RSR**1254	284	358	323	384	5.8	34	42
12	48	13	**RSR**1248	276	340	310	364	5.2	31	38
12	42	13	**RSR**1242	267	322	297	342	4.5	27	34
12	36	13	**RSR**1236	261	306	286	323	3.9	24	30
12	30	13	**RSR**1230	251	289	274	303	3.3	21	25
12	24	13	**RSR**1224	243	272	261	282	2.6	17	21

LEFT SHELF

Left extension countertop, to be used with a countertop for a reception desk.

Attaches to the surface with double sided tape and 2 flat junction plates, included.

12	84	13	**RSL**1284	330	444	—	488	9.0	50	64
12	78	13	**RSL**1278	320	427	—	469	8.3	47	59
12	72	13	**RSL**1272	312	410	364	448	7.7	44	55
12	66	13	**RSL**1266	303	393	349	426	7.1	40	51
12	60	13	**RSL**1260	292	374	336	405	6.4	37	47
12	54	13	**RSL**1254	284	358	323	384	5.8	34	42
12	48	13	**RSL**1248	276	340	310	364	5.2	31	38
12	42	13	**RSL**1242	267	322	297	342	4.5	27	34
12	36	13	**RSL**1236	261	306	286	323	3.9	24	30
12	30	13	**RSL**1230	251	289	274	303	3.3	21	25
12	24	13	**RSL**1224	243	272	261	282	2.6	17	21

SPECIFY

Series	Code	Surface	Edge	Base
T	-	-	/	-

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

OCCASIONAL TABLES (LAMINATE BASE)

Round or square occasional tables, 17½" H.

Laminate base.

Dimensions				Code	L Lima 1" Price		M Mike 1½" Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36		17½		**TMAR**1736	309	462	560	603	15.1	51	68
30		17½		**TMAR**1730	281	428	502	537	10.6	52	51
24		17½		**TMAR**1724	241	354	426	455	6.9	38	38
30	30	17½		**TMAS**173030	292	396	384	444	10.6	59	71
24	48	17½		**TMAS**172448	319	452	422	512	13.5	61	77
24	42	17½		**TMAS**172442	304	420	402	473	11.8	57	70
24	30	17½		**TMAS**172430	268	371	372	420	8.5	48	57
24	24	17½		**TMAS**172424	234	329	323	362	6.9	43	51
24	18	17½		**TMAS**172418	244	292	316	322	5.2	39	44
18	36	17½		**TMAS**171836	284	387	377	435	7.7	40	48
18	30	17½		**TMAS**171830	256	316	332	351	6.5	36	44
18	24	17½		**TMAS**171824	244	292	316	321	5.2	33	39
18	18	17½		**TMAS**171818	233	267	299	315	4.0	29	34

SPECIFY

Series Code Surface Edge Base

T [ ] - [ ] - [ ] / [ ] - [ ]

OCCASIONAL TABLES WITH RIBBON STYLE DETAIL

Occasional table with ribbon style detail.

Table height: 17½", ribbon height: 18½", ribbon width: 10".

24	48	18½	17½	**TMAB**2448	449	603	—	—	14.2	61
24	42	18½	17½	**TMAB**2442	435	571	—	—	12.4	56
24	36	18½	17½	**TMAB**2436	402	521	—	—	10.7	52
24	30	18½	17½	**TMAB**2430	386	480	—	—	9	48
24	24	18½	17½	**TMAB**2424	370	442	—	—	7.2	44
18	36	18½	17½	**TMAB**1836	384	460	—	—	8.1	42
18	30	18½	17½	**TMAB**1830	373	436	—	—	6.8	38
18	24	18½	17½	**TMAB**1824	363	411	—	—	5.5	35

SPECIFY

Series Code Surface Edge Base

T [L] - [ ] - [ ] / [ ] - [ ]

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

OCCASIONAL TABLES (METAL BASE)

Round occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).

Height: 17½".

Dimensions			Code	L Lima 1" Price		M Mike 1½"		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30		17½	**TMARD**1730	680	828	901	936	5,2	58	66
24		17½	**TMARD**1724	658	796	825	855	4,8	52	57

Elliptical occasional table with metal tubular leg (3" diam.) and round base plate (18" diam.).

Height: 17½".

21	36	17½	**TMAED**172136	658	806	901	946	5	54	60

Square occasional table with metal tubular leg (3" diam.) and square base plate (18" x 18").

Height: 17½".

30		17½	**TSDS**173030	680	828	901	936	5,2	71	81
24		17½	**TSDS**172424	658	796	825	855	4,8	63	69

Square occasional table with square metal tubular legs (2½" x 2½").

Height: 17½".

24	36	17½	**TMASS**172436	546	662	644	758	2,5	35	45
24	24	17½	**TMASS**172424	510	613	614	705	2	28	34

SPECIFY

Series		Code		Surface		Edge		Metal
T	-		-		/		-	

Specify **Series:** L or M (specifications p.24).

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.54-55.

Metal: Specify the finish of the base/legs: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing…) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.
A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration.
B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are FOB factory, collect.
B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.
Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Electronic Lock

Parts are guaranteed for five (5) years and one (1) year for labour.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

• electrical components, which are warranted for (10) ten years from date of delivery,
• seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
• Artopex fabrics which are warranted for (5) five years from date of delivery,
• moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
• non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

• Customer's Own Material (COM) or finishes applied to Artopex products,
• ballast and light bulbs,
• products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

Appendix

general information

shared table benching 287
storage 289
screens 290
electricity 292

shared tables

shared table benching-open 293
shared table benching-with doors 309

storage 325

panels and accessories 327

electricity 333

SHARED BENCHING TABLES

RECTANGULAR TABLES (FULL END PANELS)- 293

BCO2i2872	BCO2i2272
BCO2i2866	BCO2i2266
BCO2i2860	BCO2i2260
BCO2i2854	BCO2i2254
BCO2i2848	BCO2i2248
BCO2i2842	BCO2i2242
BCO2i2836	BCO2i2236

BCO4i2872	BCO4i2272
BCO4i2866	BCO4i2266
BCO4i2860	BCO4i2260
BCO4i2854	BCO4i2254
BCO4i2848	BCO4i2248
BCO4i2842	BCO4i2242
BCO4i2836	BCO4i2236

BCO6i2872	BCO6i2272
BCO6i2866	BCO6i2266
BCO6i2860	BCO6i2260
BCO6i2854	BCO6i2254
BCO6i2848	BCO6i2248
BCO6i2842	BCO6i2242
BCO6i2836	BCO6i2236

BCO8i2872	BCO8i2272
BCO8i2866	BCO8i2266
BCO8i2860	BCO8i2260
BCO8i2854	BCO8i2254
BCO8i2848	BCO8i2248
BCO8i2842	BCO8i2242
BCO8i2836	BCO8i2236

SHARED BENCHING TABLES

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 297

BCO2iX2872	BCO2iX2272
BCO2iX2866	BCO2iX2266
BCO2iX2860	BCO2iX2260
BCO2iX2854	BCO2iX2254
BCO2iX2848	BCO2iX2248
BCO2iX2842	BCO2iX2242
BCO2iX2836	BCO2iX2236

BCO4iX2872	BCO4iX2272
BCO4iX2866	BCO4iX2266
BCO4iX2860	BCO4iX2260
BCO4iX2854	BCO4iX2254
BCO4iX2848	BCO4iX2248
BCO4iX2842	BCO4iX2242
BCO4iX2836	BCO4iX2236

BCO6iX2872	BCO6iX2272
BCO6iX2866	BCO6iX2266
BCO6iX2860	BCO6iX2260
BCO6iX2854	BCO6iX2254
BCO6iX2848	BCO6iX2248
BCO6iX2842	BCO6iX2242
BCO6iX2836	BCO6iX2236

BCO8iX2872	BCO8iX2272
BCO8iX2866	BCO8iX2266
BCO8iX2860	BCO8iX2260
BCO8iX2854	BCO8iX2254
BCO8iX2848	BCO8iX2248
BCO8iX2842	BCO8iX2242
BCO8iX2836	BCO8iX2236

SHARED BENCHING TABLES

RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 301

BCO2iM2872	BCO2iM2272
BCO2iM2866	BCO2iM2266
BCO2iM2860	BCO2iM2260
BCO2iM2854	BCO2iM2254
BCO2iM2848	BCO2iM2248
BCO2iM2842	BCO2iM2242
BCO2iM2836	BCO2iM2236

BCO4iM2872	BCO4iM2272
BCO4iM2866	BCO4iM2266
BCO4iM2860	BCO4iM2260
BCO4iM2854	BCO4iM2254
BCO4iM2848	BCO4iM2248
BCO4iM2842	BCO4iM2242
BCO4iM2836	BCO4iM2236

BCO6iM2872	BCO6iM2272
BCO6iM2866	BCO6iM2266
BCO6iM2860	BCO6iM2260
BCO6iM2854	BCO6iM2254
BCO6iM2848	BCO6iM2248
BCO6iM2842	BCO6iM2242
BCO6iM2836	BCO6iM2236

BCO8iM2872	BCO8iM2272
BCO8iM2866	BCO8iM2266
BCO8iM2860	BCO8iM2260
BCO8iM2854	BCO8iM2254
BCO8iM2848	BCO8iM2248
BCO8iM2842	BCO8iM2242
BCO8iM2836	BCO8iM2236

SHARED BENCHING TABLES

RECTANGULAR TABLES (OPEN METAL END PANELS) - 305

BCO2iO2872	BCO2iO2272
BCO2iO2866	BCO2iO2266
BCO2iO2860	BCO2iO2260
BCO2iO2854	BCO2iO2254
BCO2iO2848	BCO2iO2248
BCO2iO2842	BCO2iO2242
BCO2iO2836	BCO2iO2236

BCO4iO2872	BCO4iO2272
BCO4iO2866	BCO4iO2266
BCO4iO2860	BCO4iO2260
BCO4iO2854	BCO4iO2254
BCO4iO2848	BCO4iO2248
BCO4iO2842	BCO4iO2242
BCO4iO2836	BCO4iO2236

BCO6iO2872	BCO6iO2272
BCO6iO2866	BCO6iO2266
BCO6iO2860	BCO6iO2260
BCO6iO2854	BCO6iO2254
BCO6iO2848	BCO6iO2248
BCO6iO2842	BCO6iO2242
BCO6iO2836	BCO6iO2236

BCO8iO2872	BCO8iO2272
BCO8iO2866	BCO8iO2266
BCO8iO2860	BCO8iO2260
BCO8iO2854	BCO8iO2254
BCO8iO2848	BCO8iO2248
BCO8iO2842	BCO8iO2242
BCO8iO2836	BCO8iO2236

RECTANGULAR TABLES (OPEN METAL END PANELS) - 309

BCD2i2672	BCD2i2072
BCD2i2666	BCD2i2066
BCD2i2660	BCD2i2060
BCD2i2654	BCD2i2054
BCD2i2648	BCD2i2048
BCD2i2642	BCD2i2042
BCD2i2636	BCD2i2036

BCD4i2672	BCD4i2072
BCD4i2666	BCD4i2066
BCD4i2660	BCD4i2060
BCD4i2654	BCD4i2054
BCD4i2648	BCD4i2048
BCD4i2642	BCD4i2042
BCD4i2636	BCD4i2036

BCD6i2672	BCD6i2072
BCD6i2666	BCD6i2066
BCD6i2660	BCD6i2060
BCD6i2654	BCD6i2054
BCD6i2648	BCD6i2048
BCD6i2642	BCD6i2042
BCD6i2636	BCD6i2036

BCD8i2672	BCD8i2072
BCD8i2666	BCD8i2066
BCD8i2660	BCD8i2060
BCD8i2654	BCD8i2054
BCD8i2648	BCD8i2048
BCD8i2642	BCD8i2042
BCD8i2636	BCD8i2036

SHARED BENCHING TABLES WITH DOORS

RECTANGULAR TABLES (COMBINED MATERIAL END PANELS) - 313

BCD2iX2672	BCD2iX2072
BCD2iX2666	BCD2iX2066
BCD2iX2660	BCD2iX2060
BCD2iX2654	BCD2iX2054
BCD2iX2648	BCD2iX2048
BCD2iX2642	BCD2iX2042
BCD2iX2636	BCD2iX2036

BCD4iX2672	BCD4iX2072
BCD4iX2666	BCD4iX2066
BCD4iX2660	BCD4iX2060
BCD4iX2654	BCD4iX2054
BCD4iX2648	BCD4iX2048
BCD4iX2642	BCD4iX2042
BCD4iX2636	BCD4iX2036

BCD6iX2672	BCD6iX2072
BCD6iX2666	BCD6iX2066
BCD6iX2660	BCD6iX2060
BCD6iX2654	BCD6iX2054
BCD6iX2648	BCD6iX2048
BCD6iX2642	BCD6iX2042
BCD6iX2636	BCD6iX2036

BCD8iX2672	BCD8iX2072
BCD8iX2666	BCD8iX2066
BCD8iX2660	BCD8iX2060
BCD8iX2654	BCD8iX2054
BCD8iX2648	BCD8iX2048
BCD8iX2642	BCD8iX2042
BCD8iX2636	BCD8iX2036

SHARED BENCHING TABLES WITH DOORS

RECTANGULAR TABLES (PERFORATED METAL END PANELS) - 317

BCD2iM2672	**BCD2iM**2072
BCD2iM2666	**BCD2iM**2066
BCD2iM2660	**BCD2iM**2060
BCD2iM2654	**BCD2iM**2054
BCD2iM2648	**BCD2iM**2048
BCD2iM2642	**BCD2iM**2042
BCD2iM2636	**BCD2iM**2036

BCD4iM2672	**BCD4iM**2272
BCD4iM2666	**BCD4iM**2266
BCD4iM2660	**BCD4iM**2260
BCD4iM2654	**BCD4iM**2254
BCD4iM2648	**BCD4iM**2248
BCD4iM2642	**BCD4iM**2242
BCD4iM2636	**BCD4iM**2236

BCD6iM2672	**BCD6iM**2072
BCD6iM2666	**BCD6iM**2066
BCD6iM2660	**BCD6iM**2060
BCD6iM2654	**BCD6iM**2054
BCD6iM2648	**BCD6iM**2048
BCD6iM2642	**BCD6iM**2042
BCD6iM2636	**BCD6iM**2036

BCD8iM2672	**BCD8iM**2072
BCD8iM2666	**BCD8iM**2066
BCD8iM2660	**BCD8iM**2060
BCD8iM2654	**BCD8iM**2054
BCD8iM2648	**BCD8iM**2048
BCD8iM2642	**BCD8iM**2042
BCD8iM2636	**BCD8iM**2036

RECTANGULAR TABLES (OPEN METAL END PANELS) - 321

BCD2iO2672	**BCD2iO**2072
BCD2iO2666	**BCD2iO**2066
BCD2iO2660	**BCD2iO**2060
BCD2iO2654	**BCD2iO**2054
BCD2iO2648	**BCD2iO**2048
BCD2iO2642	**BCD2iO**2042
BCD2iO2636	**BCD2iO**2036

BCD4iO2672	**BCD4iO**2072
BCD4iO2666	**BCD4iO**2066
BCD4iO2660	**BCD4iO**2060
BCD4iO2654	**BCD4iO**2054
BCD4iO2648	**BCD4iO**2048
BCD4iO2642	**BCD4iO**2042
BCD4iO2636	**BCD4iO**2036

BCD6iO2672	**BCD6iO**2072
BCD6iO2666	**BCD6iO**2066
BCD6iO2660	**BCD6iO**2060
BCD6iO2654	**BCD6iO**2054
BCD6iO2648	**BCD6iO**2048
BCD6iO2642	**BCD6iO**2042
BCD6iO2636	**BCD6iO**2036

BCD8iO2672	**BCD8iO**2072
BCD8iO2666	**BCD8iO**2066
BCD8iO2660	**BCD8iO**2060
BCD8iO2654	**BCD8iO**2054
BCD8iO2648	**BCD8iO**2048
BCD8iO2642	**BCD8iO**2042
BCD8iO2636	**BCD8iO**2036

STORAGE EXTENSION - 325

ESOO1460
ESOO1448

SURFACE EXTENSION - 325

ETOO1460
ETOO1448

COLLABORATIVE SURFACE EXTENSION - 326

ETMO3060
ETMO3048
ETMO2460

LAMINATED PRIVACY PANELS - 327

PPLM1867
PPLM1861
PPLM1855
PPLM1849
PPLM1843
PPLM1837
PPLM1831

FROSTED PRIVACY PANELS - 327

PPCLG1867
PPCLG1861
PPCLG1855
PPCLG1849
PPCLG1843
PPCLG1837
PPCLG1831

PPGiG1867
PPGiG1861
PPGiG1855
PPGiG1849
PPGiG1843
PPGiG1837
PPGiG1831

FABRIC PRIVACY PANELS - 328

PPFA1867
PPFA1861
PPFA1855

PPFA1849
PPFA1843
PPFA1837
PPFA1831

TACKBOARD PRIVACY PANEL - 328

PPBTL1867
PPBTL1861
PPBTL1855

PPBTL1849
PPBTL1843
PPBTL1837
PPBTL1831

ACCESSORY BARS - 329

ACBC65
ACBC59
ACBC53
ACBC47
ACBC41
ACBC35
ACBC29

LATERAL METAL SCREENS- 329

DSMLR1526
DSMLR1520
DSMLL1526
DSMLL1520

DSMLAR1532
DSMLAR1526
DSMLAL1532
DSMLAL1526

LATERAL FABRIC SCREENS / NON TACKABLE - 330

DSFAR1526
DSFAR1520
DSFAL1526
DSFAL1520

DSFAAR1532
DSFAAR1526
DSFAAL1532
DSFAAL1526

LATERAL TACKBOARD PANELS - 331

DSBTLR1526
DSBTLR1520
DSBTLL1526
DSBTLL1520

DSBTLAR1532
DSBTLAR1526
DSBTLAL1532
DSBTLAL1526

OFFICE SUPPLY TRAY - 332

BCPAP

CENTRAL MOVIBLE CAP FOR SHARED OPEN BENCHING TABLES - 332

HC67**BCO**
HC61**BCO**
HC55**BCO**
HC49**BCO**
HC43**BCO**
HC37**BCO**
HC31**BCO**

CENTRAL CAP FOR SHARED TABLE BENCHING WITH DOORS - 332

HC67**BCD**
HC61**BCD**
HC55**BCD**
HC49**BCD**
HC43**BCD**
HC37**BCD**
HC31**BCD**

CABLING TRAYS - 333

WCMBC66
WCMBC60
WCMBC54
WCMBC48
WCMBC42
WCMBC36
WCMBC30

ELECTRICAL 4-CIRCUITS SYSTEM - 2 SIDES - 333

WCMBB22
WCMBB16

OUTLET SUPPORT - 333

E2-EDS

CABLE POLE ON TOP OF SURFACE - 334

A5-EPBC144
A5-EPBC96

Appendix
General Information

SHARED BENCHING TABLES - OPEN OR WITH DOORS

Shared benching tables, open or with doors, allow for configuration of 2, 4, 6 and 8 users.
They are offered in depths of 48" or 60" with rectangular surfaces 1" thick (Sierra). Surfaces rest on a structure composed of legs, metal crosspieces and, depending on the model chosen, one or more central modesty panels 18" in height. The legs are available in laminate, combined material, perforated metal or open metal.

Open shared benching tables

Open shared benching tables have a 3" opening between the surfaces. The finishing caps are installed at the center and at each end of the opening. This opening is used for cabling and privacy screen installation, see p. 327. Grommets are not available for these tables; however, a multi-outlet module (ECC or UCC) at the center is available as an option.

If no privacy screen is installed, a removable cap can be ordered separately to reduce the space between the surfaces, but still allowing access for cabling.

Shared benching tables with doors

The shared benching tables with doors have an 8½" opening between the surfaces and finishing caps are installed at the center and at each end of the opening. This opening includes a door facing each surface allowing for cables to pass through and easy access to the electrical system installed underneath the work surface.

Grommets and multi-outlets are not available for these tables. There is an opening between both doors allowing for the installation of a privacy screen, see p. 327. If no privacy screen is installed, a central finishing cap can be ordered separately to cover the opening.

FINISHING CAPS AND CABLING POLE

Caps installed in the center and on the ends of the shared benching tables are used for finishing as well as for installing a cabling pole. When ordering, the color of the caps must be specified, as well as the model of the cap and the required position of the cabling pole :

Without a cabling pole (**NP**)

One on the end (**EP**)

Two on each end (**EEP**)

One in the center (**CP**)

Two in the center (**CCP**)

One on the end and one in the center (**ECP**)

FINISHING CAPS AND CABLING POLE

The cabling pole is used to supply power from the ceiling to the surface (8' or 12' H). The pole has an internal movable PVC divider used to separate the ceiling power cables from the communications cables.

Plan view

SURFACE EXTENSIONS

The surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all types of legs. The surface is composed of 1" thick laminate available in lengths of 48¼" and 60¼". The surface comes with a middle support, metal finish must be specified.

STORAGE EXTENSION

The open storage extension is installed on the end of shared benching tables, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all the different types of legs. Composed of laminate of 1" thick and is offered in lengths of 48¼" and 60¼".

COLLABORATIVE SURFACE EXTENSION

The collaborative surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**), with all the different types of legs. The surface is composed of 1" thick laminate panels available in lengths of 48¼" and 60¼", and in depths of 24" and 30". The surface includes one metal U leg made of 1" x 3" metal tube, finish must be specified.

Installed on the end
of the shared benching tables

OFFICE SUPPLY TRAY

The office supply tray is a metal accessory for small office supplies (pencils, eraser, scissors, etc). The tray is designed to be installed underneath shared benching table surfaces, open or with doors, at the desired location in the front of the surface.

If installed on shared benching table with doors, the tray will be concealed by the door. The inner dimension of the tray are 9"x3"x¾" high. Metal finish must be specified.

Open table (**BCO**)

Table with door (**BCD**)

PRIVACY PANELS

The privacy panels can only be installed on shared benching tables open or with doors, since the space between the surfaces and the doors provides room to install it. The panels are available in 7 lengths and have a height of 18¼", with 15¼" visible above the surface. The panels are fixed to the benching table with 2 supports included. They also have a bracket that allows for the vertical adjustment of the panel.

Panels are available in 3 finishes :

Laminated or high-gloss white marker board
Laminate panel 11/16" thick.
Laminate finish, refer to the current Artopex laminate finishes card.
Marker board finish (**SBL**); high-gloss white marker board

Frosted glass :
Glass panel, 6mm thick.
Glass finish, clear or frosted.

Fabric - non tackable :
Panel 11/16" thick composed of 3/8" laminate covered in fabric on each side.
The visible laminate contour is available in black, white and frost.
Fabric, refer to the current Artopex panel fabric card.

Tackboard :
Panel 1" thick composed of 3/8" laminate in the middle and tackable panel in rough charcoal colored felt or covered in fabric on each side. The visible laminate contour is available in black, white or frost. Fabric, refer to the current Artopex panel fabric card.

ACCESSORY BAR

A pre-drilled accessory bar can be screwed to a laminate panel (**PPLM**).

The bar is the same length as the tackboards for the laminate panels and is available in various colors.

A maximum of 3 bars can be installed on each side of the privacy panel.

OUTLET SUPPORT

The outlet support is designed for moveable power outlets (**AC-ECM, AC-ECMK**) or a telecommunication plate (**E2-ERD**).
The support can be installed on top of the modesty of shared benching tables. Black finish. Size of opening : 2½"x 1⅜".

LATERAL SCREENS

The lateral screens below can be installed on all types of shared benching tables, on the ends or in the ¼" space between the surfaces. Two models are available (equal to or greater than the surface), in 3 finishes (metal, fabric or tackboard), with a height of 15¼" visible above the surface. To properly insert the screen under the surface, the screen must be ordered either right or left, according to the placement.

Screens are available in 2 models :

Screen flush with the front of the surface

Screen 6" in the front of the surface

Screens are available in 3 finishes :

Metal :
Metal structure 1/8" thick with grooved option, to hang accessories.
Metal finish : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.

Grooved option

Fabric - non-tackable :
Lateral fabric screens are 7/16" thick. The screen is composed of a metal structure 1/8" thick with fabric on each side.
Metal finish (structure) : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.
Fabric, refer to the current Artopex panel fabric card.

Tackboard :
Lateral tackboard screens are 11/16" thick. The screen is composed of a metal structure 1/8" thick with a tackable panel in rough charcoal colored felt or covered in fabric on each side.
Metal finish (structure) : Charcoal, Silver, Polar White, China Blue, Grenadine, Kiwi and Tangerine.
Fabric, refer to the current Artopex panel fabric card.

Screen positions on the different types of shared tables.
** Illustrated screens are flush with the front of the surface.*

Shared benching table - closed

Shared benching table with doors

Shared benching table - open

CABLING TRAY

The cabling tray allow for management of electrical and communication cables. It attaches to the modesty panel and provides quick and easy access to cables. Once installed, the cabling tray also doubles as a stiffener and reinforces the modesty panel when a privacy panel is installed. The tray's asymmetrical shape allows for the installation of a tray on both sides of the modesty. Metal finish must be specified.

4-CIRCUIT ELECTRICAL SYSTEM - 2 SIDES

The 4-circuit electrical system is installed on the top of the modesty of all types of benching tables. It contains 1 electrical harness with support and 2 metal fronts (finish must be specified). The system is available in 2 lengths, 16" and 22", and is designed to be used with the 4-circuit electrical components. The double outlets or the USB outlets are not included, must be ordered seperately.
16" long : 1 space for outlet on each side. For tables 36" and 42" in length.
22" long : 2 spaces for outlets on each side. For tables 48" and 72" in length.

SPECIFICATION TABLE - JUMPER LENGTH (cables)

To calculate the length of the jumper (**E2-EJT...**) required for use with shared tables, please refer to the shaded part of the chart below.

A \ B	48"x 60"
72"	E2-EJT64
66"	E2-EJT58
60"	E2-EJT52
54" 48"	E2-EJT47
48"	E2-EJT47
42"	E2-EJT35
36"	E2-EJT35
	CABLE REQUIRED

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end of the surfaces. Model and color must be specified.

Full laminate end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	**BCO2i**2872	1742	2039	13,3	247
28½	66	60¼	**BCO2i**2866	1675	1964	12,9	234
28½	60	60¼	**BCO2i**2860	1603	1873	12,3	222
28½	54	60¼	**BCO2i**2854	1547	1806	11,7	210
28½	48	60¼	**BCO2i**2848	1485	1731	11,3	198
28½	42	60¼	**BCO2i**2842	1416	1651	10,7	185
28½	36	60¼	**BCO2i**2836	1345	1563	10,1	173
22½	72	48¼	**BCO2i**2272	1595	1868	11,1	208
22½	66	48¼	**BCO2i**2266	1550	1788	10,7	197
22½	60	48¼	**BCO2i**2260	1458	1708	10,3	186
22½	54	48¼	**BCO2i**2254	1406	1646	9,7	176
22½	48	48¼	**BCO2i**2248	1368	1595	9,3	165
22½	42	48¼	**BCO2i**2242	1299	1513	8,9	155
22½	36	48¼	**BCO2i**2236	1227	1427	8,5	144

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar white (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	**BCO4i2872**	3212	3806	23,6	429
28½	66	60¼	132	**BCO4i2866**	3077	3653	22,8	405
28½	60	60¼	120	**BCO4i2860**	2933	3474	21,6	380
28½	54	60¼	108	**BCO4i2854**	2820	3340	20,4	356
28½	48	60¼	96	**BCO4i2848**	2698	3191	19,6	331
28½	42	60¼	84	**BCO4i2842**	2559	3029	18,4	306
28½	36	60¼	72	**BCO4i2836**	2417	2852	17,2	282
22½	72	48¼	144	**BCO4i2272**	2983	3529	20,2	368
22½	66	48¼	132	**BCO4i2266**	2892	3367	19,4	347
22½	60	48¼	120	**BCO4i2260**	2708	3210	18,6	326
22½	54	48¼	108	**BCO4i2254**	2605	3084	17,4	305
22½	48	48¼	96	**BCO4i2248**	2531	2984	16,6	283
22½	42	48¼	84	**BCO4i2242**	2391	2818	15,8	262
22½	36	48¼	72	**BCO4i2236**	2245	2646	15	241

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), at the center (**CP**), on extremities and in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	**BCO6i2872**	4682	5573	33,9	612
28½	66	60¼	198	**BCO6i2866**	4479	5344	32,7	575
28½	60	60¼	180	**BCO6i2860**	4263	5074	30,9	538
28½	54	60¼	162	**BCO6i2854**	4093	4872	29,1	501
28½	48	60¼	144	**BCO6i2848**	3911	4650	27,9	465
28½	42	60¼	126	**BCO6i2842**	3702	4408	26,1	428
28½	36	60¼	108	**BCO6i2836**	3489	4143	24,3	391
22½	72	48¼	216	**BCO6i2272**	4371	5190	29,3	529
22½	66	48¼	198	**BCO6i2266**	4235	4948	28,1	497
22½	60	48¼	180	**BCO6i2260**	3959	4711	26,9	465
22½	54	48¼	162	**BCO6i2254**	3803	4522	25,1	433
22½	48	48¼	144	**BCO6i2248**	3693	4373	23,9	402
22½	42	48¼	126	**BCO6i2242**	3484	4124	22,7	370
22½	36	48¼	108	**BCO6i2236**	3265	3865	21,5	338

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (FULL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels at each end and in the center, recessed mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	**BCO8i2872**	6399	7587	44,6	814
28½	66	60¼	264	**BCO8i2866**	6128	7281	43	766
28½	60	60¼	240	**BCO8i2860**	5841	6923	40,6	716
28½	54	60¼	216	**BCO8i2854**	5614	6653	38,2	667
28½	48	60¼	192	**BCO8i2848**	5370	6356	36,6	618
28½	42	60¼	168	**BCO8i2842**	5092	6034	34,2	569
28½	36	60¼	144	**BCO8i2836**	4808	5679	31,8	520
22½	72	48¼	288	**BCO8i2272**	5941	7032	38,3	709
22½	66	48¼	264	**BCO8i2266**	5759	6709	36,7	667
22½	60	48¼	240	**BCO8i2260**	5392	6395	35,1	625
22½	54	48¼	216	**BCO8i2254**	5183	6142	32,7	582
22½	48	48¼	192	**BCO8i2248**	5036	5942	31,1	540
22½	42	48¼	168	**BCO8i2242**	4758	5611	29,5	497
22½	36	48¼	144	**BCO8i2236**	4465	5266	27,9	455

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panel.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	**BCO2iX**2872	2155	2452	13,3	247
28½	66	60¼	**BCO2iX**2866	2088	2376	12,9	234
28½	60	60¼	**BCO2iX**2860	2015	2286	12,3	222
28½	54	60¼	**BCO2iX**2854	1959	2219	11,7	210
28½	48	60¼	**BCO2iX**2848	1898	2144	11,3	198
28½	42	60¼	**BCO2iX**2842	1828	2064	10,7	185
28½	36	60¼	**BCO2iX**2836	1758	1976	10,1	173
22½	72	48¼	**BCO2iX**2272	1975	2247	11,1	208
22½	66	48¼	**BCO2iX**2266	1929	2167	10,7	197
22½	60	48¼	**BCO2iX**2260	1837	2088	10,3	186
22½	54	48¼	**BCO2iX**2254	1785	2025	9,7	176
22½	48	48¼	**BCO2iX**2248	1748	1975	9,3	165
22½	42	48¼	**BCO2iX**2242	1679	1892	8,9	155
22½	36	48¼	**BCO2iX**2236	1606	1806	8,5	144

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panel and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	**BCO4iX**2872	3570	4164	23,6	429
28½	66	60¼	132	**BCO4iX**2866	3434	4011	22,8	405
28½	60	60¼	120	**BCO4iX**2860	3290	3831	21,6	380
28½	54	60¼	108	**BCO4iX**2854	3178	3697	20,4	356
28½	48	60¼	96	**BCO4iX**2848	3056	3549	19,6	331
28½	42	60¼	84	**BCO4iX**2842	2916	3387	18,4	306
28½	36	60¼	72	**BCO4iX**2836	2774	3210	17,2	282
22½	72	48¼	144	**BCO4iX**2272	3308	3853	20,2	368
22½	66	48¼	132	**BCO4iX**2266	3216	3692	19,4	347
22½	60	48¼	120	**BCO4iX**2260	3033	3534	18,6	326
22½	54	48¼	108	**BCO4iX**2254	2929	3409	17,4	305
22½	48	48¼	96	**BCO4iX**2248	2856	3309	16,6	283
22½	42	48¼	84	**BCO4iX**2242	2716	3143	15,8	262
22½	36	48¼	72	**BCO4iX**2236	2570	2970	15	241

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar white (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	**BCO6iX**2872	4984	5875	33,9	612
28½	66	60¼	198	**BCO6iX**2866	4782	5646	32,7	575
28½	60	60¼	180	**BCO6iX**2860	4565	5377	30,9	538
28½	54	60¼	162	**BCO6iX**2854	4396	5174	29,1	501
28½	48	60¼	144	**BCO6iX**2848	4213	4952	27,9	465
28½	42	60¼	126	**BCO6iX**2842	4004	4710	26,1	428
28½	36	60¼	108	**BCO6iX**2836	3792	4445	24,3	391
22½	72	48¼	216	**BCO6iX**2272	4641	5459	29,3	529
22½	66	48¼	198	**BCO6iX**2266	4505	5217	28,1	497
22½	60	48¼	180	**BCO6iX**2260	4228	4981	26,9	465
22½	54	48¼	162	**BCO6iX**2254	4072	4792	25,1	433
22½	48	48¼	144	**BCO6iX**2248	3962	4642	23,9	402
22½	42	48¼	126	**BCO6iX**2242	3753	4393	22,7	370
22½	36	48¼	108	**BCO6iX**2236	3534	4135	21,5	338

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - *RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)*

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	**BCO8iX**2872	6765	7953	44,6	814
28½	66	60¼	264	**BCO8iX**2866	6494	7647	43	766
28½	60	60¼	240	**BCO8iX**2860	6207	7290	40,6	716
28½	54	60¼	216	**BCO8iX**2854	5981	7019	38,2	667
28½	48	60¼	192	**BCO8iX**2848	5737	6722	36,6	618
28½	42	60¼	168	**BCO8iX**2842	5458	6400	34,2	569
28½	36	60¼	144	**BCO8iX**2836	5174	6046	31,8	520
22½	72	48¼	288	**BCO8iX**2272	6307	7399	38,3	709
22½	66	48¼	264	**BCO8iX**2266	6125	7075	36,7	667
22½	60	48¼	240	**BCO8iX**2260	5759	6762	35,1	625
22½	54	48¼	216	**BCO8iX**2254	5550	6509	32,7	582
22½	48	48¼	192	**BCO8iX**2248	5402	6309	31,1	540
22½	42	48¼	168	**BCO8iX**2242	5124	5977	29,5	497
22½	36	48¼	144	**BCO8iX**2236	4831	5632	27,9	455

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each end of the opening. Model and color must be specified.

Perforated metal end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	**BCO2iM**2872	2155	2452	13,3	247
28½	66	60¼	**BCO2iM**2866	2088	2376	12,9	234
28½	60	60¼	**BCO2iM**2860	2015	2286	12,3	222
28½	54	60¼	**BCO2iM**2854	1959	2219	11,7	210
28½	48	60¼	**BCO2iM**2848	1898	2144	11,3	198
28½	42	60¼	**BCO2iM**2842	1828	2064	10,7	185
28½	36	60¼	**BCO2iM**2836	1758	1976	10,1	173
22½	72	48¼	**BCO2iM**2272	1975	2247	11,1	208
22½	66	48¼	**BCO2iM**2266	1929	2167	10,7	197
22½	60	48¼	**BCO2iM**2260	1837	2088	10,3	186
22½	54	48¼	**BCO2iM**2254	1785	2025	9,7	176
22½	48	48¼	**BCO2iM**2248	1748	1975	9,3	165
22½	42	48¼	**BCO2iM**2242	1679	1892	8,9	155
22½	36	48¼	**BCO2iM**2236	1606	1806	8,5	144

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	**BCO4iM**2872	3570	4164	23,6	429
28½	66	60¼	132	**BCO4iM**2866	3434	4011	22,8	405
28½	60	60¼	120	**BCO4iM**2860	3290	3831	21,6	380
28½	54	60¼	108	**BCO4iM**2854	3178	3697	20,4	356
28½	48	60¼	96	**BCO4iM**2848	3056	3549	19,6	331
28½	42	60¼	84	**BCO4iM**2842	2916	3387	18,4	306
28½	36	60¼	72	**BCO4iM**2836	2774	3210	17,2	282
22½	72	48¼	144	**BCO4iM**2272	3308	3853	20,2	368
22½	66	48¼	132	**BCO4iM**2266	3216	3692	19,4	347
22½	60	48¼	120	**BCO4iM**2260	3033	3534	18,6	326
22½	54	48¼	108	**BCO4iM**2254	2929	3409	17,4	305
22½	48	48¼	96	**BCO4iM**2248	2856	3309	16,6	283
22½	42	48¼	84	**BCO4iM**2242	2716	3143	15,8	262
22½	36	48¼	72	**BCO4iM**2236	2570	2970	15	241

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	**BCO6iM**2872	4984	5875	33,9	612
28½	66	60¼	198	**BCO6iM**2866	4782	5646	32,7	575
28½	60	60¼	180	**BCO6iM**2860	4565	5377	30,9	538
28½	54	60¼	162	**BCO6iM**2854	4396	5174	29,1	501
28½	48	60¼	144	**BCO6iM**2848	4213	4952	27,9	465
28½	42	60¼	126	**BCO6iM**2842	4004	4710	26,1	428
28½	36	60¼	108	**BCO6iM**2836	3792	4445	24,3	391
22½	72	48¼	216	**BCO6iM**2272	4641	5459	29,3	529
22½	66	48¼	198	**BCO6iM**2266	4505	5217	28,1	497
22½	60	48¼	180	**BCO6iM**2260	4228	4981	26,9	465
22½	54	48¼	162	**BCO6iM**2254	4072	4792	25,1	433
22½	48	48¼	144	**BCO6iM**2248	3962	4642	23,9	402
22½	42	48¼	126	**BCO6iM**2242	3753	4393	22,7	370
22½	36	48¼	108	**BCO6iM**2236	3534	4135	21,5	338

SPECIFY | **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the middle (**CCP**) or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

Price List – USA

OPEN SHARED BENCHING - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremity and in the middle of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	**BCO8iM**2872	6765	7953	44,6	814
28½	66	60¼	264	**BCO8iM**2866	6494	7647	43	766
28½	60	60¼	240	**BCO8iM**2860	6207	7290	40,6	716
28½	54	60¼	216	**BCO8iM**2854	5981	7019	38,2	667
28½	48	60¼	192	**BCO8iM**2848	5737	6722	36,6	618
28½	42	60¼	168	**BCO8iM**2842	5458	6400	34,2	569
28½	36	60¼	144	**BCO8iM**2836	5174	6046	31,8	520
22½	72	48¼	288	**BCO8iM**2272	6307	7399	38,3	709
22½	66	48¼	264	**BCO8iM**2266	6125	7075	36,7	667
22½	60	48¼	240	**BCO8iM**2260	5759	6762	35,1	625
22½	54	48¼	216	**BCO8iM**2254	5550	6509	32,7	582
22½	48	48¼	192	**BCO8iM**2248	5402	6309	31,1	540
22½	42	48¼	168	**BCO8iM**2242	5124	5977	29,5	497
22½	36	48¼	144	**BCO8iM**2236	4831	5632	27,9	455

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**) or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremety of the opening. Model and color must be specified.

Open metal full end panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	**BCO2iO**2872	1869	2166	13,3	222
28½	66	60¼	**BCO2iO**2866	1802	2090	12,9	209
28½	60	60¼	**BCO2iO**2860	1729	2000	12,3	197
28½	54	60¼	**BCO2iO**2854	1673	1933	11,7	185
28½	48	60¼	**BCO2iO**2848	1612	1858	11,3	173
28½	42	60¼	**BCO2iO**2842	1542	1778	10,7	160
28½	36	60¼	**BCO2iO**2836	1472	1690	10,1	148
22½	72	48¼	**BCO2iO**2272	1744	2016	11,1	183
22½	66	48¼	**BCO2iO**2266	1698	1936	10,7	172
22½	60	48¼	**BCO2iO**2260	1606	1857	10,3	161
22½	54	48¼	**BCO2iO**2254	1554	1794	9,7	151
22½	48	48¼	**BCO2iO**2248	1517	1744	9,3	140
22½	42	48¼	**BCO2iO**2242	1448	1661	8,9	130
22½	36	48¼	**BCO2iO**2236	1375	1575	8,5	119

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed at extremeties of the opening and in the center. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	**BCO4iO**2872	3284	3878	23,6	404
28½	66	60¼	132	**BCO4iO**2866	3148	3725	22,8	380
28½	60	60¼	120	**BCO4iO**2860	3004	3545	21,6	355
28½	54	60¼	108	**BCO4iO**2854	2892	3411	20,4	331
28½	48	60¼	96	**BCO4iO**2848	2770	3263	19,6	306
28½	42	60¼	84	**BCO4iO**2842	2630	3101	18,4	281
28½	36	60¼	72	**BCO4iO**2836	2488	2924	17,2	257
22½	72	48¼	144	**BCO4iO**2272	3077	3622	20,2	343
22½	66	48¼	132	**BCO4iO**2266	2985	3461	19,4	322
22½	60	48¼	120	**BCO4iO**2260	2802	3303	18,6	301
22½	54	48¼	108	**BCO4iO**2254	2698	3178	17,4	280
22½	48	48¼	96	**BCO4iO**2248	2625	3078	16,6	258
22½	42	48¼	84	**BCO4iO**2242	2485	2912	15,8	237
22½	36	48¼	72	**BCO4iO**2236	2339	2739	15	216

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**) or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to decrease the central space, see p.332.

Finishing caps are installed on each extremety of the opening and in the center. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	**BCO6iO**2872	4698	5589	33,9	587
28½	66	60¼	198	**BCO6iO**2866	4496	5360	32,7	550
28½	60	60¼	180	**BCO6iO**2860	4279	5091	30,9	513
28½	54	60¼	162	**BCO6iO**2854	4110	4888	29,1	476
28½	48	60¼	144	**BCO6iO**2848	3927	4666	27,9	440
28½	42	60¼	126	**BCO6iO**2842	3718	4424	26,1	403
28½	36	60¼	108	**BCO6iO**2836	3506	4159	24,3	366
22½	72	48¼	216	**BCO6iO**2272	4410	5228	29,3	504
22½	66	48¼	198	**BCO6iO**2266	4274	4986	28,1	472
22½	60	48¼	180	**BCO6iO**2260	3997	4750	26,9	440
22½	54	48¼	162	**BCO6iO**2254	3841	4561	25,1	408
22½	48	48¼	144	**BCO6iO**2248	3731	4411	23,9	377
22½	42	48¼	126	**BCO6iO**2242	3522	4162	22,7	345
22½	36	48¼	108	**BCO6iO**2236	3303	3904	21,5	313

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

Take Off

NEW

OPEN SHARED BENCHING - RECTANGULAR TABLE (OPEN END PANEL)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, see p.332.

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full open metal panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between surfaces, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

Multi-outlet module option in the center, see p.40.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8iO2872	6479	7667	44,6	777
28½	66	60¼	264	BCO8iO2866	6208	7361	43	728
28½	60	60¼	240	BCO8iO2860	5921	7004	40,6	679
28½	54	60¼	216	BCO8iO2854	5695	6733	38,2	630
28½	48	60¼	192	BCO8iO2848	5451	6436	36,6	581
28½	42	60¼	168	BCO8iO2842	5172	6114	34,2	531
28½	36	60¼	144	BCO8iO2836	4888	5760	31,8	482
22½	72	48¼	288	BCO8iO2272	6076	7168	38,3	672
22½	66	48¼	264	BCO8iO2266	5894	6844	36,7	630
22½	60	48¼	240	BCO8iO2260	5528	6531	35,1	587
22½	54	48¼	216	BCO8iO2254	5319	6278	32,7	545
22½	48	48¼	192	BCO8iO2248	5171	6078	31,1	502
22½	42	48¼	168	BCO8iO2242	4893	5746	29,5	460
22½	36	48¼	144	BCO8iO2236	4600	5401	27,9	418

SPECIFY — **OPTIONS**

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**) .

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options: **Multi-outlets :** Option to add multi-outlets modules "1 circuit" at center (**ECC**) or "standard" multi-outlets modules at the center (**UCC**) , add $213 each, see p.29.

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each end of the surfaces. Model and color must be specified.

Full laminate end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	**BCD2i**2672	1851	2148	13,3	247
26	66	60¼	**BCD2i**2666	1781	2069	12,9	234
26	60	60¼	**BCD2i**2660	1706	1977	12,3	222
26	54	60¼	**BCD2i**2654	1596	1856	11,7	210
26	48	60¼	**BCD2i**2648	1532	1779	11,3	198
26	42	60¼	**BCD2i**2642	1460	1695	10,7	185
26	36	60¼	**BCD2i**2636	1386	1604	10,1	173
20	72	48¼	**BCD2i**2072	1704	1977	11,1	208
20	66	48¼	**BCD2i**2066	1656	1893	10,7	197
20	60	48¼	**BCD2i**2060	1561	1812	10,3	186
20	54	48¼	**BCD2i**2054	1455	1695	9,7	176
20	48	48¼	**BCD2i**2048	1416	1642	9,3	165
20	42	48¼	**BCD2i**2042	1343	1557	8,9	155
20	36	48¼	**BCD2i**2036	1267	1467	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each end of the surfaces and in the center. Model and color must be specified.

Full laminate end panels and recessed laminate mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	**BCD4i**2672	3652	4246	23,6	429
26	66	60¼	132	**BCD4i**2666	3511	4088	22,8	405
26	60	60¼	120	**BCD4i**2660	3362	3903	21,6	380
26	54	60¼	108	**BCD4i**2654	3142	3661	20,4	356
26	48	60¼	96	**BCD4i**2648	3014	3507	19,6	331
26	42	60¼	84	**BCD4i**2642	2869	3340	18,4	306
26	36	60¼	72	**BCD4i**2636	2721	3157	17,2	282
20	72	48¼	144	**BCD4i**2072	3423	3969	20,2	368
20	66	48¼	132	**BCD4i**2066	3326	3802	19,4	347
20	60	48¼	120	**BCD4i**2060	3137	3639	18,6	326
20	54	48¼	108	**BCD4i**2054	2926	3406	17,4	305
20	48	48¼	96	**BCD4i**2048	2847	3300	16,6	283
20	42	48¼	84	**BCD4i**2042	2702	3128	15,8	262
20	36	48¼	72	**BCD4i**2036	2550	2950	15	241

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps		Doors
T S -	____ -	____ /	____ -	____ -	____ -	____	____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed laminate mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	**BCD6i**2672	5326	6217	33,9	612
26	66	60¼	198	**BCD6i**2666	5114	5979	32,7	575
26	60	60¼	180	**BCD6i**2660	4890	5701	30,9	538
26	54	60¼	162	**BCD6i**2654	4561	5339	29,1	501
26	48	60¼	144	**BCD6i**2648	4369	5108	27,9	465
26	42	60¼	126	**BCD6i**2642	4151	4858	26,1	428
26	36	60¼	108	**BCD6i**2636	3929	4583	24,3	391
20	72	48¼	216	**BCD6i**2072	5016	5834	29,3	529
20	66	48¼	198	**BCD6i**2066	4870	5583	28,1	497
20	60	48¼	180	**BCD6i**2060	4586	5338	26,9	465
20	54	48¼	162	**BCD6i**2054	4270	4990	25,1	433
20	48	48¼	144	**BCD6i**2048	4151	4831	23,9	402
20	42	48¼	126	**BCD6i**2042	3934	4574	22,7	370
20	36	48¼	108	**BCD6i**2036	3705	4305	21,5	338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, *p.54-55.*

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (FULL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate panels at each end and in the center, recessed mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	**BCD8i2672**	7247	8435	44,6	814
26	66	60¼	264	**BCD8i2666**	6965	8118	43	766
26	60	60¼	240	**BCD8i2660**	6666	7748	40,6	716
26	54	60¼	216	**BCD8i2654**	6226	7264	38,2	667
26	48	60¼	192	**BCD8i2648**	5971	6956	36,6	618
26	42	60¼	168	**BCD8i2642**	5680	6622	34,2	569
26	36	60¼	144	**BCD8i2636**	5386	6257	31,8	520
20	72	48¼	288	**BCD8i2072**	6789	7880	38,3	709
20	66	48¼	264	**BCD8i2066**	6596	7546	36,7	667
20	60	48¼	240	**BCD8i2060**	6217	7220	35,1	625
20	54	48¼	216	**BCD8i2054**	5795	6754	32,7	582
20	48	48¼	192	**BCD8i2048**	5636	6543	31,1	540
20	42	48¼	168	**BCD8i2042**	5346	6200	29,5	497
20	36	48¼	144	**BCD8i2036**	5042	5843	27,9	455

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	**BCD2iX**2672	2264	2561	13,3	247
26	66	60¼	**BCD2iX**2666	2193	2482	12,9	234
26	60	60¼	**BCD2iX**2660	2119	2389	12,3	222
26	54	60¼	**BCD2iX**2654	2009	2268	11,7	210
26	48	60¼	**BCD2iX**2648	1945	2191	11,3	198
26	42	60¼	**BCD2iX**2642	1872	2108	10,7	185
26	36	60¼	**BCD2iX**2636	1799	2016	10,1	173
20	72	48¼	**BCD2iX**2072	2083	2356	11,1	208
20	66	48¼	**BCD2iX**2066	2035	2273	10,7	197
20	60	48¼	**BCD2iX**2060	1940	2191	10,3	186
20	54	48¼	**BCD2iX**2054	1835	2075	9,7	176
20	48	48¼	**BCD2iX**2048	1795	2022	9,3	165
20	42	48¼	**BCD2iX**2042	1723	1936	8,9	155
20	36	48¼	**BCD2iX**2036	1647	1847	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	-	/	-	-	-	-	

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	**BCD4iX**2672	4010	4604	23,6	429
26	66	60¼	132	**BCD4iX**2666	3869	4445	22,8	405
26	60	60¼	120	**BCD4iX**2660	3719	4260	21,6	380
26	54	60¼	108	**BCD4iX**2654	3499	4018	20,4	356
26	48	60¼	96	**BCD4iX**2648	3372	3864	19,6	331
26	42	60¼	84	**BCD4iX**2642	3226	3697	18,4	306
26	36	60¼	72	**BCD4iX**2636	3079	3515	17,2	282
20	72	48¼	144	**BCD4iX**2072	3748	4293	20,2	368
20	66	48¼	132	**BCD4iX**2066	3651	4126	19,4	347
20	60	48¼	120	**BCD4iX**2060	3462	3963	18,6	326
20	54	48¼	108	**BCD4iX**2054	3251	3730	17,4	305
20	48	48¼	96	**BCD4iX**2048	3171	3625	16,6	283
20	42	48¼	84	**BCD4iX**2042	3026	3453	15,8	262
20	36	48¼	72	**BCD4iX**2036	2874	3275	15	241

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	**BCD6iX**2672	5629	6520	33,9	612
26	66	60¼	198	**BCD6iX**2666	5416	6281	32,7	575
26	60	60¼	180	**BCD6iX**2660	5192	6004	30,9	538
26	54	60¼	162	**BCD6iX**2654	4863	5642	29,1	501
26	48	60¼	144	**BCD6iX**2648	4672	5411	27,9	465
26	42	60¼	126	**BCD6iX**2642	4454	5160	26,1	428
26	36	60¼	108	**BCD6iX**2636	4232	4885	24,3	391
20	72	48¼	216	**BCD6iX**2072	5286	6104	29,3	529
20	66	48¼	198	**BCD6iX**2066	5139	5852	28,1	497
20	60	48¼	180	**BCD6iX**2060	4855	5608	26,9	465
20	54	48¼	162	**BCD6iX**2054	4540	5259	25,1	433
20	48	48¼	144	**BCD6iX**2048	4421	5101	23,9	402
20	42	48¼	126	**BCD6iX**2042	4203	4843	22,7	370
20	36	48¼	108	**BCD6iX**2036	3974	4575	21,5	338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	-	/	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

Price List – USA

SHARED BENCHING WITH DOORS - RECTANGULAR TABLE (COMBINED MATERIAL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

Dimensions				Code	S Sierra 1" Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	**BCD8iX**2672	7613	8801	44,6	814
26	66	60¼	264	**BCD8iX**2666	7332	8484	43	766
26	60	60¼	240	**BCD8iX**2660	7032	8115	40,6	716
26	54	60¼	216	**BCD8iX**2654	6592	7631	38,2	667
26	48	60¼	192	**BCD8iX**2648	6337	7323	36,6	618
26	42	60¼	168	**BCD8iX**2642	6047	6988	34,2	569
26	36	60¼	144	**BCD8iX**2636	5752	6623	31,8	520
20	72	48¼	288	**BCD8iX**2072	7156	8247	38,3	709
20	66	48¼	264	**BCD8iX**2066	6962	7912	36,7	667
20	60	48¼	240	**BCD8iX**2060	6584	7587	35,1	625
20	54	48¼	216	**BCD8iX**2054	6161	7120	32,7	582
20	48	48¼	192	**BCD8iX**2048	6003	6909	31,1	540
20	42	48¼	168	**BCD8iX**2042	5712	6566	29,5	497
20	36	48¼	144	**BCD8iX**2036	5409	6210	27,9	455

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	**BCD2iM**2672	2264	2561	13,3	247
26	66	60¼	**BCD2iM**2666	2193	2482	12,9	234
26	60	60¼	**BCD2iM**2660	2119	2389	12,3	222
26	54	60¼	**BCD2iM**2654	2009	2268	11,7	210
26	48	60¼	**BCD2iM**2648	1945	2191	11,3	198
26	42	60¼	**BCD2iM**2642	1872	2108	10,7	185
26	36	60¼	**BCD2iM**2636	1799	2016	10,1	173
20	72	48¼	**BCD2iM**2072	2083	2356	11,1	208
20	66	48¼	**BCD2iM**2066	2035	2273	10,7	197
20	60	48¼	**BCD2iM**2060	1940	2191	10,3	186
20	54	48¼	**BCD2iM**2054	1835	2075	9,7	176
20	48	48¼	**BCD2iM**2048	1795	2022	9,3	165
20	42	48¼	**BCD2iM**2042	1723	1936	8,9	155
20	36	48¼	**BCD2iM**2036	1647	1847	8,5	144

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

Price List – USA

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	**BCD4iM**2672	4010	4604	23,6	429
26	66	60¼	132	**BCD4iM**2666	3869	4445	22,8	405
26	60	60¼	120	**BCD4iM**2660	3719	4260	21,6	380
26	54	60¼	108	**BCD4iM**2654	3499	4018	20,4	356
26	48	60¼	96	**BCD4iM**2648	3372	3864	19,6	331
26	42	60¼	84	**BCD4iM**2642	3226	3697	18,4	306
26	36	60¼	72	**BCD4iM**2636	3079	3515	17,2	282
20	72	48¼	144	**BCD4iM**2072	3748	4293	20,2	368
20	66	48¼	132	**BCD4iM**2066	3651	4126	19,4	347
20	60	48¼	120	**BCD4iM**2060	3462	3963	18,6	326
20	54	48¼	108	**BCD4iM**2054	3251	3730	17,4	305
20	48	48¼	96	**BCD4iM**2048	3171	3625	16,6	283
20	42	48¼	84	**BCD4iM**2042	3026	3453	15,8	262
20	36	48¼	72	**BCD4iM**2036	2874	3275	15	241

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	**BCD6iM**2672	5629	6520	33,9	612
26	66	60¼	198	**BCD6iM**2666	5416	6281	32,7	575
26	60	60¼	180	**BCD6iM**2660	5192	6004	30,9	538
26	54	60¼	162	**BCD6iM**2654	4863	5642	29,1	501
26	48	60¼	144	**BCD6iM**2648	4672	5411	27,9	465
26	42	60¼	126	**BCD6iM**2642	4454	5160	26,1	428
26	36	60¼	108	**BCD6iM**2636	4232	4885	24,3	391
20	72	48¼	216	**BCD6iM**2072	5286	6104	29,3	529
20	66	48¼	198	**BCD6iM**2066	5139	5852	28,1	497
20	60	48¼	180	**BCD6iM**2060	4855	5608	26,9	465
20	54	48¼	162	**BCD6iM**2054	4540	5259	25,1	433
20	48	48¼	144	**BCD6iM**2048	4421	5101	23,9	402
20	42	48¼	126	**BCD6iM**2042	4203	4843	22,7	370
20	36	48¼	108	**BCD6iM**2036	3974	4575	21,5	338

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps		Doors
T S -	-	/	-	-	-		-	

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (PERFORATED METAL END PANELS)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

Dimensions				Code	Price S Sierra 1"		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	**BCD8iM**2672	7613	8801	44,6	814
26	66	60¼	264	**BCD8iM**2666	7332	8484	43	766
26	60	60¼	240	**BCD8iM**2660	7032	8115	40,6	716
26	54	60¼	216	**BCD8iM**2654	6592	7631	38,2	667
26	48	60¼	192	**BCD8iM**2648	6337	7323	36,6	618
26	42	60¼	168	**BCD8iM**2642	6047	6988	34,2	569
26	36	60¼	144	**BCD8iM**2636	5752	6623	31,8	520
20	72	48¼	288	**BCD8iM**2072	7156	8247	38,3	709
20	66	48¼	264	**BCD8iM**2066	6962	7912	36,7	667
20	60	48¼	240	**BCD8iM**2060	6584	7587	35,1	625
20	54	48¼	216	**BCD8iM**2054	6161	7120	32,7	582
20	48	48¼	192	**BCD8iM**2048	6003	6909	31,1	540
20	42	48¼	168	**BCD8iM**2042	5712	6566	29,5	497
20	36	48¼	144	**BCD8iM**2036	5409	6210	27,9	455

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	-	/	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	**BCD2iO**2672	1978	2275	13,3	222
26	66	60¼	**BCD2iO**2666	1907	2196	12,9	209
26	60	60¼	**BCD2iO**2660	1833	2103	12,3	197
26	54	60¼	**BCD2iO**2654	1723	1982	11,7	185
26	48	60¼	**BCD2iO**2648	1659	1905	11,3	173
26	42	60¼	**BCD2iO**2642	1586	1822	10,7	160
26	36	60¼	**BCD2iO**2636	1513	1730	10,1	148
20	72	48¼	**BCD2iO**2072	1852	2125	11,1	183
20	66	48¼	**BCD2iO**2066	1804	2042	10,7	172
20	60	48¼	**BCD2iO**2060	1709	1960	10,3	161
20	54	48¼	**BCD2iO**2054	1604	1844	9,7	151
20	48	48¼	**BCD2iO**2048	1564	1791	9,3	140
20	42	48¼	**BCD2iO**2042	1492	1705	8,9	130
20	36	48¼	**BCD2iO**2036	1416	1616	8,5	119

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.*54-55*.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), or on both ends (**EEP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	**BCD4iO**2672	3724	4318	23,6	404
26	66	60¼	132	**BCD4iO**2666	3583	4159	22,8	380
26	60	60¼	120	**BCD4iO**2660	3433	3974	21,6	355
26	54	60¼	108	**BCD4iO**2654	3213	3732	20,4	331
26	48	60¼	96	**BCD4iO**2648	3086	3578	19,6	306
26	42	60¼	84	**BCD4iO**2642	2940	3411	18,4	281
26	36	60¼	72	**BCD4iO**2636	2793	3229	17,2	257
20	72	48¼	144	**BCD4iO**2072	3517	4062	20,2	343
20	66	48¼	132	**BCD4iO**2066	3420	3895	19,4	322
20	60	48¼	120	**BCD4iO**2060	3231	3732	18,6	301
20	54	48¼	108	**BCD4iO**2054	3020	3499	17,4	280
20	48	48¼	96	**BCD4iO**2048	2940	3394	16,6	258
20	42	48¼	84	**BCD4iO**2042	2795	3222	15,8	237
20	36	48¼	72	**BCD4iO**2036	2643	3044	15	216

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)

Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

S Sierra **1"**

Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	**BCD6iO**2672	5343	6234	33,9	587
26	66	60¼	198	**BCD6iO**2666	5130	5995	32,7	550
26	60	60¼	180	**BCD6iO**2660	4906	5718	30,9	513
26	54	60¼	162	**BCD6iO**2654	4577	5356	29,1	476
26	48	60¼	144	**BCD6iO**2648	4386	5125	27,9	440
26	42	60¼	126	**BCD6iO**2642	4168	4874	26,1	403
26	36	60¼	108	**BCD6iO**2636	3946	4599	24,3	366
20	72	48¼	216	**BCD6iO**2072	5055	5873	29,3	504
20	66	48¼	198	**BCD6iO**2066	4908	5621	28,1	472
20	60	48¼	180	**BCD6iO**2060	4624	5377	26,9	440
20	54	48¼	162	**BCD6iO**2054	4309	5028	25,1	408
20	48	48¼	144	**BCD6iO**2048	4190	4870	23,9	377
20	42	48¼	126	**BCD6iO**2042	3972	4612	22,7	345
20	36	48¼	108	**BCD6iO**2036	3743	4344	21,5	313

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	-	/	-	-	-	-	-

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**)or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Take Off

NEW

SHARED OPEN BENCHING WITH DOORS - RECTANGULAR TABLE (OPEN END PANEL)

Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal panels, full open metal panels in the center and recessed open metal mid panels.

Privacy panels can be installed between doors, see p.327-328.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see Electricity section.

For appropriate pedestal selection, see p.40.

Dimensions				Code	Price S Sierra 1"		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	**BCD8iO**2672	7327	8515	44,6	777
26	66	60¼	264	**BCD8iO**2666	7046	8198	43	728
26	60	60¼	240	**BCD8iO**2660	6746	7829	40,6	679
26	54	60¼	216	**BCD8iO**2654	6306	7345	38,2	630
26	48	60¼	192	**BCD8iO**2648	6051	7037	36,6	581
26	42	60¼	168	**BCD8iO**2642	5761	6702	34,2	531
26	36	60¼	144	**BCD8iO**2636	5466	6337	31,8	482
20	72	48¼	288	**BCD8iO**2072	6925	8016	38,3	672
20	66	48¼	264	**BCD8iO**2066	6731	7681	36,7	630
20	60	48¼	240	**BCD8iO**2060	6353	7356	35,1	587
20	54	48¼	216	**BCD8iO**2054	5930	6889	32,7	545
20	48	48¼	192	**BCD8iO**2048	5772	6678	31,1	502
20	42	48¼	168	**BCD8iO**2042	5481	6335	29,5	460
20	36	48¼	144	**BCD8iO**2036	5178	5979	27,9	418

SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S -	____ -	____ /	____ -	____ -	____ -	____ ____ -	____

Specify **Code**: Consult the above product code list.

Surface / **Edge** / **Base**: Take Off finishes, p.54-55.

Metal (structure): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing caps : Specify the model of finishing caps and the position of the cabling pole :

without cabling pole (**NP**), on the end (**EP**), on both ends (**EEP**), in the center (**CP**), two in the center (**CCP**)or one on the end, and one in the center (**ECP**).

Specify the finish of the caps : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

STORAGE EXTENSION

Open storage extension.

Installed on the end of the closed shared benching tables (**BC**), open (**BCO**) or with doors (**BCD**).

Installs with all types of legs.

S Sierra **1"**

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
14	60¼	15	**ESOO**1460	792	920	10,5	80
14	48¼	15	**ESOO**1448	759	868	8	70

Storage installed on shared tables with doors

SPECIFY

Series	Code	Surface	Edge	Base
T S -	____ -	____ /	____ -	____

Specify **Code** : Consult the above product code list.

Surface / **Edge** / **Base:** Take Off finishes, p.54-55.

SURFACE EXTENSION

Surface extension.

Installed on the end closed shared benching tables (**BC**), open (**BCO**) or with doors (**BCD**).

Installs with all types of legs.

Central support under the surface, metal finish must be specified.

14	60¼	**ETO**1460	347	461	1,4	22
14	48¼	**ETO**1448	336	436	1,1	18

Surface installed on shared tables with doors

SPECIFY

Series	Code	Surface	Edge	Metal
T S -	____ -	____ /	____ -	____

Specify **Code** : Consult the above product code list.

Surface / **Edge** : Take Off finishes, p.54-55.

Metal : Central support finish to be specified : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

COLLABORATIVE SURFACE EXTENSION

Collaborative extension surface.

Installs on the extremity of the closed shared benching tables (**BC**), open (**BCO**) or with doors (**BCD**).

U shaped metal legs, finish must be specified.

Dimensions		Code	Price		Specifications	
			S Sierra **1"**			
A	B		T.F.L.	H.P.L.	Cu.Ft.	lb
30	60¼	**ETMO**3060	607	810	4,1	64
30	48¼	**ETMO**3048	567	726	3,3	53
24	60¼	**ETMO**2460	578	737	3,8	55
24	48¼	**ETMO**2448	545	672	3,1	45

Collaborative surface installed on a shared table with doors

SPECIFY

Series	Code	Surface	Edge	Metal
T S -	____ -	____ /	____ -	____

Specify **Code** : Consult the above product code list.

Surface / **Edge :** Take Off finishes, p.54-55.

Metal : Legs finish to be specified : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

LAMINATE PRIVACY PANELS OR HIGH-GLOSS WHITE BOARD- *for open benching or benching with doors.*

Rectangular laminate panel of 11/16" thick. Attaches to the modesty panel included with the shared tables.

An accessory bar (**AC-ACBC**), tackboard (**AC-BTL**) or a accessory panel (**AC-ASASP**) can be attached.

Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.

It is recommended to use the cabling tray (**WCMBC**) that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
18	67	72	**PPLM**1867	255	369	2	22
18	61	66	**PPLM**1861	245	352	1,9	21
18	55	60	**PPLM**1855	238	338	1,7	19
18	49	54	**PPLM**1849	228	322	1,6	17
18	43	48	**PPLM**1843	220	309	1,4	15
18	37	42	**PPLM**1837	211	294	1,3	13
18	31	36	**PPLM**1831	202	279	1,2	12

SPECIFY

Series	Code	Base	Metal
T S -	____ -	____ -	____

Specify **Code** : Consult the above product code list.

Base : High-gloss white board **(SBL)** or Take Off finishes, p.54-55.

Metal (support) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

GLASS PRIVACY PANEL - *for open benching or with doors*

Glass panel, 6mm thick.

Attaches to the modesty panel included with the shared tables.

Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.

It is recommended to use the cabling tray (**WCMBC**) that doubles as a stiffener and reinforces the panel.

Glass panel **CLEAR**				Glass		
18	67	72	**PPCLG**1867	265	2	26
18	61	66	**PPCLG**1861	255	1,9	24
18	55	60	**PPCLG**1855	248	1,7	22
18	49	54	**PPCLG**1849	239	1,6	20
18	43	48	**PPCLG**1843	230	1,4	17

Glass panel **FROSTED** on both sides						
18	67	72	**PPGiG**1867	443	2	26
18	61	66	**PPGiG**1861	425	1,9	24
18	55	60	**PPGiG**1855	391	1,7	22
18	49	54	**PPGiG**1849	378	1,6	20
18	43	48	**PPGiG**1843	366	1,4	17

C= Length of the surface
where the panel is installed

SPECIFY

Series	Code	Metal
T S -	____ -	____

Specify **Code** : Consult the above product code list.

Metal (support) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

PRIVACY PANEL IN NON-TACKABLE FABRIC - *benching tables open or with doors*

Rectangular panel 11/16" thick covered in non-tackable fabric. Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Can be attached on a accessory bar (**AC-ACBC**).

Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.

It is recommended to use the cabling tray (**WCMBC**) that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices					Specifications	
A	B	C		COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
18	67	72	**PPFA**1867	443	470	501	520	561	2	22
18	61	66	**PPFA**1861	426	450	477	496	534	1,9	21
18	55	60	**PPFA**1855	409	431	457	474	507	1,7	19
18	49	54	**PPFA**1849	391	410	433	449	480	1,6	17
18	43	48	**PPFA**1843	369	386	407	420	448	1,4	15
18	37	42	**PPFA**1837	352	367	385	397	420	1,3	13
18	31	36	**PPFA**1831	328	341	356	366	387	1,2	12

SPECIFY

Series	Code	Edge	Fabric	Metal
T S -	-	-	-	

Specify **Code** : Consult the above product code list.

Laminated central edge : Specify the finish : Black (**N**), White (**BW**) or Frost (**A**).

Fabric : refer to the active Artopex fabric panel samples list.

Metal (supports) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

PRIVACY TACKBOARD PANEL - *for benching tables open or with doors*

Rectangular tackboard 1" thick in rough charcoal colored felt or covered in fabric.

Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Panel is visible 15¼"H above the surface and will leave a space of 2½"H at each extremity of the surface.

It is recommended to use the cabling tray (**WCMBC**)that doubles as a stiffener and reinforces the panel.

Dimensions			Code	Prices						Specifications	
A	B	C		FELT	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
18	67	72	**PPBTL**1867	462	593	619	650	671	711	2	22
18	61	66	**PPBTL**1861	438	562	586	615	634	671	1,9	21
18	55	60	**PPBTL**1855	419	532	554	581	597	631	1,7	19
18	49	54	**PPBTL**1849	394	502	521	543	559	590	1,6	17
18	43	48	**PPBTL**1843	369	465	483	504	517	545	1,4	15
18	37	42	**PPBTL**1837	345	436	451	469	481	504	1,3	13
18	31	36	**PPBTL**1831	319	398	411	427	437	458	1,2	12

C= Lenght of the surface where the panel is installed

SPECIFY

Series	Code	Edge	Fabric	Metal
T S -	-	-	-	

Specify **Code** : Consult the above product code list.

Laminated central edge : Specify the finish : Black (**N**), White (**BW**) or Frost (**A**).

Fabric : Specify the code (**FF01**) for the felt or refer to the active Artopex fabric panel samples list.

Metal (supports) : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

ACCESSORY BAR

C= Length of the panel

Wall mounted accessory bar - 4"H. Metal finish must be specified.

Attaches to any vertical laminate surface or on a wall with some screws (screws not included).

Designed specially to be mounted on a Take Off laminate panel (**PPLM** p.327).

The bar extremeties are closed.

Dimensions			Code	Prices	Specifications	
A	B	C			Cu.Ft.	lb
4	65	67	**ACBC**65	209	0,5	7
4	59	61	**ACBC**59	198	0,4	6
4	53	55	**ACBC**53	188	0,4	5
4	47	49	**ACBC**47	178	0,3	5
4	41	43	**ACBC**41	168	0,3	4
4	35	37	**ACBC**35	153	0,2	4
4	29	31	**ACBC**29	143	0,2	3

SPECIFY

	Code		Metal
AC -		-	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

LATERAL PANELS IN METAL

Lateral metal panels 1/8" thick, finish must be specified.

Installs on any type of shared benching tables as well as tables in the Take Off Collection.

Installed between surfaces or at the end of a surface. It is recommended to use the DSMLR or DSMLL at the end of surfaces.

Optional grooves in panel to hang metal accessories. Length of the grooves : 15½".

Panel flush with the front of the surface.

right	15¼	26	60¼	**DSMLR**1526	106	1,1	13
	15¼	20	48¼	**DSMLR**1520	89	1,0	10
left	15¼	26	60¼	**DSMLL**1526	106	1,1	13
	15¼	20	48¼	**DSMLL**1520	89	1,0	10

Panel in front 6" the front of the surface.

right	15¼	32	60¼	**DSMLAR**1532	122	1,4	16
	15¼	26	48¼	**DSMLAR**1526	107	1,1	13
left	15¼	32	60¼	**DSMLAL**1532	122	1,4	16
	15¼	26	48¼	**DSMLAL**1526	107	1,1	13

C= Depth of the benching

Optional

SPECIFY

	Series		Code		Metal		**OPTIONS** Grooves
T	S	-		-		-	

Specify **Code** : Consult the above product code list.

Metal : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Options **Grooves** : Grooves in the panel (**OO**), no upcharge.

LATERAL FABRIC PANEL - NON-TACKABLE

Lateral panel, fabric 7/16" thick.

Both sides of the panel are finished with the same fabric. (Metal finish must be specified for the panel structure).

Can be installed on all types of benching tables as well as tables from the Take Off Collections.

Permanently installed between the surfaces or at the extremities. It is recommended to use the DSMLR or DSMLL at the end of the surfaces

Panel flush with the front of the surface.

	Dimensions			Code	Price					Specifications	
	A	B	C		COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
right	15¼	26	60¼	**DSFAR**1526	286	297	310	319	337	1,1	14
	15¼	20	48¼	**DSFAR**1520	252	261	272	278	293	1,0	11
left	15¼	26	60¼	**DSFAL**1526	286	297	310	319	337	1,1	14
	15¼	20	48¼	**DSFAL**1520	252	261	272	278	293	1,0	11

C= Depth of the benching

Panel 6" in front of the surface.

right	15¼	32	60¼	**DSFAAR**1532	323	338	354	365	388	1,4	17
	15¼	26	48¼	**DSFAAR**1526	286	297	310	319	337	1,1	14
left	15¼	32	60¼	**DSFAAL**1532	323	338	354	365	388	1,4	17
	15¼	26	48¼	**DSFAAL**1526	286	297	310	319	337	1,1	14

SPECIFY

Series		Code		Fabric		Metal
T	S -		-		-	

Specify **Code** : Consult the above product code list.

Fabric : Refer to the current Artopex panel fabric card.

Metal : Black (**3067**), Charcoal (**3064**), Silver (**3090**), Polar White (**3002**), China Blue (**3048**), Grenadine (**3044**), Kiwi (**3057**) or Tangerine (**3020**)

LATERAL PANEL TACKBOARD

Lateral panel, tackboard of 7/16" thick.

Both sides of the panel are finished with charcoal felt or with fabric on both sides. (Metal finish must be specified for the panel structure).

Can be installed on all types of benching ends even tables from the Take Off Collection.

Permanently installed between the surfaces or at the extremities. It is recommended to use the DSMLR or DSMLL at the end of the surfaces.

Panel flush with the front of the surface.

	Dimensions			Code	Price						Specifications	
	A	B	C		FELT	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
right	15¼	26	60¼	**DSBTLR**1526	262	334	345	359	367	385	1,1	14
	15¼	20	48¼	**DSBTLR**1520	223	290	299	310	317	331	1,0	11
left	15¼	26	60¼	**DSBTLL**1526	262	334	345	359	367	385	1,1	14
	15¼	20	48¼	**DSBTLL**1520	223	290	299	310	317	331	1,0	11

C= Depth of the benching

Panel 6" in front of the surface.

right	15¼	32	60¼	**DSBTLAR**1532	300	384	398	415	426	448	1,4	17
	15¼	26	48¼	**DSBTLAR**1526	262	334	345	359	367	385	1,1	14
left	15¼	32	60¼	**DSBTLAL**1532	300	384	398	415	426	448	1,4	17
	15¼	26	48¼	**DSBTLAL**1526	262	334	345	359	367	385	1,1	14

SPECIFY

Series	Code	Fabric	Metal
T S -	-	-	

Specify **Code** : Consult the above product code list.

Fabric : Specify the code (**FF01**) for the felt or refer to the current Artopex panel fabric card.

Metal : Black (**3067**), Charcoal (**3064**), Silver (**3090**), Polar White (**3002**), China Blue (**3048**), Grenadine (**3044**), Kiwi (**3057**) or Tangerine (**3020**).

OFFICE SUPPLY TRAY - *for benching tables - open or with doors*

Metal accessories for small office supplies such as : pencils, pens, eraser, scissors, etc.

Installed underneath shared benching table surfaces, open or with doors, in the space between the 2 surfaces. Finish must be specified.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
9	3	¾	**BCPAP**	33	0,3	1

SPECIFY

	Code		Metal
AC -		**-**	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

REMOVABLE CENTER CAP FOR SHARED BENCHING TABLES

A removable center cap used to decrease the central space between the surfaces (**BCO**).

Once installed, a space remains allowing access for cabling.

Metal finish must be specified.

				to be used with surface :		
2	67	**HC67BCO**	77	72"	0,3	3
2	61	**HC61BCO**	74	66"	0,3	3
2	55	**HC55BCO**	70	60"	0,3	3
2	49	**HC49BCO**	68	54"	0,2	2
2	43	**HC43BCO**	65	48"	0,2	2
2	37	**HC37BCO**	62	42"	0,2	2
2	31	**HC31BCO**	58	36"	0,2	2

CENTER CAP FOR SHARED BENCHING TABLES WITH DOORS

The cap is used to hide the space between the surfaces (**BCD**).

Metal finish must be specified.

				to be used with surface :		
1	67	**HC67BCD**	100	72"	1,0	4
1	61	**HC61BCD**	98	66"	0,9	4
1	55	**HC55BCD**	96	60"	0,8	3
1	49	**HC49BCD**	94	54"	0,7	3
1	43	**HC43BCD**	90	48"	0,6	3
1	37	**HC37BCD**	88	42"	0,6	2
1	31	**HC31BCD**	86	36"	0,5	2

SPECIFY

	Series		Code		Metal
T	S	**-**		**-**	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

CABLING TRAY

Metal cabling tray. Finish must be specified.

The cabling tray is screwed into the modesty panel underneath the surface. It doubles as a stiffener, when a panel is installed.

Allows management of electrical and communication cables, providing quick and easy access.

Dimensions				Code	Price		Specifications	
A	B	C	D			to be used with surface :	Cu.Ft.	lb
3½	66			**WCMBC**66	97	72"	0,5	5
3½	60			**WCMBC**60	94	66"	0,5	4
3½	54			**WCMBC**54	90	60"	0,4	4
3½	48			**WCMBC**48	87	54"	0,4	3
3½	42			**WCMBC**42	85	48"	0,3	3
3½	36			**WCMBC**36	81	42"	0,3	2
3½	30			**WCMBC**30	78	36"	0,3	2

ELECTRICAL 4-CIRCUIT DISTRIBUTION SYSTEM - 2 SIDES

Electrical 4-circuit distibution system electrical, includes 1 electrical harness with support and 2 metal fronts. Finish to be specified.

The electrical system is installed on top of the modesty with screws.

Designed to be used with the 4-circuit electrical system.

22" : 2 spaces on each side for double outlets.

16" : 1 space on each side for double outlets.

Double outlets not included. To order seperately, see Electricity section.

						to use with table :		
2½	21½	2½	15½	**WCMBB**22	311	48" à 72"	0,4	5
2½	15½	2½	9½	**WCMBB**16	293	36" et 42"	0,4	3

D : Lenght of harness included

SPECIFY

Series	Code	Metal
AC -		**-**

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (3002).

OUTLET SUPPORT

Metal support, black finish.

Installed on top of the modesty on the shared tables.

Designed for movable outlets (**AC-ECM**, **AC-ECMK**) or a telecommunicaion plate (**E2-ERD**).

Size of opening : 2-1/2" x 1-3/8 ".

E2-EDS	24	0,1	1

CABLING POLE ABOVE THE SURFACE - for shared benching-open or with doors

Cabling pole is used to spply power between the surface and the ceiling (8'H or 12'H).

There is an internal movable PVC divider used to separate the ceiling power cables from the communications cables.

A white ceiling tile adapter is included.

Power feed connector must be ordered separately.

Dimensions			Code	Price	Specilations	
A	B	C			Cu.Ft.	lb
2	2¼	144	**A5-EPBC144**	352	0,7	12
2	2¼	96	**A5-EPBC96**	325	0,4	8

Cabling pole installed on the end of the tables

Cabling pole installed in the center of the tables

SPECIFY

Code		Metal
	-	

Specify **Code** : Consult the above product code list.

Metal : Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

UPDATE SUMMARY

August 15th, 2016

PAGE	SECTION	PRODUCT	UPDATE
p. 68-69-70-72-73	Desks & Tables L-M	Assembled Desks	Modesty panel: added option of 18" high (U18) modesty panel.
p.162	Storage	Pedestals	Changes to the construction of the metal support pedestals and choice of locks.
p. 164	Storage	Cushions	COM fabric is now Grade 2.
p. 242	Storage 23" H	Cushions	COM fabric is now Grade 2.
p. 258	Shared Storage	Cushions	COM fabric is now Grade 2.

January 15th, 2017

PAGE	SECTION	PRODUCT	UPDATE
p.162	Storage	Support pedestals	New code
p.244	Shared tables	Benching	Removal of the 1 1/2" surfaces. The position of multi-outlet module is always in center.
p.266	Screens & accessories	Tackboard	Product description
p.273	Electricity	USB outlet	New USB outlet for 4-circuit electrical system.
p.281	Appendix		Open shared tables, shared tables with doors, storage, privacy panel, accessories and electricity.

Designing, manufacturing, advising, planning and supporting: that's the art that distinguishes our purpose at Artopex.

HEAD OFFICE
800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel.: 450 378-0189
1 800 363-3040

Fax.: 450 378-9712

artopex.com

© ARTOPEX INC. LW560-U-Rev.01-2017