Dedicated to Design.
Committed to Quality.

2018 Multipurpose Carts

Specifications and Pricing

BioFit Multipurpose Carts Collection

BioFit Multipurpose Carts are specially designed for transporting and storing materials in a variety of work and training spaces. Light weight, highly maneuverable and built to last, they're available in nearly a dozen models with each featuring:

- Rugged 16-gauge, 1-inch diameter tubular steel frame construction
- 500 lb. weight capacity
- Non-marring rubber wheels on ball-bearing casters for smooth operation
- Durable powder-coat finish
- BioFit's 13-year warranty

BioFit carts are ideal for uses including book and media transport in libraries, schools and offices, moving equipment and supplies in laboratory and healthcare environments, and shuttling tools and materials in light industrial settings.

Available models and finish options are shown and described here. Refer to the back cover for ordering instructions and contact information.

Multipurpose Carts Specifications & List Pricing

Manufacturing Codes, Specifications & List Prices

MFG Code	List Price	Description	Actual Weight	Carton Dimensions w x d x h
FS20	**$425**	**2 Standard 4″ Deep Trays** 38″H x 28″W x17″D - Tray Clearance: 17.75″ Floor to top of lowest tray is 7.75″	**48 lb**	**30″w x 19″d x 34″h**
FS30	**$488**	**3 Standard 4″ Deep Trays** 44″H x 28″W x17″D - Tray Clearance: 10″ Floor to top of lowest tray is 7.5″	**55 lb**	**30″w x 18″d x 42″h**
RBS16	**$399**	**3 Single-Sided Sloping Shelves** 44″H x 18″W x13″D - Shelf Clearance: 12.5″, shelf slope 12° Shelf depth 7.5″ Floor to top of lowest shelf is 8.5″	**41 lb**	**20″w x 14″d x 39″h**
RBS33	**$437**	**3 Single-Sided Sloping Shelves** 47″H x 28″W x13″D - Shelf Clearance: 12″, shelf slope 12° Shelf depth 7.5″ Floor to top of lowest shelf is 9″	**46 lb**	**30″w x 14″d x 43″h**
RBS44	**$438**	**2 Double-Sided Sloping Shelves** 38″H x 28″W x17″D - Shelf Clearance: 16″, shelf slope 12° Shelf depth 6.5″ Floor to top of lowest shelf is 9″	**47 lb**	**30″w x 19″d x 34″h**
RBS4F	**$537**	**2 Double-Sided Sloping Shelves;** **1 Flat Bottom Shelf** 47″H x 28″W x17″D - Shelf Clearance: 12″, shelf slope 12° Shelf depth 6.5″ Floor to top of lowest tray is 8″	**57 lb**	**30″w x 18″d x 42″h**
RBS55	**$465**	**3 Flat Shelves** 43″H x 28″W x17″D - Shelf Clearance: 12.5″ bottom to middle - 10.25″ middle to top Floor to top of lowest shelf is 8″	**48 lb**	**30″w x 18″d x 42″h**
RBS66	**$560**	**3 Double-Sided Sloping Shelves** 47″H x 28″W x17″D - Shelf Clearance: 12″, shelf slope 12° Shelf depth 6.5″ Floor to top of lowest shelf is 9″	**61 lb**	**30″w x 18″d x 42″h**
TR28	**$409**	**2 Flat Shelves** 38″H x 28″W x17″D - Shelf clearance: 18.5″ Floor to top of lowest shelf is 8.75″	**42 lb**	**30″w x 19″d x 34″h**
TR2FB	**$423**	**1 Double-sided Sloping Shelf; 1 Flat Bottom Shelf** 38″H x 28″W x17″D - Shelf clearance: 17″, shelf slope 12° Shelf depth 6.5″ Floor to top of lowest shelf is 9.5″	**44 lb**	**30″w x 19″d x 34″h**
TR2FT	**$423**	**1 Flat Top Shelf; 1 Double-sided Sloping Shelf** 38″H x 28″W x17″D - Shelf clearance: 17″, shelf slope 12° Shelf depth 6.5″ Floor to top of lowest shelf is 9.5″	**43 lb**	**30″w x 19″d x 34″h**

TR28

TR2FB

TR2FT

Powder-coated Colors

Carts are available in six standard, long-lasting, powder-coated finishes. They are also available in custom colors; minimum quantities may apply. Please contact BioFit for details.

Almond 02

Ruby Red 03

Gray 04

Black 06

Sapphire Blue 07

Moss Green 09

Please note: Actual finish colors may differ slightly from those shown here.

1. Give quantity and catalog number for each item ordered.
2. Give powder coat color selection.
3. Give complete bill to and ship to addresses.

Changes and Cancellations

Once entered in our system orders may not be changed, cancelled or delayed without BioFIt's consent. This will be determined depending on the stage of production and BioFit must be indemnified from loss. Thus the buyer will be responsible for material, labor or storage costs of changed, cancelled or delayed shipments. Once the merchandise has been shipped the buyer is obligated to accept delivery from the carrier.

Return Goods

BioFit reserves the right to refuse return of any merchandise unless it is determined to be BioFit's responsibility. Any merchandise accepted for return must have prior written authorization and may be subject to a 25% restocking charge and freight.

Freight Classifications

Carts, NMFC 188950, Sub 1, Class 250.

Routing

We will use our best judgment based upon available common carriers and our global shipping experience; however, we will make every effort to meet your shipping instructions.

Freight Rates

BioFit will work with you to determine freight costs. However, because of circumstances beyond our control, any quoted freight rates must be considered approximate guidelines only. If fixed costs are required, please ask us to quote you F.O.B. Delivered, C&F, or C.I.F. prices.

Terms and Prices

Prices are F.O.B. BioFit factory, Bowling Green, Ohio 43402. Payment terms – ½% 10, net 30, with interest applicable at the rate of 1½% per month after 30 days.

Title of Merchandise

Title of merchandise passes on to buyer upon delivery by BioFit to the carrier. Responsibility of BioFit ceases when carrier issues its receipt to us. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking appropriate recourse against the carrier.

Sales Policy

Possession of this price list does not necessarily suggest an offer to sell.

Warranty

BioFit furniture products are warranted against mechanical or structural failure due to defective material, workmanship, or abnormal wear for 13 years of normal use. BioFit reserves the right to recondition or replace any units covered by this warranty. Freight and any other consequential damages are not covered. All return shipments require written authorization and must be freight prepaid unless otherwise approved in writing. BioFit takes its warranty, repair and maintenance responsibilities very seriously. Efforts by unqualified personnel to perform repairs on BioFit products can result in dangerous conditions which can lead to serious bodily injury. Any attempt to modify, alter or make unauthorized repairs to BioFit products may not only seriously jeopardize the safety of the user, but will void this warranty in every respect.

Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products
P.O. Box 109
Waterville, OH 43566-0109
USA

biofit.com | 800.597.0246

GSA Contract Number GS-28F-0044Y

© 2018 BioFit Engineered Products. All rights reserved.