


# RECEPTION

Price List  
USA 2018



logiflex

# Table of Contents

Introduction	3	Work Desks	60
Update Summary	4	Lateral Tables	61
Product Map	6	Returns	62
Conditions of Sale	7	Extended Corner Tables	63
Manufacturing Standards	9		
How to Use the Price List	11	Storage Furniture	65
Appendix A: Colors and Finishes	12	Installed Pedestals	66
Appendix B: Surfaces and Moulding Edges	13	Mobile Pedestals	68
Appendix C: Pedestals and File Drawers	14	Lateral File Cabinets	70
Appendix G: Pricing for Additional Adjustable Shelves	14	Multiple Units	71
Appendix E: Wood Grain	15	Cabinets	72
Appendix F: Calculation and Use of Electrical Components	16	Pigeonhole Units	74
Reception Desks	19	Accessories	77
M-Brace	20	Handles	78
Inbox	24	Lighting	79
Pedestals for Inbox Collection	29	Keyboard Trays	80
Manhattan	32	CPU Holders	81
Spheric	33	Miscellaneous Accessories	82
Reception 3K	47	Electrical Accessories	83
Reception C	50		
Gallery	57		

---

# Introduction

## MAKE A STATEMENT

*A client's first impression when they visit your company may affirm their decision to choose your product or service.*

*This makes it important to personalize your reception desk to make it distinctly you. From minimalist geometry to curves and curls, Logiflex's reception units will highlight the individuality of your company, projecting a modern esthetic without sacrificing functionality.*

## Update Summary

The April 6, 2018 revision of the Reception price list presents these principal modifications:

DATE	SECTION	MODIFICATION
April 6, 2018	All the Price List	<ul style="list-style-type: none"> <li>All prices with the exception of Accessories have been increased by 5%.</li> </ul>
	Accessories	<ul style="list-style-type: none"> <li>Elimination of DELGR (dimmer);</li> <li>Addition of DELSW (rocker switch).</li> </ul>

Previous updates:

DATE	SECTION	MODIFICATION
February 23, 2018	Inbox	<ul style="list-style-type: none"> <li>Price increase on the DEL option on the INBU L and INBU R Inbox U-shaped counters</li> </ul>
February 1, 2018	All the Price List	<ul style="list-style-type: none"> <li>All prices with the exception of Accessories have been increased by 5%.</li> </ul>
	Typical Layouts	<ul style="list-style-type: none"> <li>Typical layouts have been removed from the price list document and can be consulted uniquely on the Logiflex website in the Planning Ideas page.</li> </ul>
	Electrical Accessories	<ul style="list-style-type: none"> <li>Addition of new junction cable 84FF lengths: 12", 18", 24", 30", 132", 144", 156", 168" and 180";</li> <li>Addition of new electrical accessory, rigid junction M/M;</li> </ul>
December 22, 2017	Manufacturing Standards	<ul style="list-style-type: none"> <li>Drawer fronts PVC strips are now 2 mm thick;</li> <li>Levelers allow for up to 1-1/4" height adjustment.</li> </ul>
	Appendix	<ul style="list-style-type: none"> <li>Addition of Appendix D: Pricing for additional adjustable shelves.</li> </ul>
	Storage Furniture	<ul style="list-style-type: none"> <li>Deletion of Independent Pedestals DIND, EIND, FIND, BCCLIND, CBCLIND and CLIND. A price increase has been applied.</li> </ul>
	Accessories	<ul style="list-style-type: none"> <li>WMS44 code corrected from WMS42.</li> </ul>



## Update Summary

Previous updates:

DATE	SECTION	MODIFICATION
September 15, 2017	Typical Layouts	<ul style="list-style-type: none"> <li>Price corrections for: INB-TYP-A.</li> </ul>
	Appendix	<ul style="list-style-type: none"> <li>Addition of Appendix E: Calculation and Use of Electrical Components.</li> </ul>
	Inbox	<ul style="list-style-type: none"> <li>Addition of Inbox Collection pedestals D, E, F, CBCL, BCCL and CL.</li> </ul>
	Storage Furniture	<ul style="list-style-type: none"> <li>Deletion of Independent Pedestals DIND, EIND, FIND, BCCLIND, CBCLIND and CLIND.</li> </ul>
	Accessories	<ul style="list-style-type: none"> <li>Addition of KBT and KBMODT, 5/8" thick keyboard trays;</li> <li>Addition of new electrical accessories: WM41, WM44, WM81, WM84, PW41, PW44, PW81, PW84, WMS18, WMS32 and WMS42;</li> <li>Price revision on 844AA.</li> </ul>
May 15, 2017	All the price list	<ul style="list-style-type: none"> <li>Change in the positioning of pedestal locks.</li> </ul>
	Accessories	<ul style="list-style-type: none"> <li>New accessory added: MCPU50 (Miniature CPU Holder).</li> </ul>
	Inbox	<ul style="list-style-type: none"> <li>Removal of installed pedestals as option.</li> </ul>
	Storage Furniture	<ul style="list-style-type: none"> <li>Addition of independant pedestals.</li> </ul>
April 20, 2017	M-Brace	<ul style="list-style-type: none"> <li>Price correction due to programming error for the straight reception counter with acrylic front panel MS-AD1</li> </ul>
March 10, 2017	All the price list	<ul style="list-style-type: none"> <li>Revamp of the entire price list, interactivity added;</li> <li>Price correction for High pressure laminated products : The price increase by 5% that was introduced in the January 5, 2015 had inadvertently been reverted to the previous pricing;</li> <li>CCPF grommet is now the standard;</li> <li>White nylon levelers are now standard.</li> </ul>
	Appendix A: Colors and finishes	<ul style="list-style-type: none"> <li>Addition of 4 colors to the 1-5/8" thickness, Legno Dark (DL), Audacity (AU), Storm, (STA) and Haze (HAA);</li> <li>Two laminate colors, Misty (MI) and Coral (CR) have been removed.</li> </ul>
	Inbox	<ul style="list-style-type: none"> <li>Lacquered transaction shelf INBS L has been removed;</li> <li>High gloss transaction shelf INBS M HG has been added;</li> </ul>
	Accessories	<ul style="list-style-type: none"> <li>Handles selection expanded to include all Logiflex handles;</li> <li>KBMODR and AP keyboard trays have been added;</li> <li>MCPU93 Sliding CPU holder has been removed;</li> <li>MCPU90 and CPUIND CPU holders have been added;</li> <li>SBH and SBV Suspension bars have been added;</li> <li>TCPM2 sliding drawer has been added;</li> <li>HAPF grommet has been removed;</li> <li>CCPF grommet has been added as standard;</li> <li>New electrical accessories section has been added: 844AA and 84AA, 84S, PMDBRKIT, LMWM, SMWM, TELA, TELB, TELC, TELD, 8SR, 84SB2, 8420AP1, 84SB1, 84FF, 84CFE, WM, SPINE, T5 and PBL.</li> </ul>

# Introduction

## Product Map

### Reception Desks

M-Brace	p. 20	Inbox	p. 24	Manhattan	p. 32
---------	-------	-------	-------	-----------	-------

Spheric	p. 33
---------	-------

Reception 3K	p. 47	Reception C	p. 50	Gallery	p. 57
--------------	-------	-------------	-------	---------	-------

### Work Desks

Lateral Tables	p. 61	Returns	p. 62	Extended Corner Tables	p. 63	Installed Pedestals	p. 66
----------------	-------	---------	-------	------------------------	-------	---------------------	-------

### Storage Furniture

### Storage Furniture (continued)

Mobile Pedestals	p. 68	Lateral File Cabinets	p. 70	Multiple Units	p. 71	Cabinets	p. 72	Pigeonhole Units	p. 74
------------------	-------	-----------------------	-------	----------------	-------	----------	-------	------------------	-------

## Conditions of Sale

### Prices

The amounts listed in this document are suggested retail prices and may be changed without notice. Applicable taxes are not included. If you have an open and active account with Logiflex, merchandise will be invoiced at the prices prevailing at the time of shipment. A deposit may be requested if the opening of your account has not been completed or if your account has become inactive.

### Terms of Payment

Net 30 days F.O.B. Sherbrooke, Quebec. The invoice will be assigned the shipping date and is payable 30 days from that date. Logiflex remains the owner of the merchandise until the invoice is paid in full.

### Customized Products (Special Items)

Price requests for customized products or special items can be submitted via the “[Online Services](#)” section of our website, at [www.logiflex.ca](http://www.logiflex.ca). Our quotations department will study your request and send you a quotation and a technical drawing for approval as soon as possible. Modifications to quotations or technical drawings can be requested the same way. The approved quotation(s) and technical drawing(s) can then be attached to your purchase order.

### Orders

An official purchase order must be issued for all purchases. Your purchase order must contain the following information:

- Your company letterhead
- Your reference number
- The delivery address (with contact name and phone number)
- The complete product codes
- Furniture colour(s)
- Quantities
- Descriptions
- Retail prices and net prices
- Project registration number (if applicable), and your approved quotation and technical drawing (for special items).

Please note that a quotation cannot serve as a purchase order.

### Returns

All returns must first be approved by Logiflex. If the return is accepted, a Logiflex customer service representative will send you an official return authorization form in order to facilitate procedures between you, the carrier, and the Logiflex merchandise reception clerk. Additional costs for shipping or other expenses may be applied following any merchandise returns.

### Modifications and/or Cancellations

You have 24 hours from the time we acknowledge receipt of your order to make any requests for corrections or modifications. You may cancel your order during this same 24-hour period. If you would like to modify or cancel your order after this 24-hour verification period, please check with a Logiflex customer service representative. Orders cannot be changed or cancelled if production has already begun or if Logiflex has already received the raw materials.

### Liability

Logiflex’s liability ends once the carrier has delivered all items in good condition. A delivery receipt signed by the customer acknowledges that the shipment is complete and has been received in good condition.

### Claims

Logiflex recommends inspecting the shipment before signing the carrier’s delivery receipt. You must notify Logiflex of any incomplete shipments or damaged furniture as soon as possible. Requests to replace damaged products can be made via the “[Online Services](#)” section of our website, at [www.logiflex.ca](http://www.logiflex.ca). Our after-sales service department will examine your request and help you correct the situation.

### Changes

Logiflex reserves the right to make changes to the materials, accessories, components, specifications and designs, and to discontinue collections and/or models, at any time and without prior notice.

### Storage and/or Shipping Fees

If you would like to delay the delivery of an order already in production at Logiflex, weekly storage fees may be charged. The suggested retail prices in this list may include delivery; however, some conditions may apply. If your order is a minimum of \$10,000 net, the order can be shipped directly to your customer. In this case, a 53-foot unloading dock must be available at the time of delivery. This information must first be validated with your Logiflex customer service representative. Direct shipping is subject to additional fees. Any delay experienced by Logiflex carriers during delivery may also result in additional charges.

## Conditions of Sale (continued)

### Warranty

Logiflex guarantees to the original purchaser that Logiflex products are free from defects in design, materials and workmanship for the products' lifetime. Effective as of the date invoiced to the distributor, the warranty is valid only for products bought new from an authorized Logiflex distributor and as long as the original purchaser owns the products. The warranty period will be reduced proportionately if the products are used over a period exceeding the equivalent of a shift of 40 hours/week.

This warranty applies only to normal use of the product and is limited to the repair or replacement of said product at Logiflex's discretion. All replacement parts will be shipped to the original shipping address. Transportation and labor are not covered by this warranty. By accepting the product at its delivery, the buyer accepts these conditions.

**Limited Lifetime Warranty:** Access, Knockout, Level, Logilife, Manhattan, Millenium, Reception and Tables (Conference, Occasional, Multimedias)

**5 Year Warranty:** Academic, Soft Seating and Madrid

**10 Year Warranty:** Chairs

### **This warranty does not apply to defects or damages resulting from:**

- Normal wear and tear occurring with the use of the product;
- Negligence, misuse, abuse or accident;
- Substitution, modification, transformation, repair, renovation or use of components or materials that have not been authorized by Logiflex;
- Renting to a third party;
- Natural properties of materials;
- For leather products: normal defects in leather such as: scars, marks or difference in stain within a leather skin or between different skins;
- Exposure to sunlight or environments with extreme temperature/humidity conditions;
- Damage caused by a carrier in transit, or delivery/ installation contractors.

### **This warranty does not include:**

- Parts and materials supplied by the customer (COM);
- Special finishes applied to Logiflex products;
- The matching of colors, grains or textures of wood due to its natural properties;
- Non-standard Logiflex products;
- Logiflex product not installed or used in accordance with the Logiflex installation guidelines;
- Bulbs and ballasts.

### **Restrictions:**

- 1 year warranty on electrical components;
- 5 year warranty on seat mechanisms, drawer slides, hardware and locks;
- 5 year warranty on upholstery and casters


# Introduction

## Manufacturing Standards


### Tops, Bases, Fronts and Shelves

Each collection offers different thicknesses for tops, faces, fronts and shelves. Please consult the illustrations below.


#### M-Brace




#### Inbox




#### Manhattan




#### Spheric




#### Reception 3K



#### Reception C



#### Gallery





## Manufacturing Standards (continued)

### Handles

Handles are included with all storage furniture. The standard is H052CHR with the exception of glass doors where the handle is built into the aluminum frame. Please refer to the Logiflex accessories selection at the end of this price list on [p. 78](#).

### Grommets

Grommets are included on all work desks, the standard style is the CCPF grommet, chrome finish.

### Locks

Locks are included with all storage furniture, except for those with aluminum doors. The standard is LKSN, satin nickel finish. Please refer to the Logiflex accessories selection at the end of this price list on [p. 82](#).

### Pedestals

All drawers are made of black Medium density fiberboard (MDF) with an average thickness of 7/16".

### Drawer Fronts

A PVC strip 2 mm thick is systematically applied along all drawer front edges.

### Finishes

You must specify the desired finish(es) for each item of furniture ordered. Please make your selection(s) from the Logiflex [Colors & Finishes Guide](#).

### Levelers

All furniture items sit on 1" in diameter, white nylon levelers, allowing for up to 1" height adjustment.

### Colors

Colors have to be specified for all furniture items ordered. Consult the "How to Order" section on the product page for further details about the procedure. Consult the Logiflex [Colors & Finishes Guide](#) for the colors and finishes offered. Unless indicated otherwise in the order, the PVC edge will match the color and finish specified.






# Introduction

## Appendix A: Colors and Finishes

### How to specify your laminate colors



### Glass and Acrylic

<b>PL</b>	Frosted Acrylic
<b>VS</b>	Frosted Glass
<b>V4</b>	White Glass
<b>KB</b>	Jet Black Glass
<b>KS</b>	Jet Black Satin Glass
<b>KR</b>	Bright Red Glass
<b>KF</b>	Fuchsia Glass
<b>KE</b>	Ocean Blue Glass
<b>KO</b>	Overseas Blue Glass
<b>KL</b>	Lime Green Glass
<b>KM</b>	Metallic Gray Glass

### Availability Chart

	Code	Color   Couleur	HG Fronts Façades lustrées	Surfaces		Mouldings Moultures 1-5/8"		Knife Edge Chanfrein	Wood Components Composantes de bois	Panval Code
			5/8"	1"	1-5/8"	MAR	MAX	Z		
AURA Finish   Fini	<b>GIA</b>	Ginger Root   <i>Gingembre</i>		•				•	S	H72
	<b>HAA</b>	Haze   <i>Brume</i>		•	•			•	P	H57
	<b>STA</b>	Storm   <i>Tempête</i>		•	•			•	S	H58
	<b>TUA</b>	Tundra		•				•	P	H75
	<b>AU</b>	Audacity   <i>Audace</i>		•	•			•	S	241
DOLOMITE Finish   Fini	<b>B</b>	Jet Black   <i>Noir intense**</i>		•	•			•	P	888   S405-CA
	<b>BC</b>	Brown cherry   <i>Cerisier brun</i>		•	•		•	•	S	207
	<b>C</b>	Slate   <i>Ardoise**</i>		•				•	P	801
	<b>CA</b>	Caramel	<b>CAH*</b>	•	•			•	S	G18   G18-GL
	<b>CH</b>	Cherry   <i>Cerisier</i>		•	•	•	•	•	S	965
	<b>CO</b>	Cognac		•	•	•	•	•	S	260
	<b>DL</b>	Legno Dark   <i>Legno foncé</i>		•	•			•	S	G52
	<b>DR</b>	Driftwood   <i>Bois de rive</i>		•	•		•	•	S	744
	<b>FI</b>	Finesse		•				•	S	745
	<b>G</b>	Mink Grey   <i>Gris vision</i>		•	•			•	P	805   OU-927
	<b>GG</b>	Grigio	<b>GGH*</b>	•	•			•	P	G17   G17-GL
	<b>LL</b>	Legno Light   <i>Legno pâle</i>		•				•	S	G51
	<b>LM</b>	Light Maple   <i>Érable clair</i>		•	•		•	•	S	992
	<b>NC</b>	Natural Cherry   <i>Cerisier naturel</i>		•	•	•	•	•	S	239
	<b>NM</b>	Natural Maple   <i>Érable naturel</i>		•	•	•	•	•	S	206
	<b>PC</b>	Coastal Pear   <i>Poirier de la côte</i>	<b>PCH*</b>	•				•	P	G23   G23-GL
	<b>PO</b>	Porto		•	•	•	•	•	S	913   OU-648
	<b>SW</b>	Smoked Walnut   <i>Noyer fumé</i>		•	•		•	•	S	G21
	<b>T</b>	Tan		•	•	•	•	•	S	259
	<b>TO</b>	Tobacco		•	•		•	•	S	205
	<b>VA</b>	Vanilla		•	•		•	•	P	G22
	<b>W</b>	Polar White   <i>Blanc polaire</i>	<b>W-H*</b>	•	•			•	P	555   459-58   459-90
	<b>WK</b>	Whisky		•	•	•	•	•	S	245
	<b>Z</b>	Zebra		•	•	•	•	•	S	237

[P] Solid color painted wood | [S] Stained wood.

\* Non recommended color for work surfaces. An upcharge applies on high gloss fronts.





\* Non recommended color for work surfaces.

Colors may vary from 2% to 5% between tfl and hpl laminates due to different technical applications.

See our complete [Colors & Finishes Guide](#)




## Appendix B: Surfaces and Moulding Edges


SERIES	PREVIEW	COMPONENT	MATERIAL	EDGES / MOULDING
<b>RE</b>		<b>1" surfaces</b>	Thermofused laminate (TFL) - 1" high-density particle board.	2 mm polyvinyl chloride (PVC)
<b>REL</b>		<b>1-1/16" surfaces</b>	High pressure laminate (HPL) - 1" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	2 mm polyvinyl chloride (PVC)
<b>REC</b>		<b>1-5/8" surfaces</b>	Thermofused laminate (TFL) - 1-5/8" high-density particle board.	2 mm polyvinyl chloride (PVC)
<b>RECL</b>		<b>1-9/16" surface</b>	High pressure laminate (HPL) - 1-1/2" high-density particle board, 1/32" HPL sheet on surface, 1/32" balancing sheet under surface (prevents bending).	2 mm polyvinyl chloride (PVC)

Appendix C: Pedestals and File Drawers

D, E and F Pedestals




Combination Pedestals




File Drawers

File drawers can receive either legal or letter formats. Please refer to the illustration below.



Lateral File Drawers

Lateral file drawers can receive either legal or letter formats. Please refer to the illustration below.




Legal and Letter formats

Appendix G: Pricing for Additional Adjustable Shelves

To find out the price for additional adjustable shelves, trace down the vertical column "A" the shelf depth to its intersection with columns "B" the shelf length.


\$		B								
		12"	15"	18"	20"	24"	30"	36"	42"	48"
A	12"	16	20	24	26	32	39	47	55	63
	15"	20	25	30	33	39	49	59	69	79
	16"	21	26	32	35	42	53	63	74	84
	20"	26	33	39	44	53	66	79	92	105
	20"	32	39	47	53	63	79	95	110	126
	30"	39	49	59	66	79	98			




## Appendix E: Wood Grain

Each collection offers different wood grain direction. Please consult the illustrations below.


**M-Brace**




**Manhattan**




**Reception C**




**Inbox**




**Spheric**




**Gallery**



**Reception 3K**



## Appendix F: Calculation and Use of Electrical Components



### An Introduction to Calculation and Use of Electrical Components

Most people are uncomfortable with anything related to electricity. This step-by-step guide is intended for people who are not familiar with electrical installations but who have to specify what system they need when ordering furniture. In this guide, you will learn how to choose and specify the electrical components required for your projects. The list that follows illustrates and identifies each product and describes its applications.

The electrical components are all recognized by the Underwriters Laboratory (UL) as office furniture accessories and are manufactured according to Canadian Standards Association (CSA) and UL electrical standards.

**Note:** All electrical connections must be performed by a certified electrician.

By following these 3 simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.

1. Determining the Number of Amperes Required
2. Calculating the Total Amperes Per Electrical Series
3. Determining How Many Circuits You Need

### STEP 1: Determining the Number of Amperes Required

#### What is Amperage

An Ampere (Amp or A) is a unit for measuring the rate at which electric current flows. All electrical equipment has an amperage rate. By following these few simple steps, you can easily determine the number of circuits required to ensure safe use of your electrical equipment.


#### Determine the Number of Amperes Required

On your computer or other electric devices (ie: monitor, central processing unit, printer) find the plate that provides the technical specifications as follows:

Input: 120V - 1.8A.

If you cannot locate this information on the machine, you will probably find it in the user manual.


Here are a few examples of how many Amps some equipment may consume. Please note that these are examples and the number of amperes may vary from one machine to another.




### Power Block and Simplex Capacity

An electrical series corresponds to the total number of amperes that use the same power source. This includes electrical components such as computers, printers, laptops, monitors, server or other devices.


Each power block has a total capacity of 8 Simplex units (plugs). A Simplex can handle up to 20 amps by itself, however as the number of Simplex are added to each circuit, the amount of amps is divided between them.




A single Simplex has a maximum capacity of 20A




Each power block can hold 8 Simplex



A single power block has a maximum capacity of 80A  
**20A + 20A + 20A + 20A = 80A**



A power block with the same circuit Simplex on both sides also has a maximum capacity of 20A  
**10A + 10A = 20A**



The capacity of each Simplex on the same circuit is divided as additional Simplex's are added on. For example, 5 Simplex on the same circuit still holds the same 20A capacity.

## Appendix F: Calculation and Use of Electrical Components

### STEP 2: Calculating the Total Amperes Per Electrical Series

#### Add the Amperes


Add the number of amps for each machine in the series. In our example, there are 4 CPUs at 2.5A per computer, 4 monitors at 0.5A and one printer at 9A.



$2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 2.5A + .5A + 9A = 21A$

The total number of amperes used in this example equals to 21A.


#### Divide by 16




Most machines and computers used in offices or schools are used continuously for many hours at a time. In this type of situation, national electrical codes usually limit circuits to 16 amperes of continuous use. You must therefore divide the total number of amperes calculated by 16.

### STEP 3: Determining How Many Circuits You Need

In most cases, this number will contain decimals. Round up to the next whole number, and this will be the number of circuits required for your equipment to run safely. If the number obtained is higher than 4 (the maximum number of circuits for a system), you must reduce the amount of current used by the system or create another system supplied by a separate power source. Continuing with our example, the 1.3A is rounded up to 2A.




Here is one possible configuration. Using 5 power blocks joined together with junction cables, only 2 circuits are being used. The 4 monitors and the printer are on Circuit #1 and the 4 CPUs are on Circuit #3 (which is the grounded circuit).



## Appendix F: Calculation and Use of Electrical Components


### 8 Wire, 4 Circuit (3+1) Power Block

- Simplexes are interchangeable permitting any required circuit combination;
- All Simplexes located together for greater access to all power receptacles;
- Double sided blocks for single or double sided applications;
- Complies with National Electric Code;
- UL Listed/Recognized.




Blue									3 H
Green/Yellow									3 G
Green									1-2-4 G
Gray									3 N
White									1-2-4 N
Black									1 H
Red									2 H
Pink									4 H

### Starter Cable with Hardwire




- 4 circuit starter cable with hardwire at one end;
- All circuits rated for 20 AMP;
- Available in lengths from 12' to 120";
- Whip end to be connected to building power by an electrician.

### Starter Cable with Plug



- 1 circuit starter cable with electric plug at one end;
- Circuit rated for 20 AMP;
- Available in lengths from 12' to 120".

### Junction Cable



- 4 circuit cord;
- All circuits rated for 20 AMP;
- Available in lengths from 12' to 120".




---

Reception Desks


# Reception Desks

## Straight Reception Counter with Laminate Front


MS-M




### Combination of Colors



**Top & Legs**  
Color available  
for 1-5/8" only



**Base**  
1" structure and  
panel on user side



**Front**  
Choice of 5/8"  
Std or Hg color

### Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the reception desk is 3/8" less than the dimension listed.

Interior width for work desk:

- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.

### Prices

Dimensions			Std	Hg
A	B	C		
18	64	41	1033	1148
18	76	41	1116	1241
18	82	41	1152	1365

### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


ABC					
REC		MS-M			
series	dimensions	product	top & legs	base	front

**Example** REC 188241 MS-M SW W W-H

# Reception Desks

## Straight Reception Counter with Acrylic Front Panel

MS-AD



### LED Lighting




**MS-AD1**  
LED on top only




**MS-AD2**  
LED on top and bottom


### Combination of Colors



**Top & Legs**  
Color available  
for 1-5/8" only



**Base**  
1" panel  
on user side



**Front**  
1" laminate frame  
around acrylic panel

### Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- LED backlighting with 4-step tape dimmer fixed under the top on the right of the user side;
- Removable front for access to the lighting.

For specification reasons, the reception desk is 3/8" less than the dimension listed.

Interior width for work desk:

- 60" work desk fits with a 64" reception counter;
- 72" work desk fits with a 76" reception counter;
- 78" work desk fits with a 82" reception counter.

### Prices

Dimensions			MSAD1	MSAD2
A	B	C		
18	64	41	2014	2159
18	76	41	2107	2250
18	82	41	2131	2298

### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


ABC			AD1 AD2			
REC		MS				
series	dimensions	product	LED	top & legs	base	front

**Example** REC 188241 MS AD2 SW W SW


# Reception Desks

## Corner Reception Counter with Laminate Front Panel

MC-M L



MC-M R



### Manufacturing Standards


- 1-5/8" thick laminate top and legs;
- 5-3/8" recessed laminate front (exterior);
- 6" recessed modesty panel (interior).

For specification reasons, the reception desk is 1/8" less than the dimension listed.


Interior width for work desk:

- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.


### Combination of Colors



**Top & Legs**  
Color available for 1-5/8" only



**Base**  
1" structure and panel on user side



**Front**  
Choice of 5/8" Std or Hg color

### Prices

Dimensions				Std	Hg
A	B	C	D		
18	74	74	18	1948	2402
18	80	80	18	2012	2507
18	86	86	18	2076	2612

### How to Order

#### Combination of Colors

See the Logiflex Color Chart (p. 12)


ABCD				L R	Combination of Colors		
REC		41	MC-M		top & legs	base	front
series	dimensions	height	product	direction			

**Example** REC 18868618 41 MC-M R SW SW W-H


# Reception Desks

## Corner Reception Counter with Acrylic Front Panel

### MC-AD L




### MC-AD R



### LED Lighting




**MC-AD1**  
LED on top only




**MC-AD2**  
LED on top and bottom


### Combination of Colors



**Top & Legs**  
Color available  
for 1-5/8" only



**Base**  
1" panel  
on user side



**Front**  
1" laminate frame  
around acrylic panel

### Manufacturing Standards

- 1-5/8" thick laminate top and legs;
- 6" recessed translucent white acrylic front with laminate frame (interior and exterior);
- LED backlighting with two 4-step tape dimmers fixed under the top on the user side on both left and right sides of the reception;
- Removable fronts for access to the lighting.

For specification reasons, the reception desk is 1/8" less than the dimension listed.

Interior width for work desk:

- 60"x 60" work desk fits with a 74"x 74" reception counter;
- 66"x 66" work desk fits with a 80"x 80" reception counter;
- 72"x 72" work desk fits with a 86"x 86" reception counter.

### Prices

Dimensions				MCAD1	MCAD2
A	B	C	D		
18	74	74	18	3650	4021
18	80	80	18	3712	4105
18	86	86	18	3775	4190

### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)



ABCD			AD1 AD2		L R	Combination of Colors		
REC		41	MC					
series	dimensions	height	product	LED	direction	top & legs	base	front

**Example** REC 18868618 41 MC AD2 R SW W SW

# Reception Desks

## Left L-Shaped Counter

INBL L



### Manufacturing Standards


- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

**Pedestal:** To add a pedestal, see Pedestals for Inbox Collection starting at [page 29](#).

**LED option:** Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### LED Option



DEL  
\$495

### How to Order

AB							Combination of Colors			
RE		INBL	L	NGR GRL GRR	ELPF CAPF CBPF					
series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example	RE	84100	INBL	L	GLR	CCPF				
							LL	W	W	W



### Prices

Dimensions		Std	Hg
A	B		
72	82	3666	4213
72	88	3700	4263
72	94	3733	4314
72	100	3767	4365
78	82	3700	4256
78	88	3733	4306
78	94	3767	4357
78	100	3800	4408
84	82	3733	4299
84	88	3766	4349
84	94	3800	4400
84	100	3833	4451

# Reception Desks

## Right L-Shaped Counter

INBL R



### Manufacturing Standards


- 1" tops;
- Metallic high pressure laminate kick plate;
- 2 CCPF grommets on the main work surface.

**Pedestal:** To add a pedestal, see Pedestals for Inbox Collection starting at [page 29](#).

**LED option:** Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### LED Option



DEL  
\$495

### How to Order

AB				NGR GRL GRR GLR (std) CCPF (std)			ELPF CAPF CBPF Combination of Colors See the Logiflex Color Chart (p. 12)			
RE		INBL	R							
series	dimensions	product	direction	grommet position		grommet style		LED		
Example	RE	10084	INBL	R	GLR	CCPF		LL	W	W

### Prices


Dimensions		Std	Hg
A	B		
82	72	3666	4213
88	72	3700	4263
94	72	3733	4314
100	72	3767	4365
82	78	3700	4256
88	78	3733	4306
94	78	3767	4357
100	78	3800	4408
82	84	3733	4299
88	84	3766	4349
94	84	3800	4400
100	84	3833	4451




# Reception Desks

## Left U-Shaped Counter

INBU L



### Combination of Colors



### Manufacturing Standards


- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

**Pedestal:** To add a pedestal, see Pedestals for Inbox Collection starting at [page 29](#).

**LED option:** Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Options

#### Grommet Position



3 grommets (GR3)


#### Grommet Style



\$0

\$20 ea.

#### LED Option



DEL  
\$782

### Prices

Dimensions			Std	Hg
A	B	C		
72	106	66	5016	5816
84	106	78	5151	6003



### How to Order

ABC							Combination of Colors			
RE		INBU	L	NGR GCR GLC GR3 (std)	ELPF CAPF CBPF CCPF (std)					
series	dimensions	product	direction	grommet position	grommet style	LED	top	base	front	shelf
Example	RE	8410678	INBU	L	GR3	CCPF	LL	W	W	W

# Reception Desks

## Right U-Shaped Counter

INBU R



### Manufacturing Standards


- 1" tops;
- Metallic high pressure laminate kick plate;
- 3 CCPF grommets.

**Pedestal:** To add a pedestal, see Pedestals for Inbox Collection starting at [page 29](#).


**LED option:** Cool white LED tape lighting the kick plate, with 4-step touch dimmer installed under the desk.

### Options


#### Grommet Position



#### Grommet Style



#### LED Option



### Prices

Dimensions			Std	Hg
A	B	C		
66	106	72	5016	5816
78	106	84	5151	6003



### How to Order

ABC				NGR GCR GLC GR3 (std) CCPF (std)			Combination of Colors See the Logiflex Color Chart (p. 12)			
RE		INBU	R							
series	dimensions	product	direction	grommet position		grommet style		LED		
Example	RE	7810684	INBU	R	GR3	CCPF		LL	W	W


# Reception Desks

## Transaction Shelf

INBS



### Combination of Colors



### Manufacturing Standards

- Made of laminate, to be attached to an Inbox reception counter;
- 1" transaction shelf comes in 2 pieces, available in:
  - Laminate (**M**)
  - Stained wood (**W**)

### Prices

Dimensions A	Code	Front Finish	
		Std	Hg
30	INBS M	701	754
30	INBS W	1125	

### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


RE	A	INBS	M W			
series	dimensions	product	finish	top	base	front

**Example** RE 30 INBS M W LL W


# Reception Desks

## D, E and F Pedestals for Inbox Collection


D



E



F



### Manufacturing Standards

- Pedestals without tops for Inbox;
- H052 CHR handle;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- Lock.

Width : Letter size -15-3/4"

Width : Legal size - 18-3/4"

For installation by client on existing furniture.


**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

**Note:** The above illustrations represents the left overlapping drawer front.


### Options

#### Drawer Direction

It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.  
Ex: the left drawer front overlaps the left leg.



#### Legal Size



X

### Prices


Code	Std	Hq
INBOXD	552	581
INBOXDX	619	645
INBOXE	691	709
INBOXEX	752	773
INBOXF	691	709
INBOXFX	752	773

### How to Order


# Reception Desks


## Combination Pedestals for Inbox Collection

### CBCL-L



The above illustrations represents the left overlapping drawer front.

### BCCL-R



The above illustrations represents the right overlapping drawer front.

### Manufacturing Standards

- Pedestals without tops for Inbox;
- 2 utility drawers, 1 filing drawer and 1 lateral filing drawer;
- H052 CHR handles;
- Crossbars;
- Locks.


For installation by client on existing furniture.

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

### Options

#### Drawer Direction

It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.  
Ex: the left drawer front overlaps the left leg.



### Prices

Width		
A	Std	Hg
30	1161	1190
36	1161	1190

### How to Order


RE	INBOX	CBCL BCCL	30 36	L R
series	code	code	width	direction

**Example** RE INBOX BCCL 36 R

# Reception Desks

## Two Drawer Lateral Filing Cabinet for Inbox Collection

CL



**Note:** The above illustrations represents the left overlapping drawer front.

### Manufacturing Standards

- Pedestals without tops for Inbox;
- 2 lateral filing drawers;
- H052 CHR handles;
- Crossbars;
- Lock.


*For installation by client on existing furniture.*

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

### Options

#### Drawer Direction

It is important to specify the drawer direction as the drawer front is offset and overlaps the leg on the side.  
Ex: the left drawer front overlaps the left leg.



### Prices

Width		
A	Std	Hg
30	810	833
36	878	896
42	904	927

### How to Order





			30 36 42	L R
RE	INBOX	CL		
series	code	code	width	direction

**Example** RE INBOX CL 36 L

# Reception Desks

## Reception Desk

### MAN



### Manufacturing Standards

#### Reception Desk:

- 1-5/8" desk and shelf tops;
- Rounded corner front panel made of high pressure laminate (HPL);
- 2.5" diameter, Satin Nickel finish brackets;
- Centred CAPF grommet.

#### Acrylic Panel Option:

- 1/8" frosted acrylic panels polished on the visible sides.

*Pedestals cannot be installed on reception stations that are 66" X 66" because of the curves close to the user space. We suggest mobile pedestals instead.*

*Pedestals larger than 30" cannot be installed on reception stations that are 72" X 72" because of the curves close to the user space.*

### Options

Grommet Position	Grommet Style	Installed Pedestals	Acrylic Panels
<p>3 grommets (GR3)</p>	<p>\$0      \$20 ea.</p>	<p>Specify installed pedestals, starting on p. 66</p>	<p>PL \$1 809</p>

### Prices

Dimensions	REC	RECL
A B	1-5/8"	1-9/16"
66 66	5496	6592
72 72	5653	6756
78 78	5809	6919
84 84	5968	7118
96 96	6278	7436

### How to Order


REC RECL	option (\$)	AB	option (\$)	L R	NGR GLC GCR GR3 GRC (std)	ELPF CCPF CBPF CAPF (std)	PL	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>				
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	acrylic panel	top	base	front	shelf
Example REC	E	7878		MAN	L	GRC	CAPF	PL	W	SW	SW	W




# Reception Desks

## Quarter-Moon Reception Desk with Finishing Shelf


SPH F



### Direction



### Combination of Colors




### Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

#### Dimensions

A	B
24 46	3241
30 54	3571


### How to Order

AB		L C R		NGR GLR GRR GRL <b>GRC (std)</b>		ELPF CAPF CBPF <b>CCPF (std)</b>		Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>		
RE		SPH F						top	base	shelf
series	dimensions	product	direction	grommet position	grommet style					
<b>Example RE</b>	2446	<b>SPH F</b>	L	GRC	CCPF			LL	W	LL


# Reception Desks

## Quarter-Moon Reception Desk with Transaction Shelf


SPH T



### Direction



### Combination of Colors



### Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

#### Dimensions

A	B
24 46	4140
30 54	4777


### How to Order

				L C R	<div><div></div><div>NGR GLR GRR GRL <b>GRC (std)</b></div><div>ELPF CAPF CBPF <b>CCPF (std)</b></div></div>		Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>				
AB											
RE		SPHT									
series	dimensions	product	direction		grommet position	grommet style	top	base	front	shelf	
Example	RE	2446	SPHT	L	GRC	CCPF	LL	W	W	LL	


# Reception Desks

## Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit


SPH P



### Direction



### Combination of Colors



### Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".

### Options

#### Grommet Position



#### Grommet Style



\$0      \$20 ea.

### Prices

#### Dimensions

A	B	
24	46	5264
30	54	5637




### How to Order

AB		L C R		<div> <div>NGR GLR GRR GRL</div> <div>ELPF CAPF CBPF</div> </div>		Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
RE		SPH P		GRC (std)	CCPF (std)	top	base	front	shelf
series	dimensions	product	direction	grommet position	grommet style				
Example RE	2446	SPH P	L	GRC	CCPF	LL	W	W	LL

# Reception Desks

## Quarter-Moon Consulting Desk

SPH C




### Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Fits with Spherical reception desks:*  
 - 27" consulting desk fits with a 24" reception desk;  
 - 33" consulting desk fits with a 30" reception desk.

### Options

#### Grommet Position



#### Grommet Style



\$0      \$20 ea.

### Prices

#### Dimensions

A	B
27 46	2885
33 54	3061




### How to Order

AB		L C R	NGR GLR GRR GRLL <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>	
RE	SPH C					
series	dimensions	product	direction	grommet position	grommet style	
Example RE	2746	SPH C	L	GRC	CCPF	LL W

# Reception Desks

## Quarter-Moon Accessible Reception Desk

### SPH A




### Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

**\*Transaction Tops:**  
For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

Dimensions	
A	B
24 46	4378
30 54	4554


### How to Order

AB		L C R		NGR GLR GRR GRLL GRC (std) ELPF CAPF CBPF CCPF (std)		Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
RE	SPH A					top	base	front	shelf
series	dimensions	product	direction	grommet position	grommet style				
Example RE	3054	SPH A	L	GRC	CCPF	LL	W	W	LL


# Reception Desks

## Inverted Quarter-Moon Reception Desk with Finishing Shelf


SPH IF



### Direction



### Combination of Colors




### Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

Dimensions		
A	B	
24	36	3377
30	42	3445


### How to Order

AB		L C R		NGR GRC (std) ELPF CAPF CBPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 12)			
RE	SPH IF					top	base	front	shelf
series	dimensions	product	direction	grommet	grommet style				
Example RE	2436	SPH IF	L	GRC	CCPF	LL	W	W	LL


# Reception Desks

## Inverted Quarter-Moon Reception Desk with Transaction Shelf


SPH IT



### Direction



### Combination of Colors



### Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

#### Dimensions

A	B	
24	36	3448
30	42	3570


### How to Order

AB		L C R		NGR GRC (std) ELPF CAPF CBPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 12)			
RE		SPH IT							
series	dimensions	product	direction	grommet	grommet style	top	base	front	shelf
Example RE	2436	SPH IT	L	GRC	CCPF	LL	W	W	LL


# Reception Desks

## Inverted Quarter-Moon Reception Desk with Transaction Shelf and Pigeonhole Unit


SPH IP



### Direction



### Combination of Colors



### Manufacturing Standards


- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".

### Options

#### Grommet Position



#### Grommet Style



\$0

\$20 ea.

### Prices

#### Dimensions

A	B
24 36	4252
30 42	4378

### How to Order


AB		L C R		NGR GRC (std) ELPF CAPF CBPF CCPF (std)		Combination of Colors See the Logiflex Color Chart (p. 12)			
RE	SPH IP					top	base	front	shelf
series	dimensions	product	direction	grommet	grommet style				
Example RE	2436	SPH IT	L	GRC	CCPF	LL	W	W	LL




# Reception Desks

## Inverted Quarter-Moon Consulting Desk


SPH IC



### Direction



### Combination of Colors




### Manufacturing Standards

- 1" top;
- Curved front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Fits with Spherical reception desks:*  
 - 27" consulting desk fits with a 24" reception desk;  
 - 33" consulting desk fits with a 30" reception desk.

### Options

#### Grommet Position



#### Grommet Style



\$0 \$20 ea.

### Prices

#### Dimensions

A	B
27 36	2761
33 42	2885




### How to Order

AB		L C R		NGR GRC (std) <div>                         ELPF CAPF CBPF CCPF (std)                     </div>		Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>	
RE	SPH IC					top	base
series	dimensions	product	direction	grommet	grommet style		
Example RE	2736	SPH IC	L	GRC	CCPF	LL	W

# Reception Desks

## Straight Reception Desk with Finishing Shelf

SPH SF




### Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


**Installed Pedestal Option:** For available installed pedestals, see *Work Desks* starting on [page 66](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

### Options


#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on [p. 66](#)

### Prices

#### Dimensions

A	B
24 36	1137
30 36	1174




### How to Order

option (\$)		AB	option (\$)	SPH SF	L C R	NGR GLR GRR GRLL <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	<b>Combination of Colors</b> <i>See the Logiflex Color Chart (p. 12)</i>		
RE								top	base	shelf
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style			
<b>Example RE</b>	<b>E</b>	2436		<b>SPH SF</b>	<b>L</b>	<b>GRC</b>	<b>CCPF</b>	<b>LL</b>	<b>W</b>	<b>LL</b>

# Reception Desks

## Straight Reception Desk with Transaction Shelf

SPH ST



### Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


#### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".


**Installed Pedestal Option:** For available installed pedestals, see Work Desks starting on [page 66](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

### Options


#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on [p. 66](#)

### Prices

#### Dimensions

A	B
24 36	1274
30 36	1312




### How to Order

option (\$)		AB	option (\$)		L C R	NGR GLR GRR GRLL GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors <a href="#">See the Logiflex Color Chart (p. 12)</a>			
RE				SPH ST							
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf
Example RE	E	2436		SPH ST	L	GRC	CCPF	LL	W	W	LL

# Reception Desks

## Straight Reception Desk with Transaction Shelf and Pigeonhole Unit

SPH SP



### Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


#### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".


**Installed Pedestal Option:** For available installed pedestals, see Work Desks starting on [page 66](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on [p. 66](#)

### Prices

#### Dimensions

A	B
24 36	1499
30 36	1561




### How to Order

		option (\$)		AB	option (\$)		L C R	NGR GLR GRR GRLL GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors <a href="#">See the Logiflex Color Chart (p. 12)</a>			
RE					SPH SP								
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf		
Example RE	E	2436		SPH SP	L	GRC	CCPF	LL	W	W	LL		

# Reception Desks

## Straight Consulting Desk

SPH SC



### Manufacturing Standards


- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.

*Fits with Spherical reception desks:*  
 - 27" consulting desk fits with a 24" reception desk;  
 - 33" consulting desk fits with a 30" reception desk.


**Installed Pedestal Option:** For available installed pedestals, see Work Desks starting on [page 66](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

### Options


#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on [p. 66](#)

### Prices

#### Dimensions

A	B
27 36	712
33 36	837




### How to Order

		option (\$)		AB	option (\$)		L C R	NGR GLR GRR GRLL <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>	
RE											
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base		
<b>Example RE</b>	<b>E</b>	<b>2736</b>		<b>SPH SC</b>	<b>L</b>	<b>GRC</b>	<b>CAPF</b>	<b>LL</b>	<b>W</b>		

# Reception Desks

## Straight Accessable Reception Desk

SPH SA



### Manufacturing Standards

- 1" top;
- Front panels made of high pressure laminate (HPL);
- Centered CCPF grommet.


#### \*Transaction Tops:

For 24" tops, the transaction shelf is 12";  
For 30" tops, the transaction shelf is 16".


**Installed Pedestal Option:** For available installed pedestals, see Work Desks starting on [page 66](#). **Attention:** The total width of the installed pedestal has to be less than the total width of the desk.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on [p. 66](#)

### Prices

#### Dimensions

A	B
24 36	1274
30 36	1312


### How to Order

		option (\$)		AB	option (\$)		L C R	NGR GLR GRR GRLL GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors <a href="#">See the Logiflex Color Chart (p. 12)</a>			
RE					SPH SA								
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	top	base	front	shelf		
Example RE	E	2436		SPH SA	L	GRC	CAPF	LL	W	W	LL		


# Reception Desks

## Reception Desk with One Full Length Transaction Shelf

3K1



### Combination of Colors




### Manufacturing Standards

- 1" tops;
- 2 CAPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.

**\*Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions		Std	Hg
A	B		
*24	66	2348	2607
*24	72	2561	2843
*24	78	2779	3086
*24	84	2992	3322
*24	96	3417	3794
30	66	2392	2669
30	72	2611	2900
30	78	2836	3150
30	84	3055	3390
30	96	3485	3869


### How to Order

					<div>NGR GRL GRR GRC <b>GLR (std)</b></div> <div><div>+</div><div>ELPF CCPF CBPF <b>CAPF (std)</b></div></div>	<b>Combination of Colors</b> <i>See the Logiflex Color Chart (p. 12)</i>				
option (\$)	AB	option (\$)								
<b>RE</b>				<b>3K1</b>						
series	pedestal on left	dimensions	pedestal on right	product		grommet position	grommet style	top	base	front
<b>Example RE</b>	<b>E</b>	2466		<b>3K1</b>	GLR	CAPF	W	SW	SW	W


# Reception Desks

## Reception Desk with Two Transaction Shelves

3K2



### Combination of Colors




### Manufacturing Standards

- 1" tops;
- 2 CAPF grommets;
- Full modesty panel;
- 2 front panels 5/8" thick;
- Strip of brushed aluminum high pressure laminate on the kick plate and between the front panels;
- Shelf brackets are 1.75" in diameter, 4-3/8" high and have a Satin Nickel finish.

**\*Note:** for stability purposes the 24" 3K1 and 3K2 reception desks must be attached to either a pedestal or a return.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions		Std	Hg
A	B		
*24	66	2348	2607
*24	72	2561	2843
*24	78	2779	3086
*24	84	2992	3322
*24	96	3417	3794
30	66	2392	2669
30	72	2611	2900
30	78	2836	3150
30	84	3055	3390
30	96	3485	3869

### How to Order

option (\$)		AB	option (\$)		3K2	NGR GRL GRR GRC GLR (std)	ELPF CCPF CBPF CAPF (std)	Combination of Colors	
								See the Logiflex Color Chart (p. 12)	
RE								top	base
series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style		front	shelf
Example RE	E	2466		3K2	GLR	CAPF		W	SW
								SW	W




# Reception Desks


## Return

RET 3K L

RET 3K R



### Combination of Colors




### Manufacturing Standards

- 1" tops;
- Centred CAPF grommet;
- Full modesty panel.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

#### Dimensions

A	B	
24	30	588
24	36	612
24	42	644
24	48	675


### How to Order

AB			option (\$)		L R		NGR GRL GRR GLR GRC (std) CAPF (std)		Combination of Colors See the Logiflex Color Chart (p. 12)		
RE									top	base	front
series	dimensions	pedestal	product	direction	grommet position		grommet style				
Example RE	2442	E	RET 3K	L	GRC		CAPF		SW	SW	W


# Reception Desks

## Corner Counter with Straight Cut


CXT



### Direction



### Combination of Colors




### Manufacturing Standards

- Corner reception desk with straight keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.


**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style



\$0    \$20 ea.

#### Vertical Panel



PV  
\$759

### Prices

Dimensions	RE	REL	REC	RECL
A B C	1"	1-1/16"	1-5/8"	1-9/16"
18 36 18	2863	3227	3074	3382
18 42 18	2911	3339	3181	3541
24 42 24	2911	3339	3181	3541
24 48 24	3034	3543	3375	3801
30 48 30	3034	3543	3375	3801


### How to Order

RE REL REC RECL	ABC		LR LH HR HH	NGR GRL GRR GLR <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
		<b>CXT</b>								
series	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf
<b>Example</b> RE	184218	<b>CXT</b>	LR	GRC	CCPF	PV	NW	NW	W	W


# Reception Desks

## Corner Counter with Curved Cut


CXX



### Direction



### Combination of Colors




### Manufacturing Standards

- Corner reception desk with curved keyboard space;
- 42"H transaction shelf;
- Corner CCPF grommet.


**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style



\$0    \$20 ea.

#### Vertical Panel



PV  
\$759

### Prices

Dimensions			RE	REL	REC	RECL
A	B	C	1"	1-1/16"	1-5/8"	1-9/16"
18	42	18	2995	3432	3269	3634
24	42	24	2995	3432	3269	3634
24	48	24	3120	3638	3465	3895
30	48	30	3120	3638	3465	3895


### How to Order

RE REL REC RECL		LR LH HR HH		NGR GRL GRR GLR <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
ABC							top	base	front	shelf
		<b>CXX</b>								
series	dimensions	product	direction	grommet position		grommet style	vertical panel			
<b>Example</b>	RE 184218	<b>CXX</b>	LR	GRC	CCPF	PV	NW	NW	W	W


# Reception Desks

## Rectangular Reception Desk


CTB



Direction



Combination of Colors




### Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style




\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

#### Vertical Panel



PV \$171

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36	719	889	847	1003
18 42	752	939	894	1058
18 48	784	985	937	1123
18 54	862	1067	1017	1262
18 60	915	1151	1096	1288
24 36	759	949	904	1066
24 42	798	1009	960	1140
24 48	861	1094	1042	1244
24 54	924	1175	1119	1364
24 60	961	1241	1182	1410


### How to Order

RE REL REC RECL	option (\$)	AB	option (\$)	CTB	LR LH HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	PV	Combination of Colors See the Logiflex Color Chart (p. 12)
series	pedestal on left	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel	top base front shelf
RE	E	2460		CTB	LR	GRC	CCPF	PV	NW NW W W


# Reception Desks

## Left Reception Return with Corner Cut on Right


### LCTTB



Direction



Combination of Colors




### Manufacturing Standards

- Left reception return with corner cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style




\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

#### Vertical Panel



PV \$171

### Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	807	1000	953	1117
24 42 18	847	1061	1010	1191
24 48 18	910	1144	1090	1295
24 54 18	974	1225	1166	1416
24 60 18	1011	1293	1231	1461
30 36 24	847	1062	1011	1181
30 42 24	892	1119	1066	1273
30 48 24	987	1256	1196	1416
30 54 24	1035	1334	1270	1518
30 60 24	1057	1385	1319	1583
36 36 30	939	1176	1120	1273
36 42 30	994	1265	1204	1406
36 48 30	1050	1353	1289	1537
36 54 30	1104	1441	1373	1648
36 60 30	1138	1501	1429	1725


### How to Order

					<div><div></div><div></div></div>							
RE REL REC RECL	option (\$)	ABC		LH HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>				
			LCTTB									
series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel	top	base	front	shelf	
Example	RE	E	246018	LCTTB	LH	GRC	CCPF	PV	NW	NW	W	W


# Reception Desks

## Right Reception Return with Corner Cut on Left


### RCTTB



#### Direction



#### Combination of Colors




### Manufacturing Standards

- Right reception return with corner cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style




\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

#### Vertical Panel



PV  
\$171

### How to Order

					<div>+</div>			<div>Combination of Colors</div> <div>See the Logiflex Color Chart (p. 12)</div>			
RE REL REC RECL	ABC	option (\$)	HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	PV					
series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel				
RE	186024	E	RCTTB	HR	GRC	CCPF	PV	NW	NW	W	W

Example


### Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	807	1000	953	1117
18 42 24	847	1061	1010	1191
18 48 24	910	1144	1090	1295
18 54 24	974	1225	1166	1416
18 60 24	1011	1293	1231	1461
24 36 30	847	1062	1011	1181
24 42 30	892	1119	1066	1273
24 48 30	987	1256	1196	1416
24 54 30	1035	1334	1270	1518
24 60 30	1057	1385	1319	1583
30 36 36	939	1176	1120	1273
30 42 36	994	1265	1204	1406
30 48 36	1050	1353	1289	1537
30 54 36	1104	1441	1373	1648
30 60 36	1138	1501	1429	1725


# Reception Desks

## Left Reception Return with Curved Cut on Right


### LCVTB



Direction



Combination of Colors




### Manufacturing Standards

- Left reception return with curved cut on right;
- 42"H transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style




\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

#### Vertical Panel



PV \$171

### How to Order

					<div>+</div>							
RE REL REC RECL	option (\$)	ABC		LH HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>				
			LCVTB									
series	pedestal on left	dimensions	product	direction	grommet position	grommet style	vertical panel		top	base	front	shelf
Example	RE	E	246018	LCVTB	LH	GRC	CCPF	PV	NW	NW	W	W


### Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 36 18	807	1000	953	1117
24 42 18	847	1061	1010	1191
24 48 18	910	1144	1090	1295
24 54 18	974	1225	1166	1416
24 60 18	1011	1293	1231	1461
30 36 24	847	1062	1011	1181
30 42 24	892	1119	1066	1273
30 48 24	987	1256	1196	1416
30 54 24	1035	1334	1270	1518
30 60 24	1057	1385	1319	1583
36 36 30	939	1176	1120	1273
36 42 30	994	1265	1204	1406
36 48 30	1050	1353	1289	1537
36 54 30	1104	1441	1373	1648
36 60 30	1138	1501	1429	1725


# Reception Desks

## Right Reception Return with Curved Cut on Left


RCVTB



### Direction



### Combination of Colors




### Manufacturing Standards

- Right reception return with curved cut on left;
- 42" high transaction shelf;
- Centered CCPF grommet for desks less than 48", left and right grommets for desks of 48" and up.

**Vertical Panel (PV) option:** It is possible to add a 12"H vertical panel on the front of the reception, under the transaction shelf. It is in high pressure laminate (HPL).

### Options

#### Grommet Position




#### Grommet Style




\$0      \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

#### Vertical Panel



PV  
\$171

### Prices

Dimensions A B C	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
18 36 24	807	1000	953	1117
18 42 24	847	1061	1010	1191
18 48 24	910	1144	1090	1295
18 54 24	974	1225	1166	1416
18 60 24	1011	1293	1231	1461
24 36 30	847	1062	1011	1181
24 42 30	892	1119	1066	1273
24 48 30	987	1256	1196	1416
24 54 30	1035	1334	1270	1518
24 60 30	1057	1385	1319	1583
30 36 36	939	1176	1120	1273
30 42 36	994	1265	1204	1406
30 48 36	1050	1353	1289	1537
30 54 36	1104	1441	1373	1648
30 60 36	1138	1501	1429	1725

### How to Order



RE REL REC RECL	ABC	option (\$)	HR HH	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	PV	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
			RCVTB				top	base	front	shelf
series	dimensions	pedestal on right	product	direction	grommet position	grommet style	vertical panel			
Example RE	246018	E	RCVTB	HR	GRC	CCPF	PV	NW	NW	W W



# Reception Desks

## Rectangular Reception Desk with Transaction Shelf

GA




### Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- CCPF grommets on left and right;
- 3 front panels applied on desk front.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	1056	1388	1322	1590
30 66	1104	1463	1394	1680
30 72	1161	1552	1478	1793
30 78	1216	1643	1564	1906
30 84	1263	1718	1636	1996
36 60	1072	1460	1390	1680
36 66	1132	1557	1483	1814
36 72	1212	1644	1566	1924
36 78	1236	1733	1650	2034
36 84	1295	1828	1741	2169



### How to Order

RE REL REC RECL	option (\$)	AB	option (\$)	GA	NGR GRC GRR GLR GLR (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	top	base	front	shelf
Example RE	E	3660		GA	GLR	CCPF	Z	Z	Z	W

# Reception Desks

## Rectangular Reception Desk with Convex Transaction Shelf

GACX




### Manufacturing Standards

- Rectangular reception desk;
- 42"H transaction shelf;
- CCPF grommets on left and right;
- 3 front panels applied on desk front.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
30 60	1234	1574	1499	1778
30 66	1283	1654	1575	1871
30 72	1338	1741	1658	1980
30 78	1396	1828	1741	2101
30 84	1444	1906	1816	2181
36 60	1249	1646	1568	1871
36 66	1311	1744	1661	2000
36 72	1363	1832	1745	2111
36 78	1413	1919	1828	2224
36 84	1476	2019	1923	2353

### How to Order


RE REL REC RECL	option (\$)	AB	option (\$)	GACX	NGR GRC GRR GLR GLR (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 12)
series	pedestal on left	dimensions	pedestal on right	product	grommet position	grommet style	top base front shelf
Example RE	E	3660		GACX	GLR	CCPF	Z Z Z W

# Reception Desks


## Reception Return

GAL

GAR



### Combination of Colors




### Manufacturing Standards

- Reception return;
- CAPF centered grommet.

### Options

#### Grommet Position




#### Grommet Style



\$0 \$20 ea.

#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
20 36	603	751	716	803
20 42	654	818	779	878
20 48	701	888	846	955
20 54	753	958	913	1058
20 60	803	1033	983	1121
24 36	619	792	754	860
24 42	670	860	819	951
24 48	720	933	889	1019
24 54	770	1009	960	1104
24 60	820	1084	1032	1188

### How to Order

RE REL REC RECL	AB	option (\$)	GAR GAL	NGR GLR GRR GLR <b>GRC (std)</b>	ELPF CAPF CBPF <b>CCPF (std)</b>	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>		
						top	base	front
series	dimensions	pedestal	product	grommet position	grommet style			
<b>Example</b> RE	2460	E	GAL	GRC	CCPF	Z	Z	W


---

Work Desks


# Work Desks

## Lateral Tables


TL



### Leg Bases



### Combination of Colors



### Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush modesty.

**Modesties:** If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.

### Options

**Modesty**  
  
 10" high  
**PM**  
 \$0

**Grommet Position**  
  
 L C R  
 LR

**Grommet Style**  
  
 \$0 \$20 ea.

**Installed Pedestals**  
  
 Specify installed pedestals, starting on p. 66

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 30	477	566	539	638
24 36	517	622	592	708
24 42	539	658	627	759
24 48	571	704	671	819
24 54	583	731	696	860
24 60	609	770	733	913
24 66	633	808	770	966
24 72	656	847	806	1019
24 78	678	882	840	1068

### How to Order

RE  
REL  
REC  
RECL

option (\$)

AB

option (\$)

TL

LH  
HR  
HH  
LR (std)

PM  
FM (std)

NGR  
GRL  
GRR  
GLR  
GRC (std)

ELPF  
CAPF  
CBPF  
CCPF (std)


Combination of Colors  
See the Logiflex  
Color Chart (p. 12)

series	pedestal on left	dimensions	pedestal on right	product	direction	modesty	grommet position	grommet style	top	base	front	
Example RE	E	2472		TL	LR	PM	GRC	CCPF	SW	W	SW	


# Work Desks

## Returns


L29



R29



### Combination of Colors




### Manufacturing Standards

- 1" thick laminate top and legs;
- Centered CCPF grommet;
- Flush plates;
- Flush modesty;
- Height: 29".


**Modesties:** If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.

### Options

#### Modesty




#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions A B	RE 1"	REL 1-1/16"	REC 1-5/8"	RECL 1-9/16"
24 30	450	538	513	609
24 36	467	570	542	656
24 42	485	601	572	701
24 48	509	641	610	755
24 54	539	685	652	813
24 60	571	731	696	874

### How to Order


RE REL REC RECL	AB	option (\$)	L29 R29	PM FM (std)	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 12)		
							top	base	front
Example	RE	2448	E	L29	PM	GRC	SW	W	SW

# Work Desks

## Left Extended Corner Tables


S L

Straight Cut




A L


Curved Cut




### Modesties



### Leg Bases



### Combination of Colors



### Manufacturing Standards


- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

**Modesties:** If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.


**Installed Pedestal Option:** The pedestal will be installed on the extended side of the desks (on left).

### Options


#### Modesty




#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions	RE	REL	REC	RECL
A B C D	1"	1-1/16"	1-5/8"	1-9/16"
24 60 42 24	1071	1355	1290	1604
24 66 42 24	1111	1420	1353	1696
24 72 42 24	1173	1507	1435	1807
24 78 42 24	1235	1594	1518	1919

### How to Order


RE REL REC RECL	ABCD	option (\$)	S A	LH HR HH LR (std)	PM FM (std)	PM FM (std)	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 12)
series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style
Example RE	24724224	E	A	L	LR	PM	PM	GRC	CCPF
									top base front
									SW W SW

# Work Desks

## Right Extended Corner Tables


S R

Straight Cut




A R


Curved Cut




### Modesties



### Leg Bases



### Combination of Colors



### Manufacturing Standards


- 1" thick laminate top and legs;
- Corner CCPF grommet;
- Flush modesty.

**Modesties:** If choice of modesty is not specified, the standard (FM) will be used, PM modesties are available at no extra charge.


**Installed Pedestal Option:** The pedestal will be installed on the extended side of the desks (on right).

### Options

#### Modesty




#### Grommet Position



#### Grommet Style



#### Installed Pedestals



Specify installed pedestals, starting on p. 66

### Prices

Dimensions	RE	REL	REC	RECL
A B C D	1"	1-1/16"	1-5/8"	1-9/16"
24 42 60 24	1071	1355	1290	1604
24 42 66 24	1111	1420	1353	1696
24 42 72 24	1173	1507	1435	1807
24 42 78 24	1235	1594	1518	1919

### How to Order

RE REL REC RECL	ABCD	option (\$)	S A	R	LH HR HH LR (std)	PM FM (std)	PM FM (std)	NGR GRL GRR GLR GRC (std)	ELPF CAPF CBPF CCPF (std)	Combination of Colors See the Logiflex Color Chart (p. 12)
series	dimensions	pedestal	product	direction	direction	modesty 1	modesty 2	grommet position	grommet style	top base front
Example RE	24427224	E	A	R	LR	PM	PM	GRC	CCPF	SW W SW




---

## Storage Furniture


# Storage Furniture

## Installed Pedestals


D



E



F



### Manufacturing Standards

- Factory installed pedestals without tops;
- D = 1 utility drawer and 1 file drawer;
- E = 2 utility drawers and 1 file drawer;
- F = 2 file drawers;
- H052CHR handles;
- Satin nickel lock.

Width : Letter size -15-3/4"

Width : Legal size - 18-3/4"

Depth is adjusted to match furniture ordered.

#### How to Order:


Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

### Prices

Code	Front Finish	
	Std	Hg
D	520	547
DX	605	633
E	711	746
EX	796	831
F	692	728
FX	778	813

### Options




Legal Size


X

Installed Pedestals


CBCL30



BCCL30



CL30



Manufacturing Standards

- Factory installed pedestals without tops;
- CBCL/BCCL= 2 utility drawers, 1 file drawer and 1 lateral file drawer;
- CL= 2 lateral file drawers;
- H052CHR handles;
- Satin nickel lock.

*Depth is adjusted to match furniture ordered.*

**How to Order:**

*Add the pedestal code desired to the desk code on which it has to be installed following the "How to Order" instructions on the desk page.*

**Handles:** *For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.*



Prices

**CBCL30/BCCL30**

Code	Front Finish	
	Std	Hg
CBCL30	1145	1214
BCCL30	1145	1214

**CL30**



Code	Front Finish	
	Std	Hg
CL30	788	860

# Storage Furniture

## Mobile E and F Pedestals - Letter Size

MOBE

MOBF



### Manufacturing Standards

- E = 2 utility drawers and 1 letter size file drawer;
- F = 2 letter size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".


**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

**Counterweight:** A 45 lb counterweight is included for pedestals that are 18" deep.

### Prices

Dimensions A Code	Front Finish	
	Std	Hq
18 MOBE	786	821
23 MOBE	786	821
18 MOBF	767	803
23 MOBF	767	803

### Combination of Colors



### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


A		E F				
RE		MOB				
series	dimensions	code	pedestal	top	base	front

**Example** RE 18 MOB E W W SW


# Storage Furniture

## Mobile E and F Pedestals - Legal Size

### MOBXE



### MOBXF



### Manufacturing Standards

- E = 2 utility drawers and 1 legal size file drawer;
- F = 2 legal size file drawers;
- H052CHR handles;
- Satin nickel lock;
- 5 casters (not visible);
- Height: 27-3/8".


**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

**Counterweight:** A 45 lb counterweight is included for pedestals that are 18" deep.

### Prices

Dimensions A Code	Front Finish	
	Std	Hg
18 MOBXE	878	919
23 MOBXE	878	919
18 MOBXF	860	902
23 MOBXF	860	902

### Combination of Colors



### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


A		E F				
RE		MOBX				
series	dimensions	code	pedestal	top	base	front

**Example** RE 18 MOBX E W W SW


# Storage Furniture

## Lateral File Cabinets


### CL2



### CL3



### CL4



### Manufacturing Standards

- 2, 3 or 4 legal size lateral filing drawers;
- H052CHR handles;
- Satin nickel locks;
- Crossbars;
- Counterweight (CL2 only).

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

### Prices

#### CL2 - 2 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	978	1053
24	36	1052	1143


#### CL3 - 3 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1454	1563
24	36	1520	1653

#### CL4 - 4 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1897	2041
24	36	1979	2152

### Combination of Colors



### How to Order


AB		CL		Combination of Colors		
				See the Logiflex Color Chart (p. 12)		
RE		CL				
series	dimensions	code	drawers	top	base	front

**Example** RE 2436 CL 3 W W SW


# Storage Furniture

## Multiple Units


### UC1



### UC2



### UC3



### Manufacturing Standards

- Open storage with 11" interior height;
- 1, 2 or 3 lateral filing drawers;
- H052CHR handles;
- Counterweight (UC1 and UC2)
- Satin nickel lock.

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

### Prices

#### UC1 - 1 open storage, 1 lateral filing drawer

Dimensions		Front Finish	
A	B	Std	Hg
24	30	919	955
24	36	957	996


#### UC2 - 1 open storage, 2 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1348	1428
24	36	1417	1512

#### UC3 - 1 open storage, 3 lateral filing drawers

Dimensions		Front Finish	
A	B	Std	Hg
24	30	1723	1847
24	36	1821	1973

### Combination of Colors



### How to Order



AB		UC		Combination of Colors		
RE	AB	UC	1 2 3	top	base	front
series	dimensions	code	drawers			

**Example** RE 2436 UC 2 W W SW

# Storage Furniture

## Cabinets with 2 Laminate Doors

AR



### Manufacturing Standards

- 2 laminate doors;
- H052CHR handles;
- Satin nickel lock;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

#### Adjustable Shelves:


29" high: 1 adjustable shelf;  
41" high: 2 adjustable shelves;  
53" high: 3 adjustable shelves.

**Handles:** For handles other than H052CHR standard, please choose from the Logiflex list at no extra charge.

**Adjustable shelves (SH):** see Appendix D for prices, p. 14

### Options

#### Adjustable Shelves



### Prices

Dimensions			Front Finish	
A	B	C	Std	Hg
24	30	29	822	895
24	36	29	875	962
24	30	41	980	1087
24	36	41	1031	1160
24	30	53	1134	1276
24	36	53	1188	1358

### How to Order

#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)

ABC							
RE		AR					
series	dimensions	code	top	base	front	shelf	


**Example** RE 243641 AR W W SW W




# Storage Furniture

## Cabinets with 2 Glass Doors


### AR - Glass Doors




#### Combination of Colors



Top



Base



Shelf



#### Manufacturing Standards

- Aluminum-frame doors with frosted glass (VS) and built-in aluminum handles;
- Soft-close doors;
- Adjustable shelves;
- Shelf brackets;
- 5/8" laminate back.

#### Adjustable Shelves:

29" high: 1 adjustable shelf;

41" high: 2 adjustable shelves;

53" high: 3 adjustable shelves.


**Glass:** If the choice of glass is not specified, the standard is white glass (VS). For other choices of glass, consult the Logiflex color chart.

**Adjustable shelves (SH):** see Appendix D for prices, p. 14



#### Options

##### Adjustable Shelves



#### How to Order

ABC			V4 PL VS (std)	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>		
RE		AR				
series	dimensions	code	glass (p. 12)	top	base	shelf
<b>Example</b>	<b>RE</b> 243641	<b>AR</b>	<b>VS</b>	<b>W</b>	<b>W</b>	<b>W</b>



#### Prices


Dimensions			VS	PL	V4
A	B	C			
24	30	29	1187	1203	1420
24	36	29	1249	1267	1527
24	30	41	1390	1411	1718
24	36	41	1470	1494	1862
24	30	53	1698	1725	2121
24	36	53	1794	1827	2302

# Storage Furniture

## Pigeonhole Units


PG

Letter Size




PGX

Legal Size



### Combination of Colors




### Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.

### Options

#### Drawer



DR

\$240

### Prices

#### Dimensions

A	Code
16 PG	353
16 PGX	367

### How to Order


	A	PG PGX	DR	Combination of Colors <i>See the Logiflex Color Chart (p. 12)</i>			
RE	16						
series	dimensions	code	drawer	top	base	front	shelf

**Example** RE 16 PG DR SW SW W-H SW


# Storage Furniture

## Pigeonhole Units





PG30



PG36



### Combination of Colors




### Manufacturing Standards

- 3" interior height in each pigeonhole;
- Frame is 1" laminate;
- Shelf and back 5/8" laminate.

### Options

#### Drawer



DR

\$482

### Prices

#### Dimensions

A	B
16 30	609
16 36	637

### How to Order



#### Combination of Colors

See the Logiflex  
Color Chart (p. 12)


	A		B	DR				
RE	16	PG						
series	dimensions	code	dimensions	drawer	top	base	front	shelf

**Example** RE 16 PG 30 DR SW SW W-H SW

Storage Furniture

Vertical Pigeonhole Units

PGV




Manufacturing Standards

- On levelers;
- Frame is 1" laminate;
- 2 fixed shelves 1" laminate;
- Back 5/8" laminate.

Prices

Dimensions		
A	B	C
24	08	41
604		

Combination of Colors



How to Order

Combination of Colors  
[See the Logiflex Color Chart \(p. 12\)](#)

ABC					
RE		PGV			
series	dimensions	code	top	base	shelf
Example RE	240841	PGV	SW	SW	W

---


Accessories

# Accessories

## Handles

### HJA

Handle




- 6" metal handle;
- 5-1/32" (128mm) center to center.

Code	\$	Description
HJA	11	<i>Satin Nickel</i>
HJAB	11	<i>Black</i>

### H011

Handle




- 9-1/8" metal handle;
- 5" (224mm) center to center.

Code	\$	Description
H011	11	<i>Satin Nickel</i>

### H030

Handle




- 1-1/2" metal handle;
- 5/8" (15.875mm) center to center.

Code	\$	Description
H030	11	<i>Satin Nickel</i>

### H031

Handle




- 6-1/4" metal handle;
- 3-3/4" (95.25mm) center to center.

Code	\$	Description
H031	11	<i>Satin Nickel</i>

### H051

Handle




- 3-5/32" metal handle;
- 2-17/32" (64mm) center to center.

Code	\$	Description
H051CHR	11	<i>Chrome</i>
H051SN	11	<i>Satin Nickel</i>

### H052

Handle




- 7-1/32" metal handle;
- 6-9/32" (160mm) center to center.

Code	\$	Description
H052CHR	11	<i>Chrome</i>
H052SN	11	<i>Satin Nickel</i>

### H060

Handle




- 9-1/4" metal handle;
- 8-3/4" (222.25mm) center to center.

Code	\$	Description
H060BN	11	<i>Brushed Nickel</i>
H060CHR	11	<i>Chrome</i>

### H070

Handle




- 8-3/16" metal handle;
- 7-1/2" (190.5mm) center to center.

Code	\$	Description
H070BN	11	<i>Brushed Nickel</i>
H070CHR	11	<i>Chrome</i>

### SXP002

Handle




- 9-1/2" metal handle;
- 7-9/16" (192mm) center to center.

Code	\$	Description
SXP002	11	<i>Satin Nickel</i>

### SXP003

Handle



- 5-1/8" metal handle;
- 3-25/32" (96mm) center to center.


Code	\$	Description
SXP003	11	<i>Satin Nickel</i>

## Accessories

### Lighting

#### DELSW

On/Off Rocker Switch




- On/Off Rocker Switch in black plastic.

Code	\$	Description
DELSW	19	per unit

#### DELALI

LED Starting Kit




- 1x power supply to connect up to 20' of 2.4 W LED lights;
- 60 W, 24V DC power supply, 100–240 V, 50/60 Hz;
- 39" primary power cord and 38" secondary cord for connection to the LED light.



Code	\$	Description
DELALI	66	per kit

#### DELFIL

Power Cord




- 1x 79" power cord.

Code	\$	Description
DELFIL	8	per unit

#### DELRAL

Extension Cord




- To connect 12" strips of 2.4W LED tape together;
- 3 lengths available: 20", 40" and 79".

Code	\$	Description
DELRAL20	4	20" extension
DELRAL40	6	40" extension
DELRAL79	8	79" extension

#### DEL12

Flexible LED Tape



- 2.4 W flexible LED tape;
- Cool white, self-adhesive, 12" long;
- Allow 72 hours once the tape is applied before turning the light on;
- Can be directly linked one to the other.

Code	\$	Description
DEL12	15	per unit

#### DELT

T-Joint



- T-joint to link three directions;
- 3 quick connectors.

Code	\$	Description
DELT	14	per unit

#### DELL

L-Joint




- 90° L-joint to use at a corner;
- 3 quick connectors are included.

Code	\$	Description
DELL	11	per unit

#### DELX

X-Joint



- X-joint to connect four directions;
- 3 quick connectors are included.


Code	\$	Description
DELX	16	per unit

## Accessories

### Keyboard Trays

#### KB360M

Keyboard Tray




- Black plastic 24-1/2" wide retractable ergonomic keyboard;
- Lift-N-Lock spring system (no lever) to adjust height;
- Handle for easy tilt adjustment from 10° to 15°;
- 10" x 7-1/2" mouse tray;
- 19" black gel wrist rest;
- 360° rotation.

Code	\$	Description
KB360M	467	

#### KBMODR

Keyboard Tray




- 28" wide keyboard tray;
- 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides;
- Black gel wrist rest / depth-adjustable stop handles.

Code	\$	Description
KBMODR	239	

#### KB

Keyboard Tray




- 24-1/2" wide keyboard tray only;
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KB	147	1" thick laminate
KBT	139	5/8" thick laminate

#### AP

Wrist Rest




- Black gel wrist rest.

Code	\$	Description
AP	56	

#### KBMOD

Keyboard Tray



- Keyboard tray, available in lengths from minimum 24" to maximum 30";
- 5/8" and 1" thick laminate;
- Adjustable height from 1-3/4 to 2-3/4" / additional 2" for slides.

Code	\$	Description
KBMOD	176	1" thick laminate
KBMODT	168	5/8" thick laminate

To order, for example a 27" long keyboard tray, 5/8" thick laminate: KBMODT27




## Accessories

### CPU Holders

#### MCPU50

Miniature CPU Holder




- Height adjustable: 8" - 14";
- Width adjustable: 2" - 4";
- Maximum capacity: 10 kg (22 lbs);
- Need a minimum 5" deep clearance.

Code	\$	Description
MCPU50	130	

#### MCPU90

CPU Holder




- Black metal CPU holder;
- Easy manipulation;
- Vertical adjustment:
  - Height: 15.5" x 20"
  - Width: 5.5" x 9.8"
- Horizontal adjustment:
  - Height: 17.5" x 22"
  - Width: 9.25" x 13.5"

Code	\$	Description
MCPU90	165	<i>per unit</i>

#### CPUIND

CPU Holder



- 5/8" thick laminate CPU holder;
- 10" x 20" interior


Code	\$	Description
CPUIND	140	<i>per unit</i>

# Accessories

## Miscellaneous Accessories

### SB

#### Suspension Bars




- Short suspension bars: 1 or 2 suspension bars for a left/right filing for a regular file drawer;
- Long suspension bars: 1 or 2 suspension bars for a front/back filing for a lateral file drawer.

Code	\$	Description
SBV1	7	1 short suspension bar
SBV2	14	2 short suspension bars
SBH1	7	1 long suspension bar
SBH2	14	2 long suspension bars

### TCPM

#### Sliding Drawer




- Black plastic sliding drawer with steel ball bearing slides.

Code	\$	Description
TCPM	147	

### TCPM2

#### Sliding Drawer




- Sliding drawer with compartments to organize with ball bearing slides.

Code	\$	Description
TCPM2	170	

### LK

#### Lock




- Finish: Satin nickel and black;
- To order a lock separately, specify if it's a drawer lock (LKSNF) or a door lock (LKSNP);
- To order a factory installed lock, add (LKSN) after the product code on which lock will be installed.

Code	\$	Description
LKSNF	22	Unit price - Satin Nickel - drawer lock
LKSNP	22	Unit price - Satin Nickel - door lock

### ELPF

#### Black Plastic Grommet




- Standard black plastic grommet with the Logiflex logo engraved;
- 2-1/2" diameter cutout.

Code	\$	Description
ELPF	6	Unit price

### C\_PF

#### Grommet



- Square metal grommet with the Logiflex logo engraved;
- Finish: Satin Nickel, Black and Chrome;
- 2-1/2" diameter cutout.


Code	\$	Description
CAPF	20	Unit price - Satin Nickel
CCPF	20	Unit price - Chrome

# Accessories

## Electrical Accessories

### WM41

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 4 Simplex included. (Maximum of 4 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM41 18	280		Length: 18.5", 4 Simplex, 1 circuit
WM41 32	285		Length: 32.5", 4 Simplex, 1 circuit
WM41 44	300		Length: 44.5", 4 Simplex, 1 circuit

*To be used with starter cable 8420AP1*

### WM81

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 1 circuit power block with 8 Simplex included. (Maximum of 2 power blocks can be joined together);
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM81 18	330		Length: 18.5", 8 Simplex, 1 circuit
WM81 32	375		Length: 32.5", 8 Simplex, 1 circuit
WM81 44	380		Length: 44.5", 8 Simplex, 1 circuit

*To be used with starter cable 8420AP1*

### WM44

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 4 Simplex included. (Maximum of 10 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.




Code	A	\$	Description
WM44 18	290		Length: 18.5", 4 Simplex, 4 circuits
WM44 32	315		Length: 32.5", 4 Simplex, 4 circuits
WM44 44	330		Length: 44.5", 4 Simplex, 4 circuits

*To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).*

### WM84

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal wire management system with power block;
- 4 circuit power block with 8 Simplex included. (Maximum of 5 power blocks can be joined together);
- Mounting plate included;
- J-Channel to isolate data cables from power cables;
- 2 telecom plate cutouts. (Telecom plates not included);
- Satin nickel finish.



Code	A	\$	Description
WM84 18	350		Length: 18.5", 8 Simplex, 4 circuits
WM84 32	400		Length: 32.5", 8 Simplex, 4 circuits
WM84 44	405		Length: 44.5", 8 Simplex, 4 circuits


*To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).*

# Accessories

## Electrical Accessories

### PW41

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 4 Simplex included. (Maximum of 4 power blocks can be joined together).

Code	A	\$	Description
PW41	200		4 Simplex, 1 circuit
To be used with starter cable 8420AP1			

### SMWM

Cable Support




Ex: TELC

- 3.5" metal wire support with 1 telecom plate cutout;
- Satin nickel finish.

Code	\$	Description
SMWM	22	

### PW44

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 4 Simplex included. (Maximum of 10 power blocks can be joined together).

Code	A	\$	Description
PW44	220		4 Simplex, 4 circuits
To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).			

### TEL

Telecom Plate




Ex: TELC

- Grey telecom plate.

Code	\$	Description
TELA	17	Blank plate
TELB	171	CAT6 data / USB / CAT3 phone
TELC	147	(2) CAT6 data
TELD	277	(4) CAT6 data

### PW81

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 1 circuit power block with 8 Simplex included. (Maximum of 2 power blocks can be joined together).

Code	A	\$	Description
PW81	240		8 Simplex, 1 circuit
To be used with starter cable 8420AP1			


### PW84

Mounting Bracket with Power Block




- Metal mounting kit assembly included;
- 4 circuit power block with 8 Simplex included. (Maximum of 5 power blocks can be joined together).


Code	A	\$	Description
PW84	290		8 Simplex, 4 circuits
To be used with starter cable 84SB2 (to be connected to an electrical box by an electrician).			




TELA



TELB



TELC




TELD

# Accessories

## Electrical Accessories

### 84SB2

Starter Cable with Hardwire



- Starter cable with hardwire at one end;
- Minimum 12" - maximum 180".




Code	\$	Description
84 SB2 72	144	8 wire 4 circuit - 72"
84 SB2 84	159	8 wire 4 circuit - 84"
84 SB2 96	175	8 wire 4 circuit - 96"
84 SB2 108	190	8 wire 4 circuit - 108"
84 SB2 120	206	8 wire 4 circuit - 120"

To be connected to an electrical box by an electrician.

### 8420AP1

Starter Cable with Plug




- 72" starter cable with electric plug at one end.



Code	\$	Description
84 20 AP1 48 24	180	8 wire 1 circuit - 72"

### 84SB1

NYC Starter Cable with Hardwire



- NYC Starter cable with hardwire at one end;
- Minimum 12" - maximum 180".




Code	\$	Description
84 SB1 72	222	8 wire 4 circuit - 72"
84 SB1 84	238	8 wire 4 circuit - 84"
84 SB1 96	253	8 wire 4 circuit - 96"
84 SB1 108	269	8 wire 4 circuit - 108"
84 SB1 120	285	8 wire 4 circuit - 120"

To be connected to an electrical box by an electrician.

### 84FF

Junction Cable




- Minimum 12" - maximum 180".

Code	\$	Description
84 FF 12	92	8 wire / 4 circuit jumper cable 12"L
84 FF 18	99	8 wire / 4 circuit jumper cable 18"L
84 FF 24	106	8 wire / 4 circuit jumper cable 24"L
84 FF 30	109	8 wire / 4 circuit jumper cable 30"L
84 FF 36	113	8 wire / 4 circuit jumper cable 36"L
84 FF 42	121	8 wire / 4 circuit jumper cable 42"L
84 FF 48	129	8 wire / 4 circuit jumper cable 48"L
84 FF 54	136	8 wire / 4 circuit jumper cable 54"L
84 FF 60	145	8 wire / 4 circuit jumper cable 60"L
84 FF 66	152	8 wire / 4 circuit jumper cable 66"L
84 FF 72	160	8 wire / 4 circuit jumper cable 72"L
84 FF 78	168	8 wire / 4 circuit jumper cable 78"L
84 FF 84	176	8 wire / 4 circuit jumper cable 84"L
84 FF 96	191	8 wire / 4 circuit jumper cable 96"L
84 FF 108	207	8 wire / 4 circuit jumper cable 108"L
84 FF 120	223	8 wire / 4 circuit jumper cable 120"L
84 FF 132	238	8 wire / 4 circuit jumper cable 132"L
84 FF 144	252	8 wire / 4 circuit jumper cable 144"L
84 FF 156	257	8 wire / 4 circuit jumper cable 156"L
84 FF 168	281	8 wire / 4 circuit jumper cable 168"L
84 FF 180	296	8 wire / 4 circuit jumper cable 144"L

### 83CMM

Rigid Junction




- Minimum 2" - maximum 12".

Code	\$	Description
83 CMM 02 76		8 wire 4 circuit M/M Rigid Channel - 2"L
83 CMM 06 81		8 wire 4 circuit M/M Rigid Channel - 6"L
83 CMM 12 91		8 wire 4 circuit M/M Rigid Channel - 12"L

### 84CFF

Rigid Junction



- Minimum 2" - maximum 12".


Code	\$	Description
84 CFF 02 72		8 wire 4 circuit F/F Rigid Channel - 2"L
84 CFF 06 77		8 wire 4 circuit F/F Rigid Channel - 6"L
84 CFF 12 85		8 wire 4 circuit F/F Rigid Channel - 12"L

# Accessories

## Electrical Accessories

### 8SR


Simplex Removal Tool



Code	\$	Description
8SR	5	Simplex removal tool

### 844AA

Power Block




- Electri-Pak, 8 wire 4 circuit double-sided power block. Simplex ordered separately;
- "Y" connector not required; 4 ports: 1 input and up to 3 outputs;
- Max. 8 Simplex total per block.

Code	\$	Description
844AA	68	

### 84S

Circuit - electric plug




- Simplex for 84 system.

Code	\$	Description
84 S1-BL-150	15	Circuit 1 - 20A
84 S2-BL-150	15	Circuit 2 - 20A
84 S3-BL-150	15	Circuit 3 - 20A
84 S4-BL-150	15	Circuit 4 - 20A
84 S3IG-OR-150	17	Circuit 3 isolated ground - 20A
84 SB-BL-150	7	Blank

### PMDBRKTKIT

Bracket




Ex: 844AA + 84S

- 844AA metal mounting bracket assembly and mounting plate included.

Code	\$	Description
PMD BRKT KIT	45	

### WMS

Power and Data Cable Support



- 18.5", 32.5" or 44.5" metal power and data support for 844AA power block with 2 telecom plate cutouts;
- Metal mounting plate included;
- J-Channel to isolate data cables from power cables;
- Satin nickel finish.

Code	A	\$	Description
WMS18	158		18.5" support
WMS32	208		32.5" support
WMS44	213		44.5" support

### WM

Velcro Tie



- Velcro tie for electrical cable;
- The non-metallic buckle is safe to use around electrical devices;
- Dimensions: 3/4" x 10";
- Color: black.


Code	\$	Description
WM	10	Unit price

## Accessories

### Electrical Accessories

#### SPINE

Wire Management Spine




- 2" diameter;
- Gray plastic.

Code	\$	Description
SPINE	122	

#### T5

Florescent task light



- Florescent lamp (T5) with swivel reflector and electronic ballast;
- 120" power cable with electric plug;
- Finish: Black.



Code	\$	Description
T524	136	24" length
T536	181	36" length
T548	238	48" length

#### T5LINK


Florescent task light connection

- 12" or 24" connection wire for T524, T536 or T548 florescent lamp.

Code	\$	Description
T5LINK12	18	12" length
T5LINK24	23	24" length

#### PBL

Power bar



- Power bar with 6 electric outlets;
- 120" power cable with electric plug.



Code	\$	Description
PBL	49	

As our product line is constantly evolving and expanding, we recommend that you visit [logiflex.ca](http://logiflex.ca) for updates.

logiflex

1235 St-Roch N., Sherbrooke QC J1N 0H2 Canada  
T : 1.877.864.9323 | F : 1.800.474.7830 | [logiflex.ca](http://logiflex.ca)

