

# essentia

WOOD FURNITURE




## USA price list

Effective February 1<sup>st</sup> 2012

**UPDATED** - March 15<sup>th</sup> 2017

**Update Summary - p.107**

**artopex**<sup>®</sup>  
the art and the purpose



## interactive links

page tabs & page references

→ document optimized for dual page viewing


|              |   |
|--------------|---|
| VISUAL INDEX | 4 |
|--------------|---|

|                                             |    |
|---------------------------------------------|----|
| GENERAL INFORMATION                         |    |
| Materials                                   | 9  |
| The Essentia workstation and its components | 10 |
| Surfaces                                    | 11 |
| Gables and legs                             | 13 |
| Modesty Panels                              | 15 |
| Storage                                     | 16 |
| Work wall                                   | 21 |
| Electricity                                 | 22 |
| Accessories                                 | 23 |
| Colors                                      | 25 |
| Specification guide                         | 26 |
| Installation procedure preview              | 33 |
| Typical layouts                             | 35 |

|                                  |     |
|----------------------------------|-----|
| PRICE LIST                       |     |
| Surfaces and returns             | 37  |
| RECTANGULAR surfaces and returns | 37  |
| TRAPEZOID surfaces and returns   | 43  |
| ERGONOMIC surfaces and returns   | 49  |
| ELLIPTICAL surfaces and returns  | 56  |
| Tables                           | 62  |
| Gables and legs                  | 65  |
| Modesty panels                   | 68  |
| Storage                          | 76  |
| Accessories                      | 102 |
| Conditions & guarantees          | 106 |


### RECTANGULAR SURFACE - 1 MATERIAL 37

SSi3684  
SSi3678  
SSi3672  
SSi3078  
SSi3072  
SSi3066  
SSi3060




### RETURNS FOR RECTANGULAR SURFACES - 1 MATERIAL 38

SRLi2460  
SRLi2454  
SRLi2448  
SRLi2442




SRDLi2472  
SRDLi2466  
SRDLi2460  
SRDRi2472  
SRDRi2466  
SRDRi2460




### RECTANGULAR SURFACES WITH BIDIRECTIONAL WOOD GRAIN 39

SSi2A3684  
SSi2A3678  
SSi2A3672  
SSi2A3078  
SSi2A3072  
SSi2A3066  
SSi2A3060




SSi2B3684  
SSi2B3678  
SSi2B3672  
SSi2B3078  
SSi2B3072  
SSi2B3066  
SSi2B3060




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR RECTANGULAR SURFACES 40

SRLiA2460  
SRLiA2454  
SRLiA2448  
SRLiA2442  
SRRiA2460  
SRRiA2454  
SRRiA2448  
SRRiA2442




SRDLi2B2472  
SRDLi2B2466  
SRDLi2B2460  
SRDRi2B2472  
SRDRi2B2466  
SRDRi2B2460




### RECTANGULAR SURFACES WITH COMBINED MATERIALS 41 & 42


SSi2WB3684  
SSi2WB3678  
SSi2WB3672  
SSi2WB3078  
SSi2WB3072  
SSi2WB3066  
SSi2WB3060




SSi2CB3684  
SSi2CB3678  
SSi2CB3672  
SSi2CB3078  
SSi2CB3072  
SSi2CB3066  
SSi2CB3060



SSi2CA3684  
SSi2CA3678  
SSi2CA3672  
SSi2CA3078  
SSi2CA3072  
SSi2CA3066  
SSi2CA3060




SSi2CC3684  
SSi2CC3678  
SSi2CC3672  
SSi2CC3078  
SSi2CC3072  
SSi2CC3066  
SSi2CC3060




### TRAPEZOID SURFACES - 1 MATERIAL 43

SST3078  
SST3072  
SST3066




### RETURNS FOR TRAPEZOID SURFACES - 1 MATERIAL 44


SRLT2484  
SRLT2478  
SRLT2472  
SRRT2484  
SRRT2478  
SRRT2472



SRELt2484  
SRELt2478  
SRELt2472  
SRERt2484  
SRERt2478  
SRERt2472




SRDLT2472  
SRDLT2466  
SRDLT2460  
SRDRT2472  
SRDRT2466  
SRDRT2460




### TRAPEZOID SURFACES WITH BIDIRECTIONAL WOOD GRAIN 45

SST2A3078  
SST2A3072  
SST2A3066




SST2B3078  
SST2B3072  
SST2B3066




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR TRAPEZOID SURFACES 46


SRLT2B2484  
SRLT2B2478  
SRLT2B2472  
SRRT2B2484  
SRRT2B2478  
SRRT2B2472



SRELt2B2484  
SRELt2B2478  
SRELt2B2472  
SRERt2B2484  
SRERt2B2478  
SRERt2B2472




SRDLT2B2472  
SRDLT2B2466  
SRDLT2B2460  
SRDRT2B2472  
SRDRT2B2466  
SRDRT2B2460




### TRAPEZOID SURFACES - COMBINED MATERIAL 47

SST2WB3078  
SST2WB3072  
SST2WB3066




### TRAPEZOID SURFACES - COMBINED MATERIAL 48

SST2CB3078  
SST2CB3072  
SST2CB3066




### ERGONOMIC SURFACES - 1 MATERIAL 49

SSC2784  
SSC2778  
SSC2772  
SSC2766  
SSC2760




### RETURNS FOR ERGONOMIC SURFACES - 1 MATERIAL 50

SRLC1860  
SRLC1854  
SRLC1848  
SRRC1860  
SRRC1854  
SRRC1848




SRELC241884  
SRELC241878  
SRELC241872  
SRERC241884  
SRERC241878  
SRERC241872




### ERGONOMIC SURFACES WITH BIDIRECTIONAL WOOD GRAIN 51

SSC2A2784  
SSC2A2778  
SSC2A2772  
SSC2A2766  
SSC2A2760




SSC2B2784  
SSC2B2778  
SSC2B2772  
SSC2B2766  
SSC2B2760




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ERGONOMIC SURFACES 52


SRLC2A1860  
SRLC2A1854  
SRLC2A1848




SRRC2A1860  
SRRC2A1854  
SRRC2A1848



SRLC2B1860  
SRLC2B1854  
SRLC2B1848




SRRC2B1860  
SRRC2B1854  
SRRC2B1848




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ERGONOMIC SURFACES (CONT'D) 53

SRELC2B241884  
SRELC2B241878  
SRELC2B241872




SRERC2B241884  
SRERC2B241878  
SRERC2B241872



### ERGONOMIC SURFACES WITH COMBINED MATERIALS 54

SSC2WB2784  
SSC2WB2778  
SSC2WB2772  
SSC2WB2766  
SSC2WB2760




### ERGONOMIC SURFACES WITH COMBINED MATERIALS 55

SSC2CB2784  
SSC2CB2778  
SSC2CB2772  
SSC2CB2766  
SSC2CB2760




### ELLIPTICAL SURFACE - 1 MATERIAL 56

SSE3678  
SSE3672




### RETURNS FOR ELLIPTICAL SURFACES WITH 1 MATERIAL 57

SRLE782460  
SRLE782454  
SRLE782448  
SRRE782460  
SRRE782454  
SRRE782448  
SRLE722460  
SRLE722454  
SRLE722448  
SRRE722460  
SRRE722454  
SRRE722448




### ELLIPTICAL SURFACE WITH BIDIRECTIONAL WOOD GRAIN 58

SSE2A3678  
SSE2A3672




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ELLIPTICAL SURFACES 59

SRLE2A782460  
SRLE2A782454  
SRLE2A782448  
SRRE2A782460  
SRRE2A782454  
SRRE2A782448  
SRLE2A722460  
SRLE2A722454  
SRLE2A722448  
SRRE2A722460  
SRRE2A722454  
SRRE2A722448



### ELLIPTICAL SURF. - COMBINED MATERIALS 60 & 61

SSE2WB3678  
SSE2WB3672




SSE2CB3678  
SSE2CB3672




### ROUND TABLES 29" H. 62


TRS2948  
TRS2942



TRR2948  
TRR2942




TRD2948  
TRD2942




### ROUND TABLES 36" H. & 42" H. 62

TRD3630  
TRD4230




### OCCASIONAL TABLES 17" H. 63


TMASS172436  
TMASS172424




TMASR172436  
TMASR172424




TMARD1730  
TMARD1724



TMAED172136




### WOOD GABLE SETS 64 & 65



### WOOD GABLES FOR WORK SURFACES 66

A2824




DL2830  
DR2830  
DL2824  
DR2824




### END GABLE FOR RETURN 67

TUL2819  
TUR2819  
TUL2813  
TUR2813




### METAL LEGS 67

LER28  
LES28




LED35421  
LED28421




### MODESTY PANELS FOR WORK SURFACE 13½" & 26½" H. 72 & 73

13½" H.




26½" H.




### MODESTY PANELS FOR RETURNS 13½" & 26½" H. 74 & 75

13½"H.



26½"H.



### PEDESTALS 27" H. 76 & 77

FPUUF242427  
FPUUF241927



FPFF242427  
FPFF241927



FPO242427  
FPO241927



FPUUF302427  
FPUUF301927



FPFF302427  
FPFF301927



FPO302427  
FPO301927



### STORAGE UNITS 27" H. 78 & 79

SDD243627  
SDD243027




SFF243627  
SFF243027




SUUBF243627  
SUUBF243027



SDUUF243627  
SUUFD243627



SDUUF243027  
SUUFD243027



SSL243627  
SSL243027




SO243627  
SO243027




### CREDENZAS 27" H. 80 -81-82


SFFDD247227  
SFFDD246027




SDDFF247227  
SDDFF246027




SFFO247227  
SFFO246027




SOFF247227  
SOFF246027




SDDO247227  
SDDO246027




SODD247227  
SODD246027




SUUBFO247227  
SUUBFO246027




SOUUBF247227  
SOUUBF246027



SSL247227  
SSL246027




SSC247227  
SSC246027




### SURFACE SUPPORT SPACERS 82

ES-S1SP46-W



### TOPS FOR 27" H. STORAGE UNITS 83


SSi2472  
SSi2466  
SSi2460  
SSi2436  
SSi2430



### STORAGE UNITS 40" H.

84 & 85


SFFF243640  
SFFF243040  
SFFF241940




SOFF243640  
SOFF243040




SDL241940  
SDR241940




SDD243640  
SDD243040




SSL243640  
SSL243040



SSC245440




SO243640  
SO243040  
SO241940




### COMBINED CABINETS 19" WIDE

86 & 87


SDLFF241978  
SDRFF241978  
SDLFF241968  
SDRFF241968




SOFF241978  
SOFF241968



SOFFF241978  
SOFFF241968




SDSL241978  
SDSR241978  
SDWL241978  
SDWR241978  
SDSL241968  
SDSR241968  
SDWL241968  
SDWR241968




### COMBINED CABINETS 36" WIDE

88 & 89


SDFF243678  
SDFF243668




SSFF243678  
SSFF243668



SDFFF243678




STS243678  
STSW243678  
STW243678  
STS243668  
STSW243668  
STW243668



### BOOKCASES

90

SO153678  
SO153078




SO153668  
SO153068

SO153640  
SO153040


### STORAGE UNITS 16" H.

91


SFO247216  
SFO246016  
SOF247216  
SOF246016




SSL247216  
SSL246016



SSC247216  
SSC246016




SO247216  
SO246016




### HUTCHES 41" H. WITH HINGED DOORS

92 & 93


HU724120  
HU604120  
HU364120  
HU304120  
HU184120L  
HU184120R  
HU154120L  
HU154120R



HU724130  
HU604130  
HU364130  
HU304130  
HU184130L  
HU184130R  
HU154130L  
HU154130R




HU72413020  
HU60413020




### HUTCHES 41" H. WITH SLIDING DOOR

94


HSL724120  
HSL604120




HSC724120  
HSC604120



HSL724130  
HSL604130




HSC724130  
HSC604130



### OPEN HUTCHES 41" H

95


HO724120  
HO604120  
HO364120  
HO304120  
HO184120  
HO154120




### HUTCHES 51" H WITH HINGED DOORS.

96 & 97


HU725130  
HU605130  
HU365130  
HU305130  
HU185130L  
HU185130R  
HU155130L  
HU155130R




HU725140  
HU605140  
HU365140  
HU305140  
HU185140L  
HU185140R  
HU155140L  
HU155140R



HU72513020  
HU60513020




HU72514030  
HU60514030




### HUTCHES 51" H WITH SLIDING DOOR.

98


HSL725130  
HSL605130




HSC725130  
HSC605130



HSL725140  
HSL605140




HSC725140  
HSC605140




### WALL MOUNTED HUTCHES

99


HWD7220  
HWD6020  
HWD3620  
HWD3020




HWO7220  
HWO6020  
HWO3620  
HWO3020



HWSL7220  
HWSL6020




HWSC7220  
HWSC6020



### WORK WALL

100


WU7241  
WU6041  
WU3641  
WU3041  
WU7232  
WU6032  
WU3632  
WU3032  
WU7222  
WU6022  
WU3622  
WU3022



### CUSHIONS FOR 16"H. STORAGE

101


CUS2472  
CUS2460  
CUS2436  
CUS2430



### HANGING SHELVES

102

HE1072  
SHE1066  
SHE1060  
SHE1054  
SHE1048  
SHE1042  
SHE1036  
SHE1030  
SHE1024  
SHE0672  
SSHE0666  
SHE0660  
SHE0654



### HANGING SHELVES (CONT'D)


102

SHE0648  
SHE0642  
SHE0636  
SHE0630  
SHE0624

### BOOKENDS

102


ASDM10  
ASDM06



### PIGEONHOLE UNITS

103


PHM111421  
PHM111411  
PHM111721  
PHM111711



### STIFFENERS

104


ES-RSTi64  
ES-RSTi52  
ES-RSTi46




### SUPPLEMENTARY HARDWARE

105


AC-RSTi18



AC-FJP48




AC-FJP2



### LIGHT VALANCE

105

HLC72  
HLC60  
HLC36  
HLC30



### GENERAL DESCRIPTION

Essentia is a complete collection of executive office furniture. Beginning with some basic shapes, numerous configurations are possible. The collection, made from reconstituted wood, is an attractive blend of materials as equally impressive as its main material – wood. The melding of wood, white lacquer, Soft-Touch leather and glass contribute to the distinction and style of the collection's surfaces and storage units.

Essentia offers a large variety of work surfaces and returns. The surfaces are either "floating" above storage units (supported by spacers) or supported by wood gables or metal legs.

The nesting of the main work surface with the return surface is a strong aesthetic element of the collection. The pedestals, credenzas, half-height storage units, cabinets, wardrobes, bookcases and wall-mounted or freestanding hutches are available in many configurations. A wall- or credenza-mounted work wall is also available. The accessory rail completes the work environment allowing the addition of shelves and accessories.

The Essentia collection offers various practical and functional components such as pigeon-hole units, electrical access, modesty panels and the Noki lock designed specifically the collection.



### THE MATERIALS

#### Reconstituted Wood

Classic, warm, noble and distinctive, the Essentia wood collection is also environmentally responsible in the use of reconstituted wood. These veneers are made from fast-growing wood, limiting excessive forest harvesting. Another major advantage is the lack of color variation between components allowing for continuity in the components and future additions. Because reconstituted veneers allow for the reproduction of rare essences, the Essentia collection is available in walnut, oak, teak and zebra wood grains. Essentia's 17 colors originate from these 4 essences as shown on the interior cover of this document. The colors have a semi-matte finish (15% gloss) for a contemporary, natural look. Wood is the main material on the components and the wood grain is positioned horizontally on the majority of the furniture's structural components.

Some of the components feature innovatively oriented veneer with what we call bidirectional wood grain. The great skills and experience of our specialists are revealed in designs using the same essence. This detail is found in the Duo wood gable, work surfaces, returns and modesty panels when specified.

Refer to the illustration next to the product description for wood grain orientation.



**Bidirectional wood grain on the surface, gable and modesty panel.**

#### Lacquer

The lacquer is an opaque white paint with a matte finish that is soft to the touch. The finish is very resistant to stains and scratches in the context of normal office work. It is available on surfaces, storage fronts and hutch doors as well as on modesty panels and hanging shelves.

#### Soft-Touch

Soft-Touch is a vinyl fabric similar to leather while offering many undeniable advantages such as the ease of writing on paper on a surface or desk blotter covered with the material. It is also available on storage and hutch fronts. Beige topstitching is added on the majority of components for a high quality finishing touch. Soft-Touch is available in black, dark brown, terra cotta or cream. Its hand-crafted assembly may leave some wrinkles in the surface corners, these surfaces require extra cleaning attention.


#### Glass

The Essentia collection uses 6mm thick tempered glass with polished edges. The exposed surface of clear glass is acid treated resulting in a frosted look. The opposite side is painted white making it opaque. Glass is available on some surfaces, on hutch door fronts and 13½" H. modesty panels.



**Soft-Touch with topstitching.**

### LE POSTE TYPE



SURFACES

MAIN SURFACES

Main work surfaces are available in four models in various dimensions:

- 1 Rectangular
- 2 Trapezoid
- 3 Ergonomic
- 4 Elliptical

A round table is also available.

RETURNS

Each surface shape has its specific return in various dimensions. It is important to use the surface's specific return in the appropriate dimensions as specified in the price list.

MATERIAL COMBINATIONS

The Essentia collection concept is based on the combination of materials. The possible combinations are:

- Surfaces with 1 material
- Surfaces with 2 materials
- Surfaces with bidirectional wood grain

The combination choices as well as the wood grain orientation are predetermined for all surfaces, refer to the specifications in the price list.

1 RECTANGULAR

1 MATERIAL

2 MATERIALS

BIDIRECTIONAL WOOD GRAIN

WORK SURFACES

Wood, Lacquer or Soft-Touch

Lacquer or Glass

Wood

Soft-Touch

Wood or Lacquer

Wood, Lacquer or Glass

Soft-Touch

Wood

Soft-Touch

RETURNS

Wood, Lacquer or Soft-Touch

Wood

Soft-Touch

CONFIGURATIONS

2 TRAPEZOID

1 MATERIAL

2 MATERIALS

BIDIRECTIONAL WOOD GRAIN

WORK SURFACES

Wood, Lacquer or Soft-Touch

Wood, Lacquer or Glass

Soft-Touch

Lacquer or Glass

Wood

RETURNS

Wood, Lacquer or Soft-Touch

Wood

Soft-Touch

CONFIGURATIONS

SURFACES

**EDGING** All surfaces are 1-1/8" thick. A straight or reverse edge is available on all work surfaces and returns except on glass surfaces where only the straight edge is available. Edging is found on all sides of the surface. The reverse edge can be installed beside another reverse edge. A "counter-profile" is not available.



Two side-by-side reverse edge surfaces.



3 ERGONOMIC

1 MATERIAL

2 MATERIALS


BIDIRECTIONAL WOOD GRAIN

WORK SURFACES


Wood, Lacquer or Soft-Touch

Wood, Lacquer or Glass  
Soft-Touch


Lacquer or Glass  
Wood




RETURNS



Wood, Lacquer or Soft-Touch



CONFIGURATIONS



4 ELLIPTICAL

1 MATERIAL

2 MATERIALS

BIDIRECTIONAL WOOD GRAIN

WORK SURFACES


Wood or Lacquer

Lacquer  
Wood

Wood or Lacquer  
Soft-Touch



RETURNS



Wood, Lacquer or Soft-Touch



CONFIGURATIONS




### GABLES & LEGS

#### BASES

Surfaces are supported by gables, legs or storage units with the help of surface support spacers. Many configurations are possible, such as:



4 legs (or 2 gables)



2 legs (or 1 gable) & storage unit



2 storage units

To ensure the best use of grommets and modesty panels, refer to the reference guide for positioning on the bases. This guide ensures that the ordered components are in the recommended dimensions (such as the modesty panel) for proper installation. Leg, gable and storage unit positions under the surface are predetermined.

The surfaces are not fitted with anchors and can be installed on the storage unit at any desired location regardless of the suggested plan. This can be advantageous for certain layouts where space is limited. **IMPORTANT:** In this case, the installation of a modesty panel as specified with the use of the reference guide (p.68 to 71) may get in the way of installed storage unit.

An installation guide is available and includes the positioning specifications for all components in the collection.


#### GABLE & LEG TYPES

Two models of wood gables are available for the main surfaces, one for the returns and three types of metal legs. Each leg and gable is attached by screws directly under the surface and come with adjustable levellers. The leg placement is predetermined to ensure compatibility with the other components such as modesty panels, grommets and multi-outlet modules. An installation guide is available.

#### WOOD GABLES

##### • ALTO GABLE

The Alto gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection. The wood grain direction is vertical and the gable is reversible. Available only in 24" wide, it can support the majority of main surfaces regardless of dimension but is not suited for returns or elliptical surfaces. The gable allows for cable routing and is equipped with a removable panel for easy access. A multi-outlet module (AC-EPUA) can be installed inside the gable, see Accessory price list.




Exterior view

Interior view

##### • DUO GABLE

The Duo gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection with a refined bidirectional wood grain detail. It is available in widths of 30" (for surfaces 36" deep) and 24" (for surfaces 30" deep). This gable must be specified for the appropriate surface dimensions for maximum stability. The gable allows for cabling passage and is equipped with a removable panel for easy access. A multi-outlet module (AC-EPU) can be installed inside the gable, see Accessory price list.




Left Duo Gable

Right Duo Gable

##### • RETURN END GABLE

To support the end of a return without a pedestal, it is recommended to use a return end gable (p.67). The gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection. The wood grain direction is horizontal.



Left

Right


### GABLES & LEGS

#### ALTO & DUO GABLE SETS

If a work surface is specified with gables at each end, it is important to choose the gable set by consulting pages 64 and 65 of the price list. Two gables will be delivered with a structural beam (to be installed between the gables) to ensure the stability of the gables and the attached surface. This beam is not necessary if one of the ends is supported by a pedestal. In this case, it is possible to purchase an individual gable, see pages 66 and 67.

#### Surface supported by 2 wood gables: (Alto or Duo)

Specify the gable set (including beam), see pages 64 and 65.




#### SINGLE GABLE AND PEDESTAL

#### Surface supported by a wood gable and a pedestal:

Specify the required individual base.

\*A stiffener is recommended for all surfaces over 60", see pages 104 and 105.




#### METAL LEG

A work surface can be specified with metal legs at each end or with another type of base at the opposite end. The round leg, the square leg, and the circular leg with "disc" base are available. As with the gables, the legs are equipped with adjustable levellers (5 in the case of the circular leg).


#### • ROUND LEG

The round leg has a diameter of 2½" and a leveller 4" in diameter and ¼" thick. It is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).



#### • SQUARE LEG

The square leg is 2½" x 2½" and is equipped with a black leveller 1½" in diameter. It is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).




\*The round and square legs are not recommended for surfaces over 78" and cannot be used with a full height modesty panel.

#### • CIRCULAR LEG WITH "DISC" BASE

The leg is composed of a 4" diameter tube with a 21" diameter circular "disc" base. It is available in 28" high (seated height) or 35" high (standing height). It is designed to support the elliptical work surface and is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).

A 4" diameter allows for the installation of the round multi-outlet module or round grommet (see page 23), as well as cable routing through the tube towards the base. Adjustable levellers (under the disc base) allow for cables to be routed through to the periphery of the base.

This leg is also included on the round tables on page 62. Dimensions vary depending on the diameter of the table.




### INSTALLATION ON A PEDESTAL OR CREDENZA

When a surface rests on a pedestal or credenza, a 1" space is created between the two by a surface support spacer allowing the surface to be attached to the storage unit. Two spacers are required to attach one end of a surface to the storage unit.

The spacer is made of MDF, painted silver. They are sold by the pair, see page 82.

Installation of the spacers is very simple. The steps are explained on page 33 and in the installation guide.

Important: If there is a modesty panel installed on the workstation, refer to the installation guide before attaching the spacers and the surface.



### MODESTY PANEL

Different modesty panels can be added under the main work surface and returns. These panels are available in heights of 13½" (short) or 26½" (full height).

The panels are available in wood (horizontal or bidirectional wood grain) or in lacquer and are 11/16" thick.

The 13½" high modesty panel for the main work surface is also available in glass with an anodized aluminum frame, 13/16" thick. The glass modesty panel is not available on returns.



**NOTE THAT \*\* The modesty length varies according to the surface shape as well as the type of base used under the surface.**

In order to specify the correct panel, refer to the reference guide for modesty panels on pages 68 to 71.

The modesty panel is attached under the surface by screws (hardware included). The installation of a full height modesty panel requires the use of 2 extra "L" brackets at the base of the panel in order to attach it to the gables or pedestals. These brackets may be visible from the user side of the desk.

Depending on the configuration, a 1-1/8" space will be left under the surface and a small space near the gable, leg or pedestal, especially when using metal legs.


An installation guide is available for positioning the modesty panel in relation to the bases and built-in multi-outlet modules and grommets.



### STORAGE - GENERAL INFORMATION

Many types of storage units are available in the Essentia collection:

- **Freestanding storage units:**
  - Low storage units (16" H.)
  - Pedestals & credenzas (27" H.)
  - Mid-height storage units & bookcases (40" H.)
  - Cabinets & bookcases (68" H. & 78" H.)
- **Freestanding & wall mounted hutches**



**CONSTRUCTION** The storage units are made of a wood frame with 11/16" thick sides, bottom and back; the top and shelves are 1" thick. The frame's finish is available in the 17 finishes of the Essentia collection and the wood grain is horizontal on all sides. The interior frame of the drawers is made with natural finished maple.

The storage fronts are 5/8" thick but have a thin profile giving the illusion of a 3/8" thickness. All fronts for freestanding storage units are close to the ground (kick plate 1" H.) and the adjustable levellers are less visible. The glass door fronts (hutches) have an anodized aluminum frame. The visible contour on the door front is 1/8". The door with a glass front is 13/16" thick.

**DRAWER SLIDES** Storage drawers are fitted with ball bearing slides and integrated dampers for gentle closing of the drawer. For pedestals with drawers 19" to 24" wide, the slides have an extension length of 21" and can support 100 lbs, in compliance with BIFMA Standards. For storage units with lateral drawers of 30" and 36" wide, the slides have an extension length of 16" and can support 130 lbs.


**HINGES** The hinged doors on storage units and hutches are equipped with dampers that function the same as on the drawers. Depending on the height, two hinges or more are installed.

**PULLS** All storage fronts, with the exception of the fronts of hutches, are equipped with pulls. The sliding door on freestanding storage units 60" and 72" in length exceptionally has two pulls. A choice of arched or straight pulls is available. The pulls are metal with a satin silver finish and are 192mm in length at the drill holes (7 1/2").

**COUNTERWEIGHTS** A counterweight option is available on certain filing cabinets. This is a factory installed counterweight that protects the unit from tipping if overloaded. Refer to product description for availability.




Arched pull (PA)



Straight pull (PT)


### FREESTANDING STORAGE UNITS OVERVIEW

#### • 16" HIGH STORAGE UNITS




- Widths: 60" & 72"
- Depth: 24"
- Open or combined
- Fronts: drawer or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- Cushion available for these units, see page 101.

#### • 27" HIGH STORAGE UNITS



- Widths: 30", 36", 60" & 72"
- Depth: 24"
- Open or combined
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- Can be used as surface supports


#### • 27" HIGH PEDESTALS



- Widths: 19" & 24"
- Depths: 24" & 30"
- Open or with box/file drawers
- Front finishes: wood, lacquer or Soft-Touch
- Can be used as surface supports\*


\*Important: Rectangular surfaces 36" deep must be supported by a pedestal 30" deep. A pedestal 24" deep is not sufficient for this type of surface.

#### • 40" HIGH STORAGE UNITS




- Widths: 19", 30", 36" & 54"
- Depth: 24"
- Open or combined
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch

#### • 68" & 78" HIGH CABINETS



- Widths: 19" & 36"
- Depth: 24"
- Combined, cabinet with shelves and/or wardrobe
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- The wardrobe has a coat hook and fixed upper shelf with 9" high storage space.


#### • 40", 68" & 78" HIGH BOOKCASES



- Widths: 30" & 36"
- Depth: 15"

### FREESTANDING STORAGE UNITS

**PENCIL TRAY** A pencil tray is included in the top 6" drawer of storage units that have this type of drawer (one tray per storage unit). It is made of solid maple with a natural finish.



**FRONTS** The storage fronts can be specified in wood, lacquer or Soft-Touch whereas the hutch fronts are also available in glass. A Soft-Touch front is always horizontally topstitched in beige at 3/8" from the top and bottom of the front.



Wood front



Lacquer front




Soft-Touch front

### FREESTANDING STORAGE UNITS - INTERIOR CAPACITY


The file drawers allow for filing of letter or legal format documents. According to the width of the drawer, the following are examples of positioning for suspended files

#### 19" WIDE STORAGE


"Letter" size



"Legal" size




Combined "letter" & "legal" sizes




#### 24" WIDE STORAGE

"Letter" size




"Legal" size




#### 30" WIDE STORAGE


"Letter" size



"Legal" size




Combined "letter" & "legal" sizes




#### 36" WIDE STORAGE


"Letter" size



"Legal" size



Combined "letter" & "legal" sizes



### FREESTANDING STORAGE UNITS - NOKI ELECTRONIC LOCK


Storage in the Essentia collection is not automatically fitted with a lock. Artopex's Noki lock is offered as an option on the majority of storage units. There is no upcharge but it must be specified.

One lock can be installed per unit and depending of the storage configuration, it can lock either drawers or hinged doors. The lock option is not available on sliding or hutch doors.




#### POSITION & LOCKING

- On a storage unit with many drawers, the lock is always installed on the right side of the top drawer allowing it to also lock the drawers below.



- On storage units with one or more hinged door (with no drawer), the position of the lock varies according to the unit but always locks both doors.


On storage units 27" and 40" high, the lock is installed above the pull. On a two-door unit, it is always on the left door.




- On cabinets 68" and 78" high, the lock is installed under the pull. On a two-door unit, it is always on the left door.

The lock is available as an option on cabinets\* with interior shelves (half width + wardrobe or full-width shelves).

\*The lock option is not available on the wardrobe cabinet (STW or SDW).




- On a combined storage unit with drawers and hinged doors, the lock is always installed on the right side of the top drawer. The lower drawers will lock but the door(s) will not.



### 41" & 51" HIGH FREESTANDING HUTCHES

Freestanding hutches are installed on storage units 27" high preserving the total height indicated in the reference guide. If the storage unit has a top (p.83), the addition of a hutch will increase the total height by 2".




#### SPECIFICATIONS

- Widths: 15", 18", 30", 36", 60" & 72"
- Depth: 15" (16" including door), interior space: 14½"
- Open or combined
- Fronts: hinged doors (with damper) or sliding door
- Front finishes: wood, lacquer, Soft-Touch or glass (glass door fronts have an aluminum frame)
- Door heights (depending on hutch height): 20", 30" or 40"
- Pulls & lock not available

#### ACCESSORY BAR


A built-in accessory bar in equal length of the back is available as an option for hutches 30" to 72" in length. It is positioned at 9" above the bottom storage surface for all hutches where the shelf is no lower than 22".

The anodized aluminum bar can support Artopex accessories and is available as an option with an upcharge.



#### GROMMETS

Grommets are available as an option on freestanding hutches 30" to 72" long. They are round (1½" dia.) with a dark brown finish and a cap that can be closed when not in use. According to the size of the hutch, the number and placement of the grommets will vary:



#### GLASS DOORS

Glass fronts have an anodized aluminum frame. The visible contour on the door front is 1/8". The door with a glass front has a 13/16" total thickness.

20" HIGH WALL-MOUNTED HUTCHES

A wall-mounted hutch is attached to the wall with hardware allowing for some adjustment in case the wall is not perfectly straight.


- SPECIFICATIONS
- Width: 30", 36", 60" & 72"
  - Depth: 15" (16" including door), interior space: 14½"
  - Open or combined
  - Fronts: hinged doors (with damper) or sliding door
  - Front finishes: wood, lacquer, Soft-Touch or glass (glass door fronts have an aluminum frame)
  - Door height: 20"
  - Pulls & lock not available

WORK WALL


The work wall is a 1" thick MDF panel with wood veneer. It can be added to a work station for hanging shelves and Artopex accessories (plastic or metal).

- Work wall can be installed:
- On a 27" H. credenza (**CR** option)
  - or
  - Wall mounted (**WM** option)

When attached to a credenza, the work wall is held in place by stiffeners installed at the back of the credenza. Note that it cannot be installed under a freestanding hutch.




The work wall is available in 3 heights (22", 32" and 41") and 4 widths (30", 36", 60" and 72"). According to its height, one, two or three anodized aluminum accessory bars are built-in the full length of the work wall. The top and lower edges of the work wall have an edging the same color as the wood specified and the sides are covered with an aluminum trim hiding the ends of the accessory bar. The work wall is available in the collection's 17 wood colors.




\* Total height: 27" H. storage + work wall + wall-mounted hutch

- GROMMETS
- Grommets, identical to those for hutches, are available as an option on credenza mounted work walls. According to the width of the panel, one or two grommets are factory installed.



## ELECTRIFICATION OF A WORK STATION

Many solutions are available for the electricity and cable management needs of an Essentia work station. The illustrations below present a summary of these solutions.



Wire troughs able to hold many wires (with self-adhesive back) are available as well as cable fasteners attached with screws. These allow for routing of wires under surfaces.

### BUILT-IN GROMMETS & MULTI-OUTLET MODULES


The Essentia collection offers many solutions for electricity and cable management. The grommets and/or built-in multi-outlet modules are available for the majority of surfaces, refer to the Accessory price list.

The grommets and multi-outlet modules shown below are factory installed and cannot be ordered separately.

A movable multi-outlet module that is not built-in can be ordered separately and installed on-site, see following page.

#### GROMMETS ON A WORK SURFACE

The grommet can be specified for right or left installation. On rectangular, trapezoid and ergonomic surfaces, the grommet is square (4" x 4") with an aluminum satin finish and is positioned in relation to the wood gable. For elliptical surfaces, the grommet is round (2½" dia.) with a chrome satin finish.



##### Square grommet

- Rectangular surface
- Trapezoid surface
- Ergonomic surface (codes GL1 & GR1)




##### Round grommet

- Elliptical surface (codes GL2 & GR2)

#### MULTI-OUTLET MODULE ON A WORK SURFACE

The built-in multi-outlet module can be specified for right or left installation. On rectangular, trapezoid and ergonomic surfaces, the multi-outlet module is square (4" x 5") with an anodized aluminum finish and access to the electricity and/or communication outlets is oriented towards the user. For elliptical and round surfaces, the module is round (4½" dia.) with a black cap. The addition of a modesty panel is recommended to conceal the module's wiring and electrical box mounted under the surface.



##### Square multi-outlet module

- Rectangular surface
- Trapezoid surface
- Ergonomic surface (codes DL1 & DR1)



##### Round multi-outlet module

- Elliptical surface
- Round table (codes DL2, DR2 & DC2)


- Dimensions: 4" x 5"
- One electrical outlet and one punch out for communication outlet
- Touch retractable
- Electrical cord: 72"
- UL certified
- Anodized aluminum

- Dimensions: 4¼" diameter under the surface (3½" dia. opening)
- Two electrical outlets and two communication outlets (category 5e, wires not included)
- Electrical cord: 72"
- UL certified
- Black

#### POSITION ON THE WORK SURFACE


The exact position of the grommet or built-in multi-outlet module varies according to the shape and dimensions of the work surface. The opposite examples show the position of the grommets and multi-outlet modules in relation to the gables/legs and the end of the various surface shapes.

Only the round multi-outlet module is available on the round table and it is always centered on the table. The wiring is routed through the tube of the circular leg.



#### POSITION ON THE RETURN

Grommets and multi-outlet modules are also available on returns. They are positioned at the end of the return, thus the end of the work station. The multi-outlet module is installed facing the work surface as demonstrated in the opposite illustration.




### MOVABLE MULTI-OUTLET MODULE

#### AC-EPU MULTI-OUTLET MODULE

It is possible to order a module that can be installed directly under the surface or inside a Duo gable.

- Two electrical outlets, a 13 amp circuit breaker, a surge suppressor, a telephone jack (RJ-11) and a communication outlet (RJ45 category 5)
- Electrical cord: 108"
- Media cord: 162"
- CSA certified
- Black



For installation inside the Alto gable, it is important to specify the AC-EPUA that includes a special metal bracket required for installation.


### ACCESSORIES

#### HANGING SHELF

A shelf can be attached to the accessory bar on the back of hutches and on work walls. Depending on its length, the shelf has two to three supports (anodized aluminum). The shelf is 1" thick and available from 24" to 72" long and 6" or 10" deep. It always has a straight edge, and is available in wood (17 colors) or lacquer. In wood, the edge matches the surface of the shelf.


#### BOOKENDS

Bookends are available. Made of painted metal (Polar White 3002 or Silver 3090 finish), they can be attached to 6" and 10" deep shelves (as explained above). Sold in pairs.



#### PIGEON-HOLE UNITS

The pigeon-hole units are made of a wood frame 11/16" thick (17 colors) with metal shelf inserts (Polar White 3002 or Silver 3090 finish). The shelves have an integrated tab 2½" long for attaching labels (not included). Choice of letter or legal size (see page 103). The vertical space between the shelves is 2-3/8".



#### OTHER ACCESSORIES

Artopex has a variety of ergonomic accessories such as keyboard trays, lamps, letter trays, etc. Unless otherwise indicated, all Artopex accessories are compatible with the Essentia collection. Refer to the Accessory Price list.

### COLORS & FINISHES

The following are the codes to be used in specifying color choices:

NOTE: Certain restrictions may apply for some components.


Always refer to the price list for restrictions.

| SURFACE               | CASE<br>(storage units, hutches,<br>pigeon-hole units, etc.)<br>WOOD GABLE<br>WORK WALL | FRONTS<br>(storage units<br>& cabinets) | FRONTS<br>(hutches)   | MODESTY PANEL                             | SHELVES<br>(for accessory bar) |
|-----------------------|-----------------------------------------------------------------------------------------|-----------------------------------------|-----------------------|-------------------------------------------|--------------------------------|
| WOOD                  | WOOD                                                                                    | WOOD                                    | WOOD                  | WOOD                                      | WOOD                           |
| Choco Oak (WO03)      | Choco Oak (WO03)                                                                        | Choco Oak (WO03)                        | Choco Oak (WO03)      | Choco Oak (WO03)                          | Choco Oak (WO03)               |
| Golden Oak (WO14)     | Golden Oak (WO14)                                                                       | Golden Oak (WO14)                       | Golden Oak (WO14)     | Golden Oak (WO14)                         | Golden Oak (WO14)              |
| Horizon Oak (WO78)    | Horizon Oak (WO78)                                                                      | Horizon Oak (WO78)                      | Horizon Oak (WO78)    | Horizon Oak (WO78)                        | Horizon Oak (WO78)             |
| Mocha Oak (WO02)      | Mocha Oak (WO02)                                                                        | Mocha Oak (WO02)                        | Mocha Oak (WO02)      | Mocha Oak (WO02)                          | Mocha Oak (WO02)               |
| Dark Walnut (WS16)    | Dark Walnut (WS16)                                                                      | Dark Walnut (WS16)                      | Dark Walnut (WS16)    | Dark Walnut (WS16)                        | Dark Walnut (WS16)             |
| Amber Teak (WT01)     | Amber Teak (WT01)                                                                       | Amber Teak (WT01)                       | Amber Teak (WT01)     | Amber Teak (WT01)                         | Amber Teak (WT01)              |
| Cognac Teak (WT80)    | Cognac Teak (WT80)                                                                      | Cognac Teak (WT80)                      | Cognac Teak (WT80)    | Cognac Teak (WT80)                        | Cognac Teak (WT80)             |
| Porto Teak (WT84)     | Porto Teak (WT84)                                                                       | Porto Teak (WT84)                       | Porto Teak (WT84)     | Porto Teak (WT84)                         | Porto Teak (WT84)              |
| Ruby Teak (WT83)      | Ruby Teak (WT83)                                                                        | Ruby Teak (WT83)                        | Ruby Teak (WT83)      | Ruby Teak (WT83)                          | Ruby Teak (WT83)               |
| Amber Zebra (WZ01)    | Amber Zebra (WZ01)                                                                      | Amber Zebra (WZ01)                      | Amber Zebra (WZ01)    | Amber Zebra (WZ01)                        | Amber Zebra (WZ01)             |
| Silver Zebra (WZ04)   | Silver Zebra (WZ04)                                                                     | Silver Zebra (WZ04)                     | Silver Zebra (WZ04)   | Silver Zebra (WZ04)                       | Silver Zebra (WZ04)            |
| Choco Zebra (WZ03)    | Choco Zebra (WZ03)                                                                      | Choco Zebra (WZ03)                      | Choco Zebra (WZ03)    | Choco Zebra (WZ03)                        | Choco Zebra (WZ03)             |
| Cognac Zebra (WZ80)   | Cognac Zebra (WZ80)                                                                     | Cognac Zebra (WZ80)                     | Cognac Zebra (WZ80)   | Cognac Zebra (WZ80)                       | Cognac Zebra (WZ80)            |
| Golden Zebra (WZ14)   | Golden Zebra (WZ14)                                                                     | Golden Zebra (WZ14)                     | Golden Zebra (WZ14)   | Golden Zebra (WZ14)                       | Golden Zebra (WZ14)            |
| Espresso Zebra (WZ16) | Espresso Zebra (WZ16)                                                                   | Espresso Zebra (WZ16)                   | Espresso Zebra (WZ16) | Espresso Zebra (WZ16)                     | Espresso Zebra (WZ16)          |
| Mocha Zebra (WZ02)    | Mocha Zebra (WZ02)                                                                      | Mocha Zebra (WZ02)                      | Mocha Zebra (WZ02)    | Mocha Zebra (WZ02)                        | Mocha Zebra (WZ02)             |
| Natural Zebra (WZ78)  | Natural Zebra (WZ78)                                                                    | Natural Zebra (WZ78)                    | Natural Zebra (WZ78)  | Natural Zebra (WZ78)                      | Natural Zebra (WZ78)           |
| LACQUER               |                                                                                         | LACQUER                                 | LACQUER               | LACQUER                                   | LACQUER                        |
| White (LQ31)          |                                                                                         | White (LQ31)                            | White (LQ31)          | White (LQ31)                              | White (LQ31)                   |
| SOFT-TOUCH            |                                                                                         | SOFT-TOUCH                              | SOFT-TOUCH            | MODESTY PANEL<br>(only on a work surface) |                                |
| Cream (FT41)          |                                                                                         | Cream (FT41)                            | Cream (FT41)          |                                           |                                |
| Terra Cotta (FT42)    |                                                                                         | Terra Cotta (FT42)                      | Terra Cotta (FT42)    |                                           |                                |
| Brown (FT43)          |                                                                                         | Brown (FT43)                            | Brown (FT43)          |                                           |                                |
| Black (FT44)          |                                                                                         | Black (FT44)                            | Black (FT44)          |                                           |                                |
| GLASS                 |                                                                                         |                                         | GLASS                 | GLASS                                     |                                |
| White (VG51)          |                                                                                         |                                         | White (VG51)          | White (VG51)                              |                                |

Colors can be viewed on the wood finish Symphony chart, available from your distributor or on our website.

### SPECIFICATION GUIDE

---



#### GUIDE FOR SPECIFYING AN “L” SHAPED WORKSTATION

27

- With RECTANGULAR work surface
- With TRAPEZOID work surface
- With ERGONOMIC work surface
- With ELLIPTICAL work surface



#### GUIDE FOR SPECIFYING A DESK (NO RETURN)

32




#### OTHER CONFIGURATIONS

32

GUIDE FOR SPECIFYING AN “L” SHAPED WORKSTATION (SURFACE AND RETURN)

**Step 1**  
Select the shape of the work surface:



Rectangular



Trapezoid




Ergonomic




Elliptical


**Step 2**  
Select the shape of the return:




Interior return




Exterior return




Interior return




Interior return




Nested exterior return (extended)



Nested exterior return (extended)



Nested exterior return



Nested exterior return





How to specify:  
Refer to  
page 28

How to specify:  
Refer to  
page 29

How to specify:  
Refer to  
page 30





How to specify:  
Refer to  
page 31

**Step 3**  
Select base:



Certain restrictions apply in the choice of bases depending on the choice of surface and configuration of the workstation.

**Step 4**  
Optional  
modesty panel:



LW539-U-REV.03-2017

27


### SPECIFICATION - "RECTANGULAR "

The guide below shows the procedure to follow for specifying an "L" shaped workstation with a rectangular main surface, a return, bases and modesty panel (if desired).


**Step 1**  
Select the  
**work surface:**  
(pages 37 - 42)



1 material




Bidirectional wood grain




2 materials

**Step 2**  
Select the **return:**  
(pages 38 - 40)

#### INTERIOR RETURN




1 material




Bidirectional wood grain

#### EXTERIOR RETURN




1 material




Bidirectional wood grain

**Step 3A**  
Select **base** for  
**work surface:**  
(pages 64 - 67)


#### Bases for rectangular surface with interior return




Pedestal / Wood gable



Wood gables on both sides




Metal legs on both sides




Pedestal / Metal legs


#### Bases for rectangular surface with exterior return




Pedestal / Wood gable




Wood gables on both sides




Metal legs on both sides\*\*




Pedestal / Metal legs\*\*



Wood gable / Pedestal\*




Metal legs / Pedestal\*




Pedestals on both sides\*

**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.




**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.




**Step 3B**  
Select **base** for  
**return:**  
(page 66 - 67)


#### Bases for interior or exterior returns




Pedestal



Wood gable



Metal legs



27" H. storage (such as credenza)

**Step 4**  
Optional  
**modesty panel:**  
(pages 72 - 75)


Refer to the modesty panel reference guide (p.68) to determine the correct size to order.









### SPECIFICATION - "TRAPEZOID"

The guide below shows the procedure to follow for specifying an "L" shaped workstation with a trapezoid main surface, a return, bases and modesty panel (if desired).


**Step 1**  
Select the  
**work surface:**  
(pages 43- 48)




**Step 2**  
Select the **return:**  
(pages 44 - 46)




**Step 3A**  
Select **base for**  
**work surface:**  
(pages 64 - 67)




**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.



**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.




**Step 3B**  
Select **base for**  
**return:**  
(pages 66 - 67)



**Step 4**  
Optional  
**modesty panel:**  
(pages 72 - 75)



Refer to the modesty panel reference guide (p.69) to determine the correct size to order.



### SPECIFICATION - "ERGONOMIC"


The guide below shows the procedure to follow for specifying an "L" shaped workstation with an ergonomic main surface, a return, bases and modesty panel (if desired).

**Step 1**  
Select the  
**work surface:**  
(pages 49 - 55)





**Step 2**  
Select the **return:**  
(pages 50 - 53)

#### INTERIOR RETURNS






#### EXTERIOR RETURNS







**Step 3A**  
Select **base** for  
**work surface:**  
(pages 64 - 67)


#### Bases for ergonomic surface with interior return




#### Bases for ergonomic surface with exterior return



**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.







**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.




**Step 3B**  
Select **base**  
**for return:**  
(pages 66 - 67)

#### BASES FOR INTERIOR OR EXTERIOR RETURNS



**Step 4**  
Optional  
**modesty panel:**  
(pages 72 - 75)

Refer to the modesty panel reference guide (p.70)  
to determine the correct size to order.



SPECIFICATION - "ELLIPTICAL"

The guide below shows the procedure to follow for specifying an "L" shaped workstation with an elliptical main surface, a return, bases and modesty panel (if desired).

**Step 1**  
Select the  
**work surface:**  
(pages 56 - 61)



1 material




Bidirectional wood grain




2 materials

**Step 2**  
Select the **return:**  
(pages 57 - 59)

INTERIOR RETURNS





1 material




Bidirectional wood grain

**Step 3A**  
Select **base for**  
**work surface:**  
(page 71)


BASES FOR ELLIPTICAL SURFACE WITH INTERIOR RETURN




Pedestals on both sides\*



Pedestal / Metal legs




"Disc" base on both sides




Metal legs on both sides

**\*Important:** If the elliptical surface and its return are supported by the same pedestal, this pedestal must be 30" deep in order to accommodate 3 spacers.




**Step 3A**  
Select **base for**  
**work surface:**  
(pages 66 - 67)


BASES FOR INTERIOR RETURN




Pedestal



Wood gable



Metal legs




27" H. storage  
(such as credenza)

**Step 4**  
Optional  
**modesty panel:**  
(pages 72 - 75)

Refer to the modesty panel reference guide (p.71)  
to determine the correct size to order.


GUIDE FOR SPECIFYING A DESK (NO RETURN)

The guide below shows the procedure to follow for specifying a desk with a rectangular, trapezoid, ergonomic or elliptical main surface, bases and modesty panel (if desired).



OTHER TYPES OF CONFIGURATIONS

Even though the previous pages present various configuration examples, many others are possible. The Essentia collection components were designed to allow the client to specify the layout of their choice. Typicals are presented on pages 35 and 36.



### BASE INSTALLATION


The following pages present an overview of the installation procedure to aid in visualizing the product once assembled as well as structural components that are not visible. For detailed explanations, refer to the Essentia installation guide available at [www.artopex.com](http://www.artopex.com).

#### SURFACE SUPPORT SPACERS

Once their position is determined, the spacers are first attached to the storage unit by screws (included) from above using 2 of the 4 predrilled holes on the spacer.


Two holes per spacer are then drilled on the top of the storage unit using the installed spacer's two unused predrilled holes.

With the surface in place, screws (3" max.) are then inserted from inside the pedestal by removing the drawers, if applicable.



#### WOOD GABLES



Under rectangular, trapezoid and ergonomic surfaces: regardless of the shape of the surface, the gable is centered widthwise under the surface and positioned at approximately 4" from the edge of the surface.



#### METAL LEGS



Under rectangular, trapezoid, ergonomic and elliptical surfaces: The position varies depending on the edge chosen.

- Straight edge: The legs are 1/2" from the edge of the surface.
- Reverse edge: The legs are 2-3/8" from the edge of the surface.



#### LEG WITH "DISC" BASE

The disc base is centered widthwise under the elliptical surface and the center of the base is 14 1/2" from the edge of the surface.





STRUCTURAL ELEMENTS





According to the workstation configuration, certain structural elements as well as hardware have a predetermined position to ensure stability. Some of these elements are included with the furniture order. For more information, refer to the product description.

POSITION OF  
STRUCTURAL  
ELEMENTS  
AND HARDWARE



- Configuration: Surface with interior return




- Configuration: Surface with nested exterior return (short) (including structural beam)



- Configuration: Surface with nested exterior return (extended)




### RECTANGULAR SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 001

|                         |                    |                  |
|-------------------------|--------------------|------------------|
| Rectangular surface     | <b>SSI3072</b>     | \$ 1 312         |
| Pedestal                | <b>FPUUF241927</b> | \$ 2 635         |
| Pedestal                | <b>FPPF241927</b>  | \$ 2 542         |
| Modesty panel (surface) | <b>MOD5226</b>     | \$ 419           |
| Spacers (2)             | <b>S1SP46-W</b>    | \$ 88            |
| Stiffener (surface)     | <b>RSTi52</b>      | \$ 77            |
|                         |                    | <b>\$ 7 073</b>  |
| Credenza                | <b>SDDFF247227</b> | \$ 4 982         |
| Cabinet (wardrobe)      | <b>SDWL241968</b>  | \$ 4 365         |
| Hutch                   | <b>HU724120</b>    | \$ 5 521         |
|                         |                    | <b>\$ 14 868</b> |
|                         |                    | <b>\$ 21 941</b> |



#### ESSENTIA - 002


|                          |                    |                  |
|--------------------------|--------------------|------------------|
| Rectangular surface      | <b>SSI3078</b>     | \$ 1 329         |
| Return                   | <b>SRI2448</b>     | \$ 1 219         |
| Wood gables (set)        | <b>D5</b>          | \$ 2 130         |
| Pedestal                 | <b>FPUUF241927</b> | \$ 2 635         |
| Modesty panel (surface)  | <b>MOD6713</b>     | \$ 381 \$        |
| Spacers                  | <b>S1SP46-W</b>    | \$ 44            |
|                          |                    | <b>\$ 7 738</b>  |
| Storage                  | <b>SFF243027</b>   | \$ 4 725         |
| Storage                  | <b>SUUBF243027</b> | \$ 5 244         |
| Cabinet (shelves/w-robe) | <b>STSW243668</b>  | \$ 4 850         |
| Wall mounted hutch       | <b>HW6020</b>      | \$ 5 051         |
|                          |                    | <b>\$ 19 870</b> |
|                          |                    | <b>\$ 27 608</b> |



#### ESSENTIA - 003


|                         |                     |                  |
|-------------------------|---------------------|------------------|
| Rectangular surface     | <b>SSI3072</b>      | \$ 1 312         |
| Return                  | <b>SRDRI2466</b>    | \$ 1 294         |
| Duo wood gable          | <b>DR2824</b>       | \$ 946           |
| Pedestal                | <b>FPUUF242427</b>  | \$ 2 708         |
| Modesty panel (surface) | <b>MOD5713</b>      | \$ 370           |
| Spacers (2)             | <b>S1SP46-W</b>     | \$ 88            |
| Stiffener (surface)     | <b>RSTi52</b>       | \$ 77            |
| Stiffener (return)      | <b>RSTi46</b>       | \$ 72            |
|                         |                     | <b>\$ 6 867</b>  |
| Credenza                | <b>SOUUBF247227</b> | \$ 6 254         |
| Cabinet (shelves)       | <b>SDSR241968</b>   | \$ 4 510         |
| Cabinet (wardrobe)      | <b>SDWL241968</b>   | \$ 3 805         |
| Hutch                   | <b>HU72514030</b>   | \$ 5 878         |
|                         |                     | <b>\$ 20 447</b> |
|                         |                     | <b>\$ 27 314</b> |

### TRAPEZOID SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 004

|                         |                     |                  |
|-------------------------|---------------------|------------------|
| Trapezoid surface       | <b>SST3072</b>      | \$ 1 944         |
| Return                  | <b>SRRT2478</b>     | \$ 1 308         |
| Pedestal                | <b>FPUUF241927</b>  | \$ 2 635         |
| Pedestal                | <b>FPO241927</b>    | \$ 1 569         |
| Modesty panel (surface) | <b>MOD4513</b>      | \$ 356           |
| Spacers (4)             | <b>ES-S1SP46-W</b>  | \$ 176           |
| Stiffener (surface)     | <b>RSTi46</b>       | \$ 72            |
| Stiffener (return)      | <b>RSTi46</b>       | \$ 72            |
|                         |                     | <b>\$ 8 132</b>  |
| Credenza                | <b>SOUUBF247227</b> | \$ 6 254         |
| Cabinet                 | <b>SDFF243678</b>   | \$ 7 737         |
| Hutch                   | <b>HU725130</b>     | \$ 5 651         |
|                         |                     | <b>\$ 19 642</b> |
|                         |                     | <b>\$ 27 774</b> |



#### ESSENTIA - 005


|                         |                    |                  |
|-------------------------|--------------------|------------------|
| Trapezoid surface       | <b>SST3072</b>     | \$ 1 944         |
| Return                  | <b>SRERT2472</b>   | \$ 1 329         |
| Wood gables (set)       | <b>D10</b>         | \$ 2 130         |
| Wood gable (return)     | <b>TUR2819</b>     | \$ 385           |
| Modesty panel (surface) | <b>MOD5213</b>     | \$ 364           |
| Modesty panel (return)  | <b>MOR4913</b>     | \$ 36 \$         |
|                         |                    | <b>\$ 6 514</b>  |
| Storage                 | <b>SDD243627</b>   | \$ 3 280         |
| Storage                 | <b>SDUUF243627</b> | \$ 5 225         |
| Cabinet (wardrobe)      | <b>SDWR241968</b>  | \$ 3 805         |
| Wall-mounted hutch      | <b>HWSC7220</b>    | \$ 3 850         |
|                         |                    | <b>\$ 16 160</b> |
|                         |                    | <b>\$ 22 674</b> |



#### ESSENTIA - 006


|                          |                    |                  |
|--------------------------|--------------------|------------------|
| Trapezoid surface        | <b>SST3072</b>     | \$ 1 944         |
| Return                   | <b>SRDRT2466</b>   | \$ 1 315         |
| Alto wood gable          | <b>A2824</b>       | \$ 1 821         |
| Pedestal                 | <b>FPUUF241927</b> | \$ 2 635         |
| Modesty panel (surface)  | <b>MOD4513</b>     | \$ 356           |
| Spacers (2)              | <b>S1SP46-W</b>    | \$ 88            |
| Stiffener (surface)      | <b>RSTi46</b>      | \$ 72            |
| Stiffener (return)       | <b>RSTi46</b>      | \$ 72            |
|                          |                    | <b>\$ 8 303</b>  |
| Credenza                 | <b>SODD246027</b>  | \$ 2 830         |
| Cabinet (shelves/w-robe) | <b>STSW243668</b>  | \$ 4 850         |
| Work wall (wall-mounted) | <b>WU6041</b>      | \$ 1 505         |
|                          |                    | <b>\$ 9 185</b>  |
|                          |                    | <b>\$ 17 488</b> |

### ERGONOMIC SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 007

|                          |             |                  |
|--------------------------|-------------|------------------|
| Ergonomic surface        | SSC2778     | \$ 2 284         |
| Pedestal                 | FPUUF241927 | \$ 2 635         |
| Pedestal                 | FPFF241927  | \$ 2 542         |
| Modesty panel (surface)  | MOD5826     | \$ 432           |
| Spacers (2)              | S1SP46-W    | \$ 88            |
| Stiffener (surface)      | RSTi52      | \$ 77            |
|                          |             | <b>\$ 8 058</b>  |
| Credenza                 | SDDFF246027 | \$ 4 594         |
| Cabinet (shelves/w-robe) | STSW243668  | \$ 4 850         |
| Bookcase                 | SO153068    | \$ 2 748         |
| Hutch                    | HU604130    | \$ 5 683         |
|                          |             | <b>\$ 17 875</b> |
|                          |             | <b>\$ 25 933</b> |



#### ESSENTIA - 008

|                         |            |                  |
|-------------------------|------------|------------------|
| Ergonomic surface       | SSC2778    | \$ 2 284         |
| Return                  | SRRC1854   | \$ 1 187         |
| Wood gables (set)       | A2         | \$ 3 837         |
| Modesty panel (surface) | MOD5813    | \$ 371           |
| Spacers                 | S1SP46-W   | \$ 44            |
|                         |            | <b>\$ 7 723</b>  |
| Credenza                | SOFF246027 | \$ 4 402         |
| Cabinet                 | SDFF243668 | \$ 7 20 \$       |
| Cabinet (wardrobe)      | SDWL241968 | \$ 3 805         |
| Hutch                   | HU605140   | \$ 5 720         |
|                         |            | <b>\$ 21 133</b> |
|                         |            | <b>\$ 28 856</b> |



#### ESSENTIA - 009


|                         |             |                  |
|-------------------------|-------------|------------------|
| Ergonomic surface       | SSC2766     | \$ 2 251         |
| Return                  | SRERC241878 | \$ 1 342         |
| Alto wood gable         | A2824       | \$ 1 821         |
| Pedestal                | FPUUF241927 | \$ 2 635         |
| Modesty panel (surface) | MOD4613     | \$ 359           |
| Spacers (2)             | S1SP46-W    | \$ 88            |
| Stiffener (surface)     | RSTi46      | \$ 72            |
| Stiffener (return)      | RSTi46      | \$ 72            |
|                         |             | <b>\$ 6 614</b>  |
| Credenza                | SSC247227   | \$ 4 540         |
| Cabinet                 | SSFF243678  | \$ 6 592         |
| Hutch                   | HSC725130   | \$ 6 076         |
|                         |             | <b>\$ 17 208</b> |
| Round table             | TRD2942     | \$ 2 754         |
|                         |             | <b>\$ 26 576</b> |

### ELLIPTICAL SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 010

|                    |             |                  |
|--------------------|-------------|------------------|
| Elliptical surface | SSE3672     | \$ 2 021         |
| "Disc" bases (2)   | LED28421    | \$ 1 794         |
|                    |             | <b>\$ 3 815</b>  |
| Credenza           | SDDFF246027 | \$ 4 594         |
| Cabinet            | SSFF243668  | \$ 6 060         |
| Hutch              | HWSL6020    | \$ 3 570         |
| Work wall          | WU6022      | \$ 1 240         |
|                    |             | <b>\$ 15 464</b> |
|                    |             | <b>\$ 18 382</b> |



#### ESSENTIA - 011

|                          |             |                  |
|--------------------------|-------------|------------------|
| Elliptical surface       | SSE3678     | \$ 2 042         |
| Pedestal                 | FPUUF241927 | \$ 2 635         |
| Metal legs (2)           | LES28       | \$ 242           |
| Modesty panel            | MOD4813     | \$ 361           |
| Spacers                  | S1SP46-W    | \$ 44            |
| Stiffener (surface)      | RSTi46      | \$ 72            |
|                          |             | <b>\$ 5 396</b>  |
| Credenza                 | SFFDD246027 | \$ 4 594         |
| Cabinet (shelves/w-robe) | STSW243678  | \$ 5 563         |
| Hutch                    | HSC605140   | \$ 5 980         |
|                          |             | <b>\$ 16 137</b> |
|                          |             | <b>\$ 21 533</b> |



#### ESSENTIA - 012

|                         |             |                  |
|-------------------------|-------------|------------------|
| Elliptical surface      | SSE3678     | \$ 2 042         |
| Return                  | SRLE782448  | \$ 1 203         |
| Pedestal                | FPUUF241927 | \$ 2 635         |
| Pedestal                | FPFF241927  | \$ 2 542         |
| "Disc" base             | LED28421    | \$ 897           |
| Modesty panel (surface) | MOD4813     | \$ 361           |
| Spacers (2)             | S1SP46-W    | \$ 88            |
| Stiffener (surface)     | RSTi46      | \$ 72            |
|                         |             | <b>\$ 9 840</b>  |
| Storage                 | SDD243040   | \$ 2 878         |
| Storage                 | SSC245440   | \$ 4 809         |
| 16" H. storage          | SOF246016   | \$ 3 468         |
| Cushion Gr1             | CUS2460     | \$ 613           |
|                         |             | <b>\$ 11 768</b> |
|                         |             | <b>\$ 21 608</b> |

Note that the prices shown on pages 35 and 36 were determined with the following specifications: wood surfaces (regular wood grain), straight edge and storage fronts in wood (no electrical option). To add finish options or accessories, refer to the price list.


# surfaces and returns

price list

rectangular surface with 1 material

## Description

Rectangular work surface.  
Option of square grommet or square multi-outlet module positioned on the left or right.  
Returns for this surface shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for this surface, refer to grid on p.68.



| PRICE      |    |                |                                                                                                |                                                                                               |                                                                                                |                                                                                                |                                                                                                  |                                                                                                 |        |    |
|------------|----|----------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------|----|
| Dimensions |    | Code           | Wood (W)                                                                                       |                                                                                               | Lacquer (Q)                                                                                    |                                                                                                | Soft-Touch (C)                                                                                   |                                                                                                 | Spec.  |    |
|            |    |                |  Straight (i) |  Reverse (V) |  Straight (i) |  Reverse (V) |  Straight (i) |  Reverse (V) |        |    |
| A          | B  |                |                                                                                                |                                                                                               |                                                                                                |                                                                                                |                                                                                                  |                                                                                                 | Cu.Ft. | lb |
| 36         | 84 | <b>SSi3684</b> | 1393                                                                                           | 1626                                                                                          | 2474                                                                                           | 2508                                                                                           | 2892                                                                                             | 2926                                                                                            | 3.8    | 84 |
| 36         | 78 | <b>SSi3678</b> | 1373                                                                                           | 1599                                                                                          | 2377                                                                                           | 2411                                                                                           | 2764                                                                                             | 2798                                                                                            | 3.5    | 78 |
| 36         | 72 | <b>SSi3672</b> | 1353                                                                                           | 1572                                                                                          | 2279                                                                                           | 2314                                                                                           | 2638                                                                                             | 2672                                                                                            | 3.3    | 72 |
| 30         | 78 | <b>SSi3078</b> | 1329                                                                                           | 1550                                                                                          | 2166                                                                                           | 2200                                                                                           | 2489                                                                                             | 2523                                                                                            | 3      | 65 |
| 30         | 72 | <b>SSi3072</b> | 1312                                                                                           | 1526                                                                                          | 2085                                                                                           | 2119                                                                                           | 2383                                                                                             | 2417                                                                                            | 2.8    | 60 |
| 30         | 66 | <b>SSi3066</b> | 1296                                                                                           | 1503                                                                                          | 2004                                                                                           | 2038                                                                                           | 2277                                                                                             | 2311                                                                                            | 2.5    | 55 |
| 30         | 60 | <b>SSi3060</b> | 1279                                                                                           | 1480                                                                                          | 1923                                                                                           | 1958                                                                                           | 2171                                                                                             | 2206                                                                                            | 2.3    | 50 |

## SPECIFY

## OPTIONS

Product code    Profile    Type    Surface    Grom.    M-Outlet

ES -  -  -  -  -  -

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Type: Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).  
Surface: Specify the color of the surface finish, see p.25.  
**Option** Grommet: Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet module option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.

# surfaces and returns

price list

*returns 1 material for rectangular surfaces*

## Description

Interior reversible return for rectangular work surface.


Cannot be positioned next to another shape of work surface. Junction supports included.

For information on return supports (storage units, end gables & legs) refer to p.13-14.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

To select a modesty panel for this return, refer to grid on p.68.

|            |    | PRICE          | Wood (W)     |             | Lacquer (Q)  |             | Soft-Touch (C) |             |        |    |
|------------|----|----------------|--------------|-------------|--------------|-------------|----------------|-------------|--------|----|
| Dimensions |    | Code           |              |             |              |             |                |             | Spec.  |    |
| A          | B  |                | Straight (i) | Reverse (V) | Straight (i) | Reverse (V) | Straight (i)   | Reverse (V) | Cu.Ft. | lb |
| 24         | 60 | <b>SRI2460</b> | 1246         | 1440        | 1761         | 1795        | 1959           | 1993        | 1.9    | 40 |
| 24         | 54 | <b>SRI2454</b> | 1233         | 1420        | 1696         | 1730        | 1874           | 1909        | 1.7    | 36 |
| 24         | 48 | <b>SRI2448</b> | 1219         | 1400        | 1631         | 1664        | 1790           | 1824        | 1.5    | 32 |
| 24         | 42 | <b>SRI2442</b> | 1206         | 1379        | 1565         | 1599        | 1705           | 1740        | 1.3    | 28 |



## SPECIFY

## OPTIONS

Product code   Profile   Type   Surface   Grom./ M-Outlet

ES -  -  -  -  -


**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Option Grommet/M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet module (**DU1**) add \$350, see p.23.



| A  | B  | C  |                  | Straight (i) | Reverse (V) | Straight (i) | Reverse (V) | Straight (i) | Reverse (V) | Cu.Ft. | lb |
|----|----|----|------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------|----|
| 24 | 72 | 54 | <b>SRDLi2472</b> | 1307         | 1514        | 1925         | 1959        | 2164         | 2198        | 4.5    | 59 |
| 24 | 66 | 48 | <b>SRDLi2466</b> | 1294         | 1494        | 1860         | 1894        | 2079         | 2113        | 4.1    | 55 |
| 24 | 60 | 42 | <b>SRDLi2460</b> | 1280         | 1474        | 1795         | 1829        | 1993         | 2027        | 3.7    | 51 |
| 24 | 72 | 54 | <b>SRDRi2472</b> | 1307         | 1514        | 1925         | 1959        | 2164         | 2198        | 4.5    | 59 |
| 24 | 66 | 48 | <b>SRDRi2466</b> | 1294         | 1494        | 1860         | 1894        | 2079         | 2113        | 4.1    | 55 |
| 24 | 60 | 42 | <b>SRDRi2460</b> | 1164         | 1340        | 1632         | 1663        | 1812         | 1843        | 3.7    | 51 |

## Description

Nested exterior return for rectangular work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

For information on return supports (storage units, end gables & legs) refer to p.13-14.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

To select a modesty panel for this return, refer to grid on p.68.

## SPECIFY

## OPTIONS

Product code   Profile   Type   Surface   Gable   Grom./M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option Grommet/M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet module (**DU1**) add \$350, see p.23.

# surfaces and returns

price list

rectangular surfaces with bidirectional wood grain

## Description



Rectangular work surfaces with bidirectional wood grain.

Option of square grommet or square multi-outlet module positioned on the left or right.

Returns with bidirectional wood grain shown on next page.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for these surfaces, refer to grid on p.68.



| PRICE      |    |    | Wood (W)  |                                                                                   |                                                                                    |        |    |
|------------|----|----|-----------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--------|----|
| Dimensions |    |    | Code      |  |  | Spec.  |    |
| A          | B  | C  |           | Straight (i)                                                                      | Reverse (V)                                                                        | Cu.Ft. | lb |
| 36         | 84 | 8¾ | SSi2A3684 | 1714                                                                              | 1981                                                                               | 3.8    | 84 |
| 36         | 78 | 8¾ | SSi2A3678 | 1692                                                                              | 1951                                                                               | 3.5    | 78 |
| 36         | 72 | 8¾ | SSi2A3672 | 1668                                                                              | 1920                                                                               | 3.3    | 72 |
| 30         | 78 | 8¾ | SSi2A3078 | 1642                                                                              | 1893                                                                               | 3      | 65 |
| 30         | 72 | 8¾ | SSi2A3072 | 1621                                                                              | 1866                                                                               | 2.8    | 60 |
| 30         | 66 | 8¾ | SSi2A3066 | 1604                                                                              | 1840                                                                               | 2.5    | 55 |
| 30         | 60 | 8¾ | SSi2A3060 | 1584                                                                              | 1814                                                                               | 2.3    | 50 |
|            |    |    |           |                                                                                   |                                                                                    |        |    |
| 36         | 84 | 8¾ | SSi2B3684 | 1714                                                                              | 1981                                                                               | 3.8    | 84 |
| 36         | 78 | 8¾ | SSi2B3678 | 1692                                                                              | 1951                                                                               | 3.5    | 78 |
| 36         | 72 | 8¾ | SSi2B3672 | 1668                                                                              | 1920                                                                               | 3.3    | 72 |
| 30         | 78 | 7  | SSi2B3078 | 1642                                                                              | 1893                                                                               | 3      | 65 |
| 30         | 72 | 7  | SSi2B3072 | 1621                                                                              | 1866                                                                               | 2.8    | 60 |
| 30         | 66 | 7  | SSi2B3066 | 1604                                                                              | 1840                                                                               | 2.5    | 55 |
| 30         | 60 | 7  | SSi2B3060 | 1584                                                                              | 1814                                                                               | 2.3    | 50 |

## SPECIFY

Product code    Profile    Wood    Grom.    M-Outlet

ES -  -  - W -  -  -

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Option** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

Multi-Outlet: Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

returns with bidirectional wood grain for rectangular surfaces

## Description



Interior reversible return with bidirectional wood grain for rectangular work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

To select a modesty panel for this return, refer to grid on p.68.

| PRICE                                                                                   |    |    |      | Wood (W)                                                                           |                                                                                     |        |     |    |
|-----------------------------------------------------------------------------------------|----|----|------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|-----|----|
| Dimensions                                                                              |    |    | Code |  |  | Spec.  |     |    |
| A                                                                                       | B  | C  |      | Straight (i)                                                                       | Reverse (V)                                                                         | Cu.Ft. | lb  |    |
|  Left  | 24 | 60 | 8¾   | SRLiA2460                                                                          | 1484                                                                                | 1697   | 1.9 | 40 |
|                                                                                         | 24 | 54 | 8¾   | SRLiA2454                                                                          | 1470                                                                                | 1675   | 1.7 | 36 |
|                                                                                         | 24 | 48 | 8¾   | SRLiA2448                                                                          | 1453                                                                                | 1654   | 1.5 | 32 |
|                                                                                         | 24 | 42 | 8¾   | SRLiA2442                                                                          | 1439                                                                                | 1630   | 1.3 | 28 |
|  Right | 24 | 60 | 8¾   | SRRiA2460                                                                          | 1484                                                                                | 1697   | 1.9 | 40 |
|                                                                                         | 24 | 54 | 8¾   | SRRiA2454                                                                          | 1470                                                                                | 1675   | 1.7 | 36 |
|                                                                                         | 24 | 48 | 8¾   | SRRiA2448                                                                          | 1453                                                                                | 1654   | 1.5 | 32 |
|                                                                                         | 24 | 42 | 8¾   | SRRiA2442                                                                          | 1439                                                                                | 1630   | 1.3 | 28 |

## SPECIFY

## OPTIONS

Product code    Profile    Wood    Grom./ M-Outlet



ES -  -  - W -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Option** Grommet/M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

|                                                                                     |       | A  | B  | C  | D  | Straight (i) |      | Reverse (V) | Cu.Ft |    | lb |
|-------------------------------------------------------------------------------------|-------|----|----|----|----|--------------|------|-------------|-------|----|----|
|  | Left  | 24 | 72 | 54 | 8¾ | SRDLi2B2472  | 1551 | 1780        | 4.5   | 59 |    |
|                                                                                     |       | 24 | 66 | 48 | 8¾ | SRDLi2B2466  | 1537 | 1757        | 4.1   | 55 |    |
|                                                                                     |       | 24 | 60 | 42 | 8¾ | SRDLi2B2460  | 1522 | 1736        | 3.7   | 51 |    |
|  | Right | 24 | 72 | 54 | 8¾ | SRDRi2B2472  | 1551 | 1780        | 4.5   | 59 |    |
|                                                                                     |       | 24 | 66 | 48 | 8¾ | SRDRi2B2466  | 1537 | 1757        | 4.1   | 55 |    |
|                                                                                     |       | 24 | 60 | 42 | 8¾ | SRDRi2B2460  | 1522 | 1736        | 3.7   | 51 |    |

## Description

Nested exterior return with bidirectional wood grain for rectangular work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

To select a modesty panel for this return, refer to grid on p.68.

## SPECIFY

## OPTIONS

Product code    Profile    Wood    Gable    Grom. /M-Outlet

ES -  -  - W -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option** Grommet/M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

# surfaces and returns

price list

rectangular surface with combined materials (wood/lacquer or wood/glass)

## Description



Rectangular work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.

Option of square grommet or square multi-outlet module positioned on the left or right.

Returns for this surface shown on p.38.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.68.



| PRICE      |    |       | Finish 2: Lacquer (Q) |              | Finish 2: Glass (G) |              | Spec. |    |
|------------|----|-------|-----------------------|--------------|---------------------|--------------|-------|----|
| Dimensions |    |       | Code                  | Straight (i) |                     | Straight (i) |       |    |
| A          | B  | C     |                       | Reverse (V)  |                     |              |       |    |
| 36         | 84 | 8 3/4 | SSi2WB3684            | 2069         | 2358                | 2358         | 3.8   | 84 |
| 36         | 78 | 8 3/4 | SSi2WB3678            | 2016         | 2298                | 2298         | 3.5   | 78 |
| 36         | 72 | 8 3/4 | SSi2WB3672            | 1939         | 2213                | 2213         | 3.3   | 72 |
| 30         | 78 | 7     | SSi2WB3078            | 1901         | 2175                | 2175         | 3     | 65 |
| 30         | 72 | 7     | SSi2WB3072            | 1832         | 2101                | 2101         | 2.8   | 60 |
| 30         | 66 | 7     | SSi2WB3066            | 1788         | 2049                | 2049         | 2.5   | 55 |
| 30         | 60 | 7     | SSi2WB3060            | 1744         | 1998                | 1998         | 2.3   | 50 |

## SPECIFY

Product code    Profile    Type    Finish 2    Wood    Grom.    M-Outlet

ES -  -  -  -  -  -  -

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Option** **Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

rect. surfaces with combined materials (soft-touch/wood, soft-touch/lacquer or soft-touch/glass)

## Description

Rectangular work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.


Option of square grommet or square multi-outlet module positioned on the left or right.

Returns for these surfaces\* shown on p.38.

\*The use of an interior return is not recommended on surfaces SSiCC...

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for these surfaces, refer to grid on p.68.



| PRICE      |    |    |   | Finish 2: Wood (W) |                                                                                   | Finish 2: Lacquer (Q)                                                             |                                                                                    | Finish 2: Glass (G)                                                                 |                                                                                     |        |    |
|------------|----|----|---|--------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|----|
| Dimensions |    |    |   | Code               |  |  |  |  |  | Spec.  |    |
| A          | B  | C  | D |                    | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                       | Reverse (V)                                                                         | Straight (i)                                                                        | Cu.Ft. | lb |
| 36         | 84 | 8¾ |   | <b>SSI2CB3684</b>  | 2803                                                                              | 3055                                                                              | 3171                                                                               | 3209                                                                                | 3209                                                                                | 3.8    | 84 |
| 36         | 78 | 8¾ |   | <b>SSI2CB3678</b>  | 2688                                                                              | 2935                                                                              | 3032                                                                               | 3069                                                                                | 3069                                                                                | 3.5    | 78 |
| 36         | 72 | 8¾ |   | <b>SSI2CB3672</b>  | 2574                                                                              | 2813                                                                              | 2890                                                                               | 2927                                                                                | 2927                                                                                | 3.3    | 72 |
| 30         | 78 | 7  |   | <b>SSI2CB3078</b>  | 2441                                                                              | 2680                                                                              | 2727                                                                               | 2764                                                                                | 2764                                                                                | 3      | 65 |
| 30         | 72 | 7  |   | <b>SSI2CB3072</b>  | 2346                                                                              | 2577                                                                              | 2610                                                                               | 2647                                                                                | 2647                                                                                | 2.8    | 60 |
| 30         | 66 | 7  |   | <b>SSI2CB3066</b>  | 2251                                                                              | 2475                                                                              | 2493                                                                               | 2530                                                                                | 2530                                                                                | 2.5    | 55 |
| 30         | 60 | 7  |   | <b>SSI2CB3060</b>  | 2156                                                                              | 2373                                                                              | 2375                                                                               | 2412                                                                                | 2412                                                                                | 2.3    | 50 |

# surfaces and returns

price list

## trapezoid surface 1 material

### Description


Trapezoid work surface.

Option of square grommet or square multi-outlet module positioned on the left or right.

Returns for this surfaces shown on next page.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.69.



| PRICE      |    |    |     |         | Wood (W)                                                                          |                                                                                   | Lacquer (Q)                                                                        |                                                                                     | Soft-Touch (C)                                                                      |                                                                                     | Spec. |    |
|------------|----|----|-----|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|
| Dimensions |    |    |     | Code    |  |  |  |  |  |  |       |    |
| A          | B  | D  | D   |         | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                       | Reverse (V)                                                                         | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft | lb |
| 30         | 78 | 66 | 34¾ | SST3078 | 1960                                                                              | 2236                                                                              | 2868                                                                               | 2904                                                                                | 3218                                                                                | 3255                                                                                | 3.4   | 66 |
| 30         | 72 | 60 | 34½ | SST3072 | 1944                                                                              | 2211                                                                              | 2780                                                                               | 2817                                                                                | 3103                                                                                | 3141                                                                                | 3.1   | 61 |
| 30         | 66 | 54 | 34  | SST3066 | 1925                                                                              | 2187                                                                              | 2692                                                                               | 2728                                                                                | 2989                                                                                | 3026                                                                                | 2.8   | 56 |

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Grom.   M-Outlet

ES -  -  -  -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Option** **Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.

# surfaces and returns

price list

## returns for trapezoid surfaces 1 material

### Description



Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.



Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.


To select a modesty panel for these returns, refer to grid on p.69.

| PRICE                                                                                   |    |    |    |                 |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |        |    |
|-----------------------------------------------------------------------------------------|----|----|----|-----------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|----|
|                                                                                         |    |    |    | Wood (W)        |                                                                                   | Lacquer (Q)                                                                       |                                                                                    | Soft-Touch (C)                                                                      |                                                                                     |                                                                                     |        |    |
| Dimensions                                                                              |    |    |    | Code            |  |  |  |  |  |  | Spec.  |    |
| A                                                                                       | B  | C  | D  |                 | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                       | Reverse (V)                                                                         | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft. | lb |
|  Left  | 24 | 84 | 54 | <b>SRLT2484</b> | 1321                                                                              | 1542                                                                              | 2042                                                                               | 2077                                                                                | 2321                                                                                | 2355                                                                                | 5.2    | 70 |
|                                                                                         | 24 | 78 | 48 | <b>SRLT2478</b> | 1308                                                                              | 1522                                                                              | 1978                                                                               | 2012                                                                                | 2236                                                                                | 2270                                                                                | 4.8    | 66 |
|                                                                                         | 24 | 72 | 42 | <b>SRLT2472</b> | 1295                                                                              | 1500                                                                              | 1913                                                                               | 1947                                                                                | 2152                                                                                | 2185                                                                                | 4.5    | 62 |
|  Right | 24 | 84 | 54 | <b>SRRT2484</b> | 1321                                                                              | 1542                                                                              | 2042                                                                               | 2077                                                                                | 2321                                                                                | 2355                                                                                | 5.2    | 70 |
|                                                                                         | 24 | 78 | 48 | <b>SRRT2478</b> | 1308                                                                              | 1522                                                                              | 1978                                                                               | 2012                                                                                | 2236                                                                                | 2270                                                                                | 4.8    | 66 |
|                                                                                         | 24 | 72 | 42 | <b>SRRT2472</b> | 1295                                                                              | 1500                                                                              | 1913                                                                               | 1947                                                                                | 2152                                                                                | 2185                                                                                | 4.5    | 62 |

Exterior return for trapezoid work surface.

|                                                                                              |    |    |    |    |                  |      |      |      |      |      |      |     |    |
|----------------------------------------------------------------------------------------------|----|----|----|----|------------------|------|------|------|------|------|------|-----|----|
| <br>Left   | 24 | 84 | 54 | 30 | <b>SRELT2484</b> | 1355 | 1610 | 2077 | 2111 | 2355 | 2389 | 6.4 | 75 |
|                                                                                              | 24 | 78 | 48 | 30 | <b>SRELT2478</b> | 1342 | 1590 | 2012 | 2046 | 2270 | 2305 | 5.9 | 71 |
|                                                                                              | 24 | 72 | 42 | 30 | <b>SRELT2472</b> | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 5.5 | 67 |
| <br>Right | 24 | 84 | 54 | 30 | <b>SRERT2484</b> | 1355 | 1610 | 2077 | 2111 | 2355 | 2389 | 6.4 | 75 |
|                                                                                              | 24 | 78 | 48 | 30 | <b>SRERT2478</b> | 1342 | 1590 | 2012 | 2046 | 2270 | 2305 | 5.9 | 71 |
|                                                                                              | 24 | 72 | 42 | 30 | <b>SRERT2472</b> | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 5.5 | 67 |

Nested exterior return (extended) for trapezoid work surface.

|                                                                                              |    |    |    |        |                  |      |      |      |      |      |      |     |    |
|----------------------------------------------------------------------------------------------|----|----|----|--------|------------------|------|------|------|------|------|------|-----|----|
| <br>Left  | 24 | 72 | 54 | 15 1/4 | <b>SRDLT2472</b> | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 4.5 | 59 |
|                                                                                              | 24 | 66 | 48 | 15 1/4 | <b>SRDLT2466</b> | 1315 | 1550 | 1882 | 1916 | 2100 | 2134 | 4.1 | 55 |
|                                                                                              | 24 | 60 | 42 | 15 1/4 | <b>SRDLT2460</b> | 1301 | 1530 | 1816 | 1850 | 2015 | 2050 | 3.7 | 51 |
| <br>Right | 24 | 72 | 54 | 15 1/4 | <b>SRDRT2472</b> | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 4.5 | 59 |
|                                                                                              | 24 | 66 | 48 | 15 1/4 | <b>SRDRT2466</b> | 1315 | 1550 | 1882 | 1916 | 2100 | 2134 | 4.1 | 55 |
|                                                                                              | 24 | 60 | 42 | 15 1/4 | <b>SRDRT2460</b> | 1301 | 1530 | 1816 | 1850 | 2015 | 2050 | 3.7 | 51 |

Nested exterior return (short) for trapezoid work surface.

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Gable   Grom. /M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option Grommet/M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet module (**DU1**) add \$350, see p.23.



# surfaces and returns

price list

*trapezoid surfaces with bidirectional wood grain*

## Description

Trapezoid work surface with bidirectional wood grain.  
Option of square grommet or square multi-outlet module positioned on the left or right.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for these surfaces, refer to grid on p.69.



## PRICE

### Wood (W)

| Dimensions |    |    |     |    | Code      | Wood (W)                                                                                         |                                                                                                 | Spec. |    |
|------------|----|----|-----|----|-----------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------|----|
| A          | B  | C  | D   | E  |           |  Straight (i) |  Reverse (V) | Cu.Ft | Lb |
| 30         | 78 | 66 | 34¾ | 63 | SST2A3078 | 2279                                                                                             | 2583                                                                                            | 3.4   | 66 |
| 30         | 72 | 60 | 34½ | 57 | SST2A3072 | 2261                                                                                             | 2554                                                                                            | 3.1   | 61 |
| 30         | 66 | 54 | 34  | 51 | SST2A3066 | 2240                                                                                             | 2528                                                                                            | 2.8   | 56 |
| 30         | 78 | 66 | 34¾ | 9  | SST2B3078 | 2279                                                                                             | 2583                                                                                            | 3.4   | 66 |
| 30         | 72 | 60 | 34½ | 9¼ | SST2B3072 | 2261                                                                                             | 2554                                                                                            | 3.1   | 61 |
| 30         | 66 | 54 | 34  | 9½ | SST2B3066 | 2240                                                                                             | 2528                                                                                            | 2.8   | 56 |

## SPECIFY

## OPTIONS

Code produit    Profile    Wood    Grom.    M-Outlet  
ES -  -  - W -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Option Multi-Outlet:** Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

returns with bidirectional wood grain for trapezoid surfaces

## Description



Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.



Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.



To select a modesty panel for these returns, refer to grid on p.69.

|                                                                                            |  | PRICE      |    |      |       | Wood (W)     |             |        |        |
|--------------------------------------------------------------------------------------------|--|------------|----|------|-------|--------------|-------------|--------|--------|
|                                                                                            |  | Dimensions |    | Code |       |              |             | Spec.  |        |
|                                                                                            |  | A          | B  | C    | D     |              |             |        |        |
|                                                                                            |  |            |    |      |       | Straight (i) | Reverse (V) | Cu.Ft. | lb     |
| <br>Left  |  | 24         | 84 | 54   | 8 3/4 | SRLT2B2484   | 1632        | 1885   | 5.2 70 |
|                                                                                            |  | 24         | 78 | 48   | 8 3/4 | SRLT2B2478   | 1617        | 1862   | 4.8 66 |
|                                                                                            |  | 24         | 72 | 42   | 8 3/4 | SRLT2B2472   | 1602        | 1838   | 4.5 62 |
| <br>Right |  | 24         | 84 | 54   | 8 3/4 | SRRT2B2484   | 1632        | 1885   | 5.2 70 |
|                                                                                            |  | 24         | 78 | 48   | 8 3/4 | SRRT2B2478   | 1617        | 1862   | 4.8 66 |
|                                                                                            |  | 24         | 72 | 42   | 8 3/4 | SRRT2B2472   | 1602        | 1838   | 4.5 62 |

Exterior return with bidirectional wood grain for trapezoid work surface.

|                                                                                              |  |    |    |    |       |             |      |      |        |
|----------------------------------------------------------------------------------------------|--|----|----|----|-------|-------------|------|------|--------|
| <br>Left   |  | 24 | 84 | 54 | 8 3/4 | SRELT2B2484 | 1672 | 1964 | 6.4 75 |
|                                                                                              |  | 24 | 78 | 48 | 8 3/4 | SRELT2B2478 | 1657 | 1939 | 5.9 71 |
|                                                                                              |  | 24 | 72 | 42 | 8 3/4 | SRELT2B2472 | 1642 | 1917 | 5.5 67 |
| <br>Right |  | 24 | 84 | 54 | 8 3/4 | SRERT2B2484 | 1672 | 1964 | 6.4 75 |
|                                                                                              |  | 24 | 78 | 48 | 8 3/4 | SRERT2B2478 | 1657 | 1939 | 5.9 71 |
|                                                                                              |  | 24 | 72 | 42 | 8 3/4 | SRERT2B2472 | 1642 | 1917 | 5.5 67 |

Nested exterior return (extended) with bidirectional wood grain for trapezoid work surface.

|                                                                                              |  |    |    |    |       |             |      |      |        |
|----------------------------------------------------------------------------------------------|--|----|----|----|-------|-------------|------|------|--------|
| <br>Left  |  | 24 | 72 | 54 | 8 3/4 | SRDLT2B2472 | 1642 | 1917 | 4.5 59 |
|                                                                                              |  | 24 | 66 | 48 | 8 3/4 | SRDLT2B2466 | 1624 | 1893 | 4.1 55 |
|                                                                                              |  | 24 | 60 | 42 | 8 3/4 | SRDLT2B2460 | 1609 | 1871 | 3.7 51 |
| <br>Right |  | 24 | 72 | 54 | 8 3/4 | SRDRT2B2472 | 1642 | 1917 | 4.5 59 |
|                                                                                              |  | 24 | 66 | 48 | 8 3/4 | SRDRT2B2466 | 1624 | 1893 | 4.1 55 |
|                                                                                              |  | 24 | 60 | 42 | 8 3/4 | SRDRT2B2460 | 1609 | 1871 | 3.7 51 |

Nested exterior return (short) with bidirectional wood grain for trapezoid work surface.

## SPECIFY

## OPTIONS

Product code    Profile    Wood    Gable    Grom. /M-Outlet

ES -  -  - W -  -  -

**Specify** Code: Consult the above list.

Profile: Specify the profile: i (straight) or V (reverse), see p.12.

Wood: Specify the color of the surface finish (WOOD), see p.25.

Gable: Specify the finish of the included wood gable, see p.25.

**Option** Grommet/M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

# surfaces and returns

price list

trapezoid surfaces with combined materials (wood/lacquer or wood/glass)

## Description


Trapezoid work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.

Option of square grommet or square multi-outlet module positioned on the left or right.


Returns for this surfaces shown on p.44.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.69.



| PRICE      |    |    |      |    |            | Finish 2: Lacquer (Q)                                                             |                                                                                    | Finish 2: Glass (G)                                                                 |       | Spec. |  |
|------------|----|----|------|----|------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|-------|--|
| Dimensions |    |    | Code |    |            |  |  |  |       |       |  |
| A          | B  | C  | D    | E  |            | Straight (i)                                                                      | Reverse (V)                                                                        | Straight (i)                                                                        | Cu.Ft | lb    |  |
| 30         | 78 | 66 | 34¾  | 9  | SST2WB3078 | 2351                                                                              | 2626                                                                               | 2626                                                                                | 3.4   | 66    |  |
| 30         | 72 | 60 | 34½  | 9¼ | SST2WB3072 | 2311                                                                              | 2580                                                                               | 2580                                                                                | 3.1   | 61    |  |
| 30         | 66 | 54 | 34   | 9½ | SST2WB3066 | 2273                                                                              | 2534                                                                               | 2534                                                                                | 2.8   | 56    |  |



Returns for this surface are shown on page 44.

## SPECIFY

| Product code | Profile | Type | Finish 2 | Wood | Grom. | M-Outlet |
|--------------|---------|------|----------|------|-------|----------|
| ES -         |         |      |          |      |       |          |

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Option** **Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

*trapezoid surfaces with combined materials (soft-touch/wood, soft-touch/lacquer or soft-touch/glass)*

### Description


Trapezoid work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.

Option of square grommet or square multi-outlet module positioned on the left or right.


Returns for this surfaces shown on p.44.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.69.



| PRICE      |    |    |     |    | Finish 2: Wood (W) |                                                                                   | Finish 2: Lacquer (Q)                                                             |                                                                                     | Finish 2: Glass (G)                                                                 |                                                                                     |        |    |
|------------|----|----|-----|----|--------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|----|
| Dimensions |    |    |     |    | Code               |  |  |  |  |  | Spec.  |    |
| A          | B  | C  | D   | E  |                    | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                        | Reverse (V)                                                                         | Straight (i)                                                                        | Cu.Ft. | Lb |
| 30         | 78 | 66 | 34¾ | 9  | <b>SST2CB3078</b>  | 2794                                                                              | 2947                                                                              | 3136                                                                                | 3174                                                                                | 3174                                                                                | 3.4    | 66 |
| 30         | 72 | 60 | 34½ | 9¼ | <b>SST2CB3072</b>  | 2720                                                                              | 2871                                                                              | 3037                                                                                | 3073                                                                                | 3073                                                                                | 3.1    | 61 |
| 30         | 66 | 54 | 34  | 9½ | <b>SST2CB3066</b>  | 2647                                                                              | 2796                                                                              | 2937                                                                                | 2974                                                                                | 2974                                                                                | 2.8    | 56 |



**SPECIFY**

## OPTIONS

**ES** -  Product code -  Profile -  Type -  Finish 2 -  S-Touch -  Grom. -  M-Outlet

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood), **Q** (lacquer) or **G** (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Option S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.


# surfaces and returns

price list

## ergonomic surface 1 material

### Description

Ergonomic work surface.  
Option of square grommet or square multi-outlet module positioned on the left or right.  
Returns for this surfaces shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for this surface, refer to grid on p.70.



| PRICE      |    |    |     |    |         |                                                                                   | Wood (W)                                                                          |                                                                                    | Lacquer (Q)                                                                         |                                                                                     | Soft-Touch (C)                                                                      |       |    |  |
|------------|----|----|-----|----|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|--|
| Dimensions |    |    |     |    | Code    |  |  |  |  |  |  | Spec. |    |  |
| A          | B  | C  | D   | E  |         | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                       | Reverse (V)                                                                         | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft | lb |  |
| 27         | 84 | 42 | 36¼ | 21 | SSC2784 | 2299                                                                              | 2617                                                                              | 3179                                                                               | 3216                                                                                | 3518                                                                                | 3555                                                                                | 3.8   | 75 |  |
| 27         | 78 | 36 | 36  | 21 | SSC2778 | 2284                                                                              | 2593                                                                              | 3100                                                                               | 3137                                                                                | 3414                                                                                | 3452                                                                                | 3.5   | 70 |  |
| 27         | 72 | 36 | 35¼ | 18 | SSC2772 | 2268                                                                              | 2570                                                                              | 3021                                                                               | 3057                                                                                | 3312                                                                                | 3350                                                                                | 3.2   | 65 |  |
| 27         | 66 | 36 | 34½ | 15 | SSC2766 | 2251                                                                              | 2547                                                                              | 2941                                                                               | 2979                                                                                | 3208                                                                                | 3245                                                                                | 2.9   | 60 |  |
| 27         | 60 | 36 | 33¼ | 12 | SSC2760 | 2235                                                                              | 2522                                                                              | 2863                                                                               | 2900                                                                                | 3104                                                                                | 3142                                                                                | 2.6   | 55 |  |

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Grom.   M-Outlet

ES -  -  -  -  -  -

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Type: Specify the type of finish for the surface: W (wood), Q (lacquer) or C (Soft-Touch).  
Surface: Specify the color of the surface finish, see p.25.  
**Option** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

## returns for ergonomic surfaces 1 material

### Description

Interior return for 78" & 84" ergonomic work surfaces only.



Cannot be positioned next to another shape of work surface. Junction supports included.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

If a wood gable is desired for this return, specify return end gable TUL2813 or TUR2813, see p.66 and 67.

To select a modesty panel for this return, refer to grid on p.70.

|                                                                                   |       | PRICE |    |      |                                                                                   | Wood (W)                                                                          |                                                                                    | Lacquer (Q)                                                                         |                                                                                     | Soft-Touch (C)                                                                      |        |     |    |
|-----------------------------------------------------------------------------------|-------|-------|----|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|-----|----|
| Dimensions                                                                        |       |       |    | Code |  |  |  |  |  |  | Spec.  |     |    |
| A                                                                                 | B     | C     | D  |      | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                       | Reverse (V)                                                                         | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft. | lb  |    |
|  | Left  | 18    | 60 | 21   | <b>SRLC1860</b>                                                                   | 1197                                                                              | 1385                                                                               | 1584                                                                                | 1618                                                                                | 1734                                                                                | 1768   | 1.7 | 31 |
|                                                                                   |       | 18    | 54 | 21   | <b>SRLC1854</b>                                                                   | 1187                                                                              | 1368                                                                               | 1536                                                                                | 1570                                                                                | 1669                                                                                | 1703   | 1.5 | 28 |
|                                                                                   |       | 18    | 48 | 21   | <b>SRLC1848</b>                                                                   | 1177                                                                              | 1352                                                                               | 1486                                                                                | 1520                                                                                | 1605                                                                                | 1639   | 1.3 | 25 |
|  | Right | 18    | 60 | 21   | <b>SRRC1860</b>                                                                   | 1197                                                                              | 1385                                                                               | 1584                                                                                | 1618                                                                                | 1734                                                                                | 1768   | 1.7 | 31 |
|                                                                                   |       | 18    | 54 | 21   | <b>SRRC1854</b>                                                                   | 1187                                                                              | 1368                                                                               | 1536                                                                                | 1570                                                                                | 1669                                                                                | 1703   | 1.5 | 28 |
|                                                                                   |       | 18    | 48 | 21   | <b>SRRC1848</b>                                                                   | 1177                                                                              | 1352                                                                               | 1486                                                                                | 1520                                                                                | 1605                                                                                | 1639   | 1.3 | 25 |

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Grom./ M-Outlet

ES -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface: W (wood), Q (lacquer) or C (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Option Grommet/M-Outlet:** Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

|       |    |    |    |    |             |  |      |      |      |      |      |      |     |    |
|-------|----|----|----|----|-------------|--|------|------|------|------|------|------|-----|----|
| Left  | 18 | 84 | 54 | 24 | SRELC241884 |  | 1355 | 1610 | 2077 | 2111 | 2355 | 2389 | 5.1 | 59 |
|       | 18 | 78 | 48 | 24 | SRELC241878 |  | 1342 | 1590 | 2012 | 2046 | 2270 | 2305 | 4.8 | 55 |
|       | 18 | 72 | 42 | 24 | SRELC241872 |  | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 4.5 | 51 |
| Right | 18 | 84 | 54 | 24 | SRERC241884 |  | 1355 | 1610 | 2077 | 2111 | 2355 | 2389 | 5.1 | 59 |
|       | 18 | 78 | 48 | 24 | SRERC241878 |  | 1342 | 1590 | 2012 | 2046 | 2270 | 2305 | 4.8 | 55 |
|       | 18 | 72 | 42 | 24 | SRERC241872 |  | 1329 | 1570 | 1947 | 1981 | 2185 | 2219 | 4.5 | 51 |

### Description

Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

To select a modesty panel for this return, refer to grid on p.70.

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Gable   Grom./M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface: W (wood), Q (lacquer) or C (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option Grommet/M-Outlet:** Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

# surfaces and returns

price list

*ergonomic surfaces with bidirectional wood grain*

## Description



Ergonomic work surfaces with bidirectional wood grain.

Option of square grommet or square multi-outlet module positioned on the left or right.

Returns with bidirectional wood grain shown on next page.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for these surfaces, refer to grid on p.70.



| PRICE      |    |    |     |    |    |           |                                                                                    | Wood (W)                                                                            |       |    |  |
|------------|----|----|-----|----|----|-----------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|--|
| Dimensions |    |    |     |    |    | Code      |  |  | Spec. |    |  |
| A          | B  | C  | D   | E  | F  |           | Straight (i)                                                                       | Reverse (V)                                                                         | Cu.Ft | lb |  |
| 27         | 84 | 42 | 36¼ | 21 | 8¾ | SSC2A2784 | 2653                                                                               | 3002                                                                                | 3.8   | 75 |  |
| 27         | 78 | 36 | 36  | 21 | 8¾ | SSC2A2778 | 2636                                                                               | 2974                                                                                | 3.5   | 70 |  |
| 27         | 72 | 36 | 35¼ | 18 | 8¾ | SSC2A2772 | 2617                                                                               | 2950                                                                                | 3.2   | 65 |  |
| 27         | 66 | 36 | 34½ | 15 | 8¾ | SSC2A2766 | 2598                                                                               | 2925                                                                                | 2.9   | 60 |  |
| 27         | 60 | 36 | 33¾ | 12 | 8¾ | SSC2A2760 | 2582                                                                               | 2897                                                                                | 2.6   | 55 |  |
|            |    |    |     |    |    |           |                                                                                    |                                                                                     |       |    |  |
| 27         | 84 | 42 | 36¼ | 21 | 9½ | SSC2B2784 | 2653                                                                               | 3002                                                                                | 3.8   | 75 |  |
| 27         | 78 | 36 | 36  | 21 | 9¼ | SSC2B2778 | 2636                                                                               | 2974                                                                                | 3.5   | 70 |  |
| 27         | 72 | 36 | 35¼ | 18 | 9  | SSC2B2772 | 2617                                                                               | 2950                                                                                | 3.2   | 65 |  |
| 27         | 66 | 36 | 34½ | 15 | 8¾ | SSC2B2766 | 2598                                                                               | 2925                                                                                | 2.9   | 60 |  |
| 27         | 60 | 36 | 33¾ | 12 | 8½ | SSC2B2760 | 2582                                                                               | 2897                                                                                | 2.6   | 55 |  |

## SPECIFY

## OPTIONS

Product code      Profile      Wood      Grom.      M-Outlet

ES -  -  - W -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Option Multi-Outlet:** Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

returns with bidirectional wood grain for ergonomic surfaces

## Description

Interior returns with bidirectional wood grain for 78" & 84" ergonomic work surfaces only.





Cannot be positioned next to another shape of work surface. Junction supports included.

Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

If a wood gable is desired for this return, specify return end gable TUL2813 or TUR2813, see p.67.

To select a modesty panel for these returns, refer to grid on p.70.

| PRICE                                                                                     |    |    |    |      |                   | Wood (W)    |        |     |    |
|-------------------------------------------------------------------------------------------|----|----|----|------|-------------------|-------------|--------|-----|----|
| Dimensions                                                                                |    |    |    | Code |                   |             | Spec.  |     |    |
| A                                                                                         | B  | C  | D  |      | Straight (i)      | Reverse (V) | Cu.Ft. | lb  |    |
|  Left    | 18 | 60 | 21 | 8¾   | <b>SRLC2A1860</b> | 1354        | 1550   | 1.7 | 31 |
|                                                                                           | 18 | 54 | 21 | 8¾   | <b>SRLC2A1854</b> | 1343        | 1533   | 1.5 | 28 |
|                                                                                           | 18 | 48 | 21 | 8¾   | <b>SRLC2A1848</b> | 1334        | 1516   | 1.3 | 25 |
|  Right   | 18 | 60 | 21 | 8¾   | <b>SRRC2A1860</b> | 1354        | 1550   | 1.7 | 31 |
|                                                                                           | 18 | 54 | 21 | 8¾   | <b>SRRC2A1854</b> | 1343        | 1533   | 1.5 | 28 |
|                                                                                           | 18 | 48 | 21 | 8¾   | <b>SRRC2A1848</b> | 1334        | 1516   | 1.3 | 25 |
|  Left   | 18 | 60 | 21 | 8¾   | <b>SRLC2B1860</b> | 1354        | 1550   | 1.7 | 31 |
|                                                                                           | 18 | 54 | 21 | 8¾   | <b>SRLC2B1854</b> | 1343        | 1533   | 1.5 | 28 |
|                                                                                           | 18 | 48 | 21 | 8¾   | <b>SRLC2B1848</b> | 1334        | 1516   | 1.3 | 25 |
|  Right | 18 | 60 | 21 | 8¾   | <b>SRRC2B1860</b> | 1354        | 1550   | 1.7 | 31 |
|                                                                                           | 18 | 54 | 21 | 8¾   | <b>SRRC2B1854</b> | 1343        | 1533   | 1.5 | 28 |
|                                                                                           | 18 | 48 | 21 | 8¾   | <b>SRRC2B1848</b> | 1334        | 1516   | 1.3 | 25 |

## SPECIFY

## OPTIONS

Product code      Profile      Wood      Grom. /M-Outlet

ES -  -  - W -  -

**Specify** Code: Consult the above list.

Profile: Specify the profile: i (straight) or V (reverse), see p.12.

Wood: Specify the color of the surface finish (WOOD), see p.25.

**Option** Grommet/M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

# surfaces and returns


price list

returns with bidirectional wood grain for ergonomic surfaces (cont'd)

## Description

Nested exterior return with bidirectional wood grain for ergonomic work surface.  
Cannot be positioned next to another shape of work surface. Junction supports included.  
A wood gable is included in order to support the return's end in contact with the work surface.  
Option of square grommet or square multi-outlet module (refer to p.23 to visualize position).  
For information on return supports (storage units, end gables & legs) refer to p.13-14.  
To select a modesty panel for this return, refer to grid on p.70.

| PRICE      |    |    |    | Wood (W)      |  |              |             | Spec. |    |
|------------|----|----|----|---------------|--|--------------|-------------|-------|----|
| Dimensions |    |    |    | Code          |  | Wood (W)     |             | Spec. |    |
| A          | B  | C  | D  |               |  | Straight (i) | Reverse (V) | Cu.Ft | lb |
| Left       |    |    |    |               |  |              |             |       |    |
| 18         | 84 | 54 | 24 | SRELC2B241884 |  | 1672         | 1964        | 5.1   | 59 |
| 18         | 78 | 48 | 24 | SRELC2B241878 |  | 1657         | 1939        | 4.8   | 55 |
| 18         | 72 | 42 | 24 | SRELC2B241872 |  | 1642         | 1917        | 4.5   | 51 |
| Right      |    |    |    |               |  |              |             |       |    |
| 18         | 84 | 54 | 24 | SRERC2B241884 |  | 1672         | 1964        | 5.1   | 59 |
| 18         | 78 | 48 | 24 | SRERC2B241878 |  | 1657         | 1939        | 4.8   | 55 |
| 18         | 72 | 42 | 24 | SRERC2B241872 |  | 1642         | 1917        | 4.5   | 51 |



## SPECIFY

Product code    Profile    Wood    Gable    Grom. /M-Outlet

ES -  -  - W -  -  -

## OPTIONS

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Wood: Specify the color of the surface finish (WOOD), see p.25.  
**Option** Gable: Specify the finish of the included wood gable, see p.25.  
Grommet/M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet module (DU1) add \$350, see p.23.

# surfaces and returns

price list

*ergonomic surfaces with combined materials (wood/lacquer or wood/glass)*


## Description

Ergonomic work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.


Option of square grommet or square multi-outlet module positioned on the left or right.

Returns for this surface shown on page 50. For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.70.



| PRICE      |    |    |     |    |    |            | Finish 2: Lacquer                                                                  |                                                                                     | Finish 2: Glass                                                                     |              | Spec.  |    |
|------------|----|----|-----|----|----|------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------|--------|----|
| Dimensions |    |    |     |    |    | Code       |  |  |  |              |        |    |
| A          | B  | C  | D   | E  | F  |            |                                                                                    | Straight (i)                                                                        | Reverse (V)                                                                         | Straight (i) | Cu.Ft. | lb |
| 27         | 84 | 42 | 36¼ | 21 | 9½ | SSC2WB2784 | 2646                                                                               | 2999                                                                                | 2999                                                                                | 3.8          | 75     |    |
| 27         | 78 | 36 | 36  | 21 | 9¼ | SSC2WB2778 | 2610                                                                               | 2957                                                                                | 2957                                                                                | 3.5          | 70     |    |
| 27         | 72 | 36 | 35¼ | 18 | 9  | SSC2WB2772 | 2575                                                                               | 2914                                                                                | 2914                                                                                | 3.2          | 65     |    |
| 27         | 66 | 36 | 34½ | 15 | 8¾ | SSC2WB2766 | 2525                                                                               | 2856                                                                                | 2856                                                                                | 2.9          | 60     |    |
| 27         | 60 | 36 | 33¾ | 12 | 8½ | SSC2WB2760 | 2488                                                                               | 2814                                                                                | 2814                                                                                | 2.6          | 55     |    |



## SPECIFY

ES -  -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Option Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

*ergo. surfaces with combined materials (soft-touch/wood, soft-touch/lacquer or soft-touch/glass)*


## Description

Ergonomic work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.


Option of square grommet or square multi-outlet module positioned at left or right.

Returns for this surface shown on page 50. For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.70.



| PRICE      |    |    |        |    |       |            | Finish 2: Wood (W) |              | Finish 2: Lacquer |              | Finish 2: Glass | Spec.        |        |
|------------|----|----|--------|----|-------|------------|--------------------|--------------|-------------------|--------------|-----------------|--------------|--------|
| Dimensions |    |    |        |    |       |            | Code               |              |                   |              |                 |              |        |
| A          | B  | C  | D      | E  | F     |            |                    |              |                   |              |                 | Cu.Ft        | Lb     |
| 27         | 84 | 42 | 36 1/4 | 21 | 9 1/2 | SSC2CB2784 |                    | Straight (i) | Reverse (V)       | Straight (i) | Reverse (V)     | Straight (i) |        |
| 27         | 78 | 36 | 36     | 21 | 9 1/4 | SSC2CB2778 |                    | 3125         | 3279              | 3400         | 3438            | 3438         | 3.8 75 |
| 27         | 72 | 36 | 35 1/4 | 18 | 9     | SSC2CB2772 |                    | 3055         | 3208              | 3312         | 3350            | 3350         | 3.5 70 |
| 27         | 66 | 36 | 34 1/2 | 15 | 8 3/4 | SSC2CB2766 |                    | 2985         | 3136              | 3223         | 3260            | 3260         | 3.2 65 |
| 27         | 60 | 36 | 33 3/4 | 12 | 8 1/2 | SSC2CB2760 |                    | 2916         | 3065              | 3133         | 3170            | 3170         | 2.9 60 |
|            |    |    |        |    |       |            |                    | 2847         | 2993              | 3045         | 3082            | 3082         | 2.6 55 |



## SPECIFY

Product code   Profile   Type   Finish 2   S-Touch   Grom.   M-Outlet

ES -  -  -  -  -  -  -

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse, if applicable), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood), **Q** (lacquer) or **G** (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Option** **Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet module option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.

# surfaces and returns

price list

## elliptical surface 1 material

### Description

Elliptical work surface.

Option of round grommet or round multi-outlet module positioned at left or right\*.


\* If specified, the "Disc" base allows for passage of cabling through center leg.

Wood gables not available for this surface.

Returns for this surface shown on next page.

For information on surface supports (storage units & legs) refer to p.14.

To select a modesty panel for this surface, refer to grid on p.71.



| PRICE      |    |         | Wood (W)                                                                          |                                                                                    | Lacquer (Q)                                                                         |                                                                                     | Spec.  |    |
|------------|----|---------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|----|
| Dimensions |    | Code    |  |  |  |  |        |    |
| A          | B  |         | Straight (i)                                                                      | Reverse (V)                                                                        | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft. | lb |
| 36         | 78 | SSE3678 | 2042                                                                              | 2363                                                                               | 3131                                                                                | 3168                                                                                | 3.5    | 60 |
| 36         | 72 | SSE3672 | 2021                                                                              | 2332                                                                               | 3025                                                                                | 3061                                                                                | 3.3    | 55 |

### SPECIFY

### OPTIONS

Product code    Profile    Type    Surface    Grom.    M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood) or **Q** (lacquer).

**Surface:** Specify the color of the surface finish, see p.25.

**Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.

**Option Multi-Outlet:** Round multi-outlet module option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.

Attention: For this surface, only one option (grommet or multi-outlet module) can be specified per position.




# surfaces and returns

price list

elliptical surface with bidirectional wood grain

### Description

Elliptical work surface with bidirectional wood grain.  
Option of round grommet or round multi-outlet module positioned on the left or right\*.  
\* If specified, the "Disc" base allows for the routing of cables through center leg.  
Wood gables not available for this surface.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units & legs) refer to p.14.  
To select a modesty panel for this surface, refer to grid on p.71.



| PRICE      |    |    | Wood (W)  |  |        |    |
|------------|----|----|-----------|--|--------|----|
| Dimensions |    |    | Code      |  | Spec.  |    |
| A          | B  | C  |           |  | Cu.Ft. | lb |
| 36         | 78 | 9½ | SSE2A3678 |  | 3.5    | 60 |
| 36         | 72 | 9¼ | SSE2A3672 |  | 3.3    | 55 |

### SPECIFY

### OPTIONS

Product code    Profile    Wood    Grom.    M-Outlet

ES -  -  - W -  -  -

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Wood: Specify the color of the surface finish (WOOD), see p.25.  
**Option** Grommet: Round grommet option, installed at left (GL2) or at right (GR2), add \$90 ea., see p.23.  
Multi-Outlet: Round multi-outlet module option, installed at left (DL2) or at right (DR2), add \$300 ea., see p.23.  
Attention: For this surface, only one option (grommet or multi-outlet module) can be specified per position.


# surfaces and returns

price list

*returns with bidirectional wood grain for elliptical surfaces*

## Description


Interior return with bidirectional wood grain for 78" elliptic work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 Option of round grommet or round multi-outlet module (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.14.  
 To select a modesty panel for this return, refer to grid on p.71.



| PRICE      |    |    |       |              | Wood (W)     |             |       |    |
|------------|----|----|-------|--------------|--------------|-------------|-------|----|
| Dimensions |    |    |       | Code         | Straight (i) | Reverse (V) | Spec. |    |
| A          | B  | C  | D     |              |              |             | Cu.Ft | lb |
| 24         | 60 | 72 | 8 3/4 | SRLE2A782460 | 1528         | 1789        | 2.2   | 44 |
| 24         | 54 | 66 | 8 3/4 | SRLE2A782454 | 1513         | 1767        | 2     | 40 |
| 24         | 48 | 60 | 8 3/4 | SRLE2A782448 | 1497         | 1744        | 1.9   | 36 |
| 24         | 60 | 72 | 8 3/4 | SRRE2A782460 | 1528         | 1789        | 2.2   | 44 |
| 24         | 54 | 66 | 8 3/4 | SRRE2A782454 | 1513         | 1767        | 2     | 40 |
| 24         | 48 | 60 | 8 3/4 | SRRE2A782448 | 1497         | 1744        | 1.9   | 36 |

## Description

Interior return with bidirectional wood grain for 72" elliptic work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 Option of round grommet or round multi-outlet module (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.14.  
 To select a modesty panel for this return, refer to grid on p.71.



| PRICE      |    |        |       |              | Wood (W)     |             |       |    |
|------------|----|--------|-------|--------------|--------------|-------------|-------|----|
| Dimensions |    |        |       | Code         | Straight (i) | Reverse (V) | Spec. |    |
| A          | B  | C      | D     |              |              |             | Cu.Ft | lb |
| 24         | 60 | 72 1/2 | 8 3/4 | SRLE2A722460 | 1528         | 1789        | 2.2   | 44 |
| 24         | 54 | 66 1/2 | 8 3/4 | SRLE2A722454 | 1513         | 1767        | 2     | 40 |
| 24         | 48 | 60 1/2 | 8 3/4 | SRLE2A722448 | 1497         | 1744        | 1.9   | 36 |
| 24         | 60 | 72 1/2 | 8 3/4 | SRRE2A722460 | 1528         | 1789        | 2.2   | 44 |
| 24         | 54 | 66 1/2 | 8 3/4 | SRRE2A722454 | 1513         | 1767        | 2     | 40 |
| 24         | 48 | 60 1/2 | 8 3/4 | SRRE2A722448 | 1497         | 1744        | 1.9   | 36 |

## SPECIFY

## OPTIONS

Product code    Profile    Wood    Grom. /M-Outlet

ES -  -  - W -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Option** Grommet/M-Outlet: Round grommet option (GU2) add \$90, or round multi-outlet module (DU2) add \$300, see p.23.

# surfaces and returns

price list

elliptical surface with combined materials (wood/lacquer)

### Description

Elliptical work surface with wood finish on user side and lacquer finish on guest side.


Option of round grommet or round multi-outlet module positioned on the left or right\*.

\* If specified, the "Disc" base allows for passage of cabling through center leg.

Wood gables not available for this surface.

Returns for this surface shown on page 57. For information on surface supports (storage units & legs) refer to p.14.


To select a modesty panel for this surface, refer to grid on p.71.



### PRICE

### Lacquer (Q)

| Dimensions |    |     | Code       | Lacquer (Q)  |             | Spec.  |    |
|------------|----|-----|------------|--------------|-------------|--------|----|
| A          | B  | C   |            | Straight (i) | Reverse (V) | Cu.Ft. | lb |
| 36         | 78 | 22½ | SSE2WB3678 | 3494         | 3672        | 3.5    | 60 |
| 36         | 72 | 22  | SSE2WB3672 | 3462         | 3637        | 3.3    | 55 |



### SPECIFY

### OPTIONS

ES -  -  - Q - LQ31 -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Option Grommet:** Round grommet option, installed at left (GL2) or at right (GR2), add \$90 ea., see p.23.

**Multi-Outlet:** Round multi-outlet module option, installed at left (DL2) or at right (DR2), add \$300 ea., see p.23.

**Attention:** For this surface, only one option (grommet or multi-outlet module) can be specified per position.

# surfaces and returns

price list

elliptical surface with combined materials (soft-touch/wood or soft-touch/lacquer)

## Description

Elliptical work surface with Soft-Touch finish on user side and choice of finish (wood or lacquer) on guest side.


Option of round grommet or round multi-outlet module positioned on the left or right\*.

\* If specified, the "Disc" base allows for the routing of cables through center leg.


Wood gables not available for this surface.

Returns for this surface shown on page 57. For information on surface supports (storage units, gables & legs) refer to p.14.

To select a modesty panel for this surface, refer to grid on p.71.



| PRICE      |    |     | Finish 2: Wood (W) |                                                                                   | Finish 2: Lacquer (Q)                                                              |                                                                                     |                                                                                     |            |
|------------|----|-----|--------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|
| Dimensions |    |     | Code               |  |  |  |  | Spec.      |
| A          | B  | C   |                    | Straight (i)                                                                      | Reverse (V)                                                                        | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft   lb |
| 36         | 78 | 22½ | SSE2CB3678         | 4320                                                                              | 4499                                                                               | 5409                                                                                | 5445                                                                                | 3.5   60   |
| 36         | 72 | 22  | SSE2CB3672         | 4299                                                                              | 4473                                                                               | 5387                                                                                | 5424                                                                                | 3.3   55   |



## SPECIFY

| Product code | Profile | Type | Finish 2 | S-Touch | Grom. | M-Outlet |
|--------------|---------|------|----------|---------|-------|----------|
| ES -         |         |      |          |         |       |          |

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood) or **Q** (lacquer).

**Option** **Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.

**Multi-Outlet:** Round multi-outlet module option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.

**Attention:** For this surface, only one option (grommet or multi-outlet module) can be specified per position.

# tables


price list

## round tables 29''H.


### Description

29''H. round table with 4 square metal legs (2½" x 2½", silver finish).

Option of centered round multi-outlet module (module & cables will be visible under the surface).



| PRICE      |    |         |              | Wood (W) |             | Lacquer (Q) |              | Glass (G) |        |         |
|------------|----|---------|--------------|----------|-------------|-------------|--------------|-----------|--------|---------|
| Dimensions |    | Code    |              |          |             |             |              |           | Spec.  |         |
| A          | C  |         |              |          |             |             |              |           | Cu.Ft. | lb      |
| 48         | 29 | TRS2948 | Straight (i) |          | Reverse (V) |             | Straight (i) |           | 3615   | 1.7 108 |
| 42         | 29 | TRS2942 | Straight (i) |          | Reverse (V) |             | Straight (i) |           | 2896   | 1.7 89  |




### Description

29''H. round table with 4 round metal legs (2½" diam., silver finish).

Option of centered round multi-outlet module (module & cables will be visible under the surface).

|    |    |         |      |      |      |      |      |     |     |
|----|----|---------|------|------|------|------|------|-----|-----|
| 48 | 29 | TRR2948 | 2939 | 3215 | 3764 | 3799 | 3799 | 1.7 | 108 |
| 42 | 29 | TRR2942 | 2417 | 2679 | 3048 | 3081 | 3081 | 1.7 | 89  |



### Description

29''H. round table with centered metal leg (4" diam.) and "Disc" base (24" diam.), silver finish.

Option of centered round multi-outlet module. This base allows for the routing of cables through center leg.


|    |    |         |      |      |      |      |      |      |     |
|----|----|---------|------|------|------|------|------|------|-----|
| 48 | 29 | TRD2948 | 3279 | 3555 | 4103 | 4137 | 4137 | 14.2 | 141 |
| 42 | 29 | TRD2942 | 2754 | 3017 | 3386 | 3420 | 3420 | 13.6 | 122 |

## round tables 36''H. and 42''H.

### Description

36''H. and 42''H. round tables with centered metal leg (4" diam.) and "Disc" base (21" diam.), silver finish.

Option of centered round multi-outlet module. This base allows for the routing of cables through center leg.



| PRICE      |    |         |              | Wood (W) |             | Lacquer (Q) |              | Glass (G) |        |         |
|------------|----|---------|--------------|----------|-------------|-------------|--------------|-----------|--------|---------|
| Dimensions |    | Code    |              |          |             |             |              |           | Spec.  |         |
| A          | C  |         |              |          |             |             |              |           | Cu.Ft. | lb      |
| 30         | 36 | TRD3630 | Straight (i) |          | Reverse (V) |             | Straight (i) |           | 2751   | 12.2 83 |
| 30         | 42 | TRD4230 | Straight (i) |          | Reverse (V) |             | Straight (i) |           | 2767   | 14 85   |

### SPECIFY

ES -  -  -  -  -  -

### OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse, if applicable), see p.12.

**Type:** Specify the type of finish for the surface: W (wood), Q (lacquer) or G (glass).

**Surface:** Specify the color of the surface finish, see p.25.

**Wood (if glass surface):** Specify the wood finish for the visible profile (edge of surface), see p.25.

**Option Multi-Outlet:** Round multi-outlet module option, installed at center (DC2), add \$300, see p.23.


# tables

price list

*occasional tables 17''H.*

## Description


Occasional rectangular table with square metal legs (2½" x 2½", silver finish).



| PRICE      |    |    |             | Wood (W)                                                                          |                                                                                   | Lacquer (Q)                                                                       |                                                                                    | Soft-Touch (C)                                                                      |                                                                                     |       |    |
|------------|----|----|-------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|----|
| Dimensions |    |    | Code        |  |  |  |  |  |  | Spec. |    |
| A          | B  | C  |             | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                      | Reverse (V)                                                                        | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft | lb |
| 24         | 36 | 17 | TMASS172436 | 1265                                                                              | 1432                                                                              | 1573                                                                              | 1608                                                                               | 1694                                                                                | 1728                                                                                | 1.9   | 39 |
| 24         | 24 | 17 | TMASS172424 | 986                                                                               | 1141                                                                              | 1192                                                                              | 1227                                                                               | 1272                                                                                | 1306                                                                                | 1.6   | 31 |

## Description


Occasional rectangular table with round metal legs (2½" x 2½", silver finish).



|    |    |    |                    |      |      |      |      |      |      |     |    |
|----|----|----|--------------------|------|------|------|------|------|------|-----|----|
| 24 | 36 | 17 | <b>TMASR172436</b> | 1268 | 1437 | 1577 | 1612 | 1696 | 1730 | 1.9 | 39 |
| 24 | 24 | 17 | <b>TMASR172424</b> | 989  | 1143 | 1195 | 1229 | 1274 | 1308 | 1.6 | 31 |

## Description


Occasional round table with centered metal leg (4" diam.) and "Disc" base (18" diam.), silver finish.



|    |    |                  |      |      |      |      |     |    |
|----|----|------------------|------|------|------|------|-----|----|
| 30 | 17 | <b>TMARD1730</b> | 1819 | 1987 | 2141 | 2176 | 5.2 | 57 |
| 24 | 17 | <b>TMARD1724</b> | 1505 | 1632 | 1711 | 1745 | 4.8 | 50 |

## Description

Occasional elliptical table with centered metal leg (4" diam.) and "Disc" base (18" diam.), silver finish.



|    |    |    |                    |      |      |      |      |   |    |
|----|----|----|--------------------|------|------|------|------|---|----|
| 21 | 36 | 17 | <b>TMAED172136</b> | 1679 | 1913 | 1949 | 1984 | 5 | 54 |
|----|----|----|--------------------|------|------|------|------|---|----|

## SPECIFY

ES -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

# gables and legs

price list

*ALTO wood gables [sold in pairs]*

## Description

Alto wood gable set (gable is composed of a closed wood panel assembly with vertical woodgrain).

The set is comprised of two Alto gables and a structural beam of appropriate length to ensure the stability of the gable set assembly.

Gables allow for cable routing inside the structure (from top to floor) through the use of a removable section. The addition



of the AC-EPUA multi-outlet module is possible (see Accessory price list). Use wire trough AC-WR24 to run cables along the structural beam.

It is possible to order this gable individually (see p.66-67) if the use of a pedestal as support is planned for the opposite end of the surface.


The modesty panel is sold separately, see p.15 for details.

Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length.


## ALTO GABLE SET



Rectangular surface  
2 ALTO gables



Trapezoid surface  
2 ALTO gables



Ergonomic surface  
2 ALTO gables

| Surface dimensions |      |       |      |       | Surface dimensions |      |       | Spec.  |    |
|--------------------|------|-------|------|-------|--------------------|------|-------|--------|----|
|                    | Code | Price | Code | Price |                    | Code | Price | Cu.Ft. | lb |
|                    | Set  |       | Set  |       |                    | Set  |       |        |    |
| 36x84              | A1   | 3837  |      |       | 27x84              | A1   | 3837  | 8.4    | 84 |
| 36x78              | A2   | 3837  |      |       | 27x78              | A2   | 3837  |        |    |
| 36x72              | A3   | 3837  |      |       | 27x72              | A3   | 3837  |        |    |
| 30x78              | A2   | 3837  | A6   | 3837  | 27x66              | A4   | 3837  |        |    |
| 30x72              | A3   | 3837  | A7   | 3837  | 27x60              | A5   | 3837  |        |    |
| 30x66              | A4   | 3837  | A8   | 3837  |                    |      |       |        |    |
| 30x60              | A5   | 3837  |      |       |                    |      |       |        |    |

## SPECIFY

Product code      Wood

ES -  -

**Specify Code :** Consult the above list.

**Wood:** Specify the color (Wood), see p.25.

# gables and legs


price list

*DUO wood gables (sold in pairs)*

## Description

Duo wood gable set (gable is composed of a narrow interior wood panel and a wider exterior wood panel).  
The set is comprised of two Duo gables and a structural beam of appropriate length to ensure the stability of the gable set assembly.  
Sets D1, D2 & D3 are comprised of 30" wide gables, sets D4 to D11 are comprised of 24" wide gables.  
Gables have a bidirectional wood grain finish on the exterior panel (see drawing).  
Gables allow for cable routing between the gable panels (from top to floor) through the use of a removable section. The addition of the AC-EPU multi-outlet module is possible (see Accessory price list). Use wire trough AC-WR24 to run cabling on the structural beam.  
It is possible to order this gable individually (see page 66-67) if the use of a pedestal as support is planned for the opposite end of the surface.  
The modesty panel is sold separately, see p.15 for details.  
**Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length.**

DUO GABLE SET



| Rectangular surface<br>2 DUO gables |      |       | Trapezoid surface<br>2 DUO gables |       |                    | Ergonomic surface<br>2 DUO gables |       |           |
|-------------------------------------|------|-------|-----------------------------------|-------|--------------------|-----------------------------------|-------|-----------|
| Surface dimensions                  | Code | Price | Code                              | Price | Surface dimensions | Code                              | Price | Spec.     |
|                                     | Set  |       | Set                               |       |                    | Set                               |       | Cu.Ft. lb |
| 36x84                               | D1   | 2130  |                                   |       | 27x84              | D4                                | 2130  | 12.2 70   |
| 36x78                               | D2   | 2130  |                                   |       | 27x78              | D5                                | 2130  |           |
| 36x72                               | D3   | 2130  |                                   |       | 27x72              | D6                                | 2130  |           |
| 30x78                               | D5   | 2130  | D9                                | 2130  | 27x66              | D7                                | 2130  |           |
| 30x72                               | D6   | 2130  | D10                               | 2130  | 27x60              | D8                                | 2130  |           |
| 30x66                               | D7   | 2130  | D11                               | 2130  |                    |                                   |       |           |
| 30x60                               | D8   | 2130  |                                   |       |                    |                                   |       |           |

## SPECIFY

Product code

Wodd

ES -  -

**Specify Code :** Consult the above list.  
**Wood:** Specify the color (Wood), see p.25.

# gables and legs

price list

wood gables for work surfaces [sold individually]

## Description

\*Specify if only one gable is required to support a surface. If two identical gables are required to support a surface, refer to previous page.


Alto wood gable, **sold by the unit**, composed of a closed wood panel assembly with vertical woodgrain.

Specify to support a work surface, only if the opposite end of the surface is supported by a pedestal or credenza.


Gable allows for cable routing inside the structure (from top to floor) through the use of a removable section.

The addition of the AC-EPUA multi-outlet module is possible (see Accessory price list).

Reversible.



### ALTO GABLE



#### PRICE

| Dimensions |   |    | Code |       | Spec.  |        |
|------------|---|----|------|-------|--------|--------|
| A          | B | C  | Side | Wood  | Cu.Ft. | lb     |
| 28         |   | 24 |      | A2824 | 1821   | 3.6 36 |

## Description

Duo wood gable, **sold by the unit**, composed of a narrow interior wood panel and a wider exterior wood panel.

Specify to support a work surface (24" or 30" gable), only if the opposite end of the surface is supported by a pedestal or credenza.



Gable allows for cable routing between the gable panels (from top to floor) through the use of a removable section.

The addition of the AC-EPU multi-outlet module is possible (see Accessory price list).

Gable has a bidirectional wood grain finish on the exterior panel (see drawing).

Non-reversible gable.

### DUO GABLE



#### PRICE

| Dimensions |   |    | Code  |        | Spec. |                                             |
|------------|---|----|-------|--------|-------|---------------------------------------------|
| A          | B | C  | Side  | Bois   |       | Cu.Ft. lb                                   |
| 28         |   | 30 | Left  | DL2830 | 968   | To use with surfaces 36" deep 5.5 29        |
| 28         |   | 30 | Right | DR2830 | 968   | To use with surfaces 36" deep 5.5 29        |
| 28         |   | 24 | Left  | DL2824 | 946   | To use with surfaces 30" or 27" deep 4.5 25 |
| 28         |   | 24 | Right | DR2824 | 946   | To use with surfaces 30" or 27" deep 4.5 25 |

## SPECIFY

Product code Wood  
ES -  -

Specify Code: Consult the above list.

Wood: Specify the color (WOOD), see p.25.

# gables and legs

price list


end gable for return [sold individually]

## Description

Wood end gable for return, **sold by the unit**, composed of two panels assembled perpendicularly.

Specify to support the return's end opposite to the work surface when a pedestal, credenza or metal legs are not specified as support for the return.

Non-reversible gable. Specify the 13" wide gable to support the returns for ergonomic surface, p.50-52 & 53



## PRICE

| Dimensions |   |    | Code  |         |      |                                          | Spec.  |    |
|------------|---|----|-------|---------|------|------------------------------------------|--------|----|
| A          | B | C  | Side  |         | Wood |                                          | Cu.Ft. | lb |
| 28         |   | 19 | Left  | TUL2819 | 385  | For 24" wide returns (at supporting end) | 3.5    | 19 |
| 28         |   | 19 | Right | TUR2819 | 385  | For 24" wide returns (at supporting end) | 3.5    | 19 |
| 28         |   | 13 | Left  | TUL2813 | 363  | For 18" wide returns (at supporting end) | 2.6    | 16 |
| 28         |   | 13 | Right | TUR2813 | 363  | For 18" wide returns (at supporting end) | 2.6    | 16 |

## SPECIFY

Product code Wood  
ES -  -

Specify Code: Consult the above list.

Wood: Specify the color (WOOD), see p.25.

## metal legs


## Description

Round tubular metal leg (2½" diam.) with wider leveller (allows for a height adjustment of 1¼"), silver finish.

Square metal leg (2½" x 2½") with hidden leveller (allows for a height adjustment of ¾"), silver finish.

Specify to support a work surface or a return. Not recommended work surfaces 78" or more.

Consult the specification guide, p.14.



## PRICE


| Dimensions        |    | Code  |  | Price |  | Spec.  |    |
|-------------------|----|-------|--|-------|--|--------|----|
| A                 |    |       |  |       |  | Cu.Ft. | lb |
| Round (2½" Diam.) | 28 | LER28 |  | 162   |  | 0.9    | 7  |
| Square (2½ x 2½)  | 28 | LES28 |  | 121   |  | 0.9    | 7  |

## Description

Metal leg with round tubular structure (4" diam.) and "disc" base (21" diam.), silver finish.

Specify to support an elliptical work surface.

This base allows for cable routing from the surface level to floor through center leg when the grommet option or multi-outlet module option is selected for the elliptical work surface, see p.23.



## PRICE

| Dimensions      |    |   | Code |          | Price | Spec.  |    |
|-----------------|----|---|------|----------|-------|--------|----|
| A               | B  | C |      |          |       | Cu.Ft. | lb |
| For 36"H. table | 35 | 4 | 21   | LED35421 | 913   | 8.9    | 50 |
| For 29"H. table | 28 | 4 | 21   | LED28421 | 897   | 11     | 52 |

## SPECIFY

Product code  
ES -

Specify Code : Consult the above list.

# modesty panels







## reference guide

price list

Select the length of the modesty panel using the list below:







- 1- Select the work surface or return
- 2- Select the type of supports (gables, legs, storage unit)
- 3- Note the proposed panel modesty length from the grid below
- 4- Specify the modesty panel on pages 72 & 75.

### MODESTY PANEL FOR RECTANGULAR SURFACE



| Surface Dimensions | Pedestals on 2 sides<br>Modesty length | ALTO gable + pedestal<br>Modesty length | DUO gable + pedestal<br>Modesty length | Metal legs + pedestal<br>Modesty length | 4 metal legs<br>Modesty length | 2 ALTO gables<br>Modesty length | 2 DUO gables<br>Modesty length |
|--------------------|----------------------------------------|-----------------------------------------|----------------------------------------|-----------------------------------------|--------------------------------|---------------------------------|--------------------------------|
| 36x84              | 64½                                    | 64½                                     | 69                                     |                                         |                                | 64½                             | 73½                            |
| 36x78              | 58½                                    | 58½                                     | 63                                     |                                         |                                | 58½                             | 67½                            |
| 36x72              | 52½                                    | 52½                                     | 57                                     | 54½                                     | 42½                            | 52½                             | 61½                            |
| 30x78              | 58½                                    | 58½                                     | 63                                     |                                         |                                | 58½                             | 67½                            |
| 30x72              | 52½                                    | 52½                                     | 57                                     | 54½                                     | 42½                            | 52½                             | 61½                            |
| 30x66              | 46½                                    | 46½                                     | 51                                     | 48½                                     | 42½                            | 46½                             | 55½                            |
| 30x60              | 40½                                    | 40½                                     | 45                                     | 42½                                     | 42½                            | 40½                             | 49½                            |

### MODESTY PANEL FOR RECTANGULAR SURFACE RETURNS



| Return dimensions | 27"H. Storage<br>Modesty length | End gable<br>Modesty length | Metal legs<br>Modesty length | Return dimensions | 27"H. Storage<br>Modesty length | End gable<br>Modesty length | Metal legs<br>Modesty length |
|-------------------|---------------------------------|-----------------------------|------------------------------|-------------------|---------------------------------|-----------------------------|------------------------------|
| 24x60             | 48½                             | 55½                         | 52½                          | 24x72             | 54½                             | 61½                         | 58½                          |
| 24x54             | 42½                             | 49½                         | 46½                          | 24x66             | 48½                             | 55½                         | 52½                          |
| 24x48             | 36½                             | 42½                         | 40½                          | 24x60             | 42½                             | 49½                         | 46½                          |
| 24x42             | 30½                             | 36½                         | 36½                          |                   |                                 |                             |                              |


Codification & pricing, see p. 72-75.

# modesty panels


reference guide [cont'd]

price list


## MODESTY PANEL FOR TRAPEZOID SURFACE




**Pedestals on  
2 sides**




**ALTO gable  
+ pedestal**




**DUO gable  
+ pedestal**




**Metal legs  
+ pedestal**



**4 metal legs**




**2 ALTO gables**




**2 DUO gables**

| Surface<br>Dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|-----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 30x78                 | 51                | 51                | 54½               |                   |                   | 51                | 58½               |
| 30x72                 | 45                | 45                | 48½               | 45                | 45                | 45                | 52½               |
| 30x66                 | 39                | 39                | 42½               | 39                | 39                | 39                | 46½               |


## MODESTY PANEL FOR TRAPEZOID SURFACE RETURNS



**27"H.  
Storage**




**End gable**




**Metal legs**


| Return<br>dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|----------------------|-------------------|-------------------|-------------------|
| 24x84                | 54½               | 61½               | 58½               |
| 24x78                | 48½               | 55½               | 52½               |
| 24x72                | 42½               | 49½               | 46½               |



**27"H.  
Storage**




**End gable**




**Metal legs**


| Return<br>dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|----------------------|-------------------|-------------------|-------------------|
| 24x84                | 54½               | 61½               | 58½               |
| 24x78                | 48½               | 55½               | 52½               |
| 24x72                | 42½               | 49½               | 46½               |



**27"H.  
Storage**



**End gable**



**Metal legs**

| Return<br>dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|----------------------|-------------------|-------------------|-------------------|
| 24x84                | 54½               | 61½               | 58½               |
| 24x78                | 48½               | 55½               | 52½               |
| 24x72                | 42½               | 49½               | 46½               |


Codification & pricing, see p.72-75.

# modesty panels


reference guide [cont'd]

price list


## MODESTY PANEL FOR ERGONOMIC SURFACE



**Pedestals on  
2 sides**




**ALTO gable  
+ pedestal**




**DUO gable  
+ pedestal**




**Metal legs  
+ pedestal**



**4 metal legs**



**2 ALTO gables**




**2 DUO gables**

| Surface<br>Dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|-----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 27x84                 | 64½               | 64½               | 69                |                   |                   | 64½               | 73½               |
| 27x78                 | 58½               | 58½               | 63                |                   |                   | 58½               | 67½               |
| 27x72                 | 52½               | 52½               | 57                | 54½               | 42½               | 52½               | 61½               |
| 27x66                 | 46½               | 46½               | 51                | 48½               | 42½               | 46½               | 55½               |
| 27x60                 | 40½               | 40½               | 45                | 42½               | 42½               | 40½               | 49½               |


## MODESTY PANEL FOR ERGONOMIC SURFACE RETURNS




**Return  
dimensions**



**27\"/>**




**End gable**




**Metal legs**




**Return  
dimensions**



**27\"/>**








**End gable**






**Metal legs**

| Return<br>dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length | Return<br>dimensions | Modesty<br>length | Modesty<br>length | Modesty<br>length |
|----------------------|-------------------|-------------------|-------------------|----------------------|-------------------|-------------------|-------------------|
| 18x60                | 49½               | 54½               | 52½               | 24x84                | 57                | 63                | 58½               |
| 18x54                | 42½               | 48½               | 46½               | 24x78                | 51                | 57                | 54½               |
| 18x48                | 36½               | 42½               | 40½               | 24x72                | 45                | 51                | 48½               |

Codification & pricing, see p.72-75.

| MODESTY PANEL FOR ELLIPTICAL SURFACE |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |
|--------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                      |  |  |  |  |  |
|                                      | Pedestals on 2 sides                                                              | Metal legs + pedestal                                                             | Disc base metal leg + pedestal                                                    | 2 Disc base metal leg                                                               | 4 metal legs                                                                        |
| Surface Dimensions                   | Modesty length                                                                    | Modesty length                                                                    | Modesty length                                                                    | Modesty length                                                                      | Modesty length                                                                      |
| 36x78                                | 52½                                                                               | 48½                                                                               | 48½                                                                               | 45                                                                                  | 45                                                                                  |
| 36x72                                | 46½                                                                               | 42½                                                                               | 42½                                                                               | 39                                                                                  | 39                                                                                  |

| MODESTY PANEL FOR RETURN (OF ELLIPTICAL SURFACE)                                    |                                                                                    |                                                                                    |                                                                                    |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|  |  |  |  |
|                                                                                     | 27"H. Storage                                                                      | End gable                                                                          | Metal legs                                                                         |
| Return dimensions                                                                   | Modesty length                                                                     | Modesty length                                                                     | Modesty length                                                                     |
| 24x60                                                                               | 48½                                                                                | 52½                                                                                | 52½                                                                                |
| 24x54                                                                               | 42½                                                                                | 46½                                                                                | 46½                                                                                |
| 24x48                                                                               | 36½                                                                                | 40½                                                                                | 40½                                                                                |

Codification & pricing, see p.72-75.

# modesty panels

for work surfaces of 13½" H.

price list

## Description



Modesty panels for work surfaces. Available with wood finish (horizontal woodgrain), lacquer finish, glass (13½" H.) or bidirectional wood grain finish.

The panel is installed on to the work surface with metal brackets (included).


Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the surface and to the type of support (gable, storage or legs) specified.

Modesty panels for returns are shown on page 74.



SHORT PANEL  
13½" H.



| Modesty<br>Length | Wood, lacquer or glass finish |          |             |           | Bidirectional wood grain finish |       |          |        |
|-------------------|-------------------------------|----------|-------------|-----------|---------------------------------|-------|----------|--------|
|                   | Code                          | Price    |             |           | Code                            | Price | Spec.    |        |
|                   |                               | Wood (W) | Lacquer (Q) | Glass (G) |                                 |       | Wood (W) | Cu.Ft. |
| 73½               | MOD7313                       | 386      | 782         | 867       | MOD2B7313                       | 444   | 1.4      | 25     |
| 69                | MOD6913                       | 382      | 752         | 832       | MOD2B6913                       | 439   | 1.3      | 24     |
| 67½               | MOD6713                       | 381      | 743         | 821       | MOD2B6713                       | 437   | 1.2      | 23     |
| 64½               | MOD6413                       | 377      | 724         | 798       | MOD2B6413                       | 433   | 1.2      | 22     |
| 63                | MOD6313                       | 375      | 714         | 785       | MOD2B6313                       | 432   | 1.2      | 22     |
| 61½               | MOD6113                       | 374      | 705         | 774       | MOD2B6113                       | 431   | 1.1      | 21     |
| 58½               | MOD5813                       | 371      | 685         | 751       | MOD2B5813                       | 427   | 1.1      | 21     |
| 57                | MOD5713                       | 370      | 675         | 740       | MOD2B5713                       | 425   | 1.1      | 20     |
| 55½               | MOD5513                       | 367      | 666         | 729       | MOD2B5513                       | 424   | 1        | 20     |
| 54½               | MOD5413                       | 366      | 660         | 722       | MOD2B5413                       | 422   | 1        | 19     |
| 52½               | MOD5213                       | 364      | 647         | 706       | MOD2B5213                       | 420   | 1        | 19     |
| 51                | MOD5113                       | 363      | 637         | 694       | MOD2B5113                       | 419   | 1        | 18     |
| 49½               | MOD4913                       | 362      | 628         | 683       | MOD2B4913                       | 416   | 0.9      | 18     |
| 48½               | MOD4813                       | 361      | 622         | 675       | MOD2B4813                       | 415   | 0.9      | 18     |
| 46½               | MOD4613                       | 359      | 608         | 660       | MOD2B4613                       | 413   | 0.9      | 17     |
| 45                | MOD4513                       | 356      | 598         | 648       | MOD2B4513                       | 411   | 0.8      | 17     |
| 42½               | MOD4213                       | 354      | 583         | 629       | MOD2B4213                       | 409   | 0.8      | 16     |
| 40½               | MOD4013                       | 352      | 570         | 614       | MOD2B4013                       | 407   | 0.8      | 16     |
| 39                | MOD3913                       | 351      | 560         | 603       | MOD2B3913                       | 404   | 0.7      | 15     |

## SPECIFY

Product Code      Type      Finish

ES -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish: **W** (wood), **Q** (lacquer) or **G** (glass - 13½" H. only).

**Finish:** Specify the color of the finish, see p.25.

# modesty panels

price list

for work surfaces of 26½" H.

## Description

Modesty panels for work surfaces. Available with wood finish (horizontal woodgrain), lacquer finish, glass (13½" H.) or bidirectional wood grain finish.

The panel is installed to the work surface with metal brackets (included).



The 26½"H. panel must also be attached, near ground level, to the base of a wood gable or a pedestal.

The 26½"H. panel cannot be specified for a surface supported by metal legs.


Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the surface and to the type of support (gable, storage or legs) specified.

Modesty panels for returns are shown on page 75.



FULL HEIGHT PANEL  
26½" H.



| Modesty<br>Length | Wood, lacquer or glass finish |          |             | Bidirectional wood grain finish |           |          |        |    |
|-------------------|-------------------------------|----------|-------------|---------------------------------|-----------|----------|--------|----|
|                   | Code                          | Price    |             |                                 | Code      | Price    | Spec.  |    |
|                   |                               | Wood (W) | Lacquer (Q) | Glass (G)                       |           | Wood (W) | Cu.Ft. | lb |
| 73½               | MOD7326                       | 463      | 1254        |                                 | MOD2B7326 | 529      | 1.4    | 25 |
| 69                | MOD6926                       | 454      | 1196        |                                 | MOD2B6926 | 518      | 1.3    | 24 |
| 67½               | MOD6726                       | 451      | 1176        |                                 | MOD2B6726 | 515      | 1.2    | 23 |
| 64½               | MOD6426                       | 444      | 1137        |                                 | MOD2B6426 | 508      | 1.2    | 22 |
| 63                | MOD6326                       | 441      | 1118        |                                 | MOD2B6326 | 505      | 1.2    | 22 |
| 61½               | MOD6126                       | 438      | 1100        |                                 | MOD2B6126 | 501      | 1.1    | 21 |
| 58½               | MOD5826                       | 432      | 1060        |                                 | MOD2B5826 | 494      | 1.1    | 21 |
| 57                | MOD5726                       | 429      | 1041        |                                 | MOD2B5726 | 491      | 1.1    | 20 |
| 55½               | MOD5526                       | 426      | 1022        |                                 | MOD2B5526 | 487      | 1      | 20 |
| 54½               | MOD5426                       | 424      | 1009        |                                 | MOD2B5426 | 485      | 1      | 19 |
| 52½               | MOD5226                       | 419      | 983         |                                 | MOD2B5226 | 481      | 1      | 19 |
| 51                | MOD5126                       | 416      | 965         |                                 | MOD2B5126 | 476      | 1      | 18 |
| 49½               | MOD4926                       | 414      | 945         |                                 | MOD2B4926 | 473      | 0.9    | 18 |
| 48½               | MOD4826                       | 411      | 932         |                                 | MOD2B4826 | 471      | 0.9    | 18 |
| 46½               | MOD4626                       | 407      | 906         |                                 | MOD2B4626 | 466      | 0.9    | 17 |
| 45                | MOD4526                       | 404      | 887         |                                 | MOD2B4526 | 463      | 0.8    | 17 |
| 42½               | MOD4226                       | 398      | 855         |                                 | MOD2B4226 | 458      | 0.8    | 16 |
| 40½               | MOD4026                       | 394      | 829         |                                 | MOD2B4026 | 452      | 0.8    | 16 |
| 39                | MOD3926                       | 392      | 811         |                                 | MOD2B3926 | 449      | 0.7    | 15 |

## SPECIFY

Product Code      Type      Finish

ES -  -  -

Specify Code: Consult the above list.

Type: Specify the type of finish: **W** (wood), **Q** (lacquer) or **G** (glass - 13½" H. only).

Finish: Specify the color of the finish, see p.25.

# modesty panels

for returns of 13½" H.

price list

## Description



Modesty panels for returns. Available with wood finish (horizontal woodgrain), lacquer finish or bidirectional wood grain finish. Glass finish not available.

The panel is installed on to the return surface with metal brackets (included).


Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the return and to the type of support (gable, storage or legs) specified.

Modesty panels for work surfaces are shown on page 72.



SHORT PANEL  
13½" H.



| Modesty length | Wood or lacquer finish |          |             | Bidirectional wood grain finish |          |        |
|----------------|------------------------|----------|-------------|---------------------------------|----------|--------|
|                | Code                   | Price    |             | Code                            | Price    | Spec.  |
|                |                        | Wood (W) | Lacquer (Q) |                                 | Wood (W) |        |
| 63             | MOR6313                | 375      | 714         | MOR2B6313                       | 432      | 1.2 22 |
| 61½            | MOR6113                | 374      | 704         | MOR2B6113                       | 431      | 1.1 16 |
| 58½            | MOR5813                | 371      | 685         | MOR2B5813                       | 427      | 1.1 15 |
| 57             | MOR5713                | 370      | 675         | MOR2B5713                       | 425      | 1.1 20 |
| 55½            | MOR5513                | 367      | 666         | MOR2B5513                       | 424      | 1 14   |
| 54½            | MOR5413                | 366      | 660         | MOR2B5413                       | 422      | 1 13   |
| 52½            | MOR5213                | 364      | 647         | MOR2B5213                       | 420      | 1 13   |
| 51             | MOR5113                | 363      | 637         | MOR2B5113                       | 419      | 1 18   |
| 49½            | MOR4913                | 362      | 627         | MOR2B4913                       | 416      | 0.9 12 |
| 48½            | MOR4813                | 361      | 622         | MOR2B4813                       | 415      | 0.9 12 |
| 46½            | MOR4613                | 359      | 608         | MOR2B4613                       | 413      | 0.9 11 |
| 45             | MOR4513                | 356      | 598         | MOR2B4513                       | 411      | 0.8 17 |
| 42½            | MOR4213                | 354      | 583         | MOR2B4213                       | 409      | 0.8 10 |
| 40½            | MOR4013                | 352      | 570         | MOR2B4013                       | 407      | 0.8 10 |
| 36½            | MOR3613                | 348      | 541         | MOR2B3613                       | 400      | 0.7 9  |
| 30½            | MOR3013                | 342      | 506         | MOR2B3013                       | 395      | 0.6 8  |

## SPECIFY

ES -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish: **W** (wood) or **Q** (lacquer).

**Finish:** Specify the color of the finish, see p.25.

# modesty panels

price list

for returns of 26½"H.

## Description

Modesty panels for returns. Available with wood finish (horizontal woodgrain), lacquer finish or bidirectional wood grain finish. Glass finish not available.

The panel is installed on to the return surface with metal brackets (included).



The 26½"H. panel must also be attached, near ground level, to the base of a wood gable or a pedestal.

The 26½"H. cannot be specified for a return supported by metal legs.


Consult the Modesty Panels reference guide on pages 68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the return and to the type of support (gable, storage or legs) specified.

Modesty panels for work surfaces are shown on page 73.



FULL HEIGHT PANEL  
26½" H.



| Modesty<br>length | Wood or lacquer finish |          |             | Bidirectional wood grain finish |       |          |        |
|-------------------|------------------------|----------|-------------|---------------------------------|-------|----------|--------|
|                   | Code                   | Price    |             | Code                            | Price | Spec.    |        |
|                   |                        | Wood (W) | Lacquer (Q) |                                 |       | Wood (W) | Cu.Ft. |
| 63                | MOR6326                | 441      | 1118        | MOR2B6326                       | 505   | 2.1      | 38     |
| 61½               | MOR6126                | 438      | 1099        | MOR2B6126                       | 501   | 2.1      | 28     |
| 58½               | MOR5826                | 432      | 1060        | MOR2B5826                       | 494   | 2        | 27     |
| 57                | MOR5726                | 429      | 1041        | MOR2B5726                       | 491   | 1.9      | 35     |
| 55½               | MOR5526                | 426      | 1022        | MOR2B5526                       | 487   | 1.9      | 26     |
| 54½               | MOR5426                | 424      | 1009        | MOR2B5426                       | 485   | 1.9      | 25     |
| 52½               | MOR5226                | 419      | 983         | MOR2B5226                       | 481   | 1.8      | 24     |
| 51                | MOR5126                | 416      | 965         | MOR2B5126                       | 476   | 1.7      | 32     |
| 49½               | MOR4926                | 414      | 945         | MOR2B4926                       | 473   | 1.7      | 23     |
| 48½               | MOR4826                | 411      | 932         | MOR2B4826                       | 471   | 1.7      | 22     |
| 46½               | MOR4626                | 407      | 906         | MOR2B4626                       | 466   | 1.6      | 21     |
| 45                | MOR4526                | 404      | 887         | MOR2B4526                       | 463   | 1.5      | 28     |
| 42½               | MOR4226                | 398      | 855         | MOR2B4226                       | 458   | 1.5      | 20     |
| 40½               | MOR4026                | 394      | 829         | MOR2B4026                       | 452   | 1.4      | 19     |
| 36½               | MOR3626                | 385      | 772         | MOR2B3626                       | 443   | 1.3      | 17     |
| 30½               | MOR3026                | 373      | 701         | MOR2B3026                       | 430   | 1.1      | 15     |

## SPECIFY

ES -  -  -

Specify Code: Consult the above list.

Type: Specify the type of finish: **W** (wood) or **Q** (lacquer).

Finish: Specify the color of the finish, see p.25.

# storage

price list

pedestals 27"H. (can be specified as surface support)

## Description

Pedestal with 1 file drawer and 2 - 6" drawers.

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top drawer.


Can be specified to support a 30" deep or less surface.

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).

These pedestals can be used separately or as support for a surface by adding the surface supporting spacers (p.82).

### 24" DEEP



| Dimensions |    |    | Code        | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |             | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 24 | 27 | FPUUF242427 | 2708       | 2880        | 3258        | 11.3   | 100 |
| 24         | 19 | 27 | FPUUF241927 | 2635       | 2742        | 2971        | 9.2    | 86  |

## Description

Pedestal with 2 file drawers.


Drawer fronts available in wood, lacquer or Soft-Touch.

Can be specified to support a 30" deep or less surface.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).



|    |    |    |            |      |      |      |      |     |
|----|----|----|------------|------|------|------|------|-----|
| 24 | 24 | 27 | FPFF242427 | 2615 | 2787 | 3166 | 11.3 | 100 |
| 24 | 19 | 27 | FPFF241927 | 2542 | 2650 | 2878 | 9.2  | 86  |

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Pull    C-Weight    Noki

ES -  -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.


**Option Counterweight:** Counterweight option, add (**CW**), add \$1113, see p.16.

**Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.

## Description

Open pedestal with 1 adjustable shelf.

Can be specified to support a 30" deep or less surface.



| Dimensions |    |    | Code      | Front Type |  |  | Spec.  |    |
|------------|----|----|-----------|------------|--|--|--------|----|
| A          | B  | C  |           | Wood (W)   |  |  | Cu.Ft. | lb |
| 24         | 24 | 27 | FPO242427 | 1766       |  |  | 11.3   | 70 |
| 24         | 19 | 27 | FPO241927 | 1569       |  |  | 9.2    | 59 |

## SPECIFY

Product code    Case

ES -  -

**Code:** Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

pedestals 27''H. [cont'd]


price list

## Description

Pedestal with 1 file drawer and 2 - 6" drawers.  
 Drawer fronts available in wood, lacquer or Soft-Touch.  
 Wood pencil tray included in the top drawer.  
 Can be specified to support a 36" deep or less surface.  
 A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
 Optional lock available (Noki electronic lock).

These pedestals can be used separately or as support for a surface by adding the surface supporting spacers (p.82).


### 30" DEEP



| Dimensions |    |    | Code        | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |             | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 30         | 24 | 27 | FPUUF302427 | 2797       | 2971        | 3348        | 14     | 111 |
| 30         | 19 | 27 | FPUUF301927 | 2724       | 2831        | 3060        | 11.3   | 97  |

## Description

Pedestal with 2 file drawers.  
 Drawer fronts available in wood, lacquer or Soft-Touch.  
 Can be specified to support a 36" deep or less surface.  
 Interlock mechanism included (allows for only one drawer to be open at a time).  
 A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
 Optional lock available (Noki electronic lock).



|    |    |    |            |      |      |      |      |     |
|----|----|----|------------|------|------|------|------|-----|
| 30 | 24 | 27 | FPPF302427 | 2705 | 2878 | 3255 | 14   | 111 |
| 30 | 19 | 27 | FPPF301927 | 2632 | 2739 | 2967 | 11.3 | 97  |

## SPECIFY

## OPTIONS


Product code    Type    Front    Case    Pull    C-Weight    Noki

ES -  -  -  -  -  -  -

**Code:** Consult the above list.  
**Type:** Specify the type of finish for the drawer fronts: W (wood), Q (lacquer) or C (Soft-Touch).  
**Front:** Specify the finish for the drawer fronts, see p.25.  
**Case:** Specify the color (wood) of the case, see p.25.  
**Pull:** Specify the type of pull: arched (PA) or straight (PT), see p.16.  
**Counterweight:** Counterweight option, add (CW), add \$113, see p.16.  
**Noki:** Electronic lock option, add (L), offered without charge, see p.19.

## Description

Open pedestal with 1 adjustable shelf.  
 Can be specified to support a 36" deep or less surface.



| Dimensions |    |    | Code      | Price | Spec.  |    |
|------------|----|----|-----------|-------|--------|----|
| A          | B  | C  |           |       | Cu.Ft. | lb |
| 30         | 24 | 27 | FPO302427 | 1856  | 14     | 81 |
| 30         | 19 | 27 | FPO301927 | 1658  | 11.3   | 70 |

## SPECIFY

Product code    Case

ES -  -

**Code:** Consult the above list.  
**Case:** Specify the color (wood) of the case, see p.25.


# storage

price list

storage unit 27"H. [can be specified as surface support]

## Description


Storage unit with hinged doors and 1 adjustable shelf.  
Door fronts available in wood, lacquer or Soft-Touch.  
Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code             | Front Type |             |             | Spec.  |     |
|------------|----|----|------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                  | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 36 | 27 | <b>SDD243627</b> | 3280       | 3747        | 3784        | 16.6   | 119 |
| 24         | 30 | 27 | <b>SDD243027</b> | 3220       | 3608        | 3639        | 14     | 103 |

## Description


Storage unit with 2 file drawers.  
Drawer fronts available in wood, lacquer or Soft-Touch.  
Interlock mechanism included (allows for only one drawer to be open at a time).  
A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
Optional lock available (Noki electronic lock).



|    |    |    |                  |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|-----|
| 24 | 36 | 27 | <b>SFF243627</b> | 4786 | 5116 | 5427 | 16.6 | 134 |
| 24 | 30 | 27 | <b>SFF243027</b> | 4725 | 5001 | 5259 | 14   | 117 |

## Description


Storage unit with 1 file drawer, 1 - 6" full width drawer and 2 - 6" drawers.  
Drawer fronts available in wood, lacquer or Soft-Touch.  
Wood pencil tray included in the top right drawer.  
A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
Optional lock available (Noki electronic lock).



|    |    |    |                    |      |      |      |      |     |
|----|----|----|--------------------|------|------|------|------|-----|
| 24 | 36 | 27 | <b>SUUBF243627</b> | 5298 | 5809 | 6354 | 16.6 | 142 |
| 24 | 30 | 27 | <b>SUUBF243027</b> | 5244 | 5671 | 6125 | 14   | 124 |

## Description

Storage units with 1 file drawer, 2 - 6" drawers and cabinet (1 adjustable shelf).  
Drawer and door fronts available in wood, lacquer or Soft-Touch.  
Wood pencil tray included in the top drawer.  
Optional lock available (on drawers only, Noki electronic lock).



|    |    |    |                    |      |      |      |      |     |
|----|----|----|--------------------|------|------|------|------|-----|
| 24 | 36 | 27 | <b>SDUUF243627</b> | 5225 | 5691 | 6034 | 16.6 | 144 |
| 24 | 36 | 27 | <b>SUUF243627</b>  | 5225 | 5691 | 6034 | 16.6 | 144 |

|    |    |    |                    |      |      |      |    |     |
|----|----|----|--------------------|------|------|------|----|-----|
| 24 | 30 | 27 | <b>SDUUF243027</b> | 4974 | 5363 | 5647 | 14 | 127 |
| 24 | 30 | 27 | <b>SUUF243027</b>  | 4974 | 5363 | 5647 | 14 | 127 |

## SPECIFY

Product code    Type    Front    Case    Pull    C-Weight    Noki

ES -  -  -  -  -  -  -

## OPTIONS

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Option** Counterweight (if applicable): Counterweight option, add (**CW**), add \$94, see p.16.

**Noki:** Electronic lock option, add (L), offered without charge, see p.19.


# storage

price list

storage units 27''H. [cont'd]

## Description

Storage unit with a lateral sliding door containing 2 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.




| Dimensions |    |    | Code      | Front Type |             |             | Spec.  |     |
|------------|----|----|-----------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 36 | 27 | SSL243627 | 3903       | 4067        | 4154        | 16.6   | 116 |
| 24         | 30 | 27 | SSL243027 | 3864       | 4003        | 4073        | 14     | 101 |

## SPECIFY

Product code    Type    Front    Case    Pull

ES -  -  -  -  -

**Specify Code:** Consult the above list.  
**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).  
**Front:** Specify the finish for the door front, see p.25.  
**Case:** Specify the color (wood) of the case, see p.25.  
**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.



| Dimensions |    |    | Code     | Price | Spec.  |    |
|------------|----|----|----------|-------|--------|----|
| A          | B  | C  |          |       | Cu.Ft. | lb |
| 24         | 36 | 27 | SO243627 | 2926  | 16.6   | 96 |
| 24         | 30 | 27 | SO243027 | 2880  | 14     | 83 |

## SPECIFY

Product code    Case

ES -  -

**Specify Code:** Consult the above list.  
**Case:** Specify the color (wood) of the case, see p.25.

# storage

price list


credenzas 27" high [can be specified as surface support]

## Description

Credenza with 2 file drawers on the left and cabinet on the right (1 adjustable shelf).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (on drawers only, Noki electronic lock).




| Dimensions |    |    | Code        | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |             | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SFFDD247227 | 4982       | 5607        | 5881        | 32.3   | 225 |
| 24         | 60 | 27 | SFFDD246027 | 4594       | 5218        | 5492        | 27     | 205 |

## Description

Credenza with cabinet on the left (1 adjustable shelf) and 2 file drawers on the right.

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (on drawers only, Noki electronic lock).




| Dimensions |    |    | Code        | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |             | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SDDFF247227 | 4982       | 5607        | 5881        | 32.3   | 225 |
| 24         | 60 | 27 | SDDFF246027 | 4594       | 5218        | 5492        | 27     | 205 |

## Description

Credenza with 2 file drawers on the left and opening on the right (1 adjustable shelf).

Drawer fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




| Dimensions |    |    | Code       | Front Type |             |             | Spec.  |     |
|------------|----|----|------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SFFO247227 | 4611       | 4871        | 5115        | 32.3   | 206 |
| 24         | 60 | 27 | SFFO246027 | 4402       | 4661        | 4905        | 27     | 186 |

## Description

Credenza with opening on the left (1 adjustable shelf) and 2 file drawers on the right.

Drawer fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code       | Front Type |             |             | Spec.  |     |
|------------|----|----|------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SOFF247227 | 4611       | 4871        | 5115        | 32.3   | 206 |
| 24         | 60 | 27 | SOFF246027 | 4402       | 4661        | 4905        | 27     | 186 |

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Pull    Noki

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki:** Electronic lock option, add (L), offered without charge, see p.19.

# storage

## price list


### credenzas 27" high [cont'd]

#### Description

Credenza with cabinet on the left (1 adjustable shelf) and opening on the right (1 adjustable shelf).

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




| Dimensions |    |    | Code              | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                   | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | <b>SDDO247227</b> | 3323       | 3689        | 3718        | 32.3   | 200 |
| 24         | 60 | 27 | <b>SDDO246027</b> | 3113       | 3480        | 3509        | 27     | 180 |

#### Description

Credenza with opening on the left (1 adjustable shelf) and cabinet (1 adjustable shelf) on the right.

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code              | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                   | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | <b>SODD247227</b> | 3021       | 3354        | 3380        | 32.3   | 200 |
| 24         | 60 | 27 | <b>SODD246027</b> | 2830       | 3164        | 3190        | 27     | 180 |


#### Description

Credenza with 4 drawers on the left and opening on the right (1 adjustable shelf).

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top right drawer.

Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code                | Front Type |             |             | Spec.  |     |
|------------|----|----|---------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                     | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | <b>SUUBFO247227</b> | 6254       | 6513        | 6943        | 32.3   | 214 |
| 24         | 60 | 27 | <b>SUUBFO246027</b> | 6046       | 6304        | 6734        | 27     | 194 |


#### Description

Credenza with opening at left (1 adjustable shelf) and 4 drawers at right.

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top right drawer.

Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code                | Front Type |             |             | Spec.  |     |
|------------|----|----|---------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                     | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | <b>SOUUBF247227</b> | 6254       | 6513        | 6943        | 32.3   | 214 |
| 24         | 60 | 27 | <b>SOUUBF246027</b> | 6046       | 6304        | 6734        | 27     | 194 |

#### SPECIFY

#### OPTIONS

| Product code | Type                 | Front | Case                 | Pull | Noki                 |
|--------------|----------------------|-------|----------------------|------|----------------------|
| ES -         | <input type="text"/> | -     | <input type="text"/> | -    | <input type="text"/> |

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki:** Electronic lock option, add (L), offered without charge, see p.19.


# storage

price list

## credenzas 27" high [cont'd]

### Description


Credenza with **lateral** sliding door containing 2 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.



| Dimensions |    |    | Code      | Front Type |             |             | Spec.  |     |
|------------|----|----|-----------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SSL247227 | 4468       | 4728        | 4864        | 32.3   | 198 |
| 24         | 60 | 27 | SSL246027 | 4271       | 4530        | 4667        | 27     | 174 |

### Description

Credenza with **central** sliding door containing 3 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.



| Dimensions |    |    | Code      | Front Type |             |             | Spec.  |     |
|------------|----|----|-----------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 27 | SSC247227 | 4540       | 4799        | 4936        | 32.3   | 207 |
| 24         | 60 | 27 | SSC246027 | 4343       | 4601        | 4739        | 27     | 183 |

### SPECIFY

Product code    Type    Front    Case    Pull  
ES -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the door front, see p.25.


**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.


## surface support spacers

### Description

Spacers support surfaces on 27"H. storage units allow a 1" gap between surface and storage top.  
A set (2 spacers) must be ordered for each end of a surface that is supported.  
Silver finish.



|                |             |       | Spec.  |    |
|----------------|-------------|-------|--------|----|
| Dimensions     | Code        | Price | Cu.Ft. | lb |
| 4" x 6" x 1"H. | ES-S1SP46-W | 44    | 0.1    | 2  |
| Set of 2       |             |       |        |    |




# storage

price list

top for 27" high storage units

## Description

Top for 27" high and 24" deep storage units.  
Requires the use of surface support spacers (see previous page).  
Increases the total height of a credenza+hutch assembly by 2".



| Dimensions |    | Code    | Wood (W)                                                                          |                                                                                   | Lacquer (Q)                                                                       |                                                                                    | Soft-Touch (C)                                                                      |                                                                                     | Spec.  |    |
|------------|----|---------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|----|
|            |    |         |  |  |  |  |  |  |        |    |
|            |    |         | Straight (i)                                                                      | Reverse (V)                                                                       | Straight (i)                                                                      | Reverse (V)                                                                        | Straight (i)                                                                        | Reverse (V)                                                                         | Cu.Ft. | lb |
| 24         | 72 | SSi2472 | 1273                                                                              | 1476                                                                              | 1890                                                                              | 1925                                                                               | 2130                                                                                | 2164                                                                                | 2.3    | 48 |
| 24         | 66 | SSi2466 | 1260                                                                              | 1460                                                                              | 1826                                                                              | 1860                                                                               | 2045                                                                                | 2079                                                                                | 2.1    | 44 |
| 24         | 60 | SSi2460 | 1246                                                                              | 1440                                                                              | 1761                                                                              | 1795                                                                               | 1959                                                                                | 1993                                                                                | 1.9    | 40 |
| 24         | 36 | SSi2436 | 1192                                                                              | 1360                                                                              | 1500                                                                              | 1536                                                                               | 1621                                                                                | 1656                                                                                | 1.1    | 24 |
| 24         | 30 | SSi2430 | 1179                                                                              | 1340                                                                              | 1437                                                                              | 1471                                                                               | 1536                                                                                | 1570                                                                                | 1      | 20 |

## SPECIFY

ES -  -  -  -

**Specify Code:** Consult the above list.  
**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.  
**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).  
**Surface:** Specify the color of the surface finish, see p.25.

# storage

price list

## storage units 40" high

### Description


Storage unit with 3 file drawers (letter or legal size document filing).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).



| Dimensions |    |    | Code       | Front Type |             |             | Spec.  |     |
|------------|----|----|------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 36 | 40 | SFFF243640 | 4453       | 4744        | 5215        | 24     | 182 |
| 24         | 30 | 40 | SFFF243040 | 4369       | 4660        | 5133        | 20.2   | 159 |
| 24         | 19 | 40 | SFFF241940 | 3563       | 3720        | 4052        | 13.3   | 118 |

### Description


Storage unit with opening on top and 2 file drawers (letter or legal size document filing).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).




|    |    |    |            |      |      |      |      |     |
|----|----|----|------------|------|------|------|------|-----|
| 24 | 36 | 40 | SOFF243640 | 3859 | 4051 | 4367 | 24   | 172 |
| 24 | 30 | 40 | SOFF243040 | 3774 | 3968 | 4282 | 20.2 | 150 |

### Description

Storage unit with hinged door and 2 adjustable shelves.

Door front available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




|       |    |    |    |           |      |      |      |      |     |
|-------|----|----|----|-----------|------|------|------|------|-----|
| Left  | 24 | 19 | 40 | SDL241940 | 2576 | 2872 | 2912 | 13.3 | 110 |
| Right | 24 | 19 | 40 | SDR241940 | 2576 | 2872 | 2912 | 13.3 | 110 |

### Description

Storage unit with hinged doors and 2 adjustable shelves.

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



|    |    |    |           |      |      |      |      |     |
|----|----|----|-----------|------|------|------|------|-----|
| 24 | 36 | 40 | SDD243640 | 2961 | 3553 | 3631 | 24   | 168 |
| 24 | 30 | 40 | SDD243040 | 2878 | 3469 | 3546 | 20.2 | 145 |

### SPECIFY

### OPTIONS

| Product code | Type                 | Front | Case                 | Pull | C-Wight              | Noki |
|--------------|----------------------|-------|----------------------|------|----------------------|------|
| ES -         | <input type="text"/> | -     | <input type="text"/> | -    | <input type="text"/> | -    |

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Options Counterweight (if applicable):** Counterweight option, add (**CW**), add \$94, see p.16.

**Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.


# storage

price list

## storage units 40" high [cont'd]

### Description


Storage unit with a **lateral** sliding door containing 2 interior sections (each with 2 adjustable shelves).  
Door front available in wood, lacquer or Soft-Touch.



| Dimensions |    |    | Code      | Front Type |             |             | Spec.  |     |
|------------|----|----|-----------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 36 | 40 | SSL243640 | 2930       | 3226        | 3266        | 24     | 163 |
| 24         | 30 | 40 | SSL243040 | 2892       | 3188        | 3226        | 20.2   | 143 |

### Description

Storage unit with a **central** sliding door containing 3 interior sections (each with 2 adjustable shelves).  
Door front available in wood, lacquer or Soft-Touch.



| Dimensions |    |    | Code      | Front Type |             |             | Spec.  |     |
|------------|----|----|-----------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 54 | 40 | SSC245440 | 4809       | 5106        | 5144        | 35.4   | 234 |

### SPECIFY

Product code    Type    Front    Case    Pull

ES -  -  -  -  -

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).


**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

### Description

Open storage unit with 2 adjustable shelves.



| Dimensions |    |    | Code     | Price | Spec.  |     |
|------------|----|----|----------|-------|--------|-----|
| A          | B  | C  |          |       | Cu.Ft. | lb  |
| 24         | 36 | 40 | SO243640 | 2668  | 24     | 133 |
| 24         | 30 | 40 | SO243040 | 2583  | 20.2   | 116 |
| 24         | 19 | 40 | SO241940 | 2430  | 13.3   | 83  |

### SPECIFY

Product code    Case

ES -  -

**Specify** Code: Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

combined cabinets 19" wide

price list


## Description

Combined cabinet with hinged door, 2 file drawers and adjustable shelves (78": 3, 68" : 2).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



| Dimensions |    |    | Code        | Front Type |             |             | Spec.  |     |
|------------|----|----|-------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |             | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 19 | 78 | SDLFF241978 | 5200       | 6108        | 6140        | 25.3   | 190 |
| 24         | 19 | 78 | SDRFF241978 | 5200       | 6108        | 6140        | 25.3   | 190 |
| 24         | 19 | 68 | SDLFF241968 | 4670       | 5462        | 5490        | 22.1   | 166 |
| 24         | 19 | 68 | SDRFF241968 | 4670       | 5462        | 5490        | 22.1   | 166 |


## Description

Combined cabinet with top opening, 2 file drawers and adjustable shelves (78": 3, 68" : 2).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (Noki electronic lock).



|    |    |    |            |      |      |      |      |     |
|----|----|----|------------|------|------|------|------|-----|
| 24 | 19 | 78 | SOFF241978 | 4995 | 5352 | 5503 | 25.3 | 172 |
| 24 | 19 | 68 | SOFF241968 | 4465 | 4777 | 4909 | 22.1 | 152 |


## Description

Combined cabinet with top opening, 3 file drawers and adjustable shelves (78": 2, 68" : 1).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (Noki electronic lock).



|    |    |    |             |      |      |      |      |     |
|----|----|----|-------------|------|------|------|------|-----|
| 24 | 19 | 78 | SOFFF241978 | 5536 | 6059 | 6287 | 25.3 | 189 |
| 24 | 19 | 68 | SOFFF241968 | 5006 | 5462 | 5660 | 22.1 | 168 |

## SPECIFY

Product code    Type    Front    Case    Pull    Noki

ES -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Options Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

price list

## combined cabinets 19" wide (cont'd)

### Description


Combined cabinet with hinged door and various interior storage configurations (wardrobe or shelves).

Door front available in wood, lacquer or Soft-Touch.

Shelf cabinet: 78" H. : 1 fixed shelf + 4 adjustable shelves    68" H. : fixed shelf + 3 adjustable shelves

Wardrobe cabinet: 78"H. & 68" H. : 1 fixed shelf + coat hanging bar.

Optional lock available (Noki electronic lock, not available on SDWL--- and SDWR--- wardrobe cabinets).



|      |          | Dimensions |    |    | Code | Front Type |             |             | Spec.  |      |     |
|------|----------|------------|----|----|------|------------|-------------|-------------|--------|------|-----|
|      |          | A          | B  | C  |      | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb   |     |
| 78"H | Shelves  | Left       | 24 | 19 | 78   | SDSL241978 | 5173        | 5937        | 5998   | 25.3 | 189 |
|      |          | Right      | 24 | 19 | 78   | SDSR241978 | 5173        | 5937        | 5998   | 25.3 | 189 |
|      | Wardrobe | Left       | 24 | 19 | 78   | SDWL241978 | 4365        | 5128        | 5191   | 25.3 | 151 |
|      |          | Right      | 24 | 19 | 78   | SDWR241978 | 4365        | 5128        | 5191   | 25.3 | 151 |
| 68"H | Shelves  | Left       | 24 | 19 | 68   | SDSL241968 | 4510        | 5177        | 5229   | 22.1 | 164 |
|      |          | Right      | 24 | 19 | 68   | SDSR241968 | 4510        | 5177        | 5229   | 22.1 | 164 |
|      | Wardrobe | Left       | 24 | 19 | 68   | SDWL241968 | 3805        | 4472        | 4527   | 22.1 | 135 |
|      |          | Right      | 24 | 19 | 68   | SDWR241968 | 3805        | 4472        | 4527   | 22.1 | 135 |

### SPECIFY

| Product code | Type                 | Front | Case                 | Pull | Noki                 |
|--------------|----------------------|-------|----------------------|------|----------------------|
| ES -         | <input type="text"/> | -     | <input type="text"/> | -    | <input type="text"/> |

### OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Options Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

combined cabinets 36" wide

price list

## Description


Combined cabinet with hinged doors and 2 file drawers.

Adjustable shelves (78": 3, 68": 2).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



| Dimensions |    |    | Code             | Front Type |             |             | Spec.  |     |
|------------|----|----|------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                  | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 36 | 78 | <b>SDF243678</b> | 7737       | 8975        | 9502        | 45.8   | 325 |
| 24         | 36 | 68 | <b>SDF243668</b> | 7206       | 8285        | 8743        | 40     | 283 |

## Description


Combined cabinet with lateral sliding door (containing 2 interior sections) and 2 file drawers.

Adjustable shelves (78": 3/section, 68": 2/section).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



|    |    |    |                   |      |      |      |      |     |
|----|----|----|-------------------|------|------|------|------|-----|
| 24 | 36 | 78 | <b>SSFF243678</b> | 6592 | 7211 | 7851 | 45.8 | 320 |
| 24 | 36 | 68 | <b>SSFF243668</b> | 6060 | 6599 | 7158 | 40   | 279 |


## Description

Combined cabinet with hinged doors (2 adjustable shelves) and 3 file drawers.

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



|    |    |    |                  |      |      |       |      |     |
|----|----|----|------------------|------|------|-------|------|-----|
| 24 | 36 | 78 | <b>SDF243678</b> | 8177 | 9462 | 10104 | 45.8 | 323 |
|----|----|----|------------------|------|------|-------|------|-----|

## SPECIFY

| Product code | Type                 | Front | Case                 | Pull | Noki                 |
|--------------|----------------------|-------|----------------------|------|----------------------|
| ES -         | <input type="text"/> | -     | <input type="text"/> | -    | <input type="text"/> |

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Options Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

price list

## combined cabinets 36" wide [cont'd]

### Description


Combined cabinet with hinged doors and various interior storage configurations (wardrobe and/or shelves).

Door fronts available in wood, lacquer or Soft-Touch.

Shelf section: 78" H. : 1 fixed shelf + 4 adjustable shelves 68" H. : fixed shelf + 3 adjustable shelves

Wardrobe section: 78"H. & 68" H. : 1 fixed shelf + coat hanging bar.


Optional lock available (Noki electronic lock, not available on STW243678 and STW243668 wardrobe cabinets).



78"H

68"H

|                    | Dimensions |    |    | Code       | Front Type |             |             | Spec.  |     |
|--------------------|------------|----|----|------------|------------|-------------|-------------|--------|-----|
|                    | A          | B  | C  |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| Shelves            | 24         | 36 | 78 | STS243678  | 5343       | 6688        | 7142        | 45.8   | 312 |
| Shelves / Wardrobe | 24         | 36 | 78 | STSW243678 | 5563       | 6908        | 7362        | 45.8   | 302 |
| Wardrobe           | 24         | 36 | 78 | STW243678  | 4908       | 6254        | 6708        | 45.8   | 236 |
| Shelves            | 24         | 36 | 68 | STS243668  | 4657       | 5832        | 6226        | 40     | 257 |
| Shelves / Wardrobe | 24         | 36 | 68 | STSW243668 | 4850       | 6023        | 6419        | 40     | 266 |
| Wardrobe           | 24         | 36 | 68 | STW243668  | 4278       | 5453        | 5848        | 40     | 213 |



\* 78"H. cabinets shown

### SPECIFY

### OPTIONS

|      | Product code         | Type                   | Front                  | Case                   | Pull                   | Noki                   |
|------|----------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| ES - | <input type="text"/> | - <input type="text"/> | - <input type="text"/> | - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Options** **Noki (if applicable):** Electronic lock option, add (**L**), offered without charge, see p.19.

# storage

## bookcases 15" deep

price list


### Description

15" deep bookcase with 1 fixed shelf and adjustable shelves.

78" H. bookcase: 1 fixed shelf + 4 adjustable shelves.

68" H. bookcase: 1 fixed shelf + 3 adjustable shelves.

40" H. bookcase: 2 adjustable shelves.



| Dimensions |    |    | Code     | Price | Spec.  |     |
|------------|----|----|----------|-------|--------|-----|
| A          | B  | C  |          |       | Cu.Ft. | lb  |
| 15         | 36 | 78 | SO153678 | 3318  | 29.9   | 177 |
| 15         | 30 | 78 | SO153078 | 3152  | 25.2   | 157 |
| 15         | 36 | 68 | SO153668 | 2893  | 26.2   | 153 |
| 15         | 30 | 68 | SO153068 | 2748  | 22     | 136 |
| 15         | 36 | 40 | SO153640 | 2674  | 15.7   | 96  |
| 15         | 30 | 40 | SO153040 | 2605  | 13.2   | 84  |

### SPECIFY

Product code      Case

ES -  -

**Specify Code:** Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

price list

storage units 16" high


## Description

16"H. storage unit with one file drawer on the right or left and one opening on the other.

Drawer front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.

Optional lock available (Noki electronic lock).




| Dimensions |    |    | Code             | Front Type |             |             | Spec.  |     |
|------------|----|----|------------------|------------|-------------|-------------|--------|-----|
| A          | B  | C  |                  | Wood (W)   | Lacquer (Q) | S-Touch (C) | Cu.Ft. | lb  |
| 24         | 72 | 16 | <b>SFO247216</b> | 3796       | 3980        | 4105        | 20     | 145 |
| 24         | 60 | 16 | <b>SFO246016</b> | 3468       | 3651        | 3780        | 16.8   | 130 |
| 24         | 72 | 16 | <b>SOF247216</b> | 3796       | 3980        | 4105        | 20     | 145 |
| 24         | 60 | 16 | <b>SOF246016</b> | 3468       | 3651        | 3780        | 16.8   | 130 |

## Description

16"H. storage unit with a **lateral** sliding door containing 2 interior sections.

Door front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.




|    |    |    |                  |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|-----|
| 24 | 72 | 16 | <b>SSL247216</b> | 3458 | 3642 | 3769 | 20   | 130 |
| 24 | 60 | 16 | <b>SSL246016</b> | 3131 | 3314 | 3442 | 16.8 | 115 |

## Description

16"H. storage unit with a **central** sliding door containing 2 interior sections.

Door front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.



|    |    |    |                  |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|-----|
| 24 | 72 | 16 | <b>SSC247216</b> | 3511 | 3695 | 3913 | 20   | 135 |
| 24 | 60 | 16 | <b>SSC246016</b> | 3185 | 3368 | 3587 | 16.8 | 120 |

## SPECIFY

## OPTIONS

ES -  -  -  -  -  -

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the drawer/door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer/door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.


**Pull:** Specify the type of pull: arched (**PA**) or straight (**PT**), see p.16.

**Noki (if applicable):** Electronic lock option, add (**L**), offered without charge, see p.19.

## Description

Open storage unit with 2 interior sections.

A cushion can be specified for this unit, see p.101.



|    |    |    |                 |      |  |  |      |     |
|----|----|----|-----------------|------|--|--|------|-----|
| 24 | 72 | 16 | <b>SO247216</b> | 3203 |  |  | 20   | 115 |
| 24 | 60 | 16 | <b>SO246016</b> | 2875 |  |  | 16.8 | 100 |

## SPECIFY

ES -  -

**Specify** Code: Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

price list

*hutches with hinged doors 41" high (68"H. when installed on a 27"H. storage unit)*


## Description

Hutch with **20" high** hinged doors, 21"H. clearance under the shelf.


Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections.

Optional accessory bar and grommet available (hutches 30" to 72").



| Dimensions |    |    |       | Code     | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|----------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |          | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 41 | 16 | 4     | HU724120 | 5019       | 5646        | 6159        | 5646      | 33.1   | 161 |
| 60         | 41 | 16 | 4     | HU604120 | 5521       | 6211        | 6775        | 6211      | 27.8   | 141 |
|            |    |    |       |          | 5333       | 5863        | 6585        | 5863      |        |     |
| 36         | 41 | 16 | 2     | HU364120 |            |             |             |           | 17     | 86  |
| 30         | 41 | 16 | 2     | HU304120 | 4881       | 5225        | 5507        | 5225      | 14.3   | 78  |
|            |    |    |       |          | 4693       | 4958        | 5320        | 4958      |        |     |



|       |    |    |    |   |           |      |      |      |      |     |    |
|-------|----|----|----|---|-----------|------|------|------|------|-----|----|
| Left  | 18 | 41 | 16 | 1 | HU184120L | 4239 | 4412 | 4554 | 4412 | 9   | 53 |
| Right | 18 | 41 | 16 | 1 | HU184120R | 4239 | 4412 | 4554 | 4412 | 9   | 53 |
| Left  | 15 | 41 | 16 | 1 | HU154120L | 3870 | 4043 | 4182 | 4043 | 7.6 | 48 |
| Right | 15 | 41 | 16 | 1 | HU154120R | 3870 | 4043 | 4182 | 4043 | 7.6 | 48 |


## Description

Hutch with **30" high** hinged doors, 11"H. clearance under the shelf.


Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 1 adjustable shelf included per section.

Grommet option available (hutches 30" to 72").



| Dimensions |    |    |       | Code     | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|----------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |          | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 41 | 16 | 4     | HU724130 | 5871       | 6907        | 7355        | 6907      | 33.1   | 205 |
| 60         | 41 | 16 | 4     | HU604130 | 5683       | 6479        | 7168        | 6479      | 27.8   | 185 |
| 36         | 41 | 16 | 2     | HU364130 | 5058       | 5575        | 5799        | 5575      | 17     | 103 |
| 30         | 41 | 16 | 2     | HU304130 | 4868       | 5267        | 5610        | 5267      | 14.3   | 94  |



|       |    |    |    |   |           |      |      |      |      |     |    |
|-------|----|----|----|---|-----------|------|------|------|------|-----|----|
| Left  | 18 | 41 | 16 | 1 | HU184130L | 4335 | 4594 | 4706 | 4594 | 9   | 62 |
| Right | 18 | 41 | 16 | 1 | HU184130R | 4335 | 4594 | 4706 | 4594 | 9   | 62 |
| Left  | 15 | 41 | 16 | 1 | HU154130L | 3964 | 4223 | 4335 | 4223 | 7.6 | 56 |
| Right | 15 | 41 | 16 | 1 | HU154130R | 3964 | 4223 | 4335 | 4223 | 7.6 | 56 |

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Acc. Bar    Grom.

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Rail (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.

**AB option:** Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.

**Grommets (if applicable):** Grommet option, installed on the back of the hutch, add (GU), see p.20.

**GU option:** Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

price list

*hutches with hinged doors 41" high [cont'd]*


## Description

Hutch with 30" **high lateral** hinged doors and **20" high central** hinged doors and central opening, 11"H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included per lateral section.

Grommet option available.



| Dimensions |    |    | Code  |            | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|------------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 41 | 16 | 4     | HU72413020 | 5871       | 6907        | 7355        | 6907      | 33.1   | 200 |
| 60         | 41 | 16 | 4     | HU60413020 | 5683       | 6479        | 7168        | 6479      | 27.8   | 180 |

## SPECIFY

| Product code | Type                 | Front                  | Case                   | Acc. Bar               | Grom.                  |
|--------------|----------------------|------------------------|------------------------|------------------------|------------------------|
| ES -         | <input type="text"/> | - <input type="text"/> | - <input type="text"/> | - <input type="text"/> | - <input type="text"/> |

## OPTIONS

- Specify** **Code:** Consult the above list.
- Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).
- Front:** Specify the finish for the door fronts, see p.25
- Case:** Specify the color (wood) of the case, see p.25.
- Options** **Acc. Rail (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, see p.20.
- AB** option: Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.
- Grommets (if applicable):** Grommet option, installed on the back of the hutch, add **(GU)**, see p.20.
- GU** option: Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

price list

*hutches with sliding door 41" high (68"H. when installed on a 27"H. storage unit)*


## Description

Hutch with **20" high lateral** sliding door, 21"H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Optional accessory bar and grommet available.



| Dimensions |    |    | Code             | Front Type |             |             |           | Spec.  |     |
|------------|----|----|------------------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  |                  | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 41 | 16 | <b>HSL724120</b> | 4039       | 4285        | 4316        | 4285      | 33.1   | 142 |
| 60         | 41 | 16 | <b>HSL604120</b> | 3850       | 4032        | 4112        | 4032      | 27.8   | 125 |


## Description

Hutch with **20" high central** sliding door, 21"H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections.

Optional accessory bar and grommet available.



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 41 | 16 | <b>HSC724120</b> | 4131 | 4375 | 4408 | 4375 | 33.1 | 147 |
| 60 | 41 | 16 | <b>HSC604120</b> | 3942 | 4124 | 4204 | 4124 | 27.8 | 130 |

## Description


Hutch with **30" high lateral** sliding door, 11"H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

1 adjustable shelf included in each interior section.

Comprised of 2 interior sections, 1 adjustable shelf included per section.

Grommet option available



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 41 | 16 | <b>HSL724130</b> | 4190 | 4558 | 4598 | 4558 | 33.1 | 186 |
| 60 | 41 | 16 | <b>HSL604130</b> | 4003 | 4275 | 4373 | 4275 | 27.8 | 166 |


## Description

Hutch with **30" high central** sliding door, 11"H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included per section.

Grommet option available.



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 41 | 16 | <b>HSC724130</b> | 4282 | 4650 | 4689 | 4650 | 33.1 | 191 |
| 60 | 41 | 16 | <b>HSC604130</b> | 4095 | 4366 | 4465 | 4366 | 27.8 | 171 |

## SPECIFY

| Product code | Type | Front | Case | Acc. Bar | Grom. |
|--------------|------|-------|------|----------|-------|
| ES -         |      |       |      |          |       |

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, add \$55, see p.20.

**Grommets:** Grommet option, installed on the back of the hutch, add **(GU)**, add \$100, see p.20.


# storage

price list

open hutches 41" high (68"H. when installed on a 27"H. storage unit)

## Description

Open hutch, 21"H. clearance under the shelf.  
Hutches 72" & 60" are comprised of 2 interior sections.  
Optional accessory bar and grommet available (hutches 30" to 72").



| Dimensions |    |    | Code     | Price | Spec.  |     |
|------------|----|----|----------|-------|--------|-----|
| A          | B  | C  |          |       | Cu.Ft. | lb  |
| 72         | 41 | 15 | HO724120 | 3551  | 33.1   | 128 |
| 60         | 41 | 15 | HO604120 | 3434  | 27.8   | 111 |
| 36         | 41 | 15 | HO364120 | 3219  | 17     | 76  |
| 30         | 41 | 15 | HO304120 | 3161  | 14.3   | 68  |
| 18         | 41 | 15 | HO184120 | 2886  | 9      | 47  |
| 15         | 41 | 15 | HO154120 | 2829  | 7.6    | 42  |

## SPECIFY

| Product code | Case                 | Acc. Bar | Grom.                |
|--------------|----------------------|----------|----------------------|
| ES -         | <input type="text"/> | -        | <input type="text"/> |

## OPTIONS

**Specify** Code: Consult the above list.  
**Case:** Specify the color (wood) of the case, see p.25.  
**Options** **Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.  
**AB** option: Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.  
**Grommets:** Grommet option, installed on the back of the hutch, add (GU), see p.20.  
**GU** option: Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

price list

*hutches with hinged doors 51" high (78"H. when installed on a 27"H. storage unit)*



## Description

Hutch with **30" high** hinged doors, 21"H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 1 adjustable shelf included per section.

Optional accessory bar and grommet available (hutches 30" to 72").



Left

Right

Left

Right

| Dimensions |    |    |       | Code      | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|-----------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 51 | 16 | 4     | HU725130  | 5651       | 6685        | 7135        | 6685      | 40.9   | 223 |
| 60         | 51 | 16 | 4     | HU605130  | 5460       | 6260        | 6947        | 6260      | 34.2   | 203 |
| 36         | 51 | 16 | 2     | HU365130  | 5009       | 5528        | 5752        | 5528      | 21     | 117 |
| 30         | 51 | 16 | 2     | HU305130  | 4729       | 5129        | 5471        | 5129      | 17.7   | 102 |
| 18         | 51 | 16 | 1     | HU185130L | 4369       | 4628        | 4740        | 4628      | 11     | 70  |
| 18         | 51 | 16 | 1     | HU185130R | 4369       | 4628        | 4740        | 4628      | 11     | 70  |
| 15         | 51 | 16 | 1     | HU155130L | 3997       | 4198        | 4369        | 4198      | 9.4    | 64  |
| 15         | 51 | 16 | 1     | HU155130R | 3997       | 4198        | 4369        | 4198      | 9.4    | 64  |



## Description

Hutch with **40" high** hinged doors, 21"H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 2 adjustable shelves included per section.

Grommet option available (hutches 30" to 72").



Left

Right

Left

Right

| Dimensions |    |    |       | Code      | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|-----------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |           | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 51 | 16 | 4     | HU725140  | 5909       | 7291        | 7472        | 7291      | 40.9   | 267 |
| 60         | 51 | 16 | 4     | HU605140  | 5720       | 6784        | 7284        | 6784      | 34.2   | 247 |
| 36         | 51 | 16 | 2     | HU365140  | 5187       | 5876        | 5968        | 5876      | 21     | 137 |
| 30         | 51 | 16 | 2     | HU305140  | 4906       | 5437        | 5689        | 5437      | 17.7   | 120 |
| 18         | 51 | 16 | 1     | HU185140L | 4463       | 4809        | 4854        | 4809      | 11     | 79  |
| 18         | 51 | 16 | 1     | HU185140R | 4463       | 4809        | 4854        | 4809      | 11     | 79  |
| 15         | 51 | 16 | 1     | HU155140L | 4093       | 4358        | 4485        | 4358      | 9.4    | 70  |
| 15         | 51 | 16 | 1     | HU155140R | 4093       | 4358        | 4485        | 4358      | 9.4    | 70  |

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Acc. Bar    Grom.

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.

**AB option:** Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.

**Grommets (if applicable):** Grommet option, installed on the back of the hutch, add (GU), see p.20.

**GU option:** Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

## price list

*hutches with hinged doors 51" high (78"H. when installed on a 27"H. storage unit)*


### Description

Hutch with **30" high lateral** hinged doors and **20" high central** hinged doors and central opening, 21"H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included per lateral section.

Optional accessory bar and grommet available.



| Dimensions |    |    |       | Code       | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|------------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 51 | 16 | 4     | HU72513020 | 5840       | 6710        | 7358        | 6710      | 40.9   | 260 |
| 60         | 51 | 16 | 4     | HU60513020 | 5652       | 6349        | 7170        | 6349      | 34.2   | 240 |


### Description

Hutch with **40" high lateral** hinged doors and **30" high central** hinged doors and central opening, 11"H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included in central section and 2 adjustable shelves included per lateral section.

Grommet option available.



| Dimensions |    |    |       | Code       | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|------------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  | Doors |            | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 51 | 16 | 4     | HU72514030 | 5878       | 7121        | 7389        | 7121      | 40.9   | 216 |
| 60         | 51 | 16 | 4     | HU60514030 | 5690       | 6645        | 7201        | 6645      | 34.2   | 196 |

### SPECIFY

| Product code | Type                 | Front | Case                 | Acc. Bar | Grom.                |
|--------------|----------------------|-------|----------------------|----------|----------------------|
| ES -         | <input type="text"/> | -     | <input type="text"/> | -        | <input type="text"/> |

### OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), add \$50, see p.20.

**Grommets:** Grommet option, installed on the back of the hutch, add (GU), add \$100, see p.20.


# storage

price list

*hutches with sliding door 51" high (78"H. when installed on a 27"H. storage unit)*

## Description


Hutch with **30" high lateral** sliding door, 21"H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 2 interior sections, 1 adjustable shelf included per section.  
Optional accessory bar and grommet available.



| Dimensions |    |    | Code             | Front Type |             |             |           | Spec.  |     |
|------------|----|----|------------------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  |                  | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 51 | 16 | <b>HSL725130</b> | 6038       | 6406        | 6446        | 6406      | 40.9   | 193 |
| 60         | 51 | 16 | <b>HSL605130</b> | 5851       | 6123        | 6221        | 6123      | 34.2   | 176 |

## Description


Hutch with **30" high central** sliding door, 21"H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 3 interior sections, 1 adjustable shelf included per section.  
Optional accessory bar and grommet available.



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 51 | 16 | <b>HSC725130</b> | 6076 | 6444 | 6485 | 6444 | 40.9 | 200 |
| 60 | 51 | 16 | <b>HSC605130</b> | 5889 | 6161 | 6259 | 6161 | 34.2 | 183 |

## Description


Hutch with **40" high lateral** sliding door, 11"H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 2 interior sections, 1 adjustable shelf included per section.  
Grommet option available.



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 51 | 16 | <b>HSL725140</b> | 6130 | 6619 | 6662 | 6619 | 40.9 | 203 |
| 60 | 51 | 16 | <b>HSL605140</b> | 5943 | 6305 | 6398 | 6305 | 34.2 | 186 |

## Description

Hutch with **40" high central** sliding door, 11"H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 3 interior sections, 1 adjustable shelf included per section.  
Grommet option available.



|    |    |    |                  |      |      |      |      |      |     |
|----|----|----|------------------|------|------|------|------|------|-----|
| 72 | 51 | 16 | <b>HSC725140</b> | 6168 | 6657 | 6699 | 6657 | 40.9 | 210 |
| 60 | 51 | 16 | <b>HSC605140</b> | 5980 | 6344 | 6436 | 6344 | 34.2 | 193 |

## SPECIFY

| Product code | Type | Front | Case | Acc. Bar | Grom. |
|--------------|------|-------|------|----------|-------|
| ES -         |      |       |      |          |       |

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, add \$50, see p.20.

**Grommets:** Grommet option, installed on the back of the hutch, add **(GU)**, add \$100, see p.20.

# storage

## wall-mounted hutches

## price list


### Description

Wall-mounted hutch with hinged doors.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Wall-mounting brackets included.




| Dimensions |    |    | Doors | Code    | Front Type |             |             |           | Spec.  |     |
|------------|----|----|-------|---------|------------|-------------|-------------|-----------|--------|-----|
| A          | B  | C  |       |         | Wood (W)   | Lacquer (Q) | S-Touch (C) | Glass (G) | Cu.Ft. | lb  |
| 72         | 20 | 16 | 4     | HWD7220 | 5240       | 5930        | 6494        | 7072      | 17     | 125 |
| 60         | 20 | 16 | 4     | HWD6020 | 5051       | 5583        | 6305        | 6503      | 14.2   | 110 |
| 36         | 20 | 16 | 2     | HWD3620 | 4740       | 5085        | 5367        | 5656      | 8.7    | 62  |
| 30         | 20 | 16 | 2     | HWD3020 | 4552       | 4817        | 5179        | 5278      | 7.3    | 56  |

### Description

Wall-mounted open hutch.

Hutches 72" & 60" are comprised of 2 interior sections.

Wall-mounting brackets included.



|    |    |    |         |      |      |    |
|----|----|----|---------|------|------|----|
| 72 | 20 | 15 | HWO7220 | 3295 | 17   | 91 |
| 60 | 20 | 15 | HWO6020 | 2966 | 14.2 | 79 |
| 36 | 20 | 15 | HWO3620 | 2153 | 8.7  | 50 |
| 30 | 20 | 15 | HWO3020 | 1826 | 7.3  | 44 |


### Description

Wall-mounted hutch with lateral sliding door.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Wall-mounting brackets included.



|    |    |    |          |      |      |      |      |      |     |
|----|----|----|----------|------|------|------|------|------|-----|
| 72 | 20 | 16 | HWSL7220 | 3759 | 4003 | 4035 | 4552 | 17   | 102 |
| 60 | 20 | 16 | HWSL6020 | 3570 | 3751 | 3831 | 4175 | 14.2 | 91  |


### Description

Wall-mounted hutch with central sliding door.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections.

Wall-mounting brackets included.



|    |    |    |          |      |      |      |      |      |     |
|----|----|----|----------|------|------|------|------|------|-----|
| 72 | 20 | 16 | HWSC7220 | 3850 | 4095 | 4127 | 4644 | 17   | 106 |
| 60 | 20 | 16 | HWSC6020 | 3662 | 3843 | 3924 | 4266 | 14.2 | 95  |

### SPECIFY

Product code      Type      Front      Case

ES -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

## work wall

## price list

### Description


Work wall with accessory bar(s) for shelves or accessories.

Anodized aluminum accessory rails.

Must be specified as credenza-mounted or wall-mounted.

Cannot be installed on a freestanding hutch.

Mounting brackets included.



| Dimensions |    |           | Code   | Anchor   |      | Spec.  |    |
|------------|----|-----------|--------|----------|------|--------|----|
| A          | B  | Acc. Bars |        | Credenza | Wall | Cu.Ft. | lb |
| 72         | 41 | 3         | WU7241 | 1570     | 1451 | 5.5    | 92 |
| 60         | 41 | 3         | WU6041 | 1505     | 1386 | 4.6    | 78 |
| 36         | 41 | 3         | WU3641 | 1210     | 1156 | 2.8    | 47 |
| 30         | 41 | 3         | WU3041 | 1178     | 1124 | 2.4    | 41 |
| 72         | 32 | 2         | WU7232 | 1427     | 1308 | 4.4    | 72 |
| 60         | 32 | 2         | WU6032 | 1376     | 1257 | 3.6    | 63 |
| 36         | 32 | 2         | WU3632 | 1136     | 1082 | 2.2    | 37 |
| 30         | 32 | 2         | WU3032 | 1111     | 1057 | 1.9    | 33 |
| 72         | 22 | 1         | WU7222 | 1275     | 1156 | 3.1    | 53 |
| 60         | 22 | 1         | WU6022 | 1240     | 1121 | 2.6    | 46 |
| 36         | 22 | 1         | WU3622 | 1057     | 1003 | 1.6    | 28 |
| 30         | 22 | 1         | WU3022 | 1040     | 986  | 1.3    | 24 |

### SPECIFY

### OPTIONS

Product code    Anchor    Wood    Grom.

ES -  -  -  -

**Specify Code:** Consult the above list.

**Anchor:** Specify the type of anchor: **CR** (credenza) or **WM** (wall), see p.21.


**Wood:** Specify the color (WOOD), see p.25.

**Options Grommet:** Grommet option, installed at base of wall\*, add (GU), see p.21.


**GU option:** add \$100 for 60" & 72" walls, add \$75 for 30" & 36" walls.

\* The GU option can only be specified for a credenza-mounted wall.

### Credenza - mounted




### Wall - mounted




### Heights



**41"H. Work wall**  
Credenza- or wall-mounted,  
total height of 68"



**32"H. Work wall**  
Credenza- or wall-mounted,  
total height of 78"  
(shown with wall-mounted hutch)



**22"H. Work wall**  
Credenza- or wall-mounted,  
total height of 68"  
(shown with wall-mounted hutch)


# storage

price list

*cushions for 16" high storage units*

## Description

Cushions for 16"H, storage units. The cushion is 2" thick.  
Attaches with Velcro.



| Dimensions |    | Code    | Fabric |      |          |      |      |      |         | Spec.  |      |
|------------|----|---------|--------|------|----------|------|------|------|---------|--------|------|
| A          | B  |         | Gr.0   | Gr.1 | Com+Gr.2 | Gr.3 | Gr.4 | Gr.5 | Leather | Cu.Ft. | lb   |
| 24         | 72 | CUS2472 | 630    | 717  | 781      | 845  | 911  | 1018 | 1249    | 2.5    | 25.5 |
| 24         | 60 | CUS2460 | 542    | 613  | 669      | 723  | 777  | 867  | 1054    | 2.5    | 21   |
| 24         | 36 | CUS2436 | 360    | 407  | 441      | 476  | 512  | 583  | 706     | 1.3    | 13   |
| 24         | 30 | CUS2430 | 320    | 360  | 391      | 421  | 451  | 501  | 602     | 1.3    | 10.5 |

## SPECIFY

Product code      Fabric  
ES -  -

**Specify Code:** Consult the above list.

**Fabric:** Specify the fabric for the cushion (see current Artopex seating fabrics).

# accessories

price list

## hanging shelves


### Description

1" thick hanging shelves, installs on optional accessory bars of hutches and work walls.

Straight profile, matching surface finish.


Anodized aluminum support brackets included.

### 10" DEEP



C : Number of supports

### 6" DEEP



C : Number of supports

| Dimensions |    |   | Code    | Spec.    |             |        |    |
|------------|----|---|---------|----------|-------------|--------|----|
| A          | B  | C |         | Wood (W) | Lacquer (Q) | Cu.Ft. | lb |
| 72         | 10 | 3 | SHE1072 | 407      | 694         | 1.6    | 18 |
| 66         | 10 | 3 | SHE1066 | 399      | 662         | 1.5    | 16 |
| 60         | 10 | 3 | SHE1060 | 392      | 630         | 1.4    | 15 |
| 54         | 10 | 3 | SHE1054 | 384      | 598         | 1.2    | 13 |
| 48         | 10 | 3 | SHE1048 | 375      | 567         | 1.1    | 12 |
| 42         | 10 | 2 | SHE1042 | 367      | 535         | 1      | 10 |
| 36         | 10 | 2 | SHE1036 | 360      | 503         | 0.8    | 9  |
| 30         | 10 | 2 | SHE1030 | 352      | 471         | 0.7    | 7  |
| 24         | 10 | 2 | SHE1024 | 344      | 439         | 0.6    | 6  |
| 72         | 6  | 3 | SHE0672 | 245      | 418         | 1.1    | 11 |
| 66         | 6  | 3 | SHE0666 | 241      | 398         | 1      | 10 |
| 60         | 6  | 3 | SHE0660 | 237      | 380         | 0.9    | 9  |
| 54         | 6  | 3 | SHE0654 | 231      | 361         | 0.8    | 8  |
| 48         | 6  | 3 | SHE0648 | 227      | 341         | 0.7    | 7  |
| 42         | 6  | 2 | SHE0642 | 222      | 322         | 0.7    | 6  |
| 36         | 6  | 2 | SHE0636 | 217      | 304         | 0.6    | 5  |
| 30         | 6  | 2 | SHE0630 | 212      | 284         | 0.5    | 4  |
| 24         | 6  | 2 | SHE0624 | 208      | 265         | 0.4    | 3  |

### SPECIFY

Product code      Type      Surface

ES -  -  -

**Specify Code:** Consult the above list.


**Type:** Specify the type of finish: **W** (wood) or **Q** (lacquer).

**Surface:** Specify the surface finish (matching profile finish), see p.25.

## bookends

### Description

Metal bookends for shelf (see above), set of 2.



| Dimensions    |  | Code   | Price |          | Spec.  |    |
|---------------|--|--------|-------|----------|--------|----|
|               |  |        |       |          | Cu.Ft. | lb |
| For 10" shelf |  | ASDM10 | 33    | Set of 2 | 0.1    | 1  |
| For 6" shelf  |  | ASDM06 | 29    | Set of 2 | 0.1    | 1  |

### SPECIFY

Product code      Metal

ES -  -

**Specify Code:** Consult the above list.

**Metal:** Specify the metal finish: Polar White (3002) or Silver (3090).

# accessories


price list

## Pigeonhole units

### Description

11" deep pigeon-hole unit with filing spaces 23/8" H., accommodates letter size documents.  
Wood casing with metal dividers equipped with identity tabs.  
The casing is available in the 17 Essentia wood finishes and dividers are available in Polar White or Silver finish.

#### "Letter" size documents




| Dimensions |    |    | Code      | Price | Spec.  |    |
|------------|----|----|-----------|-------|--------|----|
| A          | B  | C  |           |       | Cu.Ft. | lb |
| 11         | 14 | 21 | PHM111421 | 581   | 2.7    | 29 |
| 11         | 14 | 11 | PHM111411 | 481   | 1.6    | 15 |

### Description

11" deep pigeon-hole unit with filing spaces 23/8" H., accommodates legal size documents.  
Wood casing with metal dividers equipped with identity tabs.  
The casing is available in the 17 Essentia wood finishes and dividers are available in Polar White or Silver finish.

#### "Legal" size documents




| Dimensions |    |    | Code      | Price | Spec.  |    |
|------------|----|----|-----------|-------|--------|----|
| A          | B  | C  |           |       | Cu.Ft. | lb |
| 11         | 17 | 21 | PHM111721 | 691   | 3.3    | 36 |
| 11         | 17 | 11 | PHM111711 | 554   | 1.9    | 19 |



### SPECIFY

Product code      Case      Metal  
ES -  -  -

**Specify** Code: Consult the above list.  
Case: Specify the color (wood) of the case, see p.25.  
Metal: Specify the metal finish for the dividers: Polar White (3002) or Silver (3090).



| Stiffeners for work surfaces:                                                     |                                                                                                                                       | Code      | Price | Spec.  |    |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|--------|----|
|                                                                                   |                                                                                                                                       |           |       | Cu.Ft. | lb |
|  |  For rectangular & ergonomic surfaces 84" long       | ES-RSTi64 | 83    | 0.5    | 5  |
|  |  For rectangular & ergonomic surfaces 72" & 78" long | ES-RSTi52 | 77    | 0.5    | 4  |
|  |  For rectangular & ergonomic surfaces 66" long       | ES-RSTi46 | 72    | 0.5    | 3  |
|                                                                                   |  For trapezoid surfaces 78" long                     | ES-RSTi52 | 77    | 0.5    | 4  |
|                                                                                   |  For trapezoid surfaces 72" long                     | ES-RSTi46 | 72    | 0.5    | 3  |
|                                                                                   |  For elliptical surfaces 78" long                    | ES-RSTi46 | 72    | 0.5    | 3  |



| Stiffeners for returns:                                                                                        |  | Code      | Price | Spec.  |    |
|----------------------------------------------------------------------------------------------------------------|--|-----------|-------|--------|----|
|                                                                                                                |  |           |       | Cu.Ft. | lb |
| For nested extended exterior return 84" long                                                                   |  | ES-RSTi52 | 77    | 0.5    | 4  |
| For nested extended exterior return 78" long                                                                   |  | ES-RSTi46 | 72    | 0.5    | 3  |
| For nested short exterior return 72" long                                                                      |  | ES-RSTi52 | 77    | 0.5    | 4  |
| For nested short exterior return 66" long                                                                      |  | ES-RSTi46 | 72    | 0.5    | 3  |
| For interior return 60" long                                                                                   |  | ES-RSTi46 | 72    | 0.5    | 3  |
| Stiffener, installed under a work surface or a return.                                                         |  |           |       |        |    |
| If a surface is supported by a gable set (with structural beam, see p.64 and 65), a stiffener is not required. |  |           |       |        |    |
| Installation hardware included, Charcoal finish.                                                               |  |           |       |        |    |


# accessories

price list

## supplementary hardware

### Description


Junction stiffener, bridges a return to a work surface.  
Installation hardware included.  
Charcoal finish.



|              | Code      | Price | Spec.  |    |
|--------------|-----------|-------|--------|----|
|              |           |       | Cu.Ft. | lb |
| Length : 18" | AC-RSTi18 | 40    | 0.1    | 1  |

### Description


Oversize junction plate, bridges a return **with reverse profile** to a work surface **with reverse profile**.  
Installation hardware included.  
Charcoal finish.



|                      | Code     | Price | Spec.  |    |
|----------------------|----------|-------|--------|----|
|                      |          |       | Cu.Ft. | lb |
| Dimensions : 4" x 8" | AC-FJP48 | 15    | 0.1    | 1  |

### Description

Junction plate set, bridges a return **with straight profile** to a work surface **with straight profile**.  
Installation hardware included.  
Charcoal finish.




|          | Code    | Price | Spec.  |    |
|----------|---------|-------|--------|----|
|          |         |       | Cu.Ft. | lb |
| Set of 2 | AC-FJP2 | 18    | 0.1    | 1  |

## light valance [available for 41"H. and 51'H. hutches]

### Description

Light valance in wood for hutches 41" and 51" high.  
Installs between the side panels, under the hutch shelf.



| Dimensions |    | Code  | Price |                    | Spec.  |     |
|------------|----|-------|-------|--------------------|--------|-----|
| A          | B  |       |       |                    | Cu.Ft. | lb  |
| 70½        | 1¾ | HLC72 | 59    | For hutch 72" wide | 0.4    | 2.5 |
| 58½        | 1¾ | HLC60 | 50    | For hutch 60" wide | 0.3    | 2   |
| 34½        | 1¾ | HLC36 | 30    | For hutch 36" wide | 0.2    | 1   |
| 28½        | 1¾ | HLC30 | 26    | For hutch 30" wide | 0.1    | 1   |

### SPECIFY

Product code      Wood

ES -  -

**Specify Code:** Consult the above list.

**Wood:** Specify the color (WOOD), see p.25.

### Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

### Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

### Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

### Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or C.O.M. fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

### Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

### Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

### Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

### Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.

Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or flyers. The weights and volumes shown on the price lists include packaging and are approximations.

### Noki Lock

Mechanism and parts under warranty for 5 years, and 1 year warranty on labor.

### Artopex Lifetime Warranty

**Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.**

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1<sup>st</sup>, 2001, which fails under normal use as a result of such defect.

**This warranty provides limits on the following products :**

- electrical components, which are warranted for (10) ten years from date of delivery,
- seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- Artopex fabrics which are warranted for (5) five years from date of delivery,
- moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- non-standard specials, which are warranted for (1) one year from date of delivery.

**This warranty does not extend to :**

- Customer's Own Material (C.O.M.) or finishes applied to Artopex products,
- ballast and light bulbs,
- products that have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole recourse for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties expressed or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

## SUMMARY OF UPDATES

March 15<sup>th</sup> 2017

| PAGES        | SECTION              | PRODUIT                                    | MODIFICATION                                                                         |
|--------------|----------------------|--------------------------------------------|--------------------------------------------------------------------------------------|
| p. 37 to 105 |                      |                                            | General price increase                                                               |
| p.8          | Index                | Stiffeners                                 | - Duplicates have been removed<br>- Stiffener codes have been changed from AC to ES. |
| p.25         | General information  | Colors & finishes                          | The Silver Walnut (WS78) has been replaced by Silver Zebra (WZ04).                   |
| p.54         | Surfaces and returns | Ergonomic surfaces with combined materials | The Type option at the bottom of the page has been changed from V to G.              |
| p.78         | Storage              | Storage units 27"H.                        | The counterweight option has increased from \$80 to \$85.                            |
| p.84         | Storage              | Storage units 40"H.                        | The counterweight option has increased from \$80 to \$85.                            |
| p.101        | Storage              | Cushions for 16" high storage units        | COM fabrics are now Grade 2                                                          |
| p.104        | Accessories          | Stiffeners                                 | The AC code has changed to ES everywhere.                                            |

*Designing, manufacturing, advising, planning  
and supporting: that's the art that  
distinguishes our purpose at Artopex.*



**HEAD OFFICE**

800, Vadnais street  
Granby Quebec  
J2J 1A7  
CANADA

---

Tel. : 450 378-0189  
1 800 363-3040  
Fax.: 450 378-9712

---

[artopex.com](http://artopex.com)