PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, safety glasses or face shield), protective clothing and protective gloves (rubber or chemical resistant) when handling. Do not breathe spray. May be fatal if swallowed. Avoid contamination of food. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco, chewing gum or using the toilet. Remove contaminated clothing and wash clothing before reuse.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

This product is a acid pH disinfectant cleaner which will remove hard water deposits and limestone buildups when used as directed. It quickly removes soap scum and cuts through tough grease and grime. This product inhibits the growth of mold and mildew and their odors when used as directed. It improves labor results by effectively controlling odors. Use this product in hospitals, medical and dental offices, nursing homes, day care centers, nurseries, restaurants, bars, convenience stores, institutional facilities, public rest rooms, schools, colleges, universities, athletic facilities, locker rooms, dressing rooms, shower and bath areas, exercise facilities, transportation terminals, hotels and motels, factories and business and office buildings.

WHERE TO USE: On washable hard nonporous surfaces: sinks, bathtubs, shower stalls, shower walls, glass shower doors tubs and glazed tiles, urinals, toilets, toilet bowls, toilet bowl surfaces, chrome fixtures, other bathroom fixtures, and hard nonporous surfaces made of metal, stainless steel, chrome, glazed porcelain, glazed ceramic, fiberglass and plastic [such as polystyrene, polypropylene] enameled surfaces.

Note: Some older tubs or sinks may be etched or discolored by this product. Test on a small hidden area first. Do not use on decorative brass fixtures, polished aluminum, natural or synthetic marble. Do not place container on Formica®.

This product is a hospital disinfectant, bactericidal at 1:32 dilution (4 oz. per gallon of water) according to the AOAC Use-Dilution Test method, modified in the presence of 400 ppm hard water plus 5% organic serum against: Pseudomonas aeruginosa (Pseudomonas), Salmonella enterica (Salmonella) and Staphylococcus aureus (Staph). This product is a hospital disinfectant, bactericidal at 1:43 dilution (3 oz. per gallon of water) according to the AOAC Use -Dilution Test method, modified in the presence of 250 ppm hard water plus 5% organic serum against: Pseudomonas (Pseudomonas), Salmonella enterica (Salmonella), Staphylococcus aureus (Staph), Brevibacterium ammoniagenes, Enterobacter aerogenes, Escherichia coli (E. coli), Klebsiella pneumoniae, Proteus mirabilis, Salmonella typhi, Serratia marcescens, Shigella dysenteriae, Streptococcus pyogenes (Strep). This product is virucidal* at 1:43 dilution (3 oz. per gallon of water) according to the virucidal qualification, modified in the presence of 400 ppm hard water plus 5% organic serum against: Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2 and HIV-1 (AIDS Virus).

DELIGRO

Si no sabe el ingles, solicite instrucciones a su supervisor antes de usar este producto.





aqua

Disinfectant Cleaner

One-Step Acid Cleaner, Disinfectant, Virucide*, Mildewstat, Deodorizer With Organic Soil Tolerance

Removes Hard Water Deposits, Rust, Mineral stains and Lime Soap Buildups

Active Ingredients:

Octyl decyl dimethyl ammonium chloride	0.75%
Dioctyl dimethyl ammonium chloride	0.30%
Didecyl dimethyl ammonium chloride	0.45%
Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₆ 10%)	
dimethyl benzyl ammonium chloride	1.00%
Inert Ingredients	
Total	100.00%

EPA REG. NO 6836-86-48211

EPA EST. 48211-MO-01

DANGER PELIGRO

FIRST A

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for Precautionary Statements.





DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

PREPARATION OF DISINFECTANT USE-SOLUTION: Add 3 oz. per gallon of water (for

250 ppm water hardness), add 4 oz. per gallon of water (for 400 ppm water hardness).

DISINFECTION DIRECTIONS: Apply use-solution with a cloth, mop, sponge or sprayer or by soaking until surfaces are thoroughly wet. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth or sponge or let air dry. For sprayer applications, use a coarse spray device. Spray with quick full strokes 6 - 8 inches from surface. Rub with a brush, sponge or cloth. Do not breathe spray. After use, close nozzle. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or more often if use solution becomes diluted or soiled. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product must not be used to clean utensils, glassware and dishes.

***VIRUCIDAL DIRECTIONS:** Follow Disinfection Directions. Treated surfaces must remain wet for 1 minute. Allow surfaces to air dry.

MOLD AND MILDEW CONTROL DIRECTIONS: Add 3-4 oz. per gallon of water, to inhibit the growth of mold and mildew and their odors on hard, nonporous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears.

*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY

FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

Special Instructions for Cleaning And Decontamination against HIV-1 on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal Protection: Clean up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product.

Contact Time: Leave surface wet for 1 minute. Use a 10-minute contact time for disinfection against bacteria claimed. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed

of according to local regulations for infectious waste disposal.

TOILET BOWL / URINAL DISINFECTANT AND CLEANER DIRECTIONS: Remove gross filth before disinfection.

From concentrate: Add (3-4 oz.) to the toilet bowl or urinal and mix. Thoroughly brush or swab over exposed surfaces and under the rim with a cloth, mop, brush or sponge. Allow to stand for 10 minutes and flush.

From use-solution: Empty toilet bowl or urinal and apply a 3-4 oz. per gallon use solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, allow to stand for 10 minutes and flush.

TO CLEAN AND DEODORIZE: Use from 1:10 dilution up to full strength. Apply product to wet the surface thoroughly. Let stand for at least one minute, rinse with water or allow to air dry. For cleaning and deodorizing shower stalls and shower fixtures: starting at the bottom and working toward the top, apply to the surface and spread with a brush, sponge or cloth. Let set for a minute, agitate to loosen stubborn accumulations and then rinse with water.

6-1



120130-AQUA
Net Contents: 2.5 Gallons