January 03, 2011 Updated May 04, 2016 800-424-2432



Contents
Refer to KI Terms & Conditions document or visit ki.com.



Ordering C.O.M., C.O.L., and C.O.V.	Bonduel, Green Bay, Ontario, and Tupelo	2
	Shipping Location	4
Promenade® Seating System	General Information	6
	Tandem Seating	8
	Seating Components	12
	Arm and Base Components	14
	Beam Mounted Tables	16
Index		18

Ordering C.O.M., C.O.L., and C.O.V.


Bonduel, Green Bay, Ontario, and Tupelo

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns.

Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors. By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, WI facility, ship upholstery material to:

Attn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

> KI Tupelo Attn: C.O.M. Storage 2112 South Green Street Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

> Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

testing, and

with the order.

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a on backrest sketch noting requirements, as in Diagram Center left to right & top to bottom B, along with materials for

Diagram B

on seat

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

■ Submitted for testing. Test approved. Submitted for production. Purchase Order Number KI Acknowledgement Number

Please see information below and check the appropriate box.

Purchasing Agent (Dealer or buying organization)

Attention


Address

City

Project Name

Type of seating and number of units of each type

In all instances, send this form to the C.O.M. Specialist.









Ordering C.O.M., C.O.L., and C.O.V. Bonduel, Green Bay, Ontario, and Tupelo



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location

C.O.M. SHIPPING LOCATION

Architectural Walls
Genius WallsMN
Casegoods
Dante BenchesAG
Darwin TackboardsMN
Aristotle TackboardsMN
Classroom Furniture
360° Classroom Furniture BW
Intellect Wave ChairsGB
Dorsal 1090 Chairs
Learn2 GB
Desking
700 Series DeskingKP
Balance OverheadsMN
Genesis DeskingMN
True DeskingKP
Universal OverheadsMN
WorkZone DeskingMN
Files & Storage
700 Series Pedestal Cushion
U-Series Pedestal Cushion
O Series redestal edistriori
Fixed Seating
Concerto Auditorium Seating BW
Single Pedestal SeatingGB
Jury Base SeatingGB
Lancaster Auditorium Seating BW
Sequence SeatingGB
University SeatingGB
Panel Systems
All TerrainKP
Balance OverheadsMN
System 3000MN
Universal OverheadsMN

Wireworks	MN
Unite	MN
Residence Hall Furniture	
RoomScape Furniture	MN
1	
Screens	
True/Volition	KP
Genesis	KP
Seating	
100 Series Folding Chairs	BW
300 Series Folding Chairs	
600 Series Stools	BW
700 Series Folding Chairs	BW
1000 Series	GB
Aerdyn Guest Seating	HN
Affina Collection	HN
Arissa Lounge	HN
Altus Task Chairs	TM
Apply Stack Chairs	GB
Auditorium Folding Chairs	BW
Avail Task Chairs	OM
Bantam Guest Seating	HN
Boss Design Chairs	HN
Cinturon Lounge & Professional Seati	ngHN
Cody Lounge Seating	
Connection Zone Privacy Booths	HN
Doni Collection	
Dorsal Stack & Tandem Seating	GB
Engage Task Chairs & Stools	
Front Row Seats (Silk Screening)	
GateOne Public Seating	BW
Grazie Seating	
Hub Modular Lounge Seating	
Impress Task Chairs	
Impress Ultra Task Chairs	
Jessa Lounge Seating	
Jubi Guest Chair	GB

	10
Kismet Task/Guest Chairs & Stools	OM
Kurv Benches	
LaResta Day Beds	
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	OM
Mesa Lounge & Task Seating	
MyWay Seating	
Neena Benches	HN
Opt4	GB
Perry Stack Chairs	GB
Perth Multiple & Healthcare Seating	HN
Perth II Healthcare Seating	HN
Pilot Task Chairs	OM
Piretti Stack Chairs	GB
Promenade Seating System	BW
Rapture Stack Chairs & Stools	GB
Relax Lounge Seating	HN
Rose Healthcare	BW
Sela Lounge Seating	HN
Sift Task Chairs	TM
Silhouette Stack Chairs & Stools	BW
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	HN
Soltice II Healthcare Seating	
Strive Multiple, Stack & Task	GB
Sway	BW
Tea Cup Lounge Seating	HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Torsion Stack and Task Seating	GB
Versa Stack Chairs & Stools	GB

Logix.....BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

AG Contact KI at I-800-424-2432

 $\underline{\mathsf{BW}}$

KI Bonduel

KI (Attr

GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302 HN KI-HN Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Crossroads
Attn: Brianne Linn
280 North Road
Clinton County
Industrial Park
McElhattan, PA 17748

KP KI Pembroke Attn: COM Storage I 000 Olympic Dr. Pembroke, Ontario K8A6X7

Site Furnishings

OM KI-Impress Attn: COM Storage III0 S. Mildred Ave. Ontario, CA 91761 MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

TM KI Tupelo 2112 South Green St. Tupelo, MS 38804

Ordering C.O.M., C.O.L., and C.O.V. Shipping Location



General Information







Seat

	Seatin	g	Beam Mounted	l Tables	
Features	Seat	Bench	Full Size	Half Round	Corner Table
Steel construction	•	•	•		•
Fiberglass construction					
Upholstery available	•				
Laminates available			•	•	•
Suitable for outdoor use	•(ste	eel) •(stee	el) •(steel)		●(steel)
Dimensions					
overall width	21"	21"	21"	201/4"	30"
overall depth	263/16"	22½"	221/2"	2½"	30"
overall height	311/8"	16"	16"	16"	16"
seat height	171/8"	16"			
Bench w/fixed bases		14 1/8"*			
Bench w/embedded bases		14 1/8"*			
Bench w/movable bases		14 7/8" *((w/glides fully ins	serted)	
Seat w/fixed bases	16"*				
Seat w/embedded bases	16"*				
Seat w/movable bases	16 ³/₄'	'* (w/glide	s fully inserted)		
Overall Dimensions					
Seat height w/fixed bases	30"*				
Seat height w/embedded base	es 30"*				
Seat height w/movable base	es 30 ³ / ₄	"* (w/glide	es fully inserted)		

^{*}For units with upholstery, add additional 7/s" Note: Tables are the same height as benches. Glides could add 1/2" when fully extended.

SPECIFICATIONS

Seat, Benches, or Metal Tables with Perforated Steel Exteriors

14-ga. Sheet steel, die formed and welded to a 1" x 14 ga. Seam welded tubular steel frame. Perforations are 3/8" diameter.

Arms

Constructed of 1" x 14-ga. Tubular steel, die formed and welded to mounting yoke. Textured plastic arm cap is permanently attached.

Mounting

Seats, benches and tables have steel spiders and yokes welded into an integral unit. The yoke is placed over the steel beam and secured with bolts.

Beams

Beams 11-ga. 1-1/2" x 2" seamless steel. Plastic end caps.

Freestanding Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. Cast aluminum base is bolted to the column. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts. Adjustable glides.

Wallsaver Extension

Attaches to base with rear glide. Contacts the wall at the floor to prevent seat back from touching the wall. Black only.

Anchored Base

The base may be drilled for anchoring with 3/8" diameter bolts. Anchoring bolts not provided.

Embedded Base

14-ga., 1.5×4 rectangular seam welded tubular steel column. 16" length for embedding in concrete. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts.

Metal Finsh

Indoor finishes are nonchipping epoxy powder, electrostatically applied, then baked on. Outdoor finishes are nonchipping poiyester powder, electrostatically applied, then baked on over a rust-inhibiting sealer.

"L" Corner Table Assembly

For mounting modular units at a 90 degree angle. Corners are formed by mounting beam extensions joined by a table top and supported by a leg for each beam. A 2-5/8" o.d. leg with a leveling glide supports the back corner of the table top. Corner table surfaces match in-line tables.

Plastic Laminate In-line Tables

May be used in place of seats on the beam, or for corner table applications. Solid core top 7/8" thick consisting of high-density particle board with plastic laminate surface and vinyl bullnose edge. Rounded corners. For interior use only.

FIRE RETARDANTS

Upholstered Seating items:


Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

Order Review/Design Service

It is KI's policy with this product to check all incoming orders for accuracy. When ordering, please provide a plan-view sketch and identify desired components.

KI will provide a design and engineering service, upon request, to tailor this product to your needs. This includes a comprehensive proposal. Contact KI for further information.

Promenade® Seating System General Information



INFORMATION

Designed by the KI Design Team.

C.O.M. and C.O.V. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Leather must be free of imperfections.

Test samples must be sent to: Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

Tandem Seating

		MODEL NUM	MODEL NUMBER						
	MODEL	WxDxH	Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	Fire Code
	SEAT - Armless Unupholstered with Mov-	45 x 26 x 32"	PRM2/S1/1T						
	able Base	45 x 26 x 32"	PRM2/S2/0T						
	 Seats and tables clamp to mounting beam. Tables interchange with seats 	69 x 26 x 32"	PRM3/S2/1T						
	anywhere on the beam	69 x 26 x 32"	PRM3/S3/0T						
	• Laminate tables are full size, 22-1/2" D x	93 x 26 x32"	PRM4/S3/1T						
	21" W	93 x 26 x32"	PRM4/S4/0T						
PRM2									
PRM3									
PRM4									
	SEAT - Armless Upholstered with Mov-	45 x 26 x 32"	PRM2U/S1/1T						
	able Base	45 x 26 x 32"	PRM2U/S2/0T						
	 Seats and tables clamp to mounting beam. Tables interchange with seats 	69 x 26 x 32"	PRM3U/S2/1T						
	anywhere on the beam	69 x 26 x 32"	PRM3U/S3/0T						
	• Laminate tables are full size, 22-1/2" D x	93 x 26 x 32"	PRM4U/S3/1T						
	21" W • Foam pads on upholstered units for ad-	93 x 26 x 32"	PRM4U/S4/0T						
PRM2U	ditional comfort in interior settings. May								
PRM3U	be removed for cleaning or reupholstery								
PRM4U									
			A	B	•	0	(3	•	(

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect table style.

SL - Square laminate SM - Square Metal; add \$147

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

Select surface finish. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select table edge color.
Refer to color addendum at ki.com or Kl
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

GSelect TB133.

NFR - No TB133 fire retardant
FR - Fire retardant
See pricing column for TB133
upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.



Promenade® Seating System Tandem Seating

Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
107.0#	\$ 1843										N/A
72.0#	1613										N/A
135.0#	2371										N/A
99.0#	2140										N/A
163.0#	2900										N/A
127.0#	2668										N/A
119.0#	N/A	\$ 2299	\$ 2468	\$ 2492	\$ 2492	\$ 2376	\$ 2389	\$ 2446	\$ 2500	\$ 2559	\$ 153
83.0#	N/A	2068	2240	2262	2262	2130	2154	2212	2270	2327	153
153.0#	N/A	3055	3316	3348	3348	3165	3189	3277	3361	3448	233
117.0#	N/A	2824	3083	3114	3114	2921	2957	3043	3129	3218	233
187.0#	N/A	3814	4158	4201	4201	3957	3992	4108	4220	4334	309
151.0#	N/A	3582	3925	3967	3967	3713	3760	3875	3989	4104	309

OPTIONS

Outdoor CoatingFor unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$159 3 place = \$216 4 place = \$266

SPECIAL SERVICES

Special Carton Marking


With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Tandem Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of

 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect table style.

SL - Square laminate SM - Square Metal; add \$147

Select frame color.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

Select surface finish.

Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Surface finish offerings are based on edge style selections.

Select table edge color.
Refer to color addendum at ki.com or KI
Fabrics & Finishes binder.
Edge color offerings are based on edge

style selections.

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$159 3 place = \$216

4 place = \$266



Promenade® Seating System Tandem Seating

Delivered Pricing		
\$ 1843		_
1613		
2371		
2140		
2900		
2668		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Seating Components

				MODEL NUMB	ER		
	MODEL	Features	WxDxH	Basic Model	Frame Color	Upholstery Color	Fire Code
	Armless Seat	Perforated Steel Seat	21 x 22-1/2 x 16"	PRMSEAT			
	 Heavy gauge perforated steel backrest and seat welded to tubular steel frame 	(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSEAT.OD			
	 Seats clamp to mounting beam and may 	Upholstered Seat	21 x 22-1/2 x 16"	PRSB			
	be interchanged with full size tables						
	 Foam pads on upholstered units for ad- 						
	ditional comfort in interior settings. May						
HRDPT	be removed for cleaning or reupholsterySeat price includes mounting beam						
PROMU	p						
	Bench Seat	Perforated Steel Bench	21 x 26 x 32"	PRMBENCH			
	Heavy gauge perforated steel seat	(w/Outdoor Coating)	21 x 26 x 32"	PRMBENCH.OD			
	welded to tublular steel frameSeats clamp to mounting beam and may						
HRDPT	be interchanged with full size tables						
	 Seat price includes mounting beam 						
				A	B	Θ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

 Refer to color addendum at ki.com or
 KI Fabrics & Finishes binder.
- © Select upholstery grade/color Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- OSelect TB133.

NFR - No TB133 fire retardant
FR - Fire retardant
See pricing column for TB133
upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L." section.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

OPTIONS

Outdoor Coating

Model numbers that end in OD indicate they are manufactured with outdoor coating.

N/A

N/A



20.0#

20.0#

\$ 465

508

Promenade® Seating System Seating Components

Pa	pprox. ackaged Veight	Deliv Prici	vered ing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price
	24.0#	\$	465										N/A
	24.0#		508										N/A
	30.0#		N/A	760	845	853	853	790	802	833	857	890	75

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping

Shipped k.d. freight prepaid f.o.b.

Bonduel, Wisconsin 54107 factory. Freight class #125.

Promenade® Seating System Arm and Base Components

			MODEL NUMBER	3		
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	
	Universal Loop ArmMay be used individually or in pairs	Tubular Steel Armrest	PRMLA		7.0#	
	between each pair of seats	(w/Outdoor Coating)	PRMLA.OD		7.0#	
	 Clamps to beam and is secured with 					
	 bolts. Removable Arm has black high-impact rigid polypro- 					
	pylene armrest permanently attached					
HRDPT						
חחטרו	Freestanding Base	Fixed Inboard Base	PRMFBASE		10.0#	
	Heavy gauge tubular steel column. Cast	(w/Outdoor Coating)	PRMFBASE.OD		10.0#	
	aluminum leg with adjustable glides	Fixed Outboard Base	PRMFOBASE		10.0#	
	 Clamps to beam directly or may be used for clamping to seats or tables and the 	(w/Outdoor Coating)	PRMFOBASE.OD		10.0#	
PRMFOBASE PRMFBASE	beam. Secured with bolts. Removable	Movable Inboard Base	PRMMBASE		10.0#	
THIN OBJECT THIN BACE	Base is drilled for anchoring bolts when	(w/Outdoor Coating)	PRMMBASE.OD		10.0#	
	fixed base option is specified Inboard base sits directly under center of		PRMMOBASE		10.0#	
	seat	(w/Outdoor Coating)	PRMMOBASE.OD		10.0#	
	Outboard base can be attached at any					
PRMMOBASE PRMMBASE	location on the beam					
HRDPT						
	Embedded Base	Embedded in Concrete Inboard	PRMEBASE		8.0#	
	 Heavy gauge tubular steel column has extra length. 	(w/Outdoor Coating)	PRMEBASE.OD		8.0#	
W W	Clamps to beam directly or may be used	Embedded in Concrete Outboard	PRMEOBASE		8.0#	
\forall	for clamping to seats or tables and the	(w/Outdoor Coating)	PRMEOBASE.OD		8.0#	
PRMEOBASE PRMEBASE	beam. Secured with bolts. Removable					
UDDAT						
HRDPT	Deals to Book Couning Dos		87.6232		F.O.#	
	Back-to-Back Ganging Bar Connects two units back to back	(w/Outdoor Coating)	87.6232 87.6232.0D		5.0# 5.0#	
MICHAEL		(w/outdoor coating)	07.0232.00		5.0#	
HRDPT						
	Wallsaver Extension		PWSE.BL		1.0#	
HRDPT	 Heavy gauge steel, held in place by rear 					
	glide • Available in black only					
	- Available III black Utily					
			A	B		
			w	U		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See
 "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select frame color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.

OPTIONS

Outdoor CoatingModel numbers that end in OD indicate they are manufactured with outdoor coating.



Promenade® Seating System Arm and Base Components

Deli	/ered	
Pric	ing	
\$	116	
	123	
	267	
	294	
	267	
	294	
	243	
	268	
	243	
	268	
Φ.	150	
	158 174	
	158 174	
	1/4	
\$	95	
	102	
	102	
\$	53	
_		

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Promenade® Seating System Beam Mounted Tables

	MODEL NUMBER						
	Features	W x D x H	Basic Model	Table Finish	Table Surface	Edge Color	Approx. Packaged Weight
	Full Size Perforated Steel	21 x 22-1/2 x 16"	PRMSMT				34.0#
	(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSMT.OD				34.0#
	Full Size Plastic Laminate	21 x 22-1/2 x 16"	PRMSLT				15.0#
HRDPT							
PMSL							
Beam Mounted Inline Full Size Tables							
Tables clamp to mounting beam and							
are secured with bolts							
 Full size table may be interchanged with seat or bench 							
Table price includes mounting beam							
 Plastic laminate tables are suitable 							
for indoor applications only							
	Connects to 1 Freestanding Unit, Perforated Steel	30 x 30 x 16"	PRMSMTL0				90.0#
	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTL0.0D				90.0#
	Connects 2 Freestanding Units, Perforated Steel	30 x 30 x 16"	PRMSMTL				90.0#
	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTL.OD				90.0#
	Connects to 1 Freestanding Unit, Laminate	30 x 30 x 16"	PRMSLTL0				66.0#
	Connects 2 Freestanding Units, Laminate	30 x 30 x 16"	PRMSLTL				66.0#
Ŭ							
HRDPT							
PMSC							
Beam Mounted Corner Table							
Heavy gauge steel surface welded to							
a tubular steel frame							
 Tables clamp to mounting beam and are secured with bolts 							
Joins two units at right angles							
May be attached to one unit at end							
 When specifying, units to be attached must be identified 							
 Includes corner table leg and mounting beam extensions 							
Outboard bases must be ordered							
separately (1 per connection)							
			A	B	Θ	•	
				\mathbf{v}	•	U	

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- · Alpha-numeric characters in place of $\hfill\Box$ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select metal component color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select element color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder.
- Select edge color. Refer to color addendum at ki.com or KI Fabrics & Finishes binder. Edge color offerings are based on edge style selections.

OPTIONS

Outdoor CoatingModel numbers that end in OD indicate they are manufactured with outdoor coating.

Promenade® Seating System Beam Mounted Tables

Delivered
Delivered Printed
Pricing
\$ 464
507
347
\$ 1032
1133
100
1077
1183
660
1210

SPECIAL SERVICES

Special Carton Marking

With specially marked information

N/C

Shipping Shipped k.d. freight prepaid f.o.b. Bonduel, Wisconsin 54107 factory. Freight class #125.

Index

Model No.	Description F	Page
87.6232	Arm and Base Components: Back-to-Back Ganging Bar	14
PRM2/B1/1T	Tandem Seating: BENCH - Armless Unupholstered with Mova	ble
	Base	10
PRM2/S1/1T	Tandem Seating: SEAT - Armless Unupholstered with Movable	е
	Base	8
PRM2U/S1/1T	Tandem Seating: SEAT - Armless Upholstered with Movable	
	Base	8
PRMBENCH	Seating Components: Bench Seat	12
PRMEBASE	Arm and Base Components: Embedded Base	14
PRMFBASE	Arm and Base Components: Freestanding Base	14
PRMLA	Arm and Base Components: Universal Loop Arm	14
PRMSEAT	Seating Components: Armless Seat	12
PRMSMT	Beam Mounted Tables: Beam Mounted Inline Full Size Tables	16
PRMSMTL0	Beam Mounted Tables: Beam Mounted Corner Table	16
PWSE.BL	Arm and Base Components: Wallsaver Extension	14





KI 1330 Bellevue Street P.O. Box 8100 Green Bay, Wisconsin 54308-8100 I-800-424-2432 www.ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2016 Krueger International, Inc. All Rights Reserved. Code KI-11622/KI/PDF/0616