

PROMENADE® SEATING

PRICE LIST

January 3, 2011 Updated December 30, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.


Ordering C.O.M., C.O.L., and C.O.V.and	Shipping Location	_										
Bonduel, Green Bay, Ontario,	Bonduel, Green Bay, Ontario, and Tupelo											
Promenade® Seating System		_										
General Information												
Product Color Options												
Tandem Seating												
Seating Components												
Arm and Base Components												
Ream Mounted Tables		1										

How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to uphol ster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges ship material to: cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less. 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

1687 Westminster Drive - Gate 3

Attn: C.O.M. Storage

Green Bay, WI 54302

and backrests. provide a sketch noting requirements, as in Diagram B. along with materials for

ship material to:

Attn: C.O.M. Storage

Bonduel, WI 54107

204 West South Street

Laboratory Stools/Pilot

Attn: C.O.M. Storage

1110 S. Mildred Ave.

Ontario, CA 91761

For products shipped from Ontario, CA facility,

Avail/Impress/Kismet/Medical &




Diagram B

For products shipped from Bonduel, WI facility, **Treated Materials**

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrir To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications to be processed and shipped early, KI will ent the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material a the time of shipment unless expressly request to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return this material.

Test approved. Submitted for production

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box.

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

Purchasing Agent (Dealer or buying organization)

Type of seating and number of units of each type

Attention

City

Project Name

In all instances, send this form to the C.O.M. Specialist.

Selvage Top and Bottom

☐ Submitted for testing

Purchase Order Number



B Selvage Side and Side

KI Acknowledgement Number



C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KP
Learn2GB	Connection Zone	BW
RuckusGB	True/Volition	КР
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	HN
Files & Storage	Altus Task Chairs	GB
700 Series Pedestal CushionGB	Apply Stack Chairs	GB
Connection Zone PadsBW	Auditorium Folding Chairs	BW
U-Series Pedestal CushionGB	Calida Lounge Seating	HN
TattooBW	Diem Task Chairs	OM
	Doni Collection	GB
Fixed Seating	FourC Seating	GB
Concerto Auditorium SeatingBW	Gladly Lounge Seating	VQ
Single Pedestal SeatingGB	Grazie Seating	GB
Jury Base SeatingGB	Hiatus Sleeper Bench	HN
Lancaster Auditorium SeatingBW	Hub Modular Lounge Seating	HN
Sequence SeatingGB	Impress Task Chairs	OM
University SeatingGB	Impress Ultra Task Chairs	OM
	Jessa Lounge Seating	HN
Panel Systems	Jubilee Lounge Seating	VQ
All TerrainKP	Katera Guest Chair	GB
Balance OverheadsMN	Kurv Benches	LINI

LaResta Day Beds	HN
LimeLite	GB
Lyra Lounge Seating	HN
Maestro Stack Chairs	GB
Matrix Stack Chairs	GB
Medical & Laboratory Stools	.OM
MyPlace Lounge Seating	HN
MyWay Seating	HN
Oath Task Chairs and Stools	GB
Opt4	GB
Pilot Task Chairs	.OM
Promenade Seating System	BW
Ruckus	GB
Sela Lounge Seating	
Sift Task Chairs	GB
Signia Task Chairs and Stools	.OM
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest	.HN
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
Sway	.BW
Tattoo	HN
Torsion-on-the-Go! Nesting Chairs	GB
Torsion Air Stack and Task Seating	GB
Zoetry	HN

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

<u>VQ</u> Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

Attn: COM Storage 1110 S. Mildred Ave Ontario, CA 91761

<u>OM</u>








Tandem Seating w/Tables

Seat

	Seating Beam Mounted Tables			
Features	Seat	Bench	Full Size	Corner Table
Steel construction	•	•	•	•
Fiberglass construction				
Upholstery available	•			
Laminates available			•	
Suitable for outdoor use	•(ste	el) •(stee	el) •(steel)	(steel)
Dimensions				
overall width	21"	21"	21"	30"
overall depth	263/16"	22½"	221/2"	30"
overall height	31%"	16"	16"	16"
seat height	17%"	16"		
Bench w/fixed bases		14 1/8"*		
Bench w/embedded bases		14 1/8"*		
Bench w/movable bases		14 7/8" *((w/glides fully i	nserted)
Seat w/fixed bases	16"*			
Seat w/embedded bases	16"*			
Seat w/movable bases	16 3/4"3	* (w/glide	s fully inserted)
Overall Dimensions				
Seat height w/fixed bases	30"*			
Seat height w/embedded base	s 30"*			
Seat height w/movable base	s 30 ³ / ₄ "	* (w/glide	es fully inserted)

^{*}For units with upholstery, add additional 7/8" Note: Tables are the same height as benches. Glides could add 1/2" when fully extended.



SPECIFICATIONS

Seat. Benches, or Metal Tables with Perforated Steel Exteriors

14-ga. Sheet steel, die formed and welded to a 1" x 14 ga. Seam welded tubular steel frame. Perforations are 3/8" diameter.

Constructed of 1" x 14-ga. Tubular steel, die formed and welded to mounting yoke. Textured plastic arm cap is permanently attached.

Seats, benches and tables have steel spiders and yokes welded into an integral unit. The yoke is placed over the steel beam and secured with bolts.

Beams 11-ga. 1-1/2" x 2" seamless steel. Plastic end caps.

Freestanding Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. Cast aluminum base is bolted to the column. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts. Adjustable glides.

Wallsaver Extension

Attaches to base with rear glide. Contacts the wall at the floor to prevent seat back from touching the wall. Black only.

Anchored Base

The base may be drilled for anchoring with 3/8" diameter bolts. Anchoring bolts not provided.

Embedded Base

14-ga., 1.5 x 4 rectangular seam welded tubular steel column. 16" length for embedding in concrete. Either a yoke or yoke cover are welded to the top for securing to the beam with bolts.

Metal Finsh

Indoor finishes are nonchipping epoxy powder, electrostatically applied, then baked on. Outdoor finishes are nonchipping poiyester powder, electrostatically applied, then baked on over a rust-inhibiting sealer.

"L" Corner Table Assembly

For mounting modular units at a 90 degree angle. Corners are formed by mounting beam extensions joined by a table top and supported by a leg for each beam. A 2-5/8" o.d. leg with a leveling glide supports the back corner of the table top. Corner table surfaces match in-line tables.

Plastic Laminate In-line Tables

May be used in place of seats on the beam, or for corner table applications. Solid core top 7/8" thick consisting of high-density particle board with plastic laminate surface and vinyl bullnose edge. Rounded corners. For interior use only.

FIRE RETARDANTS

Upholstered Seating items:

Fire retardant treatment (FR) allows seating products to be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133.

Order Review/Design Service

It is KI's policy with this product to check all incoming orders for accuracy. When ordering, please provide a plan-view sketch and identify desired components.

KI will provide a design and engineering service, upon request, to tailor this product to your needs. This includes a comprehensive proposal. Contact KI for further information.

INFORMATION

Design

Designed by the KI Design Team.

C.O.M. and C.O.V. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 12" x 12" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Leather must be free of imperfections.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

INFORMATION

Fabric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Promenade® Seating System Product Color Options

Promenade® Seating System
Product Color Options

Frame Color - Indoor		Surface Finish - Laminate		Table Edge Color	
Black	BL	Belair	LBQ	Black	EBL
Blue Grey	GR	Biltmore Cherry	LBT	Blue Grey	EGR
Cayenne	CY	Black	LBK	Brown	EBR
Cool Grey	CG	Brighton Walnut	LBW	Frosty White	EFW
Earthen Clay	EY	Canyon Zephyr	LCA	Light Tone	ELG
Everglade Shade	EV	Castle Oak	LC0	Sand	ESA
Glitz Metallic	GZ	Casual Linen	LCU	Warm Grey	EWG
Hazy Jade	HJ	Cherry Storm	LCX		
Honey Bee	HY	Classic Linen	LCI		
Light Tone	LG	Cloud Zephyr	LCL		
Mardi Gras	MG	Cocobala	LCC		
Misty Brown	MY	Crisp Linen	LRI		
Nemo	NE	Desert Zephyr	LDZ		
Nordic	ND	Dove Grey	LDG		
Purple Haze	PH	Fired Steel	LIL		
Rubber Ducky	RK	Flax Linen	LXF		
Sand	SA	Florence Walnut	LFC		
Surf's Up	SP	Forged Steel	LOL		
Twilight Shadow	TI	Friston Ash	LFH		
Ultra Blue	UB	Frosty White	LFW		
Warm Grey	WG	Graphite Nebula	LGN		
Zesty Lime	ZL	Grey	LGE		
		High Rise	LHE		
Frame Color - Outdoor		Hollyberry	LHY		
Outdoor Black	ODBL	Irish Linen	LIH		
Outdoor Blue Grey	ODGR	Island	LID		
Outdoor Cayenne	ODCY	Italian Silver Ash	LIT		
Outdoor Cool Grey	ODCG	Kensington Maple	LKM		
Outdoor Mardi Gras	ODMG	Lapis Blue	LLB		
Outdoor Misty Brown	ODMY	Markerboard White	LMK		
Outdoor Nemo	ODNE	Misted Zephyr	LMR		
Outdoor Nordic	ODND	Monticello Maple	LMT		
Outdoor Purple Haze	ODPH	Nickel Evolv	LNV		
Outdoor Rubber Ducky	ODRK	North Sea	LNA		
Outdoor Sand	ODSA	Ocean	LON		
Outdoor Hazy Jade	ODHJ	Pearl Bisque	LPB		
Outdoor Surf's Up	ODSP	Pearl Silver	LPS		
Outdoor Ultra Blue	ODUB	Pressed Linen	LPR		
Outdoor Warm Grey	ODWG	River Cherry	LRY		
Outdoor Zesty Lime	ODZL	Rugged Linen	LRG		
		Satin Stainless	LSS		
		Shadow Zephyr	LSR		
		Silicon evolv	LSV		
		Sterling Ash	LAZ		
		Tailored Linen	LTL		
		Titanium evolv	LTV		
		White Nebula	LWL		
		White Sand	LWN		
		Windsor Mahogany	LWY		

Finish Cards View color swatches for items listed within this document.

<u>Paints</u> Plastics/Poly

Wood/Veneer <u>Laminates</u>

<u>Molded Edges</u> **Edge Styles**

<u>Glass</u>

Hard Plastics

Promenade® Seating System Tandem Seating





Approx.

107.0#

72.0#

135.0#

99.0#

163.0#

127.0#

119.0#

83.0#

153.0#

117.0#

187.0#

151.0#

Packaged Delivered

Pricing

\$ 2418

2118

3114

2811

3807

3503

N/A

N/A

N/A

N/A

N/A

N/A

Delivered

1 & C.O.M.

Pricing

\$ 3020

2715

4010

3707

5008

4704

Delivered

\$ 3241

2942

4355

4048

5459

5154

Fabric Grade Fabric Grade

Delivered

Fabric Grade

Pricina

\$ 3272

2970

4397

4089

5517

5207

Delivered

Vinyl Group

Pricing

\$ 3272

2970

4397

4089

5517

5207

Delivered

Pricing

\$ 3122

2796

4157

3836

5197

4877

Delivered

Group P1

\$ 3136

2828

4187

3884

5243

4936

Delivered

Group P2

\$ 3210

2905

4302

3995

5392

5087

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric add to list

Promenade® Seating System Tandem Seating

Delivered

Group P4

\$ 3359

3054

4529

4225

5691

5389

Pricing

Delivered

Group P3

\$ 3282

2980

4413

4109

5541

5238

TB133

N/A

N/A

N/A

N/A

N/A

N/A

\$ 202

202

305

305

405

405

			MODEL NUME	BER						
	MODEL	W x D x H	Basic Model	Table Style	Frame Color	Surface Finish	Edge Color	Upholstery Color	Fire Code	
	SEAT - Armless Unupholstered with	45 x 26 x 32"	PRM2/S1/1T						0000	
	Movable Base	45 x 26 x 32"	PRM2/S2/0T							
	Seats and tables clamp to mounting	69 x 26 x 32"	PRM3/S2/1T							
	beam. Tables interchange with seats anywhere on the beam	69 x 26 x 32"	PRM3/S3/0T							
	 Laminate tables are full size, 22-1/2" D x 	93 x 26 x32"	PRM4/S3/1T							
	21" W	93 x 26 x32"	PRM4/S4/0T							
PRM2										
PRM3										
PRM4										
	SEAT - Armless Upholstered with Mov-	45 x 26 x 32"	PRM2U/S1/1T							
	able BaseSeats and tables clamp to mounting	45 x 26 x 32"	PRM2U/S2/0T							
	beam. Tables interchange with seats	69 x 26 x 32"	PRM3U/S2/1T							
	anywhere on the beam	69 x 26 x 32"	PRM3U/S3/0T							
	 Laminate tables are full size, 22-1/2" D x 21" W 	93 x 26 x 32"	PRM4U/S3/1T							
9	Foam pads on upholstered units for ad-	93 x 26 x 32"	PRM4U/S4/0T							
PRM2U	ditional comfort in interior settings. May									
PRM3U	be removed for cleaning or reupholstery									
PRM4U										
			Δ	③	Θ	O	•	•	Θ	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect table style.

SL - Square laminate - Square Metal; add \$193

Select frame color.

Outdoor finishes can be ordered on unupholstered units without tables and unupholstered

units with metal tables.

DSelect surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections

Select table edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select upholstery grade/color Refer to ki.com/fabrics

NFR - Compliance to TB 117-2013

- Compliance to TB 133 See pricing column for TB133 upcharge.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

FINISH INFORMATION

fabric or vinyl.

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

Seats require 3/4 yard of 54" wide nondirectional

For 11 or more seats or pattern or directional

material, see "ordering C.O.M, C.O.V. and C.O.L."

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are: 2 place = \$206

3 place = \$285 4 place = \$350

SPECIAL SERVICES Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Promenade® Seating System Tandem Seating



Promenade® Seating System Tandem Seating

	MODEL NUMBER									
	MODEL	WxDxH	Basic Model	Table Style	Frame	Surface	Edge Color	Approx. Packaged Weight	Delivered Pricing	
		45 x 26 x 32"						107.0#	\$ 2418	
		45 x 26 x 32"						72.0#	2118	
	Benches and tables clamp to mounting	69 x 26 x 32"	PRM3/B2/1T					135.0#	3114	
	beam. Tables interchange with benches anywhere on the beam	69 x 26 x 32"	PRM3/B3/0T					99.0#	2811	
	 Laminate tables are full size, 22-1/2" D x 	93 x 26 x32"	PRM4/B3/1T					163.0#	3807	
3	21" W	93 x 26 x32"	PRM4/B4/0T					127.0#	3503	
PRM2										
PRM3										
PRM4										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect table style.

SL - Square laminate
SM - Square Metal; add \$193

Select frame color.

Refer to the **Product Color Options** page in this

Outdoor finishes can be ordered on unupholstered units without tables and unupholstered units with metal tables.

• Select surface finish.

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select table edge color.

3 0 0 **3**

Refer to the **Product Color Options** page in this price list.

Edge color offerings are based on edge style selections.

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$206 3 place = \$285 4 place = \$350

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Promenade® Seating System Seating Components



Delivered

Fabric Grade Fabric Grade Fabric Grade

1110

Pricing

Delivered

1119

Pricing

Delivered

Vinyl Group

1119

Pricing

Delivered

1037

Pricing

Delivered

Group P1

1051

Pricing

Delivered

Group P2

1093

Pricing

Promenade® Seating System Seating Components

Delivered

Group P3

1127

Pricing

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric add to list

TB133

N/A

N/A N/A

99

Delivered

Group P4

1168

Pricing

								•		
				MODEL NUMB	ER					
	MODEL	Features	WxDxH	Basic Model	Frame Color	Upholstery Color	Fire Code	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.
	Armless Seat	Perforated Steel Seat	21 x 22-1/2 x 16"	PRMSEAT				24.0#	\$ 696	
	 Heavy gauge perforated steel backrest and seat welded to tubular steel frame 	(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSEAT.OD				24.0#	760	
	Seats clamp to mounting beam and may	, Upholstered Seat	21 x 22-1/2 x 16"	PRSB				30.0#	N/A	997
	be interchanged with full size tables									
	 Foam pads on upholstered units for ad- ditional comfort in interior settings. May be removed for cleaning or reupholstery 	<i>y</i>								
HRDPT	Seat price includes mounting beam									
PROMU	3									
	Bench Seat	Perforated Steel Bench	21 x 26 x 32"	PRMBENCH				20.0#	\$ 696	
	 Heavy gauge perforated steel seat welded to tublular steel frame 	(w/Outdoor Coating)	21 x 26 x 32"	PRMBENCH.OD				20.0#	760	
	Seats clamp to mounting beam and may									
HRDPT	be interchanged with full size tables									
	Seat price includes mounting beam									
				_		_				
				A	0	Θ	0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select upholstery grade/color Refer to ki.com/fabrics

①Select fire code.

NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See pricing column for TB133 upcharge.

FINISH INFORMATION

C.O.M. and C.O.V. Upholstery

For 10 seats or less, supply the following:

fabric or vinyl.

For 11 or more seats or pattern or directional material, see "ordering C.O.M, C.O.V. and C.O.L."

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame retardant materials and fabric selections for compliance to California Technical Bulletin 133. Add FR to end of model number. Add Upcharge.

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor Seats require 3/4 yard of 54" wide nondirectional coating upcharges are: 2 place = \$206

3 place = \$285 4 place = \$350

With specially marked information N/C

SPECIAL SERVICES **Special Carton Marking**

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Promenade® Seating System Arm and Base Components



Promenade® Seating System Arm and Base Components

			MODEL NUMBER	R			
	MODEL	Features	Basic Model	Frame Color	Approx. Packaged Weight	Delivered Pricing	
	Freestanding Base	Fixed Inboard Base	PRMFBASE		10.0#	\$ 401	
	Heavy gauge tubular steel column. Cast aluminum leg with adjustable glides		PRMFBASE.OD		10.0#	440	
	 Clamps to beam directly or may be used 	Fixed Outboard Base	PRMFOBASE		10.0#	401	
	for clamping to seats or tables and the	(w/Outdoor Coating)	PRMFOBASE.OD		10.0#	440	
OBASE PRMFBASE	beam. Secured with bolts. Removable Base is drilled for anchoring bolts wher		PRMMBASE		10.0#	363	
	fived hase antion is enerified	(w/Outdoor Coating)	PRMMBASE.OD		10.0#	402	
	 Inboard base sits directly under center of 	Movable Outboard Base	PRMMOBASE		10.0#	363	
	outboard base can be attached at any	(w/Outdoor Coating)	PRMMOBASE.OD		10.0#	402	
DBASE PRMMBASE	location on the beam						
~ ®1 .		Embedded in Concrete Inboard	PRMEBASE		8.0#	\$ 236	
	Heavy gauge tubular steel column has	(w/Outdoor Coating)	PRMEBASE.OD		8.0#	260	
	extra length. • Clamps to beam directly or may be used	Embedded in Concrete Outboard	PRMEOBASE		8.0#	236	
\mathbb{V}	for clamping to seats or tables and the	(w/Outdoor Coating)	PRMEOBASE.OD		8.0#	260	
OBASE PRMEBASE	beam. Secured with bolts. Removable						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

0

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$206 3 place = \$285

4 place = \$350

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Promenade® Seating System Arm and Base Components



Promenade® Seating System Arm and Base Components

					*
		MODEL NU	JMBER		
				Approx	
		Rasic	Frame	Packaged	Delivered
MODEL	Features	Model		Weight	Pricing
	Touturoo				
• Connecte two units back to back					\$ 143
• Connects two units back to back	(w/Outdoor Coating)	87.6232.0D		5.0#	153
Wallsaver Extension		PWSE.BL		1.0#	\$ 80
 Heavy gauge steel, held in place by rear 					
Order one Wallsaver Extension per base					
(2-place, 3-place, and 4-place units each	1				
nave uty (2) bases; Each unit would					
need diy (2) wansaver extensions					
		A	₿		
	Wallsaver Extension • Heavy gauge steel, held in place by rear glide • Available in black only • Order one Wallsaver Extension per base	Back-to-Back Ganging Bar Connects two units back to back (w/Outdoor Coating) Wallsaver Extension Heavy gauge steel, held in place by rear glide Available in black only Order one Wallsaver Extension per base (2-place, 3-place, and 4-place units each have Oty (2) bases; Each unit would	MODEL Back-to-Back Ganging Bar Connects two units back to back (w/Outdoor Coating) Wallsaver Extension Heavy gauge steel, held in place by rear glide Available in black only Order one Wallsaver Extension per base (2-place, 3-place, and 4-place units each have Qty (2) bases; Each unit would need Qty (2) Wallsaver Extensions	MODEL Features Model Color Back-to-Back Ganging Bar • Connects two units back to back (w/Outdoor Coating) 87.6232 □□ Wallsaver Extension • Heavy gauge steel, held in place by rear glide • Available in black only • Order one Wallsaver Extension per base (2-place, 3-place, and 4-place units each have Qty (2) bases; Each unit would need Qty (2) Wallsaver Extensions	MODEL Features Basic Model Color Weight 87.6232 • Connects two units back to back Wallsaver Extension • Heavy gauge steel, held in place by rear glide • Available in black only • Order one Wallsaver Extension per base (2-place, 3-place, and 4-place units each have Qty (2) bases; Each unit would need Qty (2) Wallsaver Extensions

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are:

2 place = \$206 3 place = \$285

4 place = \$350

With specially marked information N/C

SPECIAL SERVICES **Special Carton Marking**

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Promenade® Seating System Beam Mounted Tables



Promenade® Seating System Beam Mounted Tables

							<u>*</u>	
			MODEL NUMB	ER				
							Approx.	
			Basic	Table	Table	Edge	Packaged Delivered	
	Features	WxDxH	Model	Finish	Surface	Color	Weight Pricing	
	Full Size Perforated Steel	21 x 22-1/2 x 16"	PRMSMT				34.0# \$ 695	
	(w/Outdoor Coating)	21 x 22-1/2 x 16"	PRMSMT.OD				34.0# 758	
	Full Size Plastic Laminate	21 x 22-1/2 x 16"	PRMSLT				15.0# 456	
HRDPT								
PMSL								
Beam Mounted Inline Full Size Tables								
Tables clamp to mounting beam and								
are secured with bolts								
Full size table may be interchanged								
with seat or bench								
Table price includes mounting beamPlastic laminate tables are suitable								
for indoor applications only								
	Connects to 1 Freestanding Unit, Perforated Steel	30 x 30 x 16"	PRMSMTLO				90.0# \$ 1545	
	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTLO.OD				90.0# 1696	
	Connects 2 Freestanding Units, Perforated Steel	30 x 30 x 16"	PRMSMTL				90.0# 1612	
U	(w/Outdoor Coating)	30 x 30 x 16"	PRMSMTL.OD				90.0# 1772	
	Connects to 1 Freestanding Unit, Laminate	30 x 30 x 16"	PRMSLTL0				66.0# 866	
	Connects 2 Freestanding Units, Laminate	30 x 30 x 16"	PRMSLTL				66.0# 1590	
	Connects 2 freestanding Offics, Laminate	30 X 30 X 10	THINIOLIL				00.0#	
HRDPT								
PMSC								
Beam Mounted Corner Table								
 Heavy gauge steel surface welded to a tubular steel frame 								
Tables clamp to mounting beam and								
are secured with bolts								
Joins two units at right angles								
May be attached to one unit at endWhen specifying, units to be attached	4							
must be identified	,							
 Includes corner table leg and mount- 								
ing beam extensions								
 Outboard bases must be ordered separately (1 per connection) 								
coparatory (1 por connection)								
			Ø	•	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect table color. Refer to the **Product Color Options** page in this price list.

Select laminate surface color. Refer to the **Product Color Options** page in this

• Select edge color.

Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style selections.

OPTIONS

Outdoor Coating

For unupholstered units without tables and unupholstered units with metal tables the outdoor coating upcharges are: 2 place = \$206

3 place = \$285

4 place = \$350

With specially marked information N/C

Special Carton Marking

SPECIAL SERVICES

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000243/KI/PDF

