

RESIDENCE HALL FURNITURE

PRICE LIST

January 3, 2011 Update January 3, 2023

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering COM, COL and COV	
Information	
RoomScape® Furniture	
General Information	
Dimensions	
Product Color Options	
Beds (complete)	
Bed Components (for after-market retrofit only)	
Worksurfaces and Tackboards	1
Hang-on Storage Units	1
Lighting Accessories	1
Computer Accessories and Center Drawer	1
Storage Pedestals with Steel Front	1
Storage Pedestals w/Woodgrain Laminate Front/Top	1
Wardrobes with Steel Front	1
Wardrobes with Woodgrain Laminate Front	1
Dressers with Steel Front	2
Dressers with Woodgrain Laminate Front and Top	2
·	

C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	
EvokeMN	Universal Overheads	
Genius WallsMN	Wireworks	
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KP
Learn2 GB	Connection Zone	BW
RuckusGB	True/Volition	KP
	Genesis	KP
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	HN
Files & Storage	Altus Task Chairs	GB
700 Series Pedestal CushionGB	Apply Stack Chairs	GB
Connection Zone PadsBW	Auditorium Folding Chairs	BW
U-Series Pedestal CushionGB	Calida Lounge Seating	HN
TattooBW	Diem Task Chairs	OM
	Doni Collection	GB
Fixed Seating	Gladly Lounge Seating	VQ
Concerto Auditorium SeatingBW	Grazie Seating	GB
Single Pedestal SeatingGB	Hiatus Sleeper Bench	HN
Jury Base SeatingGB	Hub Modular Lounge Seating	HN
Lancaster Auditorium SeatingBW	Impress Task Chairs	OM
Sequence SeatingGB	Impress Ultra Task Chairs	OM
University SeatingGB	Jessa Lounge Seating	HN
	Jubilee Lounge Seating	VQ
Panel Systems	Katera Guest Chair	GB
All TerrainKP	Kurv Benches	HN
Balance Overheads MN	LaResta Day Beds	HN

imeLite	GB
yra Lounge Seating	HN
Maestro Stack Chairs	GB
Medical & Laboratory Stools	MC
MyPlace Lounge Seating	HN
NyWay Seating	HN
Oath Task Chairs and Stools	GB
Opt4	GB
ilot Task Chairs	MC
romenade Seating System	
Puckus	GB
sela Lounge Seating	HN
ift Task Chairs	GB
ignia Task Chairs and Stools	MC
Soltice Metal Collection	HN
Soltice Multiple, Healthcare & Guest .	HN
Soltice II Healthcare Seating	HN
Strive Multiple, Stack & Task	GB
śway	BW
attoo	HN
orsion-on-the-Go! Nesting Chairs	GB
orsion Air Stack and Task Seating	GB
oetry	HNI

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

<u>BW</u> KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

GB KI Green Bay Attn: COM Storage

1687 Westminster Drive - Gate 3 Green Bay, WI 54302

<u>HN</u> KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

<u>KP</u> KI Pembroke

Attn: COM Storage

MN KI Manitowoc Attn: COM Storage Manitowoc, WI 54220

<u>VQ</u> KI

Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 1110 S. Mildred Ave. Ontario, CA 91761

Attn: COM Fabrics La Palma, CA 90623



SPECIFICATIONS

The bed is composed of: 1) bed frame ends, 2) caps, glides and stacking devices, 3) bed deck assembly, 4) lower horizontal reinforcing member (lofting applications only). See dimensions page for combination of components and dimensions.

Bed Frame Ends

Bed frame ends are fabricated of two heavy 14-gauge steel tubular uprights. A vertical slotted pattern on 1" centers is located on the front and back of each to accept and provide height adjustment of bed deck and hang-on components. Two 14-gauge uprights are joined by three horizontal 1- 1/4" round steel tubes which are welded to the tubular uprights to create a ladder effect. Electrostatically applied epoxy powder finishes applied for maximum durability

Top Caps, Base Glides and Stacking

Caps and glides are black molded nylon for maximum strength and are inserted into the ends of the vertical tubes of the bed frame ends. They utilize a friction fit so as to eliminate accidental dislodgement yet be capable of removal or installation when lofting or delofting beds.

Stacking devices are molded of black glass reinforced nylon for maximum torsional strength. They insert with friction fit into top and bottom of the bed frame ends to provide structural joinery for bunked or lofted beds.

Deck Assembly

The board deck frame assembly is composed of two 11-gauge steel rails with a series of hooks on each end that fasten into the vertical slots of the bed frame end. They are height adjustable from top to bottom anywhere along the vertical slot pattern of the upright. A side rail of 5/8" thick, 45lb. density particle board with .030 high-pressure laminate face. .028 backer sheet and Polypropylene edge band is attached to the outside surface of the steel bed rails for a finished appearance. Four 16-gauge formed steel deck stringers drop into belt loop style embosses that are equally spaced on the bed rails. These deck stringers span between the two rails and support the solid bed deck. Electrostatically applied epoxy powder is applied for maximum durability.

The bed deck is composed of three 3/4" thick 45lb. density particle board deck boards which have white melamine top and bottom surface to resist stains and to provide a light, finished appearance to the underside. They are edged banded with white Polypropylene. The deck boards lay in from above on top of the steel deck stringers and are captured at the ends of the bed to prevent sliding. The deck boards are 36-1/4W x 26-3/8"L and are universal end-to-end and top-to-bottom

Spring Bed Deck Assembly

The spring bed assembly consists of an all steel riveted construction. Primarily, the perimeter frame is made with 1-1/2" x 2" x 5/32" thick angles and includes 4 - 1" x 11ga. corner gussets, 2 – 1" dia. cross tubes. The internal portion of the frame is designed for comfort; it consists of action

arc z-hooks, (6) 8ga. and (10) 9ga. wire and is connected together by (36) 12ga. helical springs and (160) 12ga, wire links, Electrostatically applied epoxy powder is applied to the complete assembly for maximum durability. A side rail of 5/8" thick, 45-lb, density particle board with .030 high-pressure laminate face. .028 backer sheet and Polypropylene edge band is attached to the outside surface of the steel bed rails for a finished appearance, the 11-gauge steel bed rails have a series of hooks on each end to fasten into the vertical slots of the bed frame end.

Sleeping Surfaces

Sleeping surface (or mattress size) is 36" x 80" 13-gauge contract unit, boric acid felt each side, insulator pad each side, 7" thick, foam corners with black polyester tape. Cover is flanged and hog ringed to unit coils to hold insulation in proper place. Mattresses are wrapped in 4mm plastic film. Meets Federal Government Flammability Standards DOC FF4-72. Covering-210 Denier nylon Oxford/urethane coating. Bed bug resistant.

Lower Reinforcing Member

The lower reinforcing member is positioned at the lower back side of a loft bed assembly to provide structural integrity. It is a 1" thick x 7-9/16"H x 80"L fabricated box section comprised of 18-gauge and 11-gauge steel with a series of hooks on each end for attachment to the bed frame ends. It is not required for single or bunk bed configurations. It is coated with electrostatically applied epoxy powder for maximum durability.

Anti-racking Bar

The Universal Anti-racking Bar is made from 16 Gage round steel tube and 14 gage bracketry to lock it into the patterned slots of the bed ends. Each end of the anti-racking bar has brackets with teeth that mount it into the bend end slots and locks that secure it from being dislodged. The lock is secured with tightening of a hand wheel screw.

Hang-on Worksurfaces

Worksurfaces are constructed of 45-lb. high density particle board laminated with .030 face sheet and .028 backer sheet of high-pressure laminate. Polypropylene edges provide optimal durability.

Worksurfaces are supported by two 14- gauge drawn steel cantilever brackets which hook into the slotted channels of the bed uprights. This provides height adjustability to suit the comfort of the student. Brackets are designed to prevent accidental dislodgement. A 1-1/8"H x 2-1/8"W cutout is located in the upper rear corner of each bracket to allow cables from the worksurface to drop over the edge and pass through the bracket.

PowerUp® option provides two grounded power outlets and voice and data terminal connections. locations. Standard with 9" grounded cord. One PowerUp® module centered left to right at the rear of the surface.

Hang-on Tack boards

The tackboard is constructed of fabric upholstered 3/4" thick industrial grade micore. It is attached to an 11-gauge powder-coated steel back which incorporates hooks for hanging on the bed frame

Hang-on Megasurface

Megasurfaces are constructed the same as regular hang-on worksurfaces but are composed of two 15" x 37" x 40" x 18" corner surfaces to provide maximum worksurface ideal for computers. The surfaces span the full length under the loft and have a concave edge on the user side creating a wrap around effect. A full-length tackboard 80"L x 16"H is included providing tackable space and worksurface support.

PowerUp® option provides two grounded power outlets and voice and data terminal connections locations. Standard with 9" grounded cord. Two PowerUp® modules provided, one in each rear

Hang-on Shelf Unit

End panels of the shelf are particle board covered by .030 high-pressure laminate with the edge banded by matching Polypropylene edge banding. The steel bottom shelf is 16-gauge steel, powder-coat paint. The steel back is 11-gauge and incorporates hooks to hang the shell at the desired height from the bed frame. Hook design prevents accidental dislodging.

Task Light

UL Listed task light attaches to the flange on the underside of shelf or flipper door cabinet. Includes a 15 watt cool white lamp and 8" cord with grounded plug, Included 16" cord manager attaches to slotted channel in bed frame and manages cables above or below worksurface. Black only.

Mobile and Freestanding Pedestal

One piece 20-gauge steel shell with enclosed 20-gauge top. 22-gauge. 3-piece welded drawers with multiple offsets providing maximum strength and moisture resistance. Heavy-duty steel ball-bearing drawer suspensions. Lock options: no lock, "Top drawer only" lock which provides security to the top drawer via user supplied padlock, or double bitted/removable core key lock (on steel front units only). Freestanding units supplied with counterbalance weight. Mobile units have caster located in bottom of lower drawer front to prevent forward tipping. Painted with high-quality baking enamel. Four heavy-duty casters (2 locking) provide mobility for mobile pedestals.

Steel front pedestals have 20-gauge, double wall fronts with integral drawer pull. Front painted to match the pedestal shell.

Pedestals with woodgrain laminate front & top have 3/4" thick fronts and top constructed of particle board core with high-pressure laminate surface. Edges of top, and drawer front sides are banded with matching Polypropylene for added durability. Bottom and top edges of drawer fronts are banded with matching 1mm Polypropylene for a tight, clean fit between drawers. Drawer pull is 8"W, 16-gauge steel, waterfall design painted to match the nedestal shell. Grain direction on top is side-to-side, on drawer fronts is vertical.

Hang-on Drawer Unit

Construction is same as hang-on flipper door unit except two drawer fronts are attached to powder-coated steel drawer bodies. Drawer operates on heavy-duty multistage steel ball-bearing suspension. Double bitted removable core lock.

Freestanding Wardrobe Unit

Shell is constructed of 20-gauge steel. Uprights and top and bottom reinforcements are welded into a rigid "box frame." Two 18- gauge reinforcements located along the bottom front and back of cabinet house four threaded weldnuts to accept adjustable leveling glides. 18-gauge top reinforcement. Lock options: no-lock, "Top Drawer only" lock which provides security to the top. Drawer of combination wardrobes via user supplied padlock, or double bitted/removable core key lock. Drawers are 20-gauge steel with slotted bottoms for ventilation. Heavy-duty steel ball-bearing drawer suspensions. Painted with high-quality baking

Steel fronts units have 20-gauge drawer fronts and doors (double wall) with integral pulls. Fronts painted to match the wardrobe shell.

Wardrobes with woodgrain laminate front have 3/4" thick doors and drawer fronts constructed of particle board core with high-pressure laminate surface. All horizontal edges are banded with matching 1mm Polypropylene for a tight clean fit, with all vertical edges banded with matching Polypropylene for added durability. Drawer pull is 8"W, 16-gauge steel, waterfall design painted to match the wardrobe shell. Door pulls are located at top of doors and are same design as on drawer but with half located on each door. Grain direction

Stack-on Wardrobe

Construction of case and doors is same as wardrobe unit. This unit is intended to stack on top of wardrobe unit to provide additional storage and is reversible to face forward or backward. Power cord exits are located on each side. Thumb screw attachment method provides easy vet positive attachment to top of wardrobe unit. Locking is optional. Painted with high-quality baking enamel. Door pull on woodgrain laminate door is at bottom

Freestanding Dressers

Shell is constructed of 20-gauge steel with seamless back and top with reinforced corners. Heavy-duty steel ball-bearing drawer suspensions. Lock options: no-lock, "Top Drawer Only" lock which provides security to the top drawer via user supplied padlock, or double bitted/removable core key lock which locks all drawers (on steel drawer front units only). Painted with high-quality baking

Steel front dressers have drawer fronts of 20-gauge steel with integral pulls. Front painted to match the dresser case.

Wardrobes with woodgrain laminate front and top have 3/4" thick front and top constructed of particle board core with high-pressure laminate surface. Edges of top and drawer front sides are banded with matching Polypropylene for added durability. Bottom and top edges of drawer fronts are banded with 1mm matching Polypropylene for a tight clean fit. Drawer pull is 8"W, 16-gauge steel waterfall design painted to match the pedestal shell. Grain direction on top is left to right, on

drawer fronts is vertical.

Keyboard Tray

Mounts under hang-on worksurface to provide access and storage for computer keyboards. Molded black plastic surface with molded palm rest operates on steel ball-bearing telescopic

CPU Sling

Mounts under hang-on worksurface to provide access and storage for CPU, freeing up worksurface space. Straps have positive locking clamps. Provides 5-1/2" of travel and 359° swivel. Accommodates CPU with maximum circumference of 65". Maximum weight capacity is 75-lbs. Available in black only.

Center Drawer

Mounts under hang-on worksurface or mega-surface. Formed of molded plastic with compartment for pencils, paper clips etc. Non-locking. Operates on a formed suspension with ball bearing glides for smooth operation.

Pedestal and Freestanding Dresser Tops For Steel Front Units

Constructed of particle board core with .030 face sheet and .028 backer sheet of high-pressure laminate. Polypropylene edges for optimal durability. Tops are installed on pedestals or freestanding dressers in the field by use of factory applied double-sided tane

Ladder Assembly

Construction consists of 16ga. steel support bracket which hooks over the top edge of the beds with side rail or under and around spring bed side frame. The ladder assembly is constructed of two 75" upright 1" x 2" x 16ga, seamless rectangular tubes with five 3/4" x 1-1/2" x 14ga. seamless flat oval tubes, which form the rungs. Rungs are inserted into the rectangular uprights and a #10 threaded rod is inserted through the rungs and drawn up from each end via stay-fast Allen head joint nuts. A RH and LH bottom-mounting bracket is supplied to secure bottom of ladder when used without a lower bed. The brackets are made of 11ga steel and attached to the ladder with a 1/4"-20 thumb screw. The bracket hooks into the bed frame ends via adjustable notches. Ladder and support brackets are coated with electrostatically applied powder-coated for maximum durability.

Bed Safety Bar

Constructed of 14-gauge steel plate which mounts to the inside of the bed deck side rail, and 1"o.d.-14-gauge seamless steel tube which extends above the bed deck to provide additional safety for the sleep area. Epoxy powder coated for maximum

INFORMATION

Warranty

See"Terms" for general information.

Fahric

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product

Modification Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Product Modification Request.

RoomScape® Furniture



RoomScape® Furniture

Beds are composed of the following combinations of these components with the resulting assembled dimensions.

	Single Bed	Bunk Bed	Loft Bed	
Bed Frame Ends	2	4	4	
Top Caps	4	4	4	
Base Glides	4	4	4	
Stacking Devices	-	4	4	
Bed Deck Assembly	1	2	1	
Lower Reinforcing Member	-	-	1	
Assembled Dimensions:				
Height:	393/8"	78³/8"	78³/s"	
Length:	86"	86"	86"	
Width:	$38^{7}/8$ "	387/8"	387/8"	
Maximum clearance under bed:	31"	-	693/4"	

Components	D	imension	ns
	W	D	Н
Bed Safety Bar	55"	1"	81/4"
Ladder	15"	2"	75"
Hang-on Worksurface	38"	24"	11/4"
Drop-leaf Surface	18"	24"	11/4"
Hang-on Tackboard	36"		16"
Hang-on Megasurface	(2)		15" front edge x 37" outside edge x 40" rear edge x 18" inside edge
Drafting Board	30"	24"	5/ ₈ "
Hang-on Shelf Unit	36"	133/8"	15 ³ /8"
Hang-on Flipper Door Unit	36"	141/8"	15 ³ /8"
Hang-on 2-Drawer Unit	36"	141/8"	15 ³ / ₈ "
Hang-on Clothes Rack	36"	135/8"	91/8"
Task Light	20"	7"	2"
Keyboard Tray	225/8"	12"	3"
Center Drawer	177/8"	17"	21/2"
Mobile Pedestal (Box/Box/File) with steel front	15"	215/8"	27 5/8 "
Mobile Pedestal (Box/Box/File) with woodgrain laminate front & top	15"	215/8"	273/8 "
Mobile Pedestal (Pencil/Box/File) with steel front	15"	215/8"	2411/16"
Mobile Pedestal (Pencil/Box/File) with woodgrain laminate front & top	15"	215/8"	257/16"
Fixed Pedestal (Box/Box/File) with steel front	15"	215/8"	25 ⁵ / ₁₆ "
Fixed Pedestal (Box/Box/File) with woodgrain laminate front & top	15"	215/8"	261/16"
Fixed Pedestal (Pencil/Box/File) with steel front	15"	215/8"	221/4"
Fixed Pedestal (Pencil/Box/File) with woodgrain laminate front & top	15"	215/8"	231/8"
Pedestal Top (for steel front units)	15"	215/8"	25 ⁵ /8"
Freestanding Wardrobe Unit (18" D.) with steel front	36"	18"	76"
Freestanding Wardrobe Unit (18" D.) with woodgrain laminate front	36"	187/8"	76"
Freestanding Wardrobe Unit (24" D.) with steel front	36"	24"	76"
Freestanding Wardrobe Unit (24" D.) with woodgrain laminate front	36"	247/8"	76"
Stack-on Wardrobe (18" D) with steel front	36"	18"	1713/16"
Stack-on Wardrobe (18" D) with woodgrain laminate front	36"	187/8"	1713/16"
Stack-on Wardrobe (24" D) with steel front	36"	24"	1713/16"
Stack-on Wardrobe (24" D) with woodgrain laminate front	36"	247/8"	17¹³/₁ҕ"

Components	D	imensio	ns
	W	D	Н
Freestanding Dresser 6, 9, 10 ¹ / ₂ " H. Drawers with steel front	36"	18"	$28^{17}/_{32}$ "
Freestanding Dresser 6, 9, 10 ¹ / ₂ " H. Drawers with woodgrain laminate front & top	36"	187/8	299/32"
Freestanding Dresser 3 each 10 ¹ / ₂ " H. Drawers with steel front	36"	18"	$34^{21}/_{32}$ "
Freestanding Dresser 3 each 10 ¹ / ₂ " H. Drawers with woodgrain laminate front & top	36"	187/8	$35^{13}/_{32}$ "
Freestanding Dresser 4 each 10 ¹ / ₂ " H. Drawers with steel front	36"	18"	453/8"
Freestanding Dresser 4 each 10 ¹ / ₂ " H. Drawers with woodgrain laminate front & top	36"	187/8	461/8"
Freestanding Dresser 5 each 10 ¹ / ₂ " H. Drawers with steel front	36"	18"	56 ³ / ₃₂ "
Freestanding Dresser 5 each 10 ¹ / ₂ " H. Drawers with woodgrain laminate front & top	36"	187/8	5627/32"
Freestanding Dresser Ton (For steel front units)	36"	18"	5/8"

Belair

RoomScape® Furniture Product Color Options

RoomScape® Furniture
Product Color Options

Surface Finish--Laminate

LBT Biltmore Cherry Brighton Walnut LBW Castle Oak LC0 LCX Cherry Storm Cocobala LCC Friston Ash LFH Kensington Maple LKM Monticello Maple LMT LRY River Cherry LAZ Sterling Ash LWY Windsor Mahogany

LBQ

Paint Color Black BL Blue Grey GR Bronze Metallic ZM CY Cayenne CM Champagne Metallic Cool Grey CG Cottonwood CO ΕY Earthen Clay EX Espresso Metallic Everglade Shadow EV Flannel FN Glitz Metallic GΖ HJ Hazy Jade HY Honey Bee LG Light Tone Mardi Gras MG Misty Brown MY NE Nemo Nordic ND Purple Haze PH Rubber Ducky RK Sand SA SX Starlight Silver Metallic

Zesty Lime **Module Color**

Surf's Up Twilight Shadow

Ultra Blue

Warm Grey

Black PBL Grey PGR Sand PSA Warm Grey PWG Cool Grey PCG Misty Brown PMY

Lock Color

BLL Black Satin Chrome SCL

Lock color selection is not available on woodgrain front dressers and storage pedestals.

View color swatches for items listed within this document.

Finish Cards

Paints Plastics/Poly

SP

ΤI

UB

WG

ZL

Wood/Veneer **Laminates**

Edge Styles


Molded Edges

Hard Plastics <u>Glass</u>

RoomScape® Furniture Beds (complete)

1





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color. Refer to the **Product Color Options** page in this price list.

©Select laminate color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 250.

RoomScape® Furniture Beds (complete)



RoomScape® Furniture
Beds (complete)

							•
			MODEL	NUMBE	R		
						Approx.	
	MODEL	HxLxW	Basic Model	Color	Laminate Color	Packaged Weight	Delivered Pricing
						Weight	
	Loft Bed • Spring Bed Deck	78-3/8" x 86" x 38-7/8"	RMSLB			260.0#	\$ 2282
	 Accommodates an 80" x 36" mattress 						
	(sold separately)						
	Side rails are of laminate construction						
	having a 74P edge						
U							
RMSB							
1.	Bunk Bed	78-3/8" x 86" x 38-7/8"	RMSBB			348.0#	\$ 2872
	Spring Bed DeckAccommodates an 80" x 36" mattress						
	(sold separately)						
	 Side rails are of laminate construction 						
	having a 74P edge						
ľ							
RMSB							
	Single Bed	39-3/8" x 86" x 38-7/8"	RMSSB			174.0#	\$ 1422
J	Single Bed • Spring Bed Deck						• 100
	 Accommodates an 80" x 36" mattress 						
	(sold separately)Side rails are of laminate construction having a 74P edge						
	having a 74P edge						
	Jan and						
ľ							
DMCD							
RMSB							
			A	$oldsymbol{\Theta}$	$\mathbf{\Theta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- **B**Select paint color. Refer to the **Product Color Options** page in this
- price list. ©Select laminate color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 250.

RoomScape® Furniture Bed Components (for after-market retrofit only)



RoomScape® Furniture
Bed Components (for after-market retrofit only)

							•		
			MODEL	NUMBE	R				
						Approx.			
			Basic	Paint	Laminate	Packaged	Delivered		
	MODEL	WxDxH	Model	Color	Color	Weight	Pricing		
	Lower Reinforcing Member		RMLRM			31.0#	\$ 262		
	 Required to support bottom of loft if 								
PMC	converting from bunk or single beds								
TTIVIO	Ded Deek Assembly		DMDDA			63.0#	\$ 1223		
	Bed Deck AssemblyUsed to add an additional sleeping		RMBDA			b3.U#	\$ 1223		
	surface to loft or if creating single beds								
	from loft beds								
RMA									
	Top Cap Set (4) • Used to finish top of single bed created		RM.TCS			1.0#	\$ 31		
िन्ति हिन्ति वित्ति हिन्ति	 Used to finish top of single bed created 								
- 4004	from de-lofted or bunk beds								
HRDPT	Black only								
	Base Glide Set (4)		RM.BGS			1.0#	\$ 31		
P P	Used to finish bottom of single bed		NIVI.DUS			1.0#	پ ١١		
	created from de-lofted or bunk beds								
	 Black only 								
HRDPT									
r	Stacking Device Set (4)		RM.SDS			2.0#	\$ 64		
m H. II	Required to construct a loft or bunk bed:	S							
	from 2-single beds • Black only								
rm []	• Black Ully								
HRDPT									
THIST I	Bed Safety Bar	55 x 1 x 8-1/4"	RMRSR			8.0#	\$ 216		
	Optional item to provide added safety for	r	THIVIDOD			0.0#	Ψ 210		
	bed deck assemblies								
RMC									
	Anti-racking Bar	86 x 3 x 2"	RMCB			6.5#	\$ 280		
	 For lofted bed applications only 								
8									
RMA									
			A	$oldsymbol{\mathbf{B}}$	G				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect paint color. Refer to the **Product Color Options** page in this price list.

©Select laminate color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 125.

RoomScape® Furniture Bed Components (for after-market retrofit only)



RoomScape® Furniture
Bed Components (for after-market retrofit only)

						▼	
			MODEL NUMBER	R			
	MODEL	W I	Basic	Paint Color	Approx. Packaged	Delivered	
		WxL			Weight	Pricing	
_ n _	Bed Frame End Set (2)		RMFES		54.0#	\$ 420	
	Required to convert a single bed into a						
	loft or bunk bed Requires top cap, base glide and stack-						
	ing device sets						
RMA							
NIVIA							
A	Ladder	15 x 75"	RMLAD		20.0#	\$ 578	
	Optional item for loft beds or bunk beds when ands are not easily accessible.						
	when ends are not easily accessible Hooks over top edge of bed deck side						
	rail						
ifIl	 Maintains bed deck height adjustability 						
H							
H.							
u G							
RMA							
NIVIA		001/00"	00.000001.000/00			A =0.5	
	Mattress	36 X 80"	20.288671.36X80		55.0#	\$ 795	
HRDPT							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

B

A Select basic model.

Select paint color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Ladder, freight class 125. Mattress, freight class 150.

RoomScape® Furniture Worksurfaces and Tackboards





			MODEL	L NUMBE	ER									
	MODEL	D x W x W x D	Basic Model	Paint Color	Laminate Color	PowerUp Option	PowerUp Module Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	
The state of the s	Hang-on Worksurface 1-1/4" solid core top with plastic laminate surface Polypropylene edge		RMHWS						35.0#	\$ 391				
RMHM	Supported by steel cantilever brackets which hook into bed uprights													
	Hang-on Tackboard For use as desired with hang-on work-surface Fabric upholstered 3/4" thick micore	36 x 16"	RMHTB						15.0#	N/A	\$ 325	\$ 333	\$ 335	
RMT	Attached to 11-gauge steel back which hooks to bed frame													
	Hang-on Megasurface (2) 1-1/4" solid core top with plastic laminate surface Polypropylene edge Supported by steel brackets which hoo	15 x 37 x 40 x 18"	RMHMS						88.0#	N/A	\$ 2050	\$ 2059	\$ 2065	
RMHO	into bed uprights • Spans full length under the loft bed • Includes 80" x 16" tackboard with steel back which hooks to bed frame													
			A	B	•	Ð	3	3						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the **Product Color Options** page in this price list.
- Select laminate color. Refer to the **Product Color Options** page in this
- Select PowerUp option.
- NP No PowerUp module (standard) WPM - PowerUp module; add \$151 Add \$151 to list price for hang-on worksurface and \$297 for hang-on megaworksurface
- Select PowerUp module color.
 Refer to the **Product Color Options** page in this price list.
- Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

PowerUp Module

When PowerUp® is specified: Hang-on worksurface has one PowerUp® module centered left to right at rear of the

Hang-on megasurface has two PowerUp® modules provided, one in each rear corner.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

RoomScape® Furniture Hang-on Storage Units



RoomScape® Furniture Hang-on Storage Units

			_						
			MODEL	. NUMBE	R				
	MODEL	W x D x H	Basic Model	Paint Color	Laminate Color	Approx. Packaged Weight	Delivered Pricing		
	Hang-on Shelf Unit	25-5/8 x 13-3/8 x 15-3/8"	RMHSU			32.0#	\$ 612		
	Solid core laminate surface end panels								
	with polypropylene edgePowder-coated steel shelf and back								
	Back hooks into bed uprights								
RMS	. 0								
	Personal Shelf	8 x 13-1/2"	RMPS			5.0#	\$ 230		
	Solid core laminate shelf with black								
RMS	painted indentations in top for phones, radios, soft drinks etc.								
	Powder-coated steel bracket								
	Hooks onto side rail of bed deck to								
	provide storage at bed height								
					_				
			A	$oldsymbol{G}$	$oldsymbol{\Theta}$				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

©Select laminate color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

RoomScape® Furniture Lighting Accessories





		MODEL NUMBER		
			Approx.	
		W Basic Model	Packaged Weight	Delivered
	MODEL			Pricing
	Single Unit - Overhead LED Task Light	12" LEDTK.12.SGL.GN	1.2#	\$ 147
		17" LEDTK.17.SGL.GN	1.6#	188
	 Task lights are specified by the cabinet 	31" LEDTK.31.SGL.GN	2.1#	230
	width to which they are attached. See	44" LEDTK.44.SGL.GN	2.3#	264
	"INFORMATION" at bottom of price list page for sizing chart.			
HRDPT	Slim profile mounts effortlesly via			
	magnets or screw-in bracket			
	Attachment hardware includedTouch and hold dimmability with last-			
	state memory			
	 Silver anodized aluminum body/black 			
	plastic end caps			
	9' power supplyIncludes 2 cord managers			
	morado 2 dora managoro			
	Otantan Hait Orankan d LED Tank Links	40" FDTK 40 DODON	4.0%	h 400
	• Attaches to the bottom of overhead	12" LEDTK.12.DCP.GN 17" LEDTK.17.DCP.GN	1.2# 1.6#	\$ 192 240
	storage cabinets or shelving	31" LEDTK.31.DCP.GN	2.1#	283
	Task lights are specified by the cabinet	44" LEDTK.44.DCP.GN	2.3#	321
	width to which they are attached. See "INFORMATION" below for sizing chart.	44 LEDIK.44.DUP.GN	2.5#	321
HRDPT	Slim profile mounts effortlesly via			
TINULL	magnets or screw-in bracket			
	Attachment hardware includedTouch and hold dimmability with last-			
	state memory			
	 Silver anodized aluminum body/black 			
	plastic end caps Daisy chain with Adder units 			
	 11' power supply 			
	 Includes 2 cord managers 			
	 Refer to Interlinking Combination table below for optimal performance of daisy 			
	chained fixtures			
		•		
		A		

Ind	dicate the following information on order form:
1.	Quantity of each item.
2.	Model number, including options. See "How"

/ То Build a Model Number".

3. Any special service required.

HOW TO ORDER

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

BER	INFORMATION LED TASK LIGHT CABINET WIDTH
	Cabinet Light
	Width Width
	24" 12" or 17"
	30" 17"
	36" 17"
	42" 31"
	48" 31"
	54" 44"
	60" 44"
	66" 44"
	72" 44"

# of	# of	# of	# of
12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	n	

INTERLOCKING SPECIFICATIONS
INTERLINKING COMBINATIONS

(DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	
n	n	n	1

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.)
(DAISY CHAIN)

SPECIAL SERVICES	
Special Carton Marking	

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

RoomScape® Furniture Lighting Accessories



RoomScape® Furniture Lighting Accessories

		MODEL NUMBER			
			Approx.		
		Basic Model	Approx. Packaged Weight	Delivered	
	MODEL W			Pricing	
		LEDTK.12.DCA.GN	1.2#	\$ 95	
	Attaches to the bottom of overhead 17"	LEDTK.17.DCA.GN	1.6#	109	
	storage cabinets or shelving Task lights are specified by the cabinet	LEDTK.31.DCA.GN	2.1#	152	
5	width to which they are attached. See 44"		2.3#	188	
	"INFORMATION" below for sizing chart.				
HRDPT	Slim profile mounts effortlesly via				
TITIOT T	magnets or screw-in bracket				
	Attachment hardware included Taylob and hald dimensibility with look				
	Touch and hold dimmability with last- state memory				
	Silver anodized aluminum body/black				
	plastic end caps				
	 Daisy chain with Starter units 				
	18' jumper cord and connect to starter				
	unit				
	Includes 2 cord managersDoes not inlcude power supply; must				
	purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the				
	starter unit				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy chained fixtures				
	GHAIHEU HALUIES				

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

2. Model number, including options. See "How To Build a Model Number".

3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Lig Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" 12"

ight		
/idth		
or 17"		
17"		
17"		
31"		
31"		
44"		
44"		
44"		
44"		

12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
4	1	0	0
4	0	1	0
4	0	0	0
3	2	0	0
3	1	1	0
3	1	0	0
3	0	1	0
3	0	0	1
3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0

of

INTERLOCKING SPECIFICATIONS

INTERLINKING COMBINATIONS

(DAISY CHAIN)

of

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# 0
12"	17"	31"	44'
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

RoomScape® Furniture Computer Accessories and Center Drawer



RoomScape® Furniture Computer Accessories and Center Drawer

					·
			MODEL NUMBER		
				Approx. Packaged	
	MODEL	WxD	Basic Model	Packaged Weight	Delivered Pricing
#	Keyboard Tray • Mounts under worksurface to provide	20-7/8 x 10-1/2"		9.0#	\$ 287
	keyboard access and storageMolded black plastic surface with mesh				
	pad operates on steel ball-bearing telescopic suspensions				
HRDPT	Black only10-1/2"D x 20-7/8"W				
	CPU Sling • Vertically supports and stores CPU	5-3/8 x 18"	CPU.SLING	10.0#	\$ 251
	below the worksurface				
	 Straps have positive locking clamps Provides 5-1/2" of travel and 359° swive 	el			
	Maximum weight capacity is 75 lbs.Black only				
HRDPT	 Accommodates CPU with maximum circumference of 65" 				
	Center Drawer • Molded plastic drawer with compartmer	nt	RM.CD	11.0#	\$ 220
	for pencils and small items Operates on suspension with ball bear-				
	ing glides Non-locking				
HRDPT	Black only				

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

OPTIONS

Color Match

Kl offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

RoomScape® Furniture Storage Pedestals with Steel Front



\$ 1079

\$ 1068

RoomScape® Furniture
Storage Pedestals with Steel Front

MODEL NUMBER Approx. Packaged Delivered Lock Lock Paint MODEL DxWxH Model Option Color Color Weight Pricing Mobile Pedestal - BBF 21-5/8 x 15 x 27-5/8" RMMP24BBF □□ 70.0# \$ 958 • Two 6" box drawers; one 12" file drawer Lock optional (std. case lock or top drawer only lock)



Mobile Pedestal - PBF

- . One 3" pencil drawer; one 6" box drawer; one 12" file drawer
- Lock optional (std. case lock or top drawer only lock)

RMSC	U	

Freestanding Pedestal - BBF

- Two 6" box drawers; one 12" file drawer Counterbalance weight included
- Lock optional (std. case lock or top drawer only lock)





Freestanding Pedestal - PBF

- One 3" pencil drawer; one 6" box drawer; one 12" file drawer
- Counterbalance weight included
- · Lock optional (std. case lock or top drawer only lock)

RMSCU

21-5/8 x 15 x 22-3/8"

A

21-5/8 x 15 x 24-11/16" RMMP24PBF 🗆 🗆 🗆

21-5/8 x 15 x 25-5/16" RMFP24BBF

RMFP24PBF □□



0

100.0#

95.0#

Indicate the following information on order form:

1. Quantity of each item.

HOW TO ORDER

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lock option.

NL - No lock (standard) - Lock (key locks all drawers); add

- Top drawer only lock; add \$95

Select lock color.

Refer to the **Product Color Options** page in this price list.

DSelect paint color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Ships assembled, FOB Pembroke, ON K8A 0E1,

Shipping

freight prepaid. Freight class 100.

RoomScape® Furniture Storage Pedestals w/Woodgrain Laminate Front/Top



RoomScape® Furniture Storage Pedestals w/Woodgrain Laminate Front/Top

							▼
			MODEL NUMB	ER			
	MODEL	D x W x H	Basic	Lock	Paint Laminat	Approx. e Packaged Weight	Delivered Pricing
	Mobile Pedestal - BBF • One 7" and one 6" box drawers; one 12	21-5/8 x 15 x 27-3/8"	RMWMP24BBF			70.0#	\$ 1443
	One 7 and one 6 box drawers; one 12 file drawer Top drawer only lock optional Woodgrain laminate front and top with painted steel pull						
RMSCU							
THINIOU	Mobile Pedestal - PBF	21-5/8 x 15 x 25-7/16"	RMWMP24PBF			65.0#	\$ 1416
	One 4" pencil drawer; one 6" box drawer; one 12" file drawer Top drawer only lock optional Woodgrain laminate front and top with	21 00 X 10 X 20 1710				33.01	
	painted steel pull						
<u> </u>							
RMSCU							
	Freestanding Pedestal - BBF One 7" pencil drawer; one 6" box drawer; one 12" file drawer Counterbalance weight included	21-5/8 x 15 x 26-1/16"	RMWFP24BBF			100.0#	\$ 1514
	 Top drawer only lock optional Woodgrain laminate front and top with painted steel pull 						
RMSCU							
	Freestanding Pedestal - PBF One 4" pencil drawer; one 6" box drawer; one 12" file drawer Counterbalance weight included Top drawer only lock optional Woodgrain laminate front and top with painted steel pull		RMWFP24PBF			95.0#	\$ 1484
RMSCU							
			A	B	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select lock option.

NL - No lock (standard)

TL - Top drawer only lock; add \$95

User must supply padlock

Select paint color.
Refer to the **Product Color Options** page in this price list.

OSelect laminate color.

Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

RoomScape® Furniture Wardrobes with Steel Front



RoomScape® Furniture Wardrobes with Steel Front

									▼		
				MODEL NUMBER							
								Approx.			
				Basic	Paint	Lock	Lock Mirror	Packaged	Delivered		
	MODEL	Features	DxWxH	Model	Color	Lock Option	Color Option	Weight	Pricing		
	Full Wardrobe	18" Deep	18 x 36 x 76"	RMFW3676/18				180.0#	\$ 1610		
	18"D or 24"D options Total height bigged decreases	24" Deep	24 x 36 x 76"	RMFW3676/24				198.0#	1786		
	Full-height hinged doorsCoat rod included										
	Optional 12"W x 36"H mirrors for door										
	 Lock optional 										
	 Coat rod is standard 										
RMSCU											
TIMOOO	Combination Wardrobe	18" Deen	18 x 36 x 76"	RMCW3676/18				240.0#	\$ 2315		
	18"D or 24"D options		24 x 36 x 76"	RMCW3676/24				258.0#	2506		
	• One 6", one 9" and one 10-1/2" drawer	24 Беер	24 X 30 X 70	11100003070/24				230.0π	2300		
	below hinged door top section										
	 Optional 12"W x 36"H mirrors for door Lock optional 										
	Coat rod is standard										
RMSCU											
	Stack-on Wardrobe		18 x 36 x 17-13/16"					56.0#	\$ 853		
	18"D or 24"D optionsStacks on top of wardrobe for additiona	24" Deep	24 x 36 x 17-13/16"	RMSW3618/24				74.0#	936		
	storage; doors can face forward or	Ц									
	backward										
RMSCU	Cable exit grommets w/caps located on										
	both sides • Lock optional										
	- Lock optional										
					B		0 0				
				A	U	•	0 3				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect paint color. Refer to the **Product Color Options** page in this
- Select lock option.

price list.

- No lock (standard) - Lock (key locks all drawers); add

- Top drawer only lock; add \$95 Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)

OSelect lock color.

Refer to the Product Color Options page in this price list.

Select mirror option.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

RoomScape® Furniture Wardrobes with Woodgrain Laminate Front



RoomScape® Furniture Wardrobes with Woodgrain Laminate Front

MODEL NUMBER Approx. Mirror Packaged Delivered Lock Lock Paint Laminate MODEL Features D x W x H Model Option Color Option Color Color Weight Pricing Full Wardrobe 18" Deep 18-7/8 x 36 x 76" RMWFW3676/18 180.0# \$ 3086 • 18"D or 24"D options 24" Deep 24-7/8 x 36 x 76" RMWFW3676/24 □□ 198.0# 3282 Full-height hinged doors Coat rod included • Optional 12"W x 36"H mirrors for door Lock optional Woodgrain laminate front with painted steel pull Coat rod is standard RMSCU **Combination Wardrobe** 18" Deep 18-7/8 x 36 x 76" RMWCW3676/18 □□ 246.0# \$ 3642 • 18"D or 24"D options 24" Deep 24-7/8 x 36 x 76" 264.0# 3855 • One 6", one 9" and one 10-1/2" drawer below hinged door top section Optional 12"W x 36"H mirrors for door Lock optional (standard case lock or top drawer only lock) Woodgrain laminate front with painted steel pull Coat rod is standard RMSCU 18-7/8 x 36 x 17-13/16" RMWSW3618/18 🗆 Stack-on Wardrobe 18" Deep 56.0# \$ 1457 • 18"D or 24"D options 24" Deep 24-7/8 x 36 x 17-13/16" RMWSW3618/24 □□ 74.0# 1513 Stacks on top of wardrobe for additional storage; doors can face forward or backward · Cable exit grommets w/caps located on

HOW TO ORDER

Indicate the following information on order form:

both sides Lock optional

steel pull

Woodgrain laminate front with painted

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lock option. NL - No lock (standard)

- Lock (key locks all drawers); add

- Top drawer only lock; add \$95 Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)

Select lock color. Refer to the **Product Color Options** page in this

OSelect mirror option.

NM - No mirror - standard

- One mirror (RH door); add \$123 - Two mirrors; add \$244

Select paint color.

price list.

Refer to the **Product Color Options** page in this price list.

Select laminate color. Refer to the **Product Color Options** page in this price list.

A

B

Θ

0

(3)

(3)

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

RoomScape® Furniture Dressers with Steel Front





			MODEL NU	UMBER				
	MODEL	WxDxH	Basic Model	Lock Option	Lock Color	Paint Lamin Color Color	Approx. te Packaged Weight	Delivered Pricing
	Freestanding 3-Drawer Combination Dresser One 6", one 9" and one 10-1/2" drawer Lock optional (std case lock or top drawer only lock)	36 x 18 x 28-17/32"	RMFD363C				128.0#	\$ 1328
RMSCU	Freestanding 3-Drawer Dresser	36 x 18 x 34-21/32"	DMED262				141.0#	\$ 1376
	Three 10-1/2" drawers Lock optional (std case lock or top drawer only lock)	30 X 10 X 34-21/32	NIVIFUSOS				141.0#	\$ 1370
RMSCU								
	Freestanding 4-Drawer Dresser Four 10-1/2" drawers Lock optional (std case lock or top drawer only lock)	36 x 18 x 45-3/8"	RMFD364				188.0#	\$ 1711
RMSCU								
	Freestanding 5-Drawer Dresser Five 10-1/2" drawers Lock optional (std case lock or top drawer only lock)	36 x 18 x 56-3/32"	RMFD365				235.0#	\$ 2066
RMSCU								
	Freestanding Dresser Top Laminate top for field installation on the above dressers	36 x 18 x 5/8"	RM.FDT				23.0#	\$ 206
HRDPT								
			A	$oldsymbol{\Theta}$	$oldsymbol{\Theta}$	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lock option. NL - No lock (standard)

- Lock (key locks all drawers); add

TL - Top drawer only lock; add \$95 Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user

supplied padlock) CSelect lock color.

Refer to the **Product Color Options** page in this price list.

• Select paint color.

Refer to the **Product Color Options** page in this price list.

Select laminate color.
Refer to the **Product Color Options** page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

RoomScape® Furniture Dressers with Woodgrain Laminate Front and Top



RoomScape® Furniture Dressers with Woodgrain Laminate Front and Top

						1	· · · · · · · · · · · · · · · · · · ·
		MODEL NUMBER					
			Danie.	Last	Daint Laurinata	Approx. Packaged	Different
	MODEL	WxDxH	Basic Model	Lock Option	Paint Laminate Color	Weight	Delivered Pricing
		36 x 18-7/8 x 29-9/32"	RMWFD363C			157.0#	\$ 2134
	Freestanding 3-Drawer Combination Dresser	30 X 10-7/0 X 29-3/32	THIVIVII D3030			137.0π	ŷ 210 4
	• One 6", one 9" and one 10-1/2" drawer						
	 Top drawer only lock optional 						
	 Woodgrain laminate front and top with 						
	painted steel pull						
RMSCU							
	Freestanding 3-Drawer Dresser Three 10-1/2" drawers	36 x 18-7/8 x 35-13/32"	RMWFD363			170.0#	\$ 2152
	Top drawer only lock optional						
	 Woodgrain laminate front and top with 						
	painted steel pull						
RMSCU							
	Freestanding 4-Drawer Dresser	36 x 18-7/8 x 46-1/8"	RMWFD364			219.0#	\$ 2618
	Four 10-1/2" drawersTop drawer only lock optional						
	Woodgrain laminate front and top with						
	painted steel pull						
RMSCU							
	Freestanding 5-Drawer Dresser	36 x 18-7/8 x 56-27/32"	RMWFD365			268.0#	\$ 3095
	 Five 10-1/2" drawers Top drawer only lock optional 						
	 Woodgrain laminate front and top with 						
	painted steel pull						
RMSCU							
			A	(3)	0		
кмѕси			•	•	O D		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect lock option.

NL - No lock (standard)

TL - Top drawer only lock; add \$95 Top drawer only lock - (combination wardrobe only) - (locks only the top drawer via user supplied padlock)

Select paint color.
Refer to the **Product Color Options** page in this price list.

OSelect laminate color.

Refer to the Product Color Options page in this price list.

OPTIONS

Color Match

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests, contact Customer Service for details.

SPECIAL SERVICES

Special Carton Marking With specially marked information N/C

Shipping
Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000254/KI/PDF

