

▼ SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

▼ SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes and Oral
Effects of Overexposure-Conditions to Avoid:	May cause mild eye and skin irritation. May be harmful if swallowed. Inhalation of product mist may cause respiratory irritation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not swallow. Avoid breathing product mist. Wash thoroughly after handling.		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin, eye and respiratory disorders including asthma and dermatitis.		

Emergency & First Aid Procedures:

Eyes:	Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation; move person to fresh air. Get medical attention if irritation persists.

▼ SECTION VI: REACTIVITY DATA

Stability:	Stable	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2	Hazardous Polymerization:	Will Not Occur

MSDS Document for G&G Odor Eater

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Flush with plenty of water into sanitary sewer.
Waste Disposal Method:	Same as above.

▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	None required.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Not required. Rubber gloves may be worn for frequent or prolonged contact.
Eye Protection(Specify Type):	Not required. Splash goggles may be worn if desired.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

▼ SECTION IX: SPECIAL PRECAUTIONS

Precautions, Handling & Storing:	Keep out of reach of children
Other Precautions:	NA

SCC 07/30/2006

G&G Odor Eater

Cherry

Ref. 29 CFR 1910.1200
(OSHA)

Name: Rowland G. Garrett

Effective 07/30/2006

Date:

Changes:

Title: Manager

Supersedes: 07/30/02

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Pride, Inc.		EMERGENCY TELEPHONE NO. (601) 954-9841
134 Richardson Drive, Jackson MS 39209		
CHEMICAL NAME AND SYNONYMS Pride Super Strip		TRADE NAME AND SYNONYMS Pride Super Strip
CHEMICAL FAMILY		FORMULA

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS None			BASE METAL None		
CATALYST None			ALLOYS None		
VEHICLE None			METALLIC COATINGS None		
SOLVENTS None			FILLER METAL PLUS COATING OR CORE FLUX None		
ADDITIVES Low Phosphate			OTHERS		
OTHERS					

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
The materials listed are biodegradable.		
SMP, SLS, Glycol EB, MEA, Inert Ingredients,		
water, color, fragrance		

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	212 DF	SPECIFIC GRAVITY (H ₂ O=1)	1.04
VAPOR PRESSURE (mm Hg.)	None	PERCENT VOLATILE BY VOLUME (%)	80
VAPOR DENSITY (AIR=1)	None	EVAPORATION RATE (—=1)	1
SOLUBILITY IN WATER	Infinite		
APPEARANCE AND ODOR			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	None	FLAMMABLE LIMITS	N/A	N/A
EXTINGUISHING MEDIA	None			
SPECIAL FIRE FIGHTING PROCEDURES	None			
UNUSUAL FIRE AND EXPLOSION HAZARDS	None			

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE May cause skin irritation in concentrated form.	
EMERGENCY AND FIRST AID PROCEDURES In case of eye contact, Immediately flush with plenty of water for 15 minutes. If on skin, flush with water, if irritation persists, get medical attention.	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	Avoid prolonged skin contact.
INCOMPATIBILITY (Materials to avoid) Bleach			
HAZARDOUS DECOMPOSITION PRODUCTS None			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	None


SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Normal procedures, mop up spills or leakage.	
WASTE DISPOSAL METHOD Dispose of in normal procedures.	

SECTION VIII - SPECIAL PROTECTION INFORMATION			
RESPIRATORY PROTECTION (Specify type) N/A			
VENTILATION	LOCAL EXHAUST		SPECIAL
	MECHANICAL (General)		OTHER Open Windows
PROTECTIVE CLOVES Good but not mandatory		EYE PROTECTION Good but not mandatory	
OTHER PROTECTIVE EQUIPMENT			

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Do not mix with bleach.	
OTHER PRECAUTIONS	

SAFETY DATA SHEET
Classic 1800 Floor Finish

Page: 1



Printed: 11/14/2014
Revised: 11/14/2014
Supersedes Revision: 02/24/2012

1. Product and Company Identification

Product Code: 10-115
Product Name: Classic 1800 Floor Finish
Trade Name: Floor Finish
Manufacturer Information
Company Name: G&G Enterprises
134 Richardson Road
Jackson, MS 39209
Phone Number: (601)954-9841
Emergency Contact: chemtec (800)424-9300
Information: G&G Enterprises (601)954-9841

2. Hazards Identification

GHS Hazard Phrases

No data available.

GHS Precaution Phrases

No data available.

GHS Response Phrases

No data available.

GHS Storage and Disposal Phrases

No data available.

Target Organs

Autonomic nervous system, Blood, Eyes, Kidneys, Respiratory system, Liver, Spleen, Skin.

Potential Health Effects (Acute and Chronic)

Eye: Causes eye irritation.

Skin: Causes skin irritation. May be harmful if absorbed through the skin.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Inhalation: May cause respiratory tract irritation. May be harmful if inhaled.

Chronic: May cause liver and kidney damage. Repeated exposure may cause damage to the spleen. Adverse reproductive effects have been reported in animals. Chronic exposure may cause blood effects. Possible risk of harm to the unborn child. **ROUTE OF EXPOSURE:**

Skin Contact: Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

3. Composition/Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	0.0-5.0 %
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-51-3	0.0-5.0 %
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-5	0.0-1.0 %

SAFETY DATA SHEET

Classic 1800 Floor Finish

Page: 2
Printed: 11/14/2014
Revision: 11/14/2014
Supersedes Revision: 02/24/2012

4. First Aid Measures

Emergency and First Aid Procedures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do NOT induce vomiting. **Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. **ORAL EXPOSURE.**

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE.

If inhaled, remove to fresh air. **DERMAL EXPOSURE.**

In case of contact, immediately wash skin with soap and copious amounts of water.

EYE EXPOSURE.

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Note to Physician

Treat symptomatically and supportively.

Signs and Symptoms Of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

5. Fire Fighting Measures

Flash Pt:

> 83.00 C Method Used: Estimate

Explosive Limits:

LEL: No data.

UEL: No data.

Autoignition Pt:

215.00 C

Fire Fighting Instructions

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Should not be required. Combustible liquid and vapor. Protective Equipment:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific

Hazard(s): Emits toxic fumes under fire conditions. **EXPOSURE HAZARD(S) Material: Irritant.**

Flammable Properties and Hazards

No data available.

Suitable Extinguishing Media

Use water spray, dry chemical, carbon dioxide, or chemical foam. Suitable: Water spray.

Unsuitable Extinguishing Media

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the

environment. **PROCEDURE(S) OF PERSONAL PRECAUTION(S)**

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for cleaning up.

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

SAFETY DATA SHEET

Classic 1800 Floor Finish

Page: 3
Printed: 11/14/2014
Revision: 11/14/2014
Supersedes Revision: 02/24/2012

7. Handling and Storage

Precautions To Be Taken in Handling

Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Use only in a chemical fume hood. User Exposure: Avoid contact and inhalation.

Precautions To Be Taken in Storing

Keep away from sources of ignition. Store in a cool, dry place. Suitable: Keep tightly closed.

8. Exposure Controls/Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	No data.	No data.	No data.
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-51-3	No data.	No data.	No data.
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-5	No data.	No data.	No data.

Respiratory Equipment (Specify Type)

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Rubber gloves.

Eye Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Chemical safety goggles.

Protective Gloves

Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.)

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood. Safety shower and eye bath.

Mechanical exhaust required.

Work/Hygiene/Maintenance Practices

Wash thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical States:	☐ Gas ☒ Liquid ☐ Solid
Melting Point:	-70.00 C
Boiling Point:	194.00 C - 228.00 C
Autoignition Pt:	215.00 C
Flash Pt:	> 83.00 C Method Used: Estimate
Specific Gravity (Water = 1):	1.000
Density:	~ 1.005 G/CM3
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.

SAFETY DATA SHEET

Classic 1800 Floor Finish

Page: 4

Printed: 11/14/2014

Revision: 11/14/2014

Supersedes Revision: 02/24/2012

Evaporation Rate: No data.
Solubility in Water: No data.
Percent Volatile: No data.
Appearance and Odor
Milky
Polymer odor.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - Instability

Incompatible materials, ignition sources, Excess heat.

Incompatibility - Materials To Avoid

Strong oxidizing agents.

Hazardous Decomposition Or Byproducts

Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

Conditions To Avoid - Hazardous Reactions

No data available.

11. Toxicological Information

Toxicological Information

Epidemiology: Teratogenicity: Teratogenic effects have occurred in experimental animals.

Reproductive Effects: Adverse reproductive effects have occurred in experimental animals.

Mutagenicity: Neurotoxicity: Other Studies:

Carcinogenicity/Other Information

CAS# 111-77-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	n.s.	n.s.	n.s.	n.s.
2. Ethanol, 2-Ethoxy-, phosphate (3:1)	78-51-3	n.s.	n.s.	n.s.	n.s.
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-5	n.s.	n.s.	n.s.	n.s.

Carcinogenicity:

NTP? No

IARC Monographs? No

OSHA Regulated? No

12. Ecological Information

General Ecological Information

Ecotoxicity: Fish: Rainbow trout: LC50 = 1000 mg/L; 96 Hr. Unspecified, Fish: Bluegill/Sunfish: LC50 = 7500 mg/L; 96 Hr. Static condition Water flea Daphnia: EC50 = 500 mg/L; 24-48 Hr. Unspecified, Bacteria:

Phytobacterium phosphoreum: EC50 = 3.7-7.3 mg/L; 30 minutes; Microtox test No data available.

Environmental: Terrestrial: Highly mobile in soil. Aquatic: Not expected to adsorb into sediment or volatilize.

Biodegradation an important fate for these conditions. Atmospheric: Remains in the vapor phase and is degraded by photochemically produced hydroxyl radicals. Low probability of bioconcentration.

Physical: No information available.

Other: Do not empty into drains. No data available.

Results of PBT and vPvB assessment

No data available.

Persistence and Degradability

No data available.

SAFETY DATA SHEET

Classic 1800 Floor Finish

Page: 5
 Printed: 11/14/2014
 Revision: 11/14/2014
 Supersedes Revision: 02/24/2012

Bioaccumulative Potential
 No data available.

Mobility in Soil
 No data available.

13. Disposal Considerations

Waste Disposal Method

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR

PREPARATION. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name
 Not Regulated.

LAND TRANSPORT (Canadian TDG)

TDG Shipping Name
 Not Regulated.

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name
 Non-Hazardous for Air Transport: Non-hazardous for air transport.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)

1. Ethanol, 2-(2-Methoxyethoxy)-
2. Ethanol, 2-Butoxy-, phosphate (3:1)
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)

CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRF)	Sec.119
111-77-3	No	No	Yes-Cat. N230	No
78-51-3	No	No	Yes-Cat. N230	No
38714-47-5	No	No	Yes-Cat. N002	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)

1. Ethanol, 2-(2-Methoxyethoxy)-
2. Ethanol, 2-Butoxy-, phosphate (3:1)
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)

CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
111-77-3	HAP	No	Inventory, 8D TERM	No
78-51-3	HAP	No	Inventory, 8A PAIR, 8C, 8D TERM	No
38714-47-5	No	No	Inventory	No

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists:

Sec.302:

EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ. * indicates 10000 LB TPQ if not volatile.

Sec.304:

EPA SARA Title III Section 304: CERCLA Reportable + Sec.302 with Reportable Quantity. ** indicates statutory RQ.

Sec.313:

EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.

Sec.119:

EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control Act) Lists:

SAFETY DATA SHEET
Classic 1800 Floor Finish

Page: 6

Printed: 11/14/2014

Revision: 11/14/2014

Supersedes Revision: 02/24/2012

Inventory:

SA(2):

SA:

SA:

SA CAIR:

SA PAIR:

SC:

SD:

SD TERM:

12(b):

Chemical Listed in the TSCA Inventory.

Chemical Subject to Significant New Rules (SNURs)

Commercial Chemical Control Rules

Toxic Substances Subject To Information Rules on Production

Comprehensive Assessment Information Rules - (CAIR)

Preliminary Assessment Information Rules - (PAIR)

Records of Allegations of Significant Adverse Reactions

Health and Safety Data Reporting Rules

Health and Safety Data Reporting Rule Terminations

Notice of Export

Other Important Lists:

CWA NPDES:

CAA HAP:

CAA ODC:

CA PROP 65:

EPA Clean Water Act NPDES Permit Chemical

EPA Clean Air Act Hazardous Air Pollutant

EPA Clean Air Act Ozone Depleting Chemical (1-CFC, 2-HCFC)

California Proposition 65

International Regulatory Lists:

16. Other Information

Revision Date:

11/14/2014

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Pride, Inc.		EMERGENCY TELEPHONE NO. (601) 954-9841
ADDRESS (Number, Street, City, State, and ZIP Code) 134 Richardson Drive, Jackson, MS 39209		
CHEMICAL NAME AND SYNONYMS Pride Super Cleaner		TRADE NAME AND SYNONYMS Pride Super Cleaner
CHEMICAL FAMILY Cleaning compound for cleaning and degreasing		FORMULA

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS None			BASE METAL None		
CATALYST None			ALLOYS None		
VEHICLE None			METALLIC COATINGS		
SOLVENTS None			FILLER METAL PLUS COATING OR CORE FLUX None		
ADDITIVES Phosphates (None)			OTHERS None		
OTHERS					

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
None		
The materials listed are Completely biodegradable. Sodium Lauryl Sulfate (10%), Sodium Metasilicate (5%), Glycol EB (5%), Dye (Trace). Fragrance (Trace), Water (80%).		

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	212	SPECIFIC GRAVITY (H ₂ O=1)	1.03
VAPOR PRESSURE (mm Hg.)	None	PERCENT VOLATILE BY VOLUME (%)	None
VAPOR DENSITY (AIR=1)	None	EVAPORATION RATE (____ °F)	1
SOLUBILITY IN WATER	Infinite		
APPEARANCE AND ODOR Clear Yellow Liquid/Citrus Fragrance			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	None	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA	None			
SPECIAL FIRE FIGHTING PROCEDURES	None			
UNUSUAL FIRE AND EXPLOSION HAZARDS	None			

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE May cause skin irritation in concentrated form.	
EMERGENCY AND FIRST AID PROCEDURES In case of eye contact, Immediately flush with plenty of water for 15 minutes. If on skin, flush with water, if irritation persists, get medical attention.	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	Avoid prolonged skin contact.
INCOMPATIBILITY (Materials to avoid) Bleach			
HAZARDOUS DECOMPOSITION PRODUCTS None			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	None

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Normal procedures, mop up spills or leakage.	
WASTE DISPOSAL METHOD Dispose of in normal procedures.	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type) N/A		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER Open Windows
PROTECTIVE CLOVES Good but not mandatory		EYE PROTECTION Good but not mandatory
OTHER PROTECTIVE EQUIPMENT		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Do not mix with bleach.	
OTHER PRECAUTIONS	