

SAFETY DATA SHEET

Classic 2500 Floor Finish

Page: 1

HAZARD	1
PHYSICAL	0
PPE	B



Printed: 11/14/2014
Revision: 11/14/2014
Supersedes Revision: 02/24/2012

1. Product and Company Identification

Product Code: 10-100
Product Name: Classic 2500 Floor Finish
Trade Name: Floor Finish
Manufacturer Information
Company Name: G&G Enterprises
134 Richardson Road
Jackson, MS 39209
Phone Number: (601)954-8841
Emergency Contact: chemtrac (800)424-8300
Information: G&G Enterprises (601)954-8841

2. Hazards Identification

GHS Hazard Phrases

No data available.

GHS Precaution Phrases

No data available.

GHS Response Phrases

No data available.

GHS Storage and Disposal Phrases

No data available.

Target Organs

Autonomic nervous system, Blood, Eyes, Kidneys, Respiratory system, Liver, Spleen, Skin.

Potential Health Effects (Acute and Chronic)

Eye: Causes eye irritation.

Skin: Causes skin irritation. May be harmful if absorbed through the skin.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Inhalation: May cause respiratory tract irritation. May be harmful if inhaled.

Chronic: May cause liver and kidney damage. Repeated exposure may cause damage to the spleen. Adverse reproductive effects have been reported in animals. Chronic exposure may cause blood effects. Possible risk of harm to the unborn child. **ROUTE OF EXPOSURE:**

Skin Contact: Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

3. Composition Information on Ingredients

Hazardous Components (Chemical Name)	CAS #	Concentration
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	>=5.0 %
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-61-3	>=5.0 %
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-6	>=1.0 %

SAFETY DATA SHEET

Classic 2500 Floor Finish

Page: 2
Printed: 11/14/2014
Revision: 11/14/2014
Supersedes Revision: 02/24/2012

4. First Aid Measures

Emergency and First Aid Procedures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion: Do NOT induce vomiting. Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. ORAL EXPOSURE.

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

INHALATION EXPOSURE.

If inhaled, remove to fresh air. DERMAL EXPOSURE.

In case of contact, immediately wash skin with soap and copious amounts of water.

EYE EXPOSURE.

In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Note to Physician

Treat symptomatically and supportively.

Signs and Symptoms Of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

5. Fire Fighting Measures

Flash Pt: > 83.00 C Method Used: Estimate

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: 215.00 C

Fire Fighting Instructions

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Should not be required. Combustible liquid and vapor. Protective Equipment:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific

Hazard(s): Emits toxic fumes under fire conditions. EXPOSURE HAZARD(S) Material: Irritant.

Flammable Properties and Hazards

No data available.

Suitable Extinguishing Media

Use water spray, dry chemical, carbon dioxide, or chemical foam. Suitable: Water spray.

Unsuitable Extinguishing Media

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

Wear a self contained breathing apparatus and appropriate personal protection. (See Exposure Controls, Personal Protection section). Remove all sources of ignition. Use a spark-proof tool. Do not let this chemical enter the environment. PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

Methods for cleaning up.

Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.

SAFETY DATA SHEET
Classic 2500 Floor Finish

Page: 3

Printed: 11/14/2014

Revision: 11/14/2014

Supersedes Revision: 02/24/2012

7. Handling and Storage

Precautions To Be Taken In Handling

Use spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or on clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Use only in a chemical fume hood. User Exposure: Avoid contact and inhalation.

Precautions To Be Taken In Storing

Keep away from sources of ignition. Store in a cool, dry place. Suitable; Keep tightly closed.

8. Exposure Controls Personal Protection

Hazardous Components (Chemical Name)	CAS #	OSHA PEL	ACGIH TLV	Other Limits
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	No data.	No data.	No data.
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-51-3	No data.	No data.	No data.
3. Zinc(2+), tetraammine-, (1-4)-, carbonate (1:1)	35714-47-5	No data.	No data.	No data.

Respiratory Equipment (Specify Type)

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Hand: Rubber gloves.

Eye Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Chemical safety goggles.

Protective Gloves

Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.)

Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use only under a chemical fume hood. Safety shower and eye bath. Mechanical exhaust required.

Work Hygienic/Maintenance Practices

Wash thoroughly after handling. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical States:	☐ Gas ☒ Liquid ☐ Solid
Melting Point:	-70.00 C
Boiling Point:	194.00 C - 228.00 C
Autoignition Pt:	216.00 C
Flash Pt:	> 83.00 C Method Used: Estimate
Specific Gravity (Water = 1):	1.000
Density:	~ 1.008 G/CM3
Vapor Pressure (vs. Air or mm Hg):	NE
Vapor Density (vs. Air = 1):	NE

SAFETY DATA SHEET

Classic 2500 Floor Finish

Page: 4
 Printed: 11/14/2014
 Revision: 11/14/2014
 Supersedes Revision: 02/24/2012

Evaporation Rate: NE
 Solubility in Water: ~ infinite
 Percent Volatile: No data.
 Saturated Vapor Concentration: NE
 Viscosity: NE
 pH: ~ 7
 Appearance and Odor
 Milky
 Polymer odor.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
 Conditions To Avoid - Instability
 Incompatible materials, ignition sources, Excess heat.
 Incompatibility - Materials To Avoid
 Strong oxidizing agents.
 Hazardous Decomposition Or Byproducts
 Carbon monoxide, Carbon dioxide, Thermal decomposition may produce toxic fumes of phosphorus oxides and/or phosphine.
 Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
 Conditions To Avoid - Hazardous Reactions
 No data available.

11. Toxicological Information

Toxicological Information
 Epidemiology: Teratogenicity: Teratogenic effects have occurred in experimental animals.
 Reproductive Effects: Adverse reproductive effects have occurred in experimental animals.
 Mutagenicity: Neurotoxicity: Other Studies:
 Carcinogenicity/Other Information

CAS# 111-77-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Hazardous Components (Chemical Name)	CAS #	NTP	IARC	ACGIH	OSHA
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	n.a.	n.a.	n.a.	n.a.
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-61-3	n.a.	n.a.	n.a.	n.a.
3. Zinc(2+), tetraammine-, (T-6), carbonate (1:1)	38714-47-5	n.a.	n.a.	n.a.	n.a.
Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No					

12. Ecological Information

General Ecological Information
 Ecotoxicity: Fish: Rainbow trout: LC50 = 1000 mg/L; 96 Hr. Unspecified, Fish: Bluegill/Sunfish: LC50 = 7500 mg/L; 96 Hr. Static condition Water flea Daphnia: EC50 = 500 mg/L; 24-48 Hr. Unspecified, Bacteria: Phytobacterium phosphoreum: EC50 = 3.7-7.3 mg/L; 30 minutes; Microtox test No data available.
 Environmental: Terrestrial: Highly mobile in soil. Aquatic: Not expected to adsorb into sediment or volatilize.
 Biodegradation an important fate for these conditions. Atmospheric: Remains in the vapor phase and is degraded by photochemically produced hydroxyl radicals. Low probability of bioconcentration.
 Physical: No information available.
 Other: Do not empty into drains. No data available.

SAFETY DATA SHEET

Classic 2500 Floor Finish

Page: 5
Printed: 11/14/2014
Revision: 11/14/2014
Supersedes Revision: 02/24/2012

Results of PBT and vPvB assessment

No data available.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility in Soil

No data available.

13. Disposal Considerations

Waste Disposal Method

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR

PREPARATION. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name

Not Regulated.

LAND TRANSPORT (Canadian TDG)

TDG Shipping Name

Not Regulated.

AIR TRANSPORT (ICAO/IATA)

ICAO/IATA Shipping Name

Non-Hazardous for Air Transport: Non-hazardous for air transport.

15. Regulatory Information

US EPA SARA Title III

Hazardous Components (Chemical Name)	CAS #	Sec.302 (EHS)	Sec.304 RQ	Sec.313 (TRI)	Sec.119
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	No	No	Yes-Cat. N230	No
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-51-3	No	No	Yes-Cat. N230	No
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-6	No	No	Yes-Cat. N982	No

US EPA CAA, CWA, TSCA

Hazardous Components (Chemical Name)	CAS #	EPA CAA	EPA CWA NPDES	EPA TSCA	CA PROP 65
1. Ethanol, 2-(2-Methoxyethoxy)-	111-77-3	HAP	No	Inventory, 8D TERM	No
2. Ethanol, 2-Butoxy-, phosphate (3:1)	78-51-3	HAP	No	Inventory, 8A PAIR, 8C, 8D TERM	No
3. Zinc(2+), tetraammine-, (T-4)-, carbonate (1:1)	38714-47-6	No	No	Inventory	No

SARA (Superfund Amendments and Reauthorization Act of 1986) Lists:

Sec.302:

EPA SARA Title III Section 302 Extremely Hazardous Chemical with TPQ. * indicates 10000 LB TPQ if not volatile.

Sec.304:

EPA SARA Title III Section 304: CERCLA Reportable + Sec.302 with Reportable Quantity. ** indicates statutory RQ.

SAFETY DATA SHEET
Classic 2500 Floor Finish

Page: 8

Printed: 11/14/2014

Revision: 11/14/2014

Supersedes Revision: 02/24/2012

Sec.312:

EPA SARA Title III Section 313 Toxic Release Inventory. Note: -Cat indicates a member of a chemical category.

Sec.110:

EPA SARA 110 Superfund Site Priority Contaminant List

TSCA (Toxic Substances Control Act) Lists:

Inventory:

Chemical Listed in the TSCA Inventory.

SA(2):

Chemical Subject to Significant New Rules (SNURS)

SA:

Commercial Chemical Control Rules

SA:

Toxic Substances Subject To Information Rules on Production

SA CAIR:

Comprehensive Assessment Information Rules - (CAIR)

SA PAIR:

Preliminary Assessment Information Rules - (PAIR)

SC:

Records of Allegations of Significant Adverse Reactions

SD:

Health and Safety Data Reporting Rules

SD TERM:

Health and Safety Data Reporting Rule Terminations

12(h):

Notice of Export

Other Important Lists:

CWA NPDES:

EPA Clean Water Act NPDES Permit Chemical

CAA HAP:

EPA Clean Air Act Hazardous Air Pollutant

CAA ODC:

EPA Clean Air Act Ozone Depleting Chemical (1-CFC, 2-HCFC)

CA PROP 65:

California Proposition 65

International Regulatory Lists:

15. Other Information

Revision Date:

11/14/2014

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200

G & G WINDOW/ GLASS CLEANER

Version 1.

Revision Date 01/16/2009

Print Date 01/22/2009

MSDS Number

1. PRODUCT AND COMPANY IDENTIFICATION

Product Information

Trade name : G & G WINDOW/ GLASS CLEANER
Use of the : Hard Surface Cleaner
Substance/Preparation :
Company : G & G Enterprises
134 Richardson Drive
Jackson, MS 39209
Emergency telephone : 601-922-7568

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : blue / liquid / characteristic

Immediate Concerns : Avoid contact with skin, eyes and clothing.

Potential Health Effects

Routes of exposure : Eye, Skin, Inhalation, Ingestion.

Eyes : None known.

Skin : None known.

Inhalation : None known.

Ingestion : None known.

Aggravated Medical Condition : None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Water	7732-18-5	60.00 - 100.00
Isopropanol	67-83-0	1.00 - 5.00
Ethyleneglycol	112-25-4	0.10 - 1.00
Monohexylether		

4. FIRST AID MEASURES

Eye contact : Rinse with plenty of water. Get medical attention if irritation

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200

G & G WINDOW/ GLASS CLEANER

Version 1.

Print Date 01/22/2009

Revision Date 01/16/2009

MSDS Number

- develops and persists.
- Skin contact : Wash off with soap and water. Get medical attention if irritation develops and persists.
- Inhalation : Remove to fresh air.
- Ingestion : Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol foam, carbon dioxide, dry chemical, water fog
- Specific hazards during fire fighting : Container may melt and leak in heat of fire.
- Further information : Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.
- Flash point : 130 °F
Method: Tag Closed Cup (TCC)
- Flash point : 54 °C
Method: Tag Closed Cup (TCC)
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Remove all sources of ignition.
- Methods for cleaning up : Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Dike large spills.

7. HANDLING AND STORAGE

- Handling
- Advice on safe handling : KEEP OUT OF REACH OF CHILDREN AND PETS.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200

G & G WINDOW/ GLASS CLEANER

Version 1.

Print Date 01/22/2009

Revision Date 01/16/2009

MSDS Number

Use only as directed.

Advice on protection
against fire and explosion

: Keep away from heat and sources of ignition.

Storage

Requirements for storage
areas and containers

: Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Isopropanol	67-63-0	-	400 ppm	ACGIH STEL
Isopropanol	67-63-0	-	200 ppm	ACGIH TWA
Isopropanol	67-63-0	980 mg/m3	400 ppm	OSHA TWA

Personal protective equipment

Respiratory protection

Industrial setting : No personal respiratory protective equipment normally required.

Household setting : No personal respiratory protective equipment normally required.

Hand protection

Industrial setting : not required under normal use

Household setting : not required under normal use

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

Hygiene measures

: Use only with adequate ventilation. Wash thoroughly after handling. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection. Wear suitable protective clothing.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200

G & G WINDOW/ GLASS CLEANER

Version 1.

Print Date 01/22/2009

Revision Date 01/16/2008

MSDS Number

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: blue
Odor	: characteristic
pH	: 10.5 - 11.0
Melting point	: no data available
Boiling point	: no data available
Freezing point	: no data available
Flash point	: 130 °F Method: Tag Closed Cup (TCC)
Flash point	: 54 °C Method: Tag Closed Cup (TCC)
Evaporation rate	: no data available
Autoignition temperature	: no data available
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: similar to water
Water solubility	: completely soluble
Partition coefficient: n-octanol/water	: no data available
Specific Gravity	: 1.0 estimated

10. STABILITY AND REACTIVITY

Conditions to avoid	: None known.
Materials to avoid	: Strong oxidizing agents
Hazardous decomposition products	: When exposed to fire, produces normal products of combustion.

Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200

G & G WINDOW/ GLASS CLEANER

Version 1.

Print Date 01/22/2009

Revision Date 01/16/2009

MSDS Number

Hazardous reactions : Stable

11. TOXICOLOGICAL INFORMATIONAcute oral toxicity : LD50
Dose: estimated > 5,000 mg/kgAcute inhalation toxicity : LC50 rat
Dose: > 2.5 mg/lAcute dermal toxicity : LD50 rabbit
Dose: estimated > 2,000 mg/kgChronic effects
Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Not known to be a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : Not Available

13. DISPOSAL CONSIDERATIONS

Industrial setting : Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.

Household setting : Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Land transport

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION

DOT Labeling: Health-3, Flammable-2, Corrosive-3, Special-COR Manufacturer's Name: G & G Enterprises Address: 134 Richardson Drive Jackson, MS 39209	Labeling: Health-3, Flammable-2, Corrosive-3, Special-COR DOT Hazard Classification: Corrosive Liquid, Basic, Inorganic, N.O.S., 3 (When inner container is 1 gallon or smaller: Corrosive Corrosivity, OSHA-D) Identify trade name as used on label: G & G Green-4-Grill Cleaner MSDS Number: 800110 Revision: 12 NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA
Date Prepared: 08/28/03 Prepared By: IB Information Call: 801-922-7568 Emergency Response Number: 601-954-9841	

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

Component's Chemical Name(s) and Common Name(s)	CAS Number	SHA-11 LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source
Hydrocarbon Compounds 1% or greater, Carcinogens 0.1% or greater					
Dihydroxyethylene Glycol Methyl Ether	34380-64-8	No	100	100	d
SODIUM HYDROXIDE	1310-98-3	No	2mg/m3	2mg/m3	d

SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 215°F Vapor Pressure: 1.0 mm Hg @ 70°F (Aerosol): NA Specific Gravity: (Air = 1): 1.0 Stability in Water: Stable Appearance and Color: Clear, yellow, non-flammable liquid with slight sweet odor.	Specific Gravity (H₂O = 1): 1.0 Vapor Pressure (Non-Aerosol): 1.0 mm Hg and Temperature: <177 mm Hg @ 28°C Evaporation Rate: (water = 1): 1.0 Water Reactivity: No
--	--

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY: as per USA FLAME PROJECTION TEST (Aerosol): NA FLASH POINT AND METHOD USED: (non-aerosol): None to boiling (TOC) SPECIAL FIRE FIGHTING PRECAUTIONS: Product can react with acid catalysts. Unusual Fire & Explosion Hazards: Contact with strong acids or other reactive materials may liberate explosive hydrogen gas.	Auto Ignition Temperature: NA Flammability Limits in Air by % in Volume: LEL: NA, UEL: NA EXTINGUISHING MEDIA: Non-Combustible. Use media appropriate for surrounding fire.
--	--

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY: [X] STABLE [] UNSTABLE Incompatibility (Material to avoid): Acids, aluminum or other reactive metals, leather, wool. Hazardous Decomposition Products: CO, CO ₂ , oxides of nitrogen.	HAZARDOUS POLYMERIZATION: [] WILL [X] WILL NOT OCCUR Conditions to Avoid: None known.
---	---

SECTION 5 - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY: [] INHALATION [X] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS ACUTE EFFECTS: Corrosive to all body tissues with which it comes in contact. Inhalation: Airborne concentrations of mist or spray may cause damage to upper respiratory tract & even to lung tissue which could produce chemical pneumonia, depending on severity of exposure. Eye Contact: May cause severe burns that result in damage & even blindness. Ingestion: Can cause severe burns on mucous membranes of mouth, throat, esophagus and stomach.	SKIN CONTACT: May cause severe burns on prolonged contact.
CHRONIC EFFECTS: Tissue damage depending on location & degree of exposure. Medical Conditions Generally Aggravated by Exposure: Dermatitis.	

EMERGENCY FIRST AID PROCEDURES

Eye Contact: Flush with large amounts of water for at least 15 minutes while holding lids apart. Get immediate medical attention. Skin Contact: Remove contaminated clothing & wash contaminated areas with plenty of water for 15 minutes. If tissue is damaged seek medical attention. Inhalation: Remove to fresh air. If not breathing, resuscitate & administer oxygen if available. Seek immediate medical attention. Ingestion: DO NOT INDUCE VOMITING. Drink 3 to 4 glasses of water, milk if available. Never give anything by mouth to an unconscious person. Get immediate medical attention.

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

Respiratory Protection (specify type): None required under normal handling & use. Use NIOSH/MSHA approved respirator where mist or spray may be generated. Protective Clothing: Rubber Ventilation Requirements: Normal room ventilation is generally adequate. Use adequate local exhaust ventilation where mist or spray may be generated. Other Protective Clothing & Equipment: Clothing as needed to minimize contact. Eyewash stations and safety shower. Hygiene Work Practices: Do not eat, drink or smoke in work area. Wash immediately on contact.	Eye Protection: Chemical goggles.
--	--

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken If Material is Spilled Or Released: Contain spill. Do not contaminate sewer, ground or surface waters. Soak up spill in inert absorbent material & place in properly labeled leak-proof containers for proper disposal. Waste Disposal Methods: Dispose of in accordance with all local, state and federal regulations. Precautions To Be Taken in Handling & Storage: Store in original shipping containers. Keep closed when not in use. Protect from freezing. Other Precautions After Special Handling: KEEP OUT OF REACH OF CHILDREN. Read & follow label directions. Avoid bodily contact.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

G&G Enterprises
Material Safety Data Sheet

▼ **SECTION I: PRODUCT INFORMATION**

Product Name or Number (as it appears on label):

G&G Odor Eater (Cherry)

(RTU)

Product Number: GG-0d- 26 (Cherry)

G&G Enterprises
 134 Richardson Drive
 Jackson, MS 39209

Product Division:

Janitorial

Product/Technical

Information: (601) 922-7568

Medical Emergency: (601) 922-7568

Chemical Leak/Spill

Emergency: (601) 922-7568

Shipping Description: Cleaning compounds, liquid, n.o.s.

NFPA Ratings:		HMIS Ratings:	
Health:	1 - Slight	Health:	1 - Slight
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Per. Prot. Equip.:	See Section VIII

▼ **SECTION II: HAZARDOUS INGREDIENTS**

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z-1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/ m ³	
Perfume	< 1	Proprietary	Not Established	Not Established	Not Established	No

▼ **SECTION III: PHYSICAL DATA**

Boiling Point:	212 °F	Vapor Pressure:	Not determined
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete

MSDS Document for G&G Odor Eater

pH:	7.5-8.5	Specific Gravity (H ₂ O=1):	1.000
Evaporation Rate (but. ace. =1):	<1	Percent Solid by Weight:	< 1.0
Physical State:	Liquid		
Appearance & Odor:	Cherry: Clear liquid, Cherry fragrance.		