Version No. 00151-15A Issue Date: October 5, 2015

Supersedes Date: September 26, 2014

OSHA HCS-2012 / GHS

Section 1: IDENTIFICATION

Product Name: Extreme Simple Green® Aircraft & Precision Cleaner Additional Names: Manufacturer's Part Number: *Please refer to Section 16 **Recommended Use:** Cleaner and degreaser formulated to safely remove, oil, grease, and grime. **Restrictions on Use:** Do not use on non-rinsable or asphalt surfaces Company: Sunshine Makers, Inc. Telephone: 800-228-0709 • 562-795-6000 Mon - Fri, 8am - 5pm PST 15922 Pacific Coast Highway 562-592-3830 Fax: Huntington Beach, CA 92649 USA info@simplegreen.com Email: **Emergency Phone:** Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

This product is considered hazardous (Eye Corrosive/Irritant – Category 2B) by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

OSHA HCS 2012 Label Elements Signal Word: Warning

Hazard Symbol(s)/Pictogram(s): None required

Hazard Statements:

H320 – Causes Eye Irritation.

Precautionary Statements:

P264 – Wash hands thoroughly after handling.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 – If eye irritation persists: Get medical advice.

Hazards Not Otherwise Classified (HNOC): No hazards not otherwise classified were identified

Other Information: None Known.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	<u>CAS Number</u>	Percent Range
Water	7732-18-5	> 91%*
Triethanolamine	102-71-6	≤ 3%*
Ethoxylated Alcohol	68439-46-3	≤ 3%*
Propylene Glycol Butyl Ether	5131-66-8	< 1%*
Tetrapotassium Pyrophosphate	7320-34-5	< 1%*
Potassium Silicate	1312-76-1	< 1%*

*specific percentages of composition are being withheld as a trade secret

Section 4: FIRST-AID MEASURES

Inhalation:Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.Skin Contact:Not expected to cause skin irritation. If adverse effect occurs, rinse skin with water.Eye Contact:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical advice.Ingestion:May cause upset stomach. Drink plenty of water to dilute. See section 11.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

OSHA HCS-2012 / GHS

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Specific Hazards Arising from Chemical: Special Protective Actions for Fire-Fighters: Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water. In event of fire, fire created carbon oxides and oxides of phosphorus may be formed. Wear positive pressure self-contained breathing apparatus; Wear full protective clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: <u>For non-emergency personnel</u>: See section 8 – personal protection. <u>For emergency responders</u>: Avoid eye contact. Safety goggles suggested if splashing or misting is likely to occur.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values:	Triethanolamine (102-71-6) Diethanolamine (111-42-2)	5 mg/m ³ PEL California 3 ppm TWA; 15 mg/m ³ TWA	Connecticut, Michigan, Minnesota, OSHA, Tennessee, Vermont, Washington
		0.46 ppm PEL; 2 mg/m ³ PEL 6 ppm STEL	California Washington
Appropriate Engineering (Controls: Showers, eyewas	h stations, ventilation systems	washington

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact:Use protective glasses or safety goggles if splashing or spray-back is likely.Respiratory:Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.Skin Contact:Use protective gloves (any material) when used for prolonged periods or dermally sensitive.General HygieneConsiderations:Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Liquid		Partition Coefficient: n-octa	nol/water:	Not determi	ned
Odor:	No added odor		Autoignition Temperature:		Non-flammable	
Odor Threshold:	Not determined		Decomposition Temperature:		109°F	
pH:	9.0 - 10.5		Viscosity: Like water			
Freezing Point:	0°C (32°F)		Specific Gravity :		1.01 - 1.04	
Boiling Point & Range:	98°C (210°F)		VOCs:	*Water & fragr	ance exemption in	calculation
Flash Point:	> 212°F		SCAQMD 304-91 / EPA 24:	Not tested	l	
Evaporation Rate:	Not determined		CARB Method 310**:	5 g/L	0.042 lb/gal	0.5%
Flammability (solid, gas):	Not applicable		SCAQMD Method 313:	5.1 g/L	0.042 lb/gal	0.51%
Upper/Lower Flammability	or Explosive Limits:	Not applicable	VOC Composite Partial Pres	sure: Not	determined	

Issue Date: October 5, 2015

Supersedes Date: September 26, 2014

OSHA HCS-2012 / GHS

Section 9: PHYSICAL AND CHEMICAL PROPERTIES - continued

Vapor Pressure :
Vapor Density:
Relative Density:
Solubility:

Version No. 00151-15A

Not determined Not determined 8.34 – 8.67 lb/gal 100% in water Nutrient Content: Nitrogen -Phosphorous -Sulfur -

<0.1% (0% by formula) < 0.25% (by formula) <0.1% (0% by formula)

Section 10: STABILITY AND REACTIVITY

Reactivity:Non-reactive.Chemical Stability:Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).Possibility of Hazardous Reactions:None known.Conditions to Avoid:Excessive heat or cold.Incompatible Materials:Do not mix with oxidizers, acids, bathroom cleaners, or disinfecting agents.Hazardous Decomposition Products:Normal products of combustion - CO, CO2, oxides of phosphorus.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Inhalation -	Overexposure may cause headache.
	Skin Contact -	Not expected to cause irritation.
	Eye Contact -	Causes minimal/mild eye irritation.
	Ingestion -	May cause upset stomach.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Numerical Measures of Toxicity					
Acute Toxicity:	Oral LD ₅₀ (rat) Dermal LD ₅₀ (rabbit)	 > 5 g/kg body weight > 5 g/kg body weight Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals 			
Skin Corrosion/Irritation Eye Damage/Irritation: Germ Cell Mutagenicity Carcinogenicity:	Minimal/Mild irr Mixture does no Volume of ingree	Non-irritant per Dermal Irritection [®] assay modeling. <i>No animal testing performed.</i> Minimal/Mild irritant per Ocular Irritection [®] assay modeling. <i>No animal testing performed.</i> Mixture does not classify under this category. Volume of ingredients does not trigger or classify under this category. This product contains trace amounts of Diethanolamine (IARC 2B and ACGIH A3)			
Reproductive Toxicity: STOT-Single Exposure: STOT-Repeated Exposu Aspiration Hazard:	Mixture does no ne: Mixture does no	Mixture does not classify under this category. Mixture does not classify under this category. Mixture does not classify under this category. Mixture does not classify under this category.			

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity:	Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of Classification and Labelling of Chemicals.
Aquatic: Terrestrial:	Not tested on finished formulation.

Persistence and Degradability:	Based on similar formulations, expected to be Readily Biodegradable
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Other Adverse Effects:	No data available.

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number:Not applicableU.N. Proper Shipping Name:Cleaning Compound, Liquid NOITransport Hazard Class(es):Not applicableNMFC Number:48580-3Packing Group:Not applicableClass:55Environmental Hazards:Marine Pollutant - NO55Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code):Unknown.							
Special precautions which use	r needs to be aware of/comply v either within or outside their pr	vith, in connection None know	'n.				
U.S. (DOT) / Canadian TDG: IMO / IDMG:	Not Regulated for shipping. Not classified as Hazardous	ICAO/ IATA: ADR/RID:	Not classified as Hazardous Not classified as Hazardous				

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III:Sections 311/312 – Not applicable.
Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Diethanolamine (111-42-2) < 0.01%
Sections 302 – Not applicable.

Clean Air Act (CAA):Triethanolamine (102-71-6), Diethanolamine (111-42-2), Propylene Glycol Butyl Ether (5131-66-8)Clean Water Act (CWA):Not applicableCERCLA:Diethanolamine (111-42-2) 100 lb RQ

State Right To Know Lists:	Triethanolamine (102-7	1-6) Massachusetts, N	Massachusetts, New Jersey, Pennsylvania		
	Diethanolamine (111-4	2-2) Massachusetts, N	Massachusetts, New Jersey, Pennsylvania		
CA Proposition 65:	Diethanolamine (111-4	2-2) < 0.01%	< 0.01%		
<u>Texas ESL:</u>					
Triethanolamine	102-71-6	5 μg/m³ long term	50 μg/m³ short term		
Ethoxylated Alcohol	68439-46-3	60 μg/m³ long term	600 μg/m³ short term		
Propylene Glycol Butyl Ether	5131-66-8	73 μg/m³ long term	730 μg/m³ short term		
Tetrapotassium Pyrophosphate	7320-34-5	5 μg/m³ long term	50 μg/m³ short term		
Potassium Silicate	1312-76-1		5 μg/m³ short term		
Diethanolamine	111-42-2	1 μg/m³ long term	10 μ g/m ³ short term		

Section 16: OTHER INFORMATION

<u>Size</u>	<u>Item Number</u>	<u>UPC</u>
16 oz.	0100000113415	043318000744
16 oz., 12 per case	0110001213415	043318000744
32 oz	0110000113412	043318134128
32 oz, 12 per case	0110001213412	043318134128
275 gallon	13477	043318134777

USA part numbers listed only. Not all part numbers listed. USA part numbers may not be valid for international sale.

Issue Date: October 5, 2015

Supersedes Date: September 26, 2014

OSHA HCS-2012 / GHS

Section 16: OTHER INFORMATION - continued

NFPA:

Health – Eye Irritant Flammability – Non-flammable		Stability – Stable Special - None		0 0 0
Acrony	<u>ms</u>			•
NTP	National Toxicology Program		IARC	International Agency for Research on Cancer
OSHA	Occupational Safety and Health Ad	ministration	CPSC	Consumer Product Safety Commission
TSCA	Toxic Substances Control Act		DSL	Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department. This SDS has been revised in the following sections: Section 16 : additional part number

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.