

SEA BRITE

Glass & Surface Cleaner

DESCRIPTION

A multi-purpose glass and surface cleaner for many institutional, commercial and industrial cleaning environments. This professional formula is made with pure deionized water, fast evaporating degreasing solvents and anti-re-soiling agents for streak free soil removal. Unique clean & fresh fragrance and rich foam allow its use in many varied areas and conditions.

PRODUCT FEATURES / BENEFITS

- Thick long lasting foam / Allows for added surface exposure and improved soil penetration
- Fast evaporating degreasing solvents / Quickly & completely cuts through tough commercial soils
- Built with anti-re-soiling agents / Treats surfaces to defend against quick re-soiling
- Unique clean & fresh fragrance / User friendly
- · Contains deionized water / Prevents filming on glass surfaces

DIRECTIONS FOR USE

This product has been designed to meet the demanding requirements of institutional, industrial and commercial cleaning. For use on glass, mirrors, chrome, stainless steel, porcelain tile, plastic and other hard surfaces. This product completely dissolves dirt, grease and smoke without strong unpleasant odors

associated with many general purpose cleaners. Shake well before using. Spray 8 to 12 inches away from surface. Wipe away until foam is gone. For stubborn dirt or grime, let foam sit a few seconds before wiping. Shake occasionally during prolonged use. For best results, use at room temperature.

SPECIFICATIONS

Appearance White Foam	Rinsability Excellent
Odor Clean & Fresh	Cleaning Superior
Propellant Hydrocarbon	Flash Point > 160°F
V.O.C. (%)	Shelf Life 1 year minimum in original unopened container

SAFETY INFORMATION

CAUTION: HARMFUL OR FATAL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. Avoid frequent or prolonged contact with skin or eyes. Use with adequate ventilation.

FIRST AID: INHALATION: Remove victim to fresh air. Apply artificial respiration if necessary. Get medical attention. EYES: Flush eyes with water for at least 15 minutes. Get medical attention. SKIN: Wash affected areas with soap and water. Get medical attention if irritation persists. INGESTION: Drink large amounts of water and get medical attention. Do not induce vomiting unless directed by a physician. Never give anything by mouth to an unconscious person..

FOR PROFESSIONAL USE ONLY



HMIS HAZARD CODE		
1	HEALTH	
1	FLAMMABILITY	
0	REACTIVITY	
Α	PERSONAL PROTECTION	



World Class Cleaning Solutions®

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier SEA BRITE Glass & Surface Cleaner

Other means of identification 2002

Recommended use Aerosol Glass Cleaner

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company Name National Chemical Laboratories of PA, Inc.
Address 401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

ClassificationCategoryPhysical HazardsGases Under Pressure, Compressed Gas2Flammable Aerosols2Health HazardsAcute toxicity, inhalation4Serious eye damage/eye irritation2B

OSHA defined hazards Label Elements

Hazard Symbol



Signal Word Warning

Hazard Statement Flammable aerosol. Contains gas under pressure; may explode if heated. Causes eye irritation. Causes skin irritation. Harmful

if swallowed. Harmful if inhaled.

Skin corrosion/irritation

Not Classified.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing mist or vapor. Wear eye/face

protection. Wash thoroughly after handling. Keep out of reach of children.

Response IF SWALLOWED: Immediately call a POISON Center or doctor/physician. If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

2

advice/attention.

Storage Protect from sunlight. Do not expose to temperatures exceeding 122°F/50°C. Store in a well-ventilated place.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Section 3 - Composition/Information on ingredients

Mixture			
Hazardous Components	Ingredient Name	CAS #	%
	Ethyl Alcohol	64-17-5	3 - 7
	Isobutane	75-28-5	1 - 5
	2-Butoxyethanol	111-76-2	0.1 - 1
	Ammonium Hydroxide	1336-21-6	0.1 - 1
	Propane	74-98-6	0.1 - 1

Section 4 - First-aid Measures

InhalationMove to fresh air and keep at rest. Call a physician if symptoms develop and persist.Skin contactWash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center.

Most Important symptoms /effects, acute and delayed

Eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin

reactio

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Dry chemical powder. Carbon dioxide (CO2).

ing None known.

media

Specific hazards arising fromContents under pressure. Containers may explode when heated.

the chemical
Special protective equipment
and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

Specific Methods

In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers

from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering

them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into water ways, sewer, basements or confined areas. Following product recovery, flush area with water. For

waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

HARMFUL IF INHALED OR SWALLOWED. VAPOR HARMFUL. EYE, SKIN AND RESPIRATORY IRRITANT. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Keep out of reach of children. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Contents under pressure. Do not expose to heat or store at temperatures above 122°F/50°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value
2-Butoxyethanol (CAS 111-76-2) TWA 240 mg

2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m³ , 50 ppm Ethyl Alcohol (CAS 64-17-5) TWA 1900 mg/m³ , 1000 ppm

Propane (CAS 74-98-6) TWA 1000 ppm

US. ACGIH Threshold Limit Values

 Component
 Type
 Value

 2-Butoxyethanol (CAS 111-76-2)
 TWA
 20 ppm

 Ethyl Alcohol (CAS 64-17-5)
 STEL
 1000 ppm

 Propane (CAS 74-98-6)
 TLV
 1000 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

 2-Butoxyethanol (CAS 111-76-2)
 TWA
 24 mg/m³, 5 ppm

 Ethyl Alcohol (CAS 64-17-5)
 IDLH
 3300 ppm

Ethyl Alcohol (CAS 64-17-5) TWA 1900 mg/m³, 1000 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

US. ACGIH. BEIs. Biological Exposure Indices Sampling

Components Value Determinate Specimen Time

2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine *

with hydrolysis

* - For sampling details, please see the source document.

Exposure guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposur

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Component Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level. Provide

eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or

to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material

considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Gas/Liquid mixture.

Form Aerosol. Liquefied gas. White foamy liquid.

Color White.
Odor Mint.
Odor threshold Not available.
pH 10.0-11.01

pH 10.0-11.01Melting point/freezing point Not available.Initial boiling point and Not available.

boiling range

Flash point -156.0 °F (-104.4 °C) Propellant estimated

Evaporation rate
Not available.
Flammability (solid, gas)
Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower (%)
Not available.
Flammability limit - upper (%)
Explosive limit - lower (%)
1.9% estimated

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Relative density temperature

Solubilities

Partition Coefficient n
Not available.

Not available.

9.5% estimated

0.95 ± 0.01 (liquid)

75 °F (23.89 °C)

Soluable (liquid)

Not available

octanol/water

Auto-ignition temperature Not Available

Decomposition temperature Not Available

Viscosity

Viscosity Temperature

Other Information

VOC's 10.71%

Pressure 40 -52 psig @ 70F

Section 10 - Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions Hazardous polymerization does not occur.

Conditions to Avoid Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition No hazardous decomposition products are known.

75 °F (23.89 °C)

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

Inhalation May cause respiratory tract irritation. This product may be aspirated onto the lungs and cause chemical pneumonitis.

Skin contact Causes skin irritation. May cause sensitization by skin contact. Prolonged or repeated skin contact may cause drying,

Causes skin irritation. May cause sensitization by skin contact. Prolonged or repeated skin contact may cause dry cracking, or irritation.

Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Eve contact

Eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

Information on toxicological effects.

Acute toxicity May be harmful if swallowed.

Components Level Type Code Species Results LD50 2-Butoxyethanol (CAS 111-76-2) Acute Dermal Rabbit 400 mg/kg Acute Inhalation LC50 Rat 450 mg/l, 4 hrs Acute Oral LD50 Rat 560 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

irritation

Causes eye irritation.

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to

numans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Section 12 - Ecological Information

Ecotoxicity Readily biodegradable.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coeficient n-octanol / water log (Kow)

> Components Results 2-Butoxyethanol (CAS 111-76-2) 0.83 Ethyl Alcohol (CAS 64-17-5) -0.31

Mobility in soil No data available. Mobility in general No data available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material products and its container must be disposed of in a safe manner.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers

may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

Section 14 - Transport information

DOT

UN number UN1950

Aerosols, flammable Proper shipping name

Transport hazard class(es) 2.1

Packing group Not Applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Labels required None/Ninguno

Packaging exemption 306

Packaging non bulk None/Ninguno Packaging bulk None/Ninguno

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped Comment

as a limited quantity until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require

the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the

"Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΔΤΔ

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es) 2.1

Not Applicable. Packaging group

Environmental hazards No. Labels required 2.1 **ERG Code** 10L

Special precautions for user

Other Information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and Cargo

aircraft

Allowed.

Allowed. Cargo aircraft only LTD QTY **Packaging Exceptions**

IMDG

UN number UN1950 UN proper shipping name **AEROSOLS** Transport hazard class(es) 2.1

Not Applicable. **Packaging group**

Environmental hazards Marine pollutant

No.

Labels required 2.1 F-D, S-U **EmS**

Read safety instructions, SDS and emergency procedures before handling. Special precautions for user

Packaging Exceptions LTD QTY

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

Not applicable.

Section 15 - Regulatory Information

Not listed

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated.

Components Result Comment

Propane (CAS 74-98-6) N/A%

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result 2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard No Delayed Hazard No

Fire Hazard Yes
Pressure Hazard Yes
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not regulated.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 0.1 - 1

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Diethylene glycol monoethyl ether (CAS 111-90-0)

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2) Ethyl Alcohol (CAS 64-17-5) Propane (CAS 74-98-6)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2)

US - California Propsition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This

material is not known to contain any chemicals currently listed as carcinogens or

 $reproductive\ toxins.$

International Inventories

On Inventory (yes/no)* Country(s) or region **Inventory Name** Australia Australian Inventory of Chemical Substances (AICS) No **Domestic Substances List (DSL)** Canada Yes Canada Non-Domestic Substances List (NDSL) Nο China Inventory of Existing Chemical Substances in China (IECSC) Yes **European Inventory of Existing Commercial Chemical Substances (EINECS)** Europe No Europe European List of Notifed Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) No **Existing Chemicals List (ECL)** Korea No **New Zealand New Zealand Inventory** No **Philippine Inventory of Chemicals and Chemical Substances Philippines** No **Unites States Puerto Rico** Toxic Substances Control Act (TSCA) Inventory Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 4/17/2015 Version # 01

Disclaimer The information contained herein was obtained from current and reliable sources. However, the data is provided without any

warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this

product which may not be reflected in this SDS. The user should

review these regulations to ensure full compliance.

This product has been designed to meet the demanding requirements of institutional, industrial and commercial cleaning. Excellent for streak-free cleaning of glass, mirrors, chrome, stainless steel, porcelain tile, plastic and other hard surfaces. This product quickly dissolves dirt, grease and smoke films even at low temperatures. Leaves the area smelling fresh and clean.


DIRECTIONS FOR USE

Shake well before using. Spray 8 to 12 inches away from surface. Wipe away until foam is gone. For stubborn dirt or grime, let foam sit a few seconds before wiping. Shake occasionally during prolonged use. For best results, use at room temperature.

INSTRUCCIONES PARA USO:

Agítese bien antes de usar. Rocíe a 8 ó 10 pulgadas de distancia de la superficie. Limpie con trapo hasta que la espuma desaparezca. Para suciedad o mugre difícil, deje que la espuma permanezca en la superficie durante varios segundos antes de limpiar. Agite la lata ocasionalmente durante uso prolongado. Para mejor resultados, use a temperatura ambiente.





Precautionary statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing mist or vapor. Wear eye/face protection. Wash thoroughly after handling. Keep out of reach of children.

Response: IF SWALLOWED: Immediately call a POISON Center or doctor/physician. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 122°F/50°C. Store in a well-ventilated place.

Disposal: Dispose of waste and residues in accordance with local authority requirements.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPATSCA Inventory List.

Additional safety measures:

Read the entire label and SDS before using this product, and for additional first aid measures. SDS for this product is available on the web at www.nclonline.com

ATENCIÓN: AEROSOL INFLAMABLES. CONTIENE GAS A PRESIÓN; PUEDE EXPLOTAR SI SE CALIENTA. CAUSA IRRITACIÓN DE LOS OJOS. PRODUCE IRRITACIÓN DE LA PIEL. NOCIVO POR INGESTIÓN. NOCIVO EN CASO DE INHALACIÓN. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS.

Consejos de prudencia

Prevención: Mantener alejado de fuentes de calor/chispas/llama abierta/superficies calientes. No se puede fumar. Evitar la inhalación de vapores o niebla. Use protección para los ojos/la cara. Lávese cuidadosamente después de la manipulación. Mantener fuera del alcance de los niños.

Respuesta: EN CASO DE INGESTIÓN: llamar inmediatamente un Centro de Control de Envenenamientos o a un médico o médico. Si en los ojos: Enjuague con cuidado con agua durante varios minutos. Quite los lentes de contacto, si los hay, y muy fácil de hacer. Continúe enjuagando. Si persiste la irritación de los ojos: obtener una opinión médica y de atención.

Almacenamiento: Proteger de la luz solar. No lo exponga a temperaturas que exceden 122 °F/ 50 °C. Almacenar en un lugar bien ventilado.

Eliminación: Deshacerse de los desechos y residuos de conformidad con los requisitos de la autoridad.

Este producto es una "sustancia química peligrosa" que se define por la OSHA Hazard Communication Standard. 29 CFR 1910,1200. Todos los componentes son de la EPA de EE.UU. Lista de inventario TSCA.

Medidas additional de primeros auxilios:

Lea toda la etiqueta y SDS antes de usar este producto, así como medidas adicionales de primeros auxilios. SDS para el artículo está disponible en la web en www.nclonline.com

CONTAINS: Ethyl Alcohol CAS # 64-17-5, Isobutane CAS # 75-28-5, 2-Butoxyethanol CAS # 111-76-2, Ammonium Hydroxide CAS # 1336-21-6, Propane CAS # 74-98-6





To learn more about this product, scan this **QR code** to visit our website. ** MADE IN USA **

2002-0515 ©











Glass & Surface

Sea Brite™

Glass & Surface Cleaner

Exceptional streak-free formula leaves glass beautifully clean.

Can be used on many different surfaces.

WARNING: FLAMMABLE AEROSOL. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. KEEP OUT OF REACH OF CHILDREN.

See side panel for additional precautionary statements.

ATENCIÓN: AEROSOL INFLAMABLE. CONTIENE GAS A PRESIÓN; PUEDE EXPLOTAR SI SE CALIENTA. MANTENER FUERA DEL ALCANCE DE LOS NIÑOS. Ver panel lateral para las medidas preventivas adicionales. NET WEIGHT: 18 oz. (1lb. 2 oz.) (510 g.)

National Chemical Laboratories, Inc.
Philadelphia, PA 19123 USA • (800) 628-2436
www.nclonline.com

Product No.: 2002