



Dedicated to Design.  
Committed to Quality.

Ship Now! Seating  
48-Hour Quick-Ship Program



## Do You Need Seating Fast?

BioFit has you covered. With our Ship Now! program, order the chairs you need now and they will ship from our plant within 48 hours (two working days), pending credit approval. The Ship Now! line includes seating solutions for healthcare, laboratory, office, education and industrial workplaces, as well as clean room and static-sensitive facilities. We even offer an adjustable footrest to complete the ergonomic experience.

We encourage you to review the brief program details and order placement instructions below to make the purchase process efficient and enjoyable.

### What's Included?

The Ship Now! line includes nine primary seating models and an adjustable footrest. Thanks to the modular construction of BioFit chairs, literally hundreds of combinations of the program's seating models can be configured, meeting user, task, budget – and time – requirements.

### How Does It Work?

Ship Now! customers can order up to 15 chairs per day of the models featured in this guide. Simply take note of the model number, choose an upholstery option and contact your BioFit dealer, if known, to complete your order. You can also contact BioFit directly at 800.597.0246 or [biofit@biofit.com](mailto:biofit@biofit.com). Once your order is placed and credit approved, your chairs will ship from our facility within two working days or we'll pay the freight.

### Why Buy BioFit?

Corporate brand leaders, major hospitals, universities and small businesses alike turn to BioFit for innovative, proven ergonomic seating solutions. Our Ship Now! products include:

- Designs built with user comfort, health and wellbeing in mind
- Standard components that many manufacturers offer only as options with costly upcharges
- Durability that meets or exceeds rigorous industry standards

### 13-Year Warranty

All Ship Now! products are warranted to the original purchaser against mechanical or structural failure due to defective material or workmanship for 13 years of normal, multi-shift use. Pneumatic cylinders are covered for the functional lifetime of the chairs. Scan this QR code for full details.

### ANSI/BIFMA Rated, LEED® Compliant

Like all BioFit seating, chairs in our Ship Now! line comply with ANSI/BIFMA X5.1-2002 product safety and performance standards guidelines as established by the Business and Institutional Furniture Manufacturers Association. BioFit seating is also LEED compliant.



## Critical Performance Package & Quick-Ship Reference Legend

It's easy to identify Ship Now! products and those available with critical performance packages for clean room and static control/ESD applications. Just look for the familiar quick-reference legend used in this brochure and other BioFit literature to find them:

● = Clean Room   ● = ESD   ● = Combination Clean Room/ESD   ● = Ship Now!

## Upholstery Options

Cloth and vinyl options are available for certain upholstered seating models, including those configured for clean room and ESD applications. Options are shown below.\*



New Hempstead  
Grade 2 Fabric NH369 Navy



New Hempstead  
Grade 2 Fabric NH333 Black



Avant  
Grade 2 Vinyl AV106 Royal



Avant  
Grade 2 Vinyl AV126 Black



Avant  
Grade 2 Vinyl AV139 Greystone



UR Grounded  
Grade C Cloth Navy



UR Grounded  
Grade C Cloth Ebony



Microcon  
Grade B Vinyl Blue



Microcon  
Grade B Vinyl Black

## Base Style Alternatives

Most Ship Now! chairs come standard in a choice of the four base styles shown below, accommodating task requirements, budget and individual preferences.



Wide, 28.7" diameter, high-profile,  
5-legged, solid cast aluminum base  
with polished top (W style)



25.6" diameter, high-profile,  
5-legged, solid cast aluminum base  
with polished top (A style)



25.6" diameter, high profile,  
5-legged, reinforced glass  
composite base (R style)



High-profile tubular steel base with  
23" leg spread and 21" diameter  
fixed-height footring (S style)

## We Stand Behind Our Seating

BioFit's roots as an ergonomic seating innovator go back more than 70 years. All of our products are tested and proven to meet rigorous industry standards and are backed by one of the strongest warranties available.

## Need More Details?

For more information on any of the models featured in this brochure and on our full line of ergonomic seating, call 800.597.0246 or visit our literature fulfillment site at [biofit.info](http://biofit.info) and download a catalog.



\*Actual colors and options may differ from those shown.

## Belize (BE) Series

A versatile chair for just about any workspace – comfortable, ergonomic and durable for long-term use.



Model shown has optional ATF footring



● = Clean Room ● = ESD ● = Combination Clean Room/ESD ● = Ship Now!

### Work Environments:

- Healthcare
- Clean Room
- Education
- Laboratory
- Static Control/ESD
- Office
- Industrial



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18.5" wide X 16.5" deep X 3" thick; Back: 15.5" wide X 14.5" high
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt, backrest height adjustment
- Options include armrests, control, larger backrest, footrings, chrome metal parts and choice of casters or glides
- Performance packages include ISO 5 and 6 clean room, ESD and combination configurations
- Meets CAL-117 fire retardant standards

Refer to pages 18-19 of the BioFit Seating Catalog for additional details on this series.

## Bridgeport (BT) Series

Ergonomic functionality and a streamlined backrest combine to make Bridgeport a popular choice.



Model shown has optional ATF footring



● = Clean Room ● = ESD ● = Combination Clean Room/ESD ● = Ship Now!

### Work Environments:

- Healthcare
- Clean Room
- Education
- Laboratory
- Static Control/ESD
- Office
- Industrial



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18.5" wide X 16.5" deep X 3" thick; Back: 14.5" wide X 9.5" high
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt, backrest height adjustment
- Options include armrests, control, larger backrest, footrings, chrome metal parts and choice of casters or glides
- Performance packages include ISO 5 and 6 clean room, ESD and combination configurations
- Meets CAL-117 fire retardant standards

Refer to pages 20-21 of the BioFit Seating Catalog for additional details on this series.

## Elite (EE) Series

Functional design and proven dependability deliver a reliable seating solution for multiple workplaces.



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18.5" wide X 17" deep X 3" thick; Back: 15.5" wide X 14.5" high
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt, backrest height adjustment
- Options include armrests, control, larger backrest, footrings, chrome metal parts and choice of casters or glides
- Performance packages include ISO 5 and 6 clean room, ESD and combination configurations
- Meets CAL-117 fire retardant standards

Refer to pages 22-23 of the BioFit Seating Catalog for additional details on this series.

● = Clean Room ● = ESD ● = Combination Clean Room/ESD ● = Ship Now!

### Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office

## Eton (ET) Series

A wide seat and trapezoid backrest provide comfort and performance shift after shift.



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18.5" wide X 17" deep X 3" thick; Back: 14.5" wide X 9.5" high
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt, backrest height adjustment
- Options include armrests, control, larger backrest, footrings, chrome metal parts and choice of casters or glides
- Performance packages include ISO 5 and 6 clean room, ESD and combination configurations
- Meets CAL-117 fire retardant standards

Refer to pages 24-25 of the BioFit Seating Catalog for additional details on this series.

● = Clean Room ● = ESD ● = Combination Clean Room/ESD ● = Ship Now!

### Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



## ArmorSeat (GG) Series

Rugged seating with antimicrobial properties and UV inhibitors standard in every seat and backrest.



Model shown has optional ATF footring



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 17.5" wide X 15.5" deep with waterfall front; Back: 16" wide X 10.75" high; standard color is black
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 6°, backrest tilt, backrest height adjustment
- Options include control, footrings, chrome metal parts and choice of casters or glides
- Available in ISO 6 clean room performance package

Refer to pages 46-47 of the BioFit Seating Catalog for additional details on this series.

● = Clean Room ● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Industrial
- Education
- Office



## UniqueU (UU) Series

Ideal for harsh settings, easy-to-clean seats and backs resist water, chemicals, punctures and more.



Wide, 28.7" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6" diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6" diameter, high profile, 5-legged, reinforced glass composite base (R style)



High-profile tubular steel base with 23" leg spread and 21" diameter fixed-height footring (S style)

- Available in 4 base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18.5" wide X 17" deep X 1.5" thick; Back: 16.5" wide X 12.5" high; both are black, self-skinned urethane with ventilating ribs for added user comfort
- Task control with Soft-Touch™ pneumatic seat height adjustment, fixed rearward seat tilt of 3.5°, backrest tilt, backrest height adjustment
- Options include control, footrings, chrome metal parts and choice of casters or glides
- Performance packages include ISO 6 clean room, ESD and combination configurations

Refer to pages 48-49 of the BioFit Seating Catalog for additional details on this series.

● = Clean Room ● = ESD ● = Combination Clean Room/ESD ● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Static Control/ESD
- Industrial
- Education
- Office



## Footrest (FS-1)

This adjustable footrest enhances comfort, complementing the seated ergonomic experience.



- Relieves stress on user thighs
- 20" wide X 11" deep platform with 10° slope; adjustable from heights of 3" – 11" in 1" increments
- All welded frame construction of 14-gauge steel tubing

Refer to page 72 of the BioFit Seating Catalog for additional details on this product.

● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Clean Room
- Industrial
- Education
- Office



## Neon

This new generation of workplace chair joins precision and flexibility with talent-attracting wow factor.



- The flagship model of the collaborative bimos by BioFit Collection
- Features solid steel frame, aluminum base and exclusive quick-change “1+1” upholstery system
- Ergonomic control package includes contact backrest and synchronous tilt mechanism; seat height, depth and tilt adjustments; backrest height adjustment and weight regulation
- Standard upholstery is black vinyl with cool grey flex strip; options include casters or glides

Refer to the bimos by BioFit Collection Neon brochure for additional details on this model.

● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office

## Fin

Sleek ergonomic solution for tasks involving prolonged standing or when sitting down is not an option.



- Features 19.25” wide X 5.75” deep, swiveling black urethane seat with handles and brushed aluminum base with interchangeable glides; seat passes Criteria A & B of CAL-133 burn test
- Fingertip-controlled seat height adjustment range of 24.5” – 33.5”
- Support column inclined 4° to promote positive working posture

Refer to page 9 of the BioFit Seating Catalog for additional details on this model.

● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Hospitality
- Retail

## Unitec

An ergonomic seating solution designed for smaller organizations or those just starting out.



Wide, 28.7” diameter, high-profile, 5-legged, solid cast aluminum base with polished top (W style)



25.6” diameter, high-profile, 5-legged, solid cast aluminum base with polished top (A style)



25.6” diameter, high profile, 5-legged, reinforced glass composite base (R style)

- Available in W, A and R base styles and 3 seat height ranges from desk- to standing-height
- Seat: 18” wide X 18” deep; Back: 16.5” wide X 17.75” high; both upholstered in black vinyl
- Soft-Touch™ pneumatic seat height control
- Standard upholstery is black vinyl; options include footrings and choice of casters or glides

Refer to pages 10-11 of the BioFit Seating Catalog for additional details on this series.

Model shown has optional ATF footring

All specifications are nominal.

● = Ship Now!

Work Environments:

- Healthcare
- Laboratory
- Industrial
- Education
- Office





---

Dedicated to Design. Committed to Quality.

At BioFit, that's more than a tagline – it's our focus every day as we constantly strive to improve the workplace experience through ergonomic performance, style and reliability. We've been an innovator for the past 70 years, introducing solutions for industrial and laboratory settings, and subsequently supplying the education, office, defense, automotive and textile markets. With a global network of over 1,200 independent distributors, we continue to proudly serve these industries today, as well as leaders in the healthcare and technology fields.

BioFit Engineered Products  
P.O. Box 109  
Waterville, OH 43566-0109  
USA

[biofit.com](http://biofit.com) | 800.597.0246