



SIFT® SEATING

PRICE LIST

January 3, 2011

Updated January 20, 2023

800.424.2432

<hr/>		
Ordering COM		
Information	<div></div>	3
<hr/>		
Sift®		
General Information		4
Product Color Options	<div></div>	5
Task and Guest Chairs	<div></div>	6
	<div></div>	

Ordering COM, COL and COV Information

Ordering COM, COL and COV Information

How to Specify C.O.M. Upholstery
Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M., C.O.L. and C.O.V. Testing
KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production
Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.


The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

T



KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns
In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials
If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders
If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material
KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.



C.O.M. SHIPPING LOCATION

Architectural Walls
Evoke..... MN
Genius Walls..... MN

Casegoods
Aristotle Tackboards.....MN
Likha Tackboards.....MN

Classroom Furniture
Intellect Wave Chairs..... GB
Learn2 GB
Ruckus.....GB

Desking
700 Series Desking KP
Balance Overheads MN
Genesis Desking..... MN
True Desking..... KP
Universal Overheads..... MN
WorkZone Desking MN

Files & Storage
700 Series Pedestal Cushion GB
Connection Zone PadsBW
U-Series Pedestal Cushion..... GB
Tattoo.....BW

Fixed Seating
Concerto Auditorium SeatingBW
Single Pedestal Seating GB
Jury Base Seating..... GB
Lancaster Auditorium SeatingBW
Sequence Seating..... GB
University Seating..... GB

Panel Systems
All Terrain..... KP
Balance Overheads MN

System 3000..... MN
Universal Overheads..... MN
Wireworks MN
Unite..... MN

Residence Hall Furniture
RoomScape Furniture MN

Screens
All Terrain..... KP
Connection Zone.....BW
True/Volition KP
Genesis..... KP
Tattoo..... MN
Universal.....BW

Seating
400 Series Folding Chairs.....BW
600 Series Folding Chairs.....BW
600 Series Stools.....BW
Affina CollectionHN
Altus Task Chairs..... GB
Apply Stack Chairs GB
Auditorium Folding ChairsBW
Calida Lounge SeatingHN
Diem Task Chairs..... OM
Doni Collection..... GB
FourC Seating..... GB
Gladly Lounge SeatingVQ
Grazie Seating GB
Hiatus Sleeper BenchHN
Hub Modular Lounge SeatingHN
Impress Task Chairs..... OM
Impress Ultra Task Chairs OM
Jessa Lounge SeatingHN
Jubilee Lounge Seating.....VQ
Katera Guest Chair..... GB
Kurv Benches.....HN

LaResta Day BedsHN
LimeLite GB
Lyra Lounge Seating..... HN
Maestro Stack Chairs GB
Matrix Stack Chairs..... GB
Medical & Laboratory Stools..... OM
MyPlace Lounge Seating HN
MyWay Seating..... HN
Oath Task Chairs and Stools..... GB
Opt4 GB
Pilot Task Chairs..... OM
Promenade Seating SystemBW
Ruckus..... GB
Sela Lounge Seating HN
Sift Task Chairs GB
Signia Task Chairs and StoolsOM
Soltice Metal Collection..... HN
Soltice Multiple, Healthcare & Guest .HN
Soltice II Healthcare Seating..... HN
Strive Multiple, Stack & Task GB
Sway BW
Tattoo..... HN
Torsion-on-the-Go! Nesting Chairs GB
Torsion Air Stack and Task Seating GB
Zoetry HN

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW
KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

HN
KI High Point
Attn: COM Storage
217 Feld Avenue
High Point, NC 27263

MN
KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220

VQ
KI
Attn: COM Fabrics
6892 Marlin Circle
La Palma, CA 90623

GB
KI Green Bay
Attn: COM Storage
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

KP
KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

OM
KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)
Attention
Address
City State Zip
Project Name
Type of seating and number of units of each type


Please see information below and check the appropriate box.

☐ Submitted for testing. ☐ Test approved. Submitted for production.


Purchase Order Number
KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side





Armless Task Chair
(SIFTNA)



4D Adjustable T-Arm
Task Chair
(SIFTAA)



Armless Task Stool
(SIFTNA)




4D Adjustable T-Arm
Task Stool
(SIFTAA)




Cantilever Arm Guest
Chair
(SIFTGCA)


Features					
Synchrotilt	•	•	•	•	
Seat slide	•	•	•	•	
Back lock	•	•	•	•	
Mesh seat and back	•	•	•	•	•
Upholstered Seat	•	•	•	•	•
Adjustable lumbar	•	•	•	•	•
4D adjustable T-arm		•		•	
Fixed cantilever arm					•
Black nylon or brushed aluminum base	•	•	•	•	
300 lb. tested	•	•	•	•	•
General Dimensions					
Seat width	19"	19"	19"	19"	19"
Seat depth	19"	19"	19"	19"	19"
Seat height	18-1/4" - 22-1/4"	18-1/4" - 22-1/4"	21-1/4" - 29"	21-1/4" - 29"	19-1/2"
Back width	18"	18"	18"	18"	18"
Back height (above seat)	20-1/2"	20-1/2"	20-1/2"	20-1/2"	16"
Inside arm distance		18-1/2" - 19-1/2"		18-1/2" - 19-1/2"	19"
Arm height (from floor)					26-1/8"
Overall Dimensions					
Width	27"	27"	27"	27"	22-1/4"
Depth	29-1/4"	29-1/4"	29-1/4"	29-1/4"	21-1/4"
Height	42-3/4"	42-3/4"	50-3/8"	50-3/8"	35-3/4"
Base	26"	26"	26"	26"	



Task Chair



Guest Chair



Task Stool

SPECIFICATIONS

TASK CHAIR

Backrest and Mesh Seat
Reinforced nylon frame with mesh material. *So-Soft* mesh material is made from 65% polyester and 35% nylon. Integral polypropylene lumbar support mechanism is easily adjusted by the user within a 3" range.

Mechanism
Stamped steel mechanism provides for sturdy seat and back mounting. Height-adjustable pneumatic cylinder is actuated by a control lever beneath the seat. Seat height adjusts from 18-1/4" to 22-1/4". Back lock mechanism provides five back positions. Tension control knob adjusts the tension recline force. Spring-loaded seat slide mechanism controls seat depth adjustment in five positions through a distance of 1-1/2" and is side mounted for easy use. Synchronized 2:1 seat/back tilt mechanism has movement of 8 degrees on seat and 16 degrees on back.

Base
Standard 26" diameter, five-blade reinforced nylon base, black only. Optional 26" diameter polished aluminum five-blade base.

Casters
Double 65mm diameter black wheels are molded of reinforced plastic. Hard floor or carpet casters available.

Adjustable T-Arm
Black molded urethane armcap. Armcaps move forward/backward in five positions through 1-1/2". Armcap width adjusts in five positions through 1". Arm support width can be set between 18-1/2" - 19-1/2" at assembly. Armrest height adjusts to 11 positions through 2-3/4". Armcaps rotate in three positions (+/- 20 degrees).

Weight Capacity
Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.

GUEST CHAIR

Backrest and Mesh Seat
Reinforced nylon frame with mesh material. *So-Soft* mesh material is made from 65% polyester and 35% nylon. Backrest and seat secured to frame with four bolts each.

Upholstered Seat
Plywood seat structure with two layers of polyurethane foam with a fabric cover held in place with staples.

Frame
Tubular steel frame made with .08" thick x 1.32" x .88" oval steel tubing.

Arms
Arms are integral to the frame with a black molded reinforced nylon armcap.

Glides
Four nylon glides.

Weight Capacity
Passes all BIFMA x 5.1-2011 and KI's internal standard for 300 pound capacity.

TASK STOOL

In addition to the standard height unit described under the Task Chair, a stool height version is available. Stools are equipped with a pneumatic cylinder allowing adjustment of seat height from 21-1/2" - 29". The 18" diameter adjustable footring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes." Stools are available with plastic or polished bases.

INFORMATION

Warranty
Refer to KI Terms & Conditions document or visit ki.com



Base Color

- Aluminum baseA
- Black plastic baseP

Aluminum base requires an upcharge.

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly



Laminates

Edge Styles

Glass

Certain options referenced may not be available on GSA Schedule.



		MODEL NUMBER																	
		Basic Model	Base	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
<div><div>Mesh Seat</div></div> <div>SIFT</div> <div>SIFTU</div>	Task Armless Chair <ul style="list-style-type: none">• “SoSoft” mesh back and mesh seat or uph seat• Adjustable lumbar• 300 pound weight rating• Ships fully assembled	Mesh Seat and Back	SIFTNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#	\$ 931											
	Upholstered Seat	SIFTUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#	N/A	837	852	860	837	860	896	946	977	1006	1036		
<div><div>Uph. Seat</div></div> <div>SIFT</div> <div>SIFTU</div>	Task 4D Adjustable T-Arm Chair <ul style="list-style-type: none">• “SoSoft” mesh back and mesh seat or uph seat• Adjustable lumbar• 300 pound weight rating• Ships fully assembled	Mesh Seat and Back	SIFTAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	\$ 1110											
	Upholstered Seat	SIFTUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	N/A	1018	1033	1040	1018	1040	1076	1129	1157	1186	1221		

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.

P

- Black plastic base

A

- Aluminum base; add \$116
- C

Select casters.

C

- Carpet casters

S

- Hard floor casters; add \$65
- D

Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See FR upcharge under Options.
- E

Select upholstery grade/color.

Refer to [ki.com/fabrics](#)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh
Added Lead Time=1 week
Added List Price=\$101

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$101

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery
C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES



Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
MODEL	Features	Basic Model	Base	Casters	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 Mesh Seat SIFTS SIFSU	Task Armless Stool • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTSNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#	\$ 1075											
	Upholstered Seat	SIFTSUNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	43.0#	N/A	981	998	1006	981	1006	1042	1094	1123	1152	1184		
 Uph. Seat SIFTS SIFSU	Task 4D Adjustable T-Arm Stool • “SoSoft” mesh back and mesh seat or uph seat • Adjustable lumbar • 300 pound weight rating • Ships fully assembled	Mesh Seat and Back	SIFTSAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	\$ 1259											
	Upholstered Seat	SIFTSUAA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	N/A	1165	1179	1186	1165	1186	1224	1275	1305	1333	1366		
			A	B	C	D	E												

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select base option.
- | | |
|----------|----------------------------|
| P | - Black plastic base |
| A | - Aluminum base; add \$116 |
- C**Select casters.
- | | |
|----------|--------------------------------|
| C | - Carpet casters |
| S | - Hard floor casters; add \$65 |
- D**Select fire code.
- | | |
|------------|-----------------------------|
| NFR | - Compliance to TB 117-2013 |
| FR | - Compliance to TB 133 |
- See FR upcharge under Options.
- E**Select upholstery grade/color.
- Refer to [ki.com/fabrics](#)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh
Added Lead Time=1 week
Added List Price=\$101

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$101

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery
C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
MODEL	Features	Basic Model	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
 SIFTG SIFGU	Guest Cantilever Armchair <ul style="list-style-type: none">• “Suffo” mesh back and mesh seat or uph seat• Adjustable lumbar• 300 pound weight rating• Ships fully assembled	Mesh Seat and Back	SIFTGCA	□□□		38.0# \$ 731										
		Upholstered Seat	SIFTUCA	□□□	□□□□□	38.0# N/A	680	697	703	680	703	741	792	822	851	881
			A	B	C											

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See FR upcharge under Options.
- C**Select upholstery grade/color. Refer to [ki.com/fabrics](#)

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Mesh
Added Lead Time=1 week
Added List Price=\$101

Model=Upholstered Seat
Added Lead Time=1 week
Added List Price=\$101

UPHOLSTERY INFORMATION

C.O.M. and C.O.V. Upholstery
C.O.M. and C.O.V. requirement for less than 10 chairs is 1 yard of 54” wide nondirectional fabric. For orders of 10 or more chairs, the requirement is 1/2 yard. For complete information on ordering C.O.M. and C.O.V., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000435/KI/PDF



Furnishing Knowledge®