



› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M2635dw

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



GOOD DESIGN  
AWARD 2016

The **ECOSYS M2635dw** monochrome multifunctional printer brings advanced features and proven productivity to the budget conscious business. Its ease of use design offers exceptional print quality, reliability, and low TCO, with ECOSYS long life consumables for maximum uptime. On-The-Go printing/scanning capabilities and wireless functionality enable workgroups of all sizes to easily drive their business from anywhere. With print speeds up to 37 ppm, advanced security features and convenient walk-up USB accessibility, the ECOSYS M2635dw can affordably take your business processes to the next level.

- › Black and White Business Output up to 37 Pages per Minute
- › 5 Line LCD Screen with Hard Key Control Panel
- › Up to Fine 1200 dpi Print Resolution
- › Standard 50 Sheet Auto Document Processor
- › Standard Wireless and Wi-Fi Direct Capability
- › KYOCERA Mobile Print, Apple AirPrint®, Google Cloud Print™ and Mopria®
- › Upgradable Memory for Additional Processing Power
- › Up to 850 Sheets Paper Capacity

# ECOSYS M2635dw

## ECOSYS TECHNOLOGY

Kyocera ECOSYS MFPs provide advanced office solutions that enable businesses to achieve fast return-on-investment, with minimal impact on the environment. Specifically, ECOSYS MFPs utilize imaging technology that is comprised of our patented long-life drum and separate toner cartridges. This eliminates drum replacement when toner is depleted, reducing both cost-per-print and landfill waste. As such, Kyocera's best-in-class ECOSYS MFPs support our customers' sustainability initiatives—while driving down operating costs.

## BASIC SPECIFICATIONS

**Configuration:** Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 37 ppm; Legal: 30 ppm; A4: 35 ppm

**Display:** 5 Line LCD Screen with Hard Key Control Panel

**Warm Up Time:**

20 Seconds or Less (Power On), 10 Seconds or Less From Sleep

**First Page Out Time:**

Copy: 6.9 Seconds or Less

Print: 6.8 Seconds or Less

**Resolution:** 600 x 600 dpi, 300 x 300 dpi, Fine 1200 dpi

**Memory:** Standard: 512 MB, Upgradable to 1.5 GB

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 18.7" W x 16.2" D x 17.2" H / 41.9 lb

**Maximum Monthly Duty Cycle:** 20,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.7A; 220-240V, 50Hz, 4.4A

**Typical Electricity Consumption (TEC):**

120V: 1510 Wh/week; 220-240V: 1472 Wh/week

**Maximum (Including Options):** 120V: 999 W; 220-240V: 982 W

**Copy / Printing:** 120V: 681 W; 220-240V: 661 W

**Ready Mode:** 120V: 21 W; 220-240V: 21 W

**Sleep Mode:** 120V: 1 W; 220-240V: 1 W

**Power Off:** 120V: 0.1 W; 220-240V: 0.1 W

## PRINT SPECIFICATIONS

**Standard Controller:** Cortex-A9 800MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL/PCL-5e), KPDL3, PDF, PDF Direct Printing, XPS, OpenXPS, TIFF, JPEG

**Fonts:** 93 Fonts PCL 6/KPDL3, 8 Fonts Windows/Vista, 1 Bitmap

**Windows OS Compatibility:** Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Linux

**Mac OS Compatibility:** Apple Macintosh OS X 10.5 or Later

**Interfaces:** 10/100/1000BaseTX, Hi-Speed USB 2.0, 1 USB Host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print, Mopria®

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6, NetBEUI, FTP, LPR, Port9100, AppleBonjour, IPP, WSD Print/Scan, DHCP, DNS, LDAP, SNMP, HTTP, SMTP, PDF Direct Print (Using KYOCERA NET Direct Print Utilities)

## HARNESS THE POWER OF YOUR ECOSYS MFPs WITH CUSTOMIZED BUSINESS APPLICATIONS



**KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.



**APPLE AIRPRINT:** Driverless printing from iOS and OS X products to select KYOCERA devices.



**COMMAND CENTER RX:** View toner levels, paper availability and device status via users' Web browser.



**PRESCRIBE:** Create, store and print frequently used forms directly from a KYOCERA printer.

## FAX SPECIFICATIONS

**Compatibility / Data Compression:**

ITU-T G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** 33.6 kbps

**Fax Memory:** 3.5 MB

**Fax Functions:** Simplex Transmission/Duplex Reception, Density Adjustment, Original Image Quality, Continuous Scan, Zoom In/Out, Timer Send, Direct Send, Polling Receive, Mixed Originals (Same Width)

## PAPER SUPPLY

**Standard Paper Sources:**

Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

**Standard / Maximum Paper Sources:**

2/4 Including Multipurpose Tray

**Standard / Maximum Paper Capacity:** 350 Sheets / 850 Sheets

**Paper Size:** Standard / Optional / MPT Drawers:

Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Paper Weight:** Standard / Optional Drawers: 16 lb Bond - 90 lb Index (60 - 163gsm); MPT: 16 lb Bond - 120 lb Index (60 - 220gsm)

**Standard Output Tray Capacity:** 150 Sheets

**Input Materials:** Standard / Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Velum, Rough Paper, Letterhead; MPT: Plain Paper, Labels, Bond Paper, Recycled Paper, Velum, Letterhead, OHP, Envelopes

## PAPER HANDLING OPTIONS

**PF-1100:** Paper Feed Cassette (250 Sheets x 2)

**Paper Size / Weight:**

Statement to Legal (5.5" x 8.5" - 8.5" x 14") / 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 14.8" W x 15.5" D x 3.9" H / 6.4 lbs

## ADDITIONAL OPTIONS

**Memory:** 512 MB DIMM Memory, 1 GB DIMM Memory

**Print Management:** ThinPrint (UG-33)

**Security:** Card Authentication Kit(B)

**Keyboard:** USB Keyboard

**SD Card:** 16/32

**Note:**

<sup>1</sup>Requires Optional SD Card

<sup>2</sup>Requires Optional Memory

Specifications and design are subject to change without notice.  
For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com).  
ECOSYS, Prescribe, Command Center RX and KYOCERA Mobile Print are trademarks of the KYOCERA Companies.  
Apple, Mac and AirPrint are registered trademarks of Apple, Inc.  
All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2017 KYOCERA Document Solutions America, Inc.  
IC# 855D400503





› PRINT › COPY › COLOR SCAN

## ECOSYS M2040dn

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



GOOD DESIGN  
AWARD 2016

The **ECOSYS M2040dn** monochrome multifunctional printer offers exceptional print quality and advanced features in a desktop device designed for the budget conscious business. Easy to use, its exceptional reliability, low TCO and ECOSYS long life consumables will ensure maximum uptime, while On-The-Go printing and scanning capabilities will provide users with anytime, anywhere accessibility. With print speeds up to 42 ppm, advanced security features and convenient walk-up USB accessibility, the ECOSYS M2040dn can affordably take your business processes to the next level.

- › Black and White Business Output up to 42 Pages per Minute
- › 5 Line LCD Screen with Hard Key Control Panel
- › Up to Fine 1200 dpi Print Resolution
- › Standard 50 Sheet Dual Scan Document Processor
- › KYOCERA Mobile Print, Apple AirPrint®, Google Cloud Print™ and Mopria®
- › Upgradable Memory for Additional Processing Power
- › Up to 850 Sheets Paper Capacity

## ECOSYS TECHNOLOGY

Kyocera ECOSYS MFPs provide advanced office solutions that enable businesses to achieve fast return-on-investment, with minimal impact on the environment. Specifically, ECOSYS MFPs utilize imaging technology that is comprised of our patented long-life drum and separate toner cartridges. This eliminates drum replacement when toner is depleted, reducing both cost-per-print and landfill waste. As such, Kyocera's best-in-class ECOSYS MFPs support our customers' sustainability initiatives—while driving down operating costs.

## BASIC SPECIFICATIONS

**Configuration:** Multifunctional Printer - Print / Color Scan / Copy

**Pages per Minute:** Letter: 42 ppm; Legal: 34 ppm; A4: 40 ppm

**Display:** 5 Line LCD Screen with Hard Key Control Panel

**Warm Up Time:**

20 Seconds or Less (Power On), 10 Seconds or Less From Sleep

**First Page Out Time:** Copy / Print: 6.4 Seconds or Less

**Resolution:** 600 x 600 dpi, 300 x 300 dpi, Fine 1200 dpi

**Memory:** Standard: 512 MB, Upgradable to 1.5 GB

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 18.7" W x 16.2" D x 17.2" H / 41.9 lb

**Maximum Monthly Duty Cycle:** 50,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.7A; 220-240V, 50Hz, 4.4A

**Typical Electricity Consumption (TEC):**

120V: 1743 Wh/week; 220-240V: 1661 Wh/week

**Maximum (Including Options):** 120V: 1007 W; 220-240V: 990 W

**Copy / Printing:** 120V: 681 W; 220-240V: 661 W

**Ready Mode:** 120V: 21 W; 220-240V: 21 W

**Sleep Mode:** 120V: 1 W; 220-240V: 1 W

**Power Off:** 120V: 0.1 W; 220-240V: 0.1 W

## PRINT SPECIFICATIONS

**Standard Controller:** Cortex-A9 800MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL/PCL-5e), KPDL3, PDF, PDF Direct Printing, XPS, OpenXPS, TIFF, JPEG

**Fonts:** 93 Fonts PCL 6/KPDL3, 8 Fonts Windows/Vista, 1 Bitmap

**Windows OS Compatibility:** Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Linux

**Mac OS Compatibility:** Apple Macintosh OS X 10.5 or Later

**Interfaces:** 10/100/1000BaseTX, Hi-Speed USB 2.0, 1 USB Host

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print, Mopria®

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6, NetBEUI, FTP, LPR, Port9100, AppleBonjour, IPP, WSD Print/Scan, DHCP, DNS, LDAP, SNMP, HTTP, SMTP, PDF Direct Print (Using KYOCERA NET Direct Print Utilities)

**Drivers:** KX Driver, KX(XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, MAC Driver, Linux Driver

**Utilities:** KYOCERA Net Direct Print, File Management Utility, KYOCERA Mobile Print, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, Maintenance Menu, KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Configuration Tool

**Additional Print Features:** EcoPrint; Private Print; Proof and Hold; Quick Copy<sup>1</sup> and Job Storage<sup>1</sup>

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, HTTPS, LDAP over SSL, SNMPv3, IPPoverSSL, FTPoverSSL

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:**

600 dpi x 600 dpi, 400 dpi x 400 dpi, 300 dpi x 300 dpi,

200 dpi x 400 dpi, 200 dpi x 200 dpi, 200 dpi x 100 dpi

**Scanning Functions:** Scan to Folder SMB, Scan to Email, Scan to FTP, WSD-SCAN Send, Scan to USB, TWAIN/WIA

**File Formats:** TIFF (Compressed MMR/JPEG), PDF (Compressed MMR/JPEG), XPS, JPEG, PDF (Highly Compressed), PDF/A-1

**Scan Speeds: Simplex BW/Color:** @300 dpi - 40 ipm / 23 ipm; @600 dpi - 18 ipm / 7 ipm

**Duplex BW/Color:** @300 dpi - 32 ipm / 16 ipm

**Max Original Size DP / Glass:** Legal (8.5" x 14")

## COPY SPECIFICATIONS

**Image Mode:** Text & Photo, Text, Photo, Map

**Continuous Copy:** Std/Max: 250 / 999<sup>2</sup>

**Job Management:** Job Accounting, 100 Department Codes, 4 Program Keys, 2 Shortcut Keys

**Magnification / Zoom:** 100%, Auto Zoom, Full Size, 7 Reduction, 5 Enlargement, Preset Ratios, 25 - 400% in 1% Step Increments

**Additional Features:** Auto Color Select (ACS), Auto Zoom, Auto Duplex, Blank Page Skip, Continuous Scan

## HARNESS THE POWER OF YOUR ECOSYS MFPs WITH CUSTOMIZED BUSINESS APPLICATIONS



**KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.



**APPLE AIRPRINT:** Driverless printing from iOS and OS X products to select KYOCERA devices.



**COMMAND CENTER RX:** View toner levels, paper availability and device status via users' Web browser.



**PRESCRIBE:** Create, store and print frequently used forms directly from a KYOCERA printer.

## DOCUMENT PROCESSOR

**Type / Capacity:** Dual Scan Document Processor (DSDP) / 50 Sheets

**Acceptable Originals:** Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Acceptable Weights:**

Simplex / Duplex : 13 - 42 lb Bond (50 - 160gsm)

## PAPER SUPPLY

**Standard Paper Sources:**

Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

**Standard / Maximum Paper Sources:**

2 / 4 Including Multipurpose Tray

**Standard / Maximum Paper Capacity:** 350 Sheets / 850 Sheets

**Paper Size:** Standard / Optional / MPT Drawers:

Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Paper Weight:** Standard / Optional Drawers: 16 lb Bond - 90 lb

Index (60 - 163gsm); MPT: 16 lb Bond - 120 lb Index (60 - 220gsm)

**Standard Output Tray Capacity:** 150 Sheets

**Input Materials:** Standard / Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Velum, Rough Paper, Letterhead; MPT: Plain Paper, Labels, Bond Paper, Recycled Paper, Velum, Letterhead, OHP, Envelopes

## PAPER HANDLING OPTIONS

**PF-1100:** Paper Feed Cassette (250 Sheets x 2)

**Paper Size / Weight:**

Statement to Legal (5.5" x 8.5" - 8.5" x 14") / 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 14.8" W x 15.5" D x 3.9" H / 6.4 lbs

## ADDITIONAL OPTIONS

**Memory:** 512 MB DIMM Memory, 1 GB DIMM Memory

**Print Management:** ThinPrint (UG-33)

**Security:** Card Authentication Kit(B)

**Keyboard:** USB Keyboard

**SD Card:** 16/32

**Note:**

<sup>1</sup>Requires Optional SD Card

<sup>2</sup>Requires Optional Memory

Specifications and design are subject to change without notice.  
For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com).  
ECOSYS, Prescribe, Command Center RX and KYOCERA Mobile Print are trademarks of the KYOCERA Companies.  
Apple, Mac and AirPrint are registered trademarks of Apple, Inc.  
All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2017 KYOCERA Document Solutions America, Inc.  
IC# 855D400501







› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M2540dw

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



GOOD DESIGN  
AWARD 2016

The **ECOSYS M2540dw** combines exceptional print quality with advanced features in a monochrome multifunctional printer designed for the budget conscious business. Easily copy, print, scan and fax from a device that offers reliability, low TCO and ECOSYS long life consumables. Workgroups can easily drive their business from anywhere, with wireless functionality and On-The-Go printing/scanning capabilities. Add to this print speeds up to 42 ppm, advanced security features, and convenient walk-up USB accessibility, and you'll see why the ECOSYS M2540dw can affordably take your business processes to the next level.

- › Black and White Business Output up to 42 Pages per Minute
- › 5 Line LCD Screen with Hard Key Control Panel
- › Up to Fine 1200 dpi Print Resolution
- › Standard 50 Sheet Dual Scan Document Processor
- › Standard Wireless and Wi-Fi Direct Capability
- › KYOCERA Mobile Print, Apple AirPrint®, Google Cloud Print™ and Mopria®
- › Upgradable Memory for Additional Processing Power
- › Up to 850 Sheets Paper Capacity

# ECOSYS M2540dw

## ECOSYS TECHNOLOGY

Kyocera ECOSYS MFPs provide advanced office solutions that enable businesses to achieve fast return-on-investment, with minimal impact on the environment. Specifically, ECOSYS MFPs utilize imaging technology that is comprised of our patented long-life drum and separate toner cartridges. This eliminates drum replacement when toner is depleted, reducing both cost-per-print and landfill waste. As such, Kyocera's best-in-class ECOSYS MFPs support our customers' sustainability initiatives—while driving down operating costs.

### BASIC SPECIFICATIONS

**Configuration:** Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 42 ppm; Legal: 34 ppm; A4: 40 ppm

**Display:** 5 Line LCD Screen with Hard Key Control Panel

**Warm Up Time:**

20 Seconds or Less (Power On), 10 Seconds or Less From Sleep

**First Page Out Time:** Copy / Print: 6.4 Seconds or Less

**Resolution:** 600 x 600 dpi, 300 x 300 dpi, Fine 1200 dpi

**Memory:** Standard: 512 MB, Upgradable to 1.5 GB

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 18.7" W x 16.2" D x 17.2" H / 41.9 lb

**Maximum Monthly Duty Cycle:** 50,000 Pages per Month

### POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.7A; 220-240V, 50Hz, 4.4A

**Typical Electricity Consumption (TEC):**

120V: 1743 Wh/week; 220-240V: 1661 Wh/week

**Maximum (Including Options):** 120V: 1007 W; 220-240V: 990 W

**Copy / Printing:** 120V: 681 W; 220-240V: 661 W

**Ready Mode:** 120V: 21 W; 220-240V: 21 W

**Sleep Mode:** 120V: 1 W; 220-240V: 1 W

**Power Off:** 120V: 0.1 W; 220-240V: 0.1 W

### PRINT SPECIFICATIONS

**Standard Controller:** Cortex-A9 800MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL/PCL-5e), KPDL3, PDF, PDF Direct Printing, XPS, OpenXPS, TIFF, JPEG

**Fonts:** 93 Fonts PCL 6/KPDL3, 8 Fonts Windows/Vista, 1 Bitmap

**Windows OS Compatibility:** Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Linux

**Mac OS Compatibility:** Apple Macintosh OS X 10.5 or Later

**Interfaces:** 10/100/1000BaseTX, Hi-Speed USB 2.0, 1 USB Host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print, Mopria®

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6, NetBEUI, FTP, LPR, Port9100, AppleBonjour, IPP, WSD Print/Scan, DHCP, DNS, LDAP, SNMP, HTTP, SMTP, PDF Direct Print (Using KYOCERA NET Direct Print Utilities)

## HARNESS THE POWER OF YOUR ECOSYS MFPs WITH CUSTOMIZED BUSINESS APPLICATIONS



**KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.



**APPLE AIRPRINT:** Driverless printing from iOS and OS X products to select KYOCERA devices.



**COMMAND CENTER RX:** View toner levels, paper availability and device status via users' Web browser.



**PRESCRIBE:** Create, store and print frequently used forms directly from a KYOCERA printer.

### FAX SPECIFICATIONS

**Compatibility / Data Compression:**

ITU-T G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** 33.6 kbps

**Fax Memory:** 3.5 MB

**Fax Functions:** Duplex Transmission/Reception, Density Adjustment, Original Image Quality, Continuous Scan, Zoom In/Out, Timer Send, Direct Send, Polling Receive, Mixed Originals (Same Width)

### PAPER SUPPLY

**Standard Paper Sources:**

Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

**Standard / Maximum Paper Sources:**

2 / 4 Including Multipurpose Tray

**Standard / Maximum Paper Capacity:** 350 Sheets / 850 Sheets

**Paper Size:** Standard / Optional / MPT Drawers:

Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Paper Weight:** Standard / Optional Drawers: 16 lb Bond - 90 lb Index (60 - 163gsm); MPT: 16 lb Bond - 120 lb Index (60 - 220gsm)

**Standard Output Tray Capacity:** 150 Sheets

**Input Materials:** Standard / Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Velum, Rough Paper, Letterhead; MPT: Plain Paper, Labels, Bond Paper, Recycled Paper, Velum, Letterhead, OHP, Envelopes

### PAPER HANDLING OPTIONS

**PF-1100:** Paper Feed Cassette (250 Sheets x 2)

**Paper Size / Weight:**

Statement to Legal (5.5" x 8.5" - 8.5" x 14") / 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 14.8" W x 15.5" D x 3.9" H / 6.4 lbs

### ADDITIONAL OPTIONS

**Memory:** 512 MB DIMM Memory, 1 GB DIMM Memory

**Print Management:** ThinPrint (UG-33)

**Security:** Card Authentication Kit(B)

**Keyboard:** USB Keyboard

**SD Card:** 16/32

**Note:**

<sup>1</sup>Requires Optional SD Card

<sup>2</sup>Requires Optional Memory

Specifications and design are subject to change without notice. For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com). ECOSYS, Prescribe, Command Center RX and KYOCERA Mobile Print are trademarks of the KYOCERA Companies. Apple, Mac and AirPrint are registered trademarks of Apple, Inc. All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2017 KYOCERA Document Solutions America, Inc.  
IC# 855D400500





› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M2640idw

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



GOOD DESIGN  
AWARD 2016

The **ECOSYS M2640idw** packs power and capabilities in a monochrome desktop multifunctional printer, with advanced features that make it ideal for the budget conscious business. It combines exceptional print quality, reliability and low TCO with ECOSYS long life consumables. On-The-Go printing/scanning capabilities and wireless functionality allow workgroups to easily drive their business from anywhere. With print speeds up to 42 ppm, HyPAS capability, advanced security features, convenient walk-up USB accessibility and an easy-to-use tablet-like touch screen, the ECOSYS M2640idw can affordably take your business processes to the next level.

- › Black and White Business Output up to 42 Pages per Minute
- › 4.3" Color Touch Screen with Tablet-Like Home Screen
- › HyPAS Capable to Run Kyocera Business Applications
- › Up to Fine 1200 dpi Print Resolution
- › Standard 50 Sheet Dual Scan Document Processor
- › Standard Wireless and Wi-Fi Direct Capability
- › KYOCERA Mobile Print, Apple AirPrint®, Google Cloud Print™ and Mopria®
- › Upgradable Memory for Additional Processing Power
- › Up to 850 Sheets Paper Capacity

## ECOSYS TECHNOLOGY

Kyocera ECOSYS MFPs provide advanced office solutions that enable businesses to achieve fast return-on-investment, with minimal impact on the environment. Specifically, ECOSYS MFPs utilize imaging technology that is comprised of our patented long-life drum and separate toner cartridges. This eliminates drum replacement when toner is depleted, reducing both cost-per-print and landfill waste. As such, Kyocera's best-in-class ECOSYS MFPs support our customers' sustainability initiatives—while driving down operating costs.

## BASIC SPECIFICATIONS

**Configuration:** Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 42 ppm; Legal: 34 ppm; A4: 40 ppm

**Display:** 4.3" Color Touch Screen Control Panel (TSI)

**Warm Up Time:**

20 Seconds or Less (Power On), 10 Seconds or Less From Sleep

**First Page Out Time:** Copy / Print: 6.4 Seconds or Less

**Resolution:** 600 x 600 dpi, 300 x 300 dpi, Fine 1200 dpi

**Memory:** Standard: 512 MB, Upgradable to 1.5 GB

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 18.7" W x 16.2" D x 17.2" H / 41.9 lb

**Maximum Monthly Duty Cycle:** 50,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.7A; 220-240V, 50Hz, 4.4A

**Typical Electricity Consumption (TEC):**

120V: 1725 Wh/week; 220-240V: 1739 Wh/week

**Maximum (Including Options):** 120V: 1007 W; 220-240V: 990 W

**Copy / Printing:** 120V: 681 W; 220-240V: 661 W

**Ready Mode:** 120V: 21 W; 220-240V: 21 W

**Sleep Mode:** 120V: 1 W; 220-240V: 1 W

**Power Off:** 120V: 0.1 W; 220-240V: 0.1 W

## PRINT SPECIFICATIONS

**Standard Controller:** Cortex-A9 800MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL/PCL-5e), KPDL3, PDF, PDF Direct Printing, XPS, OpenXPS, TIFF, JPEG

**Fonts:** 93 Fonts PCL 6/KPDL3, 8 Fonts Windows/Vista, 1 Bitmap

**Windows OS Compatibility:** Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Linux

**Mac OS Compatibility:** Apple Macintosh OS X 10.5 or Later

**Interfaces:** 10/100/1000BaseTX, Hi-Speed USB 2.0, 1 USB Host, Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print, Mopria®

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6, NetBEUI, FTP, LPR, Port9100, AppleBonjour, IPP, WSD Print/Scan, DHCP, DNS, LDAP, SNMP, HTTP, SMTP, PDF Direct Print (Using KYOCERA NET Direct Print Utilities)

**Drivers:** KX Driver, KX(XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, MAC Driver, Linux Driver

**Utilities:** KYOCERA Net Direct Print, File Management Utility, KYOCERA Mobile Print, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, Maintenance Menu, KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool, Configuration Tool

**Additional Print Features:** EcoPrint; Private Print; Proof and Hold; Quick Copy<sup>1</sup> and Job Storage<sup>1</sup>

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, HTTPS, LDAP over SSL, SNMPv3, IPPoverSSL, FTPoverSSL

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:**

600 dpi x 600 dpi, 400 dpi x 400 dpi, 300 dpi x 300 dpi,

200 dpi x 400 dpi, 200 dpi x 200 dpi, 200 dpi x 100 dpi

**Scanning Functions:** Scan to Folder SMB, Scan to Email, Scan to FTP, WSD-SCAN Send, Scan to USB, TWAIN/WIA

**File Formats:** TIFF (Compressed MMR/JPEG), PDF (Compressed MMR/JPEG), XPS, JPEG, PDF (Highly Compressed), PDF/A-1

**Scan Speeds: Simplex BW/Color:** @300 dpi - 40 ipm / 23 ipm;

@600 dpi - 18 ipm / 7 ipm

**Duplex BW/Color:** @300 dpi - 32 ipm / 16 ipm

**Max Original Size DP / Glass:** Legal (8.5" x 14")

## COPY SPECIFICATIONS

**Image Mode:** Text & Photo, Text, Photo, Map

**Continuous Copy:** Std/Max: 250 / 999<sup>2</sup>

**Job Management:** Job Accounting, 100 Department Codes, 20 Program Keys, 2 Shortcut Keys

**Magnification / Zoom:** 100%, Auto Zoom, Full Size, 7 Reduction, 5 Enlargement, Preset Ratios, 25 - 400% in 1% Step Increments

**Additional Features:** Auto Color Select (ACS), Auto Zoom, Auto Duplex, Blank Page Skip, Continuous Scan

## DOCUMENT PROCESSOR

**Type / Capacity:** Dual Scan Document Processor (DSDP) / 50 Sheets

**Acceptable Originals:** Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Acceptable Weights:**

Simplex / Duplex: 13 - 42 lb Bond (50 - 160gsm)

## HARNESS THE POWER OF YOUR ECOSYS MFPs WITH CUSTOMIZED BUSINESS APPLICATIONS



**KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.



**DMCONNECT:** Transforms your MFP into an on-ramp for routing documents to any folder in your DMS.



**PINPOINT SCAN 3:** Scan from your MFP to your PC with added speed, functions and versatility.



**SHAREPOINT CONNECTOR:** Enhance collaboration utilizing your KYOCERA MFPs and your existing Microsoft SharePoint Server.

## FAX SPECIFICATIONS

**Compatibility / Data Compression:**

ITU-T G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** 33.6 kbps

**Fax Memory:** 3.5 MB

**Fax Functions:** Duplex Transmission/Reception, Density Adjustment, Original Image Quality, Continuous Scan, Zoom In/Out, Timer Send, Direct Send, Polling Receive, Mixed Originals (Same Width)

## PAPER SUPPLY

**Standard Paper Sources:**

Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

**Standard / Maximum Paper Sources:**

2 / 4 Including Multipurpose Tray

**Standard / Maximum Paper Capacity:** 350 Sheets / 850 Sheets

**Paper Size:** Standard / Optional / MPT Drawers:

Statement to Legal (5.5" x 8.5" - 8.5" x 14")

**Paper Weight:** Standard / Optional Drawers: 16 lb Bond - 90 lb Index (60 - 163gsm); MPT: 16 lb Bond - 120 lb Index (60 - 220gsm)

**Standard Output Tray Capacity:** 150 Sheets

**Input Materials:** Standard / Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Velum, Rough Paper, Letterhead; MPT: Plain Paper, Labels, Bond Paper, Recycled Paper, Velum, Letterhead, OHP, Envelopes

## PAPER HANDLING OPTIONS

**PF-1100:** Paper Feed Cassette (250 Sheets x 2)

**Paper Size / Weight:**

Statement to Legal (5.5" x 8.5" - 8.5" x 14") / 16 lb Bond - 90 lb Index (60 - 163gsm)

**Dimensions / Weight:** 14.8" W x 15.5" D x 3.9" H / 6.4 lbs

## ADDITIONAL OPTIONS

**HyPAS Capable:** Requires Optional Memory and SD Card

**Memory:** 512 MB DIMM Memory, 1 GB DIMM Memory

**Print Management:** ThinPrint (UG-33)

**Security:** Card Authentication Kit(B)

**Keyboard:** USB Keyboard

**SD Card:** 16/32

**Note:**

<sup>1</sup>Requires Optional SD Card

<sup>2</sup>Requires Optional Memory

Specifications and design are subject to change without notice. For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com). ECOSYS, Prescribe, Command Center RX and KYOCERA Mobile Print are trademarks of the KYOCERA Companies. Apple, Mac and AirPrint are registered trademarks of Apple, Inc. All other trademarks are the property of their respective owners

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2017 KYOCERA Document Solutions America, Inc.  
IC # 855D400502





› PRINT › COPY › COLOR SCAN

## ECOSYS M3040idn

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



The **ECOSYS M3040idn** provides small to midsized businesses with powerful document imaging capabilities. It offers the standard features you expect, including 42 ppm crisp black and white printing, copying and color scanning, but its capabilities extend far beyond that. A 7" color touch screen control panel redefines job efficiency by storing your routine tasks. It also streamlines access to business applications that bring added capabilities to your document workflows. Optional wireless and standard mobile printing and scanning capabilities enable access wherever your business takes you. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- › Fast Output Speed of 42 Pages per Minute
- › Standard Print, Copy and Color Scan
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution



## ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

## BASIC SPECIFICATIONS

**Configuration:** Black & White Multifunctional Printer - Print / Color Scan / Copy

**Pages per Minute:** Letter: 42 ppm, Legal: 33 ppm, A4: 40 ppm

**Warm Up Time:** 21 seconds or less from main power on

### First Page Out:

Copy: 9 Seconds or less;

Print: 9 Seconds or less

**Display:** 7" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution

**Memory:** Standard 1 GB, Upgradable to 2 GB

**Hard Disk Drive:** Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)

**Standard Output Tray:** Statement - Legal; 250 Sheets

**Dimensions / Weight:** 18.7" W x 17.9" D x 22.6" H / 48.5 lbs

**Maximum Monthly Duty Cycle:** 150,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.4A; 220-240V, 50/60Hz, 4.4A

**Maximum (including options):** 120V: 1,080 W; 220-240V: 1,146 W

**Printing:** 120V: 652 W; 220-240V: 684 W

**Ready Mode:** 120V: 55.9 W; 220-240V: 60.6 W

**Sleep Mode:** 120V: 2.6 W; 220-240V: 2.4 W

**Power Off:** 120V: 0.5 W; 220-240V: 0.5 W

## PAPER SUPPLY

**Standard Paper Sources:** Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

**Optional Paper Sources:** Up to four (4) optional 500 Sheet Paper Drawers (PF-320) can be added

**Paper Capacity:** Standard: 600 Sheets; Maximum: 2,600 Sheets

### Paper Size:

Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal);

MPT: 2.8" x 5.8" - 8.5" x 14"

### Paper Weight:

Standard Drawer: 16 - 32 lb Bond (60-120gsm);

MPT: 16 lb Bond - 120 lb Index (60-220gsm)

### Input Materials:

Standard Drawer: Plain Paper, Bond Paper, Recycled Paper;

Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes;

MPT: Cardstock, Transparencies, Labels, Envelopes

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

**Optional:** Data Security Kit (E), HDD Overwrite Mode, HDD Data Encryption

## PRINT SPECIFICATIONS

**Standard Controller:** PowerPC 465S / 667MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS

**Fonts:** 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font

**Windows OS Compatibility:** Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

**Mac OS Compatibility:** Mac OS 10.5 and later, AirPrint Enabled

### Interfaces:

Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0,

2 USB Host Interfaces, 1 Expansions Slot;

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC);

Optional IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

**Document Box:** Job Box for RAM based Private Print, Proof and Hold, Job Storage\*, Quick Copy\*, Removable Memory for Print-From / Scan-To USB

**PDF Extension:** High Compression PDF, PDF/A, Encrypted PDF

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi

### File Formats:

Black and White: TIFF, XPS, PDF;

Color: TIFF, JPEG, XPS, PDF

### Scan Speeds:

Mono: 300 dpi - 42 ipm Simplex; 18 ipm Duplex;

600 dpi - 32 ipm Simplex; 14 ipm Duplex;

Color: 300 dpi - 32 ipm Simplex; 14 ipm Duplex;

600 dpi - 21 ipm Simplex; 9 ipm Duplex

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP; Hi-Speed USB 2.0

## HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



**PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.



**DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



**KYOCERA HOMEPPOINT:** Securely browse document folders from any networked KYOCERA MFP.



**ACCUSENDER:** A simple, secure way to send large scanned documents to multiple destinations via e-mail from select KYOCERA MFPs.

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

### Original Size:

Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

**Drivers:** TWAIN Driver, WIA Driver

## COPY SPECIFICATIONS

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs

**Job Management:** 100 Department Codes, Job Programs, Shortcut Keys

**Magnification / Zoom:** Full Size, 7 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1% step increments

## DOCUMENT PROCESSOR

**Type / Capacity:** Standard Reversing Automatic Document Processor / 75 Sheets

**Acceptable Originals:** 5.5" x 8.5" - 8.5" x 14"

**Acceptable Weights:** Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50 - 120gsm)

## PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

## PF-320 PAPER FEEDER

**Paper Capacity:** 500 Sheets

**Paper Size / Weight:** Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)

**Dimensions / Weight:** 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

## ADDITIONAL OPTIONS

**Memory:** 1 GB via 144 pin DDR3 SDRAM DIMM

**HDD:** HD-6: 32 GB SSD; HD-7: 128 GB SSD

**SD Card:** SDHC Card - 32G: 32 GB SD\*\*;

SDHC Card - 16G: 16 GB SD\*\*

**Wireless LAN:** IB-51: IEEE 802.11 b/g/n

**Additional NIC:** IB-50 Gigabit NIC

**Security:** Data Security Kit (E), Card Authentication Kit (B)

\*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

\*\*Optional SD Card Required for HyPAS Business Applications

Specifications and design are subject to change without notice.

For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us).

ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies.

Mac and AirPrint are trademarks of Apple, Inc.

Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2014 KYOCERA Document Solutions America, Inc.

IC# 855D400407





› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M3540idn

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



The **ECOSYS M3540idn** provides small to midsized businesses with powerful document imaging capabilities. It offers the standard features you expect, including 42 ppm crisp black and white printing, copying, fax and color scanning, but its capabilities extend far beyond that. A 7" color touch screen control panel redefines job efficiency by storing your routine tasks. It also streamlines access to business applications that bring added capabilities to your document workflows. Optional wireless and standard mobile printing and scanning capabilities enable access wherever your business takes you. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- › Fast Output Speed of 42 Pages per Minute
- › Standard Print, Copy, Color Scan and Fax
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution

## ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

## BASIC SPECIFICATIONS

**Configuration:** Black & White Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 42 ppm, Legal: 33 ppm, A4: 40 ppm

**Warm Up Time:** 21 seconds or less from main power on

**First Page Out:** Copy: 9 Seconds or less; Print: 9 Seconds or less

**Display:** 7" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution

**Memory:** Standard 1 GB, Upgradable to 2 GB

**Hard Disk Drive:** Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)

**Standard Output Tray:** Statement - Legal; 250 Sheets

**Dimensions / Weight:** 18.7" W x 17.9" D x 22.6" H / 48.5 lbs

**Maximum Monthly Duty Cycle:** 150,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 8.4A; 220-240V, 50/60Hz, 4.4A

**Maximum (including options):** 120V: 1,080 W; 220-240V: 1,146 W

**Printing:** 120V: 653 W; 220-240V: 685 W

**Ready Mode:** 120V: 56.9 W; 220-240V: 61.6 W

**Sleep Mode:** 120V: 2.6 W; 220-240V: 2.4 W

**Power Off:** 120V: 0.5 W; 220-240V: 0.5 W

## PAPER SUPPLY

**Standard Paper Sources:** Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

**Optional Paper Sources:** Up to four (4) optional 500 Sheet Paper Drawers (**PF-320**) can be added

**Paper Capacity:** Standard: 600 Sheets; Maximum: 2,600 Sheets

**Paper Size:** Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); MPT: 2.8" x 5.8" - 8.5" x 14"

**Paper Weight:** Standard Drawer: 16 - 32 lb Bond (60-120gsm); MPT: 16 lb Bond - 120 lb Index (60-220gsm)

## Input Materials:

Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Cardstock, Transparencies, Labels, Envelopes

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

**Optional:** Data Security Kit (E), HDD Overwrite Mode, HDD Data Encryption

Specifications and design are subject to change without notice. For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us). ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies. Mac and AirPrint are trademarks of Apple, Inc. Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.  
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA  
©2014 KYOCERA Document Solutions America, Inc.  
IC #855D400408

## HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



**PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.



**DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



**KYOCERA HOMEPOINT:** Securely browse document folders from any networked KYOCERA MFP.



**ACCUSENDER:** A simple, secure way to send large scanned documents to multiple destinations via e-mail from select KYOCERA MFPs.

## PRINT SPECIFICATIONS

**Standard Controller:** PowerPC 4655 / 667MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS

**Fonts:** 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font

**Windows OS Compatibility:** Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

**Mac OS Compatibility:** Mac OS 10.5 and later, AirPrint Enabled

## Interfaces:

Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot;

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC);

Optional IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

**Document Box:** Job Box for RAM based Private Print, Proof and Hold, Job Storage\*, Quick Copy\*, Removable Memory for Print-From / Scan-To USB

**PDF Extension:** High Compression PDF, PDF/A, Encrypted PDF

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi

## File Formats:

Black and White: TIFF, XPS, PDF;

Color: TIFF, JPEG, XPS, PDF

## Scan Speeds:

Mono: 300 dpi - 42 ipm Simplex; 18 ipm Duplex;

600 dpi - 32 ipm Simplex; 14 ipm Duplex;

Color: 300 dpi - 32 ipm Simplex; 14 ipm Duplex;

600 dpi - 21 ipm Simplex; 9 ipm Duplex

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP; Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

## Original Size:

Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

**Drivers:** TWAIN Driver, WIA Driver

## COPY SPECIFICATIONS

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs

**Job Management:** 100 Department Codes, Job Programs, Shortcut Keys

**Magnification / Zoom:** Full Size, 7 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1% step increments

## DOCUMENT PROCESSOR

**Type / Capacity:** Standard Reversing Automatic Document Processor / 75 Sheets

**Acceptable Originals:** 5.5" x 8.5" - 8.5" x 14"

**Acceptable Weights:** Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50-120gsm)

## FAX SPECIFICATIONS

**Compatibility / Data Compression:**

ITU-T Group 3 / MH, MR, MMR, JBIG

**Transmission Speed / Modem Speed:**

3 Seconds or less per page / 33.6 kbps

**Fax Memory:** 3.5 MB

**Driver:** Network Fax Driver

**Fax Functions:** Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

## PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

## PF-320 PAPER FEEDER

**Paper Capacity:** 500 Sheets

**Paper Size / Weight:** Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)

**Dimensions / Weight:** 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

## ADDITIONAL OPTIONS

**Memory:** 1 GB via 144 pin DDR3 SDRAM DIMM

**HDD:** HD-6: 32 GB SSD; HD-7: 128 GB SSD

**SD Card:** SDHC Card - 32G: 32 GB SD\*\*;  
SDHC Card - 16G: 16 GB SD\*\*

**Wireless LAN:** IB-51: IEEE 802.11 b/g/n

**Additional NIC:** IB-50 Gigabit NIC

**Security:** Data Security Kit (E), Card Authentication Kit (B)

\*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

\*\*Optional SD Card Required for HyPAS Business Applications





› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M3550idn

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



The **ECOSYS M3550idn** is a one-stop solution that streamlines document workflows while keeping your bottom line in check. Bringing multifunctional power and mobility to corporate workgroups, it combines crisp 52 ppm black and white output with fax and color scanning. A 7" customizable and tablet-like color touch screen redefines job efficiency by enabling easy storage of routine tasks as well as quick access to business applications that bring added capabilities to your document workflows. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- › Fast Output Speed of 52 Pages per Minute
- › Standard Print, Copy, Color Scan and Fax
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution



# ECOSYS M3550idn

## ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

## BASIC SPECIFICATIONS

**Configuration:** Black & White Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 52 ppm, Legal: 42 ppm, A4: 50 ppm

**Warm Up Time:** 21 seconds or less from main power on

**First Page Out:** Copy: 8 Seconds or less; Print: 8 Seconds or less

**Display:** 7" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution

**Memory:** Standard 1 GB, Upgradable to 2 GB

**Hard Disk Drive:** Optional HD-6 (32 GB SSD);

Optional HD-7 (128 GB SSD)

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)

**Standard Output Tray:** Statement - Legal; 500 Sheets

**Dimensions / Weight:** 18.7" W x 17.9" D x 23.2" H / 51.4 lbs

**Maximum Monthly Duty Cycle:** 250,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 10.4A; 220-240V, 50/60Hz, 5.2A

**Maximum (including options):** 120V: 1,342 W; 220-240V: 1,418 W

**Printing:** 120V: 809 W; 220-240V: 777 W

**Ready Mode:** 120V: 66.1 W; 220-240V: 70.8 W

**Sleep Mode:** 120V: 2.6 W; 220-240V: 2.4 W

**Power Off:** 120V: 0.5 W; 220-240V: 0.5 W

## PAPER SUPPLY

**Standard Paper Sources:** Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

**Optional Paper Sources:** Up to four (4) optional 500 Sheet Paper Drawers (PF-320) can be added

**Paper Capacity:** Standard: 600 Sheets; Maximum: 2,600 Sheets

**Paper Size:** Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); MPT: 2.8" x 5.8" - 8.5" x 14"

**Paper Weight:** Standard Drawer: 16 - 32 lb Bond (60-120gsm); MPT: 16 lb Bond - 120 lb Index (60-220gsm)

## Input Materials:

Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Cardstock, Transparencies, Labels, Envelopes

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

**Optional:** Data Security Kit (E), HDD Overwrite Mode, HDD Data Encryption

## PRINT SPECIFICATIONS

**Standard Controller:** PowerPC 465S / 667MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS

**Fonts:** 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font

**Windows OS Compatibility:** Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

**Mac OS Compatibility:** Mac OS 10.5 and later, AirPrint Enabled  
**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot; Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNT, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

**Document Box:** Job Box for RAM based Private Print, Proof and Hold, Job Storage\*, Quick Copy\*, Removable Memory for Print-From / Scan-To USB

**PDF Extension:** High Compression PDF, PDF/A, Encrypted PDF

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi

## File Formats:

Black and White: TIFF, XPS, PDF; Color: TIFF, JPEG, XPS, PDF

**Scan Speeds:** Mono: 300 dpi - 62 ipm Simplex; 27 ipm Duplex; 600 dpi - 42 ipm Simplex; 18 ipm Duplex; Color: 300 dpi - 42 ipm Simplex; 18 ipm Duplex; 600 dpi - 21 ipm Simplex; 9 ipm Duplex

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP; Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

**Original Size:** Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

**Drivers:** TWAIN Driver, WIA Driver

## COPY SPECIFICATIONS

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs

## HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



**PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.



**DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



**KYOCERA HOMEPPOINT:** Securely browse document folders from any networked KYOCERA MFP.



**ACCUSENDER:** A simple, secure way to send large scanned documents to multiple destinations via e-mail from select KYOCERA MFPs.

**Job Management:** 100 Department Codes, Job Programs, Shortcut Keys

**Magnification / Zoom:** Full Size, 7 Reduction, 5 Enlargement  
Preset Ratios, 25 - 400% in 1% step increments

## DOCUMENT PROCESSOR

**Type / Capacity:** Standard Reversing Automatic Document Processor / 75 Sheets

**Acceptable Originals:** 5.5" x 8.5" - 8.5" x 14"

**Acceptable Weights:** Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50-120gsm)

## FAX SPECIFICATIONS

**Compatibility / Data Compression:** ITU-T Group 3 / MH, MR, MMR, JBIG

**Transmission Speed / Modem Speed:** 3 Seconds or less per page / 33.6 kbps

**Fax Memory:** 3.5 MB

**Driver:** Network Fax Driver

**Fax Functions:** Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

## PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

## PF-320 PAPER FEEDER

**Paper Capacity:** 500 Sheets

**Paper Size / Weight:** Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)

**Dimensions / Weight:** 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

## PT-320 FACE UP TRAY

**Paper Capacity:** 250 Sheets

**Paper Size / Weight:** 8.5" x 11", 8.5" x 14" / Oficio2, A4, A5, B5, A6, Folio

**Dimensions / Weight:** 9.84" W x 12.99" D x 2.76" H / 0.63 lbs

## ADDITIONAL OPTIONS

**Memory:** 1 GB via 144 pin DDR3 SDRAM DIMM

**HDD:** HD-6: 32 GB SSD; HD-7: 128 GB SSD

**SD Card:** SDHC Card - 32G: 32 GB SD\*\*;  
SDHC Card - 16G: 16 GB SD\*\*

**Wireless LAN:** IB-51: IEEE 802.11 b/g/n

**Additional NIC:** IB-50 Gigabit NIC

**Security:** Data Security Kit (E), Card Authentication Kit (B)

\*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

\*\*Optional SD Card Required for HyPAS Business Applications

Specifications and design are subject to change without notice.

For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us).

ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies.

Mac and AirPrint are trademarks of Apple, Inc.

Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2014 KYOCERA Document Solutions America, Inc.

IC #855D400409







› PRINT › COPY › COLOR SCAN › FAX

## ECOSYS M3560idn

BLACK & WHITE MULTIFUNCTIONAL  
PRINTER



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



The **ECOSYS M3560idn** is a one-stop solution that streamlines document workflows while keeping your bottom line in check. Bringing multifunctional power and mobility to corporate workgroups, it combines crisp 62 ppm black and white output with fax and color scanning. A 7" customizable and tablet-like color touch screen redefines job efficiency by enabling easy storage of routine tasks as well as quick access to business applications that bring added capabilities to your document workflows. As importantly, ECOSYS long life consumables and an impressive drum yield deliver the economical and ecological solution making this device the smart choice for your business.

- › Fast Output Speed of 62 Pages per Minute
- › Standard Print, Copy, Color Scan and Fax
- › Standard 75 Sheet Document Processor
- › KYOCERA Business Applications Capable
- › Standard 7" Color Touch Screen with Tablet-Like Home Screen
- › ECOSYS Long Life Consumables
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Wireless Printing Capable
- › Apple AirPrint™ Enabled for a Mobile Printing Solution

## ECOSYS TECHNOLOGY

KYOCERA's objective is to manufacture superior products with a low Total Cost of Ownership (TCO) and minimize the impact on the environment. ECOSYS printers incorporate a patented long life drum which is separate from the toner container, eliminating drum replacement when toner is depleted – and reducing landfill waste. ECOSYS printers provide a printing solution that incorporates long life consumables and one of the lowest costs per print. The operating costs of traditional cartridge-based printers can easily exceed many times the original purchase price during the life of the product.

## BASIC SPECIFICATIONS

**Configuration:** Black & White Multifunctional Printer - Print / Color Scan / Copy / Fax

**Pages per Minute:** Letter: 62 ppm, Legal: 50 ppm, A4: 60 ppm

**Warm Up Time:** 25 seconds or less from main power on

**First Page Out:** Copy: 8 Seconds or less; Print: 8 Seconds or less

**Display:** 7" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi, 1,800 x 600 multi bit interpolated resolution

**Memory:** Standard 1 GB, Upgradable to 2 GB

**Hard Disk Drive:** Optional **HD-6** (32 GB SSD);

Optional **HD-7** (128 GB SSD)

**Duplex:** Standard Stackless Duplex Supports Statement to Legal (5.5" x 8.5" - 8.5" x 14"), 16 - 32 lb Bond (60-120gsm)

**Standard Output Tray:** Statement - Legal; 500 Sheets

**Dimensions / Weight:** 18.7" W x 17.9" D x 23.2" H / 51.4 lbs

**Maximum Monthly Duty Cycle:** 275,000 Pages per Month

## POWER CONSUMPTION

**Electrical Requirements:** 120V, 60Hz, 10.4A; 220-240V, 50/60Hz, 5.2A

**Maximum (including options):** 120V: 1,355 W; 220-240V: 1,436 W

**Printing:** 120V: 927 W; 220-240V: 803 W

**Ready Mode:** 120V: 66.1 W; 220-240V: 70.8 W

**Sleep Mode:** 120V: 2.6 W; 220-240V: 2.4 W

**Power Off:** 120V: 0.5 W; 220-240V: 0.5 W

## PAPER SUPPLY

**Standard Paper Sources:** Single 500 Sheet Drawer, 100 Sheet Multipurpose Tray

**Optional Paper Sources:** Up to four (4) optional 500 Sheet Paper Drawers (**PF-320**) can be added

**Paper Capacity:** Standard: 600 Sheets; Maximum: 2,600 Sheets

**Paper Size:** Drawers: 5.5" x 8.5" - 8.5" x 14" (Statement to Legal); MPT: 2.8" x 5.8" - 8.5" x 14"

**Paper Weight:** Standard Drawer: 16 - 32 lb Bond (60-120gsm); MPT: 16 lb Bond - 120 lb Index (60-220gsm)

### Input Materials:

Standard Drawer: Plain Paper, Bond Paper, Recycled Paper; Optional Drawers: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Cardstock, Transparencies, Labels, Envelopes

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS, FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS, LDAP over SSL/TLS

**Optional:** Data Security Kit (E), HDD Overwrite Mode, HDD Data Encryption

Specifications and design are subject to change without notice.

For the latest on connectivity visit [www.kyoceradocumentsolutions.com/us](http://www.kyoceradocumentsolutions.com/us). ECOSYS, PinPoint Scan, DMS Link, HomePOINT and AccuSender are trademarks of the KYOCERA Companies.

Mac and AirPrint are trademarks of Apple, Inc.

Other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2014 KYOCERA Document Solutions America, Inc.

IC# 855D400410

## HARNESS THE POWER OF YOUR ECOSYS MULTIFUNCTIONAL PRINTER WITH CUSTOMIZED BUSINESS APPLICATIONS



**PINPOINT SCAN:** Scan from your MFP to your PC with added speed, functions and versatility.



**DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.



**KYOCERA HOMEPOINT:** Securely browse document folders from any networked KYOCERA MFP.



**ACCUSENDER:** A simple, secure way to send large scanned documents to multiple destinations via e-mail from select KYOCERA MFPs.

## PRINT SPECIFICATIONS

**Standard Controller:** PowerPC 465S / 667MHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL5e/PCLXL), KPDL3 (PS3), XPS

**Fonts:** 93 Scalable Fonts for PCL/Postscript, 136 Fonts for KPDL3(PS3), 8 Fonts for Windows Vista, 1 Bitmap Font

**Windows OS Compatibility:** Windows XP/Vista/7/8/8.1/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2

**Mac OS Compatibility:** Mac OS 10.5 and later, AirPrint Enabled

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 1 Expansions Slot;

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC); Optional IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, IPv4, IPv6; HTTP, LPD, FTP, IPP, RawPort, LLTD, SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, Network Fax Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, KYOCERA Net Direct Print, Command Center RX

**Document Box:** Job Box for RAM based Private Print, Proof and Hold, Job Storage\*, Quick Copy\*, Removable Memory for Print-From / Scan-To USB

**PDF Extension:** High Compression PDF, PDF/A, Encrypted PDF

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600dpi, 400dpi, 300dpi, 200dpi, 200x400dpi, 200x100dpi

### File Formats:

Black and White: TIFF, XPS, PDF;  
Color: TIFF, JPEG, XPS, PDF

**Scan Speeds:** Mono: 300 dpi - 62 ipm Simplex; 27 ipm Duplex;

600 dpi - 42 ipm Simplex; 18 ipm Duplex;

Color: 300 dpi - 42 ipm Simplex; 18 ipm Duplex;

600 dpi - 21 ipm Simplex; 9 ipm Duplex

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP; Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN/WIA Scan

**Original Size:** Through DP: Statement to Legal (5.5" x 8.5" - 8.5" x 14"); Glass: up to 8.5" x 14"

**Drivers:** TWAIN Driver, WIA Driver

## COPY SPECIFICATIONS

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Priority Copy, Job Programs

**Job Management:** 100 Department Codes, Job Programs, Shortcut Keys

**Magnification / Zoom:** Full Size, 7 Reduction, 5 Enlargement  
Preset Ratios, 25 - 400% in 1% step increments

## DOCUMENT PROCESSOR

**Type / Capacity:** Standard Reversing Automatic Document Processor / 75 Sheets

**Acceptable Originals:** 5.5" x 8.5" - 8.5" x 14"

**Acceptable Weights:** Simplex: 13 - 32 lb Bond (50-120gsm), Duplex 13 - 32 lb Bond (50-120gsm)

## FAX SPECIFICATIONS

**Compatibility / Data Compression:**

ITU-T Group 3 / MH, MR, MMR, JBIG

**Transmission Speed / Modem Speed:**

3 Seconds or less per page / 33.6 kbps

**Fax Memory:** 3.5 MB

**Driver:** Network Fax Driver

**Fax Functions:** Duplex Transmission/Reception, One Touch Dial (100 numbers), FAX/TEL Switching, Sequential Broadcast (up to 100 parties), Quick Dial (200 numbers), Fax Reports

## PAPER HANDLING OPTIONS

Up to four (4) PF-320 Drawers can be installed

### PF-320 PAPER FEEDER

**Paper Capacity:** 500 Sheets

**Paper Size / Weight:** Letter, Legal, A4, A5, B5 / 16 - 32 lb Bond (60-120gsm)

**Dimensions / Weight:** 14.96" W x 16.14" D x 4.76" H / 8.82 lbs (380 x 410 x 121 mm / 4.0 kg)

### PT-320 FACE UP TRAY

**Paper Capacity:** 250 Sheets

**Paper Size / Weight:** 8.5" x 11", 8.5" x 14" / Oficio2, A4, A5, B5, A6, Folio

**Dimensions / Weight:** 9.84" W x 12.99" D x 2.76" H / 0.63 lbs

## ADDITIONAL OPTIONS

**Memory:** 1 GB via 144 pin DDR3 SDRAM DIMM

**HDD:** HD-6: 32 GB SSD; HD-7: 128 GB SSD

**SD Card:** SDHC Card - 32G: 32 GB SD\*\*;  
SDHC Card - 16G: 16 GB SD\*\*

**Wireless LAN:** IB-51: IEEE 802.11 b/g/n

**Additional NIC:** IB-50 Gigabit NIC

**Security:** Data Security Kit (E), Card Authentication Kit (B)

\*Optional HDD or Optional SD Card Required for Job Storage and Quick Copy

\*\*Optional SD Card Required for HyPAS Business Applications





› PRINT › COPY › SCAN › FAX

## ECOSYS M4125idn

BLACK & WHITE MULTIFUNCTIONAL  
SYSTEM



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



The **ECOSYS M4125idn** brings high-level functionality and quality black & white output to offices and workgroups looking for a small footprint MFP. Out-of-the-box performance offers print speeds up to 25 pages per minute and flexible paper sizes up to 11" x 17". Capabilities can be further enhanced with advanced business applications, enabling the device to scale to your unique needs. Designed with Kyocera's advanced ECOSYS technology, it delivers reliability and durability to eco-friendly offices, all with a low total cost of ownership, assuring your document imaging demands, and your bottom line, are satisfied.

- › Up to 25 Pages Per Minute in Black & White
- › Easy-to-Use 4.3" Color Touch Screen Interface
- › HyPAS Capable to Run Kyocera Business Applications
- › Print Quality up to Fine 1200 dpi
- › Paper Capacity up to 1,600 Sheets
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™, Mopria® and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › Easy to Install and Operate
- › Minimal Service Intervention Required
- › KYOCERA Fleet Services, a Secure Cloud-Based Monitoring System, Optimizes Device Uptime and Reduces Costs

## BASIC SPECIFICATIONS

**Configuration:** A3 B&W MFP – Print/Copy/Scan/Optional Fax

**Pages Per Minute:**

B&W - Letter: 25 ppm, Legal: 12 ppm, Ledger: 12 ppm

**Warm Up Time:** 21 sec

**First Page Out:** Print/Copy: 5.8 sec B&W

**Display:** 4.3" Color Touch Screen Control Panel

**Resolution:** 600 x 600 dpi; Fine 1200 dpi

**Memory (RAM):** Standard 1 GB, Upgradable to 3 GB

**Hard Disk Drive:**

Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

**Duplex:** Standard Stackless Duplex Supports Statement to Ledger,

16 lb Bond – 60 lb Cover (60 – 163gsm)

**Standard Output Tray:** Statement – Ledger / 250 Sheets

**Electrical Requirements:** 120V, 60Hz, 9.8A; 220-240V: 50Hz, 5.5A

**Typical Electricity Consumption (TEC):**

120V: 1.01 kWh/week; 220-240V: 0.96 kWh/week

**Dimensions:** 23.2" W x 23.2" D x 27.1" H

**Weight:** 108 lbs

**Maximum Monthly Duty Cycle:** 80,000 Pages Per Month

## PAPER SUPPLY

**Standard Paper Sources:** 500 Sheet Tray, 100 Sheet MPT

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-471**);

500 Sheet Tray + Cabinet Drawer (**PF-470**)

**Paper Capacity:** Standard: 600 Sheets; Maximum: 1,600 Sheets

**Paper Size:**

Trays/MPT: 5.5" x 8.5" - 11" x 17" (Statement to Ledger)

**Paper Weight:** Trays: 16 lb – 43 lb Bond (60 – 163gsm); MPT: 16 lb

Bond – 140 lb Index (45 – 256gsm)

**Input Materials:** Standard/Optional Tray: Plain Paper, Recycled, Thick, Thin; MPT: Plain Paper, Recycled, Thick, Thin, OHP, Envelope

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication, Encrypted Communication (IPsec, HTTPS, LDAP over SSL, SNMPv3)

**Optional:**

Data Security Kit (E): HDD Overwrite Mode, Data Encryption

## PRINT SPECIFICATIONS

**Standard Controller:** ARM Cortex-A9 (Dual Core) / 1.2GHz

**PDLs/Emulations:** PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3 (Compatible with PostScript3), PDF, XPS, TIFF, JPEG

**Print Resolution:** 600 x 600 dpi; Fine 1200 dpi

**Fonts:** 93 PCL6/PS3, 8 Windows Vista, 1 Bitmap

**OS Compatibility:**

Windows: Windows Vista/7/8/8.1/10/Server 2008/

Server 2008 R2/Server 2012/Server 2012 R2/Server 2016

Mac OS: Mac OS X v10.5 or later

**Mobile Printing:**

Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA

Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0,

2 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n

Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (IB-50 for Dual NIC), IEEE

802.11b/g/n (IB-51 Wireless LAN Interface) (communication

distance 328.1 feet)

**Network Print & Supported Protocols:** TCP/IP, FTP, LPR, NetBEUI,

IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNMP, DHCP,

SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini

Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status

Monitor, Novell NDPS, Common Profile, Output to PDF, Security

Watermark, Network/USB Fax

**Utilities:** KYOCERA Net Direct Print, File Management Utility,

KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA

Net Manager (Pro), ID Register

## SCAN SPECIFICATIONS

**Scan Type:** B&W and Color Scanner

**Scan Resolution:**

600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:**

TIFF, PDF, PDF (high compression), XPS, OpenXPS, JPEG

**Scan Speeds (B&W/Color @ 300 dpi):**

Simplex: 50 ipm; Duplex: 16 ipm

**Connectivity/Supported Protocols:** 10/100/1000BaseTX, IEEE

802.11b/g/n Wireless LAN, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email (SMTP

& SMTP over SSL), Scan to FTP (FTP over SSL), Scan to USB, WSD

Scan, WIA Driver, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger

(5.5" x 8.5" - 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN Driver, WIA, WSD

## COPY SPECIFICATIONS

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Diagram/Map

**Continuous Copy:** 1 to 999

**Additional Features:** Auto Magnification, Auto Paper Select, Auto

Start, Auto Drawer Change, Interrupt Copy, Rotate Copy, Border

Erase, Split Copy, Electronic Sort, Margin Shift, Prevent Bleed

Through, Blank Page Skip

**Job Management:**

100 Department Codes, Job Programs, Shortcut Keys

**Magnification:** Full Size, 4 Reduction, 4 Enlargement Preset

Ratios, 25-400% in 1% increments

**Document Box:** Job Box, Removable Memory Box, Fax Box

(with optional Fax System)

## STANDARD DOCUMENT PROCESSOR

**Type/Capacity:** Reversing Automatic Document Processor /

50 Sheets

**Acceptable Originals:**

5.5" x 8.5" – 11" x 17" (Statement to Ledger)

**Acceptable Weights:** Simplex: 16 lb Bond – 90 lb Index

(45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)

## OPTIONAL FAX SPECIFICATIONS

**Fax Type:** Fax System 13

**Compatibility/Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed/Modem Speed:**

Less than 3 Seconds Per Page / 33.6 Kbps

**Fax Memory:** Standard 12 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Duplex Transmission and Reception,

Encrypted Transmission and Reception, Polling Transmission and

Reception, Broadcast

## ADDITIONAL OPTIONS

**HyPAS Capable:** Requires Optional Hard Disk Drive

**HD-6** (32GB)

**HD-7** (128GB)

Card Authentication Kit (B)

Gigabit NIC (**IB-50**)

IEEE 802.11b/g/n (**IB-51**)

Thin Print (**UG-33**)

Data Security Kit (E)

## ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs and Printers. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.\*

\*Compatibility will vary by model.

Specifications and design are subject to change without notice.

For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com).

ECOSYS, PRESCRIBE, Command Center RX, Net Admin, KX Driver, Net Viewer and Mobile Print are trademarks of the KYOCERA Companies.

Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc. All rights reserved.

IC# 855D400629

v112817





› PRINT › COPY › SCAN › FAX

## ECOSYS M4132idn

BLACK & WHITE MULTIFUNCTIONAL  
SYSTEM



ECONOMICAL.  
ECOLOGICAL.  
ECOSYS  
TECHNOLOGY.



Convenient and reliable, with a low total cost of ownership. That's the **ECOSYS M4132idn** from Kyocera. Award-winning ECOSYS technology combines with out-of-the-box functionality at print speeds up to 32 pages per minute and paper sizes up to 11" x 17". Advanced finishing options add professional looking output, while optional business applications further enhance the device's capabilities with scalable solutions that expand workflow automation. Delivering a high level of functionality in a compact footprint, it's the smart solution for businesses looking for a dependable, eco-friendly, and cost-conscious MFP.

- › Up to 32 Pages Per Minute in Black & White
- › Easy-to-Use 7" Color Touch Screen Interface
- › HyPAS Capable to Run Kyocera Business Applications
- › Print Quality up to Fine 1200 dpi
- › Paper Capacity up to 1,600 Sheets

- › Optional 500-Sheet Finisher that Supports Stapling for Professional Looking Output
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™, Mopria® and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › Easy to Install and Operate
- › Minimal Service Intervention Required
- › KYOCERA Fleet Services, a Secure Cloud-Based Monitoring System, Optimizes Device Uptime and Reduces Costs



## BASIC SPECIFICATIONS

**Configuration:** A3 B&W MFP – Print/Copy/Scan/Optional Fax

### Pages Per Minute:

B&W – Letter: 32 ppm, Legal: 17 ppm, Ledger: 17 ppm

### Warm Up Time:

21 sec

### First Page Out:

Print/Copy: 5.2 sec B&W

### Display:

7" Color Touch Screen Control Panel

### Resolution:

600 x 600 dpi; Fine 1200 dpi

### Memory (RAM):

Standard 1 GB, Upgradable to 3 GB

### Hard Disk Drive:

Optional **HD-6** (32 GB SSD); Optional **HD-7** (128 GB SSD)

### Duplex:

Standard Stackless Duplex Supports Statement to Ledger, 16 lb Bond – 60 lb Cover (60 – 163gsm)

### Standard Output Tray:

Statement – Ledger / 250 Sheets

### Electrical Requirements:

120V, 60Hz, 9.8A; 220-240V: 50Hz, 5.5A

### Typical Electricity Consumption (TEC):

120W: 1.46 kWh/week; 220-240V: 1.39 kWh/week

### Dimensions:

23.2" W x 23.2" D x 27.1" H

### Weight:

114.6 lbs

### Maximum Monthly Duty Cycle:

100,000 Pages Per Month

## PAPER SUPPLY

### Standard Paper Sources:

500 Sheet Tray, 100 Sheet MPT

### Optional Paper Sources:

Dual 500 Sheet Trays (**PF-471**);

500 Sheet Tray + Cabinet Drawer (**PF-470**)

### Paper Capacity:

Standard: 600 Sheets; Maximum: 1,600 Sheets

### Paper Size:

Trays/MPT: 5.5" x 8.5" - 11" x 17" (Statement to Ledger)

### Paper Weight:

Trays: 16 lb - 43 lb Bond (60 – 163gsm);

MPT: 16 lb Bond - 140 lb Index (45 – 256gsm)

### Input Materials:

Standard/Optional Tray: Plain Paper, Recycled, Thick, Thin; MPT: Plain Paper, Recycled, Thick, Thin, OHP, Envelope

## SECURITY SPECIFICATIONS

### Standard:

Local Authentication, Network Authentication, Encrypted Communication (IPsec, HTTPS, LDAP over SSL, SNMPv3)

### Optional:

Data Security Kit (E): HDD Overwrite Mode, Data Encryption

## PRINT SPECIFICATIONS

### Standard Controller:

ARM Cortex-A9 (Dual Core) / 1.2GHz

### PDLs/Emulations:

PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3

(Compatible with PostScript3), PDF, XPS, TIFF, JPEG

### Print Resolution:

600 x 600 dpi; Fine 1200 dpi

### Fonts:

93 PCL6/PS3, 8 Windows Vista, 1 Bitmap

### OS Compatibility:

Windows: Windows Vista/7/8/8.1/10/Server 2008/

Server 2008 R2/Server 2012/Server 2012 R2/Server 2016

Mac OS: Mac OS X v10.5 or later

## Mobile Printing:

Apple AirPrint®, Google Cloud Print™, Mopria®, KYOCERA

Mobile Print

### Interfaces:

Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0,

2 USB Host Interfaces, 2 Expansion Slots, IEEE 802.11b/g/n

Wireless LAN (communication distance 98.5 feet)

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE

802.11b/g/n (**IB-51** Wireless LAN Interface) (communication

distance 328.1 feet)

### Network Print and Supported Protocols:

TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD,

SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

### Drivers:

KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini

Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status

Monitor, Novell NDPS, Common Profile, Output to PDF, Security

Watermark, Network/USB Fax

### Utilities:

KYOCERA Net Direct Print, File Management Utility,

KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA

Net Manager (Pro), ID Register

## SCAN SPECIFICATIONS

### Scan Type:

B&W and Color Scanner

### Scan Resolution:

600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi,

200 x 400 dpi

### File Formats:

TIFF, PDF, PDF (high compression), XPS, OpenXPS, JPEG

### Scan Speeds (B&W/Color @ 300 dpi):

Simplex: 50 ipm; Duplex: 16 ipm

### Connectivity/Supported Protocols:

10/100/1000BaseTX, IEEE 802.11b/g/n Wireless LAN, Hi-Speed USB 2.0

### Scanning Functions:

Scan to Folder (SMB), Scan to Email

(SMTP & SMTP over SSL), Scan to FTP (FTP over SSL), Scan to

USB, WSD Scan, WIA Driver, TWAIN Scan

### Original Size:

Through DP: Statement to Ledger

(5.5" x 8.5" - 11" x 17"); Glass: Up to 11" x 17"

### Drivers:

TWAIN Driver, WIA, WSD

## COPY SPECIFICATIONS

### Copy Resolution:

600 x 600 dpi

### Image Mode:

Text, Photo, Text/Photo, Diagram/Map

### Continuous Copy:

1 to 999

### Additional Features:

Auto Magnification, Auto Paper Select, Auto

Start, Auto Drawer Change, Interrupt Copy, Rotate Copy, Border

Erase, Split Copy, Electronic Sort, Margin Shift, Prevent Bleed

Through, Blank Page Skip

### Job Management:

100 Department Codes, Job Programs, Shortcut Keys

### Magnification:

Full Size, 4 Reduction, 4 Enlargement Preset

Ratios, 25-400% in 1% Increments

### Document Box:

Job Box, Removable Memory Box, Fax Box

(with optional Fax System)

## STANDARD DOCUMENT PROCESSOR

### Type/Capacity:

Reversing Automatic Document Processor /

50 Sheets

### Acceptable Originals:

5.5" x 8.5" - 11" x 17" (Statement to Ledger)

### Acceptable Weights:

Simplex: 16 lb Bond - 90 lb Index

(45 – 160gsm); Duplex: 16 lb - 32 lb Bond (50 – 120gsm)

## OPTIONAL FAX SPECIFICATIONS

### Fax Type:

Fax System 13

### Compatibility/Data Compression:

G3 Fax / MMR, MR, MH, JBIG

### Transmission Speed/Modem Speed:

Less than 3 Seconds Per Page / 33.6 Kbps

### Fax Memory:

Standard 12 MB

### Driver:

Network Fax Driver

### Fax Functions:

Network Fax, Duplex Transmission and Reception,

Encrypted Transmission and Reception, Polling Transmission and

Reception, Broadcast

## OPTIONAL 500 SHEET FINISHER DF-470<sup>1</sup>

### Stack/Staple Capacity:

Stack: 500 Sheets / Staple 50 Sheets

(Letter), 30 Sheets (Legal/Ledger)

### Paper Size:

5.5" x 8.5" - 11" x 17" (Statement to Ledger)

### Paper Weight:

16 lb Bond - 140 lb Index (45 – 256gsm)

### Edge Staple Position:

3 Positions

### Optional Punch:

N/A

### Dimensions:

16.4" W x 20.6" D x 10.9" H

## ADDITIONAL OPTIONS

### HyPAS Capable:

Requires Optional Hard Disk Drive

### HD-6 (32GB)

### HD-7 (128GB)

Card Authentication Kit (B)

Gigabit NIC (**IB-50**)

IEEE 802.11b/g/n (**IB-51**)

Thin Print (**UG-33**)

Data Security Kit (E)

### Note:

<sup>1</sup> Requires **AK-470**

## ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs and Printers. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.\*

\*Compatibility will vary by model.

Specifications and design are subject to change without notice.

For the latest on connectivity visit [usa.kyoceradocumentsolutions.com](http://usa.kyoceradocumentsolutions.com).

ECOSYS, PRESCRIBE, Command Center RX, Net Admin, KX Driver, Net Viewer and Mobile Print are trademarks of the KYOCERA Companies.

Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc. All rights reserved.

IC# 855D400628

v112817





Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 3011i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECTING PEOPLE AND INFORMATION.



The Copystar CS 3011i Black and White MFP brings impressive performance to power your document needs. Print, Copy and Color Scan capabilities, along with advanced finishing options, deliver fast, professional output. A customizable 9" color touch screen offers easy access directly from the MFP to a wide array of flexible features and business applications to optimize workflow, while wireless and remote access capabilities ensure vital information is easily retrievable no matter where your business takes you.

- › Crisp Black and White Output up to 30 Pages per Minute
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-Like Home Screen

- › Robust Portfolio of Business Applications that Can Optimize Your Document Workflow
- › Advanced Finishing Options for Professional Output, including a 1,000-Sheet External Finisher
- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 11" x 17"
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 160 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution

**BASIC SPECIFICATIONS**

**Configuration:** Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:** Letter: 30 ppm, Legal: 15 ppm, Ledger: 15 ppm

**Warm Up Time:** 18 Seconds or Less (Power On)

**First Page Out:** Copy: 3.6 Seconds or Less; Print: 4.2 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth

**Memory / Hard Disk Drive:** 2 GB RAM / 8 GB SSD / 320 GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to Ledger (5.5" x 8.5" – 11" x 17"), 16 lb Bond – 140 lb Index (60 – 160gsm)

**Standard Output Tray:** Statement - 11" x 17"; 250 Sheets

**Electrical Requirements:** 120V, 60Hz, 11.6A; 220-240V, 50Hz, 6.3A

**Typical Electricity Consumption (TEC):** 120V: 1.8 kWh/week; 220V: 1.8 kWh/week

**Dimensions / Weight:** 23.39" W x 27.40" D x 26.77" H / 127.9 lbs

**Maximum Monthly Duty Cycle:** 125,000 Pages Per Month

**PAPER SUPPLY**

**Standard Paper Sources:**

Dual 500 Sheet Trays, 100 Sheet MPT; Auto Selection/Switching

**Optional Paper Sources:**

Dual 500 Sheet Trays (PF-791), Dual 1,500 Sheet Trays (PF-810)

**Paper Capacity:**

Standard: 1,100 Sheets; Maximum: 4,100 Sheets

**Paper Size:** Trays 1, 2 and (PF-791): 5.5" x 8.5" – 11" x 17";

(PF-810): 8.5" x 11"; MPT: 5.5" x 8.5" – 11" x 17" (Multiple Sheets)

**Paper Weight:**

Trays: 16 lb Bond – 90 lb index (60 – 163gsm);

MPT: 12 lb Bond – 140 lb Index (45 – 256gsm)

**Input Materials:**

Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to e-mail (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; SSL

**Optional:** Data Security Kit (E): Network Data Encryption, HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATIONS**

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.0GHz

**PDLs / Emulations:**

Standard: PRESCRIBE, PCL6 (5e, XL), KPDL3 (PS3), XPS;

Optional: UG-34 IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth

**Fonts:** 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**Windows OS Compatibility:** Windows XP/2003/Vista/2008/7/8/10/ Server 2008 R2/Server 2012 R2

**Novell OS Compatibility:** Novel NetWare 3.x/4.x/5.x/6.x

**Mac OS Compatibility:** OS 10.x, AirPrint Enabled

**UNIX OS Compatibility:** Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX(LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots  
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);  
Optional: IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, FTP, LPR, IPv6, IPsec, SSL, WSD Print

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR) Option

**Scan Speeds:**

**DP-7120:** Simplex: 48 ipm B&W / 48 ipm Color (300 dpi);

Duplex: 15 ipm B&W / 15 ipm Color (300 dpi)

**DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color (300 dpi);

Duplex: 48 ipm B&W / 48 ipm Color (300 dpi)

**DP-7110:** Simplex: 80 ipm B&W / 80 ipm Color (300 dpi);

Duplex: 160 ipm B&W / 160 ipm Color (300 dpi)

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:**

Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17");

Glass: up to 11" x 17"

**Drivers:** TWAIN Driver, WIA Driver

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999/ Auto Reset to 1

**Additional Features:** Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement  
Preset Ratios, 25 - 400% in 1% step increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**DOCUMENT PROCESSOR<sup>1</sup>**

**Type / Capacity:**

**DP-7120:** Reversing Automatic Document Processor / 50 Sheets

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights (Simplex / Duplex):**

**DP-7120:** Simplex: 13 - 32 lb Bond (45 – 160gsm);

Duplex: 13 - 32 lb Bond (50 – 120gsm)

**DP-7100:** Simplex: 13 lb Bond - 90 lb Index (35 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

**DP-7110:** Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

**FAX SPECIFICATIONS (OPTION)**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Approximately 3 seconds per page / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax

**OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3</sup>**

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond 90gsm)

**Paper Size:** 5.5" x 8.5" – 11" x 17"

**Paper Weight:** 16 lb Bond – 140 lb Index (60 – 256gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17", 13 lb Bond – 93 lb Cover (45 – 256gsm)

**Dimensions:** 21.57" W x 24.35" D x 41.34" H

**OPTIONAL 3,000 SHEET FINISHER DF-791<sup>2,3</sup>**

**Stack / Staple Capacity:** Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 65 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"

**Paper Size:** Main Tray: 8.5" x 11" – 11" x 17"; Sub Tray(B): 5.5" x 8.5" – 11" x 17"

**Paper Weight:** 16 lb Bond – 140 lb Index (60 – 256gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17", 13 lb Bond – 93 lb Cover (45 – 256gsm)

**Dimensions:** 23.91" W x 26.32" D x 37.45" H

**Optional Multi-Bin Mailbox<sup>4</sup>: MT-730(B)** includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

**AK-740** (Bridge Unit for Finisher), **IB-50** Gigabit NIC (Dual NIC), **IB-51** Wireless LAN, Card Authentication Kit (B), Cabinet, Card Reader Holder(E), Keyboard Holder (B), Data Security Kit (E), Scan Extension Kit (A) for Searchable PDF/OCR

<sup>1</sup> Only 1 Document Processor can be installed

<sup>2</sup> Only 1 Output Option can be installed

<sup>3</sup> Requires Bridge Unit Attachment Kit (AK-740)

<sup>4</sup> Requires DF-791

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity visit [www.copystar.com](http://www.copystar.com)

MAC and AirPrint are trademarks of Apple, Inc.

Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2016 KYOCERA Document Solutions America, Inc.

IC# 855D400474





Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 3511i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECTING PEOPLE AND INFORMATION.



The Copystar CS 3511i Black and White MFP brings professional document imaging into the office, with high-quality functionality that gets the job done quickly and cost-effectively. Offering exceptional Print, Copy, and Color Scan workflow capabilities, the Copystar CS 3511i improves the way you manage information, and integrated business applications can further streamline workflow. Add to that Kyocera's award-winning reliability and long-life technology, and you have a powerful document solution that delivers superior performance and proven productivity.

- › Crisp Black and White Output up to 35 Pages per Minute
- › Customizable 9" Color Touch Screen with Tablet-Like Home Screen

- › Robust Portfolio of Business Applications that Can Optimize Your Document Workflow
- › Advanced Finishing Options for Professional Output, such as the 3000-Sheet External Finisher and Multi-Bin Mailbox Options
- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 11" x 17"
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 160 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution



Kyocera Technology



## BASIC SPECIFICATIONS

**Configuration:** Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:** Letter: 35 ppm, Legal: 17 ppm, Ledger: 17 ppm

**Warm Up Time:** 18 Seconds or Less (Power On)

**First Page Out:** Copy: 3.6 Seconds or Less; Print: 4.2 Seconds or Less  
**Display:** 9" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth

**Memory / Hard Disk Drive:** 2 GB RAM / 8 GB SSD / 320 GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to Ledger (5.5" x 8.5" – 11" x 17"), 16 lb Bond – 140 lb Index (60 – 160gsm)

**Standard Output Tray:** Statement - 11" x 17"; 250 Sheets

**Electrical Requirements:** 120V, 60Hz, 11.6A; 220-240V, 50Hz, 6.3A

**Typical Electricity Consumption (TEC):** 120V: 2.1 kWh/week; 220V: 2.0 kWh/week

**Dimensions / Weight:** 23.39" W x 27.40" D x 26.77" H / 127.9 lbs

**Maximum Monthly Duty Cycle:** 150,000 Pages Per Month

## PAPER SUPPLY

## Standard Paper Sources:

Dual 500 Sheet Trays, 100 Sheet MPT; Auto Selection/Switching

## Optional Paper Sources:

Dual 500 Sheet Trays (PF-791), Dual 1,500 Sheet Trays (PF-810)

## Paper Capacity:

Standard: 1,100 Sheets; Maximum: 4,100 Sheets

**Paper Size:** Trays 1, 2 and (PF-791): 5.5" x 8.5" – 11" x 17";

(PF-810): 8.5" x 11"; MPT: 5.5" x 8.5" – 11" x 17" (Multiple Sheets)

## Paper Weight:

Trays: 16 lb Bond – 90 lb index (60 – 163gsm);

MPT: 12 lb Bond – 140 lb Index (45 – 256gsm)

## Input Materials:

Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes

## SECURITY SPECIFICATIONS

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to e-mail (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; SSL

**Optional:** Data Security Kit (E): Network Data Encryption, HDD Overwrite Mode, HDD Data Encryption

## PRINT SPECIFICATIONS

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.0GHz

## PDLs / Emulations:

Standard: PRESCRIBE, PCL6 (5e, XL), KPDL3 (PS3), XPS;

Optional: UG-34 IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth

**Fonts:** 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**Windows OS Compatibility:** Windows XP/2003/Vista/2008/7/8/10/ Server 2008 R2/Server 2012 R2

**Novell OS Compatibility:** Novel NetWare 3.x/4.x/5.x/6.x

**Mac OS Compatibility:** OS 10.x, AirPrint Enabled

**UNIX OS Compatibility:** Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX(LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots  
Optional: 10/100/1000BaseTX (IB-50 for Dual NIC);  
Optional: IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, FTP, LPR, IPv6, IPsec, SSL, WSD Print

**Drivers:** KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR) Option

## Scan Speeds:

**DP-7120:** Simplex: 48 ipm B&W / 48 ipm Color (300 dpi);

Duplex: 15 ipm B&W / 15 ipm Color (300 dpi)

**DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color (300 dpi);

Duplex: 48 ipm B&W / 48 ipm Color (300 dpi)

**DP-7110:** Simplex: 80 ipm B&W / 80 ipm Color (300 dpi);

Duplex: 160 ipm B&W / 160 ipm Color (300 dpi)

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

## Original Size:

Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17");

Glass: up to 11" x 17"

**Drivers:** TWAIN Driver, WIA Driver

## COPY SPECIFICATIONS

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1-999/ Auto Reset to 1

**Additional Features:** Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement  
Preset Ratios, 25 - 400% in 1% step increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

DOCUMENT PROCESSOR<sup>1</sup>

## Type / Capacity:

**DP-7120:** Reversing Automatic Document Processor / 50 Sheets

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

## Acceptable Weights (Simplex / Duplex):

**DP-7120:** Simplex: 13 - 32 lb Bond (45 – 160gsm);

Duplex: 13 - 32 lb Bond (50 – 120gsm)

**DP-7100:** Simplex: 13 lb Bond - 90 lb Index (35 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

**DP-7110:** Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

## FAX SPECIFICATIONS (OPTION)

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Approximately 3 seconds per page / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax

OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3</sup>

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond 90gsm)

**Paper Size:** 5.5" x 8.5" – 11" x 17"

**Paper Weight:** 16 lb Bond – 140 lb Index (60 – 256gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17", 13 lb Bond – 93 lb Cover (45 – 256gsm)

**Dimensions:** 21.57" W x 24.35" D x 41.34" H

OPTIONAL 3,000 SHEET FINISHER DF-791<sup>3</sup>

**Stack / Staple Capacity:** Main Tray: 3,000 Sheets; Sub Tray(B): 200 Sheets; Sub Tray(C): 50 Sheets / 65 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"

**Paper Size:** Main Tray: 8.5" x 11" – 11" x 17"; Sub Tray(B): 5.5" x 8.5" – 11" x 17"

**Paper Weight:** 16 lb Bond – 140 lb Index (60 – 256gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17", 13 lb Bond – 93 lb Cover (45 – 256gsm)

**Dimensions:** 23.91" W x 26.32" D x 37.45" H

**Optional Multi-Bin Mailbox<sup>4</sup>:** MT-730(B) includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

## ADDITIONAL OPTIONS

**AK-740** (Bridge Unit for Finisher), **IB-50** Gigabit NIC (Dual NIC), **IB-51** Wireless LAN, Card Authentication Kit (B), Cabinet, Card Reader Holder(E), Keyboard Holder (B), Data Security Kit (E), Scan Extension Kit (A) for Searchable PDF/OCR

<sup>1</sup> Only 1 Document Processor can be installed

<sup>2</sup> Only 1 Output Option can be installed

<sup>3</sup> Requires Bridge Unit Attachment Kit (AK-740)

<sup>4</sup> Requires DF-791

## ONLY FROM KYOCERA

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity visit [www.copystar.com](http://www.copystar.com)

MAC and AirPrint are trademarks of Apple, Inc.

Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2016 KYOCERA Document Solutions America, Inc.

IC# 855D400475







Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 4002i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The Copystar CS 4002i Black and White MFP is ideal for workgroups seeking to automate print, copy, and color scan workflows, while maximizing productivity. Offering superior performance and intuitive functionality, the Copystar CS 4002i transforms business processes, with support for a wide range of paper sizes and media types. Designed to make quick work of demanding applications, the scalable Copystar CS 4002i supports optional Finishers to automate cumbersome manual tasks, and expandable paper supply to ensure uninterrupted operation. Add to that the award-winning ultra-reliability and unique long-life technology, and you have a powerful document solution that delivers superior performance and proven productivity.

- › Crisp Black and White Output up to 40 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi

- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a Space-saving 500-sheet Internal Finisher
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution

**BASIC SPECIFICATIONS**

**Configuration:** Black & White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:** Letter: 40 ppm, Legal: 24 ppm, Ledger: 20 ppm, 12" x 18": 20 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

**First Page Out:**

Copy: 4.5 Seconds or Less  
Print: 5.1 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4GB RAM / 8GB SSD / 320GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

**Standard Output Tray:** Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Typical Electricity Consumption (TEC):** 120V: 1.9 kWh/week; 220V: 1.8 kWh/week

**Dimensions:** 23.70" W x 26.18" D x 31.10" H

**Weight:** 180.78 lbs

**Maximum Monthly Duty Cycle:** 175,000 Pages per Month

**PAPER SUPPLY**

**Standard Paper Sources:** Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-7100**), Dual 1,500 Sheet Trays (**PF-7110**); Side LCT: 3,000 Sheet Capacity Tray (**PF-7120**)<sup>1</sup>

**Paper Capacity:** **Standard:** 1,150 Sheets; **Maximum:** 7,150 Sheets

**Paper Size:**

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7110, PF-7120:** 8.5" x 11"; **MPT:** 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)

**Input Materials:** Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

**Optional:** Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATION**

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.2GHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL5), KPD3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPD3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLLD, SNT, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, PCL Mini Driver, KPD3 Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR) Option

**Scan Speeds (mono/color, @300 dpi):**

**DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color;

Duplex: 48 ipm B&W / 48 ipm Color

**DP-7110:** Simplex: 100 ipm B&W / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN/WIA Driver

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 – 999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**OPTIONAL DOCUMENT PROCESSORS<sup>2</sup>**

**Type / Capacity:**

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights:**

**DP-7100:** Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

**DP-7110:** Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

**OPTIONAL FAX SPECIFICATIONS**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 seconds / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Broadcast, Duplex Transmission/ Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

**OUTPUT & FINISHING OPTIONS****OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100<sup>3</sup>**

**Stack / Staple Capacity:** 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

**Optional Punch:** **PH-7100** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 19.60" W x 20.98" D x 6.73" H

**OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** **PH-7A** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 21.57" W x 24.35" D x 41.34" H

**OPTIONAL 4,000 SHEET FINISHER DF-7110<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** **PH-7A** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 23.91" W x 26.32" D x 41.78" H

**Optional Booklet Folder / Tri-fold Unit: BF-730** Booklet Folder

supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only; 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

**Optional Multi-Bin Mailbox: MT-730(B)** includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

Bridge Unit Attachment Kit (**AK-7100**), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (**IB-50**), Wireless LAN IEEE802.11b/g/n (**IB-51**), ThinPrint (**UG-33**), Emulation (**UG-34**), Document Tray (**DT-7100**), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (**NK-7110**), Job Separator (**JS-7100**)

<sup>1</sup> Requires PF-7100 or PF-7110

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7100)

<sup>5</sup> Requires DF-7110

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit [www.copystar.com](http://www.copystar.com).

MAC and AirPrint are trademarks of Apple, Inc.

Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX

are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2016 KYOCERA Document Solutions America, Inc.

IC# 855D400467





Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 5002i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



With an uncompromising feature set, the versatile Copystar CS 5002i is a powerful Black and White MFP that streamlines business-critical print, copy, and color scan tasks. From intuitive walk-up operation to flexible desktop control, the Copystar CS 5002i improves the way you manage information across your enterprise. This powerful platform enables users to quickly and efficiently produce hardcopy documents and digital files with fast throughput and scanning speeds. To further automate workflow, the Copystar CS 5002i can be equipped with added paper capacity and finishing, for maximum productivity and minimum job turnaround time. Integrated business applications can further enhance capabilities, and keep information moving at the speed of your business.

- › Crisp Black and White Output up to 50 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi

- › Scalable Paper Capacity for Longer Job Runs
- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a 1,000-sheet External Finisher
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution

**BASIC SPECIFICATIONS**

**Configuration:** Black & White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:** Letter: 50 ppm, Legal: 30 ppm, Ledger: 25 ppm, 12" x 18": 25 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

**First Page Out:**

Copy: 3.7 Seconds or Less  
Print: 4.3 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4GB RAM / 8GB SSD / 320GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

**Standard Output Tray:** Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Typical Electricity Consumption (TEC):** 120V: 2.4 kWh/week; 220V: 2.4 kWh/week

**Dimensions:** 23.70" W x 26.18" D x 31.10" H

**Weight:** 180.78 lbs

**Maximum Monthly Duty Cycle:** 225,000 Pages per Month

**PAPER SUPPLY**

**Standard Paper Sources:** Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-7100**), Dual 1,500 Sheet Trays (**PF-7110**); Side LCT: 3,000 Sheet Capacity Tray (**PF-7120**)<sup>1</sup>

**Paper Capacity: Standard:** 1,150 Sheets; Maximum: 7,150 Sheets

**Paper Size:**

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7110, PF-7120:** 8.5" x 11"; **MPT:** 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)

**Input Materials:** Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

**Optional:** Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATION**

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.2GHz  
**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL5), KPD L3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPD L3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint<sup>®</sup>, Google Cloud Print<sup>™</sup>, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNT, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, PCL Mini Driver, KPD L Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR) Option

**Scan Speeds (mono/color, @300 dpi):**

**DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color;

Duplex: 48 ipm B&W / 48 ipm Color

**DP-7110:** Simplex: 100 ipm B&W / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN/WIA Driver

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 – 999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Step Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**OPTIONAL DOCUMENT PROCESSORS<sup>2</sup>**

**Type / Capacity:**

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights:**

**DP-7100:** Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

**DP-7110:** Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

**OPTIONAL FAX SPECIFICATIONS**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 seconds / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Broadcast, Duplex Transmission/ Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

**OUTPUT & FINISHING OPTIONS****OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100<sup>3</sup>**

**Stack / Staple Capacity:** 500 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

**Optional Punch:** PH-7100 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 19.60" W x 20.98" D x 6.73" H

**OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 21.57" W x 24.35" D x 41.34" H

**OPTIONAL 4,000 SHEET FINISHER DF-7110<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 23.91" W x 26.32" D x 41.78" H

**Optional Booklet Folder / Tri-fold Unit<sup>5</sup>: BF-730** Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only; 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

**Optional Multi-Bin Mailbox<sup>6</sup>: MT-730(B)** includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

Bridge Unit Attachment Kit (**AK-7100**), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (**IB-50**), Wireless LAN IEEE802.11b/g/n (**IB-51**), ThinPrint (**UG-33**), Emulation (**UG-34**), Document Tray (**DT-7100**), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (**NK-7110**), Job Separator (**JS-7100**)

<sup>1</sup> Requires PF-7100 or PF-7110

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7100)

<sup>5</sup> Requires DF-7110

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit [www.copystar.com](http://www.copystar.com).

MAC and AirPrint are trademarks of Apple, Inc.

Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX

are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2016 KYOCERA Document Solutions America, Inc.

IC# 855D400466







Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 7002i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECT AND COLLABORATE.



The Copystar CS 7002i is an advanced Black-and-White MFP that offers the best of all worlds – outstanding ease of use, extraordinary image quality, fast throughput and exceptional durability. This versatile system is ideal for busy workgroups that require the flexibility to communicate in hardcopy and digital form. Print at up to 70 pages per minute. Scan at up to 220 images per minute. To further streamline processes, the customizable Copystar CS 7002i can be equipped with added paper drawers, professional finisher and integrated plug-and-play business applications. Combined with ultra-reliability and long-life technology, takes the end-user experience, and your business, to another level.

- › Crisp Black-and-White Output up to 70 Pages per Minute
- › Exceptional Print Quality up to 1200 dpi
- › Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets

- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Tablet-like Home Screen
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- › Efficient High-speed Color Scanning up to 220 ipm
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs



Kyocera Technology



**BASIC SPECIFICATIONS**

**Configuration:** Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:**

**Letter:** 70 ppm, Legal: 42 ppm, Ledger: 40 ppm, 12" x 18": 40 ppm (print only)

**Warm Up Time:** 30 Seconds or Less (Power On)

**First Page Out:**

**Copy:** 5.2 Seconds or Less

**Print:** 5.8 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution:** 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4.5 GB RAM / 8 GB SSD / 320 GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

**Standard Output Tray:** Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Typical Electricity Consumption (TEC):** 120V: 4,729 kWh/week; 220V: 4,540 kWh/week

**Dimensions:** 26.97" W x 31.10" D x 41.45" H

**Weight:** 330 lbs

**Maximum Monthly Duty Cycle:** 400,000 Pages per Month

**PAPER SUPPLY**

**Standard Paper Sources:** Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-730(B)**), Dual 1,500 Sheet Trays (**PF-740(B)**); Side LCT: 3,000 Sheet Capacity Tray (**PF-7120**); 500 Sheet Multi-Media Paper Feeder (**PF-7130**)

**Paper Capacity:** Standard: 4,150 Sheets; Maximum: 7,650 Sheets

**Paper Size:**

Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7200:** 8.5" x 11" – 12" x 18"; **MPT:** 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300gsm)

**Input Materials:** Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

**Optional:** Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATIONS**

**Standard Controller:** Freescale QorIQ T1042 (Dual Core) / 1.2GHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), PDF, OpenXPS, XPS, PPML; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: XP/Vista/7/8/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

**Optional:** 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE 802.11b/g/n **IB-51** for Wireless LAN Interface (communication distance 328.1 feet)

**Network Print and Supported Protocols:** TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, FTP, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print  
**Drivers:** KX Driver, KX (XPS) Driver, KX(XPS) Driver, KX(XPS) Driver, KX(XPS) Driver, KX(XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDPs, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator

**Utilities:** KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR)

**Scan Speeds (mono/color, @300 dpi):**

**Simplex:** 120 ipm B&W / Color

**Duplex:** 220 ipm B&W / Color

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN Driver / KM-WSDL / WSD

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 – 9,999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**STANDARD DOCUMENT PROCESSOR**

**Type / Capacity:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights:**

**Simplex:** 16 lb Bond – 68 lb Index (60 – 256gsm)

**Duplex:** 13 lb – 32 lb Bond (50 – 120gsm)

**OPTIONAL FAX SPECIFICATIONS**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 Seconds per Page / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

**OPTIONAL 4,000 SHEET FINISHER DF-710<sup>2</sup>**

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 23.91" W x 26.32" D x 41.78" H

**Optional Booklet Folder / Tri-fold Unit<sup>3</sup>:** **BF-730** Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Tri-fold Unit supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

**Optional Multi-bin Mailbox<sup>3</sup>:** **MT-730(B)** Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (**IB-50**), IEEE 802.11b/g/n (**IB-51**), ThinPrint (**UG-33**), Emulation (**UG-34**), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), Numeric Keypad (**NK-7110**)

<sup>1</sup> Requires PF-7130

<sup>2</sup> Only 1 Output Option can be installed

<sup>3</sup> Requires DF-7110

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit [www.copystar.com](http://www.copystar.com).

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc.

IC# 855D400497





Kyocera Technology

› PRINT › COPY › SCAN › FAX

**CS 6002i**

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECTING INFORMATION AND WORKFLOW.



The Copystar CS 6002i is a best-in-class Black and White MFP that combines print, copy, and color scan functionality into one powerful platform. To ensure that your organization runs at peak efficiency, the Copystar CS 6002i offers an unmatched array of standard features, professional finishing options, and host of customizable business applications that further streamline workflow. Add to that the award-winning ultra-reliability and unique long-life technology, and proven leadership in technology innovation, and the Copystar CS 6002i will transform end-to-end document processes... and drive bottom-line business growth.

- › Crisp Black and White Output up to 60 Pages per Minute
- › Exceptional Print Quality at up to 1200 dpi
- › Scalable Paper Capacity for Longer Job Runs

- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Intuitive, Tablet-like Home Screen
- › Robust Portfolio of Business Applications for Enhanced Capabilities, such as Scan Distribution to Back-end Applications and Document Management Systems
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and optional Booklet Folding
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Efficient Color Scanning up to 180 ipm
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for a Mobile Printing Solution

**BASIC SPECIFICATIONS**

**Configuration:** Black & White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:** Letter: 60 ppm, Legal: 36 ppm, Ledger: 30 ppm, 12" x 18": 30 ppm (print only)

**Warm Up Time:** 17 Seconds or Less (Power On)

**First Page Out:**

Copy: 3.4 Seconds or Less  
Print: 3.8 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution / Bit Depth:** 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4GB RAM / 8GB SSD / 320GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

**Standard Output Tray:** Statement – 12" x 18" / 500 sheets; up to 12" x 48" Banner (Single Sheet)

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Typical Electricity Consumption (TEC):** 120V: 3.0 kWh/week; 220V: 3.0 kWh/week

**Dimensions:** 23.70" W x 26.18" D x 31.10" H

**Weight:** 180.78 lbs

**Maximum Monthly Duty Cycle:** 250,000 Pages per Month

**PAPER SUPPLY**

**Standard Paper Sources:** Dual 500 Sheet Trays, 150 Sheet MPT, Auto Selection/Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-7100**), Dual 1,500 Sheet Trays (**PF-7110**); Side LCT: 3,000 Sheet Capacity Tray (**PF-7120**)<sup>1</sup>

**Paper Capacity: Standard:** 1,150 Sheets; Maximum: 7,150 Sheets

**Paper Size:**

Tray 1 – 5.5" x 8.5" – 8.5" x 14" (Statement to Legal); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7110, PF-7120:** 8.5" x 11"; **MPT:** 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 14 lb Bond – 166 lb Index (52 – 300gsm)

**Input Materials:** Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

**Optional:** Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATION**

**Standard Controller:** Freescale QorIQ T1024 (Dual Core) / 1.2GHz  
**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL5), KPD L3 (PS3), XPS, OPEN XPS; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 PDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots

Optional: 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE 802.11 b/g/n (**IB-51** for Wireless LAN Interface)

**Network Print and Supported Protocols:** TCP/IP, NetBEUI, IPv4, IPv6, IPsec, HTTP, LPD, FTP, IPP, RawPort, LLLD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

**Drivers:** KX Driver, PCL Mini Driver, KPD L Mini Driver, KX Driver for XPS, Network Fax Driver, TWAIN Driver, WIA Driver, PPD for MAC, PPD for Linux

**Utilities:** KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR) Option

**Scan Speeds (mono/color, @300 dpi):**

**DP-7100:** Simplex: 80 ipm B&W / 80 ipm Color;

Duplex: 48 ipm B&W / 48 ipm Color

**DP-7110:** Simplex: 100 ipm B&W / 100 ipm Color;

Duplex: 180 ipm B&W / 180 ipm Color

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN/WIA Driver

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 – 999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness  
**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement  
Preset Ratios, 25 – 400% in 1% Step Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**OPTIONAL DOCUMENT PROCESSORS<sup>2</sup>**

**Type / Capacity:**

**DP-7100:** Reversing Automatic Document Processor / 140 Sheets

**DP-7110:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights:**

**DP-7100:** Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm);

Duplex: 16 lb – 32 lb Bond (50 – 120gsm)

**DP-7110:** Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm);

Duplex: 16 lb – 120 lb Index (50 – 220gsm)

**OPTIONAL FAX SPECIFICATIONS**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 seconds / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Broadcast, Duplex Transmission/ Reception, Encrypted Transmission/Reception, Polling Transmission/Reception

**OUTPUT & FINISHING OPTIONS****OPTIONAL 500 SHEET INTERNAL FINISHER DF-7100<sup>3</sup>**

**Stack / Staple Capacity:** 500 Sheets / 50 Sheets  
(up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Front 1 Staple, Edge 1 Staple, Face 2 Staples

**Optional Punch:** **PH-7100** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 19.60" W x 20.98" D x 6.73" H

**OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray: 1,000 Sheets / 50 Sheets  
(up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** **PH-7A** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 21.57" W x 24.35" D x 41.34" H

**OPTIONAL 4,000 SHEET FINISHER DF-7110<sup>3,4</sup>**

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** **PH-7A** 2 and 3 Hole Punch Unit, Supports 5.5" x 8.5" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 23.91" W x 26.32" D x 41.78" H

**Optional Booklet Folder / Tri-fold Unit<sup>5</sup>:** **BF-730** Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only; 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

**Optional Multi-Bin Mailbox<sup>6</sup>:** **MT-730(B)** includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

Bridge Unit Attachment Kit (**AK-7100**), Banner Guide 10, Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (**IB-50**), Wireless LAN IEEE802.11b/g/n (**IB-51**), ThinPrint (**UG-33**), Emulation (**UG-34**), Document Tray (**DT-7100**), Scan Extension Kit (A) for Searchable PDF/OCR, Keyboard Holder 10, Data Security Kit (E), Numeric Keypad (**NK-7110**), Job Separator (**JS-7100**)

<sup>1</sup> Requires PF-7100 or PF-7110

<sup>2</sup> Only 1 Document Processor can be installed

<sup>3</sup> Only 1 Output Option can be installed

<sup>4</sup> Requires Bridge Unit Attachment Kit (AK-7100)

<sup>5</sup> Requires DF-7110

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? KYOCERA offers a robust portfolio of Business Applications that seamlessly and securely integrate with our MFPs. To learn more about which Business Applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice. For the latest on connectivity visit [www.copystar.com](http://www.copystar.com).

MAC and AirPrint are trademarks of Apple, Inc.

Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX

are the trademarks of The Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2016 KYOCERA Document Solutions America, Inc.

IC# 855D400465





Kyocera Technology

› PRINT › COPY › SCAN › FAX

## CS 8002i

BLACK & WHITE  
MULTIFUNCTIONAL SYSTEM

# POWERFUL PERFORMANCE... CONNECT AND COLLABORATE.



The Copystar CS 8002i is a high-performance Black-and-White MFP that powers through your most demanding print, copy, scan and optional fax tasks with exceptional speed and accuracy. Designed for unmatched ease of use, striking image quality, and incredible efficiency, the high-volume Copystar CS 8002i processes print and scan jobs at up to 80 pages per minute and 220 images per minute, respectively. Equip the scalable Copystar CS 8002i with added paper drawers, advanced finishing and robust plug-and-play business applications. With ultra-reliability and unique long life technology, the Copystar CS 8002i enables users to connect and collaborate in today's fast-paced, mobile workplace.

- › Crisp Black-and-White Output up to 80 Pages per Minute
- › Exceptional Print Quality up to 1200 dpi
- › Standard 4,150-sheet Paper Capacity, Expandable to 7,650 Sheets

- › Flexible Media Support and Paper Sizes up to 12" x 48"
- › Customizable 9" Color Touch Screen with Tablet-like Home Screen
- › Advanced Finishing Options for Professional Output, including a 4,000-sheet External Finisher and Optional Booklet Folding
- › Efficient High-speed Color Scanning up to 220 ipm
- › Standard USB Host Interface for On-the-Go Printing and Scanning
- › Convenient Wireless Printing and Scanning
- › Apple AirPrint®, Google Cloud Print™ and KYOCERA Mobile Print Compatible for Anytime, Anywhere Connectivity
- › Standard Near Field Communication (NFC) for Android and Wi-Fi Direct Provides Added Smart Device Convenience
- › KYOCERA Fleet Services, a secure cloud-based monitoring system, optimizes device uptime and reduces costs





**BASIC SPECIFICATIONS**

**Configuration:** Black and White Multifunctional System – Print/Scan/Copy/Optional Fax

**Pages Per Minute:**

**Letter:** 80 ppm, Legal: 48 ppm, Ledger: 40 ppm, 12" x 18": 40 ppm (print only)

**Warm Up Time:** 30 Seconds or Less (Power On)

**First Page Out:**

**Copy:** 4.7 Seconds or Less

**Print:** 5.4 Seconds or Less

**Display:** 9" Color Touch Screen Control Panel

**Resolution:** 600 x 600 dpi; 9600 dpi x 600 dpi; 1200 x 1200 dpi

**Memory / Hard Disk Drive:** 4.5 GB RAM / 8 GB SSD / 320 GB HDD Standard

**Duplex:** Standard Stackless Duplex Supports Statement to 12" x 18", 14 lb Bond – 166 lb Index (52 – 300gsm)

**Standard Output Tray:** Statement – 12" x 18" / 270 Sheets; up to 12" x 48" Banner (Single Sheet)

**Electrical Requirements:** 120V, 60Hz, 12A; 220-240V, 50Hz, 7.2A

**Typical Electricity Consumption (TEC):** 120V: 4.7 kWh/week; 220V: 4.5 kWh/week

**Dimensions:** 26.97" W x 31.10" D x 41.45" H

**Weight:** 330 lbs

**Maximum Monthly Duty Cycle:** 450,000 Pages per Month

**PAPER SUPPLY**

**Standard Paper Sources:** Dual 500 Sheet Trays, Dual 1,500 Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

**Optional Paper Sources:** Dual 500 Sheet Trays (**PF-730(B)**), Dual 1,500 Sheet Trays (**PF-740(B)**); Side LCT: 3,000 Sheet Capacity Tray (**PF-7120**); 500 Sheet Multi-Media Paper Feeder (**PF-7130**)

**Paper Capacity:** Standard: 4,150 Sheets; Maximum: 7,650 Sheets

**Paper Size:**

Tray 1 – 5.5" x 8.5" – 12" x 18" (Statement to 12" x 18"); Tray 2 – 5.5" x 8.5" – 12" x 18", Custom Size; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7100:** 5.5" x 8.5" – 12" x 18"; **PF-7200:** 8.5" x 11" – 12" x 18"; **MPT:** 5.5" x 8.5" – 12" x 18" (Multiple Sheets); up to 12" x 48" Banner (Single Sheet)

**Paper Weight:** Trays / MPT: 16 lb Bond – 166 lb Index (60 – 300gsm)

**Input Materials:** Standard/Optional Drawer: Plain Paper, Bond Paper, Recycled Paper, Envelopes; MPT: Plain Paper, Bond Paper, Recycled Paper, Cardstock, Transparencies, Labels, Envelopes

**SECURITY SPECIFICATIONS**

**Standard:** Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to Email (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL

**Optional:** Data Security Kit (E): HDD Overwrite Mode, HDD Data Encryption

**PRINT SPECIFICATIONS**

**Standard Controller:** Freescale QorIQ T1042 (Dual Core) / 1.2GHz

**PDLs / Emulations:** PRESCRIBE, PCL6 (PCL-XL / PCL5), KPDL3 (PS3), PDF, OpenXPS, XPS, PPML; Optional (UG-34): IBM ProPrinter, Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap

**OS Compatibility:** Windows: XP/Vista/7/8/8.1/10/Server 2003/Server 2008/Server 2008 R2/Server 2012/Server 2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 10.x; AirPrint Enabled; Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)

**Mobile Printing:** Apple AirPrint®, Google Cloud Print™, KYOCERA Mobile Print

**Interfaces:** Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots, Wireless LAN (communication distance 98.5 feet)

**Optional:** 10/100/1000BaseTX (**IB-50** for Dual NIC), IEEE 802.11b/g/n **IB-51** for Wireless LAN Interface (communication distance 328.1 feet)

**Network Print and Supported Protocols:** TCP/IP, FTP, LPR, NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD, SNMP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print **Drivers:** KX Driver, KX (XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network Fax Driver, TWAIN Driver, WIA Driver, Status Monitor, Novell NDPs, Common Profile, Output to PDF, Security Watermark, Color Optimizer, Linux SANE Driver, Linux Driver, Mac Driver, Windows Inbox Driver, KX PRESCRIBE Macro Generator **Utilities:** KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, Quick Setup, KYOCERA Net Manager(Pro), KYOCERA Net Manager (Basic), ID Register, Software Management Service, Upgrade Studio, Web Package Builder, Web Package Maker, Removal Tool, Wi-Fi Setup Tool

**SCAN SPECIFICATIONS**

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi

**File Formats:** TIFF (MMR compression), PDF (MMR compression), PDF (high compression), OpenXPS, XPS, JPEG

**PDF Extension:** Searchable PDF (OCR)

**Scan Speeds (mono/color, @300 dpi):**

**Simplex:** 120 ipm B&W / Color

**Duplex:** 220 ipm B&W / Color

**Connectivity / Supported Protocols:** 10/100/1000BaseTX, TCP/IP, Hi-Speed USB 2.0

**Scanning Functions:** Scan to Folder (SMB), Scan to Email, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan

**Original Size:** Through DP: Statement to Ledger (5.5" x 8.5" – 11" x 17"); Glass: Up to 11" x 17"

**Drivers:** TWAIN Driver / KM-WSDL / WSD

**COPY SPECIFICATIONS**

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 – 9,999 / Auto Reset to 1

**Additional Features:** Auto Magnification, Auto Paper Select, Auto Start, Auto Drawer Change, Interrupt Copy, Positive / Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip

**Job Management:** 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy

**Color Adjustment:** One Touch, Hue, Auto Exposure, Sharpness

**Magnification / Zoom:** Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1% Increments

**Document Box:** Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

**STANDARD DOCUMENT PROCESSOR**

**Type / Capacity:** Dual Scan Document Processor / 270 Sheets

**Acceptable Originals:** 5.5" x 8.5" – 11" x 17"

**Acceptable Weights:**

**Simplex:** 16 lb Bond – 68 lb Index (60 – 256gsm)

**Duplex:** 13 lb – 32 lb Bond (50 – 120gsm)

**OPTIONAL FAX SPECIFICATIONS**

**Fax Type:** Fax System 12

**Compatibility / Data Compression:** G3 Fax / MMR, MR, MH, JBIG

**Transmission Speed / Modem Speed:** Less than 3 Seconds per Page / 33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Duplex Transmission and Reception, Encrypted Transmission and Reception, Polling Transmission and Reception, Broadcast

**OPTIONAL 4,000 SHEET FINISHER DF-7110<sup>2</sup>**

**Stack / Staple Capacity:** Main Tray (A): 4,000 Sheets;

Sub Tray (B): 200 Sheets / 65 Sheets (up to 24 lb Bond [90gsm])

**Paper Size:** 5.5" x 8.5" – 12" x 18"

**Paper Weight:** 14 lb Bond – 166 lb Index (52 – 300gsm)

**Edge Staple Position:** 3 Positions: Top Left, Bottom Left, Center Bind

**Optional Punch:** PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 14 lb Bond – 166 lb Index (52 – 300gsm)

**Dimensions:** 23.91" W x 26.32" D x 41.78" H

**Optional Booklet Folder / Tri-fold Unit<sup>3</sup>:** **BF-730** Booklet Folder supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Tri-fold Unit supports 8.5" x 11" only: 16 lb – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb – 28 lb Bond (60 – 105gsm) 1 sheet

**Optional Multi-bin Mailbox<sup>3</sup>:** **MT-730(B)** Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm); Stack Capacity per Bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"

**ADDITIONAL OPTIONS**

Banner Guide (A), Internet Fax Kit (A), Card Authentication Kit (B), Gigabit NIC (**IB-50**), IEEE 802.11b/g/n (**IB-51**), ThinPrint (**UG-33**), Emulation (**UG-34**), Keyboard Holder 10, Key Counter, Key Counter Attachment Kit, Copy Tray (D), Data Security Kit (E), Numeric Keypad (**NK-7110**)

<sup>1</sup> Requires PF-7130

<sup>2</sup> Only 1 Output Option can be installed

<sup>3</sup> Requires DF-7110

**ONLY FROM KYOCERA**

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of document solutions that consistently set the standard for high performance, superior image quality, enhanced workflow applications, ease-of-use and durability.

Looking to streamline your document workflow? Kyocera offers a robust portfolio of business applications that seamlessly and securely integrate with our MFPs. To learn more about which business applications are right for your business, visit the Solutions section on our website.

Specifications and design are subject to change without notice.

For the latest on connectivity, please visit [www.copystar.com](http://www.copystar.com).

MAC and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc.

PRESCRIBE, KX Driver, and Command Center RX are the trademarks of the Kyocera Companies.

All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.

Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA

©2017 KYOCERA Document Solutions America, Inc.

IC# 855D400496

