Product #126227

READY-TO-USE DISINFECTANT

www.stateindustrial.com

State® Since 1911

Quick DEFENSE

Linen Fresh Scent

- Disinfectant§
- Mildewstat
- Deodorizer
- Sanitizer§
- Virucide*
- Fungicide
- Fabric & Air Freshener
- Kills 99.99% of Germs† and Viruses* in 60 seconds

Active Ingredients:
Alkyl (C14 50%, C12 40%, C16 10%) dimethyl benzyl ammonium chloride..... 0.30%
Other Ingredients..... 99.70%
Total..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS.

EPA Registration No: 66243-1-70799
EPA Establishment No: 66243-GA-1
EPA031121 REV032421

State Industrial Products
5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229

Care For Work Environments®

NET WT. : 14.6 Wt. Oz. (414 grams)

12R11 © Copyright 2021 - State Industrial Products Corp.

For Industrial Use

Quick Defense ‡kills Escherichia coli (E. coli), Staphylococcus aureus (Staph), Salmonella enterica (Salmonella), Streptococcus pyogenes (Strep), Listeria monocytogenes, Aspergillus niger, Methicillin Resistant Staphylococcus aureus (MRSA), Vancomycin Resistant Enterococcus faecalis (VREF), *Human Coronavirus, *Influenza A H3N2 and *Herpes Simplex Type 2 in 10 minutes on precleaned, hard, nonporous surfaces. Reduces the growth of odor causing bacteria.

Quick Defense †kills 99.99% of Streptococcus pyogenes (Strep), Escherichia coli 0157:H7 (E. coli) (pathogenic strain), Listeria monocytogenes, Staphylococcus aureus (Staph) and Klebsiella pneumoniae in 60 seconds on hard, nonporous, nonfood contact surfaces.

Quick Defense is an effective fungicide against Trichophyton interdigitale (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities.

Quick Defense helps reduce cross-contamination when used as a sanitizer on non-food contact surfaces in restaurants, kitchens, canteens and food processing facilities.

May be used in§: hospitals, homes, medical and dental offices, nursing homes, day care centers, nurseries, restaurants and bars, cafeterias, institutional facilities, public restrooms, institutions, schools, athletic facilities, camp grounds, play grounds, public facilities, transportation terminals, hotels and motels, factories, business and office buildings, ships, buses, ambulances, trains, airplanes, garages, and shops.

For use on§: exterior surface of, Walls, Basins, Tabletops, Exercise Equipment, Laundry Pails, Trash Barrels, Fishing Gear, Chrome, Aluminum, Formica®, Glazed Porcelain, Bathroom fixtures, Bathtubs Fiberglass, Cabinets, Cages, Chairs, Counterstops, Countertop laminates, Desks, Doorknobs, Floors, Garbage cans, Highchairs, Kennel runs, Showers, Shower stalls (Fiberglass),Sinks ,Non-wooden Picnic Tables, Telephones,Toilets,Toilet bowls, Toilet bowl surfaces, Glazed Tiles, Ultrasonic baths, and Urinals.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Disinfectant Directions

Quick Defense is a Hospital Disinfectant for precleaned surfaces, Bactericidal according to the AOAC Use Dilution Test Method and a Mildewstat according to the EPA Mildew-Fungistatic guidelines in 10 minutes and Virucidal* according to the virucidal qualification in 60 seconds, against the following germs‡:

Pseudomonas aeruginosa	Serratia marcescens
Staphylococcus aureus (Staph)	Legionella pneumophila
Streptococcus pyogenes (Strep)	Aspergillus niger
Methicillin Resistant Staphylococcus aureus (MRSA)	Trichophyton interdigitale (Athlete's foot fungus)
Vancomycin Resistant Enterococcus faecalis (VREF)	*Herpes Simplex Type 2
Escherichia coli 0157:H7 (E. coli)	*HIV-1 (AIDS Virus)
Listeria monocytogenes	*Human Coronavirus
Salmonella enterica	*Influenza A H3N2

Preclean prior to disinfection. Spray 6-8 inches §on hard, nonporous, nonfood contact surfaces. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 10 minutes for disinfection against bacteria and fungi or 60 seconds for disinfection against viruses*. Wipe dry with a cloth or tissue.

Mold & Mildew Control

To control mold and mildew on hard, nonporous, nonfood contact surfaces, wash visible soil from the surface. Then apply with mop, sponge, cloth or trigger spray so as to wet all surfaces thoroughly. Let air dry. Repeat application every 7 days to control reoccurrence of growth.

Fungicidal Disinfection

Quick Defense is an effective fungicide against Trichophyton interdigitale (athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. Follow disinfection directions.

Virucidal Disinfection

***Virucidal against Human Cornonavirus, HIV-1 (AIDS Virus), Influenza A H3N2 and Herpes Simplex Type 2.** KILLS§ HIV ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS, in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).
"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS" Personal Protection: Clean-up should always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface wet for 60 seconds. Use a 10 minute contact time for disinfection against bacteria. **Disposal of Infectious Materials:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Sanitizer Directions

Quick Defense is a sanitizer for precleaned, hard and nonporous non-food contact surfaces according to the method for Inanimate Non-Food Contact Surface Sanitizer in 60 seconds against the following germs†:
Streptococcus pyogenes (Strep)
Escherichia coli 0157:H7 (E. coli)
Listeria monocytogenes
Staphylococcus aureus (Staph)
Klebsiella pneumoniae

Preclean prior to sanitizing. Spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain undisturbed and visibly wet for 60 seconds. Wipe clean with a cloth or tissue.

Deodorizer Directions

Air Fabric & Freshener (Porous Surfaces)
Apply a light spray into the air or onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

STORAGE AND DISPOSAL

Do not puncture or incinerate. Store in areas inaccessible to small children. Offer for recycling, if available.

Precautionary Statements
Hazards to Humans and Domestic Animals
CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

910776-14A 399717 220113

STEEL

MADE IN THE USA

§When used according to disinfection/sanitization directions on hard, nonporous surfaces.