



STOUT™ TABLES

PRICE LIST

December 7, 2022

Updated March 6, 2023

800.424.2432



Stout™ Tables	
Technical Specifications	3
Product Color Options	10
Stout™ Rectangle (Freight Excluded)	
Fixed 29" Height	11
Fixed 36" Height	14
Fixed 40" Height	17
Adjustable 27-40" Height	20
Accessories	23
Stout™ Rectangle (Delivered)	
Fixed 29" Height	24
Fixed 36" Height	27
Fixed 40" Height	30
Adjustable 27-40" Height	33
Accessories	36

TECHNICAL SPECIFICATIONS

Table Frames

All table frames are shipped K.D. (knocked-down) and require assembly in the field.

Fixed-Height Frames

Table support framework consists of a pair of leg weldments made from 14-gauge cold-rolled steel square tubing. Each leg weldment consists of two 2 1/4" square post legs, a 1 3/4" square horizontal crossbeam, and post brackets formed from 11-gauge steel. Apron weldments of 14-gauge steel and corner brackets of 11-gauge steel span underneath the worksurface and connect the legs using 1/4"-20 screws. Larger tables will include a center stringer which is also made from 14-gauge square tubing. Tops are secured to frames using #12 x 3/4" screws. Fixed-height tables are available in three heights: 29", 36", and 40" high with glides or casters.

*Table height is determined using standard laminate worksurface.

Adjustable-Height Frames

Adjustable height tables are similar in construction to fixed-height but include a set of inner legs and adjustment allowing for a height range* of 27"-40" in 1" increments. Each leg's height is maintained with two 1/4-20 screws.

*Table height range is determined using standard laminate worksurface.

Worksurface

Laminate Worksurface

Laminate worksurfaces are nominal 1 1/4" thickness, with particleboard core, .030" thick high-pressure laminate top surface and .028" phenolic backer (bottom surface). Worksurfaces include 2 mm poly, edge banding (74P) for tamper and moisture resistance. All tops are pre-drilled for installation atop the table frame, as well as for attaching optional power modules and bag hooks at the job site.

Phenolic Resin Worksurface

Solid phenolic worksurface is a 1" thick, self-supporting flat panel composed of thermosetting resins, homogeneously reinforced with cellulose fibers and manufactured under high heat and pressure. The worksurface has a pigmented resin, decorative surface that is electron-beam cured. All tops are pre-drilled for installation atop the table frame, as well as optional power modules and bag hooks at the job site.

Butcher Block Wood Worksurface

Hard Rock Maple wood butcher block worksurface is 1 3/4" thick and flat edge grain construction. Full-length strips are randomly placed and finished with clear, semi-gloss Varnique finish. All tops are pre-drilled for installation atop the table frame, as well as optional power modules and bag hooks at the job site.

Casters or Glides

Glides are an available option for all tables. Casters are an available option for all tables except tables 24" deep.

Casters

Caster wheel diameter is 4" (100 mm), and the installed caster overall height is approximately 5 3/8". Wheel is constructed of grey, non-marking thermoplastic with wheel surface having a 1 1/4" wide tread. Caster wheels are locking on each table leg and install using a 1/2-13 threaded stem into the bottom of the table leg. Caster units each contain a double ball bearing swivel head and housing made of pressed steel, bright zinc plated. Casters are installed tight into the bottom of the leg and are not height adjustable.

TECHNICAL SPECIFICATIONS

Casters or Glides (cont.)

Glides

Glides are black nylon, overmolded on a steel insert for strength and have a smooth surface for mobility. Glide overall diameter is 2 1/2" and installs into the bottom of the table leg using a 1/2-13 threaded stem, providing for approximately 1" of adjustment range to accommodate uneven floors.

Pegboard End Panels (optional)

Pegboard end panels are formed from 16-gauge cold-rolled steel and must be specified when ordering leg weldments, as they are welded in place to the leg set and are powder-coat painted together at the factory. Holes with an industry-standard diameter size of 9/32" are spaced 1" on-center both horizontally and vertically to accommodate both KI and off-the-shelf pegboard components. Pegboard end panels are 6" tall and are positioned 3" below the top horizontal cross beam of the side leg weldments. Pegboards can be specified to be on one or both leg weldments of a table.

Footrests (optional)

Footrest weldments are constructed of 14-gauge, 1 3/4" cold rolled steel square tubing and are powder-coat painted. Mounting brackets under the footrest attach it between table legs using thread-forming screws, allowing for easy installation or removal. Footrest options are single, dual, or dual with shelf. The shelf option is only available with the dual footrest option. The shelf is made from 14-gauge steel and is powder-coat painted. The shelf is suspended in place between the dual footrest tubes using lower mounting brackets. The footrest height is 10" from the top of the footrest to the floor.

Dean® Undersurface Power Modules (optional)

Stout tables can be specified with one or two Dean Undersurface power modules. The Dean Undersurface power module consists of two simplex receptacles (rated at 15 amps/125 volts), one USB-A port and one USB-C port, 2 amps per port. The modules are 5 1/2" wide by 1 7/8" tall by 2 1/2" deep and have a smooth molded plastic faceplate with an anodized aluminum housing. Color options are Black, Cottonwood, Cool Grey, and Warm Gray. Modules come standard with either 9' or 15' cord with a 3-prong plug. A worksurface mount bracket and a stringer mount bracket will ship with every module to allow installation of the modules along any edge of the table. Dean undersurface power module is rated at 15 amps/120 volts and is UL listed.

Horizontal and vertical wire management components are included with each module. Horizontal wire management consists of hook and ladder style, cord holders that secure to the underside of the table worksurfaces. Vertical wire management consists of adhesive-back extruded plastic channels that secure to leg columns. Vertical wire management channels are 16" tall for adjustable-height tables and 29" fixed-height tables, and are 24" tall for 36" and 40" fixed-height tables.

Bag Hooks (optional)

Two bag hook options are available, either for mounting under the worksurface, or for mounting to the pegboard end panel. Each bag hook is made from 14-gauge steel, is powder-coat painted and is field installed. The undersurface bag hook fastens underneath the top using two #12 x 3/4" Phillips pan head screws to pre-drilled holes under the worksurface. The pegboard bag hook installs to the pegboard end panel using two #10 x 3/8" screws and nuts. The quantity of undersurface bag hooks provided when ordering a table is determined by table size (two per 24" and 30" deep tables, four per 36", 42" and 48" deep tables). Pegboard bag hooks are ordered separately as accessories.

Finish

Table frames are offered in numerous powder-coat colors. Powder-coat application is a hybrid epoxy, baked on to provide a scratch and stain resistant finish. If pegboards, single footrests, or dual footrests are specified, they will be the same color as the table.

Compliance


Stout tables meet or exceed ANSI/BIFMA X5.5-2021.



DIMENSIONS

Stout 29” Fixed-Height Tables with Glides

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEAA2448	29"	23.93"	47.93"	15.43"	39.43"	15.93"	N/A	26.10"
SUEAA2460	29"	23.93"	59.93"	15.43"	51.43"	15.93"	N/A	26.10"
SUEAA2472	29"	23.93"	71.93"	15.43"	63.43"	15.93"	N/A	26.10"
SUEAA3048	29"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	26.10"
SUEAA3060	29"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	26.10"
SUEAA3072	29"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	26.10"
SUEAA3084	29"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	26.10"
SUEAA3648	29"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	26.10"
SUEAA3660	29"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	26.10"
SUEAA3672	29"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	26.10"
SUEAA3684	29"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	26.10"
SUEAA4248	29"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	26.10"
SUEAA4260	29"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	26.10"
SUEAA4272	29"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	26.10"
SUEAA4284	29"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	26.10"
SUEAA4848	29"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	26.10"
SUEAA4860	29"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	26.10"
SUEAA4872	29"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	26.10"
SUEAA4884	29"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	26.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.

DIMENSIONS

Stout 36” Fixed-Height Tables with Glides

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEBA2448	36"	23.93"	47.93"	15.43"	39.43"	15.93"	N/A	33.10"
SUEBA2460	36"	23.93"	59.93"	15.43"	51.43"	15.93"	N/A	33.10"
SUEBA2472	36"	23.93"	71.93"	15.43"	63.43"	15.93"	N/A	33.10"
SUEBA3048	36"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	33.10"
SUEBA3060	36"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	33.10"
SUEBA3072	36"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	33.10"
SUEBA3084	36"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	33.10"
SUEBA3648	36"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	33.10"
SUEBA3660	36"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	33.10"
SUEBA3672	36"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	33.10"
SUEBA3684	36"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	33.10"
SUEBA4248	36"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	33.10"
SUEBA4260	36"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	33.10"
SUEBA4272	36"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	33.10"
SUEBA4284	36"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	33.10"
SUEBA4848	36"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	33.10"
SUEBA4860	36"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	33.10"
SUEBA4872	36"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	33.10"
SUEBA4884	36"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	33.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.



DIMENSIONS

Stout 40” Fixed-Height Tables with Glides

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEKA2448	40"	23.93"	47.93"	15.43"	39.43"	15.93"	N/A	37.10"
SUEKA2460	40"	23.93"	59.93"	15.43"	51.43"	15.93"	N/A	37.10"
SUEKA2472	40"	23.93"	71.93"	15.43"	63.43"	15.93"	N/A	37.10"
SUEKA3048	40"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	37.10"
SUEKA3060	40"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	37.10"
SUEKA3072	40"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	37.10"
SUEKA3084	40"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	37.10"
SUEKA3648	40"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	37.10"
SUEKA3660	40"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	37.10"
SUEKA3672	40"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	37.10"
SUEKA3684	40"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	37.10"
SUEKA4248	40"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	37.10"
SUEKA4260	40"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	37.10"
SUEKA4272	40"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	37.10"
SUEKA4284	40"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	37.10"
SUEKA4848	40"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	37.10"
SUEKA4860	40"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	37.10"
SUEKA4872	40"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	37.10"
SUEKA4884	40"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	37.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.

DIMENSIONS

Stout 29” Fixed-Height Tables with Casters

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEAA3048	29"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	26.10"
SUEAA3060	29"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	26.10"
SUEAA3072	29"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	26.10"
SUEAA3084	29"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	26.10"
SUEAA3648	29"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	26.10"
SUEAA3660	29"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	26.10"
SUEAA3672	29"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	26.10"
SUEAA3684	29"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	26.10"
SUEAA4248	29"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	26.10"
SUEAA4260	29"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	26.10"
SUEAA4272	29"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	26.10"
SUEAA4284	29"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	26.10"
SUEAA4848	29"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	26.10"
SUEAA4860	29"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	26.10"
SUEAA4872	29"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	26.10"
SUEAA4884	29"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	26.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.



DIMENSIONS

Stout 36” Fixed-Height Tables with Casters

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEBA3048	36"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	33.10"
SUEBA3060	36"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	33.10"
SUEBA3072	36"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	33.10"
SUEBA3084	36"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	33.10"
SUEBA3648	36"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	33.10"
SUEBA3660	36"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	33.10"
SUEBA3672	36"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	33.10"
SUEBA3684	36"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	33.10"
SUEBA4248	36"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	33.10"
SUEBA4260	36"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	33.10"
SUEBA4272	36"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	33.10"
SUEBA4284	36"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	33.10"
SUEBA4848	36"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	33.10"
SUEBA4860	36"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	33.10"
SUEBA4872	36"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	33.10"
SUEBA4884	36"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	33.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.

DIMENSIONS

Stout 40” Fixed-Height Tables with Casters

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEKA3048	40"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	37.10"
SUEKA3060	40"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	37.10"
SUEKA3072	40"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	37.10"
SUEKA3084	40"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	37.10"
SUEKA3648	40"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	37.10"
SUEKA3660	40"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	37.10"
SUEKA3672	40"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	37.10"
SUEKA3684	40"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	37.10"
SUEKA4248	40"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	37.10"
SUEKA4260	40"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	37.10"
SUEKA4272	40"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	37.10"
SUEKA4284	40"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	37.10"
SUEKA4848	40"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	37.10"
SUEKA4860	40"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	37.10"
SUEKA4872	40"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	37.10"
SUEKA4884	40"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	37.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.



DIMENSIONS

Stout Adjustable-Height Tables with Casters

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEFA3048	27" - 40"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3060	27" - 40"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3072	27" - 40"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3084	27" - 40"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3648	27" - 40"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3660	27" - 40"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3672	27" - 40"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3684	27" - 40"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	24.10" - 37.10"
SUEFA4248	27" - 40"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4260	27" - 40"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4272	27" - 40"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4284	27" - 40"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4848	27" - 40"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4860	27" - 40"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4872	27" - 40"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4884	27" - 40"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	24.10" - 37.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.

DIMENSIONS

Stout Adjustable-Height Tables with Glides

Model Number	A Table Height	B Table Depth	C Table Width	D Space Between Legs	E Space Between Legs	F Space Between Aprons	G Space Between Apron & Stringer	H Apron-to-Floor Clearance
SUEFA2448	27" - 40"	23.93"	47.93"	15.43"	39.43"	15.93"	N/A	24.10" - 37.10"
SUEFA2460	27" - 40"	23.93"	59.93"	15.43"	51.43"	15.93"	N/A	24.10" - 37.10"
SUEFA2472	27" - 40"	23.93"	71.93"	15.43"	63.43"	15.93"	N/A	24.10" - 37.10"
SUEFA3048	27" - 40"	29.93"	47.93"	21.43"	39.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3060	27" - 40"	29.93"	59.93"	21.43"	51.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3072	27" - 40"	29.93"	71.93"	21.43"	63.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3084	27" - 40"	29.93"	83.93"	21.43"	75.43"	21.93"	N/A	24.10" - 37.10"
SUEFA3648	27" - 40"	35.93"	47.93"	27.43"	39.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3660	27" - 40"	35.93"	59.93"	27.43"	51.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3672	27" - 40"	35.93"	71.93"	27.43"	63.43"	N/A	13.09"	24.10" - 37.10"
SUEFA3684	27" - 40"	35.93"	83.93"	27.43"	75.43"	N/A	13.09"	24.10" - 37.10"
SUEFA4248	27" - 40"	41.93"	47.93"	33.43"	39.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4260	27" - 40"	41.93"	59.93"	33.43"	51.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4272	27" - 40"	41.93"	71.93"	33.43"	63.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4284	27" - 40"	41.93"	83.93"	33.43"	75.43"	N/A	16.09"	24.10" - 37.10"
SUEFA4848	27" - 40"	47.93"	47.93"	39.43"	39.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4860	27" - 40"	47.93"	59.93"	39.43"	51.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4872	27" - 40"	47.93"	71.93"	39.43"	63.43"	N/A	19.09"	24.10" - 37.10"
SUEFA4884	27" - 40"	47.93"	83.93"	39.43"	75.43"	N/A	19.09"	24.10" - 37.10"




Note: Table height dimensions in the chart above represent tables using a 1 1/4" thick laminate worksurface. Tables using a 1" thick phenolic resin worksurface must subtract 1/4" from the "table height" column in the chart. Tables using a 1 3/4" thick butcher block wood worksurface must add 1/2" to the "table height" column in the chart.




DIMENSIONS

Footrest Leg Clearance


All table frames are shipped K.D. (knocked-down) and require assembly in the field.




24" Deep Tables with Single Footrest
(side view)




30" Deep Tables with Single Footrest
(side view)



30" Deep Tables with Dual Footrest
(side view)



36" Deep Tables with Single Footrest
(side view)




36" Deep Tables with Dual Footrest
(side view)


DIMENSIONS

Footrest Leg Clearance (cont.)


All table frames are shipped K.D. (knocked-down) and require assembly in the field.




42" Deep Tables with Single Footrest
(side view)



42" Deep Tables with Dual Footrest
(side view)



48" Deep Tables with Single Footrest
(side view)




48" Deep Tables with Dual Footrest
(side view)




STATEMENT OF LINE

Stout Tables - Fixed-Height Frames




Fixed-Height Table with Glides
SUEAA (29" Fixed-Height)
SUEBA (36" Fixed-Height)
SUEKA (40" Fixed-Height)




Fixed-Height Table with Casters
SUEAA (29" Fixed-Height)
SUEBA (36" Fixed-Height)
SUEKA (40" Fixed-Height)

Stout Tables - Adjustable-Height Frames




Adjustable-Height Table with Glides
SUEFA (27"-40" Adjustable Height)




Adjustable-Height Table with Casters
SUEFA (27"-40" Adjustable Height)

STATEMENT OF LINE


Stout Table Accessories




Single Footrest




Dual Footrest




Dual Footrest with Shelf




Pegboard End Panel



Dean Undersurface Power
Module with 3-Prong Plug



Undersurface
Bag Hook



Pegboard Mounted
Bag Hook

Edge Color for 74P Edge			LXF	Misty Brown	MY	Cayenne	HCY
Sterling Ash	EAZ	Florence Walnut	LFC	Nemo	NE	Everglade Shade	HEV
Black	EBL	Forged Steel	LOL	Nordic	ND	Espresso Metallic	HEX
Belair	EBQ	Friston Ash	LFH	Poppy Red	PR	Earthen Clay	HEY
Biltmore Cherry	EBT	Frosty White	LFW	Purple Haze	PH	Flannel	HFN
Brighton Walnut	EBW	Graphite Nebula	LGN	Rubber Ducky	RK	Blue Grey	HGR
Cocobala	ECC	Grey	LGE	Sand	SA	Glitz Metallic	HGZ
Cool Grey	ECG	High Rise	LHE	Sky Blue	SK	Hazy Jade	HHJ
Castle Oak	ECO	Hollyberry	LHY	Starlight Silver Metallic	SX	Honey Bee	HHY
Cherry Storm	ECX	Irish Linen	LIH	Surf's Up	SP	Light Tone	HLG
Cayenne	ECY	Island	LID	Twilight Shadow	TI	Mardi Gras	HMG
Everglade Shade	EEV	Italian Silver Ash	LIT	Ultra Blue	UB	Misty Brown	HMY
Earthen Clay	EEY	Kensington Maple	LKM	Warm Grey	WG	Nordic	HND
Florence Walnut	EFC	Lapis Blue	LLB	Zesty Lime	ZL	Nemo	HNE
Friston Ash	EFH	Markerboard White	LMK	Shelf Color		Purple Haze	HPH
Flannel	EFN	Misted Zephyr	LMR			Poppy Red	HPR
Frosty White	EFW	Monticello Maple	LMT	Black	SBL	Rubber Ducky	HRK
Blue Grey	EGR	Nickel Evolv	LNV	Cool Grey	SCG	Sand	HSA
Hazy Jade	EHJ	North Sea	LNA	Champagne Metallic	SCM	Sky Blue	HSK
Honey Bee	EHY	Ocean	LON	Cottonwood	SCO	Surf's Up	HSP
Italian Silver Ash	EIT	Pearl Bisque	LPB	Cayenne	SCY	Starlight Silver Metallic	HSX
Kensington Maple	EKM	Pearl Silver	LPS	Everglade Shade	SEV	Twilight Shadow	HTI
Light Tone	ELG	Pressed Linen	LPR	Espresso Metallic	SEX	Ultra Blue	HUB
Multiplex	EMB	River Cherry	LRY	Earthen Clay	SEY	Warm Grey	HWG
Mardi Gras	EMG	Rugged Linen	LRG	Flannel	SFN	Zesty Lime	HZL
Monticello Maple	EMT	Satin Stainless	LSS	Blue Grey	SGR	Bronze Metallic	HZM
Misty Brown	EMY	Shadow Zephyr	LSR	Glitz Metallic	SGZ		
Nordic	END	Silicon evolv	LSV	Hazy Jade	SHJ		
Nemo	ENE	Sterling Ash	LAZ	Honey Bee	SHY		
Purple Haze	EPH	Tailored Linen	LTL	Light Tone	SLG		
Poppy Red	EPR	Titanium evolv	LTV	Mardi Gras	SMG		
Rubber Ducky	ERK	White Nebula	LWL	Misty Brown	SMY		
River Cherry	ERY	White Sand	LWN	Nordic	SND		
Sand	ESA	Windsor Mahogany	LWY	Nemo	SNE		
Sky Blue	ESK	Phenolic Resin Top Color		Purple Haze	SPH		
Surf's Up	ESP			Poppy Red	SPR		
Twilight Shadow	ETI	Black	RBL	Rubber Ducky	SRK		
Ultra Blue	EUB	Butcherblock Wood Top Color		Sand	SSA		
Warm Grey	EWG			Sky Blue	SSK		
Windsor Mahogany	EWY	Maple	WME	Surf's Up	SSP		
Zesty Lime	EZL	Paint Color - Base		Starlight Silver Metallic	SSX		
				Twilight Shadow	STI		
Laminate Surface Finish Color		Black	BL	Ultra Blue	SUB		
		Blue Grey	GR	Warm Grey	SWG		
Belair	LBQ	Bronze Metallic	ZM	Zesty Lime	SZL		
Biltmore Cherry	LBT	Cayenne	CY	Bronze Metallic	SZM		
Black	LBK	Champagne Metallic	CM	Module Color			
Brighton Walnut	LBW	Cool Grey	CG				
Canyon Zephyr	LCA	Cottonwood	CO	Black	PUBL		
Castle Oak	LCO	Earthen Clay	EO	Cool Grey	PUCG		
Casual Linen	LCU	Espresso Metallic	EY	Cottonwood	PUCO		
Cherry Storm	LCX	Everglade Shade	EV	Warm Grey	PUWG		
Classic Linen	LCI	Flannel	FN	Bag Hook Color			
Cloud Zephyr	LCL	Glitz Metallic	GZ				
Cocobala	LCC	Hazy Jade	HJ	Black	HBL		
Crisp Linen	LRI	Honey Bee	HY	Cool Grey	HCG		
Desert Zephyr	LDZ	Light Tone	LG	Champagne Metallic	HCM		
Dove Grey	LDG	Mardi Gras	MG	Cottonwood	HCO		
Fired Steel	LIL						


Stout™ Rectangle (Freight Excluded)

Fixed 29" Height



Stout™ Rectangle (Freight Excluded)

Fixed 29" Height

		MODEL NUMBER																					
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color										
A x B																							
	24x48	SUEAA2448-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x48	SUEAA2448-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x48	SUEAA2448-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x60	SUEAA2460-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x60	SUEAA2460-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x60	SUEAA2460-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x72	SUEAA2472-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x72	SUEAA2472-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	24x72	SUEAA2472-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	SUEAA 24" Deep - Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table - Casters cannot be used on 24" deep tables - Dual footrests are not available on 24" deep tables																						
SUEAA 30" Deep - Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table	30x48	SUEAA3048-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	30x48	SUEAA3048-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	30x48	SUEAA3048-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	30x60	SUEAA3060-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐										
	30x60	SUEAA3060-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	<														

HOW TO ORDER

- Indicate the following information on order form:
- Quantity of each item.
 - Model number, including options. See "How To Build a Model Number".
 - Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$73
PB2 - Pegboards on both legs; add \$146
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
DFS - Dual footrest with shelf
See pricing column for footrest upcharge.

- G**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$100
- H**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$365
MU2 - Qty (2) Dean under-surface modules; add \$730
- I**Select module color.
Refer to the **Product Color Options** page in this price list.
- J**Select cord length.
9 - 9' cord length
15 - 15' cord length
- K**Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$32
- L**Select bag hook color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Freight Excluded)
Fixed 36" Height



Stout™ Rectangle (Freight Excluded)
Fixed 36" Height

		MODEL NUMBER																				
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	Freight Excluded Pricing	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf	
	24x48	SUEBA2448-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	108.0#	\$ 940	\$ 940	N/A	N/A	\$ 193	N/A	N/A	
	24x48	SUEBA2448-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	130.0#	1793	N/A	1793	N/A	193	N/A	N/A	
	24x48	SUEBA2448-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	129.0#	1686	N/A	N/A	1686	193	N/A	N/A	
	24x60	SUEBA2460-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	122.0#	1023	1023	N/A	N/A	205	N/A	N/A	
	24x60	SUEBA2460-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	150.0#	1991	N/A	1991	N/A	205	N/A	N/A	
	24x60	SUEBA2460-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	148.0#	1838	N/A	N/A	1838	205	N/A	N/A	
	24x72	SUEBA2472-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	140.0#	1080	1080	N/A	N/A	220	N/A	N/A	
	24x72	SUEBA2472-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	169.0#	2193	N/A	2193	N/A	220	N/A	N/A	
	24x72	SUEBA2472-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	167.0#	2044	N/A	N/A	2044	220	N/A	N/A	
SUEBA 24" Deep - Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table - Casters cannot be used on 24" deep tables - Dual footrests are not available on 24" deep tables																						
SUEBA 30" Deep - Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table		30x48	SUEBA3048-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	122.0#	\$ 1034	\$ 1034	N/A	N/A	\$ 200	\$ 280	\$ 521	
		30x48	SUEBA3048-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	150.0#	1990	N/A	1990	N/A	200	280	521
		30x48	SUEBA3048-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	148.0#	1880	N/A	N/A	1880	200	280	521
		30x60	SUEBA3060-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	138.0#	1105	1105	N/A	N/A	220	305	572
		30x60	SUEBA3060-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ <											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$73
PB2 - Pegboards on both legs; add \$146
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$100
- H**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$365
MU2 - Qty (2) Dean under-surface modules; add \$730
- I**Select module color.
Refer to the **Product Color Options** page in this price list.
- J**Select cord length.
9 - 9' cord length
15 - 15' cord length
- K**Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$32

LSelect bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Stout™ Rectangle (Freight Excluded)

Fixed 36" Height



Stout™ Rectangle (Freight Excluded)

Fixed 36" Height

	A x B	MODEL NUMBER																			
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/Shelf	Shelf Color	Caster/Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
	48x48	SUEBA4848-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	184.0#	\$ 1335	N/A	N/A	\$ 230	\$ 330	\$ 571
	48x48	SUEBA4848-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	229.0#	N/A	2646	N/A	230	330	571
	48x48	SUEBA4848-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	226.0#	N/A	N/A	2672	230	330	571
	48x60	SUEBA4860-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	208.0#	1449	N/A	N/A	244	346	613
	48x60	SUEBA4860-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	264.0#	N/A	3033	N/A	244	346	613
	48x60	SUEBA4860-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	260.0#	N/A	N/A	3208	244	346	613
	48x72	SUEBA4872-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	242.0#	1532	N/A	N/A	259	371	721
	48x72	SUEBA4872-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	309.0#	N/A	3424	N/A	259	371	721
	48x72	SUEBA4872-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	304.0#	N/A	N/A	3668	259	371	721
	48x84	SUEBA4884-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	257.0#	1740	N/A	N/A	270	374	817
	48x84	SUEBA4884-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	335.0#	N/A	3822	N/A	270	374	817
	48x84	SUEBA4884-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	330.0#	N/A	N/A	4171	270	374	817

Stout™ Rectangle (Freight Excluded)

Fixed 40” Height



Stout™ Rectangle (Freight Excluded)

Fixed 40” Height

		MODEL NUMBER																		
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	1-1/4" Laminate Top with 74P Edge (74P)	1" Phenolic Resin Top (RNT)	1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
 SUEKA 36” Deep	36x48	SUEKA3648-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	155.0#	\$ 1225	N/A	N/A	\$ 210	\$ 297	\$ 538
	36x48	SUEKA3648-RNT		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	188.0#	N/A	2268	N/A	210	297	538
	36x48	SUEKA3648-WBB		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	186.0#	N/A	N/A	2181	210	297	538
	36x60	SUEKA3660-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	175.0#	1333	N/A	N/A	227	314	581
	36x60	SUEKA3660-RNT		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	217.0#	N/A	2565	N/A	227	314	581
	36x60	SUEKA3660-WBB		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	214.0#	N/A	N/A	2468	227	314	581
	36x72	SUEKA3672-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	195.0#	1395	N/A	N/A	241	338	689
	36x72	SUEKA3672-RNT		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	245.0#	N/A	2865	N/A	241	338	689
	36x72	SUEKA3672-WBB		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	242.0#	N/A	N/A	2801	241	338	689
	36x84	SUEKA3684-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	215.0#	1633	N/A	N/A	257	361	804
	36x84	SUEKA3684-RNT		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	273.0#	N/A	3175	N/A	257	361	804
	36x84	SUEKA3684-WBB		☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	269.0#	N/A	N/A	3101	257	361	804
• Field assembly required • Vertical and horizontal wire management is included when power modules																				





Stout™ Rectangle (Freight Excluded)

Fixed 40" Height



Stout™ Rectangle (Freight Excluded)

Fixed 40" Height

		MODEL NUMBER																				
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Shelf Color	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color								
A x B															Approx. Packaged Weight	1-1/4" Laminate Top with 74P Edge (74P)	1" Phenolic Resin Top (RNT)	1-3/4" Butcher Block Wood Top (WBB)		Single Footrest	Dual Footrest	Dual Footrest w/Shelf
 SUEKA 48" Deep • Field assembly required • Vertical and horizontal wire management is included when power management is specified • Undersurface power modules install along any side of the table	48x48	SUEKA4848-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	187.0#	\$ 1347	N/A	N/A		\$ 230	\$ 330	\$ 571
	48x48	SUEKA4848-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	232.0#	N/A	2657	N/A		230	330	571
	48x48	SUEKA4848-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	229.0#	N/A	N/A	2683		230	330	571
	48x60	SUEKA4860-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	212.0#	1462	N/A	N/A		244	346	613
	48x60	SUEKA4860-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	267.0#	N/A	3044	N/A		244	346	613
	48x60	SUEKA4860-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	264.0#	N/A	N/A	3219		244	346	613
	48x72	SUEKA4872-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	236.0#	1545	N/A	N/A		259	371	721
	48x72	SUEKA4872-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	303.0#	N/A	3436	N/A		259	371	721
	48x72	SUEKA4872-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	298.0#	N/A	N/A	3680		259	371	721
	48x84	SUEKA4884-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	260.0#	1753	N/A	N/A		270	374	817
	48x84	SUEKA4884-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	338.0#	N/A	3834	N/A		270	374	817
	48x84	SUEKA4884-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	333.0#	N/A	N/A	4183		270	374	817

- SUEKA
- 48" Deep**
- Field assembly required
 - Vertical and horizontal wire management is included when power modules are specified
 - Undersurface power modules install along any side of the table

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See "How To Build a Model Number".
 3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D** Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$73
PB2 - Pegboards on both legs; add \$146
- E** Select frame color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G** Select shelf color.
Refer to the **Product Color Options** page in this price list.
- H** Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$100
- I** Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$365
MU2 - Qty (2) Dean under-surface modules; add \$730
- J** Select module color.
Refer to the **Product Color Options** page in this price list.
- K** Select cord length.
9 - 9' cord length
15 - 15' cord length

- L** Select bag hook.
NB - No book bag hook
BH - Four book bag hooks; add \$64
- M** Select bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height



Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge color.
Refer to the **Product Color Options** page in this price list.

C Select surface finish.
Refer to the **Product Color Options** page in this price list.

D Select pegboard end panel.

NPB	- No pegboards
PB1	- Pegboard on one leg; add \$73
PB2	- Pegboards on both legs; add \$146

E Select frame color.
Refer to the **Product Color Options** page in this price list.

F Select footrest/shelf selection.

NFT	- No footrest
SFT	- Single footrest
DFT	- Dual footrest

DFS - Dual footrest with shelf
See pricing column for footrest upcharge.

G Select casters/glides.

GNY	- Nylon glides
CCC	- Casters; add \$100

H Select module.

NNN	- No power modules
MU1	- Qty (1) Dean under-surface module; add \$365
MU2	- Qty (2) Dean under-surface modules; add \$730

I Select module color.
Refer to the **Product Color Options** page in this price list.

J Select cord length.

9	- 9' cord length
15	- 15' cord length

K Select bag hook.

NB	- No book bag hook
BH	- Two book bag hooks; add \$32

L Select bag hook color.
Refer to the **Product Color Options** page in
this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height



Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select edge color.
Refer to the **Product Color Options** page in this price list.

C Select surface finish.
Refer to the **Product Color Options** page in this price list.

D Select pegboard end panel.

NPB	- No pegboards
PB1	- Pegboard on one leg; add \$73
PB2	- Pegboards on both legs; add \$146

E Select frame color.
Refer to the **Product Color Options** page in this price list.

F Select footrest/shelf selection.

NFT	- No footrest
SFT	- Single footrest
DFT	- Dual footrest

DFS - Dual footrest with shelf
See pricing column for footrest upcharge.

G Select casters/glides.

GNV	- Nylon glides
CCC	- Casters; add \$100

H	Select module.
NNN	- No power modules
MU1	- Qty (1) Dean under-surface module; add \$365
MU2	- Qty (2) Dean under-surface modules; add \$730

1 Select module color.
Refer to the **Product Color Options** page in this price list.

J Select cord length.

9	- 9' cord length
15	- 15' cord length

K Select bag hook.

NB	- No book bag hook
BH	- Four book bag hooks; add \$64

L Select bag hook color.
Refer to the **Product Color Options** page in
this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height



Stout™ Rectangle (Freight Excluded)

Adjustable 27-40" Height

[illegible]

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D** Select pegboard end panel.
- | | |
|------------|-------------------------------------|
| NPB | - No pegboards |
| PB1 | - Pegboard on one leg; add \$73 |
| PB2 | - Pegboards on both legs; add \$146 |
- E** Select frame color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest/shelf selection.
- | | |
|------------|-------------------|
| NFT | - No footrest |
| SFT | - Single footrest |
| DFT | - Dual footrest |

DFS - Dual footrest with shelf
See pricing column for footrest upcharge.

- G** Select shelf color.
Refer to the **Product Color Options** page in this price list.
- H** Select casters/glides.
- | | |
|------------|----------------------|
| GNV | - Nylon glides |
| CCC | - Casters; add \$100 |
- I** Select module.
- | | |
|------------|---|
| NNN | - No power modules |
| MU1 | - Qty (1) Dean under-surface module; add \$365 |
| MU2 | - Qty (2) Dean under-surface modules; add \$730 |
- J** Select module color.
Refer to the **Product Color Options** page in this price list.
- K** Select cord length.
- | | |
|-----------|-------------------|
| 9 | - 9' cord length |
| 15 | - 15' cord length |

- L** Select bag hook.
- | | |
|-----------|---------------------------------|
| NB | - No book bag hook |
| BH | - Four book bag hooks; add \$64 |
- M** Select bag hook color.
- Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.


Stout™ Rectangle (Freight Excluded)

Accessories



Stout™ Rectangle (Freight Excluded)

Accessories

MODEL	MODEL NUMBER				Approx. Packaged Weight	Freight Excluded Pricing
	Basic Model	Frame Color	Mod. Color	Cord Length		
 SUAC - Dean Undersurface Module Kit • Mounting brackets and hardware included for installation onto Stout Tables • Modules can be installed along any side of the table • Horizontal wire management included • Vertical wire managers shall be ordered separately	SUACMODMU1		☐ ☐	☐ ☐	4.0#	\$ 435
 SUAC - Pegboard Hook Kit • Hardware included for attachment to Stout Table pegboard end panels • Color of mounting screws will match color of hooks	SUACPEGHOOK	☐ ☐			0.5#	\$ 18
 SUAC - Worksurface Hook Kit • Hardware included for attachment to underside of a Stout Table worksurface • Color of mounting screws will be black • These hooks can install at either end of a Stout Table	SUACWKSFHOOK	☐ ☐			0.5#	\$ 18
 SUAC - Vertical Wire Manager • For use on 29" Fixed Height and on Adjustable Height Stout Tables • Adhesive-backed for screwless attachment	SUACVWM16				0.5#	\$ 12
 SUAC - Vertical Wire Manager • For use on 36" and 40" Fixed Height Stout Tables • Adhesive-backed for screwless attachment	SUACVWM24				0.5#	\$ 12
A B C D						

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to the **Product Color Options** page in this price list.
- C** Select module color.
Refer to the **Product Color Options** page in this price list.
- D** Select cord length.
9 - 9' cord length
15 - 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.


Stout™ Rectangle (Delivered)

Fixed 29” Height



Stout™ Rectangle (Delivered)

Fixed 29” Height

		MODEL NUMBER																	Dual Footrest w/Shelf
		Basic Model	Edge Color	Surf. Finish	Peg- board	Frame Color	Foot- rest/ Shelf	Caster/ Glide	Mod- ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	1-1/4" Laminate Top with 74P Edge (74P)	1" Phenolic Resin Top (RNT)	1-3/4" Butcher Block Wood Top (WBB)		
	A x B																		
	24x48	SUEAA2448-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	91.0#	\$ 1033	N/A	N/A	N/A	
	24x48	SUEAA2448-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	113.0#	N/A	1954	N/A	N/A		
	24x48	SUEAA2448-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	111.0#	N/A	N/A	1836	N/A		
	24x60	SUEAA2460-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	103.0#	1125	N/A	N/A	N/A		
	24x60	SUEAA2460-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	131.0#	N/A	2172	N/A	N/A		
	24x60	SUEAA2460-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	129.0#	N/A	N/A	2004	N/A		
	24x72	SUEAA2472-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	115.0#	1200	N/A	N/A	N/A		
	24x72	SUEAA2472-RNT		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	148.0#	N/A	2394	N/A	N/A		
	24x72	SUEAA2472-WBB		☐ ☐	☐ ☐	☐ ☐	NFT	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	146.0#	N/A	N/A	2230	N/A		
SUEAA 24" Deep																			
• Field assembly required • Vertical and horizontal wire management is included when power modules are specified • Undersurface power modules install along any side of the table • Casters cannot be used on 24" deep tables • Dual footrests are not available on 24" deep tables		30x48	SUEAA3048-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	103.0#	\$ 1138	N/A	N/A	\$ 573		
		30x48	SUEAA3048-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	131.0#	N/A	2171	N/A	573		
		30x48	SUEAA3048-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	129.0#	N/A	N/A	2051	573		
		30x60	SUEAA3060-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	117.0#	1217	N/A	N/A	629	
		30x60	SUEAA3060-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	152.0#	N/A	2488	N/A	629		
		30x60	SUEAA3060-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	150.0#	N/A	N/A	2271	629		
		30x72	SUEAA3072-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	132.0#	1290	N/A	N/A	748	
		30x72	SUEAA3072-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	173.0#	N/A	2710	N/A	748		
		30x72	SUEAA3072-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	171.0#	N/A	N/A	2553	748		
		30x84	SUEAA3084-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	146.0#	1582	N/A	N/A	874		
		30x84	SUEAA3084-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	195.0#	N/A	3038	N/A	874		
		30x84	SUEAA3084-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐									

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
DFS - Dual footrest with shelf
See pricing column for footrest upcharge.

- G**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- H**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- I**Select module color.
Refer to the **Product Color Options** page in this price list.
- J**Select cord length.
9 - 9' cord length
15 - 15' cord length
- K**Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$35
- L**Select bag hook color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Stout™ Rectangle (Delivered)

Fixed 36” Height



Stout™ Rectangle (Delivered)

Fixed 36” Height

		MODEL NUMBER																							
A x B		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	Delivered Pricing	1-1/4" Laminate Top with 74P Edge (74P)	1" Phenolic Resin Top (RNT)	1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf				
	24x48	SUEBA2448-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	108.0#	\$ 1053	\$ 1053	N/A	N/A	\$ 212	N/A	N/A				
	24x48	SUEBA2448-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	130.0#	1972	N/A	1972	N/A	212	N/A	N/A				
	24x48	SUEBA2448-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	129.0#	1854	N/A	N/A	1854	212	N/A	N/A				
	24x60	SUEBA2460-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	122.0#	1145	1145	N/A	N/A	226	N/A	N/A				
	24x60	SUEBA2460-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	150.0#	2190	N/A	2190	N/A	226	N/A	N/A				
	24x60	SUEBA2460-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	148.0#	2022	N/A	N/A	2022	226	N/A	N/A				
	24x72	SUEBA2472-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	140.0#	1220	1220	N/A	N/A	242	N/A	N/A				
	24x72	SUEBA2472-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	169.0#	2412	N/A	2412	N/A	242	N/A	N/A				
	24x72	SUEBA2472-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	167.0#	2248	N/A	N/A	2248	242	N/A	N/A				
	SUEBA																								
24" Deep																									
• Field assembly required																									
• Vertical and horizontal wire management is included when power modules are specified																									
• Undersurface power modules install along any side of the table																									
• Casters cannot be used on 24" deep tables																									
• Dual footrests are not available on 24" deep tables																									
SUEBA	30x48	SUEBA3048-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	122.0#	\$ 1158	\$ 1158	N/A	N/A	\$ 220	\$ 308	\$ 573				
	30x48	SUEBA3048-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	150.0#	2189	N/A	2189	N/A	220	308	573				
	30x48	SUEBA3048-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	148.0#	2068	N/A	N/A	2068	220	308	573				
	30x60	SUEBA3060-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	138.0#	1237	1237	N/A	N/A	242	335	629				
	30x60	SUEBA3060-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	173.0#	2506	N/A	2506	N/A	242	335	629				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- H**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- I**Select module color.
Refer to the **Product Color Options** page in this price list.
- J**Select cord length.
9 - 9' cord length
15 - 15' cord length
- K**Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$35

LSelect bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Stout™ Rectangle (Delivered)

Fixed 36” Height



Stout™ Rectangle (Delivered)

Fixed 36” Height

		MODEL NUMBER																		
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/Shelf	Caster/Glide	Module	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
	A x B																			
	36x48	SUEBA3648-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	151.0#	\$ 1358	N/A	N/A	\$ 231	\$ 327	\$ 592
	36x48	SUEBA3648-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	185.0#	N/A	2483	N/A	231	327	592
	36x48	SUEBA3648-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	183.0#	N/A	N/A	2386	231	327	592
	36x60	SUEBA3660-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	172.0#	1479	N/A	N/A	249	345	639
	36x60	SUEBA3660-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	213.0#	N/A	2809	N/A	249	345	639
	36x60	SUEBA3660-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	210.0#	N/A	N/A	2702	249	345	639
	36x72	SUEBA3672-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	192.0#	1562	N/A	N/A	265	372	757
	36x72	SUEBA3672-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	242.0#	N/A	3139	N/A	265	372	757
	36x72	SUEBA3672-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	238.0#	N/A	N/A	3069	265	372	757
	36x84	SUEBA3684-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	212.0#	1863	N/A	N/A	283	397	884
	36x84	SUEBA3684-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	270.0#	N/A	3480	N/A	283	397	884





Stout™ Rectangle (Delivered)

Fixed 36" Height



Stout™ Rectangle (Delivered)

Fixed 36" Height

MODEL NUMBER														Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
A x B	Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/Shelf	Shelf Color	Caster/Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color							
	48x48	SUEBA4848-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	184.0#	\$ 1508	N/A	N/A	\$ 253	\$ 363	\$ 628
	48x48	SUEBA4848-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	229.0#	N/A	2911	N/A	253	363	628
	48x48	SUEBA4848-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	226.0#	N/A	N/A	2939	253	363	628
	48x60	SUEBA4860-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	208.0#	1638	N/A	N/A	269	381	675
	48x60	SUEBA4860-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	264.0#	N/A	3336	N/A	269	381	675
	48x60	SUEBA4860-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	260.0#	N/A	N/A	3528	269	381	675
	48x72	SUEBA4872-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	242.0#	1732	N/A	N/A	284	408	793
	48x72	SUEBA4872-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	309.0#	N/A	3767	N/A	284	408	793
	48x72	SUEBA4872-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	304.0#	N/A	N/A	4035	284	408	793
	48x84	SUEBA4884-74P	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	257.0#	2001	N/A	N/A	297	411	899
	48x84	SUEBA4884-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	335.0#	N/A	4205	N/A	297	411	899
	48x84	SUEBA4884-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	330.0#	N/A	N/A	4589	297	411	899






Stout™ Rectangle (Delivered)

Fixed 40” Height



Stout™ Rectangle (Delivered)

Fixed 40” Height

		MODEL NUMBER																		
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
	A x B	24x48	SUEKA2448-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	111.0#	\$ 1066	N/A	N/A	\$ 212	N/A	N/A
		24x48	SUEKA2448-RNT		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	133.0#	N/A	1984	N/A	212	N/A	N/A
		24x48	SUEKA2448-WBB		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	132.0#	N/A	N/A	1866	212	N/A	N/A
		24x60	SUEKA2460-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	125.0#	1158	N/A	N/A	226	N/A	N/A
		24x60	SUEKA2460-RNT		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	153.0#	N/A	2202	N/A	226	N/A	N/A
		24x60	SUEKA2460-WBB		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	151.0#	N/A	N/A	2034	226	N/A	N/A
		24x72	SUEKA2472-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	139.0#	1233	N/A	N/A	242	N/A	N/A
		24x72	SUEKA2472-RNT		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	172.0#	N/A	2424	N/A	242	N/A	N/A
		24x72	SUEKA2472-WBB		☐ ☐	☐ ☐	☐ ☐ ☐	GNY	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	170.0#	N/A	N/A	2260	242	N/A	N/A
SUEKA																				
24” Deep																				
• Field assembly required																				
• Vertical and horizontal wire management is included when power modules are specified																				
• Undersurface power modules install along any side of the table																				
• Casters cannot be used on 24” deep tables																				
• Dual footrests are not available on 24” deep tables																				
		30x48	SUEKA3048-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	125.0#	\$ 1172	N/A	N/A	\$ 220	\$ 308	\$ 573
		30x48	SUEKA3048-RNT		☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	153.0#	N/A	2202	N/A	220	308	573
		30x48	SUEKA3048-WBB		☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	151.0#	N/A	N/A	2081	220	308	573
		30x60	SUEKA3060-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	142.0#	1251	N/A	N/A	242	335	629
		30x60	SUEKA3060-RNT		☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	176.0#	N/A	2519	N/A	242	335	629
		30x60	SUEKA3060-WBB		☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- H**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- I**Select module color.
Refer to the **Product Color Options** page in this price list.
- J**Select cord length.
9 - 9' cord length
15 - 15' cord length
- K**Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$35

LSelect bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.





Stout™ Rectangle (Delivered)

Fixed 40” Height



Stout™ Rectangle (Delivered)

Fixed 40” Height

		MODEL NUMBER																		
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
 SUEKA 36” Deep	36x48	SUEKA3648-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	155.0#	\$ 1372	N/A	N/A	\$ 231	\$ 327	\$ 592
	36x48	SUEKA3648-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	188.0#	N/A	2495	N/A	231	327	592
	36x48	SUEKA3648-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	186.0#	N/A	N/A	2399	231	327	592
	36x60	SUEKA3660-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	175.0#	1493	N/A	N/A	249	345	639
	36x60	SUEKA3660-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	217.0#	N/A	2822	N/A	249	345	639
	36x60	SUEKA3660-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	214.0#	N/A	N/A	2715	249	345	639
	36x72	SUEKA3672-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	195.0#	1576	N/A	N/A	265	372	757
	36x72	SUEKA3672-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	245.0#	N/A	3151	N/A	265	372	757
	36x72	SUEKA3672-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	242.0#	N/A	N/A	3081	265	372	757
	36x84	SUEKA3684-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	215.0#	1878	N/A	N/A	283	397	884
	36x84	SUEKA3684-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	273.0#	N/A	3492	N/A	283	397	884
	36x84	SUEKA3684-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	269.0#	N/A	N/A	3412	283	397	884
- Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table																				


Stout™ Rectangle (Delivered)

Fixed 40” Height



Stout™ Rectangle (Delivered)

Fixed 40” Height

		MODEL NUMBER																			
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/Shelf	Shelf Color	Caster/Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color							
	A x B																				
	48x48	SUEKA4848-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x48	SUEKA4848-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x48	SUEKA4848-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x60	SUEKA4860-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x60	SUEKA4860-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x60	SUEKA4860-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x72	SUEKA4872-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x72	SUEKA4872-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x72	SUEKA4872-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x84	SUEKA4884-74P	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x84	SUEKA4884-RNT		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
	48x84	SUEKA4884-WBB		☐ ☐	☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐	☐ ☐							
		A	B	C	D	E	F	G	H	I	J	K	L	M							

- SUEKA
- 48” Deep
- Field assembly required
 - Vertical and horizontal wire management is included when power modules are specified
 - Undersurface power modules install along any side of the table

HOW TO ORDER

- Indicate the following information on order form:
1. Quantity of each item.
 2. Model number, including options. See “How To Build a Model Number”.
 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select edge color.
Refer to the **Product Color Options** page in this price list.
- C**Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D**Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E**Select frame color.
Refer to the **Product Color Options** page in this price list.
- F**Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G**Select shelf color.
Refer to the **Product Color Options** page in this price list.
- H**Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- I**Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- J**Select module color.
Refer to the **Product Color Options** page in this price list.
- K**Select cord length.
9 - 9’ cord length
15 - 15’ cord length

- L**Select bag hook.
NB - No book bag hook
BH - Four book bag hooks; add \$70
- M**Select bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking






With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Delivered)
Adjustable 27-40" Height

Stout™ Rectangle (Delivered)
Adjustable 27-40" Height

		MODEL NUMBER																			
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color		 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf	
	A x B																				
	24x48	SUEFA2448-74P	□□□	□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		114.0#	\$ 1302	N/A	N/A	\$ 212	N/A	N/A
	24x48	SUEFA2448-RNT		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		136.0#	N/A	2203	N/A	212	N/A	N/A
	24x48	SUEFA2448-WBB		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		134.0#	N/A	N/A	2082	212	N/A	N/A
	24x60	SUEFA2460-74P	□□□	□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		128.0#	1393	N/A	N/A	226	N/A	N/A
	24x60	SUEFA2460-RNT		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		155.0#	N/A	2421	N/A	226	N/A	N/A
	24x60	SUEFA2460-WBB		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		154.0#	N/A	N/A	2249	226	N/A	N/A
	24x72	SUEFA2472-74P	□□□	□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		142.0#	1457	N/A	N/A	242	N/A	N/A
	24x72	SUEFA2472-RNT		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		175.0#	N/A	2643	N/A	242	N/A	N/A
	24x72	SUEFA2472-WBB		□□	□□	□□	□□□	GNY	□□	□□	□□	□□	□□		173.0#	N/A	N/A	2476	242	N/A	N/A
SUEFA																					
24" Deep																					
• Field assembly required																					
• Vertical and horizontal wire management is included when power modules are specified																					
• Undersurface power modules install along any side of the table																					
• Casters cannot be used on 24" deep tables																					
• Dual footrests are not available on 24" deep tables																					
	30x48	SUEFA3048-74P	□□□	□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		126.0#	\$ 1393	N/A	N/A	\$ 220	\$ 308	\$ 573
	30x48	SUEFA3048-RNT		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		154.0#	N/A	2415	N/A	220	308	573
	30x48	SUEFA3048-WBB		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		152.0#	N/A	N/A	2291	220	308	573
	30x60	SUEFA3060-74P	□□□	□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		142.0#	1471	N/A	N/A	242	335	629
	30x60	SUEFA3060-RNT		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		177.0#	N/A	2732	N/A	242	335	629
	30x60	SUEFA3060-WBB		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		175.0#	N/A	N/A	2512	242	335	629
	30x72	SUEFA3072-74P	□□□	□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		159.0#	1532	N/A	N/A	253	362	748
	30x72	SUEFA3072-RNT		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		200.0#	N/A	2954	N/A	253	362	748
	30x72	SUEFA3072-WBB		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		197.0#	N/A	N/A	2793	253	362	748
	30x84	SUEFA3084-74P	□□□	□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		175.0#	1822	N/A	N/A	271	387	874
	30x84	SUEFA3084-RNT		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		223.0#	N/A	3286	N/A	271	387	874
	30x84	SUEFA3084-WBB		□□	□□	□□	□□□	□□□	□□	□□	□□	□□	□□		220.0#	N/A	N/A	3097	271	387	874

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D** Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E** Select frame color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G** Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- H** Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- I** Select module color.
Refer to the **Product Color Options** page in this price list.
- J** Select cord length.
9 - 9' cord length
15 - 15' cord length
- K** Select bag hook.
NB - No book bag hook
BH - Two book bag hooks; add \$35

L Select bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping





Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

Stout™ Rectangle (Delivered)
Adjustable 27-40” Height



Stout™ Rectangle (Delivered)
Adjustable 27-40” Height

		MODEL NUMBER																		
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color	Approx. Packaged Weight	 1-1/4" Laminate Top with 74P Edge (74P)	 1" Phenolic Resin Top (RNT)	 1-3/4" Butcher Block Wood Top (WBB)	Single Footrest	Dual Footrest	Dual Footrest w/Shelf
 SUEFA 36" Deep - Field assembly required - Vertical and horizontal wire management is included when power modules are specified - Undersurface power modules install along any side of the table	36x48	SUEFA3648-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	154.0#	\$ 1603	N/A	N/A	\$ 231	\$ 327	\$ 592
	36x48	SUEFA3648-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	187.0#	N/A	2711	N/A	231	327	592
	36x48	SUEFA3648-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	185.0#	N/A	N/A	2614	231	327	592
	36x60	SUEFA3660-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	174.0#	1723	N/A	N/A	249	345	639
	36x60	SUEFA3660-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	216.0#	N/A	3037	N/A	249	345	639
	36x60	SUEFA3660-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	213.0#	N/A	N/A	2930	249	345	639
	36x72	SUEFA3672-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	194.0#	1792	N/A	N/A	265	372	757
	36x72	SUEFA3672-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	244.0#	N/A	3367	N/A	265	372	757
	36x72	SUEFA3672-WBB	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	241.0#	N/A	N/A	3297	265	372	757
	36x84	SUEFA3684-74P	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	214.0#	2093	N/A	N/A	283	397	884
	36x84	SUEFA3684-RNT	☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	☐ ☐ ☐	273.0#	N/A	3710	N/A	283	397	884
	36x84	SUEFA																		

Stout™ Rectangle (Delivered)

Adjustable 27-40” Height



Stout™ Rectangle (Delivered)

Adjustable 27-40” Height

		MODEL NUMBER																			
		Basic Model	Edge Color	Surf. Finish	Peg-board	Frame Color	Foot-rest/ Shelf	Shelf Color	Caster/ Glide	Mod-ule	Mod. Color	Cord Length	Bag Hook	Bag Hook Color							
 <																					

- SUEFA
- 48” Deep**
- Field assembly required
 - Vertical and horizontal wire management is included when power modules are specified
 - Undersurface power modules install along any side of the table

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The □ indicates that a choice is required.
- The absence of the □ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select edge color.
Refer to the **Product Color Options** page in this price list.
- C** Select surface finish.
Refer to the **Product Color Options** page in this price list.
- D** Select pegboard end panel.
NPB - No pegboards
PB1 - Pegboard on one leg; add \$80
PB2 - Pegboards on both legs; add \$160
- E** Select frame color.
Refer to the **Product Color Options** page in this price list.
- F** Select footrest/shelf selection.
NFT - No footrest
SFT - Single footrest
DFT - Dual footrest

- DFS** - Dual footrest with shelf
See pricing column for footrest upcharge.
- G** Select shelf color.
Refer to the **Product Color Options** page in this price list.
- H** Select casters/glides.
GNY - Nylon glides
CCC - Casters; add \$110
- I** Select module.
NNN - No power modules
MU1 - Qty (1) Dean under-surface module; add \$380
MU2 - Qty (2) Dean under-surface modules; add \$760
- J** Select module color.
Refer to the **Product Color Options** page in this price list.
- K** Select cord length.
9 - 9’ cord length
15 - 15’ cord length

- L** Select bag hook.
NB - No book bag hook
BH - Four book bag hooks; add \$70
- M** Select bag hook color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



Stout™ Rectangle (Delivered)

Accessories



Stout™ Rectangle (Delivered)

Accessories

MODEL	MODEL NUMBER				Approx. Packaged Weight	Delivered Pricing
	Basic Model	Frame Color	Mod. Color	Cord Length		
 SUAC Dean Undersurface Module Kit • Mounting brackets and hardware included for installation onto Stout Tables • Modules can be installed along any side of the table • Horizontal wire management included • Vertical wire managers shall be ordered separately	SUACMODMU1		☐ ☐	☐ ☐	4.0#	\$ 463
 SUAC Pegboard Hook Kit • Hardware included for attachment to Stout Table pegboard end panels • Color of mounting screws will match color of hooks	SUACPEGHOOK	☐ ☐			0.5#	\$ 20
 SUAC Worksurface Hook Kit • Hardware included for attachment to underside of a Stout Table worksurface • Color of mounting screws will be black • These hooks can install at either end of a Stout Table	SUACWKSFHOOK	☐ ☐			0.5#	\$ 20
 SUAC Vertical Wire Manager • For use on 29" Fixed Height and on Adjustable Height Stout Tables • Adhesive-backed for screwless attachment	SUACVWM16				0.5#	\$ 14
 SUAC Vertical Wire Manager • For use on 36" and 40" Fixed Height Stout Tables • Adhesive-backed for screwless attachment	SUACVWM24				0.5#	\$ 14
A B C D						

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A

Select basic model.
- B

Select frame color.
Refer to the **Product Color Options** page in this price list.
- C

Select module color.
Refer to the **Product Color Options** page in this price list.
- D

Select cord length.

9

- 9' cord length

15

- 15' cord length

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **knocked down, FOB Bonduel, WI 54107, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2022 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000521/KI/PDF



Furnishing Knowledge®