

## STRIVE® SEATING

## **PRICE LIST**

January 3, 2011 Updated March 31, 2023

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.




Ordering Customer's Own Material (C.O.M.) Upholstery Information	3
Strive® Stack Seating General Information	4
Product Color Options Stack Chairs	10 11
Stack/Nesting Strive® Dolly	21
Strive® Stack Seating Cafe Stool	22
Strive® High Density General Information	23
Product Color Options	26
Stack Chair and Dolly	27
Stack Stools	28
Strive® Nesting	
General Information Product Color Options	29 31
Chairs	32
Strive® Nesting Chairs	33
Strive® Tandem Seating	
General Information Product Color Options	34 35
36	33
Strive® Task Seating	
General Information	41
Product Color Options	45
Chairs Stools	46 49
Situlis	49

#### **How to Specify**

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.



bottom

When directional or patterned fabrics are used, they often require more vardage than solid colors.

C.O.M. must be supplied in continuous yardage.

C.O.M. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

#### **Production**

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

#### Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled with the KI product order number and customer purchase order number.

#### **Treated Materials**

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

#### **Split Orders**

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

#### **Excess Upholstery Material**

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

#### **Cancelled or Changed Orders**

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order.

#### C.O.M. SHIPPING LOCATION



Architectural Walls	System 3000	MN
EvokeMN	Universal Overheads	MN
Genius WallsMN	Wireworks	MN
	Unite	MN
Casegoods		
Aristotle TackboardsMN	Residence Hall Furniture	
Likha TackboardsMN	RoomScape Furniture	MN
Classroom Furniture	Screens	
Intellect Wave ChairsGB	All Terrain	KF
Learn2GB	Connection Zone	BW
RuckusGB	True/Volition	KF
	Genesis	KF
Desking	Tattoo	MN
700 Series DeskingKP	Universal	BW
Balance OverheadsMN		
Genesis DeskingMN	Seating	
True DeskingKP	400 Series Folding Chairs	BW
Universal OverheadsMN	600 Series Folding Chairs	BW
WorkZone DeskingMN	600 Series Stools	BW
	Affina Collection	H
Files & Storage	Altus Task Chairs	GE
700 Series Pedestal CushionGB	Apply Stack Chairs	GE
Connection Zone PadsBW	Calida Lounge Seating	H
U-Series Pedestal CushionGB	Diem Task Chairs	OM
TattooBW	Doni Collection	GE
	Gladly Lounge Seating	VQ
Fixed Seating	Grazie Seating	GE
Concerto Auditorium SeatingBW	Hub Modular Lounge Seating	HN
Single Pedestal SeatingGB	Impress Task Chairs	OM
Jury Base SeatingGB	Impress Ultra Task Chairs	OM
Lancaster Auditorium SeatingBW	Jessa Lounge Seating	HN
Sequence SeatingGB	Jubilee Lounge Seating	VG
University SeatingGB	Katera Guest Chair	GB
	Kurv Benches	HN
Panel Systems	LaResta Day Beds	HN

Maestro Stack Chairs GE
Medical & Laboratory StoolsON
MyPlace Lounge SeatingHN
MyWay SeatingHN
Oath Task Chairs and StoolsGE
Opt4GE
Pilot Task ChairsON
Promenade Seating SystemBV
RuckusGE
Sela Lounge SeatingHN
Sift Task ChairsGE
Signia Task Chairs and StoolsON
Soltice Metal CollectionHN
Soltice Multiple, Healthcare & Guest . HN
Soltice II Healthcare SeatingHN
Strive Multiple, Stack & TaskGE
SwayBV
TattooHN
Torsion-on-the-Go! Nesting Chairs GE
Torsion Air Stack and Task Seating GE
ZoetryHN

#### KI C.O.M. Manufacturing Site Addresses:

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

KI Green Bay

Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

All Terrain.

Balance Overheads.

HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

.KP

LimeLite.

Lyra Lounge Seating.

KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7 MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220

.GB

Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

KI
Attn: COM Storage
1110 S. Mildred Ave.
Ontario, CA 91761

<u>VQ</u>





Armless Four-Leg Chair





Four-Leg Cantilever Arm Chair

Four-Leg Loop Arm Chair

	(SLNAU)	(SLCAP)	(SLLAU)
Features			
Stackable	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	•
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Overall Dimensions			
Width	20-3/4"	25"	25"
Depth	21-3/4"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/4"	26-1/4"
Stacking on Dolly			
Overall width	24"	25"	25"
Overall depth - poly	40"	40"	40"
Quantity/height - poly 15	Chairs/61" High	15 Chairs/62" High	15 Chairs/63" High
Overall depth - upholstered	45"	45"	45"
Quantity/height - upholstered 8 0	Chairs/50" High	8 Chairs/51" High	8 Chairs/51" High
Stacking on Floor			
Width	20-3/4"	25"	25"
Depth	27-1/2"	27-1/2"	27-1/2"
Quantity/height 4 (	Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

#### INFORMATION

## C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

**Color Match Process - Poly Seating Information** can be found here.

#### Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.









			6 6	~	
	Armless Four-Leg Chair with Casters (SLNAPC)	Four-Leg Cantilever Arm Chair with Casters (SLCAUC)	Four-Leg Loop Arm Chair with Casters (SLLAUC)	Armless Sled Base Chair (SSNAP)	Sled Base Cantilever Arm Chair (SSCAU)
Features					
Stackable	•	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•	•
Flex back	•	•	•	•	•
General Dimensions					
Seat width	18"	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"	18"
Seat height (upholstered add 1")	18-1/4"	18-1/4"	18-1/4"	18-1/4"	18-1/4"
Tablet to chair back clearance					
Overall Dimensions					
Width	21-1/4"	25"	25"	20-3/4"	25"
Depth	22-1/2"	22-1/2"	22-1/2"	21-3/4"	21-3/4"
Height	32-1/2"	32-1/2"	32-1/2"	32-1/2"	32-1/2"
Arms to floor		26-1/2"	26-1/2"		26-1/2"
Stacking on Dolly					
Width				24"	25"
Depth - poly				48"	48"
Quantity/height - poly				15 Chairs/64" High	15 Chairs/64" High
Depth - upholstered				48"	48"
Quantity/height - upholstered				8 Chairs/50" High	8 Chairs/50" High
Stacking on Floor					
Width	20-3/4"	25"	25"	20-3/4"	25"
Depth	27-1/2"	27-1/2"	27-1/2"	27-1/2"	27-1/2"
Quantity/height	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High	4 Chairs/39" High

#### INFORMATION

#### Warranty








Four-Leg Wallsaver Cantilever Arm Chair

















	The state of the s		No.	
	Four-Leg Armless Cafe Stool - 24" or 30" Seat Height (SLSNAU)	Four-Leg Loop Arm Cafe Stool - 24" or 30" Seat Height (SLSLAP)	Four-Leg Cantilever Arm Cafe Stool - 24" or 30" Seat Height (SLSCAUB)	Transport Dolly (SCDA.BL)
Features				
Stackable	•	•	•	
Poly, upholstered seat, or upholstered seat/back	•	•	•	
Flex back	•	•	•	
General Dimensions				
Seat width	18"	18"	18"	
Seat depth	18"	18"	18"	
Seat height (upholstered add 1")	24" / 30"	24" / 30"	24" / 30'	
Overall Dimensions				
Width	25"	25"	25"	24"
Depth	23-1/2" / 25"	23-1/2" / 25"	23-1/2 / 25"	29"
Height	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	39-1/4" / 45-1/4"	16-1/2"
Arms to floor	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	32-1/2" / 38-1/2"	
Stacking on Floor				
Width	25-7/8"	25-7/8"	25-7/8"	
Depth	28"	28"	28"	
Quantity/height	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	4 Chairs/48" or 54" High	

#### INFORMATION

## C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

**Color Match Process - Poly Seating Information** can be found here.

#### Stacking Vinyl, Polyurethane, and Imitation **Leather Upholstered Chairs**

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

#### INFORMATION

#### Warranty



















Four-Leg ChangeUp Tablet Arm Chair with Glides

Four-Leg ChangeUp Tablet Arm Chair with Casters

Sled Base ChangeUp Tablet Arm Chair

	Four-Leg Tablet Arm Chair (SLTAPRH)	Four-Leg Oversize Tablet Arm Chair (SLOVTAURH)	Sled Base Tablet Arm Chair (SSTAPRH)	Sled Base Oversize Tablet Arm Chair (SLOVTAPRH)
Features				
Stackable				
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
Flex back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"	18"
Tablet to chair back clearance	14"	14"	14"	14"
Overall Dimensions				
Width (Use Position)	24"	24"	24"	24"
Depth (Use Position)	27-3/4"	31"	27-3/4"	31"
Height	33"	33"	33-1/4"	33-1/4"
Arms to floor	28-1/2"	28-1/2"	28-1/2"	28-1/2"

Features
Stackable
Poly, upholstered se upholstered seat/ba
Flex back
<b>General Dimensions</b>
Seat width
Seat depth
Seat height (upholst
Tablet to chair back
Overall Dimensions
Width (Use Position
Depth (Use Position
Height
Arms to floor

Features			
Stackable			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back			
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered add 1")	18"	18"	18"
Tablet to chair back clearance	16-1/4"	16-1/4"	16-1/4"
Overall Dimensions			
Width (Use Position)	26-1/2"	26-1/2"	26"
Depth (Use Position)	28" - 33-1/2"	28" - 33-1/2"	28" - 33-1/2"
Height	33"	33-1/4"	33-1/4"
Arms to floor	27-3/4"	27-3/4"	27-3/4"

#### INFORMATION

## C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested. Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

**Color Match Process - Poly Seating Information** can be found here.

#### Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

If stacking frequently and for long periods of time, it is recommended that upholstery other than vinyl, polyurethane or imitation leather be used to avoid impressions in the seat cushion. KI does not warrant the effects of stacking on stock or COM vinyl, polyurethane or imitation leather upholstery.

#### INFORMATION

#### Warranty

General Information



#### **TECHNICAL SPECIFICATIONS**

#### **Backrest**

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

#### Seat and Shroud

Injection-molded polypropylene.

#### Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.

#### Optional Upholstered Back

A 1/2" thick ure than e foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners which are exposed and are color matched to the polypropylene.

#### **Frames**

Legs are  $^{7}/_{8}$ " O.D. by 13-gauge tubular steel. Cross members are 1" O.D. by 14-gauge tubular steel and  $^{7}/_{16}$ " diameter solid steel. All joints are welded. Frames are available in 4-leg or sled base configurations. Standard 4-leg rear legs angle 14° from vertical. Wallsaver rear legs angle 23° from vertical.

#### Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint, or bright nickel-chrome plating.

#### Arms

Optional cantilever arms or loop arms are available. When equipped with arms, the supporting structure is a continuation of the rear leg finished to match the frame color. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel; when back is Bronze translucent, armcaps are Chocolate). The armcaps are attached to the steel structure by means of screws.

#### Glides

Upper and lower ends of leg tubes are capped with polypropylene end caps matching leg color (chrome frames and hammertone frames match the seat and back color). Three optional glide types are available for leg chairs: swivel poly/nylon, swivel steel and swivel felt glides. The swivel function allows the bottom of the glide to correctly match un-even floor conditions, resulting in less wear. Poly/nylon and felt glides are interchangeable and have easy-on/easy-off replaceable glide caps, which makes field replacement easy and efficient. Swivel poly glides are available in Stone color only. Optional glides for the sled base are co-extruded to provide a softer (non-skid) surface to protect the floor, but do not glide. Sled base chairs are also available with black nylon (plastic) glides and stainless steel glides.

#### Casters

4-leg chairs may be ordered with carpet casters instead of glides (does not apply to café stools). Casters are double-wheel (60 mm) high-impact thermoplastic and are available in black only.

#### **Tablet Arm**

Tablet support loop is a continuation of the rear leg and is available in left- or right-handed models. A formed steel hinge is welded to the top of the support structure, and secured with screws to the underside of the writing surface. Writing surface is  $9^{1}/_{2}$ " x  $20^{3}/_{4}$ " x  $12^{1}/_{2}$ " plywood care of  $5^{1}/_{8}$ " thick, I I-ply hardwood, surfaced with .030" high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed.

#### 4-Leg Café Stool

4-leg models on glides are available in 24" and 30" seat heights. Stool-height units are equipped with a reinforcing foot ring made of a  $\frac{1}{2}$ " diameter wire ring, which is open in the back to allow stacking of armless and cantilever arm stools.

#### **Transport Dolly**

Frame construction is welded tubular steel with a black powder-coated finish and 5" wheels (two swivel and two fixed). The dolly fits 4-leg or sled base chairs and has a capacity of fifteen poly chairs or eight upholstered chairs.

### ChangeUp<sup>™</sup> Tablet Arm

ChangeUp tablet support is integral to the chair frame and consists of a  $^{7}/_{8}$ " diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a  $\#10 \times 2^{1}/_{2}$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I I-gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a  $^5/_{16}$ " diameter by  $1^3/_4$ " hardened steel pin with a die-cast aluminum cap secured with two  $^1/_4$ -20 x  $^3/_4$ " button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately  $3^1/_2$ " of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by  $13^{1}/2$ " deep (235 square inches) is secured to the tablet board support plate with twelve  $\#12 \times {}^{5}/_{8}$ " Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately  ${}^{3}/_{4}$ ". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.

#### Compliance

Support frame, mechanism and worksurface passes KI's internal testing for 250-pound weight capacity.

# Strive® Stack Seating General Information


#### STATEMENT OF LINE

SLSNAP

SLSCAP

SLSLAP


All models are available in polypropylene seat/backrest, upholstered seat/polypropylene backrest, or upholstered seat/backrest.






#### **DIMENSIONS**


#### Strive Armless 4-Leg Chair




#### Strive 4-Leg Cantilever Armchair




#### Strive Armless 4-Leg Chair with Casters






Strive Armless Sled Base Chair




Strive Armless Sled Base Chair


Strive 4-Leg Loop Armchair




#### Strive 4-Leg Tablet Armchair




### Strive Armless 4-Leg Café Stool




Strive 4-Leg Arm Café Stool




Strive 4-Leg Oversized Tablet Armchair




Strive 4-Leg Cantilever Arm Café Stool





Strive Armless 4-Leg Café Stool





## Strive 4-Leg ChangeUp Tablet Armchair











# Strive® Stack Seating Product Color Options



LBQ


Frame Color		Seat and Back Color - Polypropylene		Tablet Arm Color - Lamina
Black	BL	Non Flame-Retardant		Belair
Blue Grey	GR	Black	PBL	Biltmore Cherry
Bronze Metallic	ZM	Blue Grey	PGR	Black
Cayenne	CY	Cayenne	PCY	Brighton Walnut
Champagne Metallic	CM	Cool Grey	PCG	Canyon Zephyr
Chrome	CH	Cottonwood	PC0	Castle Oak
Cool Grey	CG	Diamond Translucent	PDT	Casual Linen
Cottonwood	CO	Earthen Clay	PEY	Cherry Storm
Earthen Clay	EY	Everglade Shade	PEV	Classic Linen
Espresso Metallic	EX	Flannel	PFN	Cloud Zephyr
Everglade Shade	EV	Hazy Jade	PHJ	Cocobala
Flannel	FN	Honey Bee	PHY	Crisp Linen
Glitz Metallic	GZ	Light Tone	PLG	Desert Zephyr
Hazy Jade	HJ	Mardi Gras	PMG	Dove Grey
Honey Bee	HY	Misty Brown	PMY	Fired Steel
Light Tone	LG	Nemo	PNE	Flax Linen
Mardi Gras	MG	Nordic	PND	Florence Walnut
Misty Brown	MY	Pewter Translucent	PPT	Forged Steel
Nemo	NE	Poppy Red	PPR	Friston Ash
Nordic	ND	Purple Haze	PPH	Frosty White
Poppy Red	PR	Rubber Ducky	PRK	Graphite Nebula
Purple Haze	PH	Sand	PSA	Grev
Rubber Ducky	RK	Sky Blue	PSK	High Rise
Sand	SA	Surf's Up	PSP	Hollyberry
Sky Blue	SK	Twilight Shadow	PTI	Irish Linen
Starlight Silver Metallic	SX	Ultra Blue	PUB	Island
Surf's Up	SP	Warm Grey	PWG	Italian Silver Ash
Twilight Shadow	TI	Zesty Lime	PZL	Kensington Maple
Ultra Blue	UB			Lapis Blue
Warm Grey	WG	Diamond Translucent and Pewter Translucent are only avail upholstered seat models.	able on	Markerboard White
Zesty Lime	ZL	aprioratorea seat moders.		Misted Zephyr
		Seat and Back Color - Polypropylene		Monticello Maple
Armcaps and glides match the frame color with the followi	ng	Flame-Retardant		Nickel Evolv
xceptions: When frame color is chrome or metallic, the armcaps and	nlides	Black	PBL	North Sea
vill match poly color.	gildos	The charge costing and dust can be accomplished using the		Ocean
When back is diamond translucent, armcaps are light tone.		The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to Cal	ifornia	Pearl Bisque
When back is pewter translucent, armcaps are flannel.		Technical Bulletin 133.		Pearl Silver
Casters for four-leg chairs are always black.				Pressed Linen
and the second s		*NOTE: When FR upholstery is selected, FR poly (black onl	v) muet	River Cherry
		be selected. NFR poly is not available with FR upholstery.	y, must	Rugged Linen
		F - 7		nayyea Lillell

Biltmore Cherry	LB <sup>-</sup>
Black	LBł
Brighton Walnut	LBW
Canyon Zephyr	LCA
Castle Oak	LCC
Casual Linen	LCU
Cherry Storm	LC>
Classic Linen	LC
Cloud Zephyr	LCI
Cocobala	LCC
Crisp Linen	LR
Desert Zephyr	LDZ
Dove Grey	LDG
Fired Steel	LII
Flax Linen	LXI
Florence Walnut	LFC
Forged Steel	LOI
Friston Ash	LFH
Frosty White	LFW
Graphite Nebula	LGN
Grey	LGI
High Rise	LHE
Hollyberry	LHY
Irish Linen	LIH
Island	LIC
Italian Silver Ash	LI <sup>-</sup>
Kensington Maple	LKN
Lapis Blue	LLE
Markerboard White	LMF
Misted Zephyr	LMF
Monticello Maple	LM <sup>-</sup>
Nickel Evolv	LN\
North Sea	LNA
Ocean	LON
Pearl Bisque	LPE
Pearl Silver	LPS
Pressed Linen	LPF
River Cherry	LR\
Rugged Linen	LRO
Satin Stainless	LSS
Shadow Zephyr	LSF
Silicon evolv	LS\
Sterling Ash	LAZ
Tailored Linen	LTI
Titanium evolv	LT\
White Nebula	LWI
Willia Wobala	LWN
White Sand	=

**Hard Plastics** 

<u>Glass</u>





#### Delivered Delivered Delivered Delivered Pricing Approx. Pricing Pricing Pricing Packaged Unuphol-Fabric Grade Fabric Grade Fabric Grade stered 1 & C.O.M. 20.0# \$ 254 23.0# N/A 336 374 390 23.0# N/A 406 444 459 SLU SLUB 26.0# \$ 302 29.0# N/A 384 421 441 29.0# N/A 455 491 510 SLP SLU SLUB **( 3** Θ 0 **9** • Θ

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

- Carpet casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

#### Select upholstery grade/color. Refer to ki.com/fabrics

## **UPHOLSTERY INFORMATION**

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### **SPECIAL SERVICES**

**Special Carton Marking** 

With specially marked information N/C

Strive® Stack Seating

Delivered

Group P3

491

562

542

610

Pricing

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

Delivered

Group P4

515

584

566

637

Pricing

Delivered

Vinyl Group

390

459

441

510

Pricing

Delivered

336

406

384

455

Pricing

C.O.V.

Delivered

Pallas Fabric

387

458

441

509

Pricing

Delivered

Pricing

Group P1

436

508

488

558

Delivered

Group P2

462

534

515

584

Pricing

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.







			MODEL	NUMBER																	
	MODEL	Features	Basic Model		Seat & Back Color	Caster GI Type Op	de Fire	Uphols e Color	Approx. Packageo Weight	P d U	Pricing Jnuphol-	Pricing	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Cantilever Arm Chair	Polypropylene	SLCAP						23.0#		330										
	<ul><li>Flex back</li><li>Stacking</li></ul>	Upholstered Seat	SLCAU								N/A	414	450	463	414	463	463	514	540	567	592
	Ottowing	Upholstered Seat/Back	SLCAUB						26.0#		N/A	483	519	535	483	535	535	583	609	638	660
и    °																					
SLP																					
SLU SLUB																					
0200	Four-Leg Cantilever Arm Chair with	Polypropylene, Casters	SLCAPC						28.0#	\$	379										
	Casters	Uph. Seat, Casters	SLCAUC								N/A	461	499	517	461	517	515	565	592	618	643
	<ul> <li>Flex back</li> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>	Uph. Seat/Back, Casters	SLCAUBC						31.0#		N/A	532	568	585	532	585	583	633	660	689	712
	ing chair and frame) • Stacking on dollies is NOT recommend-																				
(Ma)	ed																				
SLP																					
SLU																					
SLUB																					
			Φ	$oldsymbol{\Theta}$	Θ	<b>O</b>	<b>9</b> (	• @													

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

OSelect casters.

C - Carpet casters (black only)
S - Hard floor casters (black only) - Hard floor casters (black only)

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

FR - Compliance to TB 133

NFR - Compliance to TB 117-2013

#### **G**Select upholstery grade/color. Refer to ki.com/fabrics

#### C.O.M. Upholstery

**UPHOLSTERY INFORMATION** 

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

## SPECIAL SERVICES

**Special Carton Marking** With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Strive® Stack Seating

Delivered

Group P3

Pallas Fabric Pallas Fabric Pallas Fabric

583

651

638

705

Pricing

Delivered

Group P2

558

625

607

676

Delivered

Group P4

607

676

657

727

Pricing

			MODEL	NUMBEF	R														
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Glide Option	Fire Code	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unuphol- stered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	
	Four-Leg Loop Arm Chair	Polypropylene	SLLAP							25.0#	\$ 348								П
	<ul><li>Flex back</li><li>Stacking</li></ul>	Upholstered Seat	SLLAU							27.0#	N/A	427	463	484	427	484	483	532	
	• Stacking	Upholstered Seat/Back	SLLAUB							27.0#	N/A	497	535	550	497	550	550	600	
SLP																			
SLU																			
SLUB																			
	Four-Leg Loop Arm Chair with Casters	Polypropylene, Casters	SLLAPC							30.0#	\$ 396								
	Flex back     Charling (Continue about the condition)	Upholstered Seat, Casters	SLLAUC							32.0#	N/A	478	517	535	478	535	532	579	
	<ul> <li>Stacking (Caution should be used if stacking to prevent casters from damag-</li> </ul>	Uph. Seat/Back, Casters	SLLAUBC							32.0#	N/A	548	585	603	548	603	600	649	
	ing chair and frame)																		
	Stacking on dollies is NOT recommend-																		
#   m	ed																		
00																			
SLP																			
SLU																			
SLUB																			
			A	<b>3</b>	Θ	0	<b>(3</b>	<b>(3</b>	<b>G</b>										
			-	-	-	-	-	_	_										

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

**G**Select upholstery grade/color. Refer to ki.com/fabrics

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

OSelect casters.

C - Carpet casters (black only)
S - Hard floor casters (black only) - Hard floor casters (black only)

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select glide option. - Felt Glides - Plastic glides - Steel glides

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Approx.

Packaged

33.0#

33.0#

35.0#

35.0#

35.0#

35.0#

33.0#

35.0#

35.0#

35.0#

35.0#

33.0# \$ 573

Delivered

Pricing

Unuphol-

stered

\$ 491

491

N/A

N/A

N/A

N/A

573

N/A

N/A

N/A

N/A

Delivered

Fabric Grade

573

573

643

643

652

652

721

721

1 & C.O.M.

Pricing

Delivered

609

609

678

678

771

771

840

840

Pricing

Delivered

625

625

696

696

789

789

860

860

Pricing

Fabric Grade Fabric Grade

Delivered

573

573

643

643

652

652

721

721

Pricing

C.O.V.

Delivered

Vinyl Group

625

625

696

696

789

789

860

860

Pricing

Delivered

624

624

694

694

789

789

860

860

Pricing

Delivered

Group P1

675

675

744

744

838

838

907

907

Pricing

Delivered

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

701

701

770

770

865

865

933

933

Group P2

Pricing

Strive® Stack Seating

Delivered

Group P3

727

727

797

797

889

889

958

958

Pricing

Delivered

Group P4

751

751

821

821

915 915

986

986

Pricing

		MODEL NUMBER									
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color		
	Four-Leg Tablet Arm Chair	Polypropylene, Left Hand	SLTAPLH								
	<ul><li>Flex back</li><li>NONSTACKING</li></ul>	Polypropylene, Right Hand	SLTAPRH								
	None Merand	Uph. Seat, Left Hand	SLTAULH								
		Uph. Seat, Right Hand	SLTAURH								
		Uph. Seat/Back, Left Hand	SLTAUBLH								
*		Uph. Seat/Back, Right Hand	SLTAUBRH								
SLP SLU											
SLUB											
	Four-Leg Oversize Tablet Arm Chair	Polypropylene, Left Hand	SLOVTAPLH								
	<ul><li>Oversized tablet</li><li>Flex back</li></ul>	Polypropylene, Right Hand	SLOVTAPRH								
	<ul> <li>NONSTACKING</li> </ul>	Uph. Seat, Left Hand	SLOVTAULH								
		Uph. Seat, Right Hand	SLOVTAURH								
		Uph. Seat/Back, Left Hand	SLOVTAUBLH								
ı II		Uph. Seat/Back, Right Hand	SLOVTAUBRH								
OL D											
SLP											
SLU											
SLUB											
			<b>(A)</b>	<b>3</b>	Θ	0	€	•	œ		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select tablet arm color. Refer to the **Product Color Options** page in this

Select fire code.

price list.

- Compliance to TB 133 - Compliance to TB 117-2013 GSelect upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

## SPECIAL SERVICES

#### **Special Carton Marking**

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

With specially marked information N/C





MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Pricing Seat & Tablet Approx. Pricing Pricing Pricing Delivered Pricing Pricing Pricing Packaged Delivered Pricing Fabric Grade Back Arm Upholstery Basic Frame Glide Fire Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Features Model Color Color Option Color Code Weight Unupholstered 1 & C.O.M. C.O.V. Group P2 Group P3 Polypropylene, Left Hand SLCUTAPLH 34.0# \$ 724 SLCUTAPRH 34.0# 724 Polypropylene, Right Hand Upholstered Seat, Left Hand SLCUTAULH 36.5# N/A 806 842 860 806 860 855 943 932 960 Upholstered Seat, Right Hand SLCUTAURH 36.5# N/A 806 842 860 806 860 855 943 932 960 SLCUTAUBLH Upholstered Seat/Back, Left Hand 37.7# N/A 876 914 929 876 929 928 977 1003 1031 Upholstered Seat/Back, Right Hand SLCUTAUBRH | \_\_ 37.7# N/A 876 914 929 876 929 928 977 1003 1031

SLU SLUB Four-Leg ChangeUp Tablet Arm Chair

with Glides Flexing Back

- Large work surface (21"W x 13.3"D)
- · Work surface flips and folds
- · Work surface has 20 degrees of
- ingress/egress movement Work surface rated to 250 pounds
- . Chair rated to 400 pounds

Ω

0 Θ

**(3)** 

**(3**) **(3**)

### (H)

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select tablet arm color.

Refer to the **Product Color Options** page in this price list.

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013 See Upholstery Information for TB133

#### upcharge.

**G**Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

With specially marked information N/C



Delivered

1 & C.O.M.

854

854

924

924

Pricing

Delivered Pricing Fabric Grade

Unupholstered

772

N/A

N/A

N/A

N/A

\$ 772

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Fabric Grade

910

910

980

980

Pricing

Delivered

Vinyl Group

910

910

980

980

Pricing

Delivered

854

854

924

924

Pricing

C.O.V.

Delivered

Pallas Fabric

910

910

978

978

Pricing

Delivered

Pallas Fabric

958

958

1028

1028

Pricing

# Strive® Stack Seating Stack Chairs

Delivered

Group P2

Pallas Fabric

985

985

1054

1054

Pricing

Delivered

Pallas Fabric

1012

1012

1080

1080

Group P3

Pricing

		MODEL NUMB	ER						
	Features	Basic Model	Frame Color	Seat & Back Color	Caster Type	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SLCUTAPCLH							
	Polypropylene, Right Hand	SLCUTAPCRH							
	Upholstered Seat, Left Hand	SLCUTAUCLH							
	Upholstered Seat, Right Hand	SLCUTAUCRH							
	Upholstered Seat/Back, Left Hand	SLCUTAUBCLH							
	Upholstered Seat/Back, Right Hand	SLCUTAUBCRH							
SLP									
SLU SLUB									
Four-Leg ChangeUp Tablet Arm Chair with Casters									
Flexing Back     Large work surface (21"W x 13.3"D)     Work surface flips and folds     Work surface has 20 degrees of ingress/egress movement     Work surface rated to 250 pounds     Chair rated to 400 pounds									
		A	3	Θ	0	<b>(3</b>	<b>(3</b>	Θ	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this price list.

• Select casters.

S - Hard floor casters (black only)
C - Carpet casters - Carpet casters

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013 FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

GSelect upholstery grade/color. Refer to ki.com/fabrics

Approx. Packaged

33.0#

33.0#

35.5#

35.5#

36.7#

36.7#

Weight

#### C.O.M. Upholstery

**UPHOLSTERY INFORMATION** 

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

## SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302,

freight prepaid. Freight class 125.



Strive® Stack Seating
Stack Chairs

			MODEL N	UMBER																	
	MODEL	Features	Basic Model	Frame Color		Glide Option		Upholstery Color	Approx. Packagu Weight	ed De	elivered ricing	Pricing	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Four-Leg Wallsaver Armless Chair  Flex back	Polypropylene	SLNAPWS			S			20.0		310										
	<ul> <li>Stacking</li> </ul>	Upholstered Seat	SLNAUWS SLNAUBWS			S			23.0		N/A	390 459	424 496	446 514	390 459	446 514	443 512	491 562	519 586	546	570 640
	<ul> <li>Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface</li> </ul>	Upholstered Seat/Back	SLIVAUBWS			5			23.0	#	N/A	459	490	514	459	514	512	502	386	615	640
SLP																					
SLU SLUB																					
	Four-Leg Wallsaver Cantilever Arm Chair		SLCAPWS			1			23.0		384										
	<ul><li>Flex back</li><li>Stacking</li></ul>	Upholstered Seat	SLCAUWS						26.0		N/A	465	504	521	465	521	519	568	597	622	646
	Wallsaver rear legs touch base of wall preventing chair back from contacting wall surface	Upholstered Seat/Back	SLCAUBWS			S			26.0	#	N/A	536	573	590	536	590	590	639	664	692	716
SLP																					
SLU																					
SLUB	Four-Leg Wallsaver Loop Arm Chair	Polypropylene	SLLAPWS			c			25.0	# \$	404										
	Flex back	Upholstered Seat	SLLAUWS			1			27.0		N/A	485	521	537	485	537	536	584	612	640	660
	<ul><li>Stacking</li><li>Wallsaver rear legs touch base of wall</li></ul>	Upholstered Seat/Back	SLLAUBWS			S			27.0		N/A	552	590	606	552	606	604	652	681	707	731
	preventing chair back from contacting wall surface																				
SLP SLU SLUB																					
			A	3	0	0	<b>3</b>	•													

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select seat and back color. Refer to the **Product Color Options** page in this

Select glide option.

S - Steel glides

Select fire code.

FR - Compliance to TB 133
NFR - Compliance to TB 117-2013

Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91


Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES **Special Carton Marking**

## With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.





#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

 $oldsymbol{\Omega}$ 

0

Θ

0

**(3** 

•

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No glides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information

Shipping Ships assembled, FOB Green Bay, WI 54302,

freight prepaid. Freight class 125.

Strive® Stack Seating



Approx.

Weight

Packaged

31.0#

31.0#

33.0#

33.0#

33.0#

33.0#

31.0#

33.0#

33.0#

33.0#

33.0#

31.0# \$ 631

Delivered

Pricing

Unuphol-

stered

\$ 548

548

N/A

N/A

N/A

N/A

631

N/A

N/A

N/A

N/A

Delivered

Fabric Grade

631

631

698

698

712

712

781

781

1 & C.O.M.

Pricing

Delivered

667

667

735

735

748

748

815

815

Pricing

Delivered

686

686

755

755

767

767

836

836

Pricing

Fabric Grade Fabric Grade

Delivered

631

631

698

698

712

712

781

781

Pricing

C.O.V.

Delivered

Vinyl Group

686

686

755

755

767

767

836

836

Pricing

Delivered

680

680

750

750

762

762

833

833

Pricing

Delivered

Group P1

731

731

800

800

811

811

880

880

Pricing

Delivered

Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric

761

761

832

832

840

840

910

910

Group P2

Pricing



Delivered

Group P3

784

784

853

853

866

866

934

934

Pricing

Delivered

Group P4

809

809

878

878

889

889

958

958

Pricing

			l							
			MODEL NUM	BER			1	ı		
			Basic	Frame	Seat & Back	Glide	Tablet Arm	Fire	Upholstery	
	MODEL	Features	Model	Color	Color	Option	Color	Code	Color	
	Sled Base Tablet Arm Chair	Polypropylene, Left Hand	SSTAPLH							
	<ul><li>Flex back</li><li>NONSTACKING</li></ul>	Polypropylene, Right Hand	SSTAPRH							
	• NUNSTACKING	Uph. Seat, Left Hand	SSTAULH							
		Uph. Seat, Right Hand	SSTAURH							
		Upholstered Seat/Back	SSTAUBLH							
		Upholstered Seat/Back	SSTAUBRH							
₩										
SSP										
SSU										
SSUB										
	Sled Base Oversize Tablet Arm Chair	Polypropylene, Left Hand	SSOVTAPLH							
	<ul><li>Oversized tablet</li><li>Flex back</li></ul>	Polypropylene, Right Hand	SS0VTAPRH							
	NONSTACKING	Uph. Seat, Left Hand	SSOVTAULH							
		Uph. Seat, Right Hand	SSOVTAURH							
		Uph. Seat/Back, Left Hand	SSOVTAUBLH							
		Uph. Seat/Back, Right Hand	SSOVTAUBRH							
♥										
SSP										
SSU										
SSUB										
			<b>A</b>	3	Θ	0	<b>(3</b>	•	0	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No alides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

**G**Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES **Special Carton Marking**

## With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.



Unupholstered

759

N/A

N/A

N/A

N/A

\$ 759

Approx. Packaged

35.0#

35.0#

37.5#

38.7#

38.7#

37.5#

Weight

Delivered

1 & C.O.M.

840

840

908

908

Pricing

Delivered Pricing Fabric Grade

Delivered

Fabric Grade

879

879

944

944

Pricing

Delivered

Fabric Grade

891

891

960

960

Pricing

Delivered

Vinyl Group

891

891

960

960

Pricing

Delivered

840

840

908

908

Pricing

C.O.V.

Delivered

Pallas Fabric

891

891

960

960

Pricing

Delivered

Pallas Fabric

941

941

1010

1010

Pricing



Delivered

Group P2

Pallas Fabric

967

967

1037

1037

Pricing

Delivered

Pallas Fabric

994

994

1063

1063

Group P3

Pricing

		MODEL NUM	BER						
	Features	Basic Model	Frame Color	Seat & Back Color	Glide Option	Tablet Arm Color	Fire Code	Upholstery Color	
	Polypropylene, Left Hand	SSCUTAPLH							
	Polypropylene, Right Hand	SSCUTAPRH							
	Upholstered Seat, Left Hand	SSCUTAULH							
	Upholstered Seat, Right Hand	SSCUTAURH							
	Upholstered Seat/Back, Left Hand	SSCUTAUBLH							
	Upholstered Seat/Back, Right Hand	SSCUTAUBRH							
SSP									
SSU									
SSUB									
Sled Base ChangeUp Tablet Arm Chair									
Flexing Back     Large work surface (21"W x 13.3"D)     Work surface flips and folds     Work surface has 20 degrees of ingress/egress movement									
<ul> <li>Work surface rated to 250 pounds</li> <li>Chair rated to 400 pounds</li> </ul>									
		A	ß	•	0	<b>9</b>	•	<b>G</b>	

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color. Refer to the **Product Color Options** page in this

• Select glide option.

NG - No alides - Felt glides - Black plastic glides - Non-skid glides GSS - Stainless steel glide

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

Select fire code.

FR - Compliance to TB 133 NFR - Compliance to TB 117-2013

See Upholstery Information for TB133 upcharge.

**G**Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES **Special Carton Marking**

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

With specially marked information N/C



Strive® Stack Seating

				•
		MODEL NUMBER		
			Approx.	
		Basic Model	Approx. Packaged	Delivered
	MODEL		Weight	Pricing
_	Transport Dolly for 4-Leg and Sled Base Chairs	SCDA.BL	31.0#	\$ 559
<i>9</i>	Chairs			
	<ul> <li>Easy maneuverability with 5" casters: two fixed, two swivel</li> </ul>			
	Rugged weld tubular steel frame			
	<ul><li>Rugged weld tubular steel frame</li><li>Black powder-coated finish</li></ul>			
Q				
HRDPT				
	Universal Dolly Handle • Field installable	UDH.BL	8.0#	\$ 199
	Field installable			
	Provides convenient handle for relocat- ing dolly when empty or loaded			
	ing dolly when empty or loaded • Overall dolly height with handle is 37"			
	, ,			
10				
HRDPT				
** *				

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

## SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Cafe Stool



Strive® Stack Seating

MODEL NUMBER Delivered Pricing Delivered Seat & Approx. Pricing Pricing Pricing Pricing Pricing Pricing Pricing Pricing Pricing Basic Seat Frame Back Glide Fire Upholstery Packaged Unuphol-Fabric Grade Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric MODEL **Features** Model Height Color Color Option Code stered 1 & C.O.M. C.O.V. Group P1 Group P2 Group P3 Group P4 Four-Leg Armless Cafe Stool SLSNAP 31.0# \$ 379 Polypropylene Flex back Upholstered Seat SLSNAU 33.0# N/A 592 643 461 499 517 461 517 515 565 618 Stacking Upholstered Seat/Back SLSNAUB 33.0# N/A 532 568 585 532 585 583 633 660 689 712 · Two seat heights SLSU SLSUB Four-Leg Cantilever Arm Cafe Stool SLSCAP 33.0# 458 Polypropylene · Flex back **Upholstered Seat** SLSCAU 35.0# N/A 538 576 593 538 593 592 642 667 694 718 Stacking SLSCAUB 658 Upholstered Seat/Back 35.0# N/A 607 645 662 607 662 710 735 764 788 · Two seat heights SLSP SLSU SLSUB Four-Leg Loop Arm Cafe Stool SLSLAP 35.0# \$ 473 Polypropylene Flex back 733 Upholstered Seat SLSLAU 37.0# N/A 554 593 609 554 609 607 686 712 656 NONSTACKING SLSLAUB 678 Upholstered Seat/Back 37.0# N/A 624 662 624 678 676 725 755 781 804 · Two seat heights SLSP

#### **HOW TO ORDER**

SLSU SLSUB

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

**B**Select seat height.

24 - 24" Seat Height 30 - 30" Seat Height

Select frame color.

Refer to the **Product Color Options** page in this price list.

• Select poly seat and back color.

Refer to the **Product Color Options** page in this price list.

Select glide option.

- Felt Glides - Plastic glides - Steel glides

Select fire code.

- Compliance to TB 133

IFR - Compliance to TB 117-2013

#### Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

Θ

0

**9** 

•

Θ

Δ

**3** 

## UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### SPECIAL SERVICES

Special Carton Marking
With specially marked information

\_

Shipping

Ships **assembled**, **FOB Green Bay**, **WI 54302**, **freight prepaid**. Freight class 125.

# Strive® High Density General Information



Features

Stackable

Flex back

Seat width

Seat depth

Width

Depth

Height

Seat height

Overall Dimensions

Stacking on Dolly

Overall width

Overall depth

Width

Depth

Quantity/height

Stacking on Floor

Quantity/height

Poly or upholstered seat

**General Dimensions** 






**High Density Stacking Chair** with Poly Seat (SWNA)



**High Density Stacking Chair** with Uph. Seat Pad (SWNAU)





19-1/2"

6 Stools/43-1/2" High



19-1/2"

5 Stools/47" High



19-1/2"

6 Stools/49-1/2" High



**High Density Stacking Stool High Density Stacking Stool High Density Stacking Stool** High Density Stacking Stool with Poly Seat, 24" Height with Poly Seat, 30" Height with Uph Seat, 30" Height with Uph Seat, 24" Height (SWSNA/24) (SWSNAU/24) (SWSNA/30) (SWSNAU/30) 17-3/4" 17-3/4" 17-3/4" 17-3/4" 18-1/2" 18-1/2" 18-1/2" 18-1/2" 24" 24" 30" 30" 19-1/2" 19-1/2" 19-1/2" 19-1/2" 23-1/2" 23-1/2" 24-1/2" 24-1/2" 38-1/2" 44-1/2" 44-1/2" 38-1/2" 21" 21" 21" 21" 49-1/2" 52" 51-1/2" 54" 20 Stools/66" High 10 Stools/54-1/2" High 20 Stools/69" High 10 Stools/58" High

#### INFORMATION

## C.O.M. Testing and Production Require-

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

Designed by Giancarlo Piretti and manufac-tured in the USA by Krueger International, Inc. under license from Pro-Cord S.p.A

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

**Color Match Process - Poly Seating** Information can be found here.

#### INFORMATION

19-1/2"

32"

5 Stools/53" High

#### Warranty

# Strive® High Density



Strive® High Density



**Transport Dolly for Stools** (WSSD.BL)

Overall Dimensions		
Width	22-3/8"	21"
Depth	25-5/8"	26-1/2"

#### **TECHNICAL SPECIFICATIONS**

#### Seat

Injection-molded polypropylene seat.

#### **Backrest**

Injection molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Top of backrest has an integral handle for ease of lifting and stacking.

### Chair & Stool Frames & Finishes

<sup>7</sup>/<sub>16</sub>" solid steel rod, all joints welded. Finished in bright nickel-chrome or with electrostatically-applied epoxy powder-coat paint.

## Optional Upholstered Seat

Molded urethane foam (soy based) is attached to an injection-molded polypropylene seat board, the upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: upholstered seat is required with translucent poly backs.


## Transport Dolly

Tubular and plate steel welded together. 5" casters: two fixed, two swivel. Powder-coated finish.


### STATEMENT OF LINE

All models are available in polypropylene seat/backrest or upholstered seat/polypropylene backrest.

## Strive High-Density Sled Base Stack Chair




## Strive High-Density Sled Base Stack Stools







### Strive High-Density Sled Base Chair -Polypropylene Seat & Backrest




### Strive High-Density Sled Base Chair -Upholstered Seat & Polypropylene Backrest




### Strive High-Density 24" Sled Base Stool -Polypropylene Seat & Backrest




### Strive High-Density 24" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



### Strive High-Density 30" Sled Base Stool -Polypropylene Seat & Backrest



### Strive High-Density 30" Sled Base Stool -Upholstered Seat & Polypropylene Backrest



# Strive® High Density Product Color Options



Strive® High Density
Product Color Options

Frame Color	
Black	В
Blue Grey	G
Bronze Metallic	Zľ
Cayenne	C
Champagne Metallic	CI
Chrome	C
Cool Grey	C
Cottonwood	C
Earthen Clay	E
Espresso Metallic	E
Everglade Shade	E
Flannel	F
Glitz Metallic	G
Hazy Jade	Н
Honey Bee	Н
Light Tone	L
Mardi Gras	M
Misty Brown	M
Nemo	N
Nordic	N
Poppy Red	P
Purple Haze	P
Rubber Ducky	R
Sand	S
Sky Blue	S
Starlight Silver Metallic	S
Surf's Up	S
Twilight Shadow	1
Ultra Blue	U
Warm Grey	W
Zesty Lime	Z

Armcaps and glides match the frame color with the following exceptions:

-When frame color is chrome or metallic, the armcaps and glides will match poly color.

-When back is diamond translucent, armcaps are light tone. -When back is pewter translucent, armcaps are flannel.

Casters for four-leg chairs are always black.

Seat and Back Color - Polypropyle	ne
-----------------------------------	----

L	Seat and Back Color - Polypropylene Non Flame-Retardant	
3	Black	PBL
Λ	Blue Grey	PGR
Y	Cayenne	PCY
Λ	Cool Grey	PCG
Н	Cottonwood	PC0
à	Diamond Translucent	PDT
)	Earthen Clay	PEY
Y	Everglade Shade	PEV
(	Flannel	PFN
/	Hazy Jade	PHJ
V	Honey Bee	PHY
Z	Light Tone	PLG
J	Mardi Gras	PMG
Y	Misty Brown	PMY
3	Nemo	PNE
3	Nordic	PND
Y	Pewter Translucent	PPT
E	Poppy Red	PPR
)	Purple Haze	PPH
3	Rubber Ducky	PRK
Н	Sand	PSA
<	Sky Blue	PSK
4	Surf's Up	PSP
<	Twilight Shadow	PTI
Κ	Ultra Blue	PUB

Diamond Translucent and Pewter Translucent are only available on upholstered seat models.

#### Seat and Back Color - Polypropylene Flame-Retardant

Warm Grey

PBL

The above seating product can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

\*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

View color swatches for items listed within this document.

**Edge Styles** 

PWG

PZL

# Strive® High Density Stack Chair and Dolly





											•									
			MODE	L NUMBE	ER															
	MODEL	Features	Basic Model	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code	Approx. Packaged Weight	De Ui	elivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Armless Chair	Polypropylene	SWNA						17.0#	\$	249									
	Flex back	Upholstered Seat	SWNAU						17.0#		N/A	332	370	384	384	383	431	460	488	512
SWSCP SWSCU																				
00000	Transport Dolly - Chair		CSD.BL						30.0#	\$	553									
	Accomodates up to 30 poly chairs or 15 upholstered chairs     Easy maneuverability with 5" casters: two fixed, two swivel     Black powder-coated finish		OOD.BE						JO.Un	v	333									
HRDPT																				
	Universal Dolly Handle Field installable Provides convenient handle for relocating dolly when empty or loaded Overall dolly height with handle is 37"		UDH.BL						8.0#	\$	199									
HRDPT																				
			A	<b>3</b>	Θ	0	<b>(3</b>	<b>3</b>												

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this price list.

Select seat and back color.

Refer to the **Product Color Options** page in this

• Select upholstery grade/color. Refer to ki.com/fabrics

- Ganging polycarbonate glides - Ganging steel glides
- No glides - Replaceable Felt Glides

- Polycarbonate glides NS - PVC non-skid glides - Stainless steel glides

#### Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

#### OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

#### SPECIAL SERVICES


**Special Carton Marking** With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

# Strive® High Density





										•											
			MODEL	NUMBER	1																
	MODEL	Features	Basic Model	Seat Height	Frame Color	Seat & Back Color	Upholstery Color	Glide Option	Fire Code	Approx Packag Weight	ged	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Armless Stool	Polypropylene	SWSNA							21.0		\$ 374									
	<ul><li>Flex Back</li><li>Two seat heights (24" &amp; 30")</li></ul>	Upholstered Seat	SWSNAU							21.0	O#	N/A	456	495	509	509	508	554	584	612	636
	<ul> <li>24" H stool specified for use with 36" H</li> </ul>																				
	tables • 30" H stool specified for use with 42" H																				
	tables																				
SWSSP																					
SWSSU																					
	Transport Dolly - Stool  Accomodates up to 20 poly stools or 10 upholstered stools  Easy maneuverability with 5" casters: two fixed, two swivel		WSSD.BL	-						31.0	O# :	\$ 559									
7	Black powder-coated finish																				
HRDPT																					
	Universal Dolly Handle     Field installable     Provides convenient handle for relocating dolly when empty or loaded     Overall dolly height with handle is 37"		UDH.BL							8.0	O# :	\$ 199									
HRDPT																					

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

# A Select basic model.

Select seat height.

24 - 24" Seat Height
30 - 30" Seat Height - 30" Seat Height

Select frame color. Refer to the **Product Color Options** page in this price list.

Refer to the **Product Color Options** page in this Select upholstery grade/color. Refer to <u>ki.com/fabrics</u>

DSelect seat and back color.

G - Ganging polycarbonate glides - Ganging steel glides - No glides

- Polycarbonate glides - PVC non-skid glides

#### HOW TO BUILD A MODEL NUMBER

FR - Compliance to TB 133 - Compliance to TB 117-2013

S - Stainless steel glides

**G**Select fire code.

0

Ø

Θ

Θ

**(3**)

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

#### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

#### Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

## Strive® Nesting











Cantilever A	rmchair
(SNCAL	J)

Tablet Arm Chair (SNTAURH)

**Oversize Tablet Arm Chair** 

Features				
Poly or upholstered seat	•	•	•	•
Flex back	•	•	•	•
Flip-up seat	•	•	•	•
Integral handle	•	•	•	•
Nesting	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18"	18"	18"	18"
Seat height (upholstered add 1")	16-1/2"	16-1/2"	16-1/2"	16-1/2"
Tablet to chair back clearance			14"	14"
Overall Dimensions				
Width	23"	23"	24"	24"
Depth	22-3/4"	22-3/4"	29"	32"
Height	33-3/4"	33-3/4"	33-3/4"	33-3/4"
Top of arm to floor	25-1/2"		28-1/4"	28-1/4"
Nesting (two chairs) (upholstered add 1")	28-1/2"	28-1/2"	34-3/4"	37-3/4"

Nesting - For each additional chair, add 5-3/4" (upholstered add 1")

#### INFORMATION

## C.O.M Testing and Production Require-

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Modified Product Request written specifying the direction the fabric is to be applied.

#### **KI Color Match Program**

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

**Color Match Process - Poly Seating Information** can be found here.

#### **TECHNICAL SPECIFICATIONS**

#### Seat and Backrest

Seat is two-piece construction of injection-molded polypropylene, reinforced with internal steel channels, and assembled using hidden fasteners. The seat is available in a poly version or upholstered. For the upholstered version, molded urethane foam (1" depth) is applied to the seat board. Fabric is then upholstered over the foam using a drawstring process. Note: upholstered seat is required with

Backrest is injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire. Backrest is available poly only. Backrest has an integral, molded "handle".

Seat flips up to allow chairs to nest for storage and transport.

Seat assembly and backrest are field replaceable.

The legs are 1", 13-gauge high-strength steel tubing. All frame joints are welded.

#### Frame Finishes

Frames are finished in either baked-on electrostatically-applied 30 gloss epoxy powder-coat paint, or bright nickel chrome plating.

Double wheels (60 mm) of high-impact thermoplastic. High-impact plastic frame. Casters are always black. Carpet or hard floor. Bell glide (2" high) made of high-impact plastic also available, black only.

Optional fixed-position T-arms are available. Arm supports are a continuation of the frame crossmember tube, with injection-molded polypropylene arm caps attached by screws. The armcaps are injection-molded glass filled polypropylene matching the frame finish (when frame finish is Chrome, hammertones, or Starlight Silver metallic, armcaps match the seat and back color; when back is Diamond trnaslucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel).

#### Tablet Arm


An optional tablet arm is available on either the right or left-hand side. When so equipped, the tablet arm support structure is a continuation of the frame crossmember tube. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface for standard tablet is  $9^{1}/2^{2} \times 20^{3}/4^{2} \times 12^{1}/2^{2}$  and oversize tablet is 15<sup>1</sup>/<sub>2</sub>" x 22<sup>1</sup>/<sub>2</sub>" x 14" plywood core of <sup>5</sup>/<sub>8</sub>" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface. Tablet arm flips up for easy access. Edges are lacquered and sealed.

#### INFORMATION

#### Warranty

Strive® Nesting
General Information

### **DIMENSIONS**




**Nesting Footprint Calculation:** Overall Length of a Row = 24.25" (1 chair) + 6.5" (additional chairs)

24.25" (1 chair) + 6.5" (1 chair) = 30.75" Examples: 2 Chairs:


> 16 Chairs: 24.25" (1 chair) + 6.5" (15 chairs) = 121.75"

#### STATEMENT OF LINE

## Strive Nesting Armless Chair



## Strive Nesting Cantilever Armchair



## STATEMENT OF LINE

## Strive Nesting Tablet Arm Chair







Strive® Nesting
General Information



Strive Nesting Oversized Tablet Arm Chair









## Strive® Nesting

Frame Color	
Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Poppy Red	PR
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Sky Blue	SK
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Armca excep -Whei

- will m
- -Whei -Whei

Caste

me Color		Seat and Back Color - Polypropylene Non Flame-Retardant
Black	BL	Black
Blue Grey	GR	
Bronze Metallic	ZM	Blue Grey
Cayenne	CY	Cayenne
Champagne Metallic	CM	Cool Grey
Chrome	CH	Cottonwood
Cool Grey	CG	Diamond Translucent
Cottonwood	CO	Earthen Clay
Earthen Clay	EY	Everglade Shade
Espresso Metallic	EX	Flannel
Everglade Shade	EV	Hazy Jade
Flannel	FN	Honey Bee
Glitz Metallic	GZ	Light Tone
Hazy Jade	HJ	Mardi Gras
Honey Bee	HY	Misty Brown
ight Tone	LG	Nemo
Mardi Gras	MG	Nordic
Misty Brown	MY	Pewter Translucent
Nemo	NE	Poppy Red
Nordic	ND	Purple Haze
Poppy Red	PR	Rubber Ducky
Purple Haze	PH	Sand
Rubber Ducky	RK	Sky Blue
Sand	SA	Surf's Up
Sky Blue	SK	Twilight Shadow
Starlight Silver Metallic	SX	Ultra Blue
Gurf's Up	SP	Warm Grey
Twilight Shadow	TI	Zesty Lime
Jitra Blue	UB	
Varm Grey	WG	Diamond Translucent and Pewter Translucent upholstered seat models.
Zesty Lime	ZL	aprioratorea scat moders.
caps and glides match the frame color with the following		Seat and Back Color - Polypropylene Flame-Retardant
eptions: len frame color is chrome or metallic, the armcaps and gl match poly color.	lides	Black
en back is diamond translucent, armcaps are light tone. en back is pewter translucent, armcaps are flannel.		The above seating product can be manufactu appropriate flame-retardant materials for con Technical Bulletin 133.
ters for four-leg chairs are always black.		
		*NOTE: When ED unhalstony is calcuted ED

product can be manufactured using the retardant materials for compliance to California

\*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

Tablet Arm Color - Laminate Belair LBQ PBL LBT Biltmore Cherry PGR LBK Black PCY Brighton Walnut LBW PCG LCA Canyon Zephyr PC0 Castle Oak LC0 PDT Casual Linen LCU PEY Cherry Storm LCX PEV Classic Linen LCI PFN LCL Cloud Zephyr PHJ LCC Cocobala PHY LRI Crisp Linen PLG Desert Zephyi LDZ PMG LDG Dove Grey PMY LIL Fired Steel PNE Flax Linen LXF PND LFC Florence Walnut PPT Forged Steel LOL PPR LFH Friston Ash PPH Frosty White LFW PRK Graphite Nebula LGN PSA Grey LGE PSK High Rise LHE PSP LHY Hollyberry PTI LIH Irish Linen PUB Island LID PWG Italian Silver Ash LIT PZL Kensington Maple LKM LLB Lapis Blue ent and Pewter Translucent are only available on LMK Markerboard White Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA LON Ocean Pearl Bisque LPB Pearl Silver LPS LPR Pressed Linen LRY River Cherry LRG Rugged Linen Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV LAZ Sterling Ash LTL Tailored Linen Titanium evolv LTV White Nebula LWL White Sand LWN

Windsor Mahogany

LWY

# Strive® Nesting





				•									
		MODEL NUMBER											
	MODEL	Poly Seat/ Basic Frame Back Fire Upholstery Model Color Color Base Code Color	Approx. Packaged Delivered Weight Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group PO	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
SNP	Armless Chair with Poly Seat Flex back Nests	SNNAP	23.0# \$ 540										
SNU	Armless Chair with Upholstered Seat • Flex back • Nests	SNNAU DD DDD DDDD DDDD	23.0# N/A	\$ 618	\$ 652	\$ 670	\$ 618	\$ 670	\$ 667	\$ 716	\$ 741	\$ 769	\$ 791
SNP	Arm Chair with Poly Seat  • Flex back  • Nests	SNCAP	25.0# \$ 613										
SNU	Arm Chair with Upholstered Seat • Flex back • Nests	SNCAU DD DDD DDDD DDDDD	25.0# N/A	\$ 693	\$ 727	\$ 744	\$ 693	\$ 744	\$ 740	\$ 789	\$ 813	\$ 841	\$ 865
		<b>A</b> B <b>O</b> D <b>G</b>											

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- $\bullet$  Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the Product Color Options page in this price list.

Select poly seat and back color Refer to the **Product Color Options** page in this

• Select base option.

- Bell glides (black only)
- Carpet casters (black only) - Hard floor casters (black only)

Select fire code.

NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

Select upholstery grade/color. Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

#### SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

# Stack/Nesting Strive® Nesting Chairs





										•										
		MODEL NU	MBER																	
	MODEL	Basic Model	Frame	Poly Seat/ Back Color Bas		Fire Upt Code Col	holstery or	Approx. Packaged Weight	Pr	livered icing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Tablet Arm Chair with Poly Seat • Flex back	SNTAPRH						28.0#	\$	769										
	• Nests	SNTAPLH						28.0#		769										
SNP		ONTALIBU						00.0"		N1/A	<b>A</b> 047	Φ 004	<b>A</b> 007	A 047	Φ 007	Φ 005	<b>A</b> 044	<b>*</b> 222	<b>A</b> 007	Φ 1000
	Tablet Arm Chair with Upholstered Seat • Flex back	SNTAURH						28.0# 28.0#		N/A N/A	\$ 847 847	\$ 881 881	\$ 897 897	\$ 847 847	\$ 897 897	\$ 895 895	\$ 944 944	\$ 968 968	\$ 997 997	\$ 1020 1020
	Nests	SWIAULII						20.0π		IV/A	047	001	097	047	091	693	344	900	331	1020
SNU		SNOVTAPRH						28.0#	¢	847										
	Oversize Tablet Arm Chair with Poly Sea  Flex back Nests	SNOVTAPLH						28.0#	•	847										
SNP		ONO TAUDI						00.0"		N1/A	<b>A</b> 000	<b>A</b> 050	<b>A</b> 077	Φ 000	Φ 077	Φ 070	<b>A</b> 1000	<b>.</b>	<b>A</b> 4070	Φ 1007
	Oversize Tablet Arm Chair with Uphol- stered Seat  Flex back  Nests	SNOVTAURH SNOVTAULH						28.0# 28.0#		N/A N/A	\$ 926 926	\$ 959 959	\$ 977 977	\$ 926 926	\$ 977 977	\$ 972 972	\$ 1022 1022	\$ 1049 1049	\$ 1076 1076	\$ 1097 1097
SNU																				
		<b>(A</b> )	•	0	<b>(3</b>	<b>(3</b>	Θ													

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the **Product Color Options** page in this price list.

GSelect upholstery grade/color. Refer to ki.com/fabrics

Select poly seat and back color Refer to the **Product Color Options** page in this

OSelect base option.

- Bell glides (black only)
- Carpet casters (black only) - Hard floor casters (black only)

Select tablet arm color. Refer to the **Product Color Options** page in this

NFR - Compliance to TB 117-2013 - Compliance to TB 133

price list. Select fire code.

#### **UPHOLSTERY INFORMATION**

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added list price=\$13

Model=Upholstered Seat Added list price=\$91

#### SPECIAL SERVICES

**Special Carton Marking** With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

## Strive® Tandem Seating





441/2" 66<sup>1</sup>/<sub>2</sub>"

921/2"

22"








1-Place Unit										
(1 Seat, 0 In-Line Table)										


2-Place Unit (1 Seat, 1 In-Line Table; 2 Seat, 0 In-Line Table)

3-Place Unit (2 Seats, 1 In-Line Table; 3 Seats, 0 In-Line Table)

4-Place Unit (3 Seats, 1 In-Line Table; 4 Seats, 0 In-Line Table)

Features				
Arm	•	•	•	•
Corner tables	•	•	•	•
In-line tables	•	•	•	•
Poly, upholstered seat, or upholstered seat/back	•	•	•	•
General Dimensions				
Seat width	18"	18"	18"	18"
Seat depth	18"	18"	18"	18"
Seat height	17"	17"	17"	17"
Unit width (with arms)	28"	50"	72"	94"
Unit width (no arms)	20"	44"	66"	86"
Unit height	33"	33"	33"	33"
Corner table top	30" x 30"	30" x 30"	30" x 30"	30" x 30"
In-line table	20" x 20"	20" x 20"	20" x 20"	20" x 20"
Table height (all table models)	17"	17"	17"	17"
Width between arms (inside arm)	18"	18"	18"	18"
Arm height from floor	25-3/4"	25-3/4"	25-3/4"	25-3/4"





#### **SPECIFICATIONS**

#### Tandem Base

Cast aluminum alloy leg section. 14-gauge 1x2" seamless steel column. Upright and base are painted monochromatic with beam and yoke. Columns are welded to a plate which clamps onto beam.

#### Frame Finish

Baked-on, electrostatically-applied 45 gloss epoxy powder coating.

Injection-molded polypropylene seat attached directly to the structure.

#### **Underseat Structure**

Support structure is die-formed 13-gauge steel welded to a 1" OD x 14-gauge tubular steel cross member.

Injection molded polypropylene with integral steel cantilever springs. The combination of

the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5mm diameter chrome silicon valve spring wire.

#### Tandem Arm

Oval tubular steel arm support with self-skinning urethane armrests measuring 101/4" long x 4" wide. The tubular arm support is welded to a yoke and then fastened to the beam via a coverplate.

#### **Optional Upholstered Seat or** Seat & Back

Molded urethane foam is attached to an injection molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners.

#### In-Line Table

Solid core top is 20" x 20" x 7/8" with a vinyl bullnose edge.

Solid core top is 30" x 30" x 7/8" with a vinyl

bullnose edge.

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details.

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.

#### INFORMATION

#### Warranty

# Strive® Tandem Seating Product Color Options


Frame Color		Seat and Back Color - Polypropylene		Surface Finish - Laminate	
Black	BL	Non Flame-Retardant		Belair	LBQ
Blue Grey	GR	Black	PBL	Biltmore Cherry	LBT
Cool Grey	CG	Blue Grey	PGR	Black	LBK
Earthen Clay	EY	Cayenne	PCY	Brighton Walnut	LBW
Everglade Shade	EV	Cool Grey	PCG	Canyon Zephyr	LCA
Flannel	FN	Earthen Clay	PEY	Castle Oak	LCO
Hazy Jade	HJ	Everglade Shade	PEV	Casual Linen	LCU
Light Tone	LG	Flannel	PFN	Cherry Storm	LCX
Mardi Gras	MG	Hazy Jade	PHJ	Classic Linen	LCI
Misty Brown	MY	Honey Bee	PHY	Cloud Zephyr	LCL
Nemo	NE	Light Tone	PLG	Cocobala	LCC
Poppy Red	PR	Mardi Gras	PMG	Crisp Linen	LRI
Purple Haze	PH	Misty Brown	PMY	Desert Zephyr	LDZ
Rubber Ducky	RK	Nemo	PNE	Dove Grey	LDG
Sand	SA	Nordic	PND	Fired Steel	LIL
Sky Blue	SK	Poppy Red	PPR	Flax Linen	LXF
Surf's Up	SP	Purple Haze	PPH	Florence Walnut	LFC
Twilight Shadow	TI	Rubber Ducky	PRK	Forged Steel	LOL
Ultra Blue	UB	Sand	PSA	Friston Ash	LFH
Warm Grey	WG	Sky Blue	PSK	Frosty White	LFW
Zesty Lime	ZL	Surf's Up	PSP	Graphite Nebula	LGN
		Twilight Shadow	PTI	Grey	LGE
Edge Color		Ultra Blue	PUB	High Rise	LHE
Black	EBL	Warm Grey	PWG	Hollyberry	LHY
Blue Grey	EGR	Zesty Lime	PZL	Irish Linen	LIH
Cool Grey	ECG			Island	LID
Earthen Clay	EEY	Arm pad matches seat and back color for black, blu	ie grey, sand and	Italian Silver Ash	LIT
Everglade Shade	EEV	warm grey. Otherwise it is always black.		Kensington Maple	LKM
Flannel	EFN	TRANSLUCENT colors are available on the upholsto	ered seat models	Lapis Blue	LLB
Frosty White	EFW	only.		Markerboard White	LMK
Hazy Jade	EHJ	Seet and Beek Color Belynyenylane		Misted Zephyr	LMR
Light Tone	ELG	Seat and Back Color - Polypropylene Flame-Retardant		Monticello Maple	LMT
Mardi Gras	EMG	Black	PBL	Nickel Evolv	LNV
Misty Brown	EMY	DIACK	I DL	North Sea	LNA
Nemo	ENE	Arm pad matches seat and back color for black, blu	ie grey, sand and	Ocean	
Purple Haze	EPH	warm grey. Otherwise it is always black.		Pearl Bisque	LON LPB
Rubber Ducky	ERK	The above seating product can be manufactured us	ing the	Pearl Silver	LPS
Sand	ESA	appropriate flame-retardant materials for complian		Pressed Linen	LPR
Surf's Up	ESP	Technical Bulletin 133.		River Cherry	
Twilight Shadow	ETI				LRY
Ultra Blue	EUB			Rugged Linen	LRG
Warm Grey	EWG	*NOTE: When FR upholstery is selected, FR poly (b		Satin Stainless	LSS LSR
Zesty Lime	EZL	be selected. NFR poly is not available with FR upho	Istery.	Shadow Zephyr	LSV
				Silicon evolv	
				Sterling Ash	LAZ
				Tailored Linen	LTL
				Titanium evolv	LTV
				White Reput	LWL
				White Sand	LWN
				Windsor Mahogany	LWY

View color swatches for items listed within this document.

## Strive® Tandem Seating



## Strive® Tandem Seating



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this

Select fire code.

- Compliance to TB 133 - Compliance to TB 117-2013 See pricing column for TB133 upcharge.

DSelect seat/back color.

Refer to the Product Color Options page in this

Select surface finish for table.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select table edge color.

selections

Refer to the Product Color Options page in this

Edge color offerings are based on edge style

selections

#### **OPTIONS**

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above "TB133" add to list price" upcharge. Added Lead Time = None

#### **SPECIAL SERVICES**


**Special Carton Marking** 

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



## Strive® Tandem Seating



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model
- BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.
- Select seat/back color. Refer to the Product Color Options page in this
- Select surface finish for table. Refer to the **Product Color Options** page in this
- Surface finish offerings are based on edge style
- Select table edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

#### **SPECIAL SERVICES**


#### **Special Carton Marking**

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



## Strive® Tandem Seating



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

Select seat/back color. Refer to the Product Color Options page in this

• Select surface finish for table. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Select table edge color. Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

## California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

#### **SPECIAL SERVICES**

#### **Special Carton Marking**

With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



## Strive® Tandem Seating

Delivered

Pallas Fabric

\$ 1010

Group P4

\$ 1010


TB133

price

add to list

\$ 

Pricing



#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number"
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

A Select basic model

BSelect frame color. Refer to the **Product Color Options** page in this Select upholstery grade/color. price list.

Select seat/back color. Refer to the Product Color Options page in this

• Select surface finish for table.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

Select table edge color.

Refer to the Product Color Options page in this

Edge color offerings are based on edge style selections.

#### Select fire code.

NFR - Compliance to TB 117-2013 - Compliance to TB 133

See pricing column for TB133 upcharge.

Refer to ki.com/fabrics

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholsterv

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back and for complete information on ordering C.O.M. see "Ordering C.O.M., C.O.V. and C.O.L." section.

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Delivered

Vinyl Group

Pricina

2V

\$ 

Delivered

\$ 839

Pricing

C.O.V.

Delivered

Pallas Fabric

Group P0

Pricina

Delivered

\$ 

Pallas Fabric

Delivered

Pallas Fabric

Group P2

Delivered

Pallas Fabric

Group P3

\$ 

Added List Price = Per Model: see above "TB133 add to list price" upcharge. Added Lead Time = None

### **SPECIAL SERVICES**

#### **Special Carton Marking** With specially marked information

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.



## Strive® Tandem Seating

							•	
			MODEL NU	JMBER				
		Features	Basic Model	Frame Color	Surface Finish	Edge Color	Approx. Packaged Delivered Weight Pricing	
	Corner Table	Connects 2 units	TCT				0.0# \$ 760	
	<ul><li>Number of tables per arrangement</li><li>Plastic laminate with vinyl bullnose edge</li></ul>							
	<ul> <li>For mounting modular units at a 90°</li> </ul>							
	<ul><li>angle</li><li>Two required for U-shaped configuration</li></ul>							
MOOT	<ul> <li>One required for L-shaped configuration</li> </ul>	1						
MSCT	3							
	Back Ganning Bar		DOP.GANG				8.0# \$ 254	
HRDPT	<ul><li>Back Ganging Bar</li><li>Connects 2 units back-to-back</li></ul>		DOT:G/IIIG				Ψ 201	
	Powder coated to match base     Sold in pairs							
	Sold in pairs							
			A	B	•	0		
			•	v	J	U		

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- $\bullet$  The absence of the  $\square$  indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select frame color.

  Refer to the **Product Color Options** page in this price list.
- Select surface finish for table.

  Refer to the **Product Color Options** page in this price list.
- Select table edge color.
  Refer to the **Product Color Options** page in this price list.

#### SPECIAL SERVICES

#### Special Carton Marking

With specially marked information N/C

#### opina

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 70.

General Information







Task Cantilever Armchair

Armiece Tack St

ChangeUp Tablet Arm Task Chair

Features			
Poly, upholstered seat, or upholstered seat/back	•	•	•
Flex back	•	•	
General Dimensions			
Seat width	18"	18"	18"
Seat depth	18"	18"	18"
Seat height (upholstered - add 1")	17-1/4" - 22-1/4"	22-1/4" - 32-1/2"	17-1/4" - 22-1/4"
Overall Dimensions			
Width	27-1/2"	27-1/2"	29-1/2"
Depth	27-1/2"	27-1/2"	31" - 35-1/4"
Height	32-3/4" - 37-3/4"	37-3/4" - 48"	32-3/4" - 37-3/4"
Arms to floor	26" - 31"		27" - 33"

#### INFORMATION

#### C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

#### **Fabric Disclaimer**

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Task chairs and task stools ship knockdown. Minimal assembly is required.

#### KI Color Match Program

KI offers the additional option of color matching paint, polypropylene, or wood stain through Product Modification Requests. Contact Customer Service for details

Whatever you imagine, whatever you require, KI's Color Match program lets you pick your color!

Color Match Process - Poly Seating Information can be found here.



Strive® Task Seating

#### **Backrest**

Injection-molded polypropylene with integral steel cantilever springs. The combination of the slotted polypropylene back and the spring steel provides a supportive flexing back. Springs are nominal 4.5 mm diameter chrome silicon valve spring wire.

#### Seat and Shroud

Injection-molded polypropylene, attached directly to the structure.

#### Optional Upholstered Seat

Molded urethane foam is attached to an injection-molded polypropylene seat board, then upholstered using a draw-string process. The assembled seat pad is attached to the seat by means of hidden fasteners. Note: Upholstered seat is required with translucent poly backs.

#### Optional Upholstered Back

A  $^{1}/_{2}$ " thick ure than foam is attached to an injection-molded polypropylene back board, then upholstered using a draw-string process. The assembled back pad is attached to the back by means of fasteners, which are exposed and are color-matched to the polypropylene.

#### **Underseat Structure**

Support structure is 13-gauge steel die-formed, welded to a 1" O.D. by 14-gauge tubular steel cross member.

#### Frame Finishes

Baked-on electrostatically-applied 30-degree gloss epoxy powder-coat paint.

#### Base

Injection-molded, glass-reinforced nylon 5-blade base (black or warm grey for task chair and stool). Casters have high-impact thermoplastic double-wheels. A single control paddle under the seat operates the height-adjusting pneumatic cylinder.

#### Casters

Casters are double-wheel (60 mm) high-impact thermoplastic. High-impact plastic frame. Casters are monochromatic with base. Carpet or hard floor casters are offered. Hard floor casters are black only.

#### INFORMATION

#### Warranty

Refer to KI Terms & Conditions document or visit ki.com

## Strive Task ChangeUp Tablet Armchair

#### Arms

When equipped with optional cantilever arms, the supporting structure is  $\frac{7}{8}$  O.D. by 13-gauge tubular steel, welded directly to the seat support structure, and matching the seat and back color. The armcaps are injection-molded glass filled polypropylene, matching the seat and back color (when back is Diamond translucent, armcaps are Light Tone; when back is Pewter translucent, armcaps are Flannel; when back is Bronze translucent, armcaps are Chocolate). The armcaps are attached to the steel structure by means of screws.

#### Task Stool

In addition to the standard-height task chair, a stool-height version is available. Task stools are equipped with a pneumatic cylinder, allowing adjustment of seat heights from 22" to 321/2". The 18" diameter, adjustable-height foot ring is made of die-cast aluminum with a chrome-plated tubular steel ring and black "spokes". Stools are only offered with black or warm grey bases. The cylinders are available in black only.

## ChangeUp<sup>™</sup> Tablet Arm

Change Up tablet support is integral to the chair frame and consists of a 7/8" diameter solid steel rod welded to the front and rear support tubes. A three-piece molded plastic armrest is included and attached to the chair frame using a  $\#10 \times 2^{1}/2$ " Phillips pan head tapping screw.

The tablet mechanism consists a die-cast aluminum housing, upper and lower plastic bearings, and I I -gauge steel clamp and tablet board support plates. The tablet mechanism is clamped onto the chair frame over two plastic bushing halves and a  $\frac{5}{16}$ " diameter by  $\frac{13}{4}$ " hardened steel pin with a die-cast aluminum cap secured with two  $\frac{1}{4}$  button socket head cap screws. The pin creates a solid 90° up/down pivot stop and the bushings provide a smooth, quiet operation. In the use position, the tablet mechanism rotates outward from the chair back an additional 20° and permits approximately  $3^{1}/2^{n}$  of adjustment for ingress/egress without stowing the tablet.

The tablet worksurface is 21" wide by 13<sup>1</sup>/<sub>2</sub>" deep (235 square inches) is secured to the tablet board support plate with twelve  $\#12 \times \frac{5}{8}$  Phillips flat head tapping screws. The tablet board is made of 18 mm Baltic Birch plywood with .040" high-pressure laminate top surface and .02" thick phenolic backer surface for an overall board thickness of approximately 3/4". Edges are lacquered with a clear finish and sealed. The factory installed tablet assembly is not field installable and may not be removed.


#### Compliance

Support frame, mechanism and worksurface passes KI's internal testing for 250-pound weight


## Strive Task ChangeUp Tablet Armchair





















### Strive Task Armless Chair



### Strive Task Cantilever Armchair




## Strive Task Cantilever Armchair






## Strive Task Armless Stool



## Strive Task Cantilever Arm Stool



## Strive Task Cantilever Arm Stool



# Strive® Task Seating Product Color Options



Strive® Task Seating
Product Color Options

Base/Caster Color		Tablet Arm Color - Laminate	
Black	BL	Belair	LBQ
Warm Grey	WG	Biltmore Cherry	LBT
Hard floor casters are black only.		Black	LBK
Tall a floor custors are black only.		Brighton Walnut	LBW
Base color selection for black includes; black base, black cyli	nder	Canyon Zephyr	LCA
and black carpet or hard floor casters.		Castle Oak	LC0
Base color selection for warm grey includes; warm grey base	).	Casual Linen	LCU
warm grey cylinder and warm grey carpet casters (hard floor		Cherry Storm	LCX
casters not available in warm grey.		Classic Linen	LCI
Stool cylinder is always black.		Cloud Zephyr	LCL
stoor oyaor io amayo blaom		Cocobala	LCC
Shell Color - Polypropylene		Crisp Linen	LRI
Non-Flame Retardant		Desert Zephyr	LDZ
Black	PBL	Dove Grey	LDG
Blue Grey	PGR	Fired Steel	LIL
Cayenne	PCY	Flax Linen	LXF
Cool Grey	PCG	Florence Walnut	LFC
Cottonwood	PC0	Forged Steel	LOL
Diamond Translucent	PDT	Friston Ash	LFH
Earthen Clay	PEY	Frosty White	LFW
Everglade Shade	PEV	Graphite Nebula	LGN
Flannel	PFN	Grey	LGE
Hazy Jade	PHJ	High Rise	LHE
Honey Bee	PHY	Hollyberry	LHY
Light Tone	PLG	Irish Linen	LIH
Mardi Gras	PMG	Island	LID
Misty Brown	PMY	Italian Silver Ash	LIT
Nemo	PNE	Kensington Maple	LKM
Nordic	PND	Lapis Blue	LLB
Pewter Translucent	PPT	Markerboard White	LMK
Poppy Red	PPR	Misted Zephyr	LMR
Purple Haze	PPH	Monticello Maple	LMT
Rubber Ducky	PRK	Nickel Evolv	LNV
Sand	PSA	North Sea	LNA
Sky Blue	PSK	Ocean	LON
Surf's Up	PSP	Pearl Bisque	LPB
Twilight Shadow	PTI	Pearl Silver	LPS
Ultra Blue	PUB	Pressed Linen	LPR
Warm Grey	PWG	River Cherry	LRY
Zesty Lime	PZL	Rugged Linen	LRG
Zooty Elino		Satin Stainless	LSS
Diamond Translucent and Pewter Translucent are only availab	ole on	Shadow Zephyr	LSR
upholstered seat models.		Silicon evolv	LSV
Shell Color - Polypropylene			
Flame Retardant		Sterling Ash	LAZ
Black	PBL	Tailored Linen Titanium evolv	LTL
			LTV
The above seating product can be manufactured using the		White Nebula	LWL
appropriate flame-retardant materials for compliance to Califo Technical Bulletin 133.	ornia	White Sand	LWN
ieciiiicai dullettii 133.		Windsor Mahogany	LWY

Finish Cards View color swatches for items listed within this document.

\*NOTE: When FR upholstery is selected, FR poly (black only) must be selected. NFR poly is not available with FR upholstery.

<u>Paints</u> Plastics/Poly <u>Laminates</u>

Wood/Veneer

**Edge Styles** 

**Molded Edges** 

**Hard Plastics** <u>Glass</u>



Strive® Task Seating

										•										
		MODEL NUMBER																		
	MODEL	Features	Basic Model	Base Color	Fire Code	Poly Seat/ Back Color C		Jpholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Chair	Polypropylene	SPDNAP						32.0#	\$ 430										
	Flex back	Upholstered Seat	SPDNAU						35.0#	N/A	515	552	570	515	570	567	617	645	673	697
		Upholstered Seat/Back	SPDNAUB						35.0#	N/A	584	622	640	584	640	639	688	715	743	767
SPDP SPDU SPDUB																				
0.505	Task Cantilever Armchair	Polypropylene	SPDCAP				7		35.0#	\$ 511										
	Flex back	Upholstered Seat	SPDCAU						38.0#	N/A	593	631	648	593	648	646	696	721	750	773
		Upholstered Seat/Back	SPDCAUB						38.0#	N/A	662	698	717	662	717	716	766	793	819	842
CDDD																				
SPDP SPDU																				
SPDUB																				
			A	3	Θ	0	<b>9</b>	<b>3</b>												

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base color.

Refer to the **Product Color Options** page in this

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

FR - Compliance to TB 133 - Compliance to TB 117-2013

• Select poly seat and back color. Refer to the **Product Color Options** page in this

Select caster option.
S - Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

SPECIAL SERVICES

**Special Carton Marking** 

With specially marked information N/C

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.

· Work surface has 20 degrees of ingress/egress movement Work surface rated to 250 pounds · Chair rated to 400 pounds





MODEL NUMBER Delivered Delivered Delivered Delivered Delivered Delivered Delivered Delivered Pricing Pricing Seat & Tablet Approx. Pricing Pricing Pricing Delivered Pricing Pricing Pricing Delivered Pricing Fabric Grade Arm Base Fire Back Upholstery Packaged Fabric Grade Fabric Grade Pricing Vinyl Group Pallas Fabric Pallas Fabric Pallas Fabric Pallas Fabric Features Model Color Code Color Casters Color Weight Unupholstered 1 & C.O.M. C.O.V. Group P3 Polypropylene, Left Hand SPDCUTAPLH 43.0# \$ 900 SPDCUTAPRH 43.0# 900 Polypropylene, Right Hand Upholstered Seat, Left Hand SPDCUTAULH | **---**45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 Upholstered Seat, Right Hand SPDCUTAURH 45.5# N/A 985 1022 1039 985 1039 1037 1086 1115 1143 SPDCUTAUBLH Upholstered Seat/Back, Left Hand 46.7# N/A 1054 1091 1110 1054 1110 1109 1157 1185 1213 Upholstered Seat/Back, Right Hand 46.7# N/A 1054 1091 1054 1109 1157 1185 1110 1110 1213 SPDU SPDUB Task ChangeUp Tablet Arm Chair · Flexing Back • Large work surface (21"W x 13.3"D) · Work surface flips and folds

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note:  $\bullet$  The  $\square$  indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required
- Alpha-numeric characters in place of  $\square$ indicate that no other alternatives are available.

#### **HOW TO BUILD A MODEL NUMBER**

BSelect base color.

Select fire code.

FR - Compliance to TB 133

See Upholstery Information for TB133 upcharge.

- Carpet casters

Select tablet arm color. Refer to the **Product Color Options** page in this price list.

A Select basic model.

Refer to the **Product Color Options** page in this price list.

A

**(3**)

Θ

0

Select upholstery grade/color.

Refer to ki.com/fabrics

**(3** 

**(3**)

Θ

- Compliance to TB 117-2013

• Select poly seat and back color. Refer to the **Product Color Options** page in this

Select casters.

- Hard floor casters (black only)

#### OPTIONS

#### California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material (C.O.M) Upholstery." section.

#### SPECIAL SERVICES

#### **Special Carton Marking**

With specially marked information

Shipping

Ships knocked down, FOB Green Bay, WI 54302, freight prepaid. Freight class 100.



Strive® Task Seating

										•										
			MODEL NUMBER																	
	MODEL	Features	Basic Model	Base Color	Fire	Poly Seat/ Back Color	Casters	Upholstery Color	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armiess Stool	Polypropylene	SPSNAP						37.0#	\$ 552										
	Flex back	Upholstered Seat	SPSNAU						39.0#	N/A	638	673	692	638	692	689	738	768	795	814
		Upholstered Seat/Back	SPSNAUB						39.0#	N/A	705	743	761	705	761	759	808	837	865	886
SPSP																				
SPSU SPSUB																				
	Task Cantilever Arm Stool	Polypropylene	SPSCAP						39.0#	\$ 631										
	Flex back	Upholstered Seat	SPSCAU						41.0#	N/A	715	750	769	715	769	766	813	842	872	894
		Upholstered Seat/Back	SPSCAUB						41.0#	N/A	783	819	838	783	838	835	883	913	940	962
SPSP																				
SPSU																				
SPSUB																				
			_	•	•	•	•													

#### **HOW TO ORDER**

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the  $\square$  indicates that no choice is required.
- ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

#### HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color.

Refer to the Product Color Options page in this

Includes base, cylinder, and carpet casters (hard floor casters are always black).

Select fire code.

NFR - Compliance to TB 117-2013

- Compliance to TB 133

OSelect poly seat and back color. Refer to the Product Color Options page in this

Select caster option.

S - Hard floor casters (black only)

- Carpet casters

Select upholstery grade/color. Refer to ki.com/fabrics

#### OPTIONS

#### California TB133 Fire Safety Code For California Technical Bulletin 133 compliant

models, add the following upcharge:

Model=Polypropylene Added List Price=\$13

Model=Upholstered Seat Added List Price=\$91

Model=Upholstered Seat and Back Added List Price=\$129

#### **UPHOLSTERY INFORMATION**

#### C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less with upholstered seat or upholstered seat and back is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more with upholstered seat and back. For complete information on ordering C.O.M. see "Ordering Customer's Own Material" (C.O.M) Upholstery." section.

#### SPECIAL SERVICES

#### **Special Carton Marking** With specially marked information N/C

Ships knocked down, FOB Green Bay, WI 54302,

#### Shipping

freight prepaid. Freight class 100.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000425/KI/PDF

