stylex

Brooks

PRICE LIST Effective November 1, 2022

Brooks	Product Information:
DIUUKS	Stacking, Multi-Use

Dimensions / Overview	Side Chair	Counter Stool	Bar Stool	General Information
	Arm and Armless			
A1. Seat Height Wood / Poly A2.Seat Height Upholstered B. Seat Depth C. Back Height D. Seat Width & Overall Width (Armless) E. Maximum Overall Height F. Maximum Overall Depth	A1. 17.5" A2. 18" B. 18" C. 15.5" D. 18.5" E. 31.5" F. 21"	A1. 25.5" A2.26" B. 18" C. 15.5" D. 18.5" E. 39.5" F. 22"	A1.29.5" A2 30" B. 18" C. 15.5" D. 18.5" E. 43.5" F. 22"	Design Paul Brooks Construction Plastic seats and backs are injection-molded polypropylene. Upholstered seats and backs combine high-density CFC-Free polyurethane foam over polypropylene substrates. Exposed wood seats and backs are compound curved plywood with various surface veneers. Frames incorporate 7/8" square steel tube legs with 3/4" square tube cross- stretchers. the back is attached using two cast aluminum supports which are staked into the rear
Arm Choice, Nylon or Aluminum				legs. Arms may be either glass-filled nylon or cast aluminum. the stack pad is injection-molded plastic.
A. Overall Width B. Distance Between Arms C. Arm Height	A. 24" B. 19" C. 8.5"	A. 24" B. 19" C. 8.5	A. 24" B. 19" C. 8.5"	All attachments are concealed. Stacking See accompanying chart for specific quantities that may be stacked on the floor or on a dolly. No chairs with wood backs may be stacked on dollies. Furthermore, only chairs with chrome frames may be stacked on dollies.
Scope of Line: Wood / Upholstered / Poly Models	1	·	<u>.</u>	Glides
Upholstered Seat and Wood Back / Arm and Armless Stacking Side Chair Armless: 6 High on the Floor Stacking Side Chair Arms: 6 High on the Floor Models with Wood Backs Cannot be Stacked on Dollies	RA			Glides are either plastic or plastic with felt pads. Ganging Not available. Wood Finishes The beauty of wood consists of its being a product
Upholstered Seat and Back / Arm and Armless Stacking Side Chair Armless: 6 High on the Floor and 10 High on Dollies Stacking Side Chair Nylon Arms: 6 High on the Floor and 10 High on Dollies Stacking Side Chair Aluminum Arms: 6 High on the Floor and 9 High on Dollies	R R			 of nature. As such, exposed wood surfaces will not offer the same consistency as man-made materials. Some variation in color, grain, and texture are to be expected, even within the same order. Another consideration is that wood components will tend to darken over time, exaggerating slightly naturally occurring differences. Chairs ordered at different times are likely to be less similar than those ordered
Poly Seat and Back Arm and Armless			/	together. Therefore, Stylex will not guarantee a precise match of color, grain, or texture of its wood
Stacking Side Chair Armless: 6 High on the Floor and 12 High on Dollies Stacking Side Chair Nylon Arms: 6 High on the Floor and 10 High on Dollies Stacking Side Chair Aluminum Arms: 6 High on the Floor and 9 High on Dollies				Use Designed for indoor use only.
Upholstered Seat and Poly Back Arm and Armless				Manufactured to comply with ANSI/BIFMA x5.1
Stacking Side Chair Armless: 6 High on the Floor and 10 High on Dollies Stacking Side Chair Nylon Arms: 6 High on the Floor and 10 High on Dollies Stacking Side Chair Aluminum Arms: 6 High on the Floor and 9 High on Dollies				General Office Chair test. Environment Greenguard Certified.

ered Seat and Wood Back se / Stacking, Four Leg, Arm and Arml				Fabric	Upholste	ery Grade	es							Leathe Uphols	- tery Grad	3 des	
 			C.O.M.	C.O.L.	C.O.M.		C.O.L.										
 Series Frame Style Arm	Stacking Height	Frame Finish	Ydg.	Sq.ft.	Α	в	С	D	Е	F	G	н	I	J	w	х	Y
Armless, Upholstered Seat and Wood Back	Six High on the Floor	Standard Powder	0.4	6	796	818	834	854	874	894	916	940	963	990	989	1,013	1,124
BR 1 3		Chrome	0.4	6	966	987	1,001	1,024	1,042	1,066	1,081	1,107	1,131	1,157	1,156	1,180	1,293
 Nylon Arms, Upholstered Seat and Wood Back	Six High on the Floor	Standard Powder	0.4	6	874	892	914	931	950	971	993	1,017	1,040	1,068	1,067	1,090	1,201
BR 2 3 N		Chrome	0.4	6	1,042	1,065	1,079	1,101	1,119	1,140	1,159	1,184	1,209	1,236	1,232	1,258	1,369
 Aluminum Arms, Upholstered Seat and Wood Back	Six High on the Floor	Standard Powder	0.4	6	966	987	1,001	1,024	1,042	1,066	1,081	1,107	1,131	1,157	1,156	1,180	1,293
BR 2 3 A		Chrome	0.4	6	1,194	1,215	1,232	1,255	1,272	1,293	1,314	1,338	1,363	1,388	1,387	1,412	1,523

1. Series /Frame / Style	2. Arm Choices	3. Wood Finish Choices	4. Options		5. Finish Choices		6. Glide Choice	7. Cover
Series, Frame, Style	Nylon Arms	Premium Finishes	Options		Standard Powder P	Paint	Glides	Refer to Stylex swatch cards
BR13 Brooks Armless	N1 Black	PZ20 Toned Walnut +107	WS Wall Saver Legs	+15	BL Blue	NK Nickel	PG Plastic Glides	and separately
with Upholstered	N2 Espresso	PZ30 Alpi Rift Cut Oak +107	CT Contrasting Thread	+00	BM Black Matte	NV Navy	FG Plastic Glides with Felt Pad	
Seat and Wood Back	N4 Pale Gray	î			BR Brass	OR Orange		in-graded fabric
BR23 Brooks Arm Frame	N10 Pure White	09 Custom Color Match +375			BT Black Twilight	PY Pale Yellow		program to
with Upholstered		Custom Cotor Match			CP Champagne	RD Red		determine grades.
Seat and Wood Back	A Aluminum Arms	Per order per color 100 chair minimum.			DB Dark Bronze	RO Red Orange		See general
	A Automitian Arms	Please contact customer service for details			DG Dark Gray	RR Rusty Red		information section
	Finish will match				DP Dusty Pink	SB Soft Blue		for CAL 133
	frames.				FG Forest Green	SD Sand		information.
					LG Light Gray	TC Terracotta		
					MG Meadow Green	TP Taupe		
					MK Milk	TS Textured Slate		

MS Metallic Silver YL Yellow Stylex will not warrant painted frames against damage caused by stacking.



Finish advisory for stacking: Stylex recommends chrome frames for any stacking application re-quiring dollies. We will not warrant powder coated frames used on dollies against damage to the finish. In addition, appropriate care must be exercised when stacking powder coated chairs on the floor. the floor.

Brooks	Upholstered Seat and Wood Back Bar and Counter Stools, Four Leg, Arm and Arn	nless							Fabric I	Upholste	ry Grade	S							Leather Uphols	- tery Grad	4 des
							C.O.M.	C.O.L.	C.O.M.		C.O.L.										
		Series	Frame	Style	Arm	Frame Finish	Ydg.	Sq.ft.	Α	В	С	D	E	F	G	н	1	J	w	Х	Y
	Armless Bar Stool Upholstered Seat and Wood Back	BR	7	3		Standard Powder	0.4	6	1,133	1,152	1,174	1,190	1,212	1,231	1,254	1,275	1,298	1,327	1,326	1,350	1,462
	Armless Counter Stool Upholstered Seat and Wood Back	BR	9	3		Chrome	0.4	6	1,332	1,353	1,371	1,391	1,410	1,430	1,452	1,475	1,499	1,527	1,524	1,548	1,660
	Bar Stool With Nylon Arms Upholstered Seat and Wood Back	BR	8	3	Ν	Standard Powder	0.4	6	1,212	1,230	1,248	1,268	1,287	1,310	1,328	1,353	1,376	1,404	1,403	1,426	1,539
<u> </u>	Counter Stool With Nylon Arms Upholstered Seat and Wood Back	BR	0	3	N	Chrome	0.4	6	1,410	1,429	1,447	1,468	1,487	1,508	1,528	1,552	1,575	1,603	1,602	1,624	1,737
	Bar Stool With Aluminum Arms Upholstered Seat and Wood Back	BR	8	3	A	Standard Powder	0.4	6	1,302	1,323	1,340	1,363	1,379	1,402	1,421	1,445	1,468	1,495	1,494	1,518	1,630
	Counter Stool With Aluminum Arms Upholstered Seat And Wood Back	BR	0	3	A	Chrome	0.4	6	1,565	1,581	1,602	1,602	1,641	1,660	1,679	1,706	1,727	1,756	1,755	1,779	1,890

1. Series /Frame / Style	2. Arm Choices	3. Wood Finish Choices	4. Options	5. Finish Choices		6. Glide Choice	7. Cover
\bigcirc							
Series, Frame, Style	Nylon Arms	Premium Finishes	Contrasting +00	Standard Powder Pa	aint	Glides	Refer to Stylex swatch cards
BR73 Brooks Armless Bar Stool Upholstered Seat and Wood Back BR93 Brooks Armless Counter Stool Upholstered Seat and Wood Back BR83 Brooks Arm Frame Bar Stool Upholstered Seat and Wood Back	N1 Black N2 Espresso N4 Pale Gray N10 Pure White A Aluminum Arms Finish will match frames.	PZ20 Toned Walnut +107 PZ30 Alpi Rift Cut Oak +107 09 Custom Color Match +375 Per order per color 100 chair minimum. Please contact customer service for details	S.	BL Blue BM Black Matte BR Brass BT Black Twilight CP Champagne DB Dark Bronze DG Dark Gray DP Dusty Pink FG Forest Green LG Light Gray MG Meadow Green MK Milk	NK Nickel NV Navy OR Orange PY Pale Yellow RD Red RO Red Orange RR Rusty Red SB Soft Blue SD Sand TC Terracotta TP Taupe TS Textured Slate	PG Plastic Glides FG Plastic Glides with Felt Pad	and separately published in-graded fabric program to determine grades. See general information section for CAL 133 information.
BR03 Brooks Arm Frame Counter Stool Upholstered Seat and Wood Back	-			MS Metallic Silver Stylex will not warrant damage caused by stack		_	

Brooks	Upholstered Seat and Back Multi-Use / Stacking, Four Leg, Arm and Arm	ess				Fabric	Upholste	ery Grade	es							Leathe Uphols	r .tery Grad	5 des
				C.O.M.	C.O.L.	C.O.M.		C.O.L.										
	Series Frame Style Arm	Stacking Height	Frame Finish	Ydg.	Sq.ft.	A	В	С	D	Е	F	G	н	I	J	w	х	Y
	Armless, Upholstered Seat and Back	Six High on the Floor and Ten High on Dolly	Standard Powder	1	14	721	770	818	865	915	964	1,014	1,076	1,136	1,202	1,071	1,118	1,323
	BR 1 4		Chrome	1	14	889	937	987	1,032	1,080	1,132	1,183	1,243	1,304	1,371	1,239	1,286	1,491
	Nylon Arms, Upholstered Seat and Back	Six High on the Floor and Ten High on Dolly	Standard Powder	1	14	796	846	892	941	990	1,041	1,091	1,151	1,213	1,280	1,148	1,192	1,400
	BR 2 4 N		Chrome	1	14	966	1,014	1,065	1,108	1,157	1,211	1,260	1,320	1,380	1,447	1,317	1,364	1,568
	Aluminum Arms, Upholstered Seat and Back	Six High on the Floor and Nine High on Dolly	Standard Powder	1	14	889	937	987	1,032	1,080	1,132	1,183	1,243	1,304	1,371	1,239	1,286	1,491
AP	BR 2 4 A		Chrome	1	14	1,119	1,167	1,215	1,263	1,313	1,364	1,414	1,473	1,535	1,602	1,469	1,516	1,722



Stylex will not warrant painted frames against damage caused by stacking.

YL Yellow



MS Metallic Silver

Finish advisory for stacking Stylex recommends chrome frames for any stacking application requiring dollies. We will not warrant powder coated frames used on dollies against damage

to the finish. In addition, appropriate care must be exercised when stacking powder coated chairs on

Brooks	Upholstered Seat and Back Bar and Counter Stools, Four Leg, Arm and Arr	nless							Fabric I	Upholste	ery Grade	S							Leather Uphols	tery Grad	6 des
							C.O.M.	C.O.L.	C.O.M.		C.O.L.										
		Series	Frame	Style	Arm	Frame Finish	Ydg.	Sq.ft.	A	В	С	D	Е	F	G	н	I	J	w	х	Y
	Armless Bar Stool Upholstered Seat and Back	BR	7	4		Standard Powder	1	14	1,058	1,106	1,152	1,201	1,250	1,299	1,352	1,414	1,472	1,540	1,408	1,456	1,658
	Armless Counter Stool Upholstered Seat and Back	BR	9	4		Chrome	1	14	1,257	1,307	1,353	1,402	1,450	1,500	1,549	1,614	1,673	1,738	1,606	1,652	1,861
	Bar Stool With Nylon Arms Upholstered Seat and Back	BR	8	4	Ν	Standard Powder	1	14	1,133	1,183	1,230	1,278	1,327	1,378	1,428	1,489	1,548	1,617	1,486	1,530	1,736
	Counter Stool With Nylon Arms Upholstered Seat and Back	BR	0	4	N	Chrome	1	14	1,332	1,381	1,429	1,476	1,527	1,576	1,625	1,687	1,750	1,815	1,683	1,729	1,935
	Bar Stool With Aluminum Arms Upholstered Seat and Back	BR	8	4	A	Standard Powder	1	14	1,226	1,274	1,323	1,369	1,420	1,469	1,521	1,579	1,642	1,710	1,576	1,622	1,827
	Counter Stool With Aluminum Arms Upholstered Seat and Back	BR	0	4	A	Chrome	1	14	1,487	1,536	1,581	1,630	1,678	1,729	1,780	1,842	1,902	1,969	1,837	1,881	2,090



Stylex will not warrant painted frames against damage caused by stacking.



Finish advisory for stacking Stylex recommends chrome frames for any stacking application requiring dollies. We will not warrant powder coated frames used on dollies against damage to the finish. In addition, appropriate care must be


exercised when stacking powder coated chairs on

Brooks Poly Seat and Back Multi-Use / Stacking, Four Leg, Arm and Armless

Poly Seat and Back

Series Frame Style Arm	Stacking Height	Frame Finish	
Armless, Poly Seat and Poly Back	Six High on the Floor and Ten High on Dolly	Standard Powder	523
BR 1 5		Chrome	689
Nylon Arms, Poly Seat and Poly Back	Six High on the Floor and Ten High on Dolly	Standard Powder	598
BR 2 5 N		Chrome	767
Aluminum Arms, Poly Seat and Poly Back	Six High on the Floor and Nine High on Dolly	Standard Powder	689
BR 2 5 A		Chrome	919

To Order Follow Steps 1-5



Stylex will not warrant painted frames against damage caused by stacking.

CH Bright Chrome

Finish advisory for stacking Stylex recommends chrome frames for any stacking application requiring dollies. We will not warrant powder coated frames used on dollies against damage

to the finish. In addition, appropriate care must be exercised when stacking powder coated chairs on

Brooks

Poly Seat and Back

	Series	Frame	Style	Arm	Frame Finish	
Armless Bar Stool Poly Seat and Poly Back	BR	7	5		Standard Powder	856
Armless Counter Stool Poly Seat and Poly Back	BR	9	5		Chrome	1,058
Bar Stool With Nylon Arms Poly Seat and Poly Back	BR	8	5	Ν	Standard Powder	934
Counter Stool With Nylon Arms Poly Seat and Poly Back	BR	0	5	Ν	Chrome	1,133
Bar Stool With Aluminum Arms Poly Seat and Poly Back	BR	8	5	А	Standard Powder	1,026
Counter Stool With Aluminum Arms Poly Seat and Poly Back	BR	0	5	A	Chrome	1,287

To Order Follow Steps 1-4





Wpholstered Seat and Poly Back Multi-Use / Stacking, Four Leg, Arm and Armless Series Frame Style Arm Stacking Height Frame Finish Armless, Upholstered Seat and Poly Back Armless, Upholstered Seat and Poly Back Six High on the Floor and Ten High on Dolly Standard Powder BR 1 6 · Six High on the Floor and Ten High on Dolly Chrome Nylon Arms, Upholstered Seat and Poly Back Six High on the Floor and Ten High on Dolly Standard Powder BR 2 6 N Chrome								Upholste	ery Grade	es							Leather Uphols	tery Grad	9 des
					C.O.M.	C.O.L.	C.O.M.		C.O.L.										
Series Fran	ne Style	Arm	Stacking Height	Frame Finish	Ydg.	Sq.ft.	Α	В	С	D	Е	F	G	н	I	J	w	х	Y
	olstered S	eat and		Standard Powder	0.4	6	637	654	676	692	714	734	753	779	800	829	828	852	964
BR 1	6			Chrome	0.4	6	804	826	843	864	881	902	923	946	970	997	996	1,022	1,132
	Jpholstere	ed Seat and	0	Standard Powder	0.4	6	714	732	751	771	791	812	831	854	879	905	904	928	1,041
BR 2	6	Ν		Chrome	0.4	6	881	901	919	940	959	978	998	1,024	1,045	1,074	1,072	1,097	1,211
 Aluminum Arr Seat and Poly		stered	Six High on the Floor and Nine High on Dolly	Standard Powder	0.4	6	804	826	843	864	881	902	923	946	970	997	996	1,022	1,132
BR 2	6	A		Chrome	0.4	6	1,036	1,053	1,072	1,094	1,111	1,132	1,151	1,177	1,200	1,227	1,226	1,250	1,364



Stylex will not warrant painted frames against damage caused by stacking.



Finish advisory for stacking Stylex recommends chrome frames for any stacking application requiring dollies. We will not warrant powder coated frames used on dollies against damage

to the finish. In addition, appropriate care must be exercised when stacking powder coated chairs on

Brooks	Upholstered Seat and Poly Back Bar and Counter Stools, Four Leg, Arm and Arr	mless							Fabric	Upholste	ery Grade	S							Leather Uphols	tery Grad	10 des
							C.O.M.	C.O.L.	C.O.M.		C.O.L.										
		Series	Frame	Style	Arm	Frame Finish	Ydg.	Sq.ft.	Α	В	С	D	Е	F	G	н	I	J	w	Х	Y
	Armless Bar Stool Upholstered Seat and Poly Back	BR	7	6		Standard Powder	0.4	6	972	994	1,012	1,031	1,048	1,071	1,091	1,117	1,138	1,166	1,164	1,188	1,299
	Armless Counter Stool Upholstered Seat and Poly Back	BR	9	6		Chrome	0.4	6	1,174	1,190	1,212	1,230	1,248	1,271	1,291	1,315	1,338	1,366	1,365	1,388	1,500
	Bar Stool With Nylon Arms Upholstered Seat and Poly Back	BR	8	6	Ν	Standard Powder	0.4	6	1,048	1,070	1,089	1,107	1,125	1,148	1,167	1,190	1,215	1,242	1,240	1,266	1,378
	Counter Stool With Nylon Arms Upholstered Seat and Poly Back	BR	0	6	Ν	Chrome	0.4	6	1,248	1,268	1,287	1,308	1,326	1,346	1,367	1,391	1,415	1,441	1,440	1,464	1,576
	Bar Stool With Aluminum Arms Upholstered Seat and Poly Back	BR	8	6	A	Standard Powder	0.4	6	1,143	1,161	1,179	1,200	1,219	1,239	1,260	1,285	1,308	1,335	1,332	1,356	1,469
	Counter Stool With Aluminum Arms Upholstered Seat and Poly Back	BR	0	6	A	Chrome	0.4	6	1,403	1,422	1,440	1,461	1,477	1,500	1,521	1,543	1,568	1,595	1,594	1,618	1,729



Stylex will not warrant painted frames against damage caused by stacking.



Finish advisory for stacking Stylex recommends chrome frames for any stacking application requiring dollies. We will not warrant powder coated frames used on dollies against damage

to the finish. In addition, appropriate care must be exercised when stacking powder coated chairs on