stylex

Click

PRICE LIST
Effective November 1, 2022




Dimensions / Overview			General Information
Armless A. Sit Height B. Seat Depth C. Back Height D. Seat Width E. Back Width F. Maximum Overall Height	A. 15.25"- 20.25" B. 18.5" C. 18" D. 18.5" E. 17.25" F. 31.5" - 36.5"		Design Mark Kapka/Todd Yetman Seat/Back Construction Frames are injection-molded with mesh backs to which the mesh is applied. Both upholstered and knit seats incorporate a flexible polypropylene seat pan on which is placed a dual-density cushion of molded, CFC-free foam. A height adjustment button is located on the right side of the injection-molded yoke supporting the seat pan. Plastic colors come in black, dark gray, light gray and white. Arm cap colors come in black or light gray. Bases Bases are injection-molded and have five blades. Casters are available in black and gray, both in carpet or soft wheel versions.
Arm A. Sit Height B. Seat Depth C. Back Height D. Seat Width E. Back Width F. Maximum Overall Height G. Arm Height H. Overall Arm Width	A. 15.25"- 20.25" B. 18.5" C. 18" D. 18.5" E. 17.25" F. 31.5" - 36.5" G. 8.25" H. 24.5"		Testing Manufactured to comply with ANSI/BIFMA X5.1 General Purpose Office Chairs Tests. Environment Greenguard Certified All measurements provided are taken using a BIFMA ISO Chair Measuring Device.

nce lask

					C.O.M.	0.0.11.															
	Series	Arm	Style	Description / Finish	Ydg.	C.O.M.	Α	В	С	D	E	F	G	Н	I	J	K	L	М		
Mesh Back/Knit Seat																				,	
	CL	1	1	Five-Blade Swivel	-	799															
Mesh Back/Upholstered Seat																					
	CL	1	2	Five-Blade Swivel	1.1	774	799	813	827	841	854	870	885	903	926	953	981	1,008	1,033		

C.O.M.

To Order Follow Steps 1-9



C.O.M.

					C.O.M.	0.0															
	Series	Arm	Style	Description / Finish	Ydg.	C.O.M.	Α	В	С	D	E	F	G	Н	1	J	K	L	М		
Mesh Back/Knit Seat																					
	CL	2	1	Five-Blade Swivel	-	856															
Mesh Back/Upholstered Seat																					
	CL	2	2	Five-Blade Swivel	1.1	831	856	870	884	898	911	927	942	960	983	1,010	1,038	1,065	1,090		

To Order Follow Steps 1-10

Plastic Component

Lever Button

Cylinder

