
















stylex
















Free Address

PRICE LIST
















Effective November 1, 2022

Dimensions / Overview	Single	Single Plus	Double	Triple	General Information
29 Task Seats without End Panels A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
29 Task Seats with End Panel Right Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 90" 	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
29 Task Seats with End Panel Left Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 90" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
29 Task Seats with End Panels Both Sides A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	N/A	N/A	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 90" 	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Dimensions / Overview	Corner				
29 Task Seats Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 30.5" E. 30" F. 30" 				Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units
















* Height when mounted on a frame.

Dimensions / Overview	Single	Single Plus	Double	Triple	General Information
36 Task Seats without End Panels A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
36 Task Seats with End Panel Right Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 90" 	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
36 Task Seats with End Panel Left Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 90" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
36 Task Seats with End Panels Both Sides A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	N/A	N/A	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 90" 	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Dimensions / Overview	Corner				
36 Task Seats Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 36.5" E. 30" F. 30" 				Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units
















* Height when mounted on a frame.

Dimensions / Overview	Single	Single Plus	Double	Triple	General Information
36 Banquette Seats without End Panels A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
36 Banquette Seats with End Panel Right Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 90" 	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
36 Banquette Seats with End Panel Left Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 90" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
36 Banquette Seats with End Panels Both Sides A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	N/A	N/A	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 90" 	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Dimensions / Overview	Corner				
36 Banquette Seats Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 37.5" E. 30" F. 30" 				Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units









* Height when mounted on a frame.


















Dimensions / Overview	Single	Single Plus	Double	Triple	General Information
42 Task Seats without End Panels A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
42 Task Seats with End Panel Right Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 90" 	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
42 Task Seats with End Panel Left Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 90" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
42 Task Seats with End Panels Both Sides A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	N/A	N/A	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 90" 	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Dimensions / Overview	Corner				
42 Task Seats Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 13.5" D. 42.5" E. 30" F. 30" 				Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units

* Height when mounted on a frame.

Dimensions / Overview	Single	Single Plus	Double	Triple	General Information
42 Banquette Seats without End Panels A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
42 Banquette Seats with End Panel Right Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 90" 	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
42 Banquette Seats with End Panel Left Side A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 30" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 45" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 90" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
42 Banquette Seats with End Panels Both Sides A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	N/A	N/A	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 60" 	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 90" 	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Dimensions / Overview	Corner				
42 Banquette Seats Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 20.5" C. 20.5" D. 42.5" E. 30" F. 30" 				Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units

* Height when mounted on a frame.

Dimensions / Overview	Single	Double	Triple	General Information
Benches A. Bench Height B. Bench Depth C. Bench Length	A. 18" B. 30" C. 30" 	A. 18" B. 30" C. 60" 	A. 18" B. 30" C. 90" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
	Single Plus A. 18" B. 30" C. 45" 	Half A. 18" B. 30" C. 15" 		
Dimensions / Overview	2" Arm	4" Arm	6" Arm	
Arms A. Height B. Depth C. Length	A. 26" B. 30" C. 2" 	A. 26" B. 30" C. 4" 	A. 26" B. 30" C. 6" 	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
				Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options. Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units

Dimensions / Overview	15" Long	30" Long	45" Long	60" Long	75" Long	90" Long	General Information
Seat Height Table Top 15" Deep							Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
Seat Height Table Top 30" Deep					N/A	N/A	Frames Free Address frames are available in Stylex's standard powder coat finishes. Tables A selection of wood veneer and laminate table tops are available.
Seat Height Table Top 45" Deep					N/A	N/A	Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
Ledge Height Table Top 15" Deep	N/A		N/A		N/A		Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.

* All table tops are 1" in thickness.

*Overall height of seat height tables is 14" when mounted on a frame.

To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.

Power

Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.

Casters
















Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.










Ganging










All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.

Testing



















Manufactured to comply with the following ANSI/BIFMA Tests:
 X5.4 Lounge Seating
 X5.5 Desk & Table Products
 X5.9 Storage Units

Dimensions / Overview	Single	Double	Triple	Quad	General Information
29 Cubby A. Cubby Height B. Cubby Depth C. Cubby Length	A. 29" B. 15" C. 15" 	A. 29" B. 15" C. 30" 	A. 29" B. 15" C. 45" 	A. 29" B. 15" C. 60" 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
29 Locker A. Locker Height B. Locker Depth C. Locker Length	A. 29" B. 15" C. 15" 	A. 29" B. 15" C. 30" 	A. 29" B. 15" C. 45" 	A. 29" B. 15" C. 60" 	Frames Free Address frames are available in Stylex's standard powder coat finishes. Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available.
29 Planter A. Planter Height B. Planter Depth C. Planter Length	A. 29" B. 15" C. 15" 	A. 29" B. 15" C. 30" 	A. 29" B. 15" C. 45" 	A. 29" B. 15" C. 60" 	Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options. Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
29 Shelf A. Shelf Height B. Shelf Depth C. Shelf Length	N/A	A. 29" B. 15" C. 30" 	N/A	N/A	To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
29 Cubby Combo A. Cubby Combo Height B. Cubby Combo Depth C. Cubby Combo Length	N/A	N/A	A. 29" B. 15" C. 45" 	N/A	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
29 Locker Combo A. Locker Combo Height B. Locker Combo Depth C. Locker Combo Length	N/A	N/A	A. 29" B. 15" C. 45" 	N/A	Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units

Dimensions / Overview	Single	Double	Triple	Quad	General Information
36 Cubby A. Cubby Height B. Cubby Depth C. Cubby Length	A. 36" B. 15" C. 15" 	A. 36" B. 15" C. 30" 	N/A	N/A	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
36 Locker A. Locker Height B. Locker Depth C. Locker Length	A. 36" B. 15" C. 15" 	A. 36" B. 15" C. 30" 	N/A	N/A	Frames Free Address frames are available in Stylex's standard powder coat finishes. Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available.
36 Planter A. Planter Height B. Planter Depth C. Planter Length	A. 36" B. 15" C. 15" 	A. 36" B. 15" C. 30" 	N/A	N/A	Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options. Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
36 Shelf A. Shelf Height B. Shelf Depth C. Shelf Length	N/A	A. 36" B. 15" C. 30" 	N/A	N/A	To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
36 Cubby Combo A. Cubby Combo Height B. Cubby Combo Depth C. Cubby Combo Length	N/A	N/A	A. 36" B. 15" C. 45" 	N/A	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
36 Locker Combo A. Locker Combo Height B. Locker Combo Depth C. Locker Combo Length	N/A	N/A	A. 36" B. 15" C. 45" 	N/A	Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units










Dimensions / Overview	Single	Double	Triple	Quad	General Information
42 Cubby A. Cubby Height B. Cubby Depth C. Cubby Length	A. 42" B. 15" C. 15" 	A. 42" B. 15" C. 30" 	N/A	N/A	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
42 Locker A. Locker Height B. Locker Depth C. Locker Length	A. 42" B. 15" C. 15" 	A. 42" B. 15" C. 30" 	N/A	N/A	Frames Free Address frames are available in Stylex's standard powder coat finishes. Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available.
42 Planter A. Planter Height B. Planter Depth C. Planter Length	A. 42" B. 15" C. 15" 	A. 42" B. 15" C. 30" 	N/A	N/A	Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options. Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
42 Shelf A. Shelf Height B. Shelf Depth C. Shelf Length	N/A	A. 42" B. 15" C. 30" 	N/A	N/A	To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
42 Cubby Combo A. Cubby Combo Height B. Cubby Combo Depth C. Cubby Combo Length	N/A	N/A	A. 42" B. 15" C. 45" 	N/A	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
42 Locker Combo A. Locker Combo Height B. Locker Combo Depth C. Locker Combo Length	N/A	N/A	A. 42" B. 15" C. 45" 	N/A	Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units










* Height when mounted on a frame.







Dimensions / Overview	15" Long	30" Long	45" Long	60" Long	75" Long	90" Long	General Information
Frame Seat Height 15" Deep							<p>Design Stylex / Gensler Product Design Consultant</p> <p>Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p>
Frame Seat Height 30" Deep							<p>Frames Free Address frames are available in Stylex's standard powder coat finishes.</p> <p>Tables A selection of wood veneer and laminate table tops are available.</p> <p>Case Goods A selection of wood veneer and laminate case goods are available.</p>
Frame Seat Height 45" Deep							<p>Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <p>Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p> <p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p> <p>Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <p>Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>

* All frames are 13" high.

* Glide height adjustability of seat height frames is 5/8".

Dimensions / Overview	30" Long	60" Long	90" Long	General Information
Frame - Seat with Ledge 29" High				<p>Design Stylex / Gensler Product Design Consultant</p> <p>Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p> <p>Frames Free Address frames are available in Stylex's standard powder coat finishes.</p> <p>Tables A selection of wood veneer and laminate table tops are available.</p> <p>Case Goods A selection of wood veneer and laminate case goods are available.</p> <p>Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <p>Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p> <p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p> <p>Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <p>Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>
Frame - Seat with Ledge 36" High				
Frame - Seat with Ledge 42" High				







Dimensions / Overview	Desk Height	Counter Height	Bar Height	General Information
Top Size Depth x Length	29" Height	36" Height	42" Height	Design Stylex / Gensler Product Design Consultant
15" X 30"		N/A	N/A	Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
15" X 45"		N/A	N/A	Frames Free Address frames are available in Stylex's standard powder coat finishes. Tables A selection of wood veneer and laminate table tops are available.
15" X 60"		N/A	N/A	Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
30" X 15"		N/A	N/A	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
30" X 30"		N/A	N/A	To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
30" X 45"		N/A	N/A	Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.
30" X 60"				Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options. Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units

Dimensions / Overview	Desk Height	Counter Height	Bar Height	General Information
Top Size Depth x Length	29" Height	36" Height	42" Height	Design Stylex / Gensler Product Design Consultant
45" X 15"		N/A	N/A	Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
45" X 30"		N/A	N/A	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
45" X 45"		N/A	N/A	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
45" X 60"				To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product. Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options. Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage UnitsW

* Glide height adjustability of 29", 36" and 42" tables is 1".

* Casters are available on all tables that are larger than 15" in length and depth.













* Casters are not available on tables with power.


















Dimensions / Overview	Desk Height	Counter Height	Bar Height	General Information
Top Size Depth x Length	29" Height	36" Height	42" Height	Design Stylex / Gensler Product Design Consultant
60" X 15"		N/A	N/A	Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support. Frames Free Address frames are available in Stylex's standard powder coat finishes.
60" X 30"		N/A	N/A	Tables A selection of wood veneer and laminate table tops are available. Case Goods A selection of wood veneer and laminate case goods are available. Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.
60" X 45"		N/A	N/A	Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.
60" X 60"				To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product. Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options. Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage UnitsW

* Glide height adjustability of 29", 36" and 42" tables is 1".





* Casters are available on all tables that are larger than 15" in length and depth.

* Casters are not available on tables with power.



















Dimensions / Overview	Full Assembly	Start	Mid	End	General Information
29 Run					<p>Design Stylex / Gensler Product Design Consultant</p> <p>Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p> <p>Frames Free Address frames are available in Stylex's standard powder coat finishes.</p> <p>Tables A selection of wood veneer and laminate table tops are available.</p> <p>Case Goods A selection of wood veneer and laminate case goods are available.</p>
36 Run					<p>Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <p>Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p>
42 Run					<p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p> <p>Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <p>Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>







	Low (10")	Mid (15")	Low (10")	Mid (15")	General Information
45 Privacy Center	45 Partial 	45 Partial 	45 Full 	45 Full 	<p>Design Stylex / Gensler Product Design Consultant</p> <p>Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p> <p>Frames Free Address frames are available in Stylex's standard powder coat finishes.</p>
60 Privacy Center	60 Partial 	60 Partial 	60 Full 	60 Full 	<p>Tables A selection of wood veneer and laminate table tops are available.</p> <p>Case Goods A selection of wood veneer and laminate case goods are available.</p> <p>Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <p>Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p>
	Low (10")	Mid (15")	High (21")		
30" Privacy Perimeter					
45" Privacy Perimeter					<p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p>
60" Privacy Perimeter					<p>Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <p>Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>






































* All heights are measured from table top surface when mounted on a frame.







	Low (10")			General Information
Privacy Side				<p>Design Stylex / Gensler Product Design Consultant</p> <p>Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p>
	End of 30	End of 45	End of 60	<p>Frames Free Address frames are available in Stylex's standard powder coat finishes.</p> <p>Tables A selection of wood veneer and laminate table tops are available.</p> <p>Case Goods A selection of wood veneer and laminate case goods are available.</p> <p>Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <p>Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p> <p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p> <p>Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <p>Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>
Modesty End				

* All heights are measured from table top surface when mounted on a frame.

Dimensions / Overview					General Information
Lock Type	Pull (no lock) 	RFID Lock 	Number Pad Lock 	Key Lock 	Design Stylex / Gensler Product Design Consultant Construction Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
Locker Hinge Side	Right Hinge (Default) 	Left Hinge 			
Upholstery Options	Casual 	Pinch 	Standard 		Screens Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options. Configuration Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces. To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.
Dual Fabric	DF1 - For No End Panels Fabric 1 - Seat Cushion and Back Panel Fabric 2 - Back Cushion 	DF1 - For End Panels Fabric 1 - Seat Cushion, Back and Side Panels Fabric 2 - Back Cushion 	DF2 - For No End Panels Fabric 1 - Back Panel Fabric 2 - Seat and Back Cushions 	DF2 - For End Panels Fabric 1 - Back and Side Panels Fabric 2 - Seat and Back Cushions 	
Ganging + Frames	FG1 - Seat height frames 	FG2 - Work height table frames 			Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging. Casters Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.
Table Options	Glide 	Caster (Tables only) 	Bag Hook 		
					Ganging All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets. Testing Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units





Dimensions / Overview				General Information
Module Options	<div>Under Mount</div> 	<div>Surface Mount</div> 	<div>Wireless Charging Pad</div> 	<div>Design</div> <p>Stylex / Gensler Product Design Consultant</p> <div>Construction</div> <p>Multi-density, open-cell polyurethane foam is adhered to a CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.</p>
Wire Management	<div>Grommet</div> 	<div>Wire Snake</div> 	<div>Channel</div> 	<div>Frames</div> <p>Free Address frames are available in Stylex's standard powder coat finishes.</p> <div>Tables</div> <p>A selection of wood veneer and laminate table tops are available.</p> <div>Case Goods</div> <p>A selection of wood veneer and laminate case goods are available.</p>
<div>* For daisy chaining power options, see page 26.</div>				<div>Screens</div> <p>Free Address offers privacy and modesty screens which are comprised of a tackable substrate. Contact customer service for upholstery options.</p> <div>Configuration</div> <p>Free Address is a kit of parts comprised of upholstered seating, case goods, and work surfaces offering integrated solutions at 29" task, 36" counter, and 42" bar heights. The customer has freedom to arrange these components on frames in order to prioritize aesthetics, cost and ease of reconfigurability. Users can address a wide variety of workstyles through configuration: short term, long term, individual or collaborative spaces.</p> <p>To ensure clarity when ordering, it is critical that line items should be listed in the order in which they will be arranged from left end (seated perspective) to right end wherever possible. The use of CET Designer is the preferred method for specifying this product.</p> <div>Power</div> <p>Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <div>Casters</div> <p>Locking casters are available on tables that are 30", 45" and 60" deep. Casters come in black, and are available in both hard and soft options.</p> <div>Ganging</div> <p>All frames of the same height may be connected to one another with the use of bent sheet metal ganging brackets.</p> <div>Testing</div> <p>Manufactured to comply with the following ANSI/BIFMA Tests: X5.4 Lounge Seating X5.5 Desk & Table Products X5.9 Storage Units</p>






Laminates Wilsonart Grade 1	         <div> <div>LM01 Designer White</div> <div>LM02 Alabaster</div> <div>LM03 Wallaby</div> <div>LM04 Shadow</div> <div>LM05 Dove Grey</div> <div>LM06 Fashion Grey</div> <div>LM07 Slate Grey</div> <div>LM08 North Sea</div> <div>LM09 Black</div> </div>
	        <div> <div>LM10 Fusion Maple</div> <div>LM11 Monticello Maple</div> <div>LM12 River Cherry</div> <div>LM13 Amber Cherry</div> <div>LM14 Walnut Heights</div> <div>LM15 Montana Walnut</div> <div>LM16 Xanadu</div> <div>LM17 Asian Night</div> </div>
Laminates Fenix Grade 2	     <div> <div>LM41 Bianco Kos</div> <div>LM42 Grigio Efeso</div> <div>LM43 Grigio Londra</div> <div>LM44 Grigio Bromo</div> <div>LM45 Nero Ingo</div> </div>
Custom	LM99 - Custom Non-standard laminates will be quoted per color. Please contact Stylex customer service with the manufacturer's name and laminate color reference number.
Wood Veneer	      <div> <div>WV01 Light Grey</div> <div>WV02 Warm Grey</div> <div>WV03 Opaque Black</div> <div>WV04 Medium Cherry</div> <div>WV05 Toned Ash</div> <div>WV06 Natural Maple</div> </div>          <div> <div>WV41 Toned Recon Walnut</div> <div>WV42 Dark Toned Oak</div> <div>WV43 Toned Wenge</div> <div>WV44 Toned Oak</div> <div>WV45 Toned Recon Oak</div> <div>WV46 Natural Flat Cut Walnut</div> <div>WV47 Natural Rift Cut Walnut</div> <div>WV48 Natural White Oak</div> <div>WV49 Natural Recon White Oak</div> </div>
Custom	WV99 - Custom Two 4"x4" samples are required with, or before, order placement for each custom stain. A custom color match fee of \$554.00 will apply per color. Please contact customer service for details.

Dimensions / Overview	Position 2 (Right)	Position 1 and 2 (Left and Right)	Position 1 (Left)	General Information
Seating Under Mount				<p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Mounting Options Under mount power is designated by (U) in the model code.</p> <p>Cord Length Both the standard cord and the conduit whip are 10 feet long. Other lengths may be available as a custom order.</p> <p>Colors Power units are available in black (B), white (W), and gray (G).</p> <p>Location Power mounted under seat units is located under the front edge on the left side (position 1), right side (position 2), or both (positions 1 & 2) from a seated perspective.</p> <p>Example UB1 - Under mount, black, position 1</p> <p>Restrictions Power is not available on corner seats or arms.</p>
Seats with End Panels				

Note: Due to frame configurations, power location will need to be verified by Stylex via layout drawing or CET Designer.

*Cable Management
All units ship with cable mounts and screws included.





To Order Follow Steps 1-4			
1. Mount Type	2. Color	3. Cord	4. Location
 U Under Mount	 B Black G Gray W White	 H Hardwire +184	 1 Position 1 (Left) \$593 2 Position 2 (Right) \$593 12 Position 1 and 2 (Left and Right) \$1,186







Dimensions / Overview	Front View	Rear View	Top View	General Information
Tables				<p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Mounting Options Under mount power is designated by (U) in the model code.</p> <p>Cord Length Both the standard cord and the conduit whip are 10 feet long. Other lengths may be available as a custom order.</p> <p>Colors Power units are available in black (B), white (W), and gray (G).</p>
Ledges		N/A		<p>Location Power mounted under tables is located under the front and back edges next to each corner (positions 1 through 4) as shown. Ledge tables only have one exposed long edge and therefore have only positions 1 (left) and 2 (right) available.</p>




Note: Due to frame configurations, power location will need to be verified by Stylex via layout drawing or CET Designer.

*Cable Management
All units ship with cable mounts and screws included.

Example
UB1 - Under mount, black, position 1
UG13 - Under mount, gray, positions 1 & 3

To Order Follow Steps 1-4			
1. Mount Type	2. Color	3. Cord	4. Location
 U Under Mount	 B Black G Gray W White	 H Hardwire +184	 1 Position 1 (Left) \$593 2 Position 2 (Right) \$593 12 Position 1 and 2 (Left and Right) \$1,186

Dimensions / Overview	29" Height	36" and 42" Height	General Information															
Tables			<p>Power Undermount and Surface mount units can be specified to be hardwired or with a 3-prong plug. The units have one USB-A port, one USB-C port, and a standard, grounded 3-prong electrical outlet. Additional power options include daisy chaining and wireless surface mount charging.</p> <p>Mounting Options Surface mount power is designated by (S) in the model code.</p> <p>Cord Length All power unit cord lengths are 10 feet long. Other lengths may be available as a custom order.</p> <p>Colors Power units are available in black (B), white (W), and gray (G).</p> <p>Location Surface mount power on tables have 5 possible locations, shown to the left. There are certain location restrictions due to frame and screen configurations.</p> <p>Example SB1 - Surface mount, black, position 1 GTW13 - Grommet, white, positions 1 & 3</p>															
<p>Restrictions:</p> <p>1. Surface power is not available on ledge tops or seat height tops.</p> <p>2. Position 3 not available when position 4 or 5 is specified.</p> <p>3. 15" Deep Tables - Surface power not available.</p> <p>4. 30" Deep Tables - Position 4 and 5 are not available.</p> <p>5. Full Center Privacy Screen - Positions 1, 2 and 3 are not available.</p> <p>6. Partial Center Privacy Screen - Position 3 not available.</p> <p>*Cable Management All units ship with cable mounts and screws included.</p>																		
<p>To Order Follow Steps 1-4</p>																		
<p>1. Mount Type</p>  <table><tr><td>S Surface Mount</td><td>\$525</td></tr><tr><td>GT Wire Grommet</td><td>\$114</td></tr><tr><td>WC Wireless Charging</td><td>\$294</td></tr></table>	S Surface Mount	\$525	GT Wire Grommet	\$114	WC Wireless Charging	\$294	<p>2. Color</p>  <table><tr><td>B Black</td></tr><tr><td>G Gray</td></tr><tr><td>W White</td></tr></table> <p>*Wireless Charging is only available in black.</p>	B Black	G Gray	W White	<p>3. Cord</p>  <table><tr><td>H Hardwire +193</td></tr></table> <p>*Hardwire not available for wireless charging.</p>	H Hardwire +193	<p>4. Location</p>  <table><tr><td>1 Position 1 (Left)</td></tr><tr><td>2 Position 2 (Right)</td></tr><tr><td>3 Position 3 (Center)</td></tr><tr><td>4 Position 4 (Center Front)</td></tr><tr><td>5 Position 5 (Center Back)</td></tr></table>	1 Position 1 (Left)	2 Position 2 (Right)	3 Position 3 (Center)	4 Position 4 (Center Front)	5 Position 5 (Center Back)
S Surface Mount	\$525																	
GT Wire Grommet	\$114																	
WC Wireless Charging	\$294																	
B Black																		
G Gray																		
W White																		
H Hardwire +193																		
1 Position 1 (Left)																		
2 Position 2 (Right)																		
3 Position 3 (Center)																		
4 Position 4 (Center Front)																		
5 Position 5 (Center Back)																		

Dimensions / Overview	Surface Mount	Undermount	Wireless Charging Pad	
Power Units				<p>Power Surface power, undermount power, and wireless charging units can be daisy chained. Up to 8 units can connect to the same system with a single 3-prong plug infeed. Wireless charging pads do not integrate directly into the system and require a Wireless Charging Connector.</p> <p>Cable Management All units ship with cable mounts and screws included.</p> <p>Order Entry CET is required for order entry. All daisy chain units are entered under 1 line item.</p>

*Cable Management
All units ship with cable mounts and screws included.

Use CET to determine jumper lengths and configure daisy chain system.

1. Section

2. Options






FAPSBS Free Address Power System



IF	System Infeed (required)	148
SS	Surface Power	+55
U	Undermount Power	+37
WC1	Wireless Charging Connector	+206
	Jumper Extension (5')	+131

*Pricing shown above is in addition to the individual power unit charges on the the seat/table line item.

Dimensions / Overview				General Information
Wire Management	<div>Wire Snake</div> <div></div>	<div>Wire Management Channel</div> <div></div>	<div>Bag Hook</div> <div></div>	<div>Wire Snake</div> <div>Flexible vertebrae design with rectangular blocks that snap together, bend and move around. Accommodates 4 different wire channels. A top plate screws to underside of work surface and a heavy steel plate holds the snake in place at the base.</div> <div>Wire Management Channel</div> <div>6" long plastic extrusion mounts to underside of units for cable management. Contact Customer Service for more details.</div> <div>Bag Hook</div> <div>The bag hook can be powder coated in any of our 26 colors. Weight limit is 35 pounds.</div>

To Order Follow Steps 1-2

1. Section

FA



W	Wire Management	
BK	Bag Hook	\$51



2. Option






S29	Snake, 29"	\$480
S36	Snake, 36"	\$742
S42	Snake, 42"	\$742
M	Channel	\$63/unit

Wire snakes are options on work height tables.
Wire management channels are options on seating and tables.


Bag hook is its own line item and the others are part of the table line item.



Dimensions / Overview	FAFG1 - Seat height frame	FAFG2 - Work height table frame	General Information												
Ganging			<p>Ganging Ganging brackets connect frames of identical height. FAFG1 Brackets gang seat height frames together*. FAFG2 Brackets gang work height tables together. Bracket location and quantities must be verified by Stylex or CET Designer.</p> <p>*Ganging on the ends of 15" deep seat height frames are an exception and require FAFG2 brackets.</p> <p>Master Key Sets Each order that contains lockers with locks requires 1 master key set. Additional master keys may be purchased upon request. The RFID and Number pad locks require the digital master key set. The key locks require the key lock master key.</p>												
Master Keys	Contact Customer Service for information.														
To Order Follow Steps 1-2															
1. Section		2. Component													
<div>FA</div>		<div></div> <div><table><tr><td>FG1</td><td>Ganging Bracket 1</td><td>\$54</td></tr><tr><td>FG2</td><td>Ganging Bracket 2</td><td>\$54</td></tr><tr><td>DK</td><td>Digital Master Key Set</td><td>\$375</td></tr><tr><td>MK</td><td>Key Lock Master Key</td><td>\$43</td></tr></table></div>		FG1	Ganging Bracket 1	\$54	FG2	Ganging Bracket 2	\$54	DK	Digital Master Key Set	\$375	MK	Key Lock Master Key	\$43
FG1	Ganging Bracket 1	\$54													
FG2	Ganging Bracket 2	\$54													
DK	Digital Master Key Set	\$375													
MK	Key Lock Master Key	\$43													

						C.O.M Fabric Upholstery Grades													
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M
	FA	01C	Casual	18"H x 30"D x 30"L	1.7	796	908	970	1,029	1,092	1,153	1,220	1,287	1,367	1,469	1,592	1,714	1,837	1,959
		01P	Pinch		2.2	819	969	1,051	1,131	1,213	1,296	1,385	1,474	1,581	1,716	1,881	2,043	2,208	2,370
		01S	Standard		2.2	814	964	1,047	1,126	1,209	1,291	1,380	1,470	1,576	1,712	1,876	2,038	2,203	2,365
	FA	02C	Casual	18"H x 30"D x 60"L	3.3	1,389	1,614	1,737	1,857	1,980	2,104	2,238	2,372	2,532	2,735	2,982	3,225	3,471	3,715
		02P	Pinch		3.3	1,435	1,661	1,784	1,904	2,027	2,150	2,285	2,419	2,579	2,782	3,028	3,272	3,519	3,762
		02S	Standard		3.3	1,426	1,651	1,774	1,894	2,017	2,141	2,276	2,409	2,569	2,772	3,020	3,263	3,509	3,752
	FA	03C	Casual	18"H x 30"D x 90"L	4.4	2,022	2,321	2,486	2,645	2,810	2,974	3,154	3,333	3,546	3,817	4,145	4,469	4,798	5,122
		03P	Pinch		4.4	2,090	2,390	2,554	2,714	2,879	3,043	3,223	3,401	3,615	3,885	4,214	4,538	4,868	5,192
		03S	Standard		4.4	2,076	2,376	2,540	2,700	2,864	3,028	3,208	3,387	3,600	3,871	4,200	4,524	4,852	5,178

To Order Follow Steps 1-4


* Seat height when mounted on a frame.







						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	015C	Casual	18"H x 30"D x 45"L	1.9	1,160	1,292	1,363	1,433	1,506	1,577	1,656	1,733	1,826	1,945	2,090	2,231	2,375	2,516	
		015P	Pinch		2.5	1,258	1,427	1,520	1,609	1,702	1,794	1,894	1,996	2,116	2,268	2,453	2,635	2,820	3,002	
		015S	Standard		2.5	1,258	1,427	1,520	1,609	1,702	1,794	1,894	1,996	2,116	2,268	2,453	2,635	2,820	3,002	
	FA	05C	Casual	18"H x 30"D x 15"L	1.1	558	634	675	715	756	797	842	887	940	1,008	1,090	1,171	1,253	1,334	
		05P	Pinch		1.1	572	647	688	728	769	810	855	900	954	1,021	1,103	1,184	1,267	1,348	
		05S	Standard		1.1	567	643	684	724	765	806	850	895	948	1,016	1,098	1,179	1,261	1,342	

To Order Follow Steps 1-4

* Seat height when mounted on a frame.



						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	29 Single	FA	11C	Casual	30.5"H x 30"D x 30"L	2.8	1,751	1,939	2,041	2,141	2,243	2,347	2,458	2,570	2,703	2,873	3,078	3,281	3,486	3,689
			11P	Pinch		2.8	1,783	1,970	2,074	2,173	2,276	2,378	2,490	2,603	2,736	2,905	3,110	3,313	3,519	3,722
			11S	Standard		2.8	1,778	1,966	2,068	2,169	2,271	2,374	2,486	2,597	2,730	2,900	3,106	3,308	3,514	3,716
	29 Single Plus	FA	115C	Casual	30.5"H x 30"D x 45"L	2.5	2,182	2,407	2,530	2,650	2,773	2,897	3,032	3,165	3,325	3,528	3,776	4,019	4,265	4,508
			115P	Pinch		3.3	2,268	2,493	2,617	2,736	2,860	2,983	3,117	3,252	3,411	3,615	3,861	4,104	4,351	4,594
			115S	Standard		3.0	2,268	2,474	2,588	2,697	2,810	2,924	3,047	3,170	3,316	3,502	3,728	3,951	4,177	4,400
	29 Double	FA	12C	Casual	30.5"H x 30"D x 60"L	5.0	3,032	3,369	3,554	3,734	3,918	4,104	4,305	4,507	4,746	5,051	5,421	5,786	6,156	6,520
			12P	Pinch		5.0	3,096	3,434	3,619	3,798	3,984	4,169	4,371	4,572	4,811	5,116	5,486	5,850	6,221	6,586
			12S	Standard		5.0	3,087	3,425	3,609	3,789	3,974	4,159	4,361	4,562	4,802	5,106	5,477	5,841	6,211	6,576
	29 Triple	FA	13C	Casual	30.5"H x 30"D x 90"L	7.2	4,160	4,647	4,915	5,174	5,441	5,709	5,999	6,291	6,637	7,077	7,612	8,138	8,672	9,199
			13P	Pinch		7.2	4,256	4,744	5,011	5,270	5,538	5,805	6,097	6,387	6,733	7,173	7,708	8,235	8,770	9,297
			13S	Standard		6.6	4,242	4,692	4,939	5,179	5,425	5,672	5,940	6,209	6,529	6,935	7,428	7,914	8,408	8,894

To Order Follow Steps 1-5

* Seat height when mounted on a frame.

1. Section Type

FA

11 29 Single

115 29 Single Plus

12 29 Double

13 29 Triple

2. Style



C Casual

P Pinch

S Standard

3. Upholstery Option

Dual Fabric

Dual Fabric	29 Single			29 Single Plus			29 Double			29 Triple		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1 Seat Cushion and Back Panel	2.8	2.2	2.2	3.3	3.0	3.0	3.9	3.3	3.3	6.1	5.0	5.0
	1.1	1.7	1.1	1.7	1.7	1.7	1.7	2.2	1.7	2.8	3.3	2.8
 DF2 Back Panel	1.1	1.1	1.1	1.7	1.7	1.7	1.7	1.7	1.7	2.2	2.2	2.2
	2.8	2.2	2.2	3.3	3.0	3.0	3.9	4.4	3.9	6.1	6.1	5.5


4. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

5. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	29 Corner	FA	14C	Casual	30.5"H x 30"D x 30"L	3.3	2,409	2,634	2,758	2,877	3,001	3,124	3,258	3,393	3,552	3,756	4,002	4,245	4,493	4,736
			14P	Pinch		3.3	2,454	2,679	2,803	2,922	3,046	3,169	3,304	3,438	3,597	3,801	4,048	4,291	4,537	4,780
			14S	Standard		3.3	2,452	2,677	2,800	2,920	3,043	3,167	3,300	3,435	3,595	3,798	4,045	4,288	4,535	4,778

To Order Follow Steps 1-4

* Seat height when mounted on a frame.

1. Section Type

FA

14 29 Corner

2. Style



C Casual

P Pinch

S Standard





3. Upholstery Option

Dual Fabric

Dual Fabric	29 Corner		
Upholstery Style	C	P	S
 DF1 Seat Cushion and Back Panel	2.2	2.2	2.2
	1.7	2.2	1.7
 DF2 Back Panel	1.7	1.7	1.7
	5.0	3.3	2.2

4. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	29 Single, 29EP	FA 11CE29	Casual	30.5"H x 30"D x 30"L	3.9	2,108	2,371	2,514	2,655	2,798	2,942	3,099	3,255	3,442	3,678	3,967	4,251	4,538	4,822	
		11PE29	Pinch		3.9	2,139	2,402	2,547	2,686	2,830	2,974	3,131	3,288	3,473	3,711	3,998	4,282	4,569	4,854	
		11SE29	Standard		3.3	2,136	2,361	2,484	2,604	2,728	2,851	2,985	3,119	3,279	3,482	3,729	3,972	4,220	4,463	
	29 Single Plus, 29EP	FA 115CE29	Casual	30.5"H x 30"D x 45"L	6.1	2,632	2,914	3,067	3,217	3,372	3,526	3,694	3,861	4,061	4,315	4,623	4,927	5,236	5,539	
		115PE29	Pinch		5.5	2,718	2,999	3,154	3,303	3,457	3,612	3,779	3,947	4,147	4,401	4,709	5,013	5,321	5,626	
		115SE29	Standard		5.5	2,718	2,943	3,066	3,186	3,309	3,433	3,567	3,701	3,861	4,064	4,311	4,554	4,801	5,044	
	29 Double, 29EP	FA 12CE29	Casual	30.5"H x 30"D x 60"L	6.1	3,389	3,802	4,028	4,248	4,473	4,700	4,946	5,193	5,485	5,858	6,309	6,755	7,208	7,654	
		12PE29	Pinch		5.5	3,454	3,829	4,034	4,234	4,439	4,645	4,869	5,092	5,359	5,697	6,108	6,513	6,925	7,330	
		12SE29	Standard		5.5	3,444	3,819	4,024	4,224	4,429	4,635	4,859	5,082	5,349	5,687	6,099	6,504	6,915	7,320	
	29 Triple, 29EP	FA 13CE29	Casual	30.5"H x 30"D x 90"L	8.3	4,517	5,079	5,387	5,687	5,995	6,304	6,640	6,975	7,374	7,882	8,500	9,107	9,724	10,331	
		13PE29	Pinch		7.7	4,614	5,139	5,426	5,706	5,994	6,281	6,594	6,908	7,280	7,754	8,330	8,898	9,474	10,041	
		13SE29	Standard		7.7	4,600	5,125	5,413	5,693	5,980	6,268	6,582	6,895	7,267	7,741	8,317	8,884	9,461	10,028	

To Order Follow Steps 1-6

* Left End Panel shown.

* Seat height when mounted on a frame.

1. Section Type

FA

11 29 Single

115 29 Single Plus

12 29 Double

13 29 Triple

2. Style

C Casual

P Pinch

S Standard



3. End Panel

E29L End Panel Left

E29R End Panel Right

4. Upholstery Option

Dual Fabric

Dual Fabric	29 Single, E29			29 Single Plus, E29			29 Double, E29			29 Triple, E29		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
<div>DF1</div> <div>  <div> <div>Seat Cushion and Back and End Panel</div> <div>Back Cushion</div> </div> </div>	3.3	3.3	3.3	3.3	3.3	3.0	5.0	4.4	4.4	7.2	6.1	6.1
	1.1	1.1	1.1	1.4	1.7	1.7	1.7	2.2	1.7	2.8	3.3	2.8
<div>DF2</div> <div>  <div> <div>Back and Side Panel</div> <div>Seat and Back Cushions</div> </div> </div>	2.2	2.2	2.2	2.2	2.2	1.9	2.2	2.2	3.9	3.3	3.3	3.3
	2.8	2.2	2.2	3.3	2.8	1.9	3.9	4.4	2.2	6.1	6.1	5.5



5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	29 Double, 29EP Both	FA	12CE29B	Casual	30.5"H x 30"D x 60"L	6.6	3,747	4,196	4,443	4,683	4,929	5,175	5,444	5,713	6,032	6,439	6,933	7,419	7,912	8,398
			12PE29B	Pinch		6.6	3,810	4,261	4,507	4,747	4,993	5,240	5,508	5,777	6,097	6,503	6,996	7,482	7,976	8,463
			12SE29B	Standard		6.6	3,802	4,252	4,498	4,738	4,985	5,232	5,500	5,768	6,088	6,494	6,988	7,474	7,967	8,454
	29 Triple, 29EP Both	FA	13CE29B	Casual	30.5"H x 30"D x 90"L	8.8	4,875	5,475	5,804	6,123	6,452	6,781	7,139	7,497	7,923	8,465	9,123	9,771	10,430	11,078
			13PE29B	Pinch		8.8	4,971	5,572	5,900	6,220	6,549	6,877	7,236	7,593	8,020	8,561	9,220	9,868	10,526	11,175
			13SE29B	Standard		8.8	4,957	5,520	5,828	6,127	6,436	6,745	7,079	7,415	7,815	8,322	8,939	9,547	10,164	10,772

To Order Follow Steps 1-6

* Seat height when mounted on a frame.

1. Section Type

FA

12 29 Double
13 29 Triple

2. Style



C Casual
P Pinch
S Standard

3. End Panel

E29B End Panels Both Sides

4. Upholstery Option

Dual Fabric

Dual Fabric	29 Double, E29B			29 Triple, E29B		
Upholstery Style	C	P	S	C	P	S
 DF1 Seat Cushion and Back and End Panel	6.1	5.0	5.0	7.7	6.1	6.1
Back Cushion	1.7	2.2	1.7	2.8	3.3	2.8
 DF2 Back and Side Panel	3.3	3.3	3.3	3.9	3.9	3.9
Seat and Back Cushion	3.3	4.4	3.9	6.1	6.1	5.5





5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	21C	Casual	36.5"H x 30"D x 30"L	3.6	1,974	2,218	2,351	2,481	2,615	2,749	2,894	3,039	3,212	3,432	3,700	3,964	4,230	4,494	
		21P	Pinch		3.0	2,042	2,249	2,361	2,471	2,584	2,697	2,820	2,943	3,090	3,276	3,502	3,725	3,951	4,174	
		21S	Standard		3.0	2,042	2,249	2,361	2,471	2,584	2,697	2,820	2,943	3,090	3,276	3,502	3,725	3,951	4,174	
	FA	215C	Casual	36.5"H x 30"D x 45"L	5.0	2,350	2,688	2,873	3,052	3,238	3,423	3,624	3,825	4,065	4,370	4,740	5,104	5,475	5,840	
		215P	Pinch		4.4	2,436	2,736	2,901	3,061	3,225	3,389	3,568	3,748	3,960	4,231	4,560	4,885	5,213	5,537	
		215S	Standard		4.4	2,436	2,736	2,901	3,061	3,225	3,389	3,568	3,748	3,960	4,231	4,560	4,885	5,213	5,537	
	FA	22C	Casual	36.5"H x 30"D x 60"L	6.1	3,222	3,633	3,860	4,079	4,306	4,532	4,778	5,024	5,317	5,689	6,142	6,588	7,039	7,485	
		22P	Pinch		5.8	3,357	3,751	3,966	4,176	4,391	4,607	4,843	5,077	5,357	5,712	6,144	6,570	7,002	7,427	
		22S	Standard		5.2	3,357	3,713	3,909	4,098	4,293	4,488	4,701	4,914	5,167	5,489	5,878	6,264	6,655	7,039	
	FA	23C	Casual	36.5"H x 30"D x 90"L	9.1	4,709	5,328	5,667	5,996	6,335	6,674	7,044	7,413	7,853	8,411	9,090	9,759	10,437	11,106	
		23P	Pinch		8.8	4,913	5,513	5,843	6,161	6,491	6,820	7,178	7,536	7,962	8,504	9,162	9,810	10,467	11,116	
		23S	Standard		7.7	4,913	5,439	5,726	6,006	6,293	6,582	6,895	7,208	7,581	8,055	8,630	9,197	9,774	10,341	

To Order Follow Steps 1-5

* Seat height when mounted on a frame.

1. Section Type

FA

21 36 Single

215 36 Single Plus

22 36 Double

23 36 Triple

2. Style



C Casual

P Pinch

S Standard

3. Upholstery Option

Dual Fabric

Dual Fabric	36 Single			36 Single Plus			36 Double			36 Triple		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1 Seat Cushion and Back Panel	3.6	3.0	3.0	5.0	4.4	4.4	5.0	4.4	4.4	7.4	6.3	6.3
	1.1	1.1	1.1	1.7	1.7	1.7	1.7	2.2	1.7	2.5	3.0	2.2
 DF2 Back Panel	2.2	2.2	2.2	3.0	3.0	3.0	2.5	2.5	2.5	3.3	3.3	3.3
	2.5	2.2	2.2	3.3	3.0	3.0	3.9	3.9	3.6	6.1	5.8	5.2


4. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

5. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	36 Corner	FA	24C	Casual	36.5"H x 30"D x 30"L	4.1	2,893	3,174	3,329	3,479	3,633	3,786	3,955	4,122	4,322	4,576	4,885	5,188	5,497	5,801
			24P	Pinch		4.7	2,937	3,255	3,430	3,600	3,775	3,950	4,140	4,330	4,557	4,844	5,194	5,538	5,888	6,233
			24S	Standard		4.1	2,937	3,218	3,373	3,522	3,676	3,831	3,998	4,167	4,365	4,620	4,928	5,233	5,540	5,845

To Order Follow Steps 1-4

* Seat height when mounted on a frame.

1. Section Type

FA

24 36 Corner

2. Style



C Casual

P Pinch

S Standard





3. Upholstery Option

Dual Fabric

Dual Fabric	36 Corner		
Upholstery Style	C	P	S
 DF1 Seat Cushion and Back Panel Back Cushion	3.3	3.0	3.0
	1.4	1.7	1.4
 DF2 Back Panel Seat and Back Cushions	2.2	2.2	2.2
	2.2	2.5	2.2

4. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	21CE36	Casual	36.5"H x 30"D x 30"L	4.4	2,528	2,829	2,993	3,153	3,317	3,481	3,660	3,839	4,052	4,323	4,653	4,977	5,305	5,629	
		21PE36	Pinch		3.9	2,633	2,895	3,040	3,180	3,323	3,467	3,624	3,781	3,967	4,204	4,492	4,776	5,063	5,347	
		21SE36	Standard		4.1	2,633	2,915	3,068	3,218	3,373	3,527	3,695	3,862	4,062	4,316	4,625	4,928	5,237	5,540	
	FA	215CE36	Casual	36.5"H x 30"D x 45"L	5.8	2,968	3,362	3,578	3,788	4,004	4,220	4,454	4,689	4,969	5,324	5,756	6,182	6,614	7,039	
		215PE36	Pinch		5.5	3,054	3,429	3,635	3,834	4,040	4,245	4,469	4,694	4,959	5,298	5,709	6,115	6,525	6,931	
		215SE36	Standard		5.5	3,054	3,429	3,635	3,834	4,040	4,245	4,469	4,694	4,959	5,298	5,709	6,115	6,525	6,931	
	FA	22CE36	Casual	36.5"H x 30"D x 60"L	6.9	3,782	4,251	4,508	4,757	5,014	5,271	5,551	5,831	6,164	6,587	7,101	7,608	8,122	8,628	
		22PE36	Pinch		6.3	3,919	4,350	4,587	4,817	5,053	5,289	5,547	5,804	6,110	6,499	6,972	7,438	7,911	8,378	
		22SE36	Standard		6.3	3,919	4,350	4,587	4,817	5,053	5,289	5,547	5,804	6,110	6,499	6,972	7,438	7,911	8,378	
	FA	23CE36	Casual	36.5"H x 30"D x 90"L	9.9	5,229	5,904	6,274	6,633	7,004	7,374	7,776	8,179	8,658	9,267	10,008	10,737	11,478	12,207	
		23PE36	Pinch		8.8	5,432	6,032	6,361	6,681	7,009	7,339	7,697	8,055	8,480	9,022	9,680	10,329	10,987	11,635	
		23SE36	Standard		8.8	5,432	6,032	6,361	6,681	7,009	7,339	7,697	8,055	8,480	9,022	9,680	10,329	10,987	11,635	

To Order Follow Steps 1-6

* Left End Panel shown. * Seat height when mounted on a frame.

1. Section Type

FA

21 36 Single
215 36 Single Plus
22 36 Double
23 36 Triple

2. Style



C Casual
P Pinch
S Standard

3. End Panel

E36L End Panel Left
E36R End Panel Right

4. Upholstery Option

Dual Fabric

Dual Fabric	36 Single, E36			36 Single Plus, E36			29 Double, E36			36 Triple, E36		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1 Seat Cushion and Back and End Panel	4.1	3.9	3.9	5.2	4.7	4.7	6.1	5.2	5.2	8.3	7.2	7.2
Back Cushion	1.1	1.1	1.1	1.4	1.7	1.4	1.7	1.9	1.7	2.2	3.0	2.2
 DF2 Back and Side Panel	3.0	3.0	3.0	3.3	3.3	3.3	3.3	3.3	3.3	4.4	4.4	4.4
Seat and Back Cushions	2.2	1.9	1.9	3.9	2.8	2.8	3.9	3.9	3.3	6.1	5.0	5.2



5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	22CE36B	Casual	36.5"H x 30"D x 60"L	7.7	4,450	4,976	5,263	5,543	5,830	6,118	6,431	6,745	7,117	7,591	8,167	8,735	9,311	9,878	
		22PE36B	Pinch		7.2	4,586	5,073	5,341	5,600	5,868	6,134	6,425	6,717	7,062	7,503	8,037	8,564	9,099	9,625	
		22SE36B	Standard		7.2	4,586	5,073	5,341	5,600	5,868	6,134	6,425	6,717	7,062	7,503	8,037	8,564	9,099	9,625	
	FA	23CE36B	Casual	36.5"H x 30"D x 90"L	10.7	5,735	6,466	6,867	7,257	7,657	8,058	8,494	8,931	9,450	10,110	10,912	11,702	12,504	13,295	
		23PE36B	Pinch		9.6	5,939	6,596	6,955	7,304	7,665	8,024	8,415	8,807	9,273	9,866	10,585	11,295	12,014	12,723	
		23SE36B	Standard		9.9	5,939	6,614	6,984	7,344	7,713	8,084	8,487	8,889	9,368	9,978	10,718	11,448	12,188	12,917	

To Order Follow Steps 1-6

* Seat height when mounted on a frame.

1. Section Type

FA

22 36 Double
23 36 Triple

2. Style

C

Casual

P

Pinch

S

Standard



3. End Panel

E36B

End Panels
Both Sides

4. Upholstery Option

Dual Fabric

Dual Fabric	36 Double, E36B			36 Triple, E36B		
Upholstery Style	C	P	S	C	P	S
 DF1	Seat Cushion and Back and End Panel			6.9	6.1	6.3
	Back Cushion			1.4	1.9	1.4
 DF2	Back and Side Panels			4.4	4.4	4.4
	Seat and Back Cushion			3.6	3.9	3.3





5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	21CBQ	Casual	37.5"H x 30"D x 30"L	4.4	2,186	2,486	2,650	2,810	2,974	3,138	3,318	3,497	3,710	3,981	4,310	4,634	4,963	5,288	
		21PBQ	Pinch		4.1	2,042	2,249	2,361	2,471	2,584	2,697	2,820	2,943	3,090	3,276	3,502	3,725	3,951	4,174	
		21SBQ	Standard		4.1	2,042	2,249	2,361	2,471	2,583	2,698	2,821	2,943	3,089	3,276	3,501	3,726	3,952	4,174	
	FA	215CBQ	Casual	37.5"H x 30"D x 45"L	6.3	2,611	3,042	3,279	3,509	3,745	3,982	4,239	4,496	4,803	5,192	5,665	6,131	6,604	7,070	
		215PBQ	Pinch		5.8	2,700	3,093	3,309	3,519	3,735	3,951	4,186	4,420	4,700	5,055	5,487	5,913	6,345	6,771	
		215SBQ	Standard		5.8	2,700	3,093	3,309	3,519	3,735	3,951	4,186	4,420	4,700	5,055	5,487	5,913	6,345	6,771	
	FA	22CBQ	Casual	37.5"H x 30"D x 60"L	6.9	3,618	4,087	4,344	4,593	4,850	5,107	5,387	5,667	5,999	6,423	6,937	7,443	7,957	8,464	
		22PBQ	Pinch		6.3	3,757	4,188	4,425	4,654	4,890	5,127	5,385	5,642	5,948	6,337	6,810	7,276	7,749	8,216	
		22SBQ	Standard		6.3	3,757	4,188	4,425	4,654	4,890	5,127	5,385	5,642	5,948	6,337	6,810	7,276	7,749	8,216	
	FA	23CBQ	Casual	37.5"H x 30"D x 90"L	10.2	5,248	5,941	6,321	6,691	7,071	7,451	7,866	8,279	8,772	9,398	10,160	10,909	11,669	12,419	
		23PBQ	Pinch		9.1	5,456	6,075	6,414	6,744	7,083	7,423	7,791	8,160	8,600	9,158	9,838	10,506	11,184	11,853	
		23SBQ	Standard		9.1	5,456	6,075	6,414	6,744	7,083	7,423	7,791	8,160	8,600	9,158	9,838	10,506	11,184	11,853	

To Order Follow Steps 1-6

* Seat height when mounted on a frame.

1. Section Type

FA

21 36 Single

215 36 Single Plus

22 36 Double

23 36 Triple

2. Style

C Casual

P Pinch



S Standard

3. Back Cushion

BQ Banquette

4. Upholstery Option

Dual Fabric

Dual Fabric	36 Single			36 Single Plus			36 Double			36 Triple		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1	Seat Cushion and Back Panel			3.6	3.0	3.0	5.0	4.4	4.4	5.0	6.3	6.3
	Back Cushion			1.4	1.4	1.4	1.9	1.9	1.9	2.5	3.9	3.9
 DF2	Back Panel			2.2	2.2	2.2	3.0	3.0	3.0	2.5	3.3	3.3
	Seat and Back Cushions			2.8	2.2	2.2	3.6	3.0	3.0	5.2	6.1	6.1


5. Power Option


Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.



						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	24CBQ	Casual	37.5"H x 30"D x 30"L	5.0	3,153	3,489	3,675	3,855	4,039	4,225	4,426	4,628	4,866	5,172	5,541	5,907	6,277	6,641	
		24PBQ	Pinch		4.7	3,198	3,516	3,691	3,861	4,036	4,211	4,401	4,591	4,818	5,105	5,455	5,800	6,150	6,493	
		24SBQ	Standard		4.7	3,198	3,516	3,691	3,861	4,036	4,211	4,401	4,591	4,818	5,105	5,455	5,800	6,150	6,493	

To Order Follow Steps 1-5

* Seat height when mounted on a frame.

1. Section Type

FA

24 36 Corner

2. Style

C

Casual

P

Pinch

S

Standard

3. Back Cushion

BQ

Banquette





4. Upholstery Option

Dual Fabric

Dual Fabric		36 Corner		
Upholstery Style		C	P	S
	DF1			
	Seat Cushion and Back Panel	3.3	3.0	3.0
	Back Cushion	2.2	2.2	2.2
	DF2			
	Back Panel	3.3	2.2	2.2
	Seat and Back Cushions	3.0	2.8	2.8

5. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	21CBQE36	Casual	37.5"H x 30"D x 30"L	5.2	2,789	3,144	3,339	3,529	3,725	3,920	4,132	4,345	4,598	4,919	5,310	5,696	6,086	6,471	
		21PBQE36	Pinch		4.7	2,899	3,217	3,391	3,562	3,736	3,911	4,101	4,291	4,518	4,805	5,155	5,499	5,849	6,194	
		21SBQE36	Standard		4.7	2,899	3,217	3,391	3,562	3,736	3,911	4,101	4,291	4,518	4,805	5,155	5,499	5,849	6,194	
	FA	215CBQE36	Casual	37.5"H x 30"D x 45"L	6.6	3,204	3,655	3,901	4,141	4,387	4,634	4,902	5,171	5,491	5,897	6,390	6,876	7,370	7,856	
		215PBQE36	Pinch		6.1	3,293	3,705	3,931	4,150	4,377	4,603	4,849	5,095	5,388	5,761	6,213	6,659	7,111	7,557	
		215SBQE36	Standard		6.1	3,293	3,705	3,931	4,150	4,377	4,603	4,849	5,095	5,388	5,761	6,213	6,659	7,111	7,557	
	FA	22CBQE36	Casual	37.5"H x 30"D x 60"L	7.7	4,226	4,751	5,039	5,319	5,606	5,895	6,208	6,521	6,894	7,368	7,943	8,510	9,086	9,654	
		22PBQE36	Pinch		7.2	4,365	4,852	5,120	5,379	5,647	5,914	6,206	6,496	6,842	7,282	7,817	8,344	8,879	9,406	
		22SBQE36	Standard		7.2	4,365	4,852	5,120	5,379	5,647	5,914	6,206	6,496	6,842	7,282	7,817	8,344	8,879	9,406	
	FA	23CBQE36	Casual	37.5"H x 30"D x 90"L	11.0	5,885	6,634	7,046	7,446	7,856	8,267	8,716	9,163	9,695	10,372	11,195	12,005	12,828	13,638	
		23PBQE36	Pinch		9.9	6,094	6,769	7,139	7,498	7,869	8,238	8,641	9,044	9,523	10,133	10,873	11,602	12,342	13,072	
		23SBQE36	Standard		9.9	6,094	6,769	7,139	7,498	7,869	8,238	8,641	9,044	9,523	10,133	10,873	11,602	12,342	13,072	

To Order Follow Steps 1-7

* Left End Panel shown.

* Seat height when mounted on a frame.

1. Section Type

FA

21 36 Single

215 36 Single Plus

22 36 Double

23 36 Triple

2. Style

C Casual

P Pinch

S Standard

3. Banquette

BQ Banquette

4. End Panel

E36L End Panel Left

E36R End Panel Right

5. Upholstery Option

Dual Fabric

Dual Fabric	36 Single, E36			36 Single Plus, E36			29 Double, E36			36 Triple, E36		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
<div>DF1</div> <div> <div>Seat Cushion and Back and End Panel</div> <div>Back Cushion</div> </div>	4.1	3.9	3.9	5.2	4.7	4.7	6.1	5.2	5.2	8.3	7.2	7.2
	1.4	1.4	1.4	1.7	1.7	1.7	2.5	2.5	2.5	3.9	3.9	3.9
<div>DF2</div> <div> <div>Back and Side Panel</div> <div>Seat and Back Cushions</div> </div>	3.0	3.0	3.0	3.3	3.3	3.3	3.3	3.3	3.3	4.4	4.4	4.4
	2.5	2.2	2.2	3.6	2.8	2.8	5.0	4.1	4.1	7.7	5.8	5.8



6. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

7. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	36 Double, 29EP Both	FA	22CBQE36B	Casual	37.5"H x 30"D x 60"L	8.8	4,791	5,391	5,720	6,039	6,369	6,697	7,056	7,413	7,840	8,381	9,040	9,688	10,345	10,994
			22PBQE36B	Pinch		8.0	4,930	5,475	5,773	6,062	6,360	6,658	6,982	7,307	7,693	8,184	8,780	9,368	9,964	10,552
			22SBQE36B	Standard		8.0	4,930	5,475	5,773	6,062	6,360	6,658	6,982	7,307	7,693	8,184	8,780	9,368	9,964	10,552
	29 Triple, 29EP Both	FA	23CBQE36B	Casual	37.5"H x 30"D x 90"L	11.8	6,351	7,158	7,600	8,029	8,472	8,913	9,394	9,876	10,448	11,176	12,060	12,931	13,815	14,687
			23PBQE36B	Pinch		11.0	6,559	7,308	7,720	8,118	8,530	8,941	9,388	9,837	10,369	11,046	11,868	12,679	13,501	14,312
			23SBQE36B	Standard		10.7	6,561	7,292	7,693	8,083	8,483	8,884	9,320	9,757	10,276	10,936	11,739	12,528	13,330	14,121

To Order Follow Steps 1-7

* Seat height when mounted on a frame.

1. Section Type

FA

22 36 Double

23 36 Triple

2. Style

C Casual

P Pinch

S Standard

3. Banquette

BQ Banquette

4. End Panel

E36B End Panels Both Sides

5. Upholstery Option

Dual Fabric

Dual Fabric	36 Double, E36B			36 Triple, E36B		
Upholstery Style	C	P	S	C	P	S
<div>DF1</div> <div>Seat Cushion and Back and End Panel</div>	6.9	6.1	6.3	9.1	8.0	8.3
<div>Back Cushion</div>	2.5	2.5	2.5	3.6	3.6	3.6
<div>DF2</div> <div>Back and Side Panels</div>	4.4	4.4	4.4	5.2	5.2	5.2
<div>Seat and Back Cushion</div>	5.8	5.8	5.8	7.4	5.8	5.8





6. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

7. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	42 Single	FA	31C	Casual	42.5"H x 30"D x 30"L	4.4	2,058	2,359	2,523	2,683	2,847	3,012	3,191	3,370	3,582	3,853	4,183	4,507	4,836	5,160
			31P	Pinch		4.1	2,127	2,407	2,562	2,712	2,866	3,020	3,188	3,356	3,555	3,809	4,118	4,422	4,730	5,034
			31S	Standard		4.1	2,127	2,407	2,562	2,712	2,866	3,020	3,188	3,356	3,555	3,809	4,118	4,422	4,730	5,034
	42 Single Plus	FA	315C	Casual	42.5"H x 30"D x 45"L	6.3	2,427	2,858	3,094	3,323	3,560	3,796	4,054	4,311	4,617	5,007	5,480	5,945	6,418	6,885
			315P	Pinch		5.8	2,512	2,906	3,122	3,332	3,548	3,764	3,998	4,234	4,512	4,869	5,301	5,726	6,157	6,583
			315S	Standard		5.8	2,512	2,906	3,122	3,332	3,548	3,764	3,998	4,234	4,512	4,869	5,301	5,726	6,157	6,583
	42 Double	FA	32C	Casual	42.5"H x 30"D x 60"L	6.1	3,347	3,759	3,985	4,206	4,431	4,658	4,903	5,149	5,442	5,815	6,267	6,713	7,166	7,612
			32P	Pinch		6.3	3,482	3,914	4,150	4,379	4,616	4,852	5,109	5,368	5,673	6,063	6,536	7,002	7,475	7,941
			32S	Standard		5.5	3,482	3,858	4,063	4,263	4,468	4,674	4,898	5,121	5,387	5,726	6,138	6,543	6,954	7,359
	42 Triple	FA	33C	Casual	42.5"H x 30"D x 90"L	9.4	4,765	5,402	5,752	6,091	6,440	6,790	7,170	7,551	8,003	8,580	9,278	9,967	10,666	11,355
			33P	Pinch		9.1	4,968	5,587	5,926	6,255	6,594	6,934	7,303	7,672	8,111	8,670	9,348	10,017	10,696	11,365
			33S	Standard		8.3	4,968	5,531	5,838	6,138	6,447	6,755	7,090	7,426	7,826	8,333	8,950	9,558	10,175	10,783

To Order Follow Steps 1-5

* Seat height when mounted on a frame.

1. Section Type

FA

31 42 Single

315 42 Single Plus

32 42 Double

33 42 Triple

2. Style



C Casual

P Pinch

S Standard

3. Upholstery Option

Dual Fabric

Dual Fabric	42 Single			42 Single Plus			42 Double			42 Triple		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1	Seat Cushion and Back Panel			3.6	3.0	3.0	5.0	4.4	4.4	5	4.4	4.4
	Back Cushion			1.1	1.1	1.1	1.7	1.7	1.7	1.7	2.2	1.7
 DF2	Back Panel			2.2	2.2	2.2	3	3	3	2.5	2.5	2.5
	Seat and Back Cushions			2.5	2.2	2.2	3.3	3	3	3.9	3.9	3.6





4. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

5. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	42 Single, 42EP	FA	31CE42	Casual	42.5"H x 30"D x 30"L	6.1	2,554	2,967	3,194	3,413	3,640	3,865	4,112	4,358	4,650	5,023	5,476	5,921	6,373	6,819
			31PE42	Pinch		5.8	2,660	3,053	3,269	3,479	3,695	3,911	4,146	4,380	4,660	5,016	5,448	5,873	6,305	6,731
			31SE42	Standard		5.8	2,660	3,053	3,269	3,479	3,695	3,911	4,146	4,380	4,660	5,016	5,448	5,873	6,305	6,731
	42 Single Plus, 42EP	FA	315CE42	Casual	42.5"H x 30"D x 45"L	7.2	3,000	3,487	3,754	4,014	4,281	4,549	4,839	5,130	5,477	5,916	6,452	6,978	7,512	8,040
			315PE42	Pinch		6.6	3,086	3,536	3,782	4,022	4,268	4,515	4,784	5,052	5,372	5,778	6,272	6,758	7,251	7,738
			315SE42	Standard		6.6	3,086	3,536	3,782	4,022	4,268	4,515	4,784	5,052	5,372	5,778	6,272	6,758	7,251	7,738
	42 Double, 42EP	FA	32CE42	Casual	42.5"H x 30"D x 60"L	8.0	4,001	4,545	4,843	5,132	5,431	5,729	6,053	6,377	6,764	7,254	7,852	8,439	9,035	9,623
			32PE42	Pinch		8.3	4,136	4,699	5,008	5,307	5,616	5,924	6,260	6,596	6,994	7,503	8,119	8,727	9,344	9,952
			32SE42	Standard		7.2	4,136	4,625	4,891	5,152	5,418	5,686	5,977	6,267	6,614	7,053	7,588	8,115	8,650	9,177
	42 Triple, 42EP	FA	33CE42	Casual	42.5"H x 30"D x 90"L	11.3	5,361	6,130	6,551	6,961	7,382	7,803	8,262	8,721	9,266	9,961	10,804	11,635	12,477	13,309
			33PE42	Pinch		11.0	5,564	6,314	6,725	7,125	7,536	7,947	8,395	8,842	9,374	10,052	10,875	11,685	12,507	13,317
			33SE42	Standard		10.2	5,564	6,258	6,639	7,007	7,388	7,768	8,182	8,597	9,088	9,716	10,476	11,226	11,987	12,736

To Order Follow Steps 1-6

* Left End Panel shown. * Seat height when mounted on a frame.

1. Section Type

FA

31 42 Single
315 42 Single Plus
32 42 Double
33 42 Triple

2. Style

C Casual

P Pinch



S Standard

3. End Panel

E42L End Panel Left
E42R End Panel Right

4. Upholstery Option

Dual Fabric

Dual Fabric	42 Single, E42			42 Single Plus, E42			42 Double, E42			42 Triple, E42		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1 Seat Cushion and Back and End Panel	5.2	5.0	4.7	5.8	5.2	5.2	7.2	6.3	6.3	9.4	10.5	8.3
	1.1	1.1	1.1	1.4	1.7	1.4	1.7	1.9	1.7	2.2	3.0	2.2
 DF2 Back and Side Panell	3.9	3.9	3.9	3.9	3.9	3.9	4.4	4.4	4.4	5.5	5.5	5.5
	2.2	1.9	1.9	3.3	2.8	2.8	3.9	3.9	3.3	6.1	5.8	5.2



5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	42 Double, 42EP Both	FA	32CE42B	Casual	42.5"H x 30"D x 60"L	9.9	4,571	5,246	5,616	5,976	6,346	6,715	7,118	7,521	8,001	8,610	9,351	10,080	10,819	11,550
			32PE42B	Pinch		10.2	4,707	5,400	5,780	6,150	6,531	6,911	7,325	7,738	8,231	8,857	9,618	10,368	11,129	11,879
			32SE42B	Standard		9.1	4,707	5,325	5,665	5,994	6,333	6,672	7,042	7,411	7,851	8,409	9,087	9,756	10,435	11,103
	42 Triple, 42EP Both	FA	33CE42B	Casual	42.5"H x 30"D x 90"L	13.2	5,828	6,727	7,221	7,700	8,194	8,688	9,224	9,761	10,400	11,213	12,200	13,173	14,160	15,132
			33PE42B	Pinch		12.9	6,032	6,913	7,397	7,866	8,349	8,832	9,358	9,884	10,509	11,305	12,272	13,224	14,190	15,143
			33SE42B	Standard		12.1	6,032	6,857	7,309	7,749	8,202	8,653	9,145	9,638	10,223	10,968	11,874	12,765	13,670	14,562

To Order Follow Steps 1-6

* Seat height when mounted on a frame.

1. Section Type

FA

32 42 Double
33 42 Triple

2. Style



C Casual
P Pinch
S Standard

3. End Panel

E42B End Panels Both Sides

4. Upholstery Option

Dual Fabric

Dual Fabric	42 Double, E42B			42 Triple, E42B		
Upholstery Style	C	P	S	C	P	S
 DF1 Seat Cushion and Back and End Panel	9.1	8.3	8.3	11.3	10.2	10.2
Back Cushion	1.4	1.9	1.4	2.2	3.0	2.2
 DF2 Back and Side Panels	6.6	6.6	6.6	7.4	7.4	7.4
Seat and Back Cushion	3.6	3.9	3.9	5.8	5.8	5.0





5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	31CBQ	Casual	43.5"H x 30"D x 30"L	4.4	2,270	2,570	2,735	2,894	3,059	3,224	3,403	3,581	3,794	4,065	4,395	4,719	5,048	5,372	
		31PBQ	Pinch		4.1	2,340	2,622	2,776	2,926	3,080	3,235	3,402	3,569	3,769	4,023	4,332	4,635	4,944	5,248	
		31SBQ	Standard		4.1	2,340	2,622	2,776	2,926	3,080	3,235	3,402	3,569	3,769	4,023	4,332	4,635	4,944	5,248	
	FA	315CBQ	Casual	43.5"H x 30"D x 45"L	6.3	2,640	3,070	3,307	3,537	3,774	4,010	4,267	4,524	4,830	5,220	5,693	6,158	6,631	7,098	
		315PBQ	Pinch		5.8	2,726	3,120	3,336	3,546	3,762	3,978	4,212	4,447	4,727	5,082	5,514	5,940	6,372	6,798	
		315SBQ	Standard		5.8	2,726	3,120	3,336	3,546	3,762	3,978	4,212	4,447	4,727	5,082	5,514	5,940	6,372	6,798	
	FA	32CBQ	Casual	43.5"H x 30"D x 60"L	7.4	3,745	4,251	4,528	4,798	5,076	5,354	5,656	5,957	6,317	6,774	7,329	7,876	8,432	8,978	
		32PBQ	Pinch		6.3	3,884	4,316	4,552	4,781	5,018	5,254	5,511	5,769	6,075	6,465	6,937	7,403	7,876	8,342	
		32SBQ	Standard		6.3	3,884	4,316	4,552	4,781	5,018	5,254	5,511	5,769	6,075	6,465	6,937	7,403	7,876	8,342	
	FA	33CBQ	Casual	43.5"H x 30"D x 90"L	11.0	5,203	5,954	6,364	6,764	7,176	7,587	8,034	8,481	9,014	9,691	10,514	11,324	12,147	12,957	
		33PBQ	Pinch		9.1	5,413	6,032	6,371	6,700	7,039	7,379	7,748	8,117	8,557	9,115	9,793	10,462	11,141	11,810	
		33SBQ	Standard		9.1	5,413	6,032	6,371	6,700	7,039	7,379	7,748	8,117	8,557	9,115	9,793	10,462	11,141	11,810	

To Order Follow Steps 1-6

* Seat height when mounted on a frame.

1. Section Type

FA

31 42 Single

315 42 Single Plus

32 42 Double

33 42 Triple

2. Style

C Casual

P Pinch



S Standard

3. Banquette

BQ Banquette

4. Upholstery Option

Dual Fabric

Dual Fabric	42 Single			42 Single Plus			42 Double			42 Triple		
Upholstery Style	C	P	S	C	P	S	C	P	S	C	P	S
 DF1	Seat Cushion and Back Panel			3.6	3.0	3.0	5.0	4.4	4.4	5.0	6.3	6.3
	Back Cushion			1.4	1.4	1.4	1.9	1.9	1.9	2.5	3.9	3.9
 DF2	Back Panel			2.2	2.2	2.2	3.0	3.0	3.0	2.5	3.3	3.3
	Seat and Back Cushions			2.8	2.2	2.2	3.6	3.0	3.0	5.2	6.1	6.1


5. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.

6. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	42 Corner	FA	34CBQ	Casual	43.5"H x 30"D x 30"L	5.2	3,272	3,628	3,823	4,013	4,209	4,404	4,616	4,829	5,081	5,403	5,794	6,180	6,570	6,955
			34PBQ	Pinch		5.0	3,318	3,656	3,840	4,020	4,206	4,390	4,592	4,793	5,033	5,337	5,708	6,072	6,442	6,807
			34SBQ	Standard		5.0	3,318	3,656	3,840	4,020	4,206	4,390	4,592	4,793	5,033	5,337	5,708	6,072	6,442	6,807

To Order Follow Steps 1-5

* Seat height when mounted on a frame.

1. Section Type

FA

34 42 Corner

2. Style

C

Casual

P

Pinch

S

Standard



3. Banquette

BQ

Banquette

4. Upholstery Option




Dual Fabric

Dual Fabric	36 Corner			
Upholstery Style	C	P	S	
	DF1			
	Seat Cushion and Back Panel	3.6	3.3	3.3
	Back Cushion	2.2	2.2	2.2
	DF2			
	Back Panel	2.5	2.5	2.5
	Seat and Back Cushions	3.0	2.8	2.8

5. Textile

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

A diagram of a square box with a curved internal partition. The partition is a quarter-circle arc centered at the bottom-left corner, separating a quarter-circle sector from the rest of the box.



* Left End Panel shown.

* Seat height when mounted on a frame.

FA

C Casual



BQ Banquette

E42L End Panel Left
E42R End Panel Right

Dual Fabric

Under Mount Power

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades														
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	FA	32CBQE42B	Casual	43.5"H x 30"D x 60"L	11.0	4,861	5,612	6,022	6,422	6,833	7,245	7,692	8,139	8,671	9,348	10,171	10,981	11,804	12,614	
		32PBQE42B	Pinch		10.2	5,000	5,694	6,075	6,444	6,825	7,205	7,618	8,033	8,524	9,152	9,912	10,662	11,423	12,173	
		32SBQE42B	Standard		10.2	5,000	5,694	6,075	6,444	6,825	7,205	7,618	8,033	8,524	9,152	9,912	10,662	11,423	12,173	
	FA	33CBQE42B	Casual	43.5"H x 30"D x 90"L	14.3	6,415	7,390	7,925	8,445	8,979	9,514	10,096	10,677	11,369	12,249	13,319	14,373	15,442	16,495	
		33PBQE42B	Pinch		12.9	6,625	7,506	7,990	8,459	8,941	9,425	9,951	10,477	11,102	11,898	12,864	13,816	14,783	15,736	
		33SBQE42B	Standard		12.9	6,625	7,506	7,990	8,459	8,941	9,425	9,951	10,477	11,102	11,898	12,864	13,816	14,783	15,736	

To Order Follow Steps 1-7

* Seat height when mounted on a frame.

1. Section Type

FA

32 42 Double
33 42 Triple

2. Style

C Casual
P Pinch
S Standard

3. Banquette



BQ Banquette

4. End Panel

E42B End Panels
Both Sides

5. Upholstery Option

Dual Fabric

Dual Fabric	42 Double, E42B			42 Triple, E42B		
Upholstery Style	C	P	S	C	P	S
 DF1 Seat Cushion and Back and End Panel	9.1	8.3	8.3	11.3	10.2	10.2
Back Cushion	2.5	2.5	2.5	3.6	3.6	3.6
 DF2 Back and Side Panels	6.6	6.6	6.6	7.4	7.4	7.4
Seat and Back Cushion	5.0	3.9	3.9	7.4	5.8	5.8




6. Power Option

Under Mount Power

Refer to under mount power ordering steps on page 23.


7. Textile







Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

						C.O.M Fabric Upholstery Grades													
	Series	Model	Uph Style	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M
2" Arm	FA	42	N/A	26"H x 30"D x 2"L	1.7	374	486	548	608	670	731	798	865	945	1,047	1,171	1,292	1,415	1,537
																			
4" Arm	FA	44	N/A	26"H x 30"D x 4"L	1.7	379	491	553	612	674	737	804	870	950	1,052	1,175	1,297	1,420	1,541
																			
6" Arm	FA	46	N/A	26"H x 30"D x 6"L	1.7	384	497	558	619	680	742	809	876	956	1,057	1,182	1,302	1,426	1,548
																			


To Order Follow Steps 1-5









* Arm height when mounted on a frame.



15" Deep Tables	Series	Model	Dimensions	Top Finish		Wood Veneer
				Laminate		
				Grade 1	Grade 2	
15" X 15"	FA	5S1515	13"H X 15"D X 15"L	214	314	313
						
15" X 30"	FA	5S1530	13"H X 15"D X 30"L	282	378	492
						
15" X 45"	FA	5S1545	13"H X 15"D X 45"L	386	536	728
						
15" X 60"	FA	5S1560	13"H X 15"D X 60"L	461	728	971
						
15" X 75"	FA	5S1575	13"H X 15"D X 75"L	599	886	1,206
						
15" X 90"	FA	5S1590	13"H X 15"D X 90"L	636	1,042	1,392
						


To Order Follow Steps 1-4 * Height when mounted on a frame.






				Top Finish Laminate		Wood Veneer					Top Finish Laminate		Wood Veneer
30" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2		45" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2	
30" X 15"	FA	5S3015	13"H X 30"D X 15"L	283	376	494	45" X 15"	FA	5S4515	13"H X 45"D X 15"L	387	536	728
													
30" X 30"	FA	5S3030	13"H X 30"D X 30"L	476	664	928	45" X 30"	FA	5S4530	13"H X 45"D X 30"L	672	942	1,356
													
30" X 45"	FA	5S3045	13"H X 30"D X 45"L	671	943	1,356	45" X 45"	FA	5S4545	13"H X 45"D X 45"L	851	1,321	1,971
													
30" X 60"	FA	5S3060	13"H X 30"D X 60"L	808	1,264	1,785	45" X 60"	FA	5S4560	13"H X 45"D X 60"L	1,017	1,714	2,620
													

To Order Follow Steps 1-4

* Height when mounted on a frame.



15" Deep Tables	Series	Model	Dimensions	Top Finish Laminate		Wood Veneer
				Grade 1	Grade 2	
	FA	5L1530	29"H X 15"D X 30"L	282	378	492
	FA	5L1560	29"H X 15"D X 60"L	461	728	971
	FA	5L1590	29"H X 15"D X 90"L	636	1,042	1,392

To Order Follow Steps 1-4

* Height when mounted on a frame.

1. Section Type

FA

5L Table Top Ledge

2. Size

15" Deep

1530 15" X 30"

1560 15" X 60"

1590 15" X 90"

3. Top Finish

Laminate - Grade 1

LM09 Black

LM01 Designer White

LM10 Fusion Maple

LM02 Alabaster

LM11 Monticello Maple

LM03 Wallaby

LM12 River Cherry

LM04 Shadow

LM13 Amber Cherry

LM05 Dove Grey

LM14 Walnut Heights

LM06 Fashion Grey

LM15 Montana Walnut

LM07 Slate Grey

LM16 Xanadu

LM08 North Sea

LM17 Asian Night

Laminate - Grade 2

LM43 Grigio Londra

LM41 Bianco Kos

LM44 Grigio Bromo

LM42 Grigio Efeso

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

4. Options

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut









WV48 Natural White Oak

WV49 Natural Recon White Oak

Power

Refer to under mount power ordering steps on page 24.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

				29 Height Top Finish			36 Height Top Finish			42 Height Top Finish		
				Laminate		Wood Veneer	Laminate		Wood Veneer	Laminate		Wood Veneer
	Series	Model	Dimensions	Grade 1	Grade 2		Grade 1	Grade 2		Grade 1	Grade 2	
Single Cubby	FA	6C1H29	29"H X 15"D X 15"L	1,176	2,701	2,790	1,633	3,796	3,342	1,849	4,337	3,818
		6C1H36	36"H X 15"D X 15"L									
		6C1H42	42"H X 15"D X 15"L									
	  											
Double Cubby	FA	6C2H29	29"H X 15"D X 30"L	1,502	3,064	2,953	2,278	4,455	3,921	2,407	4,808	4,231
		6C2H36	36"H X 15"D X 30"L									
		6C2H42	42"H X 15"D X 30"L									
	  											
Triple Cubby	FA	6C3H29	29"H X 15"D X 45"L	1,880	3,479	3,323	N/A	N/A	N/A	N.A	N/A	N/A
												
Quad Cubby	FA	6C4H29	29"H X 15"D X 60"L	2,327	4,237	3,718	N/A	N/A	N/A	N/A	N/A	N/A
												

To Order Follow Steps 1-4

* Height when mounted on a frame.



	Series	Model	Dimensions	Top Finish Laminate		Wood Veneer	
				Grade 1	Grade 2		
29" Height	FA	6CXH29	29"H X 15"D X 45"L	2,114	5,197	4,923	
36" Height	FA	6CXH36	36"H X 15"D X 45"L	3,109	5,419	5,125	
42" Height	FA	6CXH42	42"H X 15"D X 45"L	3,308	5,760	5,450	

To Order Follow Steps 1-4

* Height when mounted on a frame.

1. Section Type

FA

6CX Cubby Combo

2. Height

H29 29" Height
H36 36" Height
H42 42" Height

3. Finish

Laminate - Grade 1

LM01 Designer White
LM02 Alabaster
LM03 Wallaby
LM04 Shadow
LM05 Dove Grey
LM06 Fashion Grey
LM07 Slate Grey
LM08 North Sea

Laminate - Grade 2

LM41 Bianco Kos
LM42 Grigio Efeso

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

LM09 Black
LM10 Fusion Maple
LM11 Monticello Maple
LM12 River Cherry
LM13 Amber Cherry
LM14 Walnut Heights
LM15 Montana Walnut
LM16 Xanadu
LM17 Asian Night

LM43 Grigio Londra
LM44 Grigio Bromo
LM45 Nero Ingo

4. Options

FB Grain Direction

Front/Back grain direction
(Left/Right is standard)









Veneer

WV01 Light Grey
WV02 Warm Grey
WV03 Opaque Black
WV04 Medium Cherry
WV05 Toned Ash
WV06 Natural Maple
WV41 Toned Recon Walnut
WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

WV42 Dark Toned Oak
WV43 Toned Wenge
WV44 Toned Oak
WV45 Toned Recon Oak
WV46 Natural Flat Cut Walnut
WV47 Natural Rift Cut Walnut
WV48 Natural White Oak
WV49 Natural Recon White Oak

				29 Height Top Finish Laminate		Wood Veneer	36 Height Top Finish Laminate		Wood Veneer	42 Height Top Finish Laminate		Wood Veneer
	Series	Model	Dimensions	Grade 1	Grade 2		Grade 1	Grade 2		Grade 1	Grade 2	
  	FA	6L1H29	29"H X 15"D X 15"L	1,458	3,115	3,418	1,922	3,543	3,833	2,166	4,048	4,388
		6L1H36	36"H X 15"D X 15"L									
		6L1H42	42"H X 15"D X 15"L									
  	FA	6L2H29	29"H X 15"D X 30"L	2,065	4,173	3,752	2,609	3,849	4,167	2,970	4,397	4,765
		6L2H36	36"H X 15"D X 30"L									
		6L2H42	42"H X 15"D X 30"L									
	FA	6L3H29	29"H X 15"D X 45"L	2,731	5,202	4,336	N/A	N/A	N/A	N.A	N/A	N/A
	FA	6L4H29	29"H X 15"D X 60"L	3,459	6,323	4,687	N/A	N/A	N/A	N/A	N/A	N/A

To Order Follow Steps 1-5

* Height when mounted on a frame.

1. Section Type

FA

6L1 Locker - Single

6L2 Locker - Double

6L3 Locker - Triple

6L4 Locker - Quad

2. Height

H29 29" Height

H36 36" Height

H42 42" Height

3. Finish

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

4. Door Hardware

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

Lock

Pxx* Door Pull (no lock) 00

KLB Key Lock Black 69/door

KLW Key Lock White 69/door

NPB Number Pad Lock Black 261/door

NPN Number Pad Lock Nickel 261/door

RFB RFID Lock Black 340/door

RFN RFID Lock Nickel 340/door

* Replace xx with a standard powder coat paint color, listed at the bottom of page 37.

* Master keys required per order with locks (see page 28)

5. Options

Hinge Left Side

HG Hinge Left Side

*Default hinge on right side when facing front of locker


Grain Direction

FB Grain Direction

Front/Back grain direction

(Left/Right is standard)

	Series	Model	Dimensions	Top Finish		Wood Veneer	
				Laminate	Grade 2		
				Grade 1			
29" Height	FA	6LXH29	29"H X 15"D X 45"L	2,844	5,760	5,450	
36" Height	FA	6LXH36	36"H X 15"D X 45"L	3,781	6,005	5,680	
42" Height	FA	6LXH42	42"H X 15"D X 45"L	4,046	6,242	5,903	



To Order Follow Steps 1-4

* Height when mounted on a frame.

1. Section Type

2. Height

3. Finish

4. Door Hardware

5. Options

FA

6LX Locker Combo

H29 29" Height
H36 36" Height
H42 42" Height

Laminate - Grade 1

LM01 Designer White
LM02 Alabaster
LM03 Wallaby
LM04 Shadow
LM05 Dove Grey
LM06 Fashion Grey
LM07 Slate Grey
LM08 North Sea

Laminate - Grade 2

LM41 Bianco Kos
LM42 Grigio Efeso

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

LM09 Black
LM10 Fusion Maple
LM11 Monticello Maple
LM12 River Cherry
LM13 Amber Cherry
LM14 Walnut Heights
LM15 Montana Walnut
LM16 Xanadu
LM17 Asian Night

LM43 Grigio Londra
LM44 Grigio Bromo
LM45 Nero Ingo

Veneer

WV01 Light Grey
WV02 Warm Grey
WV03 Opaque Black
WV04 Medium Cherry
WV05 Toned Ash
WV06 Natural Maple
WV41 Toned Recon Walnut
WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

WV42 Dark Toned Oak
WV43 Toned Wenge
WV44 Toned Oak
WV45 Toned Recon Oak
WV46 Natural Flat Cut Walnut
WV47 Natural Rift Cut Walnut
WV48 Natural White Oak
WV49 Natural Recon White Oak

Lock

Pxx* Door Pull (no lock) 00
KLB Key Lock Black 69/door
KLW Key Lock White 69/door
NPB Number Pad Lock Black 261/door
NPN Number Pad Lock Nickel 261/door
RFB RFID Lock Black 340/door
RFN RFID Lock Nickel 340/door

* Replace xx with a standard powder coat paint color, listed at the bottom of page 37.

* Master keys required per order with locks (see page 28)

Hinge Left Side









HG1* Hinge Left on Left Locker
HG2* Hinge Left on Right Locker
HG3* Hinge Left on Both Lockers

*Default hinge on right side when facing front of locker

FB

Grain Direction




Front/Back grain direction
(Left/Right is standard)

				29 Height Top Finish			36 Height Top Finish			42 Height Top Finish		
				Laminate		Wood Veneer	Laminate		Wood Veneer	Laminate		Wood Veneer
	Series	Model	Dimensions	Grade 1	Grade 2		Grade 1	Grade 2		Grade 1	Grade 2	
<div>Single Planter</div> <div></div>	FA	6P1H29	29"H X 15"D X 15"L	1,199	2,671	2,642	1,792	2,902	2,873	1,986	3,104	3,075
		6P1H36	36"H X 15"D X 15"L									
		6P1H42	42"H X 15"D X 15"L									
	<div>Double Planter</div> <div></div>	FA	6P2H29	29"H X 15"D X 30"L	2,993	3,261	3,230	3,462	3,771	3,526	3,700	4,038
6P2H36			36"H X 15"D X 30"L									
6P2H42			42"H X 15"D X 30"L									
<div>Triple Planter</div> <div></div>	FA	6P3H29	29"H X 15"D X 45"L	3,632	3,957	3,921	N/A	N/A	N/A	N/A	N/A	N/A
<div>Quad Planter</div> <div></div>	FA	6P4H29	29"H X 15"D X 60"L	4,450	4,839	4,795	N/A	N/A	N/A	N/A	N/A	N/A

To Order Follow Steps 1-4

* Height when mounted on a frame. *Stylex will not be responsible for damage caused by improper use of planter liner.



				Top Finish Laminate		Wood Veneer	
	Series	Model	Dimensions	Grade 1	Grade 2		
	29" Height	FA	6SH29	29"H X 15"D X 45"L	1,618	3,110	2,944
	36" Height	FA	6SH36	36"H X 15"D X 45"L	1,971	3,586	3,391
	42" Height	FA	6SH42	42"H X 15"D X 45"L	2,144	3,809	3,607

To Order Follow Steps 1-4

* Height when mounted on a frame.

1. Section Type

FA

6S Shelf

2. Height

H29 29" Height

H36 36" Height

H42 42" Height

3. Finish

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

4. Options

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut

WV48 Natural White Oak




WV49 Natural Recon White Oak

FB Grain Direction

Front/Back grain direction

(Left/Right is standard)

	Series	Model	Dimensions	Base Price
	FA	8SD15L15	13"H X 15"D X 15"L	661
	FA	8SD15L30	13"H X 15"D X 30"L	702
	FA	8SD15L45	13"H X 15"D X 45"L	807

	Series	Model	Dimensions	Base Price
	FA	8SD15L60	13"H X 15"D X 60"L	951
	FA	8SD15L75	13"H X 15"D X 75"L	1,027
	FA	8SD15L90	13"H X 15"D X 90"L	1,065

To Order Follow Steps 1-3

*Glide height adjustability of seat height frames is 5/8".

1. Section Type

2. Size

3. Frame Finish Choices

FA

8S Frame
Seat Height




Depth X Length




D15L15 15" X 15"
D15L30 15" X 30"
D15L45 15" X 45"
D15L60 15" X 60"
D15L75 15" X 75"
D15L90 15" X 90"

Standard Powder Paint

BL Blue
BM Black Matte
BR Brass
BT Black Twilight
CP Champagne
DB Dark Bronze
DG Dark Gray
DP Dusty Pink
FG Forest Green
LG Light Gray
MG Meadow Green
MK Milk
MS Metallic Silver

NK Nickel
NV Navy
OR Orange
PY Pale Yellow
RD Red
RO Red Orange
RR Rusty Red
SB Soft Blue
SD Sand
TC Terracotta
TP Taupe
TS Textured Slate
YL Yellow

	Series	Model	Dimensions	Base Price
	FA	8SD30L15	13"H X 30"D X 15"L	708
	FA	8SD30L30	13"H X 30"D X 30"L	887
	FA	8SD30L45	13"H X 30"D X 45"L	963

	Series	Model	Dimensions	Base Price
	FA	8SD30L60	13"H X 30"D X 60"L	1,145
	FA	8SD30L75	13"H X 30"D X 75"L	1,241
	FA	8SD30L90	13"H X 30"D X 90"L	1,293

To Order Follow Steps 1-4

*Glide height adjustability of seat height frames is 5/8".

1. Section Type

FA

8S Frame
Seat Height

2. Size

Depth X Length

D30L15 30" X 15"
D30L30 30" X 30"
D30L45 30" X 45"
D30L60 30" X 60"
D30L75 30" X 75"
D30L90 30" X 90"

3. Options

CGS Case Good Spanner

Case Good Spanner, Quantity
CGS1 Quantity 1
CGS2 Quantity 2
CGS3 Quantity 3
CGS4 Quantity 4
CGS5 Quantity 5
CGS6 Quantity 6




* Unique frame configurations
require additional bracket(s) -
location and quantity must be
verified by Stylex or CET Designer.




4. Frame Finish Choices

Standard Powder Paint

BL Blue
BM Black Matte
BR Brass
BT Black Twilight
CP Champagne
DB Dark Bronze
DG Dark Gray
DP Dusty Pink
FG Forest Green
LG Light Gray
MG Meadow Green
MK Milk
MS Metallic Silver

NK Nickel
NV Navy
OR Orange
PY Pale Yellow
RD Red
RO Red Orange
RR Rusty Red
SB Soft Blue
SD Sand
TC Terracotta
TP Taupe
TS Textured Slate
YL Yellow

	Series	Model	Dimensions	Base Price
	FA	8SD45L15	13"H X 45"D X 15"L	1,148
	FA	8SD45L30	13"H X 45"D X 30"L	1,304
	FA	8SD45L45	13"H X 45"D X 45"L	1,501

	Series	Model	Dimensions	Base Price
	FA	8SD45L60	13"H X 45"D X 60"L	1,646
	FA	8SD45L75	13"H X 45"D X 75"L	1,834
	FA	8SD45L90	13"H X 45"D X 90"L	1,915

To Order Follow Steps 1-4

*Glide height adjustability of seat height frames is 5/8".

1. Section Type

FA

8S Frame
Seat Height

2. Size

Depth X Length

D45L15 45" X 15"
D45L30 45" X 30"
D45L45 45" X 45"
D45L60 45" X 60"
D45L75 45" X 75"
D45L90 45" X 90"

3. Options

CGS Case Good Spanner

Case Good Spanner, Quantity
CGS1 Quantity 1
CGS2 Quantity 2
CGS3 Quantity 3
CGS4 Quantity 4
CGS5 Quantity 5
CGS6 Quantity 6




* Unique frame configurations
require additional bracket(s) -
location and quantity must be
verified by Stylex or CET Designer.

4. Frame Finish Choices

Standard Powder Paint

BL Blue
BM Black Matte
BR Brass
BT Black Twilight
CP Champagne
DB Dark Bronze
DG Dark Gray
DP Dusty Pink
FG Forest Green
LG Light Gray
MG Meadow Green
MK Milk
MS Metallic Silver

NK Nickel
NV Navy
OR Orange
PY Pale Yellow
RD Red
RO Red Orange
RR Rusty Red
SB Soft Blue
SD Sand
TC Terracotta
TP Taupe
TS Textured Slate
YL Yellow

Series		Model	Dimensions	29 Ledge Base Price	36 Ledge Base Price	42 Ledge Base Price
Seat with Ledge 30" Length	FA	8LH29L30	29"H X 45"D X 30"L	1,353	1,490	1,500
		8LH36L30	36"H X 45"D X 30"L			
		8LH42L30	42"H X 45"D X 30"L			
						
Seat with Ledge 60" Length	FA	8LH29L60	29"H X 45"D X 60"L	1,665	1,765	1,773
		8LH36L60	36"H X 45"D X 60"L			
		8LH42L60	42"H X 45"D X 60"L			
						
Seat with Ledge 90" Length	FA	8LH29L90	29"H X 45"D X 90"L	1,872	1,940	1,950
		8LH36L90	36"H X 45"D X 90"L			
		8LH42L90	42"H X 45"D X 90"L			
						


To Order Follow Steps 1-3








*Shorter ledges can be used on taller back panels.

1. Section Type

2. Frame Size

3. Frame Finish Choices



				Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
15" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2	
15" X 30"	FA	5D1530	29"H X 15"D X 30"L	1,226	1,322	1,436
						
15" X 45"	FA	5D1545	29"H X 15"D X 45"L	1,409	1,558	1,752
						
15" X 60"	FA	5D1560	29"H X 15"D X 60"L	1,504	1,772	2,015
						
				Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
30" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2	
30" X 15"	FA	5D3015	29"H X 30"D X 15"L	1,254	1,346	1,458
						
30" X 30"	FA	5D3030	29"H X 30"D X 30"L	1,474	1,662	1,927
						
30" X 45"	FA	5D3045	29"H X 30"D X 45"L	1,749	2,021	2,434
						
30" X 60"	FA	5D3060	29"H X 30"D X 60"L	1,906	2,362	2,884
						

To Order Follow Steps 1-5 * Glide height adjustability of 29", 36" and 42" tables is 1". * Casters not offered on Table runs.

1. Section Type

FA

5D Table Top
29 Desk

Table Runs

RS Table Run, Start

RM Table Run, Mid

RE Table Run, End

*Runs are for all tables except 15" Length tops

2. Size

15" Deep

1530 15" X 30"

1545 15" X 45"

1560 15" X 60"

30" Deep

3015 30" X 15"

3030 30" X 30"

3045 30" X 45"

3060 30" X 60"

3. Top Finish

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut

WV48 Natural White Oak

WV49 Natural Recon White

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

4. Frame Finish Choices

Standard Powder Paint

BL Blue

BM Black Matte

BR Brass

BT Black Twilight

CP Champagne

DB Dark Bronze

DG Dark Gray

DP Dusty Pink

FG Forest Green

LG Light Gray

MG Meadow Green

MK Milk

MS Metallic Silver

NK Nickel

NV Navy

OR Orange

PY Pale Yellow

RD Red

RO Red Orange

RR Rusty Red

SB Soft Blue

SD Sand

TC Terracotta

TP Taupe

TS Textured Slate

YL Yellow

5. Options

Screens

For screen options see pages 69 - 75.









Power/Wire Management

For power options and wire management see pages 24 - 27.

Casters

C1 Hard Black Casters +45

CS1 Soft Black Casters +60

				Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
45" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2	
45" X 15"	FA	5D4515	29"H X 45"D X 15"L	1,379	1,525	1,713
						
45" X 30"	FA	5D4530	29"H X 45"D X 30"L	1,718	1,989	2,404
						
45" X 45"	FA	5D4545	29"H X 45"D X 45"L	1,993	2,462	3,113
						
45" X 60"	FA	5D4560	29"H X 45"D X 60"L	2,179	2,876	3,782
						
				Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
60" Deep Tables	Series	Model	Dimensions	Grade 1	Grade 2	
60" X 15"	FA	5D6015	29"H X 60"D X 15"L	1,500	1,760	1,997
						
60" X 30"	FA	5D6030	29"H X 60"D X 30"L	1,875	2,331	2,852
						
60" X 45"	FA	5D6045	29"H X 60"D X 45"L	2,179	2,876	3,782
						
60" X 60"	FA	5D6060	29"H X 60"D X 60"L	2,284	4,440	4,478
						

To Order Follow Steps 1-5

* Glide height adjustability of 29", 36" and 42" tables is 1". * Casters not offered on Table runs.

1. Section Type

2. Size

3. Top Finish

4. Frame Finish Choices

5. Options

FA

5D Table Top
29 Desk

Table Runs

RS Table Run, Start

RM Table Run, Mid

RE Table Run, End

*Runs are for all tables
except 15" Length tops

45" Deep

4515 45" X 15"

4530 45" X 30"

4545 45" X 45"

4560 45" X 60"

60" Deep

6015 60" X 15"

6030 60" X 30"

6045 60" X 45"

6060 60" X 60"

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain
direction always runs in the length dimension.

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut

WV48 Natural White Oak

WV49 Natural Recon White

Standard Powder Paint

BL Blue

BM Black Matte

BR Brass

BT Black Twilight

CP Champagne

DB Dark Bronze

DG Dark Gray

DP Dusty Pink

FG Forest Green

LG Light Gray

MG Meadow Green

MK Milk

MS Metallic Silver

NK Nickel

NV Navy

OR Orange

PY Pale Yellow

RD Red

RO Red Orange

RR Rusty Red

SB Soft Blue

SD Sand

TC Terracotta

TP Taupe

TS Textured Slate

YL Yellow

Screens

For screen options see
pages 69 - 75.

Power/
Wire Management

For power options and
wire management see
pages 24 - 27.

Casters

C1 Hard Black Casters +45

CS1 Soft Black Casters +60

	Series	Model	Dimensions	Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
30" X 60"	FA	5C3060	36"H X 30"D X 60"L	2,210	2,667	3,187
45" X 60"	FA	5C4560	36"H X 45"D X 60"L	2,501	3,198	4,104
60" X 60"	FA	5C6060	36"H X 60"D X 60"L	2,629	5,163	4,822

To Order Follow Steps 1-5

* Glide height adjustability of 29", 36" and 42" tables is 1". * Casters not offered on Table runs.

1. Section Type

FA

5C Table Top
36 Counter

Table Runs

RS Table Run, Start

RM Table Run, Mid

RE Table Run, End

2. Size

Depth X Length

3060 30" X 60"

4560 45" X 60"

6060 60" X 60"

3. Top Finish

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut

WV48 Natural White Oak

WV49 Natural Recon White

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

4. Frame Finish Choices

Standard Powder Paint

BL Blue

BM Black Matte

BR Brass

BT Black Twilight

CP Champagne

DB Dark Bronze

DG Dark Gray

DP Dusty Pink

FG Forest Green

LG Light Gray

MG Meadow Green

MK Milk

MS Metallic Silver

NK Nickel

NV Navy

OR Orange

PY Pale Yellow

RD Red

RO Red Orange

RR Rusty Red

SB Soft Blue

SD Sand

TC Terracotta

TP Taupe

TS Textured Slate

YL Yellow

5. Options

Screens

For screen options see pages 69 - 75.

Power/Wire Management



For power options and wire management see pages 24 - 27.

Casters

C1 Hard Black Casters +45

CS1 Soft Black Casters +60

	Series	Model	Dimensions	Top Edge Finish		Wood Veneer
				Laminate	Grade 2	
30" X 60"	FA	5B3060	42"H X 30"D X 60"L	2,773	2,729	3,251
45" X 60"	FA	5B4560	42"H X 45"D X 60"L	2,546	3,242	4,149
60" X 60"	FA	5B6060	42"H X 60"D X 60"L	2,673	5,194	4,866



To Order Follow Steps 1-5 * Glide height adjustability of 29", 36" and 42" tables is 1". * Casters not offered on Table runs.

1. Section Type

FA

5B Table Top
42 Bar

Table Runs

RS Table Run, Start

RM Table Run, Mid

RE Table Run, End

2. Size

Depth X Length

3060 30" X 60"

4560 45" X 60"

6060 60" X 60"

3. Top Finish

Laminate - Grade 1

LM01 Designer White

LM02 Alabaster

LM03 Wallaby

LM04 Shadow

LM05 Dove Grey

LM06 Fashion Grey

LM07 Slate Grey

LM08 North Sea

LM09 Black

LM10 Fusion Maple

LM11 Monticello Maple

LM12 River Cherry

LM13 Amber Cherry

LM14 Walnut Heights

LM15 Montana Walnut

LM16 Xanadu

LM17 Asian Night

Laminate - Grade 2

LM41 Bianco Kos

LM42 Grigio Efeso

LM43 Grigio Londra

LM44 Grigio Bromo

LM45 Nero Ingo

LM99 Custom Laminate

Refer to page 22 for custom laminate details.

Veneer

WV01 Light Grey

WV02 Warm Grey

WV03 Opaque Black

WV04 Medium Cherry

WV05 Toned Ash

WV06 Natural Maple

WV41 Toned Recon Walnut

WV42 Dark Toned Oak

WV43 Toned Wenge

WV44 Toned Oak

WV45 Toned Recon Oak

WV46 Natural Flat Cut Walnut

WV47 Natural Rift Cut Walnut

WV48 Natural White Oak

WV49 Natural Recon White

WV99 Custom Wood Veneer

Refer to page 22 for custom veneer details.

Laminate wood pattern and wood veneer grain direction always runs in the length dimension.

4. Frame Finish Choices

Standard Powder Paint

BL Blue

BM Black Matte

BR Brass

BT Black Twilight

CP Champagne

DB Dark Bronze

DG Dark Gray

DP Dusty Pink

FG Forest Green

LG Light Gray

MG Meadow Green

MK Milk

MS Metallic Silver

NK Nickel

NV Navy

OR Orange

PY Pale Yellow

RD Red

RO Red Orange

RR Rusty Red

SB Soft Blue

SD Sand

TC Terracotta

TP Taupe

TS Textured Slate

YL Yellow

5. Options

Screens

For screen options see pages 69 - 75.





Power/Wire Management

For power options and wire management see pages 24 - 27.

Casters


C1 Hard Black Casters +45





CS1 Soft Black Casters +60

C.O.M.					C.O.M Fabric Upholstery Grades														
	Model	Height	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	Center 45 Partial	7PC41	Low	27"L x 10"H x 1"D	1.1	352	430	472	513	555	597	643	689	744	813	897	981	1,065	1,149
	Center 45 Partial	7PC42	Mid	27"L x 15"H x 1"D	1.1	391	469	511	552	594	636	681	728	783	852	936	1,020	1,104	1,188
	Center 45 Full	7PC46	Low	43"L x 10"H x 1"D	1.7	430	545	609	671	733	797	866	935	1,017	1,121	1,247	1,373	1,499	1,624
	Center 45 Full	7PC47	Mid	43"L x 15"H x 1"D	1.7	469	584	647	708	772	836	904	973	1,055	1,160	1,286	1,412	1,538	1,662

To Order Follow Steps 1-3


* Height is from table top surface. * Center screens are only available on 45" and 60" deep tables.






C.O.M.					C.O.M Fabric Upholstery Grades														
	Model	Height	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	Center 60 Partial	7PC61	Low	42"L x 10"H x 1"D	1.7	430	545	609	671	733	797	866	935	1,017	1,121	1,248	1,373	1,499	1,624
	Center 60 Partial	7PC62	Mid	42"L x 15"H x 1"D	1.7	468	583	646	707	771	834	903	972	1,054	1,159	1,285	1,409	1,537	1,661
	Center 60 Full	7PC66	Low	58"L x 10"H x 1"D	2.2	530	685	769	851	935	1,020	1,112	1,204	1,313	1,453	1,621	1,787	1,957	2,123
	Center 60 Full	7PC67	Mid	58"L x 15"H x 1"D	2.2	573	728	812	894	978	1,063	1,155	1,246	1,356	1,495	1,664	1,831	1,999	2,165

To Order Follow Steps 1-3

* Height is from table top surface. * Center screens are only available on 45" and 60" deep tables.




C.O.M.					C.O.M Fabric Upholstery Grades														
	Model	Height	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	Perimeter 30 Low	7PP36	Low	30"L x 10"H x 1"D	2.2	553	707	792	874	958	1,042	1,134	1,227	1,336	1,475	1,644	1,810	1,979	2,146
	Perimeter 30 Mid	7PP37	Mid	30"L x 15"H x 1"D	2.2	584	739	823	905	989	1,074	1,165	1,258	1,367	1,507	1,675	1,841	2,010	2,177
	Perimeter 30 High	7PP38	High	30"L x 21"H x 1"D	2.2	626	781	865	947	1,031	1,116	1,209	1,300	1,409	1,549	1,717	1,884	2,053	2,219

To Order Follow Steps 1-3


*Height is from table top surface. *30" perimeter screens available on 30, 45, 60 long tables. *0.5" gap from screen to edge of table for cables/accessories.

1. Section Type



7PP3 Privacy, Perimeter, 30"

2. Screen Height




6 Low

7 Mid




8 High

3. Fabric



Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.


Screens are tack-able surfaces. Please keep this in mind when specifying upholstery grade fabrics. Leathers and vinyls are not approved for use on screens.

C.O.M.					C.O.M Fabric Upholstery Grades														
	Model	Height	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	Perimeter 45 Low	7PP46	Low	45"L x 10"H x 1"D	3.3	646	876	1,003	1,126	1,253	1,379	1,517	1,655	1,819	2,027	2,281	2,530	2,784	3,034
	Perimeter 45 Mid	7PP47	Mid	45"L x 15"H x 1"D	3.3	683	914	1,040	1,163	1,290	1,416	1,554	1,692	1,855	2,065	2,318	2,567	2,821	3,070
	Perimeter 45 High	7PP48	High	45"L x 21"H x 1"D	3.3	728	959	1,085	1,209	1,336	1,462	1,599	1,738	1,902	2,110	2,364	2,614	2,866	3,117

To Order Follow Steps 1-3


* Height is from table top surface. * All 45" long perimeter screens are available on 45, or 60 long tables.

1. Section Type



7PP4 Privacy, Perimeter, 45"

2. Screen Height




6 Low

7 Mid




8 High

3. Fabric



Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.


Screens are tack-able surfaces. Please keep this in mind when specifying upholstery grade fabrics. Leathers and vinyls are not approved for use on screens.

C.O.M.					C.O.M Fabric Upholstery Grades														
	Model	Height	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M	
	Perimeter 60 Low	7PP66	Low	60"L x 10"H x 1"D	4.4	880	1,188	1,356	1,521	1,690	1,859	2,042	2,226	2,445	2,723	3,061	3,393	3,731	4,064
	Perimeter 60 Mid	7PP67	Mid	60"L x 15"H x 1"D	4.4	963	1,272	1,441	1,605	1,773	1,943	2,127	2,310	2,528	2,807	3,145	3,478	3,816	4,148
	Perimeter 60 High	7PP68	High	60"L x 21"H x 1"D	4.4	1,028	1,336	1,504	1,669	1,837	2,007	2,190	2,374	2,593	2,871	3,209	3,541	3,879	4,212

To Order Follow Steps 1-3


* Height is from table top surface. * All 60" long perimeter screens are available on 60 long tables only.

1. Section Type



7PP6 Privacy, Perimeter, 60"

2. Screen Height




6 Low

7 Mid


8 High

3. Fabric




Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.




Screens are tack-able surfaces. Please keep this in mind when specifying upholstery grade fabrics. Leathers and vinyls are not approved for use on screens.

C.O.M.					C.O.M Fabric Upholstery Grades													
	Model	Quantity	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M
	7PS21	1	25"L x 10"H x 1"D	1.1	334	410	453	494	536	578	624	670	725	794	879	962	1,047	1,130
	7PS22	2	25"L x 10"H x 1"D	2.2	638	793	877	959	1,043	1,129	1,220	1,312	1,421	1,561	1,729	1,895	2,065	2,231
	7PS23	3	25"L x 10"H x 1"D	2.2	944	1,098	1,183	1,265	1,349	1,433	1,526	1,618	1,727	1,866	2,035	2,201	2,371	2,537
	7PS24	4	25"L x 10"H x 1"D	2.8	1,250	1,442	1,548	1,650	1,756	1,862	1,976	2,091	2,228	2,402	2,613	2,821	3,032	3,240

To Order Follow Steps 1-3

* PS23 and PS24 only available on 45" and 60" deep tables.



C.O.M.					C.O.M Fabric Upholstery Grades													
	Model	Quantity	Dimensions	Ydg.	C.O.M	A	B	C	D	E	F	G	H	I	J	K	L	M
	Modesty, End for 30 Table 7ME31	1	30"L x 13"H x 1"D	1.1	405	482	524	565	607	649	696	741	796	865	950	1,034	1,118	1,201
	7ME32	2	30"L x 13"H x 1"D	2.2	781	934	1,020	1,102	1,186	1,270	1,362	1,454	1,563	1,702	1,872	2,038	2,206	2,373
	Modesty, End for 45 Table 7ME41	1	45"L x 13"H x 1"D	1.7	463	579	643	704	767	831	900	969	1,051	1,155	1,282	1,406	1,533	1,658
	7ME42	2	45"L x 13"H x 1"D	3.3	897	1,129	1,256	1,379	1,506	1,632	1,770	1,907	2,071	2,280	2,534	2,783	3,037	3,286
	Modesty, End for 60 Table 7ME61	1	60"L x 13"H x 1"D	2.2	557	711	795	877	962	1,047	1,138	1,230	1,339	1,479	1,647	1,813	1,983	2,149
	7ME62	2	60"L x 13"H x 1"D	3.3	1,085	1,317	1,443	1,566	1,692	1,819	1,957	2,095	2,259	2,468	2,721	2,970	3,224	3,473

To Order Follow Steps 1-3

* The bottom of modesty screens measure 13" from the floor.

1. Section Type

7ME3 Modesty, End for 30

7ME4 Modesty, End for 45

7ME6 Modesty, End for 60

2. Quantity

1 Quantity of 1

2 Quantity of 2

3. Fabric

Yardages provided are for fabrics cut railroaded. While that is generally our preference for Free Address, there may be exceptions if we decide that up the roll is more visually pleasing. If COM fabrics are to be cut up the roll, please contact customer service.

Screens are tack-able surfaces. Please keep this in mind when specifying upholstery grade fabrics. Leathers and vinyls are not approved for use on screens.