# **stylex**

# Metrum

**Product Information** 

Dimensions / Overview	Single	Double	Triple	General
Low-Back with Cantilever Arms A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 48"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 77.75"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 107.5"	Design Stylex  Construct Multi-der is adhere plywood surfaces enhance webbing seating s support.
Low-Back with Standard Arms A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 41.25"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 71"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 100.75"	Legs Metrum i or wood powder of ordered a legs are walnut. A  Tables A selectic surface, a
Low-Back Armless A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 29.75"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 59.5"	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 89.25"	Arms Metrum end arms outside e can be ar layout.  Configur While Me units (sir seat), it is flexible. T arms, an encourage

# General Information

#### Construction

Multi-density, open-cell polyurethane foam is adhered to CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.

Metrum is available with cast aluminum or wood legs. Cast aluminum legs may be powder coated in a variety of finishes, or ordered as polished cast aluminum. Wood legs are available in maple, white oak, and walnut. Adjustable glides are standard.

A selection of in-stock Caesarstone, solid surface, and wood tables is available.

Metrum offers two categories of arms end arms that can only be added to the outside ends of a unit, and mid-arms that can be added between units in a continuous layout.

#### Configuration

While Metrum offers traditional standalone units (single seat, double seat, and triple seat), it is at the same time fundamentally flexible. The modular armless seats, corners, arms, and tables have all been designed to encourage creation of a wide variety of setups. Units next to each other in a continuous layout share a mid-leg that supports both units. To ensure clarity when ordering modular set-ups, it is critical that line items should be listed in the order in which they will be connected from left end (seated perspective) to right end.

#### Power

Optional power receptacles are available for surface mount in tables or undermounted on the front of seat units by either the left or right leg. Power units contain 2 USB ports and a standard, grounded 3-prong electrical outlet.

Manufactured to comply with ANSI/BIFMA X5.4 Lounge Seating Tests.

#### Environment

Greenguard certified.

Dimensions / Overview	Single	Double	Triple
High-Back with Privacy Arms A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 33.75"	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 63.75"	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 93.75"
High-Back Armless A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 29.75"	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 59.5"	A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 89.25"

#### **General Information**

**Design** Stylex

#### Construction

Multi-density, open-cell polyurethane foam is adhered to CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.

#### Legs

Metrum is available with cast aluminum or wood legs. Cast aluminum legs may be powder coated in a variety of finishes, or ordered as polished cast aluminum. Wood legs are available in maple, white oak, and walnut. Adjustable glides are standard.

#### Tables

A selection of in-stock Caesarstone, solid surface, and wood tables is available.

#### Arme

Metrum offers two categories of arms – end arms that can only be added to the outside ends of a unit, and mid-arms that can be added between units in a continuous layout.

#### Configuration

While Metrum offers traditional standalone units (single seat, double seat, and triple seat), it is at the same time fundamentally flexible. The modular armless seats, corners, arms, and tables have all been designed to encourage creation of a wide variety of setups. Units next to each other in a continuous layout share a mid-leg that supports both units. To ensure clarity when ordering modular set-ups, it is critical that line items should be listed in the order in which they will be connected from left end (seated perspective) to right end.

#### Power

Optional power receptacles are available for surface mount in tables or undermounted on the front of seat units by either the left or right leg. Power units contain 2 USB ports and a standard, grounded 3-prong electrical outlet.

#### Testina

Manufactured to comply with ANSI/BIFMA X5.4 Lounge Seating Tests.

#### Environment


Greenguard certified.

Product Information Lounge

Dimensions / Overview					General Information
Low/High-Back Corner A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	Low-Back Corner A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 33.75"	High-Back Corner A. 16" B. 23.5" C. 28.5" D. 44.5" E. 33.75" F. 33.75"			Design Stylex  Construction Multi-density, open-cell polyurethane foam is adhered to CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
Low-Back Chaise A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 18" B. 38.5" C. 12" D. 28" E. 48.75" F. 29.75"				Legs Metrum is available with cast aluminum or wood legs. Cast aluminum legs may be powder coated in a variety of finishes, or ordered as polished cast aluminum. Wood legs are available in maple, white oak, and walnut. Adjustable glides are standard.  Tables A selection of in-stock Caesarstone, solid surface, and wood tables is available.
Settee Double A. Seat Height B. Seat Depth C. Back Height D. Overall Height E. Overall Depth F. Overall Length	A. 16" B. 23.5" C. 12" D. 28" E. 33.75" F. 66.875"				Arms  Metrum offers two categories of arms – end arms that can only be added to the outside ends of a unit, and mid-arms that can be added between units in a continuous layout.  Configuration  White Metrum offers traditional standalone units (single seat, double seat, and triple seat), it is at the same time fundamentally flexible. The modular armless seats, corners, arms, and tables have all been designed to
Arms		•	÷		encourage creation of a wide variety of setup Units next to each other in a continuous layou
Arms A. Arm Height B. Arm Depth C. Arm Width	Cantilever A. 13.5" B. 33.25" C. 9.125"	<b>Standard</b> A. 13" B. 33.75" C. 5.75"	Bookshelf A. 14" B. 33" C. 10"	Privacy A. 12" B. 33.5" C. 2"	share a mid-leg that supports both units. To ensure clarity when ordering modular set-up it is critical that line items should be listed in the order in which they will be connected from left end (seated perspective) to right end.
					Power Optional power receptacles are available for surface mount in tables or undermounted on the front of seat units by either the left or right leg. Power units contain 2 USB ports and a standard, grounded 3-prong electrical outlet.
	Mid Arm Wood A. 3" above seat B. 22" C. 7.5"	Mid Arm Upholstered A. 4.25" above seat B. 22.5" C. 8"			Testing Manufactured to comply with ANSI/BIFMA X5.4 Lounge Seating Tests.  Environment Greenguard certified.

Product Information Lounge

Dimensions / Overview					General Information
Bench A. Bench Height B. Bench Depth C. Bench Width	Bench Single A. 16" B. 33.75" C. 29.75"	Bench Double A. 16" B. 33.75" C. 59.5"	Bench Triple A. 16" B. 33.75" C. 89.25"	Bench Corner A. 16" B. 33.75" C. 33.75"	Design Stylex  Construction Multi-density, open-cell polyurethane foam is adhered to CARB-Certified internal plywood frame. All seat and back foam surfaces are overlaid with Dacron for enhanced feel and comfort. Dymetrol® webbing is used at the foundation of all seating surfaces to provide additional, flexible support.
Full Tables A. Height B. Depth C. Width	Full Stand-Alone Table A. 9.25 - 9.5" B. 33.5" C. 33.5"	Full End Table A. 9.25 - 9.5" B. 33.5" C. 33.5"	Full Mid Table A. 9.25 - 9.5" B. 33.5" C. 33.5"	Full Corner Table A. 9.25 - 9.5" B. 33.5" C. 33.5"	Legs Metrum is available with cast aluminum or wood legs. Cast aluminum legs may be powder coated in a variety of finishes, or ordered as polished cast aluminum. Wood legs are available in maple, white oak, and walnut. Adjustable glides are standard.  Tables A selection of in-stock Caesarstone, solid surface, and wood tables is available.
Half Tables A. Height B. Depth C. Width	Half End Table A. 9.25 - 9.5" B. 33.5" C. 20"	Half Mid Table A. 9.25 - 9.5" B. 33.5" C. 20"			Arms Metrum offers two categories of arms – end arms that can only be added to the outside ends of a unit, and mid-arms that can be added between units in a continuous layout.
					Configuration While Metrum offers traditional standalone units (single seat, double seat, and triple seat), it is at the same time fundamentally flexible. The modular armless seats, corners, arms, and tables have all been designed to encourage creation of a wide variety of setups Units next to each other in a continuous layou share a mid-leg that supports both units. To ensure clarity when ordering modular set-ups it is critical that line items should be listed in the order in which they will be connected fron left end (seated perspective) to right end.
					Power Optional power receptacles are available for surface mount in tables or undermounted on the front of seat units by either the left or right leg. Power units contain 2 USB ports and a standard, grounded 3-prong electrical outlet.  Testing Manufactured to comply with ANSI/BIFMA
					X5.4 Lounge Seating Tests.  Environment Greenguard certified.



#### Power Port Ordering

# **Power Options Seating**



LI1R1	Under Seat, 10' Cord, Black, Left	+494
	Under Seat, 10' Cord, Black, Right	+494
	Under Seat, 10' Cord, Black, Left & Right	+988
	Under Seat, 10' Cord, White, Left	+494
	Under Seat, 10' Cord, White, Right	+494
U1W3	Under Seat, 10' Cord, White, Left & Right	+988
U1G1	Under Seat, 10' Cord, Gray, Left	+494
U1G2	Under Seat, 10' Cord, Gray, Right	+494
U1G3	Under Seat, 10' Cord, Gray, Left & Right	+988


# Power Options Tables



S1B	Table Surface, 10' Cord, Black	+48
S1W	Table Surface, 10' Cord, White	+48
S1G	Table Surface, 10' Cord, Gray	+48
S2B	Table Surface, 20' Cord, Black	+52
S2W	Table Surface, 20' Cord, White	+52
S2G	Table Surface, 20' Cord, Gray	+52




C.O.M Fabric Upholstery Grades Ε F Κ Series Model **Dimensions** Ydg. C.O.M С D G Н J L М Low-Back Single with Cantilever Arms ΜT 11B41 28"H x 33.75"D x 48"W 3.8 3,173 3,443 3,585 3,875 4,022 4,185 4,342 4,530 4,778 5,070 5,363 5,653 5,945 3,730 Low-Back Double with Cantilever Arms MT 12B41 28"H x 33.75"D x 77.75"W 4,730 5,145 5,367 5,587 5,811 6,037 6,288 6,530 6,820 7,200 7,651 8,101 8,544 8,995 Low-Back Triple with Cantilever Arms MT 13B41 28"H x 33.75"D x 107.5"W 7.9 6,114 6,667 6,963 7,258 7,554 7,857 8,191 8,513 8,901 9,409 10,008 10,609 11,200 11,800






C.O.M Fabric Upholstery Grades Е F Κ Series Model **Dimensions** Ydg. C.O.M С D G Н J L М Low-Back Single with Standard Arms 11B44 28"H x 33.75"D x 41.25"W 2,873 3,267 3,476 3,688 3,898 4,116 4,353 4,582 4,857 5,221 5,647 6,076 6,497 6,923 5.5 Low-Back Double with Standard Arms MT 12B44 28"H x 33.75"D x 71"W 7.6 4,430 4,969 5,258 5,545 5,834 6,131 6,456 6,769 7,148 7,644 8,228 8,813 9,389 9,972 Low-Back Triple with Standard Arms MT 13B44 28"H x 33.75"D x 100.75"W 9.6 5,814 6,493 6,854 7,216 7,578 7,952 8,359 8,754 9,229 9,852 10,585 11,321 12,044 12,778






					C.O.M Fa	bric Uphols	stery Grade	!S										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	ı	J	К	L	М
High-Back Single with Privacy Arms	MT	21B43	44.5"H x 33.75"D x 33.75"W	6.6	3,230	3,694	3,940	4,189	4,435	4,691	4,971	5,239	5,564	6,000	6,492	6,994	7,489	7,991
High-Back Double with Privacy Arms	MT	22B43	44.5"H x 33.75"D x 63.5"W	9.5	5,076	5,740	6,093	6,450	6,803	7,168	7,569	7,955	8,419	9,029	9,748	10,469	11,179	11,897
High-Back Triple with Privacy Arms	MT	23B43	44.5"H x 33.75"D x 93.25"W	12.3	6,806	7,664	8,121	8,580	9,037	9,509	10,026	10,526	11,125	11,913	12,842	13,773	14,689	15,617




Metrum

					C.O.M Fa	bric Uphols	stery Grade	es										
	Series	Model	Dimensions	Ydg.	C.O.M	A	В	С	D	E	F	G	Н	I	J	K	L	М
Low-Back Single	MT	11	28"H x 33.75"D x 29.75"W	2.7	2,019	2,205	2,305	2,406	2,504	2,607	2,720	2,829	2,959	3,130	3,333	3,536	3,735	3,937
Low-Back Double	MT	12	28"H x 33.75"D x 59.5"W	4.8	3,576	3,909	4,086	4,263	4,440	4,622	4,822	5,015	5,249	5,553	5,914	6,273	6,627	6,988
Low-Back Triple	MT	13	28"H x 33.75"D x 89.25"W	6.8	4,960	5,431	5,683	5,933	6,185	6,443	6,726	7,000	7,330	7,762	8,271	8,781	9,283	9,793
To Onder Fellow Stone 1 7																		






					C.O.M Fa	bric Uphols	stery Grade	es										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	I	J	К	L	М
High-Back Single	MT	21	44.5"H x 33.75"D x 29.75"W	3.3	2,538	2,766	2,888	3,009	3,132	3,258	3,395	3,528	3,688	3,896	4,145	4,392	4,636	4,883
High-Back Double	MT	22	44.5"H x 33.75"D x 59.5"W	6.2	4,384	4,813	5,041	5,271	5,499	5,736	5,993	6,243	6,543	6,936	7,401	7,867	8,324	8,790
High-Back Triple	MT	23	44.5"H x 33.75"D x 89.25"W	9.0	6,114	6,737	7,069	7,401	7,734	8,076	8,450	8,813	9,250	9,820	10,496	11,170	11,835	12,509






C.O.M Fabric Upholstery Grades Ε F Κ Series Model **Dimensions** Ydg. C.O.M С D G Н J L М Low-Back Corner ΜT 14 28"H x 33.5"D x 33.5"W 3.6 2,884 3,133 3,266 3,398 3,532 3,668 3,818 3,964 4,138 4,367 4,637 4,907 5,173 5,443 ΜT 15 Low-Back Chaise 28"H x 48.75"D x 29.75"W 3.3 2,365 2,593 2,716 2,837 2,959 3,084 3,222 3,354 3,515 3,724 3,972 4,219 4,462 4,710 High-Back Corner ΜT 24 44.5"H x 33.5"D x 33.5"W 5.2 3,922 4,282 4,473 4,666 4,857 5,056 5,272 5,482 5,733 6,064 6,453 6,843 7,227 7,617




Settee Double

					C.O.M Fa	bric Uphols	tery Grade	es										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	I	J	K	L	М
Settee Double	MT	32	28"H x 33.75"D x 66.875"W	6.6	4,845	5,302	5,545	5,789	6,033	6,283	6,559	6,824	7,144	7,563	8,058	8,552	9,041	9,536




, and the second					C.O.M Fa	bric Uphol	stery Grade	es										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	1	J	K	L	М
Bench Single	MT	01	16"H x 33.75"D x 29.75"W	2.1	1,355	1,501	1,578	1,655	1,734	1,813	1,901	1,986	2,087	2,221	2,378	2,536	2,690	2,848
Bench Double	MT	02	16"H x 33.75"D x 59.5"W	3.0	2,307	2,514	2,625	2,736	2,847	2,961	3,086	3,207	3,352	3,543	3,768	3,993	4,215	4,439
Bench Triple	МТ	03	16"H x 33.75"D x 89.25"W	4.1	3,115	3,398	3,549	3,700	3,853	4,008	4,180	4,344	4,543	4,804	5,111	5,419	5,721	6,029
Bench Corner	МТ	04	16"H x 33.5"D x 33.5"W	2.2	1,384	1,537	1,617	1,699	1,780	1,864	1,956	2,044	2,150	2,290	2,455	2,620	2,782	2,948



C.O.M Fabric Upholstery	Grades
-------------------------	--------


					C.O.M Fal	bric Uph	olstery Grad	es										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	ı	J	K	L	М
Cantilever Arm	MT	41	13.5"H x 33.25"D x 9.125"W	0.6	577	618	641	662	685	707	732	757	785	823	869	914	959	1,004
Bookshelf Arm	MT	42	14"H x 33"D x 10"W	-	White Oa		2,076											
					Natural Walnut		2,304 2,769											
Privacy Arm	MT	43	12"H x 33.5"D x 2"W	1.4	346	464	526	589	652	717	787	856	937	1,046	1,174	1,301	1,427	1,553
Standard Arm	MT	44	13"H x 33.75"D x 5.75"W	1.5	427	531	586	642	697	755	816	877	950	1,045	1,157	1,270	1,381	1,493

#### To Order Follow Steps 1-5



$\cap \cap M$	Eabric	Unholstery	Cradoc

					C.O.M Fa	abric Upl	holstery Grad	es										
	Series	Model	Dimensions	Ydg.	C.O.M	Α	В	С	D	E	F	G	Н	I	J	K	L	М
Mid Arm Wood	МТ	45	3"H x 22"D x 7.5"W	3.6	White C Natural Walnut	. Maple	894 923 1,038											
Mid Arm Upholstery	МТ	46	4.25"H x 22.5"D x 8"W	3.3	577	653	693	734	775	816	862	907	960	1,030	1,112	1,195	1,276	1,359





Full Tables Lounge

				Table Ma	terial Selection							
	Series	Model	Dimensions	CS Caesa	arstone		SS Solid	Surface		SW Sol	id Wood	
Full Stand-Alone Table	МТ	51	9.25-9.5"H x 33.5"D x 33.5"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,384 4,384 4,384 5,653 7,152	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	2,307 2,307 2,942 3,922 3,461	81 83 85	White Oak Natural Maple Walnut	1,511 1,361 2,053
Full End Table	МТ	52	9.25-9.5"H x 33.5"D x 33.5"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,268 4,268 4,268 5,537 7,037	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	2,192 2,192 2,827 3,807 3,345	81 83 85	White Oak Natural Maple Walnut	1,396 1,245 1,938
Full Mid Table	МТ	53	9.25-9.5"H x 33.5"D x 33.5"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,268 4,268 4,268 5,537 7,037	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	2,192 2,192 2,827 3,807 3,345	81 83 85	White Oak Natural Maple Walnut	1,396 1,245 1,938
Full Corner Table	МТ	54	9.25-9.5"H x 33.5"D x 33.5"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,384 4,384 4,384 5,653 7,152	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	2,307 2,307 2,942 3,922 3,461	81 83 85	White Oak Natural Maple Walnut	1,511 1,361 2,053

# To Order Follow Steps 1-5




Table	Matarial	Selection

				Table Ma	terial Selection							
	Series	Model	Dimensions	CS Caesa	arstone		SS Solid	Surface		SW Sol	id Wood	
Half End Table	МТ	56	9.25-9.5"H x 33.5"D x 20"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,096 4,096 4,096 4,673 4,730	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	1,789 1,789 2,250 3,115 2,827	81 83 85	White Oak Natural Maple Walnut	1,015 923 1,373
Half Mid Table	MT	57	9.25-9.5"H x 33.5"D x 20"W	51 52 53 65 96	Jet Black Sleek Concrete Haze Pure White Statuario Nuvo	4,096 4,096 4,096 4,673 4,730	01 03 04 05 06	Arctic White Ivory White Grey Steel Grey Black	1,789 1,789 2,250 3,115 2,827	81 83 85	White Oak Natural Maple Walnut	1,015 923 1,373

