
# **stylex**

# Ridge Guest

## Ridge Guest Product Information: Multi-Use Guest

Dimensions / Overview	Radius Sled Frame	Cantilever Sled Frame	Four-Leg Frame	Wood Frame	General Information
	Guest Height Chair	,		`	
A. Seat Height B. Arm Height C. Seat Depth D. Back Height E. Overall Width of Arms F. Seat Width G. Overall Height H. Overall Width Base I. Overall Depth	Guest Height Chair  A. 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 25" I. 22"	A. 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 24" I. 21"	A. 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 25" I. 22"	A. 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 23" I. 21"	Design Aodh O Donnell  Construction – Arms and Back The upper portion of each Ridge Guest chair incorporates a rigid polyurethane interior over-molded with soft, plant-based polyurethane molded foam to create a unitized construction. Upholstery covers are pulled over this structure and held in place with waterbased adhesive.  Construction – Seat The seat utilizes 5/8" plywood with a molded foam, high-density topper that is 2.25" thick.
Dimensions / Overview	Fixed Height Swivel-18" High	Fixed Height Swivel Return-18" High	Fixed Height Swivel-16" High	Fixed Height Swivel Return-16" High	Construction - Bases
- Dimensions / Overview	Guest Height Chair	Tixed Height Switch Retain 10 Tilgii	Lounge Height Chair	Tixed Height Switch Retails 10 High	Cantilevered sled base frames are 1", 13-gauge steel tube. Radius sled and four-leg
A. Seat Height B. Arm Height C. Seat Depth D. Back Height E. Overall Width of Arms F. Seat Width G. Overall Height H. Overall Width/Depth Base	A 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 28"	A. 18" B. 7" C. 20" D. 16" E. 25" F. 20" G. 30" H. 28"	A. 16.5" B. 7" C. 20" D. 16" E. 25" F. 20" G. 28" H. 28"	A. 16.5" B. 7" C. 20" D. 16" E. 25" F. 20" G. 28" H. 28"	frames are 5/8", 16-gauge steel tube. Both 4-blade and 5-blade bases are cast aluminum Wood, 4-leg bases are produced from white oak or maple, depending on the option selected.  All sled base components may be ordered in bright chrome or one of our powder coat finishes. The 4-blade bases may be either polished aluminum or painted. 5-blade swivel bases are either polished aluminum or painted, but painted 5-blade bases always utilize chrome cylinders.
Dimensions / Overview	Adjustable Height Swivel				Glides Glides are either plastic or plastic with felt
A. Seat Height B. ArmHeight C. Seat Depth D. Back Height E. Overall Width of Arms F. Seat Width G. Overall Height H. Overall Width/Depth Base	Adjustable Height Chair  A. 15.4"- 20.4" B. 7" C. 20" D. 16" E. 25" F. 20" G. 27.2"- 32.2" H. 27"				pads.  Use Designed for indoor use only.  Testing Manufactured to comply with ANSI/BIFMA x5.1 General Office Chair tests.  Environment Greenguard Certified.

- Triage Odes	<i>)</i> (	метаг в	ase Frame	S		C.O.M.	C.O.L.	C.O.M /	C.O.L.	Fabric U C.O.L.	Jpholste	ery Grad	des							Leathe	r Uphol	stery Gr	rades	
	Series	Shell	Height	Base	Description / Finish	Ydg.	Sq. ft.	C.O.M	Α	В	С	D	E	F	G	Н	I	J	K	w	Х	Υ	E1	E2
	Radius	s Sled Fr	rame		Upholstered Shell with Radius Sled Frame, 18" Guest Height Seat																			
	RG	2	18	1	Standard Powder	2.8	36	1,603	1,827	1,952	2,069	2,188	2,311	2,446	2,580	2,737	2,942	3,185	3,429	2,555	2,852	3,784	4,055	5,108
	Cantile	ever Sle	d Frame		Upholstered Shell with Cantilever Sled Frame, 18" Guest Height Seat																			
	RG	2	18	3	Standard Powder	2.8	36	1,676	1,901	2,023	2,141	2,264	2,385	2,519	2,652	2,810	3,016	3,256	3,502	2,628	2,924	3,861	4,130	5,184
	Four L	eg Fram	ne		Upholstered Shell with Four Leg Frame 18" Guest Height Seat																			
	RG	2	18	4	Standard Powder	2.8	36	1,603	1,827	1,952	2,069	2,188	2,311	2,446	2,580	2,737	2,942	3,185	3,429	2,555	2,852	3,784	4,055	5,108




### Ridge Guest

Upholstered Shell Fixed-Height Swivel Bases


C.O.M / C.O.L. Fabric Upholstery Grades Leather Upholstery Grades C.O.M. C.O.L C.O.L Series Shell Height Base Description / Finish Ydg. Sq. ft. C.O.M A В С D Ε G Х Υ E1 **E2** Fixed-Height Swivel Upholstered Shell, Fixed-Height 18" Guest Swivel, Four Blade Aluminum Base, 18" Lounge 18 Standard Powder 2.8 1,822 2,047 2,170 2,289 2,408 2,530 2,664 2,799 2,956 3,161 3,402 3,648 2,775 3,072 4,012 4,276 5,336 or Polished Aluminum Upholstered Shell, Fixed-Height Fixed-Height Swivel 16" Lounge Swivel, Four Blade Aluminum Base, 16" Lounge Standard Powder 2.8 1,822 2,047 2,170 2,289 2,408 2,530 2,664 2,799 2,956 3,161 3,402 3,648 2,775 3,072 4,012 4,276 5,336 16 36 or Polished Aluminum Fixed-Height Swivel Return Upholstered Shell, Fixed-Height 360 18" Guest Degree Swivel Return, Four Blade Aluminum Base, 18" Guest 18 Standard Powder 2.8 2,006 2,229 2,352 2,470 2,589 2,712 2,848 2,981 3,138 3,342 3,586 3,832 2,956 3,253 4,204 4,456 5,529 or Polished Aluminum Fixed-Height Swivel Return Upholstered Shell, Fixed-Height 360 Degree Swivel Return, Four Blade 16" Lounge Aluminum Base, 16" Lounge Standard Powder 2,006 2,229 2,352 2,470 2,589 2,712 2,848 2,981 3,138 3,342 3,586 3,832 2,956 3,253 4,204 4,456 5,529 16 2.8 or Polished Aluminum

### To Order Follow Steps 1-6



Ridge Guest Upholstered Shell Adjustable Height

Swivel Base Frames						C.O.M.	C.O.L.	C.O.L.   C.O.L. Fabric Upholstery Grades C.O.L.   C.O.L.							Leather Upholstery Grades									
	Series	Shell	Mech	Base	Description / Finish	Ydg.	Sq. ft.	C.O.M	Α	В	С	D	E	F	G	Н	1	J	K	w	Х	Υ	E1	E2
	·	table Heig	ht Swive		Upholstered Shell, Adjustable Height Swivel with Forward and Rearward Flex Five-Blade Aluminum Base with Casters		0/	00/1	0044	0.000	0.50/	0.405	0.5740	0.007	0.010	0.157	0.000	0.400	0.045	0.007	0.000			5.548
aa u aaa u aa	RG	2	40	9	Standard Powder or Polished Aluminum	2.8	36	2,041	2,266	2,388	2,506	2,627	2,749	2,884	3,019	3,174	3,380	3,622	3,867	2,994	3,290	4,242	4,493	5,567



Series Shell Wood Frame	Height Base	Description / Finish	Ydg.	Sq. ft.	СОМ	^															
Wood Frame					Ololi-1	A	В	С	D	E	F	G	Н	I	J	K	W	X	Υ	E1	E2
RG 2	18 6	Upholstered Shell, Hardwood Leg Structure 18" Guest Height  White Oak or Maple	2.8	36	2 260	2,484	2 606	2724	2847	2967	3 102	3 235	3 394	3 597	3.840	4 087	3211	3 508	<u>4</u>	4713	5 796

