



SWAY® LOUNGE FURNITURE

PRICE LIST

September 23, 2015

Updated December 1, 2022

800.424.2432

Contents

Refer to KI Terms & Conditions document or visit ki.com.



Contents

Refer to KI Terms & Conditions document or visit ki.com.

Ordering C.O.M., C.O.L., and C.O.V.		
	Ordering C.O.M., C.O.L., and C.O.V. and Shipping Location	3
Sway®		
	General Information	4
	Product Color Options	6
	Lobby and Lounge Seating	7
	Replacements	10


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302

For products shipped from Bonduel, WI facility, ship material to:


KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.



Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M. SHIPPING LOCATION

Architectural Walls	System 3000..... MN	LaResta Day BedsHN
	Evoke..... MN	LimeLite GB
Casegoods	Universal Overheads..... MN	Lyra Lounge Seating.....HN
	Genius Walls..... MN	Maestro Stack ChairsGB
Classroom Furniture	Wireworks MN	Matrix Stack Chairs..... GB
	Unite..... MN	Medical & Laboratory Stools..... OM
Desking	Residence Hall Furniture	MyPlace Lounge SeatingHN
	Aristotle Tackboards.....MN	MyWay Seating.....HN
Files & Storage	RoomScape Furniture MN	Oath Task Chairs and Stools.....GB
	Likha Tackboards.....MN	Opt4 GB
Fixed Seating	Screens	Pilot Task Chairs..... OM
	Intellect Wave Chairs..... GB	Promenade Seating SystemBW
Panel Systems	Learn2 GB	Ruckus..... GB
	Ruckus.....GB	Sela Lounge SeatingHN
Seating	700 Series DeskingKP	Sift Task ChairsGB
	Balance Overheads..... MN	Signia Task Chairs and StoolsOM
Tattoo	Genesis Desking..... MN	Soltice Metal Collection.....HN
	True Desking KP	Soltice Multiple, Healthcare & Guest .HN
Universal Overheads..... MN	Tattoo..... MN	Soltice II Healthcare Seating.....HN
	WorkZone Desking MN	Strive Multiple, Stack & Task..... GB
WorkZone Desking MN	Universal.....BW	SwayBW
	400 Series Folding Chairs.....BW	TattooHN
Affina Collection.....HN	600 Series Folding Chairs.....BW	Torsion-on-the-Go! Nesting Chairs GB
	600 Series Stools.....BW	Torsion Air Stack and Task Seating ... GB
Altus Task Chairs..... GB	Calida Lounge SeatingHN	ZoetryHN
	Diem Task Chairs..... OM	
Apply Stack Chairs..... GB	Doni Collection..... GB	
	FourC Seating..... GB	
Auditorium Folding ChairsBW	Gladly Lounge SeatingVQ	
	Grazie SeatingGB	
Calida Lounge SeatingHN	Hiatus Sleeper BenchHN	
	Hub Modular Lounge SeatingHN	
Diem Task Chairs..... OM	Impress Task Chairs..... OM	
	Impress Ultra Task Chairs OM	
Jessa Lounge SeatingHN	Jubilee Lounge Seating.....VQ	
	Katera Guest Chair..... GB	
Jubilee Lounge Seating.....VQ	Kurv Benches.....HN	

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	VQ KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Please see information below and check the appropriate box.

☐ Submitted for testing.

☐ Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

☐ A Selvage Top and Bottom



☐ B Selvage Side and Side



Purchasing Agent (Dealer or buying organization)		
Attention		
Address		
City	State	Zip
Project Name		
Type of seating and number of units of each type		



Lounge Chair
(SYCNC and SYCFC)



Ottoman
(SYOT)



Table
(SYTB)


General Dimensions			
Seat width	27-3/4"		
Seat depth	18-1/2"		
Seat height	16"		
Overall Dimensions			
Width	33"		
Depth	32-1/2"		
Height	41-3/4"	17-1/2"	14-1/2"
Diameter		27-1/4"	27"
Unit weight	66 lbs	43-1/2 lbs	63 lbs

Seat shell is constructed of rotationally molded polyethylene. Available in three standard colors.

- Cool Grey (SCG)
- Cottonwood (SCO)
- Granite Grey (SGY)

12-gauge steel rotating contact surface is attached to the bottom of the seat shell and is powder-coat painted to match the seat shell color. Contact surface is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.



Upholstered seat and back have a contoured shape to maximize comfort and are field replaceable. (Optional contrasting seat and back upholstery available)

4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Cool Grey (BCG)
- Cottonwood (BCO)
- Granite Grey (BGY)

INFORMATION


Warranty
Refer to KI Terms & Conditions document or visit ki.com



Upholstered cushion has a contoured shape to maximize comfort and is field replaceable.

12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.



4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Cool Grey (BCG)
- Cottonwood (BCO)
- Granite Grey (BGY)

Optional Power Module has one AC power outlet, one USB A charging port and one USB C charging port. Available in three colors.



Silver/White



White/White



Black/Black

12-gauge steel apron is powder-coat painted to match the 4-leg base. Steel apron is powder-coat painted Blue Grey if Granite Grey poly is specified.

Floor glide options to accomodate any floor type. Available in nylon, felt and non-skid rubber.




Table top has high pressure laminate overlaying the sides and top of a particle board structure. See product color options page for standard laminate finishes.

4-leg base is constructed of rotationally molded polyethylene. Available in three standard colors.

- Cool Grey (BCG)
- Cottonwood (BCO)
- Granite Grey (BGY)



Shell/Base Color - Polypropylene
Flame-Retardant and Non Flame-Retardant

Cool Grey	SCG
Cottonwood	SCO
Granite Grey	SGY

Surface Finish - Laminate

Belair	LBQ
Biltmore Cherry	LBT
Black	LBK
Brighton Walnut	LBW
Canyon Zephyr	LCA
Castle Oak	LCO
Casual Linen	LCU
Cherry Storm	LCX
Classic Linen	LCI
Cloud Zephyr	LCL
Cocobala	LCC
Crisp Linen	LRI
Desert Zephyr	LDZ
Dove Grey	LDG
Fired Steel	LIL
Flax Linen	LXF
Florence Walnut	LFC
Forged Steel	LOL
Friston Ash	LFH
Frosty White	LFW
Graphite Nebula	LGN
Grey	LGE
High Rise	LHE
Hollyberry	LHY
Irish Linen	LIH
Island	LID
Italian Silver Ash	LIT
Kensington Maple	LKM
Lapis Blue	LLB
Markerboard White	LMK
Misted Zephyr	LMR
Monticello Maple	LMT
Nickel Evolv	LNV
North Sea	LNA
Ocean	LON
Pearl Bisque	LPB
Pearl Silver	LPS
Pressed Linen	LPR
River Cherry	LRY
Rugged Linen	LRG
Satin Stainless	LSS
Shadow Zephyr	LSR
Silicon evolv	LSV
Sterling Ash	LAZ
Tailored Linen	LTL
Titanium evolv	LTV
White Nebula	LWL
White Sand	LWN
Windsor Mahogany	LWY

Finish Cards

View color swatches for items listed within this document.

- [Paints](#)
- [Plastics/Poly](#)
- [Wood/Veneer](#)
- [Laminates](#)
- [Molded Edges](#)
- [Edge Styles](#)
- [Hard Plastics](#)
- [Glass](#)

Certain options referenced may not be available on GSA Schedule.

A diagram of a two-chambered heart, likely representing a fish. It shows two main chambers: a larger anterior chamber labeled '1' and a smaller posterior chamber labeled '2'. The heart is supported by three legs at the base.

SYCNC
SYCFC

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select poly shell color.
Refer to the **Product Color Options** page in this price list.

C Select poly base color.
Refer to the **Product Color Options** page in this price list.

D Select glide option.

GFT	- Felt glides
GND	- Non-skid glides
GNY	- Nylon glides

E Select fire code.

NFR	- Compliance to TB 117-2013
FR	- Compliance to TB 133

See pricing column for TB133 upcharge.

F Select non-contrast or fabric contrast 1.
Refer to ki.com/fabrics

G Select fabric contrast 2.
Refer to ki.com/fabrics

SPECIAL SERVICES


Special Carton Marking

With specially marked information N/C

Shipping

**Ships assembled, FOB Bonduel, WI 54107,
freight prepaid. Freight class 250.**

Specifications and prices are subject to change without prior notice.

		MODEL NUMBER																	
		Basic Model	Poly Base Color	Glide Option	Fire Code	Non-Contrast or Fabric Contrast 1	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price	
<div></div> <div>SYOT</div>	MODEL	Ottoman	<ul style="list-style-type: none">Non-contrast C.O.M = 1.1 ydDia=27-1/4" H=17-1/2"																
		SYOT	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	49.0#	\$ 1350	\$ 1418	\$ 1438	\$ 1350	\$ 1438	\$ 1475	\$ 1514	\$ 1550	\$ 1580	\$ 1627	\$ 155	
		A	B	C	D	E													

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select poly base color.
Refer to the **Product Color Options** page in this price list.
- C**Select glide option.

GFT

- Felt glides

GND

- Non-skid glides

GNY

- Nylon glides
- D**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

See pricing column for TB133 upcharge.
- E**Select non-contrast or fabric contrast 1.
Refer to [ki.com/fabrics](#)


SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.

MODEL	DIA x H	MODEL NUMBER					Approx. Packaged Weight		Delivered Pricing
		Basic Model	Power Option	Poly Base Color	Glide Option	Laminate Color			
 SYTB	Table	27" x 14-1/2"	SYTB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	66.0#		\$ 1972
		A	B	C	D	E			

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select power option.

NP

WPBL

WPSL

WPWH

- No power

- Black power module; add \$413

- Silver power module; add \$413

- White power module; add \$413
- C**Select poly base color.

Refer to the **Product Color Options** page in this price list.
- D**Select glide option.

GFT

GND

GNY

- Felt glides

- Non-skid glides

- Nylon glides
- E**Select laminate color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Bonduel, WI 54107, freight prepaid.** Freight class 250.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																
		Basic Model	Fire Code	Non-Contrast or Fabric Contrast 1	Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing C.O.V.	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	TB133 add to list price	
MODEL																		
SYRP	Replacement Upholstered Seat Cushion	SYUSRP	□□□	□□□□	9.0#	N/A	\$ 348	\$ 431	\$ 448	\$ 348	\$ 448	\$ 491	\$ 537	\$ 578	\$ 611	\$ 663	\$ 66	
	• Non-contrast C.O.M = .75 yd																	
SYRP	Replacement Upholstered Back Cushion	SYUBRP	□□□	□□□□	12.0#	N/A	\$ 285	\$ 334	\$ 345	\$ 285	\$ 345	\$ 372	\$ 398	\$ 425	\$ 442	\$ 474	\$ 66	
	• Non-contrast C.O.M = 1.25 yd																	
SYRP	Replacement Upholstered Ottoman Cushion	SYUORP	□□□	□□□□	32.0#	N/A	\$ 530	\$ 602	\$ 619	\$ 530	\$ 619	\$ 657	\$ 694	\$ 732	\$ 760	\$ 808	\$ 80	
	• Non-contrast C.O.M = 1.1 yd																	
HRDPT	Replacement Felt Glides Kit (Qty 4)	SWYGLIDEKIT.GFT			1.0#	\$ 22											N/A	
HRDPT	Replacement Nylon Glides Kit (Qty 4)	SWYGLIDEKIT.GNY			1.0#	\$ 22											N/A	
HRDPT	Replacement Non-Skid Rubber Glides Kit (Qty 4)	SWYGLIDEKIT.GND			1.0#	\$ 22											N/A	
HRDPT	Replacement Posts Kit (Qty 12)	SWYPOSTKIT			1.0#	\$ 71											N/A	
HRDPT	Replacement Return Spring	46.4174			2.0#	\$ 71											N/A	

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- B Select fire code.
- NFR

- Compliance to TB 117-2013
- FR

- Compliance to TB 133
- See pricing column for TB133 upcharge.
- C Select non-contrast or fabric contrast 1. Refer to [ki.com/fabrics](#)

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000216/KI/PDF



Furnishing Knowledge®