

SYSTEM 3000[®] PANEL SYSTEM

PRICE LIST January 3, 2011 Updated June 5, 2023

800.424.2432

Contents Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.N Information	1.) Upholstery	3
Standard Product Overview		5
General Information		6
Product Color Options		7
System 3000® Panels		
Fabric Covered Acoustical		8
Half Open Frame-Half Fabric		14
Half Glazed-Half Fabric Full Glazed		15 16
Sustem 2000@ Danala Assessarias		
System 3000 [®] Panels Accessories Wall Mounts		17
Corner Posts		18
Variable Height Corner Posts		19
T-Posts		21
Variable Height T-Posts Caps		22
Door		26
Accessories		27
System 3000® Electrical		
Universal 10-Wire System 6 C	ircuit "810"	28
Universal 10-Wire System 4 C	ircuit "810"	31
System 3000® Worksurfaces		
Rectangular		34
"P" Shaped Peninsula/Piano P	'eninsula	35
Square Shoe/Conference End "D" Shaped Peninsula		36
Dual Curvilinear 90° Corner		38
Diagonal 90° Corner		39
Curvilinear 90° Corner		40
Mobile Teardrop/Mobile Semi-	-Circle	41
Quarter Round Transitional		42
Countertops Countertops - ADA Height		43
Worksurface Support Panel		44
System 3000 Worksurface Accessories		47
System 3000 [®] Storage and Accessories		40
Universal Overhead Storage Universal Overhead Accessori	00	48
LED Task Lights	5	53
Balance [®] Overhead Storage		55
Balance® Overhead Accessorie	es	58
System 3000® Accessories		
Markerboards		59
Tackboard		60
Overhead Tackboard		62
Paper Management		63
Pedestals - Mobile and Freestanding		05
700 Series®		65
Pedestals - Worksurface Supporting		
700 Series®		69
Pedestal Accessories		
700 Series®		70

Refer to KI Terms & Conditions document or visit ki.com.

14

Ordering COM, COL and COV

How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.

C.O.M. Testing

KI will require six yards of actual fabric to be submitted for testing. The test will be completed on panels, tackboards, and overheads. For products shipped from Manitowoc, WI facility, ship upholstery material to:

KI Manitowoc 1400 South 41st Street Manitowoc, WI 54220 Attn: Fabric Testing

C.O.M. Production

Customer's fabrics must be approved prior to acceptance for production. KI assumes no responsibility for wear, defects, or performance of customer's own materials. C.O.M. orders are available on a deferred delivery basis.

Orders for production of C.O.M. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

C.O.M. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number

In all instances, send this form to the C.O.M. Specialist.

A Selvage Top to Bottom

B Selvage Side to Side

Purchasing Agent (Dealer or buying organization)

Attention

Address

City State Zip

Project Name

Type and number of units of each type

Please see information at right and check the appropriate box.

Submitted for testing. Test approved. Submitted for production.

Purchase Order Number

KI Acknowledgement Number




Diagram A

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

Yardage Specification

The chart on the following page details the yardage requirements for each upholstered item in the price list. To accommodate flaws, wrinkles, and other imperfections, calculate the total yardage and add the appropriate percentage shown below.

1 to 50 yards — Add 5 yards 50 + yards — Add 10% over requirements

C.O.M. SHIPPING LOCATION

Architectural Walls Evoke. .MN Genius Walls. . MN

Casegoods

Aristotle Tackboards. ..MN Likha Tackboards. MN

Classroom Furniture

З
З
З

Desking

700 Series Desking	KP
Balance Overheads	MN
Genesis Desking	MN
True Desking	KP
Universal Overheads	MN
WorkZone Desking	MN

Files & Storage

700 Series Pedestal Cushion	GB
Connection Zone Pads	BW
U-Series Pedestal Cushion	GB
Tattoo	BW

Fixed Seating

Balance Overheads.

Green Bay, WI 54302

Concerto Auditorium Seating	BW
Single Pedestal Seating	GB
Jury Base Seating	GB
Lancaster Auditorium Seating	BW
Sequence Seating	GB
University Seating	GB
Panel Systems	
All Terrain	KP

Seating 400 Series Folding Ch 600 Series Folding Ch 600 Series Stools...... Affina Collection..... Altus Task Chairs..... Apply Stack Chairs Auditorium Folding Ch Calida Lounge Seating Diem Task Chairs..... Doni Collection..... Gladly Lounge Seating Grazie Seating.. Hiatus Sleeper Bench. Hub Modular Lounge S Impress Task Chairs..... Impress Ultra Task Chairs Jessa Lounge Seating Jubilee Lounge Seating.. Katera Guest Chair... Kurv Benches.. LaResta Day Beds..

KI C.O.M. Manufacturing Site Addresses:

BW	HN	MN
KI Bonduel	KI High Point	KI M
Attn: COM Storage	Attn: COM Storage	Attn
204 West South St.	217 Feld Avenue	1400
Bonduel, WI 54107	High Point, NC 27263	Man
GB	KP	OM
KI Green Bay	KI Pembroke	KI
Attn: COM Storage	Attn: COM Storage	Attn:
1687 Westminster Drive - Gate 3	1000 Olympic Dr.	1110

MN

Pembroke, Ontario K8A6X7

Residence Hall Furniture RoomScape Furniture

Universal Overheads...

System 3000...

Wireworks

Unite..

Screens

All Terrain.... Connection Zone...... True/Volition Genesis Tattoo. Universal...

Ordering COM, COL and COV



	MN	LimeLite	ЗB
	MN	Lyra Lounge SeatingH	ΗN
	MN	Maestro Stack Chairs	ЗB
	MN	Medical & Laboratory StoolsC	ЭM
		MyPlace Lounge Seating	ΗN
•		MyWay SeatingH	ΗN
	MN	Oath Task Chairs and Stools	GΒ
		Opt4	GΒ
		Pilot Task ChairsC	ЭM
	KP	Promenade Seating SystemB	3W
	BW	Ruckus	GΒ
	KP	Sela Lounge Seating	ΗN
	KP	Sift Task Chairs	ЗB
	MN	Signia Task Chairs and StoolsC	M
	BW	Soltice Metal Collection	ΗN
		Soltice Multiple, Healthcare & Guest .H	ΗN
		Soltice II Healthcare Seating	ΗN
nairs	BW	Strive Multiple, Stack & Task	GΒ
nairs	BW	SwayB	3W
	BW	TattooH	ΗN
	HN	Torsion-on-the-Go! Nesting Chairs (ЗB
	GB	Torsion Air Stack and Task Seating (GΒ
	GB	Zoetry	ΗN
nairs	BW		
g	HN		
-	OM		
	GB		
]	VQ		
-	GB		
	HN		
Seating	HN		
	OM		
	~		

Aanitowoo n: COM Storage 00 S. 41st St. nitowoc, WI 54220

. OM

.HN

...VQ

GB

.HN

.HN

<u>VQ</u> KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623

n: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761


4

Ordering COM, COL and COV

Ordering COM, COL and COV		141	Ordering COM, COL and COV
Tile Actual 54" Non 54" 66" Non 66" Width Cut size Directional Directional Directional	Tile Actual 54" Non 54" 66" Non 66" Width Cut size Directional Directional Directional	Actual 54" Non 54" 66" Non 66" Panel Size Cut size Directional Directional Directional	Actual 54" Non 54" 66" Non 66" Panel Size Cut size Directional Directional Directional Directiona
Fabric Covered Acoustical Panels CFP1232 17 x 32 0.59 0.59 0.89 CFP1332 23 x 32 0.89 0.89 0.89 0.89 CFP2432 29 x 32 1.78 1.78 0.89 0.89 CFP3032 35 x 32 1.78 1.78 1.78 1.78 CFP3632 41 x 32 1.78 1.78 1.78 1.78 CFP4232 47 x 32 1.78 1.78 1.78 1.78 CFP432 53 x 32 1.78 1.78 1.78 1.78 CFP432 53 x 32 1.78 1.78 1.78 1.78 CFP5432 59 x 32 1.78 1.78 1.78 1.78 CFP5432 59 x 32 1.78 1.78 1.78 1.78 CFP6032 65 x 32 1.78 1.78 1.78	Fabric Covered Acoustical Panels (Cont.) CFP4880 53 × 80 4.44 4.44 4.44 CFP4880 59 × 80 4.44 4.44 4.44 CFP5480 59 × 80 4.44 4.44 CFP6080 65 × 80 4.44 4.44 Half Open Frame/Half Fabric Panels COFP2454 30 × 29 1.61 1.61 0.81 COFP2454 30 × 29 1.61<	Tackboards (TB) or Overhead Hanging Tackborads (PTBO)2412 30×18 0.50 0.50 0.25 3012 36×18 0.50 0.50 0.50 3612 42×18 0.50 0.50 0.50 4212 48×18 0.50 0.50 0.50 4212 48×18 0.50 0.50 0.50 4812 54×18 0.50 0.50 0.50 5412 60×18 0.50 0.50 6012 66×18 0.50 0.50 2416 30×22 0.61 0.61 0.31 3016 36×22 0.61 0.61 0.61	$\begin{array}{c c c c c c c c c c c c c c c c c c c $
CFP1242 17 x 42 0.78 1.17 0.78 1.17 CFP1842 23 x 42 1.17 1.17 1.17 1.17 CFP2442 29 x 42 2.33 2.33 1.17 1.17 CFP3042 35 x 42 2.33 2.33 2.33 2.33 2.33 CFP3642 41 x 42 2.33 2.33 2.33 2.33 2.33 CFP3642 47 x 42 2.33 2.33 2.33 2.33 2.33 CFP4242 47 x 42 2.33 2.33 2.33 2.33 2.33 2.33 CFP4842 53 x 42 2.33	COFP2462 30 x 29 1.61 1.61 0.81 0.81 COFP3662 36 x 29 1.61 1.61 1.61 1.61 COFP3662 36 x 29 1.61 1.61 1.61 1.61 COFP3662 42 x 29 1.61 1.61 1.61 1.61 COFP3662 42 x 29 1.61 1.61 1.61 1.61 COFP462 48 x 29 1.61 1.61 1.61 1.61 COFP466 30 x 29 1.61 1.61 1.61 1.61 COFP2466 30 x 29 1.61 1.61 1.61 1.61 COFP3666 36 x 29 1.61 1.61 1.61 1.61 COFP3666 42 x 29 1.61 1.61 1.61 1.61 COFP3666 42 x 29 1.61 1.61 1.61 1.61 COFP4266 48 x 29 1.61 1.61 1.61 1.61 COFP4266 48 x 29 1.61 1.61 1.61 1.61 COFP4866 54 x 29 1.61 1.61 1.61 1.61	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CFP3048 35 x 48 2.67 2.67 2.67 2.67 CFP3648 41 x 48 2.67 2.67 2.67 2.67 CFP3648 41 x 48 2.67 2.67 2.67 2.67 CFP4248 47 x 48 2.67 2.67 2.67 2.67 CFP4848 53 x 48 2.67 2.67 2.67 2.67 CFP5448 59 x 48 2.67 2.67 2.67 2.67 CFP6048 65 x 48 2.67 2.67 2.67 2.67	COFP2472 30 x 29 1.61 1.61 0.81 0.81 COFP3072 36 x 29 1.61 1.61 1.61 1.61 COFP3672 42 x 29 1.61 1.61 1.61 1.61 COFP3672 42 x 29 1.61 1.61 1.61 1.61 COFP4272 48 x 29 1.61 1.61 1.61 1.61 COFP4872 54 x 29 1.61 1.61 1.61 1.61 COFP2480 30 x 29 1.61 1.61 0.81 0.81	2430 30 x 36 1.00 1.00 0.50 0.50 3030 36 x 36 1.00 1.00 1.00 1.00 3630 42 x 36 1.00 1.00 1.00 1.00 4230 48 x 36 1.00 1.00 1.00 1.00 4830 54 x 36 1.00 1.00 1.00 1.00 5430 60 x 36 1.00 1.00 1.00 1.00	80 8 × 84 0.39 0.39 0.29 0.29 T-Posts and Inline Fabric Spacer (IFS, CTFC, FECPT) 4 3.0 × 8 0.06 0.06 0.04 0.04 6 3.0 × 10 0.07 0.07 0.06 0.06 8 3.0 × 12 0.08 0.08 0.07 0.07 10 3.0 × 14 0.13 0.13 0.10 0.10
CFP125417 x 541.001.501.001.00CFP185423 x 541.501.501.501.50CFP245429 x 543.003.003.001.50CFP305435 x 543.003.003.003.00CFP365441 x 543.003.003.003.00CFP425447 x 543.003.003.003.00CFP454453 x 543.003.003.003.00CFP454459 x 543.003.003.003.00CFP605465 x 543.003.003.00	COFP3080 36 x 29 1.61 1.61 1.61 1.61 COFP3680 42 x 29 1.61 1.61 1.61 1.61 COFP4280 48 x 29 1.61 1.61 1.61 1.61 COFP4280 48 x 29 1.61 1.61 1.61 1.61 COFP4880 54 x 29 1.61 1.61 1.61 1.61 COFP4880 54 x 29 1.61 1.61 1.61 1.61 COFP4880 54 x 29 1.61 1.61 1.61 1.61 COFP354 30 x 29 1.61 1.61 1.61 1.61 CGFP3054 36 x 29 1.61 1.61 1.61 1.61 CGFP3654 42 x 29 1.61 1.61 1.61 1.61	6030 66 × 36 1.00 1.00 2448 30 × 54 0.83 1.50 0.83 0.75 3048 36 × 54 1.00 1.50 1.20 1.50 3648 42 × 54 1.16 1.50 1.16 1.50 4248 48 × 54 1.33 1.50 1.33 1.50 4848 54 × 54 1.50 1.50 1.50 1.50 5448 60 × 54 1.50 1.50 1.50 1.50 6048 66 × 54 1.50 1.50 1.50 1.50	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
CFP126217 x 621.151.721.151.72CFP186223 x 621.721.721.721.72CFP246229 x 623.443.441.721.72CFP306235 x 623.443.443.443.44CFP366241 x 623.443.443.443.44CFP426247 x 623.443.443.443.44CFP46253 x 623.443.443.443.44CFP46253 x 623.443.443.443.44CFP546259 x 623.443.443.44CFP606265 x 623.443.443.44	CGFP4254 48 x 29 1.61 1.61 1.61 1.61 CGFP4854 54 x 29 1.61 1.61 1.61 1.61 CGFP4854 54 x 29 1.61 1.61 1.61 1.61 CGFP2462 30 x 29 1.61 1.61 0.81 0.81 CGFP3062 36 x 29 1.61 1.61 1.61 1.61 CGFP3662 42 x 29 1.61 1.61 1.61 1.61 CGFP462 48 x 29 1.61 1.61 1.61 1.61 CGFP4862 54 x 29 1.61 1.61 1.61 1.61 CGFP4862 54 x 29 1.61 1.61 1.61 1.61 CGFP2466 30 x 29 1.61 1.61 0.81 0.81 CGFP3066 36 x 29 1.61 1.61 1.61 1.61	Pabric Overhead Cabinets PRDF24 30 × 22 0.61 0.61 0.31 0.31 PRDF30 36 × 22 0.61 0.61 0.61 0.61 PRDF36 42 × 22 0.61 0.61 0.61 0.61 PRDF42 48 × 22 0.61 0.61 0.61 0.61 PRDF48 54 × 22 0.61 0.61 0.61 0.61 PRDF54 60 × 22 0.61 0.61 0.61 0.61 PRDF60 66 × 22 0.61 0.61 0.61 Balance Fabric Overhead Cabinets Balance Fabric Overhead Cabinets Balance Fabric Overhead Cabinets Balance Fabric Overhead Cabinets	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CFP1266 17 x 66 1.22 1.83 1.22 1.83 CFP1866 23 x 66 1.83 1.83 1.83 1.83 CFP2466 29 x 66 3.67 3.67 1.83 1.83 CFP3066 35 x 66 3.67 3.67 1.94 3.66 CFP3666 41 x 66 3.67 3.67 2.27 3.66 CFP4266 47 x 66 3.67 3.67 2.61 3.66 CFP4866 53 x 66 3.67 3.67 2.94 3.66 CFP5466 59 x 66 3.27 3.66 3.67 3.61 3.66	CGFP3666 42 x 29 1.61 1.61 1.61 1.61 CGFP4866 42 x 29 1.61 1.61 1.61 1.61 CGFP4866 54 x 29 1.61 1.61 1.61 1.61 CGFP4866 54 x 29 1.61 1.61 1.61 1.61 CGFP4866 54 x 29 1.61 1.61 1.61 1.61 CGFP3072 30 x 29 1.61 1.61 1.61 1.61 CGFP3072 36 x 29 1.61 1.61 1.61 1.61 CGFP3672 42 x 29 1.61 1.61 1.61 1.61 CGFP4272 48 x 29 1.61 1.61 1.61 1.61 CGFP4872 54 x 29 1.61 1.61 1.61 1.61	BLCF24 20 × 30 0.88 0.63 0.88 0.63 BLCF30 20 × 36 1.00 0.63 1.00 0.63 BLCF36 20 × 42 1.25 0.63 1.25 0.63 BLCF42 20 × 48 1.38 0.63 1.38 0.63 BLCF48 20 × 54 1.50 0.63 1.50 0.63 BLCF44 20 × 60 1.75 1.75 0.63 BLCF60 20 × 66 1.88 1.88 0.63 BLCF66 20 × 78 2.25 0.63 2.25 0.63 BLCF72 20 × 84 2.50 0.63 2.50 0.63	Worksurface Support Panels WSSP2426 1.00 1.00 1.00 WSSP3026 1.00 1.00 1.00 WSSP3029 1.00 1.00 1.00
CFP127217 x 721.332.001.332.00CFP187223 x 722.002.002.002.00CFP247229 x 724.004.002.002.00CFP307235 x 724.004.004.004.00CFP367241 x 724.004.004.004.00CFP427247 x 724.004.004.004.00CFP487253 x 724.004.004.004.00CFP547259 x 724.004.004.004.00CFP607265 x 724.004.004.00	CGFP248030 x 291.611.610.810.81CGFP308036 x 291.611.611.611.61CGFP368042 x 291.611.611.611.61CGFP428048 x 291.611.611.611.61CGFP488054 x 291.611.611.611.61		
CFP128017 x 801.482.221.482.22CFP188023 x 802.222.222.222.22CFP248029 x 804.444.442.222.22CFP308035 x 804.444.444.444.44CFP368041 x 804.444.444.444.44CFP428047 x 804.444.444.444.44		Yardage requirem	ents are "per tile" (multiply by the number of tiles per panel for total yardage per panel).

Ordering COM, COL and COV

Standard Product Overview



14

Standard Product Overview

System 3000[®] General Information

SYSTEM 3000 GENERAL INFORMATION

System 3000 is a comprehensive modular panel system offering featuring fully assembled panels, worksurfaces, storage, doors, electrical components, and accessories. Full technical specifications are available on ki.com. All system 3000 modular panel system components originate from ISO 9000, ISO 9001, or ISO 9002 registered facilities. KI SYSTEM 3000 MEETS OR EXCEEDS CURRENT ANSI/BIFMA PANEL SYSTEMS TEST STANDARDS.

UL LISTED

System 3000 panels are Listed to applicable US and Canadian safety standards and requirements by Underwriters Laboratories Inc.

Panels

Fabric-Covered Acoustical, Half Open Frame-Half Fabric, and Full Glazed panels are offered in a variety of sizes. See specific sections for available sizes by style. Widths: 12", 18", 24", 30", 36" 42", 48"

Heights: 32", 42", 48", 54", 62", 66", 72", 80"

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

Wall Mounts

The panel system allows for fastening a panel run to a wall by the use of an aluminum extrusion and panel hinge. Method of attachment will vary by existing wall construction. Adjustable mounts are available.

Doors

Hinged doors are offered in 36" or 42" sizes, in locking and non-locking styles. Hinged doors are 80" tall with an opening of 77.5". A sliding door is offered for 66" panels and are for use in a 42" opening.

Connectors and Trim

Trim is offered in upholstered and unupholstered styles. Conditions include 90 degree, variable height corners, 60 degree, 45 degree, and T-post trims, and caps. See pricelist or technical specifications for style options by trim piece.

Electrical

System 3000 utilizes factory-installed universal 10-wire electrical components that support either 4-4-2 or 6-2-2 planning. Base and top infeeds, rigid wireways, receptacles, jumpers, and accessories are offered.

Worksurfaces and Accessories

Worksurfaces are offered in a variety of sizes and shapes, including: Rectangular P and D shaped Peninsula/Piano Square Shoe Conference End Dual Curvilinear 90 Degree and Curvilinear 90 Degree Corner Diagonal and 90 Degree Corner Semi-circle

Quarter-round Countertop

Worksurface Support panels are also available.


Storage

System 3000 is designed to support all KI Storage lines, including shelves, overhead cabinets, pedestals and lateral files.

System 3000[®] General Information

1

System 3000[®] Product Color Options



Pearl Silver Pressed Linen River Cherry Satin Stainless Shadow Zephyr Silicon evolv

hin this document.	Pla	<u>stics/Poly Laminates Ed</u>	lge Styles Glas	<u>s</u>				
	Pai	nts <u>Wood/Veneer M</u>	olded Edges Hard	l Plastics				
		Cayenne	ECY			Balance [®] Overhead Storage Lar	minate Door Edge Color	
	lsk LSV	Castle Oak	ECO	is automatically coordinated with the				Rubber Ducky Sand
	LSS LSR	Brighton Walnut	EBW	Universal Overhead Door Handles are		Sand Warm Grey	SA WG	Purple Haze Rubber Ducky
	LRY	Blue Grey	EGR			Misty Brown Sand	MY Sa	Poppy Red
	LPR	Black	EBL	Warm Grey	WG/HWG	Light Tone Micty Brown	LG	Nordic
	LPS	Biltmore Cherry	EBQ	Starlight Silver Metallic	SX/HWG	Flannel Light Topo	FN	Nemo
	LPB	Belair	EBQ	Sand	SA/HSA	Cottonwood	CO	Misty Brown
	LON	Edge Color for 74P Edge		Nordic	ND/HBL	Cool Grey	CG	Mardi Gras
	LNA	Zesty Lime	EZL	Light Tone	LG/HLG	Blue Grey	GR	Light Tone
	LNV	Warm Grey	EWG	Flannel	FN/HBL	Black	BL	Honey Bee
	LMT	Ultra Blue	EUB	Espresso Metallic	EX/HBL	Balance® Overhead Storage She		Hazy Jade
	LMR	Twilight Shadow	ETI	Cottonwood	CM/HLG CO/HSA	-		Glitz Metallic
	LMK	Surf's Up	ESP	Cayenne Champagne Metallic	CM/HLG	Warm Grey	UWG	Flannel
	LLB	Sky Blue	ESK		CY/HBL	Translucent	UTR	Everglade Shade
	LKM	Sand	ESA	Blue Grey Bronze Metallic	ZM/HBL	Sand	USA	Espresso Metallic
	LIT	Rubber Ducky	ERK	Black Blue Grey	GR/HGR	Light Tone	ULG	Earthen Clay
	LID	Purple Haze	EPH	Black	BL/HBL	Blue Grey	UGR	Cottonwood
	LHY	Poppy Red	EPR	Paint Color		Black	UBL	Cool Grey
	LHE	Nordic	END	Warm Grey grommet	GWG	Balance® Overhead Storage Up	per Door Solid Color	Champagne Metallic
	LGE	Nemo	ENE	Sand grommet	GSA	Zesty Lime	ZL	Cayenne
	LGN	Misty Brown	EMY	Light Tone grommet	GLG	Warm Grey	WG	Bronze Metallic
	LFW	Mardi Gras	EMG	Blue Grey grommet	GGR	Ultra Blue	UB	Blue Grey
	LFH	Light Tone	ELG	Black grommet	GBL	Twilight Shadow	TI	Black
	LOL	Honey Bee	EHY	Grommet Color		Surf's Up	SP	700 Series® Storage Unit (ar
	LFC	Hazy Jade	EHJ	2007 20	LLL	Starlight Silver Metallic	SX	items PPFH, PPLL, PPDS, PPVS,
	LXF	Frosty White	EFW	Zesty Lime	EZL	Sand	SA	The Clear (CL) color option is only
	LIL	Flannel	EFN	Windsor Mahogany	EWY	Rubber Ducky	RK	
	LDG	Everglade Shade	EEV	Warm Grey	EWG	Purple Haze	PH	Warm Grey
	LDZ	Earthen Clay	EEY	Ultra Blue	EUB	Nordic	ND	Sand
	LRI	Cool Grey	ECG	Twilight Shadow	ETI	Nemo	NE	Misty Brown
	LCC	Cayenne	ECY	Surf's Up	ESP	Misty Brown	MY	Light Tone
	LCL	Blue Grey	EGR	Sterling Ash	EAZ	Mardi Gras	MG	Cool Grey
	LCI	Black	EBL	Sky Blue	ESK	Light Tone	LG	Clear Cool Crow
	LCX	Edge Color for BN Edge		Sand	ESA	Honey Bee	HY	Blue Grey
	LCU	Veneer finishes are only available on Wood	∟age veneer (WV).	Rubber Ducky	ERK	Hazy Jade	HJ	Black
	LCO	Vanaar finiahaa ara anku austakta ar 14		River Cherry	EFT	Glitz Metallic	GZ	Accessories Trim Color
	LCA		witt	Purple Haze	EPH	Flannel	FN	Annonation Trim Color
	LBW	River Cherry on Maple	MRY	Poppy Red	EPR	Everglade Shade	EV	Walnut Veneer
	LBK	Monticello Maple on Maple	MMA	Nordic	END	Espresso Metallic	EX	River Cherry on Oak
	LBT	Kensington Maple on Maple	MMA	Nemo	ENE	Earthen Clay	EY	River Cherry on Maple
	LBQ	Florence Walnut on Maple	MCA	Monticello Maple	EMT	Cottonwood	CO	River Cherry on Beech
		Cocoa on Maple	MCA	Misty Brown	EMG	Cool Grey	CG	Oak Veneer
panels only.		Cinnamon on Maple	MCN	Light Tone Mardi Gras	ELG	Champagne Metallic	СМ	Monticello Maple on Maple
		Cherry Storm on Maple	MCX	Kensington Maple Light Tone	EKM	Cayenne	CY	Mahogany Veneer
	GLA	Wood Finish - Core		Italian Silver Ash Kansington Manle	EIT EKM	Bronze Metallic	ZM	Kensington Maple on Maple
	BRZ	service at 1-800-424-2432		Honey Bee Italian Silvar Ash	EHY	Blue Grey	GR	Cocoa on Maple
	007	*Additional colors may be available. Please	contact KI customer	Hazy Jade	EHJ	Black	BL	Cinnamon on Maple
		upper door		Frosty White	EFW	Balance® Overhead Storage Cal	binet Paint Color	Cherry Veneer
cket color.		Laminate on Balance® Overhead Storage is	only available for the	Friston Ash	EFH	plastic trim.		Cherry Storm on Maple
				Florence Walnut	EFC	Starlight Silver Metallic and Warm Gr		Castle Oak
	WG	Windsor Mahogany	LWY	Flannel	EFN	Misty Brown paint will have Misty Bro	own plastic trim.	Universal Overhead Veneer (
	SA	White Sand	LWN	Everglade Shade	EEV	Cool Grey paint will have Cool Grey pl Cottonwood, Sand and Wet Sand will		Warm Grey laminate door edg
	LG	White Nebula	LWL	Earthen Clay	EEY	Tone plastic trim.		Sand laminate door edge
	GR	Titanium evolv	LTV	Cool Grey	ECG	Champagne Metallic, Light Tone, and		Light Tone laminate door edg
	BL	Tailored Linen	LTL	Cocobala	ECC	Nordic paints will have Black plastic t Blue Grey paint will have Blue Grey pl		Black laminate door edge

14

Finish Cards View color swatches for items listed within this document. Plastics/Poly <u>Edge Styles</u> <u>Laminates</u>

System 3000[®] Product Color Options

e door edge	EGR	Sky Blue	SK
or edge	EBL	Starlight Silver Metallic	SX
te door edge	ELG	Surf's Up	SP
or edge	ESA	Twilight Shadow	TI
ate door edge	EWG	Ultra Blue	UB
		Warm Grey	WG
d Veneer Colors		Zesty Lime	ZL
	MCO		
Maple	MCX	Custom white silver & metallic paints specified on 700 S	Series files
	RCY	and storage units incur a 5% list price upcharge	
le	MCN		
	MCA	Lock Color	
on Maple	MMA	Black	BLL
	RMH	Satin Chrome	SCL
on Maple	MMT		
	ROK		
eech	BRY		
aple	MRY		
ak	ORY		
	RWA		
Color			
	BL		
	GR		
	CL		
	CG		
	LG		
	MY		
	SA		
	WG		

otion is only available on Paper Management DS, PPVS, PPTC, PPDH, PPAT and PPPC.

e Unit (and Drawer) Color

BI	
GR	
ZM	
CY	
CM	
CG	
C0	
EY	
EX	
EV	
FN	
GΖ	
HJ	
ΗY	
LG	
MG	
ΜY	
NE	
ND	
PR	
PH	
RK	
SA	

		MOI	DEL NUMBE	R								
	MODEL	Basic W x H Mode	: Base el Power	Trim Color	Fabric Fabric Side 1 Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
		12 x 32" CFP1	232 TN			22.0#	\$ 807	\$ 829	\$ 856	\$ 877	\$ 926	
	Panel is constructed of a metal frame,	18 x 32" CFP1	832 TN			25.0#	817	835	859	886	934	
		12 x 42" CFP1				24.0#	856	872	898	926	976	
	Sandwiched between expanded metal,	18 x 42" CFP1				30.0#	864	886	908	937	983	
	3	12 x 48" CFP1					938	966	985	1023	1067	
	piece poly hinge		848 TN				958	983	1005	1043	1089	
	 Panel-to-Panel Power Connectors must be specified separately 					00.0#				1010		
	 Powered panel raceway includes four 											
	locations for power and cable access											
	for panels wider than 24", 24" panel											
	contains two receptacle locations											
	 12" and 18" wide panels are power pass- through only 											
·	 12" and 18" panels not recommended 											
0.55	for use as return panels		_									
CFP	Product includes complete panel											
	assembly with connectors (panel hinges,											
	sleeve, side trim rails, top cap, base raceway) plus carpet grippers											
	Class A fire rated											
	NRC rating is .80, NIC rating is 22, STC											
	rating is 23											
	 Power infeed must be specified sepa- rately 											
	 Bezel opening is 1.376" x 2.7" to accept 											
	data faceplates by Avaya, Amp, Ortron-											
	ics, Panduit and Leviton											
				•								
			B	C	00							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect base power. TN - No Power

©Select trim color. Refer to the Product Color Options page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL N	NUMBER	ł								
	MODEL		Basic Model	Base Power	Trim I Color S	Fabric Fabric Side 1 Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
		24 x 32"	CFP2432				30.0#	\$ 929	\$ 955	\$ 972	\$ 1011	\$ 1055	\$ 176
	Panel is constructed of a metal frame,	30 x 32"	CFP3032				35.0#	1027	1055	1080	1119	1171	183
	aluminum septum and fiberglass sandwiched between expanded metal,	36 x 32"	CFP3632				40.0#	1116	1148	1170	1218	1273	191
	covered with fiberglass and fabric		CFP4232				45.0#	1325	1366	1392	1447	1513	202
	Panels are connected through a single	48 x 32"	CFP4832				53.0#	1392	1434	1460	1515	1588	208
	piece poly hingePanel-to-Panel Power Connectors must		CFP5432				57.0#	1401	1449	1469	1530	1596	225
	 Panel-to-Panel Power Connectors must be specified separately 	60 x 32"	CFP6032				59.0#	1402	1450	1471	1531	1598	230
	 Powered panel raceway includes four 	24 x 42"	CFP2442				36.0#	976	1002	1023	1060	1112	176
	locations for power and cable access	30 x 42"	CFP3042				41.0#	1080	1113	1133	1178	1231	183
	for panels wider than 24", 24" panel contains two receptacle locations	36 x 42"	CFP3642				47.0#	1173	1209	1228	1278	1340	191
	 12" and 18" wide panels are power pass- 	- 42 x 42"	CFP4242				54.0#	1396	1444	1464	1524	1592	202
	through only		CFP4842				61.0#	1466	1510	1534	1596	1672	208
	12" and 18" panels not recommended	54 x 42"	CFP5442				69.0#	1476	1523	1545	1608	1681	225
CFP	for use as return panels Product includes complete panel 	60 x 42"	CFP6042				77.0#	1495	1542	1564	1629	1697	230
	assembly with connectors (panel hinges,	, 24 x 48"	CFP2448				39.0#	1035	1070	1090	1129	1180	176
	sleeve, side trim rails, top cap, base	30 x 48"	CFP3048				45.0#	1148	1185	1209	1251	1312	183
	raceway) plus carpet grippers Class A fire rated 	36 x 48"	CFP3648				51.0#	1238	1278	1300	1352	1411	191
		42 x 48"	CFP4248				59.0#	1446	1489	1510	1574	1646	202
	rating is 23	48 x 48"	CFP4848				67.0#	1517	1561	1594	1653	1733	208
	 Power infeed must be specified sepa- rately 	54 x 48"	CFP5448				75.0#	1588	1636	1666	1732	1810	225
	 Bezel opening is 1.376" x 2.7" to accept 	60 x 48"	CFP6048				84.0#	1603	1651	1683	1747	1826	230
	data faceplates by Avaya, Amp, Ortron-												
	ics, Panduit and Leviton												
		L	•	•									
			A	0	C	0 3							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box

indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power T4 - 442 - 10 Wire Power - 622 - 10 Wire Power; add \$225 T6

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Celect trim color. Refer to the Product Color Options page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	NUMBER	R									
	MODEL	W x H	Basic Model	Base Power	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Fabric Acoustical Panels	12 x 54"	CFP1254	TN				28.0#	\$ 1025	\$ 1051	\$ 1077	\$ 1117	\$ 1169	
	 Panel is constructed of a metal frame, 			TN				35.0#	1031	1059	1083	1126	1174	
	aluminum septum and fiberglass			TN				30.0#	1098	1131	1147	1193	1252	
	sandwiched between expanded metal,							37.0#			1160	1200		
	covered with fiberglass and fabricPanels are connected through a single								1106	1139			1260	
	 Panels are connected through a single piece poly hinge 	12 x 66"	CFP1266					33.0#	1166	1199	1222	1267	1325	
	 Panel-to-Panel Power Connectors must 	18 x 66"	CFP1866	TN				40.0#	1173	1209	1228	1278	1340	
	be specified separately													
	Powered panel raceway includes four													
	locations for power and cable access													
	for panels wider than 24", 24" panel													
	contains two receptacle locations													
PHILE I	12" and 18" wide panels are power pass	S-												
	through only12" and 18" panels not recommended													
	• 12 and 18 panels not recommended for use as return panels													
CFP	 Product includes complete panel 													
	assembly with connectors (panel hinges	3												
	sleeve, side trim rails, top cap, base	-,												
	raceway) plus carpet grippers													
	Class A fire rated													
	 NRC rating is .80, NIC rating is 22, STC 													
	rating is 23													
	rately													
						_								
			A	B	C	D	Θ							
	 Power infeed must be specified sepa- rately 		0	6	G	O	•							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power. TN - No Power

©Select trim color. Refer to the Product Color Options page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	NUMBER	ł									
	MODEL	W II	Basic	Base			abric	Approx. Packaged	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	Base Power add to list
	Fabric Acoustical Panels		Model	Power	Color		ide 2	Weight 41.0#	1 & C.O.M.	<u>ک</u>	PV	PV1	PV2	price
	 Panel is constructed of a metal frame, 	24 x 54"						41.0# 48.0#	\$ 1103	\$ 1138	\$ 1159 1274	\$ 1199	\$ 1259	\$ 176
	aluminum septum and fiberglass		CFP3054						1213	1254		1322	1381	183
	sandwiched between expanded metal,	36 x 54"	CFP3654					55.0#	1301	1343	1366	1420	1482	191
	covered with fiberglass and fabric	42 x 54"						63.0#	1495	1542	1564	1629	1697	202
	 Panels are connected through a single piece poly hinge 		CFP4854					72.0#	1563	1612	1636	1704	1783	208
	 Panel-to-Panel Power Connectors must 		CFP5454					81.0#	1730	1780	1818	1884	1975	225
	be specified separately	60 x 54"	CFP6054					90.0#	1752	1802	1838	1908	1998	230
	Powered panel raceway includes four	24 x 62"	CFP2462					44.0#	1169	1201	1224	1271	1330	176
	locations for power and cable access for panels wider than 24", 24" panel		CFP3062			[52.0#	1295	1335	1355	1414	1474	183
	contains two receptacle locations	36 x 62"	CFP3662			c		58.0#	1373	1414	1440	1496	1563	191
	 12" and 18" wide panels are power pass 	s- 42 x 62"	CFP4262					69.0#	1560	1610	1631	1699	1779	202
ų -	through only		CFP4862					77.0#	1646	1695	1725	1793	1873	208
	12" and 18" panels not recommended	54 x 62"	CFP5462			c		88.0#	1823	1876	1917	1985	2076	225
CFP	for use as return panels Product includes complete panel 	60 x 62"	CFP6062					97.0#	1838	1891	1924	2001	2093	230
	assembly with connectors (panel hinges	s, 24 x 66"	CFP2466					47.0#	1237	1271	1299	1349	1409	176
	sleeve, side trim rails, top cap, base	30 x 66"	CFP3066					56.0#	1382	1424	1449	1505	1574	183
	raceway) plus carpet grippers Class A fire rated 	36 x 66"	CFP3666					62.0#	1442	1483	1507	1568	1642	191
	 NRC rating is .80, NIC rating is 22, STC 	42 x 66"	CFP4266					74.0#	1624	1673	1699	1766	1850	202
	rating is 23	48 x 66"	CFP4866					82.0#	1722	1773	1802	1876	1962	208
	 Power infeed must be specified sepa- 	54 x 66"	CFP5466					94.0#	1936	1992	2036	2107	2209	225
	ratelyBezel opening is 1.376" x 2.7" to accept		CFP6066					105.0#	1975	2027	2068	2143	2247	230
	 Bezer opening is 1.376 x 2.7 to accept data faceplates by Avaya, Amp, Ortron- 							10010#		2021	2000	2110		200
	ics, Panduit and Leviton													
				_	_	_								
			A	B	C	D	9							

1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.
 - ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power T4 - 442 - 10 Wire Power - 622 - 10 Wire Power; add \$202 T6 Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Celect trim color. Refer to the Product Color Options page in this price list.

• Select fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	. NUMBEF	1									
	MODEL	W x H	Basic Model	Base Power	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Fabric Acoustical Panels	12 x 72"	CFP1272	TN				55.0#	\$ 1168	\$ 1200	\$ 1223	\$ 1268	\$ 1328	
	 Panel is constructed of a metal frame, 	18 x 72"	CFP1872	TN				44.0#	1204	1238	1262	1312	1372	
	aluminum septum and fiberglass	12 x 80"	CFP1280					38.0#	1169	1201	1224	1271	1330	
	sandwiched between expanded metal,	18 x 80"						47.0#	1227	1263	1288	1343	1399	
	covered with fiberglass and fabricPanels are connected through a single	10 X 00	0FF 1000	IIN				47.0#	1227	1203	1200	1343	1399	
	piece poly hinge													
	Panel-to-Panel Power Connectors must													
	be specified separately													
	 Powered panel raceway includes four 													
	locations for power and cable access													
	for panels wider than 24", 24" panel													
	contains two receptacle locations													
The second se	 12" and 18" wide panels are power pass through only 	-												
V	 12" and 18" panels not recommended 													
	for use as return panels													
CFP	Product includes complete panel													
	assembly with connectors (panel hinges	,												
	sleeve, side trim rails, top cap, base													
	raceway) plus carpet grippers													
	Class A fire rated													
	 NRC rating is .80, NIC rating is 22, STC rating is 23 													
	 Power infeed must be specified sepa- 													
	rately													
			A	•	0	•	•							
				6	C	D	0							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect base power. TN - No Power

CSelect trim color. Refer to the **Product Color Options** page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

12

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	NUMBER	1									
	MODEL		Basic Model	Base Power	Trim Color	Fabric Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Fabric Acoustical Panels	24 x 72"	CFP2472					51.0#	\$ 1328	\$ 1369	\$ 1393	\$ 1449	\$ 1514	\$ 176
	Panel is constructed of a metal frame,	30 x 72"	CFP3072					60.0#	1517	1561	1594	1653	1733	183
	aluminum septum and fiberglass sandwiched between expanded metal,							67.0#	1596	1644	1677	1743	1820	191
	covered with fiberglass and fabric	42 x 72"						80.0#	1753	1803	1845	1909	2000	202
	Panels are connected through a single	48 x 72"						89.0#	1880	1936	1979	2048	2142	208
	piece poly hingePanel-to-Panel Power Connectors must	$54 \times 70^{\circ}$	CFP5472					100.0#	2009	2072	2112	2190	2293	225
	 Panel-to-Panel Power Connectors must be specified separately 	60 x 72"	CFP6072					108.0#	2036	2093	2135	2217	2317	230
	Powered panel raceway includes four	24 x 80"	CFP2480					55.0#	1421	1466	1492	1548	1623	176
	locations for power and cable access	30 x 80"	CFP3080					64.0#	1651	1697	1730	1797	1877	183
	for panels wider than 24", 24" panel contains two receptacle locations	36 x 80"	CFP3680					72.0#	1752	1802	1838	1908	1998	191
	 12" and 18" wide panels are power pass 	s- 42 x 80"	CFP4280					87.0#	1883	1938	1981	2054	2148	202
ų -	through only	48 x 80"	CFP4880					97.0#	2042	2102	2142	2221	2328	208
	 12" and 18" panels not recommended for use as return panels 	54 x 80"	CFP5480					106.0#	2128	2191	2237	2320	2428	225
CFP	 Product includes complete panel 	60 x 80"	CFP6080					121.0#	2167	2229	2272	2361	2470	230
	assembly with connectors (panel hinge	S,												
	sleeve, side trim rails, top cap, base													
	raceway) plus carpet grippers Class A fire rated 													
	• NRC rating is .80, NIC rating is 22, STC													
	rating is 23													
	 Power infeed must be specified sepa- rately 													
	 Bezel opening is 1.376" x 2.7" to accept 	t												
	data faceplates by Avaya, Amp, Ortron-													
	ics, Panduit and Leviton													
			A	₿	G	D	Ø							
			•	Ŭ	Ŭ	-	-							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.
 - ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power.

TN - No Power T4 - 442 - 10 Wire Power - 622 - 10 Wire Power; add \$202 T6 Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Celect trim color. Refer to the Product Color Options page in this price list.

DSelect fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Fabric Covered Acoustical

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	NUMBER									
	MODEL		Basic Model	Base Power	Trim Fab Color Sid		Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
		24 x 54"					•	\$ 1300	\$ 1319	\$ 1342	\$ 1352	\$ 1386	\$ 176
~	Open frame panel with fabric section		COFP3054					1501	1530	1548	1561	1608	183
	extending to a 29" height		COFP3654					1517	1545	1561	1576	1625	191
			COFP4254					1590	1625	1639	1651	1703	202
	Panels are connected through a single	48 x 54"	COFP4854					1662	1696	1708	1726	1783	208
	piece poly hinge • Panel-to-Panel Power Connectors must	24 x 62"	COFP246	2			44.0#	1332	1353	1373	1383	1427	176
	 Panel-to-Panel Power Connectors must be specified separately 	30 x 62"	COFP306	2 🗆			51.0#	1538	1564	1586	1600	1642	183
	Powered panel raceway includes four	36 x 62"	COFP3662	2 🗆			57.0#	1556	1585	1604	1617	1662	191
	locations for power and cable access	42 x 62"	COFP4262	2 🗆			63.0#	1624	1654	1673	1684	1742	202
	for panels wider than 24". 24" panel contains two receptacle locations	48 x 62"	COFP4862	2 🗆			70.0#	1696	1732	1749	1762	1819	208
	 Product includes complete panel as- 		COFP246				47.0#	1370	1392	1412	1420	1464	176
ut	sembly with connectors (panel, hinges,	30 x 66"	COFP306	6 🗆		100 000	54.0#	1451	1476	1495	1507	1552	183
	sleeve, side trim rails, top cap, base raceway) plus carpet grippers	36 x 66"	COFP3666				60.0#	1590	1625	1639	1651	1703	191
COGP	 Bezel opening is 1.376" x 2.7" to accept 	42 x 66"	COFP426	6 🗆			66.0#	1662	1696	1708	1726	1783	202
		48 x 66"	COFP4866					1735	1770	1785	1802	1857	208
	 Class A fire rated 		COFP2472					1411	1439	1453	1466	1505	176
		30 x 72"	COFP3072			ם מכובים ביים ביים ביים ביים ביים ביים ביים		1495	1523	1542	1552	1600	183
			COFP3672					1631	1666	1682	1696	1749	191
			COFP4272					1699	1735	1752	1770	1823	202
			COFP4872					1774	1806	1826	1843	1897	208
			COFP248					1451	1476	1495	1507	1552	176
			COFP308					1534	1561	1590	1596	1639	183
		36 x 80"	COFP368			ם מכובים ביים ביים ביים ביים ביים ביים ביים		1673	1704	1722	1735	1787	191
			COFP428					1745	1778	1793	1806	1868	202
		48 x 80"	COFP488				□ 84.0#	1814	1851	1868	1879	1937	208
			A	6	C	D G							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box
 - indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power. **T4** - 442 - 10 Wire Power T6 - 622 - 10 Wire Power TN - No Power

Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Celect trim color. Refer to the Product Color Options page in this price list.

• Select fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Half Open Frame-Half Fabric

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	UMBER										
	MODEL		Basic Model			Glass Fabric Color Side 1	Fabric Side 2	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	Base Power add to list price
	Half Glazed-Half Fabric	24 x 54"	CGFP2454					47.0#	\$ 1383	\$ 1402	\$ 1427	\$ 1440	\$ 1482	\$ 176
	 Clear or bronze 1/4" tempered glass panels with fabric section extending to a 	30 x 54"	CGFP3054					55.0#	1494	1520	1537	1551	1598	183
	29" height	a 36 x 54"	CGFP3654					62.0#	1653	1688	1703	1719	1772	191
	Panel is constructed of a painted alumi-	42 x 54"	CGFP4254					70.0#	1745	1778	1793	1806	1868	202
	num frame	48 x 54"	CGFP4854					83.0#	1827	1869	1880	1904	1952	208
	 Product includes complete panel as- sembly with connectors (panel, hinges, 	24 x 62"	CGFP2462					50.0#	1446	1469	1489	1501	1545	176
	sleeve, side trim rails, top cap, base	30 x 62"	CGFP3062					58.0#	1561	1590	1611	1625	1672	183
	raceway) plus	36 x 62"	CGFP3662					66.0#	1726	1762	1779	1796	1850	191
	carpet grippersPanels are connected through a single	42 x 62"	CGFP4262					72.0#	1827	1869	1880	1904	1952	202
	piece poly hinge		CGFP4862					85.0#	1928	1970	1992	2001	2067	208
	Panel-to-Panel Power Connectors must	24 x 66"	CGFP2466					54.0#	1506	1533	1551	1563	1610	176
Щ	be specified separately	30 x 66"	CGFP3066					62.0#	1631	1666	1682	1696	1749	183
	 Powered panel raceway includes four locations for power and cable access 	36 x 66"	CGFP3666					71.0#	1799	1837	1851	1870	1927	191
COGP	for panels wider than 24". 24" panel	42 x 66"	CGFP4266					75.0#	1913	1952	1970	1985	2048	202
	contains two	48 x 66"	CGFP4866					88.0#	2026	2069	2083	2107	2167	208
	 receptacle locations Bezel opening is 1.376" x 2.7" to accept 	24 x 72"	CGFP2472					48.0#	1574	1600	1623	1632	1685	176
	data faceplates by Avaya, AMP, Ortron-	30 x 72"	CGFP3072					57.0#	1688	1723	1743	1753	1806	183
	ics, Panduit and Leviton	36 x 72"	CGFP3672					63.0#	1873	1915	1930	1941	2002	191
	Class A fire rated	42 x 72"	CGFP4272					69.0#	1987	2026	2046	2067	2126	202
		48 x 72"	CGFP4872					79.0#	2157	2200	2218	2239	2303	208
		24 x 80"	CGFP2480					63.0#	1641	1676	1691	1706	1756	176
		30 x 80"	CGFP3080					69.0#	1746	1779	1796	1810	1869	183
		36 x 80"	CGFP3680					80.0#	1938	1981	1998	2011	2076	191
		42 x 80"	CGFP4280					90.0#	2059	2102	2120	2142	2202	202
		48 x 80"	CGFP4880					100.0#	2183	2227	2247	2276	2338	208
			A	₿	C	00	6							

1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box
 - indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power. **T4** - 442 - 10 Wire Power - 622 - 10 Wire Power T6 TN

- No Power Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

Celect trim color. Refer to the Product Color Options page in this price list.

OSelect glass color. GLA - Clear BRZ - Tinted/Bronze

• Select fabric side 1. Refer to ki.com/fabrics

• Select fabric side 2. Refer to ki.com/fabrics

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

System 3000[®] Panels Half Glazed-Half Fabric

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL N	IUMBER				
	MODEL	W x H	Basic Model	Base Power	Trim Color	Glass Color	Approx. Packaged Weight	Delivered Pricing
	Full Glazed	24 x 54"	CGP2454				41.0#	\$ 1078
	 Painted aluminum frame with 1/4" clear or bronze tempered glass 	30 x 54"	CGP3054				52.0#	1131
	 Product includes complete panel as- 	36 x 54"	CGP3654				62.0#	1222
	sembly with connectors (panel, hinges,	42 x 54"	CGP4254				73.0#	1346
	sleeve, side trim rails, top cap, base	48 x 54"	CGP4854				83.0#	1467
	raceway) plus carpet grippersPanels are connected through a single	24 x 62"	CGP2462				45.0#	1118
	piece poly hinge	30 x 62"	CGP3062				57.0#	1194
		36 x 62"	CGP3662				68.0#	1290
	be specified separatelyPowered panel raceway includes four	42 x 62"	CGP4262				78.0#	1402
	 Powered panel raceway includes four locations for power and cable access 	48 x 62"	CGP4862				91.0#	1527
	for panels wider than 24". 24" panel	24 x 66"	CGP2466				50.0#	1162
	contains two receptacle locations	30 x 66"	CGP3066				62.0#	1253
	 Bezel opening is 1.376" x 2.7" to accept data faceplates by Avaya, AMP, Ortron- 	36 x 66"	CGP3666				74.0#	1356
CGP	ics, Panduit and Leviton	42 x 66"	CGP4266				84.0#	1467
	Class A fire rated	48 x 66"	CGP4866				99.0#	1575
		24 x 72"	CGP2472				54.0#	1254
		30 x 72"	CGP3072				68.0#	1346
		36 x 72"	CGP3672				81.0#	1452
		42 x 72"	CGP4272				91.0#	1561
		48 x 72"	CGP4872				109.0#	1676
		24 x 80"	CGP2480				59.0#	1340
		30 x 80"	CGP3080				74.0#	1442
		36 x 80"	CGP3680				89.0#	1546
		42 x 80"	CGP4280				99.0#	1654
		48 x 80"	CGP4880				119.0#	1772
			A	6	0	D		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box

indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect base power. **T4** - 442 - 10 Wire Power T6 - 622 - 10 Wire Power

TN - No Power Refer to upcharge column "Base Power add to list price" for pricing of T4 and T6, when selecting a powered panel.

C Select trim color. Refer to the Product Color Options page in this price list.

OSelect glass color. GLA - Clear BRZ - Tinted/Bronze

UPHOLSTERY INFORMATION

direction the fabric is to be applied.

Fabric Mixing

If fabric is ordered from one group on side 1 and another group on side 2, calculate list price using the following method:

Example: -Grade 2 Fabric -Grade 1 Fabric

Upcharge

Upcharge/2 = Cost for one side

Grade 1 Fabric +Cost for one side

Combined list price

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the

16

System 3000[®] Panels

Base Power	
add to price	list
\$	176
	183
	191
	202
	208
	176
	183
	191
	202
	208
	176
	183
	191
	202
	208 176
	183
	191
	202
	208
	176
	183
	191
	202
	208

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

						•
			MODEL NU	MBER		
	MODEL	W x H x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Wall Mount	2 1/2 x 32 x 1/2"	CWM.32		1.0#	\$ 53
n In	Allows panels to be attached, perpendic-	2 1/2 x 42 x 1/2"	CWM.42		1.0#	57
	ular, to existing wall at any angleInlcudes mounting plate and hinges	2 1/2 x 48 x 1/2"	CWM.48		1.0#	61
	Aluminum construction with painted	2 1/2 x 54 x 1/2"	CWM.54		2.0#	61
	finish	2 1/2 x 62 x 1/2"	CWM.62		2.0#	69
	 No hardware for wall attachment is included 	2 1/2 x 66 x 1/2"	CWM.66		2.0#	80
U U	moluded	2 1/2 x 72 x 1/2"	CWM.72		2.0#	84
μμ		2 1/2 x 80 x 1/2"	CWM.80		2.0#	90
HRDPT						
~	Adjustable Wall Mount	2 1/2 x 32 x 1"	CWMA.32		1.0#	\$ 97
	 Attaches a panel to a wall at the start of a run when used in combination with wall 		CWMA.42		1.0#	111
	tracks	2 1/2 x 48 x 1"	CWMA.48		1.0#	124
	 Includes mounting plate and hinges 	2 1/2 x 54 x 1"	CWMA.54		2.0#	132
	 Aluminum construction with painted finish 	2 1/2 x 62 x 1"	CWMA.62		2.0#	142
	 No hardware for wall attachment is 	2 1/2 x 66 x 1"	CWMA.66		2.0#	147
	included	2 1/2 x 72 x 1"	CWMA.72		2.0#	159
μψ	Adjustable up to 1" to correct wall	2 1/2 x 80 x 1"	CWMA.80		2.0#	172
HRDPT	deflection					
				•		

4

A B

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Panels Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

			MODEL					•					
	MODEL	W x H x D	Basic Model		Fabric		Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	90° Corner Post - Upholstered	2 1/2 x 32 x 2 1/2"	CAFC32			2.0#	N/A	\$ 110	\$ 111	\$ 115	\$ 118	\$ 123	
	Fabric covered, extruded plastic corner	2 1/2 x 42 x 2 1/2"	CAFC42			2.0#	N/A	133	137	142	143	148	
90	covers exposed panel ends where 2 panels form a 90° connection	2 1/2 x 48 x 2 1/2"	CAFC48			3.0#	N/A	147	148	152	158	162	
	 90° corner top cap included 	2 1/2 x 54 x 2 1/2"	CAFC54			3.0#	N/A	153	159	161	162	174	
	Plastic raceway cover	2 1/2 x 62 x 2 1/2"	CAFC62			3.0#	N/A	174	176	183	184	194	
	One-piece single poly hinge included	2 1/2 x 66 x 2 1/2"	CAFC66			3.0#	N/A	184	189	192	194	204	
		2 1/2 x 72 x 2 1/2"	CAFC72			4.0#	N/A	198	201	204	205	225	
		2 1/2 x 80 x 2 1/2"	CAFC80			4.0#	N/A	204	206	218	225	233	
UP													
~ //	90° Corner Post - Unupholstered	2 1/2 x 32 x 2 1/2"					\$ 51						
90'	 Extruded plastic corner covers exposed panel ends where 2 panels form a 90° 					2.0#	56						
×	connection					2.0#	64						
	90° corner top cap included					3.0#	78						
	 Plastic raceway cover One-piece single poly hinge included 	2 1/2 x 62 x 2 1/2"				3.0#	80						
	one piece single poly ninge moldeed					3.0#	83						
						4.0#	107						
		2 1/2 x 80 x 2 1/2"	CAUC80			4.0#	132						
PUN													
			A	6	C								

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □

indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to <u>ki.com/fabrics</u>

18

System 3000[®] Panels Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

				MODEL NU	JMBER								
	MODEL	Features	W x H	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Vaniabla Usinki Osman Dasi Usbalatan	32"/42"	2 1/2 x 10"	FECPC3242			1.0#	\$ 78	\$ 78	\$ 79	\$ 80	\$ 83	
122	Variable Height Corner Post - Upholstere	a 32"/48"	2 1/2 x 16"	FECPC3248			1.0#	83	84	85	85	93	
	Fabric covered, extruded plastic corner		2 1/2 x 22"	FECPC3254			1.0#	90	93	94	95	102	
	covers exposed panel end where 2 pan- els of different heights meet in T-corners	32"/62"	2 1/2 x 30"	FECPC3262			2.0#	97	102	103	104	108	
	 90° corner top cap included 	32"/66"	2 1/2 x 34"	FECPC3266			2.0#	103	104	108	108	112	
222	One-piece single poly hinge included	32"/72"	2 1/2 x 40"	FECPC3272			2.0#	104	107	110	111	115	
	 See Specifications Section for applica- tions 	32"/80"	2 1/2 x 48"	FECPC3280			2.0#	107	108	111	112	118	
	1013	42"/48"	2 1/2 x 6"	FECPC4248			1.0#	44	44	48	48	49	
		42"/54" or 54"/66"	2 1/2 x 12"	FECPC4254			1.0#	80	80	83	83	85	
		42"/62"	2 1/2" x 20"	FECPC4262			1.0#	84	85	87	90	94	
ا ا ر بر		42"/66"	2 1/2 x 24"	FECPC4266			1.0#	94	95	97	102	104	
11		42"/72"	2 1/2 x 30"	FECPC4272			2.0#	97	102	103	104	108	
		42"/80"	2 1/2 x 38"	FECPC4280			2.0#	104	107	110	111	115	
PUP		48"/54"	2 1/2 x 6"	FECPC4854			1.0#	44	44	48	48	49	
		48"/62"	2 1/2 x 14"	FECPC4862			1.0#	79	79	80	81	84	
		48"/66"	2 1/2 x 18"				1.0#	85	87	90	93	95	
		48"/72"	2 1/2 x 24"	FECPC4872			1.0#	95	95	97	102	104	
		48"/80"	2 1/2 x 32"				1.0#	102	103	104	107	111	
		54"/62"	2 1/2 x 8"	FECPC5462			1.0#	79	79	80	81	84	
		54"/72"	2 1/2 x 18"	FECPC5472			1.0#	85	87	90	93	95	
		54"/80"	2 1/2 x 26"	FECPC5480			1.0#	95	97	102	103	107	
		62"/66"	2 1/2 x 4"				1.0#	36	36	39	39	40	
		62"/72"	2 1/2 x 10"	FECPC6272			1.0#	78	78	79	80	83	
		62"/80"	2 1/2 x 18"				1.0#	85	87	90	93	95	
		66"/72"	2 1/2 x 6"	FECPC6672			1.0#	44	44	48	48	49	
		66"/80"	2 1/2 x 14"	FECPC6680			1.0#	80	80	83	83	85	
		72"/80"	2 1/2 x 8"	FECPC7280			1.0#	79	79	80	81	84	
				A	₿	œ							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box

indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

CSelect fabric color. Refer to ki.com/fabrics

System 3000[®] Panels Accessories Variable Height Corner Posts

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

					MODEL NU	MBER			
		MODEL	Features	W x H	Basic Model	Trim Color	Approx. Packaged Weight	Deliver Pricing	
		Variable Height Corner Post - Unuphol-	32"/42"	2 1/2 x 10"	UECPC3242		1.0#	\$	27
	~~~	stered	32"/48"	2 1/2 x 16"	UECPC3248		1.0#		32
		<ul> <li>Extruded plastic corner covers exposed panel end where 2 panels of different</li> </ul>	32"/54"	2 1/2 x 22"	UECPC3254		1.0#		34
-		heights meet in T-corners	32"/62"	2 1/2 x 30"	UECPC3262		2.0#		44
	90° corner top cap included     One-piece single poly binge included		32"/66"	2 1/2 x 34"	UECPC3266		2.0#		51
	222	<ul> <li>One-piece single poly hinge included</li> <li>See Specifications Section for applica-</li> </ul>	32"/72"	2 1/2 x 40"	UECPC3272		2.0#		53
		See Specifications Section for applica- tions	32"/80"	2 1/2 x 48"	UECPC3280		2.0#		56
			42"/48"	2 1/2 x 6"	UECPC4248		1.0#		6
			42"/54" or 54"/66"	2 1/2 x 12"	UECPC4254		1.0#		27
			42"/62"	2 1/2 x 20"	UECPC4262		1.0#		32
			42"/66"	2 1/2 x 24"	UECPC4266		1.0#		39
- 1			42"/72"	2 1/2 x 30"	UECPC4272		2.0#		44
			42"/80"	2 1/2 x 38"	UECPC4280		2.0#		56
PUN			48"/54"	2 1/2 x 6"	UECPC4854		1.0#		6
			48"/62"	2 1/2 x 14"	UECPC4862		1.0#		29
			48"/66"	2 1/2 x 18"	UECPC4866		1.0#		34
			48"/72"	2 1/2 x 24"	UECPC4872		1.0#		39
			48"/80"	2 1/2 x 32"	UECPC4880		2.0#		49
			54"/62"	2 1/2 x 8"	UECPC5462		1.0#		14
			54"/72"	2 1/2 x 18"	UECPC5472		1.0#	:	34
			54"/80"	2 1/2 x 26"	UECPC5480		1.0#		48
			62"/66"	2 1/2 x 4"	UECPC6266		1.0#		4
			62"/72"	2 1/2 x 10"	UECPC6272		1.0#		27
			62"/80"	2 1/2 x 18"	UECPC6280		1.0#		42
			66"/72"	2 1/2 x 6"	UECPC6672		1.0#		6
			66"/80"	2 1/2 x 14"	UECPC6680		1.0#		29
			72"/80"	2 1/2 x 8"	UECPC7280		1.0#		14
					A	6			

1

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no

choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

able.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

## System 3000[®] Panels Accessories Variable Height Corner Posts

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

	MODEL T-Post - Upholstered		Basic Model CTFC32	Trim I Color (	Fabric		Delivered Pricing N/A	Delivered Pricing Fabric Grade 1 & C.O.M. \$ 84	Delivered Pricing Fabric Grade 2 \$85	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV \$ 87	Delivered Pricing Pallas Vertical Fabric Grade PV1 \$90	Delivered Pricing Pallas Vertical Fabric Grade PV2 \$ 94	
										97		φ 34 104	
	piece covers exposed panel ends where		CTFC42			2.0#	N/A	94	95		102		
	3 panels form a "T" connection	2 1/2 X 48	CTFC48			2.0#	N/A	102	103	104	107	111	
		2 1/2 x 54"				3.0#	N/A	102	103	104	107	111	
	Specify fabric color	2 1/2 x 62"	CTFC62			3.0#	N/A	107	108	111	112	118	
						3.0#	N/A	110	111	115	118	123	
		2 1/2 x 72"	CTFC72			3.0#	N/A	115	118	120	123	127	
1.1		2 1/2 x 80"	CTFC80			4.0#	N/A	118	120	123	124	130	
PUP													
	T-Post - Unupholstered		CTUC32			2.0#							
	<ul> <li>Extruded plastic trim piece covers exposed panel ends where 3 panels form</li> </ul>					2.0#	56						
	a "T" connection	2 1/2 x 48"	CTUC48			2.0#	64						
	<ul> <li>T-post top cap included</li> </ul>	2 1/2 x 54"	CTUC54			3.0#	78						
		2 1/2 x 62"	CTUC62			3.0#	80						
		2 1/2 x 66"	CTUC66			3.0#	83						
		2 1/2 x 72"	CTUC72			3.0#	107						
		2 1/2 x 80"	CTUC80			4.0#	132						
PUN													
			A	₿	Θ								

4

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □

indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to <u>ki.com/fabrics</u>

# System 3000[®] Panels Accessories

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

				MODEL NU	IMBER							
	MODEL	Features	WxH	Basic Model	Trim Fabric Color Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Variable Height T-Post - Upholstered	32"/42"	2 1/2 x 10"	FECPT3242		1.0#	\$ 49	\$ 49	\$ 51	\$ 51	\$ 53	
Sec. diff.	Fabric-covered, extruded plastic trim	32"/48"	2 1/2 x 16"	FECPT3248		1.0#	53	54	54	56	57	
	covers the exposed panel trim when panels of different heights meet in "T" of	32"/54"	2 1/2 x 22"	FECPT3254		1.0#	57	61	62	62	64	
	4-way conditions	32"/62"	2 1/2 x 30"	FECPT3262		1.0#	62	64	65	65	68	
	Top cap included	32"/66"	2 1/2 x 34"	FECPT3266		2.0#	65	67	68	69	73	
K	<ul> <li>See Specifications Section for applica- tions</li> </ul>	32"/72"	2 1/2 x 40"	FECPT3272		2.0#	75	75	78	79	81	
	1013	32"/80"	2 1/2 x 48"	FECPT3280		2.0#	78	78	79	80	83	
		42"/48"	2 1/2 x 6"	FECPT4248		1.0#	19	22	22	22	23	
		42"/54" or 54"/66"	2 1/2 x 12"	FECPT4254		1.0#	51	51	52	53	54	
		42"/62"		FECPT4262		1.0#	56	57	57	61	62	
PUP		42"/66"		FECPT4266		1.0#	61	62	64	64	67	
		42"/72"		FECPT4272		2.0#	62	64	65	65	68	
		42"/80"		FECPT4280		2.0#	69	69	73	75	78	
		48"/54"	2 1/2 x 6"	FECPT4854		1.0#	19	22	22	22	23	
		48"/62"		FECPT4862			53	54	54	56	57	
		48"/66"		FECPT4866			56	57	57	61	62	
		48"/72"		FECPT4872			61	62	64	64	67	
		48"/80"		FECPT4880		2.0#	64	65	67	67	69	
		54"/62"		FECPT5462			27	27	27	27	28	
		54"/72"		FECPT5472		1.0#	56	57	57	61	62	
		54"/80"		FECPT5480		1.0#	62	64	65	65	68	
		62"/66"	2 1/2 x 4"	FECPT6266		1.0#	10	10	14	14	14	
		62"/72"		FECPT6272		1.0#	49	49	51	51	53	
		62"/80"		FECPT6280		1.0#	56	57	57	61	62	
		66"/72"		FECPT6672		1.0#	19	22	22	22	23	
		66"/80"		FECPT6680		1.0#	53	54	54	56	57	
		72"/80"	2 1/2 x 8"	FECPT7280		1.0#	27	27	27	27	28	
				A	6							

4

#### **B C** A

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required.

ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

CSelect fabric color. Refer to ki.com/fabrics

## System 3000[®] Panels Accessories

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

				MODEL NU	MBER	_	
	MODEL	Features	W x H	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
	Variable Height T-Post - Unupholstered	32"/42"	2 1/2 x 10"	UECPT3242		1.0#	\$ 27
225 J. 1. 1. 1.	<ul> <li>Extruded plastic trim covers the exposed panel trim when panels of different</li> </ul>	32"/48"	2 1/2 x 16"	UECPT3248		1.0#	32
	heights meet in "T" or 4-way conditions	32"/54"	2 1/2 x 22"	UECPT3254		1.0#	34
	Top cap included	32"/62"	2 1/2 x 30"	UECPT3262		2.0#	44
	See Specifications Section for applica-	32"/66"	2 1/2 x 34"	UECPT3266		2.0#	51
k	tions	32"/72"	2 1/2 x 40"	UECPT3272		2.0#	53
		32"/80"	2 1/2 x 48"	UECPT3280		2.0#	56
I I		42"/48"	2 1/2 x 6"	UECPT4248		1.0#	6
L		42"/54" or 54"/66"	2 1/2 x 12"	UECPT4254		1.0#	27
		42"/62"	2 1/2 x 20"	UECPT4262		1.0#	32
PUN		42"/66"	2 1/2 x 24"	UECPT4266		1.0#	39
		42"/72"	2 1/2 x 30"	UECPT4272		2.0#	44
		42"/80"	2 1/2 x 38"	UECPT4280		2.0#	56
		48"/54"	2 1/2 x 6"	UECPT4854		1.0#	6
		48"/62"	2 1/2 x 14"	UECPT4862		1.0#	29
		48"/66"	2 1/2 x 18"	UECPT4866		1.0#	34
		48"/72"	2 1/2 x 24"	UECPT4872		1.0#	39
		48"/80"	2 1/2 x 32"	UECPT4880		2.0#	49
		54"/62"	2 1/2 x 8"	UECPT5462		1.0#	14
		54"/72"	2 1/2 x 18"	UECPT5472		1.0#	34
		54"/80"	2 1/2 x 26"	UECPT5480		1.0#	48
		62"/66"	2 1/2 x 4"	UECPT6266		1.0#	4
		62"/72"	2 1/2 x 10"	UECPT6272		1.0#	27
		62"/80"	2 1/2 x 18"	UECPT6280		1.0#	42
		66"/72"	2 1/2 x 6"	UECPT6672		1.0#	6
		66"/80"	2 1/2 x 14"	UECPT6680		1.0#	29
		72"/80"	2 1/2 x 8"	UECPT7280		1.0#	14
					•		

4

A B

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required.

• The absence of the  $\Box$  indicates that no choice is required. ullet Alpha-numeric characters in place of  $\Box$ 

indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

# System 3000[®] Panels Accessories Variable Height T-Posts

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODE	L NUM	BER					
	MODEL	W x H x D	Basic Model		Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV
	Two-Way Cap	2 1/2 x 2 1/2"	TWC			1.0#	\$2			
	<ul> <li>Provides continuation of the top cap design when used in conjunction with the FECPT/UECPT</li> </ul>									
HRDPT										
	Four-Way Cap	2 1/2 x 2 1/2"	FWC			1.0#	\$ 2			
	<ul> <li>Provides continuation of the top cap when four panels of equal height meet at 90° angles</li> </ul>	t								
HRDPT										
	In-Line Fabric Spacer	2 1/2 x 32"	IFS32			1.0#	N/A	\$ 297	\$ 303	\$ 310
s S	<ul> <li>Provides 2-1/2" space along a run of</li> </ul>	2 1/2 x /2"	IFS42			1.0#	N/A	311	320	326
	panels to allow panels at office entrance to line up when T-post is used on oppo-	2 1/2 x 48"	IFS48			1.0#	N/A	337	344	354
	site wall	2 1/2 x 54"	IFS54			1.0#	N/A	351	357	365
"U state and the	<ul> <li>Includes two-way top cap and two</li> </ul>	2 1/2 x 62"	IFS62			1.0#	N/A	366	373	385
i i	hinges	2 1/2 x 66"	IFS66			1.0#	N/A	366	373	385
, p		2 1/2 x 72"	IFS72			2.0#	N/A	401	407	425
IFS		2 1/2 x 80"	IFS80			2.0#	N/A	403	415	426
	Panel End Caps		ECP32			1.0#	\$ 27			
	<ul> <li>Extruded plastic cap covers panel end</li> <li>Includes top cap</li> </ul>	2 1/2 x 42 x 1"	ECP42			1.0#	32			
			ECP48			1.0#	39			
		2 1/2 x 54 x 1"	ECP54			1.0#	42			
		2 1/2 x 62 x 1"	ECP62			1.0#	48			
111		2 1/2 x 66 x 1"	ECP66			1.0#	49			
		2 1/2 x 72 x 1"	ECP72			2.0#	53			
		2 1/2 x 80 x 1"	ECP80			2.0#	56			
HRDPT										
			A	0	O					

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no choice is required.

ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

### A Select basic model.

Belect trim color. Refer to the Product Color Options page in this price list.

CSelect fabric color. Refer to <u>ki.com/fabrics</u>

24

# System 3000[®] Panels Accessories

4

Delivered Pricing Pallas Vertical Fabric Grade PV1

Delivered Pricing Pallas Vertical Fabric Grade PV2

\$	320	\$ 331
	335	351
	363	381
	374	391
	391	415
	391	415
	428	452
	432	453

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

							•	
				MODEL NU	MBER			
						Annua.		
				Basic	Trim	Approx. Packaged	Delivered	
	MODEL	Features	WxHxD	Model	Color	Weight	Pricing	
	In-Line Variable Height Panel End Caps	32"/42"	2 1/2 x 10 x 1"	ECPL.3242		1.0#	\$ 8	
	<ul> <li>Extruded plastic cap covers exposed panel end when in-line panels are of</li> </ul>	32"/48"	2 1/2 x 16 x 1"	ECPL.3248		1.0#	10	
	different heights	32"/54"	2 1/2 x 22 x 1"	ECPL.3254		1.0#	14	
	anto one noighto	32"/62"	2 1/2 x 30 x 1"	ECPL.3262		2.0#	19	
		32"/66"	2 1/2 x 34 x 1"	ECPL.3266		2.0#	27	
		32"/72"	2 1/2 x 40 x 1"	ECPL.3272		2.0#	29	
		32"/80"	2 1/2 x 48 x 1"	ECPL.3280		3.0#	32	
		42"/48"	2 1/2 x 6 x 1"	ECPL.4248		1.0#	4	
		42"/54" or 54"/66"	2 1/2 x 12 x 1"	ECPL.4254		1.0#	10	
ЩJ		42"/62"	2 1/2 x 20 x 1"	ECPL.4262		1.0#	14	
HRDPT		42"/66"	2 1/2 x 24 x 1"	ECPL.4266		1.0#	14	
		42"/72"	2 1/2 x 30 x 1"	ECPL.4272		2.0#	19	
		42"/80"	2 1/2 x 38 x 1"	ECPL.4280		2.0#	29	
		48"/54"	2 1/2 x 6 x 1"	ECPL.4854		1.0#	4	
		48"/62"	2 1/2 x 14 x 1"	ECPL.4862		1.0#	10	
		48"/66"	2 1/2 x 18 x 1"	ECPL.4866		1.0#	14	
		48"/72"	2 1/2 x 24 x 1"	ECPL.4872		1.0#	14	
		48"/80"	2 1/2 x 32 x 1"	ECPL.4880		2.0#	27	
		54"/62"	2 1/2 x 8 x 1"	ECPL.5462		1.0#	6	
		54"/72"	2 1/2 x 18 x 1"	ECPL.5472		1.0#	14	
		54"/80"	2 1/2 x 26 x 1"	ECPL.5480		1.0#	19	
		62"/66"	2 1/2 x 4 x 1"	ECPL.6266		1.0#	3	
		62"/72"	2 1/2 x 10 x 1"	ECPL.6272		1.0#	8	
		62"/80"	2 1/2 x 18 x 1"	ECPL.6280		1.0#	14	
		66"/72"	2 1/2 x 6 x 1"	ECPL.6672		1.0#	4	
		66"/80"	2 1/2 x 14 x 1"	ECPL.6680		1.0#	10	
		72"/80"	2 1/2 x 8 x 1"	ECPL.7280		1.0#	6	
				A	B			
				w w	0			

4

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no

choice is required. ullet Alpha-numeric characters in place of  $\Box$ 

able.

indicate that no other alternatives are avail-

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

# System 3000[®] Panels Accessories

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUMBER						
			Desis	Tuine	Ourfeas	<b>-</b>	Approx.	Delivered	
	Features	CLEAR OPENING W x H	Basic Model	Trim Color	Surface Finish	Frame Color	Packaged Weight	Pricing	
	36" Left handed Locking	28-1/2 x 77-1/2"	DRL36L				40.0#	\$ 2966	
	36" Left handed Non-Locking	28-1/2 x 77-1/2"	DRL36N				40.0#	2966	
	36" Right handed Locking	28-1/2 x 77-1/2"	DRR36L				40.0#	2966	
	36" Right handed Non-Locking	28-1/2 x 77-1/2"	DRR36N				40.0#	2966	
	42" Left handed Locking	34-1/2 x 77-1/2"	DRL42L				40.0#	3318	
	42" Left handed Non-Locking	34-1/2 x 77-1/2"	DRL42N				40.0#	3318	
	42" Right handed Locking	34-1/2 x 77-1/2"	DRR42L				40.0#	3318	
	42" Right handed Non-Locking	34-1/2 x 77-1/2"	DRR42N				40.0#	3318	
Right hand shown									
DOOR									
Door									
• Provides visual and acoustical priva-									
су									
<ul> <li>For use in conjunction with 80" panels</li> </ul>									
Laminate surface on door									
<ul> <li>Locking and non-locking options</li> </ul>									
<ul> <li>See Specifications Section for appli- cations</li> </ul>									
		48 × 66"	RSD4266FHC/CP/3K				24.0#	\$ 1349	
RSD									
Sliding Door									
• Will cover a 42" opening									
<ul> <li>Mounts to a 66" panel (stackable sections may be added)</li> </ul>									
Aluminum frame w/clear poly insert									
			A	₿	C	D			

4

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

A Select basic model.

HOW TO BUILD A MODEL NUMBER

Select trim color. Refer to the **Product Color Options** page in this price list.

Select surface finish. Refer to the **Product Color Options** page in this price list.

OSelect frame color. Refer to the **Product Color Options** page in this price list.

26

# System 3000[®] Panels Accessories

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

			MODEL NUI	MBER			
	MODEL	W x H		Trim Color	Approx. Packaged Weight		
1	Panel Center Mount	2 1/2 x 32"	PCM32		1.0#	\$	27
Å.	<ul> <li>Provides for the attachment of an acous- tical papel at a 00° angle along the face</li> </ul>	2 1/2 x 42"	PCM42		1.0#		32
Ĭ.	of another acoustical panel to form a "T"	2 1/2 x 48"	PCM48		1.0#		36
Ţ	configuration	2 1/2 x 54"	PCM54		1.0#		42
		2 1/2 x 62"	PCM62		1.0#		48
	<ul> <li>Is not capable of passing power from nanel-to-nanel</li> </ul>	2 1/2 x 66"	PCM66		1.0#		49
PT		2 1/2 x 72"	PCM72		1.0#		52
		2 1/2 x 80"	PCM80		1.0#		56
	Coat Hook/Picture Hanger	3/4"	СН		1.0#	\$	1
Y	Attaches under the top cap of the panel to support coat hanger or hang picture						
PT							
~	Door Theshold	36"	DRTH36		1.0#	\$	81
		42"	DRTH42		2.0#		99
_///							
	Extruded aluminum door threshold with						
PT	Allaches to polloni of door frame						
			A	₿			
F	PT	Panel Center Mount         • Provides for the attachment of an acoustical panel at a 90° angle along the face of another acoustical panel to form a "T" configuration         • Panels must be the same height         • Is not capable of passing power from panel-to-panel         • Other Acoustical Panel to form a "T"         • Panels must be the same height         • Is not capable of passing power from panel-to-panel         • Attaches under the top cap of the panel to support coat hanger or hang picture         • Provides extra stability for attaching panels in a continous run         • Available in door widths only         • Extruded aluminum door threshold with rubber seal strip         • Attaches to hotor of door frame	Panel Center Mount       2 1/2 x 32"         Provides for the attachment of an acoustical panel at a 90° angle along the face of another acoustical panel to form a "T" configuration       2 1/2 x 42"         Panels must be the same height       1 s not capable of passing power from panel-to-panel       2 1/2 x 62"         PT       Coat Hook/Picture Hanger       2 1/2 x 80"         OFT       Coat Hook/Picture Hanger       3/4"         PT       Opor Theshold       36"         PT       Provides extra stability for attaching panels in a continous run       36"         PT       Extrude aluminum door threshold with rubber seal strip       42"	MODEL       W x H       Basic Model         Panel Center Mount       2 1/2 x 32"       PCM32         • Provides for the attachment of an acoustical panel at a 90° angle along the face of another acoustical panel to form a "T" configuration       2 1/2 x 42"       PCM42         • Panels must be the same height       1/2 x 54"       PCM54       2 1/2 x 62"       PCM62         • Panels must be the same height       Is not capable of passing power from panel-to-panel       2 1/2 x 62"       PCM62         • OT       • Coat Hook/Picture Hanger       0 (MODE)       2 1/2 x 80"       PCM66         • Attaches under the top cap of the panel to support coat hanger or hang picture       3/4"       CH         • OT       • Door Theshold       36"       DRTH36         • Provides extra stability for attaching panels in a continous run       36"       DRTH36         • Available in door widths only       • Extruded aluminum door threshold with rubber seal strip       Image: strip       Image: strip         • Attaches to bottom of door frame       • Attaches to bottom of door frame       Image: strip       Image: strip	MODEL       W x H       Model       Color         Panel Center Mount       2 1/2 x 32"       PCM32       2         Provides for the attachment of an acoustical panel at a 90° angle along the face of another acoustical panel to form a "T" configuration       2 1/2 x 42"       PCM42       2         Panels must be the same height       1 is not capable of passing power from panel-to-panel       2 1/2 x 66"       PCM62       2         PT       Coat Hook/Picture Hanger       2 1/2 x 80"       PCM80       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2       2	MODEL     W x H     Basic Model     Trim Color     Approx. Packaged Weight       Panel Center Mount     2 1/2 x 32"     PCM32     1.0#       Provides for the attachment of an acoustical panel at 90° angle along the face of another acoustical panel to form a "T" configuration     2 1/2 x 42"     PCM42     1.0#       Panels must be the same height     Panels must be the same height     2 1/2 x 64"     PCM48     1.0#       Panels must be the same height     1 lo #     2 1/2 x 64"     PCM66     1.0#       Panels must be the same height     2 1/2 x 66"     PCM66     1.0#       Is not capable of passing power from panel-to-panel     2 1/2 x 72"     PCM72     1.0#       V     Attaches under the top cap of the panel to support coat hanger or hang picture     34"     CH     1.0#       V     Provides extra stability for attaching panels in a continous run     36"     DRTH36     1.0#       V     Provides extra stability or attaching panels in a continous run     36"     DRTH36     1.0#       V     Available in door widths only     Extruded aluminum door threshold with rubber seal strip     Attaches to bottom of door frame     Image: superior superior superior     Image: superior superior	MODEL         W x H         Basic Model         Trim Packaged Color         Approx. Packaged Wight         Deliver Packaged Wight         Deliver Packaged Wight <thdeliver Packaged Wight</thdeliver 

4

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required. • The absence of the  $\Box$  indicates that no

choice is required. ullet Alpha-numeric characters in place of  $\Box$ indicate that no other alternatives are avail-

able.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

27

# System 3000[®] Panels Accessories

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 300 Universal 10-Wire Syste	O [®] Electrical m 6 Circuit "810"					14	
			MODEL NU	MBER			
	MODEL	L	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	Base Feed - 6 Circuit     Provides power from fixed floor or wall     sources to panel power distribution     system     Universal base feed moves left or right	72"	T6BF		3.0#	\$ 618	
HRDPT	<ul> <li>Has a 72" long "liquid-tight" flexible conduit that pivots 180° left to right</li> </ul>						
	Top Feed - 6 Circuit • Provides power from ceiling source to panel power distribution system	144"	T6TF		6.0#	\$ 532	
<b>P</b>	<ul> <li>Includes 7-foot aluminum power pole, top cap section, ceiling sleeve, and 144"power feed cable</li> </ul>						
HRDPT	Product is UL 1286 listed						

\$ 274

 Data Top Feed
 DATATF
 Image: Solution of the solutio

**()** 

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required. • The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of □ indicate that no other alternatives are avail-

able.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

### System 3000[®] Electrical Universal 10-Wire System 6 Circuit "810"

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Sy: Unive	stem 300 ersal 10-Wire Syste	O [®] Electrical m 6 Circuit "810"				KI
				MODEL NUMBER		
		MODEL	L	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Â	Panel-To-Panel Power Connectors - 6 Circuit	17"	T6PJ.17	1.0#	\$ 107
		Used to connect one powered panel to	20"	T6PJ.20	1.0#	108
		<ul><li>an adjacent powered panel</li><li>Available in two lengths</li></ul>				
		Product is UL 1286 listed				
HRDP	'					
				A		

### HOW TO ORDER

29 

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required.  $\bullet$  The absence of the  $\Box$  indicates that no

choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

### System 3000[®] Electrical Universal 10-Wire System 6 Circuit "810"

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### System 3000[®] Electrical Universal 10-Wire System 6 Circuit "810"

							 ·
				MODEL N	UMBER		
				Desis	Trim	Approx.	5 - I ¹
	MODEL	Features	PANEL WIDTH	Basic Model	Trim Color	Packaged Weight	Delivered Pricing
~	Receptacles - 6 Circuit	Circuit 1		T6CER.1		1.0#	§ 40
A REAL PROPERTY AND A REAL	Attaches to wireways of 10 wire powered	^d Circuit 2		T6CER.2		1.0#	40
	<ul><li>panels (all except 12" and 18" panels)</li><li>Provides two (duplex) receptacles each</li></ul>	Circuit 3		T6CER.3		1.0#	40
	rated at 15 amps	Circuit 4		T6CER.4		1.0#	40
Ϋ́Τ	Some circuits are isolated ground	Circuit 5		T6CER.5		1.0#	40
	circuits (622 - 4,5, & 6), Isolated ground receptacles are color-coded orange	Circuit 6		T6CER.6		1.0#	40
	ובכברומכופט מופ כטוטו-כטעפע טומווטפ						
A.	Power Retrofit Kit - 10-Wire - 6 Circuit		24"	T6EPR.24		2.0#	\$ 307
	<ul> <li>Distributes 10-wire power and allows receptacle mounting</li> </ul>		30"	T6EPR.30		2.0#	321
	Non-directional		36"	T6EPR.36		3.0#	331
	Accommodates two duplex receptacles		42"	T6EPR.42		3.0#	340
	per side; maximum of four per wireway		48"	T6EPR.48		3.0#	363
	• 24" wireway accommodates one duplex receptacle per side		54"	T6EPR.54		4.0#	366
DPT	<ul> <li>Receptacles are purchased separately</li> </ul>		60"	T6EPR.60		4.0#	387
~	Power Pass Through - 6 Circuit	Panel Width 12"		T6EPT.12		2.0#	5 145
	<ul> <li>Provides continuation of power through a non-powered panel that is between two powered panels</li> </ul>	Panel Width 18"		T6EPT.18		3.0#	145
and the second	powered panels			T6EPT.24		4.0#	158
C.	Receptacle access is not provided on	Panel Width 30"		T6EPT.30		5.0#	167
	<ul><li>power pass through panels</li><li>Panel-to-panel connectors are not</li></ul>	Panel Width 36"		T6EPT.36		6.0#	167
т	required	Panel Width 42"		T6EPT.42		6.0#	167
	<ul> <li>Product is UL 1286 listed</li> </ul>	Panel Width 48"		T6EPT.48		7.0#	173
		Panel Width 54"		T6EPT.54		7.0#	173
		Panel Width 60"		T6EPT.60		8.0#	173
				A	B		
				-	-		

5

### HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required. • The absence of the □ indicates that no

Alpha-numeric characters in place of indicate that no other alternatives are avail-

able.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

### System 3000[®] Electrical Universal 10-Wire System 6 Circuit "810"

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000 Universal 10-Wire System	D [®] Electrical m 4 Circuit "810"					K1
	MODEL		MODEL NU Basic Model	MBER Trim Color	Approx. Packaged Weight	Delivered Pricing
HRDPT	<ul> <li>Base Feed - 4 Circuit</li> <li>Provides power from fixed floor or wall sources to panel power distribution system</li> <li>Universal base feed moves left or right</li> <li>Has a 72" long "liquid-tight" flexible conduit that pivots 180° left to right</li> </ul>	72"	T4BF		3.0#	\$ 618
	<ul> <li>Top Feed - 4 Circuit</li> <li>Provides power from ceiling source to panel power distribution system</li> <li>Includes 7-foot aluminum power pole, top cap section, ceiling sleeve, and 144"power feed cable</li> <li>Product is UL 1286 listed</li> </ul>	144"	T4TF		6.0#	\$ 532
HRDPT	<ul> <li>Data Top Feed</li> <li>Provides power pole, top cap and ceiling trim pieces for data cables</li> <li>84" power pole length</li> </ul>		DATATF		5.0#	\$ 274

### HOW TO ORDER

HRDPT

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required.  $\bullet$  The absence of the  $\Box$  indicates that no

choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

### HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

A

₿

### System 3000[®] Electrical Universal 10-Wire System 4 Circuit "810"

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

### Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

S	System 3000 niversal 10-Wire System	D [®] Electrical m 4 Circuit "810"				K1
				MODEL NUMBER		
		MODEL	L	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Â	Panel-To-Panel Power Connectors - 4 Circuit	17"	T4PJ.17	1.0#	\$ 107
		<ul> <li>Used to connect one powered panel to</li> </ul>	20"	T4PJ.20	1.0#	108
		<ul><li>an adjacent powered panel</li><li>Available in two lengths</li></ul>				
		Product is UL 1286 listed				
Н	RDPT					
				A		

### HOW TO ORDER

32 

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The  $\Box$  indicates that a choice is required.  $\bullet$  The absence of the  $\Box$  indicates that no

choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

### System 3000[®] Electrical Universal 10-Wire System 4 Circuit "810"

### SPECIAL SERVICES

### Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

### System 3000[®] Electrical Universal 10-Wire System 4 Circuit "810"

					_	•	
			MODE	L NUMBER			
					-		
			Desis	Trim	Approx.	Delivered	
	MODEL	Features PANEL W	DTH Basic	Trim Color	Packaged Weight	Delivered Pricing	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Receptacles - 4 Circuit	Circuit 1	T4CER.		1.0#	\$ 42	
	Attaches to wireways of 10 wire powered	Circuit 2	T4CER.	2 00	1.0#	42	
	panels (all except 12" and 18" panels) • Provides two (duplex) receptacles each	Circuit 3	T4CER.	3	1.0#	42	
	rated at 15 amps	Circuit 4	T4CER.4	1	1.0#	42	
HRDPT	Some circuits are isolated ground						
	circuits (442 - 3 & 4), Isolated ground receptacles are color-coded orange						
A .	Power Retrofit Kit - 10-Wire - 4 Circuit	24"	T4EPR.		2.0#	\$ 307	
	 Distributes 10-wire power and allows receptacle mounting Non-directional 	30"	T4EPR.		2.0#	321	
		36"	T4EPR.	36 🗆	3.0#	331	
	· Accomodates two duplex receptacles per	42"	T4EPR.4	12 🗆	3.0#	340	
	side; maximum of four per wireway	48"	T4EPR.4	18 🗆	3.0#	363	
- Ala	 24" wireway accommodates one duplex receptacle per side 	54"	T4EPR.		4.0#	366	
HRDPT	Receptacles are purchased separately	60"	T4EPR.	50 🗆	4.0#	387	
	Power Pass Through - 4 Circuit	Panel Width 12"	T4EPT.1		2.0#	\$ 145	
	 Provides continuation of power through a non-powered panel that is between two powered panels 	Panel Width 18"	T4EPT.1		3.0#	145	
C. Martin Martin	powered panels	Panel Width 24"	T4EPT.2		4.0#	158	
a state of the sta		Panel Width 30"	T4EPT.3		5.0#	167	
	power pass through panelsPanel-to-panel connectors are not	Panel Width 36"	T4EPT.3	-	6.0#	167	
HRDPT	required	Panel Width 42"	T4EPT.4		6.0#	167	
	 Product is UL 1286 listed 	Panel Width 48"	T4EPT.4	-	7.0#	173	
		Panel Width 54"	T4EPT.5		7.0#	173	
		Panel Width 60"	T4EPT.6	0	8.0#	173	
			A	• •			

5

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \Box indicates that a choice is required.

The absence of the
indicates that no choice is required.
Alpha-numeric characters in place of
indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Electrical Universal 10-Wire System 4 Circuit "810"

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Worksurfaces

			MODEL	NUMBE	R									
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Trim Color	Grommet Location	Edge Color	Grommet Color	Approx. Packaged Weight		Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)
	Rectangular Worksurfaces	24 x 18"	WR2418							23.0#		\$ 354	\$ 373	\$ 442
\sim	Rectangular worksurfaces consist of	24 x 24"	WR2424							23.0#		354	373	442
	1-1/4" particleboard with high-pressure laminate or veneer faces	24 x 30"	WR2430							28.0#		385	401	482
	60" worksurfaces contain two steel	24 x 36"	WR2436							33.0#		407	430	509
Ŭ	reinforcing bars	24 x 42"	WR2442							37.0#		471	492	586
Flat Vinyl T-Edge (BN)	• Edges are available in flat vinyl T-edge,	24 x 48"	WR2448							42.0#		502	525	627
	74P edges with vinyl edge banding and elliptical postformed front edges with	24 x 54"	WR2454							46.0#		522	549	658
\frown	color-matched vinyl edge banding	24 x 60"	WR2460							51.0#		542	567	678
^ /	Wood veneer surfaces have veneer faces	^S 24 x 66"	WR2466							56.0#		555	582	692
	with elliptical profile solid reconstituted	24 x 72"	WR2472							61.0#		564	594	708
V	wood front edge with all other edges being banded with reconstituted veneer	24 x 78"	WR2478							66.0#		581	608	726
3mm PVC Edge (3L)	 Includes worksurface supports 	24 x 84"	WR2484							71.0#		599	629	747
Postformed Edge (PL)	Cantilevers allow mounting to panels at	24 x 90"	WR2490							74.0#		606	635	754
Wood Edge (WV)	1" height increments	24 x 96"	WR2496							76.0#		615	643	769
WR	 Worksurfaces are predrilled for drawer suspended pedestals, center drawer and 		WR3024							28.0#		385	401	482
WIT	adjustable keyboard pad	30 x 30"	WR3030							34.0#		407	430	509
	All surfaces 66" and longer are provided	30 x 36"	WR3036							40.0#		441	462	551
	with an additional left-hand cantilever bracket	30 x 42"	WR3042							46.0#		500	519	619
	 Worksurfaces with postformed and 	30 x 42 30 x 48"	WR3042							57.0#		536	562	666
	veneer edges have one 2-1/2" x 6"	30 x 48 30 x 54"	WR3048							62.0#		549	575	686
	grommet up to 54" wide, 60" - 96" have	30 x 54 30 x 60"	WR3054 WR3060							68.0#		565	575	712
	two grommets 3" diameter grommet optional on vinyl 	30 x 60 30 x 66"	WR3060							72.0#		586	616	712
	Tedge worksurfaces only													735
		30 x 72"	WR3072							79.0#		595	627	
		30 x 78"	WR3078							85.0#		607	637	758
		30 x 84"	WR3084							89.0#		617	648	776
		30 x 90"	WR3090							92.0#		630	663	789
		30 x 96"	WR3096							94.0#		643	676	806
			A	B	C	D	Ø	G	G					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number". 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.

 \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

BN - Flat vinyl T-edge

- 74P edge 74P PL - Postformed edge WV - Wood edge, veneer surface

Celect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

OSelect trim color for painted surfaces. Refer to the Product Color Options page in this price list.

Grommet position on T-edge (BN) only.

N - Grommet : none - no upcharge L - Grommet : left; add \$61

- Grommet : center; add \$61 С

- Grommet : right; add \$61

LR - Grommet : left/right; add \$120 LC - Grommet: left/center; add \$120 CR - Grommet: center/right; add \$120 LCR - Grommet : left/center/right; add \$179

 Select edge color. Refer to the Product Color Options page in this price list.

Gelect grommet color on T-edge (BN) only. Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Rectangular



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Worksurfaces "P" Shaped Peninsula/Piano Peninsula

			MODEL NU	MRFR								
										– Approx.		
	MODEL	D x W x L	Basic Model	Dir.	Edge Style	Surface Finish	Trim Color		Grommet Color	Packaged Weight	74P Edge (74P)	Wood Edge Veneer (WV)
	"P" Shaped Peninsula Worksurfaces	24 x 48 x 60"	WPT244860							65.0#	\$ 1035	\$ 6792
\sim	 Peninsula worksurfaces consist of 1-1/4" particleboard with high-pressure 	24 x 48 x 72"	WPT244872							79.0#	1106	8001
(Left Shown)	 laminate or veneer finishes Edge is available with 74P front edges with color-matched vinyl edge banding Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted 	30 x 48 x 72"	WPT304872							88.0#	1138	8070
WPRS	wood front edge with all other edges being											
WING	banded with reconstituted veneer											
	Includes worksurface supports											
	 Round end is supported by 3" diameter metal column with adjustable glides 											
	Cantilevers allow mounting to panels at											
	1" height increments											
	 Peninsula worksurfaces have one 2-1/2" x 6" grommet centered on rear edge 											
	 72" worksurfaces contain two steel 											
	reinforcing bars											
	Piano Peninsula Worksurfaces	24 x 48 x 60"	WPP244860							59.0#	\$ 1035	\$ 5160
\sim	 Peninsula worksurfaces consist of 1-1/4" particleboard with high-pressure 	24 x 48 x 72"	WPP244872							72.0#	1106	6045
	laminate or veneer finishes 30 x 4 • Edge is available with 74P front edges	30 x 48 x 72"	WPP304872	$\Box\Box$						82.0#	1138	6148
Ť	 with color-matched vinyl edge banding Wood veneer surfaces have veneer faces 											
(Left Shown)	 wood veneer surfaces have veneer faces with elliptical profile solid reconstituted 											
	wood front edge with all other edges											
WPRS	being											
	 banded with reconstituted veneer Includes worksurface supports 											
	• Round end is supported by 3" diameter											
	metal column with adjustable glides											
	 Cantilevers allow mounting to panels at 1" height increments 											
	Peninsula worksurfaces have one 2-1/2"											
	 x 6" grommet centered on rear edge 72" worksurfaces contain two steel 											
	 72 worksurfaces contain two steel reinforcing bars 											
			A	6	G	D	Ð	G	G			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.

ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

BSelect surface direction.

C Select edge style. 74P - 74P edge

DSelect surface finish.

DR

WV

price list.

selections.

DL - Direction left

HOW TO BUILD A MODEL NUMBER

- Direction right

Direction is determined by the side of the work-

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Gelect trim color for painted surfaces. Refer to the **Product Color Options** page in this

- Wood edge, veneer surface

surface that adjoins an adjacent worksurface.

Refer to the Product Color Options page in this price list.

GSelect grommet color.

Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

GSelect edge color.

price list.

System 3000[®] Worksurfaces "P" Shaped Peninsula/Piano Peninsula

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Worksurfaces

Square Shoe Worksurfaces • Shoe worksurfaces consist of 1-1/4" particleboard with high-pressure lami- nate or veneer finishes • Edge is available with 74P front edges with color-matched vinyl edge banding • Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted	D x W x L 24 x 48 x 60" 24 x 48 x 66" 24 x 48 x 72" 24 x 48 x 84" 30 x 48 x 66" 30 x 48 x 72" 30 x 48 x 84"	Basic Model WSS244860 WSS244866 WSS244872 WSS244884 WSS3048866 WSS304872 WSS304884	Dir.	Style		Color		Grommet Color	Approx. Packaged Weight 71.0# 75.0# 79.0#	Flat Vinyl T-Edge (BN) N/A N/A N/A	74P Edge (74P) \$ 951 999 1026	Wood Edge Venee (WV) \$ 4182 4593
Square Shoe Worksurfaces 2 Shoe worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer finishes 2 Edge is available with 74P front edges with color-matched vinyl edge banding 2 Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer 2 Includes worksurface supports 2 Cantilevers allow mounting to panels at 3	24 x 48 x 60" 24 x 48 x 66" 24 x 48 x 72" 24 x 48 x 84" 30 x 48 x 66" 30 x 48 x 72"	Model WSS244860 WSS244866 WSS244872 WSS244884 WSS304866 WSS304872	Dir.	Style Image: Style	Finish	Color	Color	Color	Packaged Weight 71.0# 75.0#	(BN) //A //A	(74P) \$ 951 999	(WV) \$ 4182 4593
 Shoe worksurfaces consist of 1-1/4" particleboard with high-pressure lami- nate or veneer finishes Edge is available with 74P front edges with color-matched vinyl edge banding Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	24 x 48 x 66" 24 x 48 x 72" 24 x 48 x 84" 30 x 48 x 66" 30 x 48 x 72"	WSS244866 WSS244872 WSS244884 WSS304866 WSS304872							75.0#	N/A	999	4593
 particleboard with high-pressure laminate or veneer finishes Edge is available with 74P front edges with color-matched vinyl edge banding Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	24 x 48 x 72" 24 x 48 x 84" 30 x 48 x 66" 30 x 48 x 72"	WSS244872 WSS244884 WSS304866 WSS304872										
 nate or veneer finishes Edge is available with 74P front edges with color-matched vinyl edge banding Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	24 x 48 x 84" 30 x 48 x 66" 30 x 48 x 72"	WSS244884 WSS304866 WSS304872							79.0#	N/A	1026	5010
 Edge is available with 74P front edges with color-matched vinyl edge banding Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	30 x 48 x 66" 30 x 48 x 72"	WSS304866 WSS304872				1			10.0//	14/71		5013
 Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	30 x 48 x 72"	WSS304872							87.0#	N/A	1049	5826
wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at									89.0#	N/A	1045	4593
 wood front edge with all other edges being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 	30 x 48 x 84"	WSS304884							93.0#	N/A	1063	5013
 being banded with reconstituted veneer Includes worksurface supports Cantilevers allow mounting to panels at 									101.0#	N/A	1092	5826
Cantilevers allow mounting to panels at												
Shoe worksurfaces have one 2-1/2" x												
6" grommet centered on side and rear												
All surfaces 66" and longer are provided												
bracket												
	25 x 51"	WCE2551							21.0#	\$ 584	\$ 609	\$ 1517
	31 x 51"	WCE3151							32.0#	607	637	1704
	31 x 63"	WCE3163							42.0#	630	663	4073
	37 x 63"	WCE3763							60.0#	864	905	4854
wood front edge with all other edges												
being banded with reconstituted veneer												
motai columnis with aujustable gliues												
		A	B	C	D	Ø	G	G				
	1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" parti- cleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces conclude two 3" diameter 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Vorksurfaces consist of 1-1/4" parti- cleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces include two 3" diameter 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces include two 3" diameter metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particlebaard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted veneer Wood surfaces include two 3" diameter metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces colude two 3" diameter metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces include two 3" diameter metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particle board with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted wood front edge with all other edges being banded with reconstituted veneer Worksurfaces colude two 3" diameter metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted weneer functions with all other edges being banded with reconstituted veneer metal columns with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" particleboard with high-pressure laminate or veneer faces Edges are available in flat vinyl T-edge and 74P edge Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted word from tedge with all other edges being banded with adjustable glides 	 Cantilevers allow mounting to panels at 1" height increments Shoe worksurfaces have one 2-1/2" x 6" grommet centered on side and rear edges 60" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Conference End Worksurfaces Worksurfaces consist of 1-1/4" parti- clebaard with high-pressure laminate or veneer faces Edge are available in flat vinyl T-edge and 74P edge Worksurfaces have veneer faces Worksurfaces include two? diameter metal columns with adjustable glides 	 Carlievers allow mounting to panels at "height increments Shoe worksurfaces have one 2-1/2" x G" grommet centered on side and rear edges GO" worksurfaces contain two steel reinforcing bars All surfaces 66" and longer are provided with an additional left-hand cantilever bracket Vorksurfaces consist of 1-1/4" parti- cleb carliered Shoe worksurfaces Shoe worksurface Shoe worksurfaces Shoe worksurface Shoe worksurface

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER • Select edge color.

A Select basic model. **B**Select surface direction.

DR

74P

WV

price list.

selections.

price list.

CSelect edge style.

DSelect surface finish.

DL - Direction left

BN - Flat vinyl T-edge

- 74P edge

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this

- Direction right

surface that adjoins an adjacent worksurface.

- Wood edge, veneer surface

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Refer to the Product Color Options page in this price list.

GSelect grommet color. Refer to the Product Color Options page in this price list. Direction is determined by the side of the work-

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

											•	
			MODEL NU	MBER								
										Approx.		\checkmark
	MODEL	D x W	Basic	Edge	Surface	Trim	Grommet		Grommet	Packaged	Flat Vinyl T-Edge	74P Edge
			Model	Style	Finish	Color	Location		Color	Weight	(BN)	(74P)
~	"D" Shaped Peninsula Worksurfaces D-shaped worksurfaces end-mount to	30 x 48"	WP3048							53.0#	\$ 726	\$ 760
	panels	30 x 60"	WP3060							63.0#	803	841
	 The round end is supported by a 3" 	30 x 72"	WP3072							76.0#	885	931
	diameter metal column with adjustable	36 x 60"	WP3660							75.0#	981	1032
\bigcup	glides Surface consists of 1-1/4" particleboard 	36 x 72"	WP3672							89.0#	1066	1118
	with high-pressure laminate with flat											
WCDC	vinyl T-edge or 74P edge											
	Not available with laminate postformed											
	edge											
	 Includes mounting hardware 72" worksurfaces contain two steel 											
	reinforcing bars											
	-											
	"D" Shaped Peninsula Worksurface	30 x 30"	WSMP3048							54.0#	\$ 726	\$ 760
	Mounts to Another Worksurface	30 x 30"	WSMP3060							64.0#	803	841
	D-shaped worksurfaces side mount to	30 x 30"	WSMP3072							77.0#	885	931
	 worksurfaces at 29"-30" height The round end is supported by a 3" 											
	diameter metal column with adjustable											
	glides											
U	Surface consists of 1-1/4" particleboard											
WCDC	with high-pressure laminate with flat vinyl T-edge or 74P edge											
	Not available with laminate postformed											
	edge or wood veneer with wood edge											
	Does not include wire management											
	grommet72" worksurfaces contain two steel											
	 72" WORKSUITACES CONTAIN TWO STEEL reinforcing bars 											
	 Includes mounting hardware 											
					0	-	•		•			
			A	₿	C	D	9	6	G			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

Bselect edge style. BN _- Flat vinyl T-edge **74P** - 74P edge

HOW TO BUILD A MODEL NUMBER

CSelect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

DSelect trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

Grommet position on T-edge (BN) only.

 N
 - Grommet : none - no upcharge

 L
 - Grommet : left; add \$61
 - Grommet : center; add \$61 - Grommet : right; add \$61 LR - Grommet : left/right; add \$120 LC - Grommet: left/center; add \$120

CR - Grommet: center/right; add \$120 LCR - Grommet : left/center/right; add \$179

Gelect edge color.

Refer to the Product Color Options page in this price list.

GSelect grommet color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces "D" Shaped Peninsula

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUI	IRER							
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color	Approx. Packaged Weight	74P Edge (74P)	Wood Edge Veneer (WV)
	Dual Curvilinear 90° Corner Worksurface	24 x 48 x 48 x 24"	WDC244224						75.0#	\$ 2650	\$ 5877
\sim	w/Spring-Assist Mechanism	24 x 48 x 48 x 24"	WDC244824						84.0#	2713	6633
		24 x 48 x 48 x 30"	WDC304830						98.0#	2863	6869
	 Worksurfaces consist of 1-1/4" parti- cleboard with high-pressure laminate or 										
	veneer faces										
WC	Laminate edge is available in 74P										
	 Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted 	3									
	wood front edge with all other edges										
	being banded with reconstituted veneer										
	Variable height adjustment mechanism										
	adjusts 5-3/4" below and 7" above surface										
	• Tilt adjustment of 9° positive and 15°										
	negative										
	 Spring-assist mechanism will lift five pounds of equipment located on the 										
	keyboard surface. Higher capacity mech	-									
	anisms are available as a special order										
	 Rear surface remains stationary and front surface provides height and tilt 										
	adjustment										
	Mounting hardware is included										
			A	6	C	D	0	6			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

price list.

A Select basic model.

Bselect edge style. BN - Flat vinyl T-edge - 74P edge 74P WV - Wood edge, veneer surface

- Celect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- OSelect trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.
- Select edge color. Refer to the **Product Color Options** page in this price list.

GSelect grommet color. Refer to the **Product Color Options** page in this

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

39

			MODEL NU	IMBER			
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Surfa Style Finis	nce Trim h Colo	n Edge or Colo	e Grommet or Color
	Diagonal 90° Corner Worksurfaces	24 x 36 x 36 x 24"	WD243624			1 🗆	
\sim	Worksurfaces consist of 1-1/4" parti-	24 x 42 x 42 x 24"	WD244224				
	cleboard with high-pressure laminate or veneer faces	24 x 42 x 42 x 30"	WD244230				
		24 x 48 x 48 x 24"	WD244824				
74P Edge (74P)	elliptical postformed front edges with	24 x 48 x 48 x 30"	WD244830				
\sim	color-matched vinyl edge banding	30 x 42 x 42 x 24"	WD304224				
	 Wood veneer surfaces have veneer faces with elliptical profile solid reconstituted 	30 x 42 x 42 x 30"	WD304230			1 00	
		30 x 48 x 48 x 24"	WD304824				
	being banded with reconstituted veneer	30 x 48 x 48 x 30"	WD304830				
Flat Vinyl T-Edge (BN)	Worksurfaces provide a straight front						
luc vinyi i Eugo (Bit)	edge to access corner work area3" diameter grommet standard on vinyl						
	T-edge worksurfaces						
	 Corner worksurfaces with 74P, post- 						
	formed and wood veneer edges have on	9					
	2-1/2" x 6" grommet located 12" from						
	rear corner along right rear edgeMounting hardware included, lefthand						
	cantilever provided for rear corner						
	 Worksurface is predrilled to accept 						
	adjustable keyboard pad						
	 Cantilevers allow mounting at 1" height increments 						
			A	6) () () ()

FINISH INFORMATION

Modification Request.

Additional Laminate Offering

Additional laminates beyond KI standard offering,

To specify additional laminates, use these designa-

tors followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code

Nevamar - LN/supplier's color pattern code

Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's

Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product

recommended finish for that color/pattern.

Contact customer service for details.

are available with two weeks extended leadtime.

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Refer to the Product Color Options page in this price list.

A Select basic model.

BN - Flat vinyl T-edge 74P - 74P edge PL - Postformed edge - Wood edge, veneer surface WV

CSelect surface finish. Refer to the **Product Color Options** page in this price list.

Surface finish offerings are based on edge style selections.

DSelect trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

• Select edge color. Refer to the **Product Color Options** page in this price list.

Select grommet color.

System 3000[®] Worksurfaces Diagonal 90° Corner



SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	MBER						
								Approx.		
	MODEL	D x W-LEFT x W-RIGHT x D	Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Grommet Color		
	Curvilinear 90° Corner Worksurfaces	24 x 36 x 36 x 24"	WC243624						44.0# \$ 643 \$ 2863	
\sim	Worksurfaces consist of 1-1/4" parti-	24 x 42 x 42 x 24"	WC244224						49.0# 686 3889	
	cleboard with high-pressure laminate or veneer faces	24 x 42 x 42 x 30"	WC244230						53.0# 686 2917	
	 Laminate edge available w/74P edges 	24 x 48 x 48 x 24"	WC244824						60.0# 856 4769	
74P Edge (74P)	 Wood veneer surfaces have veneer faces 		WC244830						62.0# 856 3889	
	with elliptical profile solid reconstituted wood front edge with all other edges	30 x 36 x 36 x 30"	WC303630						49.0# 643 2974	
WC	being banded with reconstituted veneer	30 x 42 x 42 x 24"	WC304224						49.0# 686 2917	
		30 x 42 x 42 x 30"	WC304230						67.0# 735 4048	
	x 6" grommet located 12" from rear corner along right rear edge	30 x 48 x 48 x 24"	WC304824						60.0# 856 3889	
	 Mounting hardware is included. A 	30 x 48 x 48 x 30"	WC304830						76.0# 899 4906	
	lefthand cantilever is provided for rear									
	 Corner Worksurface is predrilled to accept 									
	adjustable keyboard pad									
	Cantilevers allow mounting at 1" height									
	increments									
			A	ß	C	D	Ø	G		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 Select edge style.

 74P
 - 74P edge

 WV
 - Wood edge, veneer surface

- CSelect surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.
- **D**Select trim color for painted surfaces. Refer to the Product Color Options page in this price list.
- Select edge color. Refer to the **Product Color Options** page in this price list.

 Select grommet color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Curvilinear 90° Corner

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Worksurfaces Mobile Teardrop/Mobile Semi-Circle

	MODEL NUMBER								
			MODEL NU	MBER					
	MODEL	D x DIA	Basic Model		-		Surface Finish	Edge Color	
	Mobile Teardrop Worksurfaces	24 x 45"	WMTP2445		9				
WMT	 1-1/2" solid particleboard with high-pressure laminate Flat vinyl T-edge or 74P edge Base consists of three 3" diameter metal support legs with adjustable chrome-plated glide Enamel finish on legs Connects to end of 24" or 30" Work- Zone[®] worksurface Wireway option not available 	30 x 55"	WMTP3055		9				
	Wireway option not available Pointed end is removed to accommodate corner of two System 3000 [®] panels Mobile Semi-Circle Worksurfaces	24 x 50-1/2"	WMSCP51						
		24 x 50-1/2" 24 x 62-1/2"	WMSCP51 WMSCP63						
a	high-pressure laminate Flat vinyl T-edge or 74P edge Base consists of three 3" diameter 	24 x 62-1/2″	WMSCP63		9				
	metal support legs with adjustable chrome-plated glide • Enamel finish on legs • Comparet to and 62 47 or 200 Work								
₩MT									
	 Wireway option not available Notch enables surface to wrap around end cap of System 3000[®] panel 								
	 50-1/2" diameter accommodates two 24" deep WorkZone[®] worksurfaces separated by a System 3000[®] panel 								
	 62-1/2" diameter accommodates two 30" deep WorkZone® worksurfaces separated by a System 3000® panel 								
									1
			Ø	₿	Θ	D	θ	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

selections.

BSelect edge style. BN - Flat vinyl T-edge **74P** - 74P edge

CSelect height. 9 - 29" High

OSelect trim color for painted surfaces. Refer to the Product Color Options page in this price list.

• Select surface finish. Refer to the **Product Color Options** page in this price list. Surface finish offerings are based on edge style selections.

 Select edge color. Refer to the **Product Color Options** page in this price list. Edge color offerings are based on edge style

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Mobile Teardrop/Mobile Semi-Circle

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL	NUMBER				
	MODEL	W	Basic Model	Edge Style	Trim Color	Surface Finish	Edge Color	Approx. Packaged Weight
-	Quarter Round Transitional	24"	WQRP24					34.0#
	Two splice plates provided	30"	WQRP30					51.0#
	 For use with fixed height workstations only 							
	 Available with flat vinyl T-edge or 74P 							
	edge							
	 For use as conferencing corner Wireway option not available 							
	 Wreway option not available Modesty panel not required 							
VCT	• 24" surface has radius of 26-2/3" and							
	30" surface has a radius of 35"							
	 Surface has pointed end removed to accommodate corner of two System 							
	3000 [®] panels							
			A	ß	O	D	Ø	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. BN _- Flat vinyl T-edge **74P** - 74P edge

• Select trim color for painted surfaces. Refer to the Product Color Options page in this price list.

- **D**Select surface finish. Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.
- Select edge color. Refer to the Product Color Options page in this price list. Edge color offerings are based on edge style selections.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Quarter Round Transitional

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODFI	. NUMB	ER					
	MODEL	D x W	Basic Model		Surface Finish	Trim Color	Edge Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)
	Straight Countertops	16 x 24"	WCT24					16.0#	\$ 320	\$ 331
	Rectangular worksurfaces consist of	16 x 30"	WCT30					19.0#	350	366
	1- 1/4" particleboard with high-pressure laminate or veneer faces	, 16 x 36"	WCT36					22.0#	371	389
	Edges are available in flat vinyl T-edge,	16 x 42"	WCT42					25.0#	427	448
	74P edges with vinyl edge banding and	16 x 48"	WCT48					28.0#	457	478
1	elliptical postformed front edges with color-matched vinyl edge banding	16 x 54"	WCT54					31.0#	476	502
	 Wood veneer surfaces have veneer faces 	s 16 x 60"	WCT60					34.0#	500	519
	with elliptical profile solid reconstituted	16 x 66"	WCT66					37.0#	506	536
	wood front edge with all other edges	16 x 72"	WCT72					40.0#	518	547
	 being banded with reconstituted veneer Countertop extends 4" over the top of 	16 x 78"	WCT78					43.0#	534	557
	the panel to comply with 2010 ADA and	16 x 84"	WCT84					43.0#	542	567
	ICCA117.1.									
	 Brackets include steel locking clips to prevent dislodgement 									
	 Countertops accept task light 									
\sim	90° Countertops	16 x 24"	W9024					23.0#	\$ 519	\$ 548
$\langle \$	 Construction is same as straight coun- tertop except it is a two-piece mitered 	16 x 30"	W9030					30.0#	664	699
	surface with 90° right angle	16 x 36"	W9036					37.0#	783	820
			A	B	G	D	Ø			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number". 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style. BN _- Flat vinyl T-edge - 74P edge 74P PL - Postformed edge WV - Wood edge, veneer surface

CSelect surface finish. Refer to the Product Color Options page in this price list.

Surface finish offerings are based on edge style selections.

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

• Select edge color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces



Wood Edge Veneer (WV)	
\$ 1170	
1373	
1527	
1676	
1873	
2127	
2380	
2531	
2632	
2686	
3189	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

									·		\sim
			MODEL NUI	MBER							
	MODEL	D x W	Basic Model	Edge Style	Surface Finish	Trim Color	Edge Color	Approx. Packaged Weight	Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)
	Straight Countertops - ADA Height	16 x 24"	WCTWC24					16.0#	\$ 369	\$ 385	\$ 448
	 For use with 32" high panels only. 	16 x 30"	WCTWC30					19.0#	397	422	486
	 Per the 2010 ADA and ICC A117.1, KI countertops do not extend more than 	16 x 36"	WCTWC36					22.0#	425	441	511
	4 inches into a circulation path and	16 x 42"	WCTWC42					25.0#	476	501	584
	meet the requirements for a clear floor	16 x 48"	WCTWC48					28.0#	506	534	619
	space positioned for a parallel approach	16 x 54"	WCTWC54					31.0#	532	551	648
	adjacent to the accessible counter.Rectangular worksurfaces consist of	16 x 60"	WCTWC60					34.0#	548	569	670
WCTP	1-1/4" particleboard with high-pressure	16 x 66"	WCTWC66					37.0#	561	584	686
il o li	laminate or veneer faces	16 x 72"	WCTWC72					40.0#	567	595	700
	• Edges are available in flat vinyl T-edge,	16 x 78"	WCTWC78					43.0#	582	607	714
	74P edges with vinyl edge banding and elliptical postformed front edges with	16 x 84"	WCTWC84					46.0#	594	619	731
	color-matched vinyl edge banding	10 / 04	WOIWOO4					-0.0#	004	013	701
	Wood veneer surfaces have veneer faces	6									
	with elliptical profile solid reconstituted										
	wood front edge with all other edges being banded with reconstituted veneer										
	 Brackets include steel locking clips to 										
	prevent dislodgement										
	90° Countertops - ADA Height	16 x 24"	WCTWC9024					23.0#	\$ 569	\$ 599	\$ 704
\sim	Construction is same as straight coun-	16 x 30"	WCTWC9024					30.0#	716	\$ 399 747	884
	tertop except it is a two-piece mitered	16 x 36"	WCTWC9030 WCTWC9036					37.0#	830	871	1027
	surface with 90° right angle (ADA height)	10 × 30	W01W09030					57.0#	050	071	1027
	neight)										
WCTP											
WUIT											
			A	₿	C	D	Ø				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Bselect edge style. BN - Flat vinyl T-edge - 74P edge 74P PL - Postformed edge

WV - Wood edge, veneer surface CSelect surface finish. Refer to the Product Color Options page in this

price list. Surface finish offerings are based on edge style selections.

• Select trim color for painted surfaces. Refer to the **Product Color Options** page in this price list.

• Select edge color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Countertops - ADA Height



	\checkmark
Wc (W	nd Edge Veneer ')
\$	1221
	1422
	1574
	1723
	1927
	2177
	2432
	2582
	2678
	2738
	3237

\$ 4370
4679
4897

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NUME	BER											
	MODEL	D x H	Basic Model		Surface Finish		Fabric Color	Edge Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Worksurface Support Panel (Fabric/							1 000	15.0#	\$ 680	\$ 692	\$ 704	\$ 716	\$ 744	
1	Laminate)	24 x 29"	WSSP2429/BN					1 000	16.0#	692	705	714	729	755	
	Available in fabric one side/laminate	30 x 26"	WSSP3026/BN					1 000	17.0#	692	705	714	729	755	
	other side with flat vinyl T-edge only Support panel provides additional work- surface support in extensive workeurface 	30 x 26"	WSSP3029/BN						18.0#	713	722	735	745	776	
	Surface Support in extensive worksurface														
	loading applications														
	 Mounts to panels and worksurface Adjustable glides provide leveling 														
\bigcirc	Select fabric and laminate color														
WSSP															
			A	0	C	D	Ø	G							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect surface direction. DL - Direction left

DR - Direction right CSelect surface finish.

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style selections.

DSelect trim color. Refer to the **Product Color Options** page in this price list.

 Select fabric color. Refer to ki.com/fabrics

• Select edge color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Worksurface Support Panel

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

			MODEL NU	MBER										
	MODEL	D x H	Basic Model	Dir.	Edge Style	Surface Finish	Veneer Color	Trim Color	Edge Color	Approx. Packaged Weight		Flat Vinyl T-Edge (BN)	74P Edge (74P)	Postformed Edge (PL)
	Worksurface Support Panel (Laminate	24 x 26"	WSSPL2426							15.0#		\$ 473	\$ 496	\$ 592
		24 x 26"	WSSPL2429							16.0#		476	502	599
	 Available in laminate both sides Support panel provides additional work- 	30 x 26"	WSSPL3026							17.0#		476	502	599
	• Support partier provides additional work- surface support in extensive worksurface	30 x 29"	WSSPL3029							18.0#		492	513	615
	loading applications													
	Mounts to panel and worksurface													
	Adjustable glides provide leveling													
\sim														
WSSL														
	Worksurface Support Panel (Veneer Both	24 x 26"	WSSPV2426		WV					15.0#		N/A	N/A	N/A
	Sides)	24 x 29"	WSSPV2429		WV					16.0#		N/A	N/A	N/A
	 Available in veneer both sides Support panel provides additional work- 	30 x 26"	WSSPV3026		WV					17.0#		N/A	N/A	N/A
	Support panel provides additional work- surface support in extensive worksurface	30 x 29"	WSSPV3029		WV					18.0#		N/A	N/A	N/A
	loading applications													
	Mounts to panel and worksurface													
	Adjustable glides provide leveling													
WSSV														
			A	₿	G	D	Ø	G	G					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To
- Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

Refer to the Product Color Options page in this price list.

A Select basic model. Belect surface direction.

DR

BN

74P

PL

WV

price list.

selections. • Select veneer color.

price list. GSelect trim color.

CSelect edge style.

DSelect surface finish.

DL - Direction left

HOW TO BUILD A MODEL NUMBER

- Direction right

- Flat vinyl T-edge

- Postformed edge

- Wood edge, veneer surface

Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style

Refer to the **Product Color Options** page in this

- 74P edge

GSelect edge color. Refer to the Product Color Options page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Worksurfaces Worksurface Support Panel



Wood Edge Veneer (WV) N/A N/A N/A

N/A

\$ 882	
972	
951	
1063	

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000 Worksurface Accessories

							•
				MODEL NU	MBER		
	MODEL	Features	W x H x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
-	Grommets - Field Installed	Inside - 2-3/4", Outside - 3"		WSG		1.0#	\$ 4
\bigcirc	 Grommets can be field installed in work- surfaces to provide cable access where needed For flat vinyl T-edge surfaces only 						
HRDPT	For hat vinyr Fouge surfaces only						
	Worksurface Support Bracket		3 x 4"	WSB.L		1.0#	\$ 29
ŋ_ Ţ_	Provides auxiliary support to front edge		3 x 4"	WSB.R		1.0#	29
575	of worksurface where pedestals or equipment requires additional worksur-						
	face support • Return panel must be equal to worksur-						
HRDPT	face depth						
	Worksurface Vertical Filler		3 x 24"	WSVF.24		3.0#	\$ 57
2.00	Steel bracket connects worksurface at		3 x 30"	WSVF.30		3.0#	64
	27" height to 29" heightsFills gap between surfaces to prevent						
00	accidental dropping of work tools or						
~	paper						
HRDPT							
	Worksurface Wire Manager Constructed of easy-to-use, high quality 	W - 2", D - 2-1/2"		WWM		1.0#	\$ 67
/ >	black velcro						
	Harness is fastened to underside of						
	worksurface with pressure sensitive adhesive						
	 Shipped assembled 						
HRDPT	Black only						
				A	B		

4

HOW TO ORDER

47

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of □ indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. Refer to the **Product Color Options** page in this price list.

oice is required.

System 3000 Worksurface Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Manitowoc, WI 54220, freight prepaid.** Freight class 70.

System 3000[®] Storage and Accessories

			MODEL NU	JMBER			_			
	MODEL	W x H x D	Basic Model	Panel Mount	Assembly	Paint Color	Fabric Color	Lock Option	Lock Color	Delivered Delivered Approx. Pricing Pricing Packaged Delivered Fabric Grade Fabric Grade Weight Pricing 1 & C.O.M. 2
	Universal Steel Overhead Cabinet - On	24 x 16-1/2 x 14-1/2"	PRDS24/3K	PM						32.0# \$ 597
A.	Module	30 x 16-1/2 x 14-1/2"	PRDS30/3K	PM						36.0# 658
	 On-module(PM) overheads mount into 	36 x 16-1/2 x 14-1/2"	PRDS36/3K	PM						40.0# 667
	slots in vertical posts. Overheads must	42 x 16-1/2 x 14-1/2"	PRDS42/3K	PM						
	be same width as panel mounted to. Allows for vertical adjustment in 1"	48 x 16-1/2 x 14-1/2"	PRDS48/3K							49.0# 754
	increments	54 x 16-1/2 x 14-1/2"	PRDS54/3K							
PRDS	Includes separate brackets which allow	60 x 16-1/2 x 14-1/2	PRDS60/3K							57.0# 920
FNDO	for on-module mounting	00 X 10-1/2 X 14-1/2	FND300/3K	FIVI						57.0# 920
	Steel bottom and top shelf, end panels									
	and front with powder-coated finishAccepts shelf divider									
	 Door stores recessed with plastic trim 									
	handle exposed									
	Double bit lock is included									
	Shelf depth is 13-1/4"									
	Universal Fabric Overhead Cabinet - On	24 x 16-1/2 x 14-1/2"	PRDF24/3K							
	Module	30 x 16-1/2 x 14-1/2"	PRDF30/3K	PM						36.0# N/A 687 700
	 On-module(PM) overheads mount into olate in vertical posts. Overheads must 	36 x 16-1/2 x 14-1/2"	PRDF36/3K	PM						40.0# N/A 705 715
	slots in vertical posts. Overheads must be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDF42/3K	PM						44.0# N/A 747 758
	Allows for vertical adjustment in 1"	48 x 16-1/2 x 14-1/2"	PRDF48/3K	PM						49.0# N/A 794 810
	increments	54 x 16-1/2 x 14-1/2"	PRDF54/3K	PM						53.0# N/A 905 922
PRDF	Includes separate brackets which allow	60 x 16-1/2 x 14-1/2"	PRDF60/3K	PM						
	for on-module mounting Steel bottom and top shelf, end panels 									
	and front with powder-coated finish									
	Accepts shelf divider									
	 Door stores recessed with plastic trim handle exposed 									
	 Double bit lock is included 									
	 Shelf depth is 13-1/4" 									
			A	6	C	O	θ	0	G	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. • Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

price list.

BSelect mounting style. PM - On module

CAssembly

F - Fully Assembled; add \$179 U - Unassembled

OSelect paint color. Refer to the Product Color Options page in this price list.

• Select fabric. Refer to ki.com/fabrics

 Select lock option. KA - Key alike KS - Key standard NLC - No lock core

GSelect lock color. Refer to the Product Color Options page in this

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

5

System 3000[®] Storage and Accessories Universal Overhead Storage

Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV

Delivered Pricing Pallas Vertical Fabric Grade PV1

Delivered Pricing Pallas Vertical Fabric Grade PV2

\$	650	\$ 650	\$ 657
	709	709	716
	725	725	735
	769	769	781
	819	819	828
	934	934	940
	995	995	1011

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000[®] Storage and Accessories

			MODEL NU	MBER							
	MODEL	W x H x D	Basic Model	Panel Mount	Assembly	Paint Color	Laminate Color	Veneer Color	Lock Option	Lock Color	Approx. Packaged Delivered Weight Pricing
_	Universal Laminate Overhead Cabinet -	24 x 16-1/2 x 14-1/2"	PRDL24/3K	PM							32.0# \$ 807
	On Module	30 x 16-1/2 x 14-1/2"	PRDL30/3K	PM							36.0# 886
	 On-module(PM) overheads mount into slots in vertical posts. Overheads must 	36 x 16-1/2 x 14-1/2"	PRDL36/3K	PM							40.0# 902
	be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDL42/3K	PM							44.0# 960
	Allows for vertical adjustment in 1"	48 x 16-1/2 x 14-1/2"	PRDL48/3K	PM							48.0# 1020
V	increments	54 x 16-1/2 x 14-1/2"	PRDL54/3K	PM							53.0# 1168
PRDL	 Includes separate brackets which allow for on-module mounting 	60 x 16-1/2 x 14-1/2"	PRDL60/3K	PM							57.0# 1250
	 Steel bottom and top shelf, end panels 										
	and front with powder-coated finish										
	Accepts shelf divider										
	 Door stores recessed with plastic trim handle exposed 										
	Double bit lock is included										
	Shelf depth is 13-1/4"										
			۵	6	G	D	9	6	G	0	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

KS - Key standard

A Select basic model.

Bselect mounting style. PM - On module

HOW TO BUILD A MODEL NUMBER

CSelect assembly. F - Fully Assembled; add \$179 U - Unassembled

DSelect paint color. Refer to the Product Color Options page in this price list.

• Select laminate color. Refer to the **Product Color Options** page in this price list.

Select veneer and edge color. Refer to the **Product Color Options** page in this price list.

GSelect lock option. KA - Key alike NLC - No lock core

 Select lock color. Refer to the Product Color Options page in this price list.

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Storage and Accessories Universal Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

			MODEL NU	MBER							
	MODEL	W x H x D		Panel Mount	Assembly	Paint Color	Veneer Color	Lock Option	Lock Color	Approx. Packaged Weight	Delivered Pricing
	Universal Veneer Overhead Cabinet - On	24 x 16-1/2 x 14-1/2"	PRDV24/3K	PM						34.0#	\$ 1750
~ 1	Module	30 x 16-1/2 x 14-1/2"	PRDV30/3K	PM						36.0#	1844
	 On-module(PM) overheads mount into slots in vertical posts. Overheads must 	36 x 16-1/2 x 14-1/2"	PRDV36/3K	PM						44.0#	1921
	be same width as panel mounted to.	42 x 16-1/2 x 14-1/2"	PRDV42/3K	PM						49.0#	2165
	Allows for vertical adjustment in 1"	48 x 16-1/2 x 14-1/2"	PRDV48/3K	PM						54.0#	2460
	increments	54 x 16-1/2 x 14-1/2"	PRDV54/3K	PM						60.0#	2687
PRDV	 Includes separate brackets which allow for on-module mounting 	60 x 16-1/2 x 14-1/2"	PRDV60/3K	PM						64.0#	2954
	 Steel bottom and top shelf, end panels 										
	and front with powder-coated finish										
	Accepts shelf divider										
	 Door stores recessed with plastic trim handle exposed 										
	Double lock is included										
	Shelf depth is 13-1/4"										
			A	6	G	D	Ø	6	G	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

KS - Key standard

A Select basic model. BSelect mounting style.

PM - On module

HOW TO BUILD A MODEL NUMBER

CSelect assembly. F - Fully Assembled; add \$179 U - Unassembled

- DSelect paint color. Refer to the Product Color Options page in this price list.
- Select laminate color. Refer to the **Product Color Options** page in this price list.
- Select veneer and edge color. Refer to the **Product Color Options** page in this price list.

GSelect lock option. KA - Key alike NLC - No lock core

 Select lock color. Refer to the Product Color Options page in this price list.

INFORMATION

Lock

Units may be specified with a lock (KA or KS). With key standard (KS), keying is random. With key alike (KA), key numbers can be specified by entering the four character key designation from "L101 through L150".

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard laminate finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates) require a Product Modification Request. Contact customer service for details.

System 3000[®] Storage and Accessories Universal Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

System 3000[®] Storage and Accessories

				MODEL NUM	BER			
	MODEL	Features	W x H x D	Basic Model	Panel Mount	Paint Color	Approx. Packaged Weight	livered
	Universal Low Shelf - On Module		24 x 10-1/2 x 13-1/4"	ULSR24/3K			14.0#	\$ 260
	 Accepts shelf dividers Includes full back 		30 x 10-1/2 x 13-1/4"	ULSR30/3K			16.0#	270
	 Includes separate brackets which allow 		36 x 10-1/2 x 13-1/4"	ULSR36/3K			17.0#	284
	for on-module mounting		42 x 10-1/2 x 13-1/4"	ULSR42/3K			19.0#	295
	On-module shelves mount into slots in		48 x 10-1/2 x 13-1/4"	ULSR48/3K			20.0#	300
	vertical posts. Shelves must be same width as panel mounted to. Does not		54 x 10-1/2 x 13-1/4"	ULSR54/3K			22.0#	315
JLSR	require a 12" tile for mounting. Allows		60 x 10-1/2 x 13-1/4"	ULSR60/3K			24.0#	329
	for vertical adjustment in 1" increments Shelves are shipped unassembled 							
	Universal Regular Shelf - On Module		24 x 16-1/2 x 13-1/4"	URSR24/3K			19.0#	\$ 280
\rightarrow	 Accepts shelf dividers Includes full back 		30 x 16-1/2 x 13-1/4"	URSR30/3K			20.0#	291
	 Includes rull back Includes separate brackets which allow 		36 x 16-1/2 x 13-1/4"	URSR36/3K			22.0#	300
The multiple	for on-module mounting		42 x 16-1/2 x 13-1/4"	URSR42/3K			23.0#	309
	On-module shelves mount into slots in		48 x 16-1/2 x 13-1/4"	URSR48/3K			25.0#	323
	vertical posts. Shelves must be same width as panel mounted to. Allows for		54 x 16-1/2 x 13-1/4"	URSR54/3K			27.0#	335
IRSR	vertical adjustment in 1" increments		60 x 16-1/2 x 13-1/4"	URSR60/3K			28.0#	350
	Shelves are shipped unassembled							
	P-Series Keys	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC			0.4#	\$ 15
IRDPT	Double bit design	Lock Core/2 Key Set - Black		2.KP20522			0.4#	15
	 Range of 200 different core/key numbers available 	Master Key		2.KP20550			0.2#	11
	Must specify lock number(s) requested	Extractor Key		2.KP20551			0.2#	11
	when ordering cut key or lock core/key	Blank Key		2.KP20552			0.2#	3
	sets	Cut Key		2.KP20557			0.2#	4
				•	ß	6		

A **B C**

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.

> ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect mounting style. PM - On module

Celect paint color. Refer to the Product Color Options page in this price list.

4

System 3000[®] Storage and Accessories Universal Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

52

							_
			MODEL NUMB	ER			
	MODEL	W x H x D	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing	
	Universal Overhead On-Module Mounting		31.44.1020.SET		1.0#	\$ 57	
	Bracket						
	Sold in pairsMounts into slots in vertical posts						
9	Black only						
<u>q</u>	 Universal overhead on module mounting 	1					
<u> </u>	bracket for use on System 3000®						
° (
HRDPT							
\sim	 Universal Shelf Dividers Steel shelf dividers with powder coat 	7-1/4 x 11-1/2"	NSD		1.0#	\$ 35	
	finish						
5	Fits on all shelves and cabinets						
HRDPT							
	Wall Track	1-1/4 x 27 x 1"	CWT.27		1.0#	\$ 102	
ſ₽	 Double-slotted track accommodates wall 	1-1/4 x 66 x 1"	CWT.66		2.0#	201	
	mounting of components	1-1/4 x 84 x 1"	CWT.84		3.0#	284	
	No attachment hardware included. See installation guidelines	1-1/4 × 04 × 1	0104		5.0#	204	
	Installation guidelines						
ų							
HRDPT							
			A	B			

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Storage and Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Storage and Accessories

					•
			MODEL NUMBER		
				-	
				Approx.	
			Basic	Packaged	Delivered
	MODEL	W	Model	Weight	Pricing
\sim	Single Unit - Overhead LED Task Light	12"	LEDTK.12.SGL.GN	1.2#	\$ 147
	Attaches to the bottom of overhead	17"	LEDTK.17.SGL.GN	1.6#	188
	storage cabinets or shelvingTask lights are specified by the cabinet	31"	LEDTK.31.SGL.GN	2.1#	230
3	width to which they are attached. See	44"	LEDTK.44.SGL.GN	2.3#	264
	"INFORMATION" at bottom of price list				
HRDPT	page for sizing chart.				
	Slim profile mounts effortlesly via				
	magnets or screw-in bracketAttachment hardware included				
	 Touch and hold dimmability with last- 				
	state memory				
	 Silver anodized aluminum body/black 				
	plastic end caps				
	• 9' power supply				
	Includes 2 cord managers				
	Starter Unit - Overhead LED Task Light	12"	LEDTK.12.DCP.GN	1.2#	\$ 192
	 Attaches to the bottom of overhead 	17"	LEDTK.17.DCP.GN	1.6#	240
	storage cabinets or shelving	31"	LEDTK.31.DCP.GN	2.1#	283
	 Task lights are specified by the cabinet width to which they are attached. See 	44"	LEDTK.44.DCP.GN	2.3#	321
9 Th	"INFORMATION" below for sizing chart.	44	LLDTR.44.DOI.GN	2.3#	021
~	Slim profile mounts effortlesly via				
HRDPT	magnets or screw-in bracket				
	 Attachment hardware included 				
	Touch and hold dimmability with last-				
	state memorySilver anodized aluminum body/black				
	plastic end caps				
	Daisy chain with Adder units				
	 11' power supply 				
	Includes 2 cord managers				
	Refer to Interlinking Combination table below for entired performance of deive				
	below for optimal performance of daisy chained fixtures				
			A		

HOW	T0	ORDER	
-----	----	-------	--

Indicate the following information on order form:

HOW TO BUILD A MODEL NUMBER

A Select basic model.

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required.

• The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

able.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" Width 12" or 17" 17" 17" 31" 31" 44" 44" 44"

44"

5

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

# of	# of	# of	# of
 12"	17"	31"	44"
6	0	0	0
5	1	0	0
5	0	0	0
4	2	0	0
 4	1	0	0
4	0	1	0
4	0	0	0
 3	2	0	0
3	1	1	0
 3	1	0	0
3	0	1	0
3	0	0	1
 3	0	0	0
2	3	0	0
2	2	1	0
2	1	1	0
 2	0	2	0
2	0	0	1

System 3000[®] Storage and Accessories

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Storage and Accessories

					•
			MODEL NUMBER		
	MODEL	W	Basic Model	Approx. Packaged Weight	Delivered Pricing
\sim			LEDTK.12.DCA.GN	1.2#	\$ 95
	Attaches to the bottom of overhead	17"	LEDTK.17.DCA.GN	1.6#	109
	storage cabinets or shelvingTask lights are specified by the cabinet	31"	LEDTK.31.DCA.GN	2.1#	152
		44"	LEDTK.44.DCA.GN	2.3#	188
	"INFORMATION" below for sizing chart.				
HRDPT	Slim profile mounts effortlesly via				
	magnets or screw-in bracket				
	Attachment hardware included Tauch and hald dimmehility with last				
	 Touch and hold dimmability with last- state memory 				
	Silver anodized aluminum body/black				
	plastic end caps				
	 Daisy chain with Starter units 18' jumper cord and connect to starter 				
	unit				
	 Includes 2 cord managers 				
	 Does not inlcude power supply; must 				
	purchase starter unit with power supply				
	Controlled by the on/off/dimmer of the starter unit				
	Refer to Interlinking Combination table				
	below for optimal performance of daisy				
	chained fixtures				
				-	

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER A Select basic model.

INFORMATION LED TASK LIGHT CABINET WIDTH Cabinet Light Cabinet Width 24" 30" 36" 42" 48" 54" 60" 66" 72" Width width 12" or 17" 17" 31" 31" 44" 44" 44" 44"

5

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (DAISY CHAIN)

	# of	# of	# of	# of
	12"	17"	31"	44"
	6	0	0	0
	5	1	0	0
	5	0	0	0
	4	2	0	0
	4	1	0	0
	4	0	1	0
	4	0	0	0
	3	2	0	0
	3	1	1	0
	3	1	0	0
	3	0	1	0
	3	0	0	1
_	3	0	0	0
	2	3	0	0
	2	2	1	0
	2	1	1	0
	2	0	2	0
	2	Ō	0	1

System 3000[®] Storage and Accessories

INTERLOCKING SPECIFICATIONS INTERLINKING COMBINATIONS (cont.) (DAISY CHAIN)

# of	# of	# of	# of
12"	17"	31"	44"
1	4	0	0
1	3	0	0
1	2	1	0
1	2	0	1
1	1	1	0
1	1	0	1
0	4	0	0
0	3	1	0
0	3	0	0
0	2	1	0
0	2	0	1
0	1	2	0
0	1	1	1
0	1	0	1
0	0	3	0
0	0	2	0
0	0	1	1
0	0	0	2

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

			1						
			MODEL NU	JMBER					
	MODEL	W	Basic Model	Cabinet Paint Color	Upper Door Solid Color	Lock Option	Lock Color		Approx. Packaged Weight
	Balance [®] Overhead Cabinet with Solid		BLCS30/3K						52.0#
\sim	Color Upper Door	36"	BLCS36/3K						52.0#
	On-module overheads mount into slots	42"	BLCS42/3K						58.0#
	in vertical posts. Overheads must be same width as panel mounted to. Allows	48"	BLCS48/3K						64.0#
	for vertical adjustment in 1" increments		BLCS54/3K						70.0#
	Colored or translucent extruded door	60"	BLCS60/3K						78.0#
BOH	 Painted cabinet and lower door Shelf dividers available separately 							i	
	Cabinet is fully assembled								
	Door stores above top of cabinet								
			A	6	C	D	Ø		

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

Select upper door color. Refer to the **Product Color Options** page in this price list.

DSelect lock option.

 KA
 - Key alike

 KS
 - Key standard

 NLC
 - No lock core

Select lock color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

		MODEL N	UMBER									
	MODEL W	Basic Model	Cabinet Paint Color			Approx. Lock Packaged Color Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Balance® Overhead Cabinet with Fabric 30"	BLCF30/3K	_			46.0#	\$ 1342	\$ 1354	\$ 1370	\$ 1370	\$ 1376	
\sim	Upper Door 36"	BLCF36/3K				52.0#	1429	1442	1460	1460	1466	
	On-module overheads mount into slots 42"	BLCF42/3K				58.0#	1501	1518	1533	1533	1540	
	in vertical posts. Overheads must be same width as panel mounted to. Allows 48"	BLCF48/3K				64.0#	1557	1570	1584	1584	1591	
	for vertical adjustment in 1" increments 54"	BLCF54/3K				70.0#	1671	1685	1706	1706	1714	
	Fabric covered upper door 60"	BLCF60/3K				78.0#	1736	1750	1773	1773	1780	
	 Painted cabinet and lower door Shelf dividers available separately 											
ВОН	 Cabinet is fully assembled 											
	 Door stores above top of cabinet 											
		A	6	G	D	•						

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required. ullet Alpha-numeric characters in place of \Box
 - indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect cabinet paint color. Refer to the Product Color Options page in this price list.

CSelect upper door fabric color. Refer to ki.com/fabrics

DSelect lock option.

KA - Key alike KS - Key standard NLC - No lock core

ESelect lock color. Refer to the Product Color Options page in this price list.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

		MODEL NUM												
		MODEL NOW	IBER											
			Cabinet		Laminate			Approx.						
		Basic	Paint	Laminate	Door	Lock	Lock	Packaged	Delivered					
	Features	W Model	Color	Color	Edge Color	Option	Color	Weight	Pricing					
		30" BLCL30/3K						52.0#	\$ 1524					
\sim		36" BLCL36/3K						52.0#	1570					
		42" BLCL42/3K						58.0#	1674					
		48" BLCL48/3K						64.0#	1790					
		54" BLCL54/3K						64.0#	1968					
		60" BLCL60/3K						78.0#	2015					
ВОН														
Balance® Overhead Cabinet with														
Laminate Upper Door														
 On-module overheads mount into slots in vertical posts. Overheads 														
must be same width as panel mount-	_													
ed to. Allows for vertical adjustment														
in 1" increments Laminate covered upper door 														
 Painted cabinet and lower door 		_												
 Shelf dividers available separately 														
 Cabinet is fully assembled Door stores above top of cabinet 		_												
Door stores above top of cabinet	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC						0.4#	\$ 15					
HRDPT	Lock Core/2 Key Set - Satin Chrome	2.KP20522.SC						0.4#	5 15 15					
P-Series Keys	Master Key	2.KP20522 2.KP20550						0.4#	11					
 Double bit design 	Extractor Key	2.KP20551						0.2#	11					
 Double bit design Range of 200 different core/key 	Blank Key	2.KP20551						0.2#	3					
and the second sec		2.KP20552						0.2#	4					
 Must specify lock number(s) request d when ordering out look 	- our ney	2.1(1 20007						0.27	7					
ed when ordering cut key or lock core/key sets														
			-	-	-	-	-							
		A	0	Θ	D	Ø	G							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The □ indicates that a choice is required.
 The absence of the □ indicates that no choice is required.
 Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select cabinet paint color. Refer to the **Product Color Options** page in this price list.

- Select upper door laminate color. Refer to the **Product Color Options** page in this price list.
- OSelect laminate door edge color. Refer to the **Product Color Options** page in this price list.

Select lock option.

 KA
 - Key alike

 KS
 - Key standard

 NLC
 - No lock core

Select lock color. Refer to the **Product Color Options** page in this price list.

FINISH INFORMATION

Additional Laminate Offering

Additional laminates beyond KI standard offering, are available with two weeks extended leadtime. To specify additional laminates, use these designators followed by the supplier's color/pattern code:

Formica - LF/supplier's color pattern code Nevamar - LN/supplier's color pattern code Wilsonart - LW/supplier's color pattern code

KI's standard finish is the supplier's recommended finish for that color/pattern. Note: Nonstandard laminates from these suppliers (example: textured laminates), require an upcharge and additional leadtime. Contact KI.

System 3000[®] Storage and Accessories Balance[®] Overhead Storage

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 77.5.

System 3000[®] Storage and Accessories Balance[®] Overhead Accessories

						•
			MODEL NU	MBER		
	MODEL	W x H x D	Basic Model	Paint Color	Approx. Packaged Weight	Delivered Pricing
	Balance [®] Overhead On-Module Mounting Bracket • Sold in pairs		BOA/3K		5.0#	\$ 210
	Mounts into slots in vertical postsBlack only					
\checkmark						
HRDPT						
	Shelf Dividers Steel shelf dividers with powder coat 	7-1/4 x 11-1/2"	NSD		1.0#	\$ 35
	finish Fits on all shelves and cabinets 					
0						
HRDPT						
ſ <mark>></mark> 1	Wall Track	1-1/4 x 27 x 1"	CWT.27		1.0#	\$ 102
	 Double-slotted track accommodates wal mounting of components 		CWT.66		2.0#	201
	 No attachment hardware included. See 	1-1/4 x 84 x 1"	CWT.84		3.0#	284
	installation guidelines					
~~						
HRDPT						
			A	B		

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Refer to the **Product Color Options** page in this

Belect paint color.

price list.

System 3000[®] Storage and Accessories Balance[®] Overhead Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

59

			MODEL NUMBER		
	MODEL	W x H	Basic Model	Approx. Packaged Weight	Delivered Pricing
	Markerboards	30 x 32"		11.0#	\$ 771
	 White porcelain paint finished board surface with white trim 	36 x 32"	MB3632	13.0#	806
	 Includes 18" magnetic removable tray, 	42 x 32"	MB4232	15.0#	898
ſ	markers, and an eraser	48 x 32"	MB4832	17.0#	919
	Removable tray can be placed anywhere	54 x 32"	MB5432	19.0#	997
	on the board • Includes mounting brackets	60 x 32"	MB6032	21.0#	1050
HRDPT					

4

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

System 3000[®] Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

			MODEL I	NUMBER							
	MODEL		Basic Model	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Tackboards	24 x 12"			3.0#	\$ 203	\$ 206	\$ 225	\$ 239	\$ 274	
	 Tackboards are constructed of 3/4" 	30 x 12"			3.0#	225	230	238	260	295	
	tackable core and covered with fabric Includes mounting brackets	36 x 12"			4.0#	242	246	263	285	322	
	Not available with countertops	42 x 12"			4.0#	246	256	272	293	331	
		48 x 12"	TB4812		5.0#	256	263	278	301	340	
ТВ		54 x 12"	TB5412		5.0#	293	301	319	344	391	
		60 x 12"	TB6012		6.0#	307	312	329	359	407	
		24 x 16"	TB2416		3.0#	206	213	229	243	280	
		30 x 16"	TB3016		4.0#	225	230	238	260	295	
		36 x 16"	TB3616		5.0#	230	233	243	264	303	
		42 x 16"	TB4216		5.0#	251	261	276	300	337	
			TB4816		6.0#	264	270	285	309	351	
		54 x 16"			6.0#	311	321	337	364	420	
			TB6016		7.0#	322	327	350	374	428	
			TB2420		4.0#	303	310	319	324	345	
			TB3020		5.0#	324	335	340	353	371	
			TB3620		6.0#	349	357	364	374	394	
			TB4220		7.0#	359	366	374	387	406	
			TB4820		8.0#	427	436	448	461	485	
			TB5420		9.0#	431	443	456	471	492	
		60 x 20"	TB6020		10.0#	435	452	461	474	501	
			A	0							

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model. Belect fabric color.

Refer to ki.com/fabrics

System 3000[®] Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

			MODEL	NUMBER								
	MODEL	W x H	Basic Model	Fabric Color	Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Tackboards		" TB2430		6.0#		\$ 335	\$ 345	\$ 365	\$ 391	\$ 447	
	 Tackboards are constructed of 3/4" 	30 x 30			7.0#		417	426	447	483	549	
	tackable core and covered with fabricIncludes mounting brackets	36 x 30			8.0#		433	447	474	509	582	
	Not available with countertops	42 x 30	" TB4230		10.0#		462	474	501	538	617	
		48 x 30	" TB4830		11.0#		486	501	524	567	650	
ТВ		54 x 30	" TB5430		12.0#		501	513	541	582	664	
		60 x 30	" TB6030		14.0#		532	547	574	620	707	
		24 x 48	" TB2448		9.0#		426	433	461	496	565	
		30 x 48	" TB3048		11.0#		487	502	534	568	656	
		36 x 48	" TB3648		13.0#		562	577	607	659	744	
		42 x 48	" TB4248		15.0#		575	594	624	672	765	
		48 x 48	" TB4848		17.0#		609	630	662	716	816	
		54 x 48	" TB5448		19.0#		627	643	676	734	833	
			A	B								

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of □ indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect fabric color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

			MODEL N							
			MODEL N							
	MODEL	W x H	Basic Model	Trim Color	Mounting	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grac 1 & C.O.M.	Delivered Pricing e Fabric Grade 2
	Overhead Tackboard	24 x 12"	PTB02412				3.0#	N/A	\$ 184	\$ 189
	 For Universal and Balance[®] Overheads When hanging from Balance[®] overhead 	30 x 12"	PTB03012				3.0#	N/A	202	205
	• When hanging from balance° overhead or U-Series [™] sliding overhead, specify	36 x 12"	PTB03612				3.0#	N/A	223	228
	attachment bar BMB (purchase separate	42 x 12"	PTB04212				4.0#	N/A	229	233
	ly) and a /YLBM mounting option	48 x 12"	PTB04812				4.0#	N/A	232	236
PTBO	 Includes mounting brackets in black only 	54 x 12"	PTB05412				4.0#	N/A	265	272
		60 x 12"	PTB06012				4.0#	N/A	276	283
		24 x 20"	PTB02420				4.0#	N/A	303	311
		30 x 20"	PTB03020				5.0#	N/A	325	335
		36 x 20"	PTB03620				6.0#	N/A	345	354
		42 x 20"	PTB04220				7.0#	N/A	354	365
		48 x 20"	PTB04820				8.0#	N/A	421	431
		54 x 20"	PTB05420				9.0#	N/A	425	434
		60 x 20"	PTB06020				10.0#	N/A	430	438
6	Tackboard/Tool Rail Attachment Bar	30"	BMB30				3.0#	\$ 52		
	 Attachment bracket that attaches to the bottom of a Balance[®] overhead or 	36"	BMB36				3.0#	52		
	U-Series [™] sliding overhead to accept	42"	BMB42				3.0#	53		
-	overhead tackboard	48"	BMB48				4.0#	62		
BOA	Order same size as overhead cabinet	54"	BMB54				4.0#	63		
	18-gauge steelBlack only	60"	BMB60				4.0#	67		
			A	ß	Θ	D				

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required.
• The absence of the □ indicates that no choice is required.
• Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. Refer to the **Product Color Options** page in this price list.

Celect load bar mounting. YLBM - Load bar mounted NLBM - Not load bar mounted

OSelect fabric color. Refer to <u>ki.com/fabrics</u>

System 3000[®] Accessories

Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
\$ 192	\$ 201	\$ 212
208	221	231
230	236	250
236	243	261
239	250	265
278	286	301
285	297	311
320	327	346
340	351	373
364	374	391
376	385	404
438	453	475
443	458	483
452	463	487

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

63

						•	
		MODEL NUMBER					
					Approx.		
	MODEL	HxW	Basic Model	Trim	Packaged	Delivered	
				Color	Weight	Pricing	
	 Tool Rail Accommodates paper management 	4-1/2 x 30"	3PMTR30		4.0#	\$ 176	
	components	4-1/2 x 36"	3PMTR36		5.0#	184	
	Attaches to panels, brackets included	4-1/2 x 42"	3PMTR42		6.0#	193	
	 Field installable 	4-1/2 x 48"	3PMTR48		6.0#	204	
HRDPT	Painted aluminum construction	4-1/2 x 54"	3PMTR54		7.0#	234	
	 Consists of four slots to accept compo- nents 	4-1/2 x 60"	3PMTR60		7.0#	261	
	 72" rail consists of two 36" rails with 	4-1/2 x 72"	3PMTR72		8.0#	287	
	middle support						
	Plastic Paper Tray Unit	2 x 9-1/2 x 14"	PPLL		1.0#	\$ 52	
	Plastic construction						
	 Accepts letter and legal-size paper Suspends from Tool Rail 						
	• Suspenus nonn tool Rail						
L							
HRDPT							
	Plastic Diagonal Storage Unit	2-1/2 x 7 x 12-1/2"	PPDS		4.0#	\$ 52	
\sim	 Plastic construction 						
	Three slanted partitions per unit with						
	dividers Suspends from Tool Rail 						
	Suspends from foor Rail						
V.M.							
HRDPT							
ΠΚΨΓΙ							
			A	B			

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The □ indicates that a choice is required. • The absence of the □ indicates that no

choice is required.
Alpha-numeric characters in place of indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

③Select trim color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

				MODEL NU	MBER		
		MODEL	H x W	Basic Model	Trim Color	Approx. Packaged Weight	Delivered Pricing
		Accessory Tray Injection-molded plastic 	2 x 9 1/2 x 10"	PPAT		6.0#	\$ 43
	FER	 Stores stamps, tape dispenser, post-it 					
	000	pads and paper clips Suspends from Tool Rail 					
ш	RDPT						
	RUPI			-			
		 Pencil Cup Injection-molded plastic 	4 x 4 x 3 1/2"	PPPC		0.3#	\$ 43
		Suspends from Tool Rail					
HI	RDPT						
				A	₿		
				•			

4

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. • The absence of the \Box indicates that no

choice is required. ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Belect trim color. Refer to the **Product Color Options** page in this price list.

System 3000[®] Accessories

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 85.

Pedestals - Worksurface Supporting

									•	
				MODEL NUMBE	R					
				Desis	Dull	11-24	Laste		Approx.	Dellara
	MODEL	Features	WxDxH	Basic Model	Pull Option	Unit Color	Lock Option	Lock Color	Packaged Weight	Delivered Pricing
	Pedestal - FF	Supporting	15 x 17-5/8 x 27-7/8"	S7P/1520WFF					59.0#	\$ 877
	Two 12" file drawers with hanging folder partitions	r Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WFF					82.0#	1027
	partitions		15 x 27-5/8 x 27-7/8"	S7P/1530WFF					95.0#	1027
	Includes four leveling glides	Supporting	13 X ZI=3/0 X ZI=1/0	37F/1550WFF					95.0#	1007
S7PDU										
31500	Pedestal - BBF	Cupporting	1E v 17 E/0 v 07 7/0"	S7P/1520WBBF					61.0#	\$ 972
	• Two 6" box drawers	Supporting	15 x 17-5/8 x 27-7/8"							
	• One 12" file drawer with hanging folder	Supporting	15 x 21-5/8 x 27-7/8"	S7P/1524WBBF					80.0#	1121
	partition	Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBF					93.0#	1183
	Includes four leveling glides									
S7PDU										
	Pedestal - BBBB • Four 6" box drawers		15 x 17-5/8 x 27-7/8"	S7P/1520WBBBB					70.0#	\$ 1111
	 Four 6 box drawers Includes four leveling glides 		15 x 21-5/8 x 27-7/8"	S7P/1524WBBBB					70.0#	1136
		Supporting	15 x 27-5/8 x 27-7/8"	S7P/1530WBBBB					81.0#	1244
S7PDU										
				Ø	B	C	D	Ø		
				w	0	U.	0	9		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.
- Note: The \Box indicates that a choice is required. • The absence of the \Box indicates that no choice is required.
 - ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull option.								
ALBT	- Aluminum bow tie pull							
ALMT	- Aluminum metric pull							
ARCN	- Arc nickel pull							
CLSC	- Classic (inset pull)							
NKBT	 Nickel bow tie pull 							
RETN	- Retro nickel pull							

CSelect unit and drawer color. Refer to the Product Color Options page in this price list.

DSelect lock option.

KA - Key alike KS - Key standard NLC - No lock core

 Select lock color. Refer to the Product Color Options page in this price list.

INFORMATION

Height All dimensions shown include 1/4" allowance for glides in recessed position.

Accessories See accessory section for accessories that can be ordered separately.

Weights Figures provided are approximate and reflect packaged product without additional accessories.

Pedestals - Worksurface Supporting

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 100.

Pedestal Accessories

				MODEL NUMBER			
	MODEL	Features	W x D x H	Basic Model	Approx. Packaged Weight	Delivered Pricing	
	Counterbalance Weight	For 30"D Units	12-1/2 x 1/2 x 12-3/4"	S7P/CBW20	20.0#	\$ 113	
	 For mobile and freestanding units Included in mobile pedestals; recom- 	For 24"D Units	12-1/2 x 1-1/4 x 16-3/4"	S7P/CBW40	40.0#	198	
	 Included in mobile pedestals, recom- mended in freestanding units Factory installed, if specified 						
PDACU							
	Counterbalance Weight Two required for 20" deep units Sold in pairs 	For 20"D Units	7-1/2 x 3/4 x 16"	S7P/CBW36	36.0#	\$ 232	
PDACU							
	 P-Series Keys Double bit design Range of 200 different core/key numbers available 	Lock Core/2 Key Set - Satin Chrome		2.KP20522.SC	0.4#	\$ 15	
HRDPT		Lock Core/2 Key Set - Black		2.KP20522	0.4#	15	
		Master Key		2.KP20550	0.2#	11	
		Extractor Key		2.KP20551	0.2#	11	
	when ordering cut key or lock core/key	Blank Key		2.KP20552	0.2#	3	
	sets	Cut Key		2.KP20557	0.2#	4	
d d	Caster Kit		2-9/16"	S7P/CK	13.0#	\$ 95	
-L (d)	 Converts freestanding pedestals to mobile units Adds 2-5/16" to pedestal height Must use with counterbalance weight 						
PDACU							
	(see above)						

1

A

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The \Box indicates that a choice is required. \bullet The absence of the \Box indicates that no

choice is required. • Alpha-numeric characters in place of indicate that no other alternatives are avail-

able.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Pedestal Accessories 700 Series®

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Pembroke, ON K8A OE1, freight prepaid. Freight class 70.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000257/KI/PDF

