



Product Overview



TA-12 TABBING SYSTEM

A reliable tabletop tabbing
solution for small to
medium volumes

Key Capabilities

- | | |
|---|--|
| <ul style="list-style-type: none">• Process mail quickly with throughput speeds up to 12,000 tri-folds per hour | <ul style="list-style-type: none">• Accepts various types and sizes of media from 3" x 5" to 17" x 18" and up to 5/32" thick |
| <ul style="list-style-type: none">• All-steel construction with top load/bottom feed design for continuous operation | <ul style="list-style-type: none">• Feeder holds up to 200 tri-folds and can be re-loaded on the fly |
| <ul style="list-style-type: none">• Applies paper, clear, or translucent tabs, with or without perforation | <ul style="list-style-type: none">• 9" diameter (3" core) reel capacity for applying one tab per pass |
| <ul style="list-style-type: none">• Automatic size adjusting that accepts tabs from 5/8" to 1 1/4" and rolls of up to 10,000 tabs | <ul style="list-style-type: none">• Automatically tracks the number of items processed with a resettable 5-digit counter |



Product Overview



TA-20 TABBING SYSTEM

A flexible tabletop tabbing solution with production-grade performance

Key Capabilities

- | | |
|---|---|
| <ul style="list-style-type: none">• Simple operation and setup including four programmable jobs with single-key job selection | <ul style="list-style-type: none">• Accepts various types and sizes of media from 3" x 5" to as large as 13" x 17" and up to 3/8" thick |
| <ul style="list-style-type: none">• Side tabbing design that applies one, two or three items (tabs or stamps) in a single pass | <ul style="list-style-type: none">• Applies paper, clear, or translucent tabs (with or without perforation) from 3/4" to 1 1/2" in size |
| <ul style="list-style-type: none">• Operates at single-tab speeds up to 20,000 per hour for ultimate productivity | <ul style="list-style-type: none">• Can run in-line with compatible address printers, cutting run times in half by combining functions |
| <ul style="list-style-type: none">• Accepts rolls up to 16", reducing the number of roll changes and providing longer run times | <ul style="list-style-type: none">• Heavy-duty aluminum and steel construction for years of reliable performance |



Product Overview



TA-25 TABBING SYSTEM

A multiple-side tabletop
tabbing solution providing
unparalleled productivity

Key Capabilities

- Exclusive ability to simultaneously tab the top and side or opposite sides of a mail piece
- Unique design can switch from front tabbing to side tabbing in seconds
- Applies 1, 2 or 3 tabs at speeds of 25,000, 15,000, or 10,000 per hour respectively
- Accepts tab rolls up to 9" in diameter with a standard 3" core as well as USPS® roll stamps
- Runs various types and sizes of media from 3.5" x 5" to as large as 15" x 11" and up to ¼" thick
- Applies paper, clear, or translucent tabs (with or without perforation) from ¾" to 1 ½" in size
- Can run in-line with compatible address printers, cutting run times in half by combining functions
- Heavy-duty aluminum and steel construction for years of reliable performance



Product Overview



TA-30 TABBING SYSTEM

A versatile, heavy-duty
tabletop tabbing solution
for production volumes

Key Capabilities

- Simple operation and setup including four programmable jobs with single-key job selection
- Side tabbing design that applies up to 3 tabs, stamps, labels or notes in a single pass
- Applies 1, 2 or 3 tabs at speeds of 35,000, 30,000, or 20,000 per hour respectively
- Accepts rolls up to 19.5", reducing the number of roll changes and providing longer run times
- Accepts various types and sizes of media from 3" x 5" to as large as 13" x 17" and up to ½" thick
- Applies paper, clear, or translucent tabs (with or without perforation) from ¾" to 2" in size
- Can run in-line with compatible address printers, cutting run times in half by combining functions
- Heavy-duty aluminum and steel construction for years of reliable performance