

TATTOO® COLLECTION

PRICE LIST

November 14, 2018 Updated March 31, 2023

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.

Urdering (Customer's Own Material (C.O.M.) Upholstery Information	3
Tattoo™ S		
181100 51	General Information	_
	Product Color Options	8
Tattoo™ FI	ex Screens	
	Monolithic Flex Screen with Magnetic Dry-Erasable Steel Core	Ć
	Monolithic Flex Screen with Polyester Felt Core	10
	Monolithic Flex Screen with Acrylic Core	11
	Monolithic Flex Screen with Thermally-Fused Laminate Core	12
	Monolithic Flex Screen with Fluted Polycarbonate Core	13
	Monolithic Flex Screen with Tackable Fabric Core	14
	Segmented Flex Screen with Thermally-Fused Laminate Lower, Magnetic Dry-Erasable	15
	Steel Upper Core Segmented Flex Screen with Thermally-Fused Laminate Lower and Upper Core	16
	Segmented Flex Screen with Thermally-Fused Laminate Lower, Polyester Felt Upper Co	
	Segmented Flex Screen with Thermally-Fused Laminate Lower, Fabric Upper Core	18
	Segmented Flex Screen with Thermally-Fused Laminate Lower, Fluted Polycarbonate U	
	Core	19
	Segmented Flex Screen with Thermally-Fused Laminate Lower, Acrylic Upper Core	20
	Segmented Flex Screen with Polyester Felt Lower, Magnetic Dry-Erasable Steel Upper Core	2
	Segmented Flex Screen with Polyester Felt Lower and Thermally-Fused Laminate Uppe Core	r 22
	Segmented Flex Screen with Polyester Felt Lower and Upper Core	23
	Segmented Flex Screen with Polyester Felt Lower, Fabric Upper Core	24
	Segmented Flex Screen with Polyester Felt Lower, Fluted Polycarbonate Upper Core	2!
	Segmented Flex Screen with Polyester Felt Lower, Acrylic Upper Core	20
	Segmented Flex Screen with Fabric Lower, Magnetic Dry-Erasable Steel Upper Core	2
	Segmented Flex Screen with Fabric Lower, Thermally-Fused Laminate Upper Core	28
	Segmented Flex Screen with Fabric Lower, Polyester Felt Upper Core	29
	Segmented Flex Screen with Fabric Lower and Upper Core	30
	Segmented Flex Screen with Fabric Lower, Fluted Polycarbonate Upper Core	3
	Segmented Flex Screen with Fabric Lower, Acrylic Upper Core	32
attoo™ S	nine Screens	
	Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core	33
	Powered Monolithic Spine Screen with Thermally-Fused Laminate Core	34
	Non-Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core	35
	Non-Powered Monolithic Spine Screen with Thermally-Fused Laminate Core	36
	Trim Kits for Spine Screens	37
	Electrical - Top Infeed Kits 10-Wire System 6-Circuit	39
	Electrical - Base Infeed Kits 10-Wire System 6-Circuit	40
	Receptacle Infeed	4
	Electrical - Jumpers and Receptacles Electrical - Plates	42
		_
attoo™ S	creens Accessories Screen Topper Kits	44
	Magnetic Polyester Felt Inserts	4
	Magnetic Storage Pieces and Magnetic Tackboard Tiles	4
	Accessories	48
attoo™ Si	orage	
		4
	General Information	50
	Ordering C.O.M., C.O.L., and C.O.V Bonduel	
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options	5
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals	5 5
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers	54 58 50
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top	54 54 56 58
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top	54 58 58 58
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard	54 55 55 56 66
	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top	55 55 55 55 66 66
nttoo™ C	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard Chest Accessories	55 55 55 55 66 66
attoo™ S	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard Chest Accessories Rating General Information	5 5 5 5 6 6 6
attoo™ So	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard Chest Accessories	54 54 56 58
attoo™ So	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard Chest Accessories sating General Information Ordering C.O.M., C.O.L., and C.O.V High Point Product Color Options	56 56 56 66 66 67
attoo™ So	Ordering C.O.M., C.O.L., and C.O.V Bonduel Product Color Options Pedestals Towers Vanity with Laminate Top Vanity with Steel Top Low Cupboard Chest Accessories Bating General Information Ordering C.O.M., C.O.L., and C.O.V High Point	54 55 55 56 66 66 66

	Ottoman		76
	Occasional Table		77
	Accessories		78
ttoo™ Ta	ables		
	General Information		79
	Product Color Options		81
	Column Base - 18" High		82
	Column Base - 29" High		83
ggle® Ta			
	General Information		84
	Product Color Options		92
ggle® T-	Leg Tables		
	Fixed Base		93
	Dual Motor Electric Base		94
ggle® C	-Leg Tables		
	Dual Motor Electric Base		95
ggle® S	quare Shoe Tables		
	Triple Motor Electric Base		96
ggle® Ta	ables		
	Accessories		97
orkUp® 7			
	General Information		99
	Product Color Options		105
	Fixed Height	Ctand)	106 107
	Crank Adjustable Height (Sit - ANSI HFES Electric Adjustable		107
	Counter Balance Adjustable He		109
	Accessories	ngiit.	111
iiversal	Height Adjustable Screens		110
	General Information		112
	Product Color Options Felt Panels		113
	FULL FAIIUS		114
cessori			
	Monitor Arms		115



Contents
Refer to KI Terms & Conditions document or visit ki.com.

Ordering Customer's Own Material (C.O.M.) Upholstery



Ordering Customer's Own Material (C.O.M.) Upholstery

Customer's Own Material

Specifications Form January 2023


How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written specifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.



C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC	PLAIN	UNDER 7"	8"–13"	14"-21"	22"-27"	28"-33"	34"-40"	41"-48"
WIDTH	FABRIC	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order

General Information

Tattoo™ Screens



Tattoo™ Screen

Spine Screens

Spine Screens allow for a mechanical connection between screen frames and include optional 10-wire power. Screens are available with the monolithic core style only, made of magnetic dry-erasable steel or thermally-fused laminate, and include adjustable-height feet to accommodate installation (accommodate uneven floor heights). Screens ship partially assembled.

Spine Screens are available in the following dimensions:

•Widths: 48", 54", 60", 66", 72", 78", 84", 90", 96"

•Heights: 48", 54"

Flex Screens

Flex Screens offer freestanding, user-controlled, space dividing screens in a variety of sizes and finishes, and are non-powered only. Flex Screens are offered in monolithic and segmented styles and can be specified with adjustable feet or flat/bridge style feet. The flat/bridge style feet allow for 90° intersections and can also nest with adjustable height feet. Screens ship fully assembled, except when a horizontal Topper is specified.

Flex Screens are available in the following dimensions:

• Widths: 42", 48", 54", 60", 66", 72", 78", 84", 90", 96"

• Heights: 42", 48", 54", 60"

Note: 48"-54" height Flex Screens have optional segmentation available at 29" from floor. 42" screens are always monolithic. 60" high screens are always segmented.

All Screens may be specified with horizontal Toppers, which attach to the top of the screen when a top cap is not specified.

Frame Construction

All Tattoo Spine & Flex Screen frames are constructed of $2^{1}/2^{n}$ by $1^{1}/4^{n}$ aluminum extrusions finished with powder-coat paint. Frames are assembled in the factory (feet and Base Raceway Trim are not installed on Spine Screens) and may consist of the following:

- Base Raceway Trim (for Spine Screens) Aluminum extrusions finished in powder-coat paint, measuring 6" tall by screen length, with receptacle and data cutouts per specification. Optional data cutouts are sized 2.88" width by 1.82" height with two holes to accommodate a #6-32 screw.
- Wireway Mounting Bracket (for Spine Screens) 16-gauge formed steel, connects the 10-wire rigid wireway into the frame extrusion at the top of the base raceway area.
- Floor Channel (for Spine Screens) 14-gauge formed steel finished in powder-coat paint, measuring 2¹/₂" wide by 1¹/₄" tall, spanning the length of the screen and making up the bottom of the base raceway area.
- Bridge & Flat Plate foot (for Flex Screens) 1/4" thick steel with a footprint of 21/4" x 15" finished in powder-coat paint. Each foot includes a pair of 1" diameter non-adjustable nylon glides, adhered into counter-bores in the bottom of the foot. Each Flex Screen as specified ships with one Flat and one Bridge foot. Not available on Spine Screens.
- Adjustable Glide Feet Constructed of cast aluminum with a footprint of 2¹/₄" x 15" finished in powder-coat paint. Feet pair is standard on Spine Screens and may be ordered on Flex Screens.
- Adjustable Glide (for Spine & Flex Screen adjustable glide feet) 1¹/₂" diameter nylon base glides are threaded into the foot and allow for 1" of adjustability.

Trim Kits

All Spine Screens require a trim kit which is specified by size of screen, finish selection and power infeed location, if applicable. Trim kits include vertical caps, corner caps, attachment clips and electrical infeed conditions. Horizontal top caps are also included standard with Spine Screens and factory installed. When a Topper is desired on a specific screen "no top cap" is specified. Trim caps are formed of extruded aluminum and are finished with powder-coat paint. Installation of horizontal and vertical trim caps require no tools. Removal of trim caps require a flat prybar. Flex Screens come fully trimmed and do not require specification of additional trim kits.

Core Materials

Monolithic

Monolithic panels are dual-sided and available in a variety of substrates and finish options. Spine Screens are always monolithic. 42" high Flex Screens are always monolithic.

Segmented

Segmented screens are available in a variety of substrates and finish options. Segmented screens feature a 29" segmentation height, with specified upper and lower cores. Core inserts are dual sided. 48" and 54" high Flex Screens have the option of being segmented. 60" high Flex Screens are always segmented.

Fabric Cores

Fabric panel cores are constructed of LDF (low density fiberboard), upholstered and glued on both sides using water-based spray adhesive. Nominal thickness is $\frac{1}{2}$. Fabric cores are fully tackable.

Fluted Polycarbonate Cores

Fluted polycarbonate cores are 10 mm multiwall polycarbonate and are available with a clear finish. Clear extruded PVC gaskets are used between the core and supporting frame.

Magnetic Dry-Erasable Steel Cores

Magnetic dry-erasable steel cores are constructed of 28-gauge steel panels, laminated on both sides of a Fibrex core material. The steel panels include a polyester outer film creating a writable and dry-eraseable surface. Overall thickness is nominal 1/4". Clear extruded PVC gaskets are used between core and supporting frame.

Thermally-Fused Laminate Cores

Thermally-fused laminate cores are constructed of laminate, adhered by thermally-fusing both sides to particleboard. Overall thickness is nominal 1/3".

Acrylic Cores

Acrylic cores are constructed of $^{1}/_{4}$ " thick, Acrylite Satinice material with a velvet texture, a very fine satin surface on both sides and are available in a variety of colors. Clear extruded PVC gaskets are used between core and the supporting frame.

Polyester Felt Cores

Polyester Felt cores are constructed from $^{1}/_{2}$ " thick tackable, 100% polyester felt and are available in a variety of colors. The cores have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread.

Horizontal Toppers

Toppers are available for use on Spine & Flex Screens and take the place of the horizontal top cap. Specify "no top cap" on screens when a horizontal topper is to be used. Horizontal toppers are 12" in height and are specified to match the length of a corresponding screen. Extruded aluminum top caps hold the toppers in place without the use of fasteners.

Acrylic Horizontal Topper

Acrylic toppers are $\frac{1}{4}$ thick Acrylite Satinice material with satin surface on both sides, and are offered in a variety of colors. Acrylic toppers have a slight bull-nosed edge and a $\frac{1}{4}$ radius on the top corner. The length of acrylic topper is consistent with the length of the screen. Cork gaskets are used between the acrylic and aluminum top cap.

Tattoo™ Screens



Tattoo™ Screen

Polyester Felt Horizontal Topper

Polyester felt toppers are constructed from $^{1}/_{2}$ " thick, 100% polyester felt and are available in a variety of colors. The felt cores have a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Felt toppers have square edges and corners. The length of felt dividers is consistent with the length of the screen.

Electrical

Refer to the Planning Guide for information on product specification.

Optional Power - 810 Electrical

Optional power is offered on the Tattoo Powered Spine Screens only. Power is 810 Electrical System, for the US standard electrical system. 10-Wire Rigid wireways are factory mounted to powered screens.

Power is supplied through a 6-2-2 configuration:

- (6) hot wires
- (2) shared oversized neutral wires
- (2) ground wires one isolated ground and one building ground

Compliance

Tattoo Spine Screen system is a UL Listed Office Furnishing per standard UL 1286. Non-powered Flex Screens are not included in this listing. Spine Screens meet all applicable ANSI/BIFMA x5.6-2016.

Base Infeeds (Power and/or Data)

The Spine Screen's electrical system allows for base infeed to enter in-line, at end-of-run, or at a receptacle opening on the screen's base raceway trim. End-of-run base infeed kits utilize either a Base Infeed Spacer or a Base Infeed Vertical Trim. In-line base infeed kits use a Base Infeed Spacer where power and/or data enters from the side. Base infeed power enters into the bottom of the screen system through a cutout in the appropriate end or side trim. Receptacle infeed enters along the side of the screen and occupies the space of one receptacle cutout. Power for base infeed utilizes an 8' long, '\(^1\)2" liquid-tight flexible conduit, containing ten wires and having a modular connector end for the 810 Electrical System. Data Wires can enter the base of the screen through the cutout in the bottom of the trim, or through an opening in the bottom of the screen's floor channel. Data cabling, mounting plates and accessories are not provided by KI. **Note:** Data Mounting plates must have ports oriented at 45°.

Top Infeeds (Power and/or Data)

Top infeed includes a 3" square, 120" long extruded aluminum power and data pole to bring power and/or data in from at, or above, ceiling level. A 5' long extension pole with splice plate is available for taller ceilings. Top infeed kits may be specified as end-of-run, or in-line. Power for top infeed utilizes a 12' long (18' long with extension option) $\frac{1}{2}$ " liquid-tight flexible metal conduit containing ten wires and having a modular connector end for the 810 Electrical System. Data wires enter the pole the in the same manner as power. Data cabling, mounting plates and accessories are not provided by KI.

Note: Data mounting plates must have ports oriented at 45°.

10-Wire Rigid Wireways

Each powered screen requires the use of 10-wire rigid wireways to provide power to receptacles. 10-wire rigid wireways are factory installed onto the bottom frame of the screen. Each screen includes two wireways, one at each end with a 10-wire jumper in between. On both sides of each wireway, at each end of a powered screen, is a receptacle (ordered separately), plugged into the rigid wireway. The centerline of each receptacle is 12 inches from the end of each screen. The rigid wireway design allows for snap-connection of one screen's wireway to that of another screen using common 10-wire screen-to-screen jumpers (ordered separately).

10-Wire Pass-Through Screen-to-Screen Jumpers

The electrical system provides a method of passing power from one powered screen through a non-powered screen to the powered 10-wire rigid wireway of the next screen. The pass-through screen does not include wireways and receptacles. 10-Wire pass-through screen-to-screen jumpers (ordered separately) are required to connect adjacent in-line screen wireways.

10-Wire Screen-to-Screen Jumpers

10-wire screen-to-screen jumpers feature modular connector ends with nylon mesh casing over wires and are specified separate from the screens.

10-Wire Duplex Receptacles

10-wire duplex receptacles for the modular electrical system feature injection molded components, which snap fit into the 10-wire rigid wireways of the screens. The rated capacity of the duplex receptacles is 15 amps in a 6-2-2 circuit configuration.

Bezels & Filler Plates

Bezels and filler plates are molded in nylon and are available in a variety of colors. Bezels and filler plates are included with Tattoo Spine Screen base covers when power is specified and are field-installed.

Data Cover Plates

Data cover plates are $2^{1}/_{4}$ " x $4^{1}/_{2}$ " steel plates finished in powder-coat paint. Each plate includes attachment hardware and are field installed. Data cover plates are specified separate from the screens.

Electrical Infeed - New York City

The City of New York, 10-wire power infeed consists a service entry box sized for the 10-wire power distribution system. Building source power wires enter the box and are hard wired to the 10-wire ends in the box. Power exits the box through flexible conduit with a 10-wire modular connector end. The connector end feeds to the factory-installed 10-wire power distribution system. All wiring, connections, accessories and installation are to be performed by a licensed electrician.

Electrical - Hardwired

Hardwired electrical components may be specified for use in installations where required by local code (such as Chicago). Tattoo Screens so specified are shipped only with receptacle enclosures, are absent of other electrical components, but are ready to receive field-added electrical components to the receptacle enclosure by the customer's licensed electrician. Receptacle enclosures are constructed of 14-gauge galvanized metal in accordance with the National Electrical Code. 4.31" width by 2.44" height openings are located asymmetrical on both sides of the screen for dual-sided applications. Left-hand openings (when facing screen) are located 16" on center from left edge of screen. Right-hand opening (when facing screen) is located 6" on center from right-hand edge of screen. Infeeds, wiring, connections and all other electrical accessories are provided and connected by a licensed electrician.

Accessories

Polyester Felt Magnetic Inserts

Polyester felt magnetic inserts are constructed from 1/2" thick tackable, 100% polyester felt and are available in a variety of colors. The inserts have a density of 0.5lb/ft² and are sound absorbing with an acoustic rating of 0.45-0.90 NRC (acoustic range varies due to size and space relation). The panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Magnetic strips are applied to one side using adhesive. Nominal thickness is 1/2". Not offered on 42" height screens and can only be used on screens with a dry-erasable steel core.

Widths: 40", 46", 52", 58", 64", 69", 75", 81", 87" & 93"

Heights: 39" & 45"

Patterned Polyester Felt Magnetic Inserts

Patterned Polyester Felt magnetic inserts are constructed from two layers of 100% polyester felt and are available in a variety of colors. The inserts have a density of $0.12lb/ft^2$ are sound absorbing with an acoustic rating of 0.35-0.90 NRC (acoustic range varies due to size and space relation). Magnetic strips are applied to one side using adhesive. Nominal thickness is $^5/_8$ ". Not offered on 42" height screens and can only be used on screens with a dry-erasable steel core.

Widths: 40", 46", 52", 58", 64", 69", 75", 81", 87" & 93"

Heights: 39" & 45"

Magnetic Tackboard Tiles

Magnetic tackboard tiles are constructed of a multilayer fiberglass core upholstered on one side using adhesive. Magnetic strips are applied to the non-upholstered side using adhesive and can only be used on screens with a dry-erasable steel core. Nominal thickness is $\frac{1}{2}$ ".

Sizes Offered: $18" \times 18"$, $18" \times 24" & 24" \times 24"$.

Tattoo™ Screens



Coat Hook

Formed II-gauge bent steel powder-coat painted in a variety of colors. Coat hook comes with a nylon glide and is attached to the glide using a ½" cap screw. The nylon glide fits into an access opening in top frame of Spine & Flex Screens allowing the coat hook to slide into location.

Sliding Dual-Purpose Board

The sliding boards are constructed of a fiberglass core, upholstered on one side and adhered to a 28-gauge steel pan on the other. The steel includes a polyester film creating a writable and dry-eraseable surface. The core is framed two sides by extruded aluminum frames. Attached nylon glide fits into access opening in top frame of Spine & Flex Screens allowing Slide Panel to slide into location.

Dimensions: 24" width by 39" height by 1/2" depth.

Magnetic Storage & Shelving

ABS plastic bins provide storage for a range of office and personal items. All plastic bin accessories include vinyl magnets, powder-coated steel mounts and work on almost any magnetic surface. Magnetic storage is available in slate or white. Magnetic shelving is available in white.

Binder Bin

Holds up to 10 lb.
10" width by 13" height by 3" depth*.

File Bin

Holds up to 10 lb. $9^{1}/2^{2}$ width by $9^{1}/2^{2}$ height by $3^{1}/2^{2}$ depth*.

Low Bin

Holds up to 5 lb. $9^3/_8$ " width by $4^1/_4$ " height by $3^5/_8$ " depth*.


Pencil Cup

Holds up to $1^{1}/_{2}$ lb. 3" width by 4" height by 3" depth*.


Shelf

Holds up to 10 lb.
10" width by 5" height by 4" depth*.


DIMENSIONS




Monolithic Flex Screen with Flat/Bridge Feet



Monolithic Flex Screen with Adjustable Glide Feet



Segmented Flex Screen with Flat/Bridge Feet (also available with adjustable glide feet)




Adjustable Glide Foot

^{* =} depth is the distance the storage protrudes from the surface it is on.



DIMENSIONS (cont.)




48"-54"

48"-96"
overall width

Spine Screen with 10-Wire Power & Data

Spine Screen No-Power





Spine Screen with Hardwired Electrical (Chicago Code) & Data

Tattoo™ Screens Product Color Options



Tattoo[™] Screens
Product Color Options

Polyester Felt for Monolithic Core and Magneti	c Insert	Spring Foreground/White Background	FTSGWH	Kensington Maple	ULKM	Cottonwood	CO
Color Dandelion	FTDD	Acrylic Color		River Cherry	ULRY	Earthen Clay	EY
	FTFW	Cloud Acrylic	ACD	Electrical Floor Infeed Color		Espresso Metallic	EX
Fawn	FTFN	Colorless Acrylic	ACS	Black	IBL	Everglade Shade	EV
Flannel	FTHR	Kiwi Acrylic	AKI	Blue Grey	IGR	Flannel	FN C7
Heather		Laguna Acrylic	ALA	Light Tone	ILG	Glitz Metallic	GZ
Lava	FTLV	Pumpkin Acrylic	APU	Sand	ISA	Hazy Jade	HJ
Mallard	FTML	Sunshine Acrylic	ASE	Warm Grey	IWG	Honey Bee	HY
Midnight Blue	FTMB	Tomato Acrylic	ATT	•		Light Tone	LG
Pepper	FTPR	·		Receptacle Color		Mardi Gras	MG
Spring	FTSG	Frame/Trim & Trim Kit Color		Black	BL	Misty Brown	MY
Tidal Wave	FTTW	Black	BL	Blue Grey	GR	Nemo	NE
Lower Polyester Felt for Segmented Core Color	r	Blue Grey	GR	Cool Grey	CG	Nordic	ND
Dandelion	LFTDD	Bronze Metallic	ZM	Cottonwood	CO	Purple Haze	PH
Fawn	LFTFW	Cayenne	CY	Light Tone	LG	Rubber Ducky	RK
Flannel	LFTFN	Champagne Metallic	CM	Misty Brown	MY	Sand	SA
Heather	LFTHR	Cool Grey	CG	Sand	SA	Starlight Silver Metallic	SX
Lava	LFTLV	Cottonwood	CO	Warm Grey	WG	Surf's Up	SP
Mallard	LFTML	Earthen Clay	EY	October Head Bosses de de Colon		Twilight Shadow	TI
Midnight Blue	LFTMB	Espresso Metallic	EX	Controlled Receptacle Color		Ultra Blue	UB
Pepper	LFTPR	Everglade Shade	EV	Black	BL	Warm Grey	WG
Spring	LFTSG	Flannel	FN	Light Tone	LG	Zesty Lime	ZL
Tidal Wave	LFTTW	Glitz Metallic	GZ	Sand	SA	Magnetic Storage Pieces Colors	
ridai vvave	LIIIVV	Hazy Jade	HJ	Warm Grey	WG		W
Upper Polyester Felt for Segmented Core Color		Honey Bee	HY	Bezel Color		White Slate	vv S
Dandelion	UFTDD	Light Tone	LG	Black	BBL	State	5
Fawn	UFTFW	Mardi Gras	MG	Cool Grey	BCG	Includes (Binder Bin, File Bin, Low Bin and Pencil Cup).	
Flannel	UFTFN	Misty Brown	MY	Cottonwood	BCO		
Heather	UFTHR	Nemo	NE	Blue Grey		Magnetic Shelf	
Lava	UFTLV	Nordic	ND	· ·	BGR	White	W
Mallard	UFTML	Purple Haze	PH	Light Tone	BLG		
Midnight Blue	UFTMB	Rubber Ducky	RK	Misty Brown	BMY		
Pepper	UFTPR	Sand	SA	Sand	BSA		
Spring	UFTSG	Starlight Silver Metallic	SX	Warm Grey	BWG		
Tidal Wave	UFTTW	Surf's Up	SP	Filler and Data Plate Color			
Tidal Tidal	0	Twilight Shadow	TI	Black	BL		
Patterned Polyester Felt for Magnetic Inserts C	olor	Ultra Blue	UB	Blue Grey	GR		
Dandelion Foreground/Flannel Background	FTDDFN	Warm Grey	WG	Cool Grey	CG		
Fawn Foreground/Flannel Background	FTFWFN	Zesty Lime	ZL	Cottonwood	CO		
Flannel Foreground/Flannel Background	FTFNFN	Zesty Lime	ZL	Light Tone	LG		
Heather Foreground/Flannel Background	FTHRFN	Thermally-Fused Laminate Monolithic Co	re Color	Misty Brown	MY		
Lava Foreground/Flannel Background	FTLVFN	Cherry Storm	LCX	Sand	SA		
Midnight Blue Foreground/Flannel Background	FTMBFN	Florence Walnut	LFC	Warm Grey	WG		
Spring Foreground/Flannel Background	FTSGFN	Italian Silver Ash	LIT	waiiii diey	WG		
Dandelion Foreground/Heather Background	FTDDHR	Kensington Maple	LKM	Receptacle Infeed-Spacer Kit Color			
Fawn Foreground/Heather Background	FTFWHR	River Cherry	LRY	Black	BL		
Flannel Foreground/Heather Background	FTFNHR	,		Blue Grey	GR		
Heather Foreground/Heather Background	FTHRHR	Thermally-Fused Laminate Lower Segme	nt Core Color	Light Tone	LG		
Lava Foreground/Heather Background	FTLVHR	Cherry Storm	LLCX	Sand	SA		
Midnight Blue Foreground/Heather Background	FTMBHR	Florence Walnut	LLFC	Warm Grey	WG		
Spring Foreground/Heather Background	FTSGHR	Italian Silver Ash	LLIT				
Dandelion Foreground/White Background	FTDDWH	Kensington Maple	LLKM	Coat Hook & Data Cover Plate Color			
Fawn Foreground/White Background	FTFWWH	River Cherry	LLRY	Black	BL		
Flannel Foreground/White Background	FTFNWH	The control of the co	.1.0	Blue Grey	GR		
Heather Foreground/White Background	FTHRWH	Thermally-Fused Laminate Upper Segme		Bronze Metallic	ZM		
Lava Foreground/White Background	FTLVWH	Cherry Storm	ULCX	Cayenne	CY		
Midnight Blue Foreground/White Background	FTMBWH	Florence Walnut	ULFC	Champagne Metallic	CM		
		Italian Silver Ash	ULIT				

Finish Cards <u>Paints</u> Wood/Veneer Molded Edges **Hard Plastics** Plastics/Poly View color swatches for items listed within this document. <u>Laminates</u> Edge Styles <u>Glass</u>

Monolithic Flex Screen with Magnetic Dry-Erasable Steel Core



Tattoo™ Flex Screens

Monolithic Flex Screen with Magnetic Dry-Erasable Steel Core

							·
		MODEL N	UMBER				
		Dania	Foot	Top	Fue we a /Tui we	Approx.	Delivered
	MODEL	Basic Model	Foot Option	Cap	Frame/Trim Color	Packaged Weight	Delivered Pricing
	Monolithic Flex Screen with Magnetic	TFME4242				78.0#	\$ 1277
	Dry-Erasable Steel Core - 42" H	TFME4842				85.0#	1295
	Flex screen assembly includes aluminum	TEMES 442				92.0#	1433
	powder-coated frame, core material, all	TFME6042				99.0#	1456
	trim, and feet					106.0#	1586
abc	Steel core is dry-erasable and magneticSpecify adjustable glide feet, or non-ad-	TEMEZO42				113.0#	1612
\sim	justable flat/bridge feet	TFME7842				120.0#	
	 Non-powered with elevated base; no 						1734
Bridge foot	wire management	TFME8442				127.0#	1769
	Fully assembled; includes all trimSlotting under upper trim accepts	TFME9042				134.0#	1880
FFLB foot Flat foot	screen-hung accessories	TFME9642				141.0#	1905
option shown	3						
TFME							
	Monolithic Flex Screen with Magnetic	TFME4248				85.0#	\$ 1295
TFME	Dry-Erasable Steel Core - 48" H	TFME4848				93.0#	1328
		TFME5448				101.0#	1454
		TFME6048				109.0#	1480
		TFME6648				117.0#	1608
		TFME7248				125.0#	1634
		TFME7848				133.0#	1760
		TFME8448				141.0#	1787
		TFME9048				149.0#	1914
		TFME9648				157.0#	1940
	Monolithic Flex Screen with Magnetic	TFME4254		_		92.0#	\$ 1315
TFME	Dry-Erasable Steel Core - 54" H	TFME4854				101.0#	1341
		TFME5454				110.0#	1457
		TFME6054				119.0#	1489
		TFME6654				128.0#	1618
		TFME7254				137.0#	1648
		TFME7854				146.0#	1778
		TFME8454				155.0#	1818
		TFME9054				164.0#	1947
		TFME9654				173.0#	1976
		A	$oldsymbol{eta}$	Θ	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic Flex Screen with Polyester Felt Core



Tattoo™ Flex Screens

Monolithic Flex Screen with Polyester Felt Core

							Y
		MODEL N	UMBER				
			_				
		Basic	Foot Car		Polyester Felt	Approx. Packaged	Delivered
	MODEL	Model		le Color	Color	Weight	Pricing
	Monolithic Flex Screen with Polyester	TFMZ4242				54.0#	\$ 1271
	Felt Core - 42" H	TFM74842				57.0#	1290
	Flex screen assembly includes aluminum	n TFM75442				61.0#	1313
	powder-coated frame, core material, all trim, and feet	TFMZ6042				64.0#	1708
	Pinnable felt core is non-magnetic	TFMZ6642				67.0#	1734
	 Specify adjustable glide feet or non-ad- 	TFMZ7242				71.0#	1758
	justable flat/bridge feet	TFMZ7842				75.0#	1783
	 Non-powered with elevated base; no wire management 	TFMZ8442				78.0#	1800
Bridge foot	Fully assembled; includes all trim	TFMZ9042				82.0#	1826
FFLB foot Flat foot	 Slotting under upper trim accepts 	TFMZ9642				85.0#	1847
option shown	screen-hung accessories						
TFMZ							
	Monolithic Flex Screen with Polyester	TFMZ4248				57.0#	\$ 1277
TFMZ	Felt Core - 48" H	TFMZ4848				61.0#	1300
		TFMZ5448				65.0#	1325
		TFMZ6048				69.0#	1728
		TFMZ6648				73.0#	1752
		TFMZ7248				77.0#	1777
		TFMZ7848				81.0#	1802
		TFMZ8448				85.0#	1826
		TFMZ9048				89.0#	1851
		TFMZ9648				93.0#	1876
	Monolithic Flex Screen with Polyester	TFMZ4254				61.0#	\$ 1283
TFMZ	Felt Core - 54" H	TFMZ4854				65.0#	1313
		TFMZ5454				70.0#	1341
		TFMZ6054				74.0#	1747
		TFMZ6654				79.0#	1777
		TFMZ7254				83.0#	1805
		TFMZ7854				88.0#	1834
		TFMZ8454				92.0#	1863
		TFMZ9054				97.0#	1890
		TFMZ9654				101.0#	1924
		A	3 6	0	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select polyester felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220,

freight prepaid. Freight class 70.

Monolithic Flex Screen with Acrylic Core



Tattoo™ Flex Screens Monolithic Flex Screen with Acrylic Core

		MODEL N	IUMBER					
			Тор			Annroy		
		Basic	Foot Cap	Frame/Trim	Acrylic	Approx. Packaged	Delivered	
		Model	Option Styl	e Color	Color	Weight	Pricing	
~	Monolithic Flex Screen with Acrylic Core	TFMA4242				78.0#	\$ 2261	
	- 42" H	TFMA4842				85.0#	2317	
	 Flex screen assembly includes aluminum powder-coated frame, core material, all 					92.0#	2343	
	trim, and feet	TFMA6042				99.0#	2369	
	Acrylic core is non-magnetic Specify adjustable glide feet or non-adjustable glide glide feet or non-adjustable glide gli	TFMA6642				106.0#	2395	
	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 	TFMA7242				113.0#	2422	
	Non-powered with elevated base; no	TFMA7842				120.0#	2448	
Bridge foot	wire management	TFMA8442				127.0#	3875	
	Fully assembled; includes all trimSlotting under upper trim accepts	TFMA9042				134.0#	3901	
FFLB foot Flat foot option shown	screen-hung accessories	TFMA9642				141.0#	3927	
TFMA								
	Monolithic Flex Screen with Acrylic Core	TFMA4248				85.0#	\$ 2293	
TFMA	- 48" H	TFMA4848				93.0#	2349	
		TFMA5448				101.0#	2377	
		TFMA6048				109.0#	2402	
		TFMA6648				117.0#	2429	
		TFMA7248				125.0#	2455	
		TFMA7848				133.0#	2481	
		TFMA8448				141.0#	3907	
		TFMA9048				149.0#	3933	
		TFMA9648				157.0#	3958	
	Monolithic Flex Screen with Acrylic Core	TFMA4254				92.0#	\$ 2325	
TFMA	- 54" H	TFMA4854				101.0#	2352	
		TFMA5454				110.0#	2380	
		TFMA6054				119.0#	2409	
		TFMA6654				128.0#	2438	
		TFMA7254				137.0#	2468	
		TFMA7854				146.0#	2498	
		TFMA8454				155.0#	3927	
		TFMA9054				164.0#	3956	
		TFMA9654				173.0#	3985	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

3 0 0 3

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select acrylic color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic Flex Screen with Thermally-Fused Laminate Core



Tattoo™ Flex Screens

Monolithic Flex Screen with Thermally-Fused Laminate Core

								·
		MODEL N	UMBER					
				Ton			Approv	
		Basic	Foot	Top Cap	Frame/Trim	Laminate	Approx. Packaged	Delivered
	MODEL	Model	Option	Style	Color	Color	Weight	Pricing Pricing
	Monolithic Flex Screen with Thermal-	TFMM4242					78.0#	\$ 826
	ly-Fused Laminate Core - 42" H	TFMM4842					85.0#	891
	Flex screen assembly includes aluminum newdor costed frame, core metarial all.	TFMM5442					92.0#	990
	powder-coated frame, core material, all trim, and feet	TFMM6042					99.0#	1012
	Thermally-fused laminate core is	TFMM6642					106.0#	1036
	non-tackable, and non-magnetic	TFMM7242					113.0#	1059
	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 	TFMM7842					120.0#	1081
Poiston fort	Non-powered with elevated base; no	TFMM8442					127.0#	1102
`Bridge foot	wire management	TFMM9042					134.0#	1126
FFLB foot Flat foot	Fully assembled; includes all trimSlotting under upper trim accepts	TFMM9642					141.0#	1148
option shown	screen-hung accessories							
TFMM								
	Monolithic Flex Screen with Thermal-	TFMM4248					85.0#	\$ 851
TFMM	ly-Fused Laminate Core - 48" H	TFMM4848					93.0#	917
		TFMM5448					101.0#	1016
		TFMM6048					109.0#	1038
		TFMM6648					117.0#	1061
		TFMM7248					125.0#	1084
		TFMM7848					133.0#	1107
		TFMM8448					141.0#	1128
		TFMM9048					149.0#	1151
		TFMM9648					157.0#	1173
	Monolithic Flex Screen with Thermal-	TFMM4254					92.0#	\$ 887
TFMM	ly-Fused Laminate Core - 54" H	TFMM4854					101.0#	930
		TFMM5454					110.0#	1030
		TFMM6054					119.0#	1058
		TFMM6654					128.0#	1084
		TFMM7254					137.0#	1111
		TFMM7854					146.0#	1137
		TFMM8454					155.0#	1164
		TFMM9054					164.0#	1189
		TFMM9654					173.0#	1213
		A	B	•	O	(3		
		_	_	_	_	_		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select laminate.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic Flex Screen with Fluted Polycarbonate Core



Tattoo™ Flex Screens

Monolithic Flex Screen with Fluted Polycarbonate Core

		MODEL NU	JMBER				
		D	F	Top	Fundament (Trains	Approx.	D. Francis
	MODEL		Foot Option	Cap Style	Frame/Trim Color	Packaged Weight	Delivered Pricing
		TFMP4242				54.0#	\$ 956
	Monolithic Flex Screen with Fluted Polycarbonate Core - 42" H	TFMP4842				57.0#	1005
	Flex screen assembly includes aluminum	TEMPE 440					
	powder-coated frame, core material, all					61.0#	1051
	trim, and feet	TFMP6042				64.0#	1099
	Fluted polycarbonate core is non-tack-	TFMP6642				67.0#	1146
	able, and non-magneticSpecify adjustable glide feet or non-ad-	TFMP7242				71.0#	1193
	justable flat/bridge feet	TFMP7842				75.0#	1241
Bridge foot	 Non-powered with elevated base; no 	TFMP8442				78.0#	1289
Bridge 1001	wire management	TFMP9042				82.0#	1335
FFLB foot Flat foot	Fully assembled; includes all trimSlotting under upper trim accepts	TFMP9642				85.0#	1382
option shown	screen-hung accessories						
TFMP	 Fluting runs horizontal 						
	Monolithic Flex Screen with Fluted	TFMP4248				57.0#	\$ 981
TFMP	Polycarbonate Core - 48" H	TFMP4848				61.0#	1030
		TFMP5448				65.0#	1077
		TFMP6048				69.0#	1124
		TFMP6648				73.0#	1171
		TFMP7248				77.0#	1219
		TFMP7848				81.0#	1267
		TFMP8448				85.0#	1314
		TFMP9048				89.0#	1361
		TFMP9648				93.0#	1407
	Monolithic Flex Screen with Fluted	TFMP4254				61.0#	\$ 983
TFMP	Polycarbonate Core - 54" H	TFMP4854				65.0#	1032
		TFMP5454				70.0#	1080
		TFMP6054				74.0#	1131
		TFMP6654				79.0#	1182
		TFMP7254				83.0#	1231
		TFMP7854				88.0#	1281
		TFMP8454				92.0#	1331
		TFMP9054				97.0#	1382
		TFMP9654				101.0#	1433
						101.0#	100
		A	$oldsymbol{\Theta}$	Θ	O		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Monolithic Flex Screen with Tackable Fabric Core



Tattoo™ Flex Screens

Monolithic Flex Screen with Tackable Fabric Core

							▼					
		MODEL N	UMBER									
	MODEL	Basic Model	Top Foot Cap Option Sty	p Frame/Trim	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Gra 1 & C.O.M		Delivered Pric Fabric Grade 3 & Pallas Ver Fabric Grade PV	Pricing		
		TFMF4242				54.0#	\$ 1067	\$ 1116	\$ 1162	\$ 1198	\$ 1281	
	Monolithic Flex Screen with Tackable Fabric Core - 42" H	TFMF4842				57.0#	1083	1131	1179	1215	1300	
	Flex screen assembly includes aluminur	TEMES 442				61.0#	1112	1161	1211	1219	1335	
	powder-coated frame, core material, all	TFMF6042				64.0#	1180	1233	1285	1323	1415	
	trim, and feet Core features identical tackable fabric	TFMF6642				67.0#	1238	1294	1352	1395	1415	
	core on both sides, fabric pattern is	TFMF7242				71.0#	1312	1371	1430	1476	1582	
	railroaded	TFMF7842				71.0#	1335	1396	1456	1503	1611	
	Fabric cores are non-magnetic	TEN 450 4 40				81.0#	1361	1423	1483	1531	1641	
Bridge foot	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 	TFMF9042				82.0#	1390	1453	1517	1564	1675	
FFLB foot Flat foot	Non-powered with elevated base; no	TFMF9642				85.0#	1457	1524	1591	1639	1755	
option shown	wire management	11111113042				00.0#	1001	1324	1001	1000	1755	
TFMF	Fully assembled; includes all trimSlotting under upper trim accepts											
	screen-hung accessories											
	Ç											
	Monolithic Flex Screen with Tackable	TFMF4248				57.0#	\$ 1107	\$ 1157	\$ 1205	\$ 1242	\$ 1329	
TFMF	Fabric Core - 48" H	TFMF4848				61.0#	1120	1170	1220	1259	1345	
		TFMF5448				65.0#	1150	1201	1252	1291	1380	
		TFMF6048				69.0#	1219	1272	1325	1366	1460	
		TFMF6648				73.0#	1275	1335	1394	1437	1541	
		TFMF7248				77.0#	1349	1411	1473	1518	1626	
		TFMF7848				81.0#	1373	1437	1500	1546	1655	
		TFMF8448				85.0#	1399	1463	1525	1573	1684	
		TFMF9048				89.0#	1427	1493	1557	1607	1721	
		TFMF9648				93.0#	1496	1564	1631	1682	1800	
	Monolithic Flex Screen with Tackable	TFMF4254				61.0#	\$ 1110	\$ 1159	\$ 1209	\$ 1245	\$ 1331	
TFMF	Fabric Core - 54" H	TFMF4854				65.0#	1123	1172	1223	1261	1348	
		TFMF5454				70.0#	1197	1249	1302	1342	1434	
		TFMF6054				74.0#	1224	1278	1332	1373	1467	
		TFMF6654				79.0#	1329	1390	1451	1496	1602	
		TFMF7254				83.0#	1362	1424	1487	1532	1642	
		TFMF7854				88.0#	1390	1453	1517	1564	1675	
		TFMF8454				92.0#	1462	1527	1594	1643	1758	
		TFMF9054				97.0#	1494	1561	1628	1679	1798	
		TFMF9654				101.0#	1565	1635	1705	1758	1881	
		_										

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with

B O D

(3)

toppers)

DSelect frame/trim color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower, Magnetic Dry-Erasable Steel Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower, Magnetic Dry-Erasable Steel Upper Core

		MODEL NU	MBER				
			Тор		Lower	Approx.	
	MODEL	Basic Model	Foot Cap Option Style	Frame/Trim e Color	Laminate Color	Packaged Weight	Delivered Pricing
	Segmented Flex Screen with Thermal-	TFSME4248				78.0#	\$ 1213
	ly-Fused Laminate Lower, Magnetic Dry-Erasable Steel Upper Core - 48" H	TFSME4848				85.0#	1342
		TFSME5448 TFSME6048				92.0# 99.0#	1544 1612
abc	powder-coated frame, core material, all	TFSME6648				106.0#	1728
	trim and feet • Magnetic dry-erasable steel upper	TFSME7248				113.0#	1726
	segment	TFSME7848				120.0#	1909
	Thermally-fused laminate is non-tackable and non-magnetic.	TFSME8448				127.0#	1930
Bridge Foot	and non-magneticSpecify adjustable glide feet or non-ad-	TFSME9048				134.0#	1949
Flat Foot	justable flat/bridge feet	TFSME9648				141.0#	1970
·	 Non-powered; no wire management Fully assembled; includes all trim 						
TFSME	Slotting under upper trim accepts						
	screen-hung accessories						
	Segmentation at 29"Elevated base does not accept power						
-		TFSME4254				85.0#	\$ 1251
TFSME	Segmented Flex Screen with Thermal- ly-Fused Laminate Lower, Magnetic	TFSME4854				93.0#	1429
TOME	Dry-Erasable Steel Upper Core - 54" H	TFSME5454				101.0#	1585
		TFSME6054				109.0#	1654
		TFSME6654				117.0#	1770
		TFSME7254				125.0#	1838
		TFSME7854				133.0#	1952
		TFSME8454				141.0#	1975
		TFSME9054				149.0#	1995
		TFSME9654				157.0#	2015
TFSME	Segmented Flex Screen with Thermal- ly-Fused Laminate Lower, Magnetic	TFSME4260 TFSME4860				92.0# 101.0#	\$ 1657 1702
II JIVIE	Dry-Erasable Steel Upper Core - 60" H	TFSME5460				110.0#	1702
	•	TFSME6060				119.0#	2028
		TFSME6660				128.0#	2191
		TFSME7260				137.0#	2261
		TFSME7860				146.0#	2471
		TFSME8460				155.0#	2491
		TFSME9060				164.0#	2522
		TFSME9660				173.0#	2542
		A	B G	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower laminate color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower and Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower and Upper Core

							~
		MODEL NU	JMBER				
		D	Top		Lower Upper	Approx.	
	MODEL	Basic Model	Foot Ca Option Sty	p Frame/Trim /le Color	Laminate Laminate	Packaged Weight	
		TFSMM4248				78.0#	
	Segmented Flex Screen with Thermal- ly-Fused Laminate Lower and Upper	TFSMM4848				85.0#	
	Core - 48" H	TESMM5448				92.0#	
	Flex screen assembly includes aluminur	n TESMMENAS				99.0#	
	powder-coated frame, core material, all	TFSMM6648				106.0#	
	trim and feet Thermally-fused laminate is non-tackable					113.0#	
	and non-magnetic	TFSMM7848				120.0#	
	 Specify adjustable glide feet or non-ad- 	TFSMM8448				127.0#	
Bridge foot	justable flat/bridge feet • Non-powered; no wire management	TFSMM9048				134.0#	
FFLB foot Flat foot	Fully assembled; includes all trim	TFSMM9648				141.0#	
option shown	Slotting under upper trim accepts	11 011111100 10				111.0#	
TFSMM	screen-hung accessories						
	Segmentation at 29"Elevated base does not accept power						
	Segmented Flex Screen with Thermal-	TFSMM4254				85.0#	# \$ 1296
TFSMM	ly-Fused Laminate Lower and Upper	TFSMM4854				93.0#	
	Core - 54" H	TFSMM5454				101.0#	
		TFSMM6054			Taaaa Taaaa	109.0#	
		TFSMM6654				117.0#	# 1605
		TFSMM7254				125.0#	# 1675
		TFSMM7854				133.0#	
		TFSMM8454				141.0#	# 1717
		TFSMM9054				149.0#	# 1736
		TFSMM9654				157.0#	# 1757
	Segmented Flex Screen with Thermal-	TFSMM4260				92.0#	# \$ 1480
TFSMM	ly-Fused Laminate Lower and Upper	TFSMM4860				101.0#	# 1497
	Core - 60" H	TFSMM5460				110.0#	# 1607
		TFSMM6060				119.0#	# 1676
		TFSMM6660				128.0#	
		TFSMM7260				137.0#	
		TFSMM7860				146.0#	
		TFSMM8460				155.0#	
		TFSMM9060				164.0#	
		TFSMM9660				173.0#	# 1908
		A	B (D	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

toppers)

BSelect foot option.
FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style. - Flat aluminum top cap (standard)
- No top cap (specify for use with

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower laminate color. Refer to the Product Color Options page in this price list.

Select upper laminate color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower, Polyester Felt Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower, Polyester Felt Upper Core

		_					·
		MODEL NU	JMBER				
			Tor		Lower Polyester	Approv	
		Basic	Foot Car			Approx. Packaged	Delivered
	MODEL	Model	Option Sty	le Color	Color Color	Weight	Pricing
	Segmented Flex Screen with Thermal-	TFSMZ4248				72.0#	\$ 1268
	ly-Fused Laminate Lower, Polyester Felt	TFSMZ4848				78.0#	1343
	Upper Core - 48" H	TESM75448				84.0#	1524
	Flex screen assembly includes aluminum	TFSMZ6048				90.0#	1787
	powder-coated frame, core material, all trim and feet	TFSMZ6648				96.0#	1855
	Polyester felt upper segment is pinnable	TFSMZ7248				102.0#	1924
	and non magnatic	==========				108.0#	1945
	Thermally-fused laminate is non-tackable and non-magnetic.	TFSMZ8448				114.0#	1962
Bridge foot	Specify adjustable alide feet or non-ad-	1				120.0#	1984
FFLB foot Flat foot option shown	justable flat/bridge feet	TFSMZ9648				126.0#	2002
opaion onomi	 Non-powered; no wire management 						
TFSMZ	Fully assembled; includes all trimSlotting under upper trim accepts						
	screen-hung accessories						
	 Segmentation at 29" 						
	 Elevated base does not accept power 						
	Segmented Flex Screen with Thermal-	TFSMZ4254				78.0#	\$ 1375
TFSMZ	ly-Fused Laminate Lower, Polyester Felt	TFSMZ4854				84.0#	1456
	Upper Core - 54" H	TFSMZ5454				91.0#	1565
		TFSMZ6054				98.0#	1828
		TFSMZ6654				100.0#	1898
		TFSMZ7254				111.0#	1966
		TFSMZ7854				118.0#	1987
		TFSMZ8454				125.0#	2007
		TFSMZ9054				132.0#	2028
		TFSMZ9654				138.0#	2048
	Segmented Flex Screen with Thermal-	TFSMZ4260				83.0#	\$ 1634
TFSMZ	ly-Fused Laminate Lower, Polyester Felt	TFSMZ4860				93.0#	1698
	Upper Core - 60" H	TFSMZ5460				98.0#	1898
		TFSMZ6060				110.0#	2335
		TFSMZ6660				108.0#	2405
		TFSMZ7260				120.0#	2473
		TFSMZ7860				128.0#	2495
		TFSMZ8460				135.0#	2516
		TFSMZ9060				143.0#	2545
		TFSMZ9660				150.0#	2566
		A	B (0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect foot option.
FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower laminate color. Refer to the Product Color Options page in this

price list.

Select upper polyester felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower, Fabric Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower, Fabric Upper Core

		MODEL NU	MBER											
	MODEL	Basic	Foot Option	Top Cap Style	Frame/Trim Color	Lower Laminate Color	Upper Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Flex Screen with Thermal-	TFSMF4248						72.0#	\$ 1365	\$ 1392	\$ 1420	\$ 1433	\$ 1489	
	ly-Fused Laminate Lower, Fabric Upper	TFSMF4848						78.0#	1423	1452	1480	1494	1551	
	Core - 48" H	TFSMF5448						84.0#	1531	1561	1592	1607	1669	
	Flex screen assembly includes aluminum	TFSMF6048						90.0#	1642	1675	1706	1723	1788	
	powder-coated frame, core material, all trim and feet	TFSMF6648						96.0#	1760	1797	1832	1850	1920	
	Upper segment features identical	TFSMF7248						102.0#	1829	1866	1904	1921	1995	
	tackable fabric core on both sides, fabric	TFSMF7848						108.0#	1891	1928	1966	1986	2061	
	pattern is railroaded	TESME8448						114.0#	1915	1954	1991	2012	2088	
Bridge foot	 Thermally-fused laminate is non-tackable and non-magnetic 	TFSMF9048						120.0#	1978	2017	2057	2076	2156	
FFLB foot Flat foot	Specify adjustable glide feet or non-ad-							126.0#	1998	2038	2078	2098	2178	
option shown	justable flat/bridge feet							120.0%	1000	2000	20.0	2000	2110	
TFSMF	Non-powered; no wire management													
TT OWN	Fully assembled; includes all trimSlotting under upper trim accepts													
	screen-hung accessories													
	Segmentation at 29"													
	 Elevated base does not accept power 													
		TFSMF4254						78.0#	\$ 1395	\$ 1423	\$ 1451	\$ 1465	\$ 1521	
TFSMF	Segmented Flex Screen with Thermal- ly-Fused Laminate Lower, Fabric Upper	TFSMF4854						84.0#	1464	1493	1522	1535	1596	
IFOIVIF	Core - 54"H	TFSMF5454						91.0#	1572	1603	1635	1651	1713	
		TFSMF6054						91.0#	1682	1717	1749	1767	1834	
		TFSMF6654												
								100.0#	1804	1839	1876	1895	1965	
		TFSMF7254						111.0#	1873	1909	1948	1966	2040	
		TFSMF7854						118.0#	1935	1974	2012	2031	2109	
		TFSMF8454						125.0#	1960	2000	2039	2058	2137	
		TFSMF9054						132.0#	2022	2062	2105	2125	2204	
		TFSMF9654						138.0#	2042	2083	2125	2143	2228	
	Segmented Flex Screen with Thermal-	TFSMF4260						83.0#	\$ 1644	\$ 1677	\$ 1709	\$ 1726	\$ 1792	
TFSMF	ly-Fused Laminate Lower, Fabric Upper Core - 60" H	TFSMF4860						93.0#	1686	1722	1756	1773	1839	
	Core - ou H	TFSMF5460		- 1				98.0#	1757	1793	1828	1845	1915	
		TFSMF6060						104.0#	1869	1906	1945	1961	2036	
		TFSMF6660						108.0#	2038	2079	2119	2139	2220	
		TFSMF7260						120.0#	2107	2149	2191	2212	2297	
		TFSMF7860						128.0#	2169	2213	2257	2278	2365	
		TFSMF8460						135.0#	2194	2240	2284	2307	2393	
		TFSMF9060						143.0#	2267	2310	2353	2374	2460	
		TFSMF9660						150.0#	2288	2331	2374	2395	2483	
		A	B	Θ	D	(3	(3)							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower laminate color. Refer to the Product Color Options page in this price list.

Select upper fabric color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower, Fluted Polycarbonate Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower, Fluted Polycarbonate Upper Core

		MODEL NU	JMBER				
				Tan	Lauran	A ======	
		Basic		Top Cap Frame/	Lower rim Laminate	Approx. Packaged	Delivered
	MODEL	Model	Option	Style Color	Color	Weight	Pricing
	Segmented Flex Screen with Ther-	TFSMP4248				72.0#	\$ 1305
	mally-Fused Laminate Lower, Fluted	TFSMP4848				78.0#	1412
	Polycarbonate Upper Core - 48" H	TFSMP5448				84.0#	1545
	 Flex screen assembly includes aluminur powder-coated frame, core material, all 					90.0#	1637
	trim and feet	1FSMP6648				96.0#	1730
	Fluted polycarbonate upper segment is					102.0#	1824
	non-tackable and non-magnetic Thermally-fused laminate is non-tackab	TFSMP7848				108.0#	1868
Bridge foot	and non-magnetic	1F5WP8448				114.0#	1911
FFLB foot Flat foot	Specify adjustable glide feet or non-ad-	TFSMP9048				120.0#	1957
option shown	justable flat/bridge feet • Non-powered; no wire management	TFSMP9648				126.0#	2001
TEOLID	Fully assembled; includes all trim						
TFSMP	 Slotting under upper trim accepts 						
	screen-hung accessories • Segmentation at 29"						
	Elevated base does not accept power						
	 Fluting runs horizontal 						
		TFSMP4254				78.0#	\$ 1332
TFSMP	Segmented Flex Screen with Ther- mally-Fused Laminate Lower, Fluted	TFSMP4854				84.0#	1452
TFOIVIF	Polycarbonate Upper Core - 54" H	TFSMP5454				91.0#	1585
	.,	TFSMP6054				98.0#	1678
		TFSMP6654				100.0#	1773
		TFSMP7254				111.0#	1866
		TFSMP7854				118.0#	1910
		TFSMP8454				125.0#	1957
		TFSMP9054				132.0#	2002
		TFSMP9654				138.0#	2047
	Segmented Flex Screen with Ther-	TFSMP4260				83.0#	\$ 1575
TFSMP	mally-Fused Laminate Lower, Fluted	TFSMP4860				93.0#	1628
	Polycarbonate Upper Core - 60" H	TFSMP5460				98.0#	1724
		TFSMP6060				104.0#	1818
		TFSMP6660				108.0#	1911
		TFSMP7260				120.0#	2006
		TFSMP7860				128.0#	2052
		TFSMP8460				135.0#	2098
		TFSMP9060				143.0#	2152
		TFSMP9660				150.0#	2199
		A	$oldsymbol{eta}$	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower laminate color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Thermally-Fused Laminate Lower, Acrylic Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Thermally-Fused Laminate Lower, Acrylic Upper Core

							·
		MODEL NU	JMBER				
			Тор		Lower	Upper Approx.	
		Basic	Foot Cap	Frame/Trim		Acrylic Package	
	MODEL	Model		Color	Color	Finish Weight	
	Segmented Flex Screen with Thermal-	TFSMA4248				□□□ 78.0 1	
	ly-Fused Laminate Lower, Acrylic Upper					□□□ 85.0 <i>i</i>	
	Core - 48" H	TFSMA5448				□□□ 92.0 i	
	 Flex screen assembly includes aluminum powder-coated frame, core material, all 					□□□ 99.0 <i>i</i>	
	trim and feet	TFSMA6648				□□□ 106.0 ₇	
		TFSMA7248				□□□ 113.0 <i>i</i>	
	and non-magnetic	TFSMA7848				□□□ 120.0 _f	
	Thermally-fused laminate is non-tackable and non-magnetic	TFSMA8448				□□□ 127.0 <i>i</i>	
Bridge foot FELB foot Flat foot	 Aluminum frame features powder-coated 	TFSMA9048				□□□ 134.0#	
FFLB foot Flat foot option shown	trim	TFSMA9648				□□□ 141.0 <i>i</i>	# 2271
•	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 						
TFSMA	Non-powered; no wire management						
	 Fully assembled; includes all trim 						
	Slotting under upper trim accepts						
	screen-hung accessories • Segmentation at 29"						
	Elevated base does not accept power						
	Segmented Flex Screen with Thermal-	TFSMA4254				□□□ 85.0 i	
TFSMA	ly-Fused Laminate Lower, Acrylic Upper	TFSMA4854				□□□ 93.0 <i>i</i>	
	Core - 54" H	TFSMA5454				□□□ 101.0 i	
		TFSMA6054				□□□ 109.0 _i	
		TFSMA6654				117.0a	
		TFSMA7254				□□□ 125.0 <i>i</i>	
		TFSMA7854				□□□ 133.0 _f	
		TFSMA8454				□□□ 141.0 _i	
		TFSMA9054				□□□ 149.0 i	
		TFSMA9654				□□□ 157.0a	
	Segmented Flex Screen with Thermal-	TFSMA4260				92.0	
TFSMA	ly-Fused Laminate Lower, Acrylic Upper	TFSMA4860				101.0a	
	Core - 60" H	TFSMA5460				□□□ 110.0 i	
		TFSMA6060				□□□ 119.0 _i	
		TFSMA6660				128.0 _f	
		TFSMA7260				□□□ 137.0 _f	
		TFSMA7860				□□□ 146.0 i	
		TFSMA8460				□□□ 155.0 _f	
		TFSMA9060				□□□ 164.0 ₇	
		TFSMA9660				□□□ 173.0a	# 3219
		A	B O	O	(3	(3)	
		•	v v	•		<u> </u>	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

price list.

price list.

Select lower laminate color. Refer to the Product Color Options page in this

Select upper acrylic finish.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower, Magnetic Dry-Erasable Steel Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower, Magnetic Dry-Erasable Steel Upper Core

		l					•
		MODEL N	UMBER				
					Lower		
			To	,	Lower Polyester	Approx.	
		Basic	Foot Ca	p Frame/Trim vle Color	Felt	Packaged	Delivered
	MODEL				Color	Weight	Pricing Pricin
_	Segmented Flex Screen with Polyester	TFSZE4248				72.0#	\$ 1390
	Felt Lower, Magnetic Dry-Erasable Steel					78.0#	1479
	 Upper Core - 48" H Flex screen assembly includes aluminum 	TFSZE5448				84.0#	1642
abc	powder-coated frame, core material, all					90.0#	1904
	trim, and feet	TFSZE6648				96.0#	2018
	 Magnetic dry-erasable steel upper segment 					102.0#	2087
	Polyester felt is pinnable and non-mag-	TFSZE7848	1			108.0#	2153
Bridge foot	netic	TFSZE8448				114.0#	2220
FFLB foot Flat foot	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 	TFSZE9048				120.0# 126.0#	2241 2260
option shown	Non-powered; no wire management	1F5ZE9048				120.0#	2200
TFSZE	 Fully assembled; includes all trim 						
IFOLE	Slotting under upper trim accepts						
	screen-hung accessories • Segmentation at 29"						
	Elevated base does not accept power						
	Segmented Flex Screen with Polyester	TFSZE4254				78.0#	\$ 1491
TFSZE	Felt Lower, Magnetic Dry-Erasable Steel					84.0#	1567
	Upper Core - 54" H	TFSZE5454				91.0#	1682
		TFSZE6054				98.0#	1946
		TFSZE6654				100.0#	2061
		TFSZE7254				111.0#	2130
		TFSZE7854				118.0#	2244
		TFSZE8454				125.0#	2264
		TFSZE9054				132.0#	2285
		TFSZE9654				138.0#	2307
	Segmented Flex Screen with Polyester	TFSZE4260				83.0#	\$ 1927
TFSZE	Felt Lower, Magnetic Dry-Erasable Steel					93.0#	1798
	Upper Core - 60" H	TFSZE5460				98.0#	2056
		TFSZE6060				104.0#	2320
		TFSZE6660				108.0#	2484
		TFSZE7260				120.0#	2552
		TFSZE7860				128.0#	2762
		TFSZE8460				135.0#	2784
		TFSZE9060				143.0#	2805
		TFSZE9660				150.0#	2825
		A	B (• •	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

Select lower polyester felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower and Thermally-Fused Laminate Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower and Thermally-Fused Laminate Upper Core

							•
		MODEL NU	MBER				
					Lower		
		Desis	Foot	Top	Polyester Upper	Approx.	
	MODEL	Basic Model	Foot Option	Cap Frame/Trin	n Felt Laminate Color Color	Packaged Weight	d Delivered Pricing
		TFSZM4248		-		72.0#	•
	Segmented Flex Screen with Polyester Felt Lower and Thermally-Fused Lami-	TFSZM4848					
	nate Upper Core - 48" H	TES7M5448				84.0#	
	Flex screen assembly includes aluminun	TFS7M6048					
	powder-coated trame, core material, all	TFSZM6648				96.0#	
	trim, and feet Thermally-fused laminate is non-tackable		1				
	and non-magnetic	TFSZM7848				108.0#	
	 Polyester felt is pinnable and non-mag- 	TFSZM8448					
Bridge foot	netic • Specify adjustable glide feet or non-ad-	TFSZM9048				120.0#	
FFLB foot Flat foot	justable flat/bridge feet	TFSZM9648					
option shown	 Non-powered; no wire management 					12010#	
TFSZM	Fully assembled; includes all trim						
	 Slotting under upper trim accepts screen-hung accessories 						
	Segmentation at 29"						
	 Elevated base does not accept power 						
	Segmented Flex Screen with Polyester	TFSZM4254				78.0#	\$ 1346
TFSZM	Felt Lower and Thermally-Fused Lami-	TFSZM4854				84.0#	1456
	nate Upper Core - 54" H	TFSZM5454				91.0#	1565
		TFSZM6054				98.0#	1828
		TFSZM6654				100.0#	1898
		TFSZM7254				111.0#	4 1966
		TFSZM7854				118.0#	1987
		TFSZM8454				125.0#	2007
		TFSZM9054				132.0#	2028
		TFSZM9654				138.0#	2048
	Segmented Flex Screen with Polyester	TFSZM4260					
TFSZM	Felt Lower and Thermally-Fused Lami-	TFSZM4860				93.0#	
	nate Upper Core - 60" H	TFSZM5460				98.0#	
		TFSZM6060				104.0#	
		TFSZM6660					
		TFSZM7260				120.0#	
		TFSZM7860					
		TFSZM8460				135.0#	
		TFSZM9060				143.0#	
		TFSZM9660				150.0#	2191
		A	3	0	(3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect foot option.
FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

price list.

Select lower polyester felt color.
Refer to the **Product Color Options** page in this

Select upper laminate.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower and Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower and Upper Core

		MODEL N	UMBER					
					1.			
			Тор			Upper Polyester	Approx.	
		Basic	Foot Cap	Frame/Trim	Felt	Felt	Packaged	Delivered
	MODEL	Model		Color		Color	Weight	Pricing Pricin
^	Segmented Flex Screen with Polyester Felt Lower and Upper Core - 48" H	TFSZZ4248					54.0#	\$ 1380
	Flex screen assembly includes aluminum	TFSZZ4848					57.0#	1480
	powder-coated frame, core material, all						61.0#	1622
	trim, and feet	TFSZZ6048					64.0#	2079
	 Polyester felt is pinnable and non-magnetic 						67.0# 71.0#	2148 2216
	Specify adjustable glide feet or non-ad-	TFSZZ7248						
	justable flat/bridge feet	TFSZZ7848 TFSZZ8448					75.0# 81.0#	2234 2256
Bridge foot	Non-powered; no wire managementFully assembled; includes all trim	TFSZZ9048					82.0#	2274
FFLB foot Flat foot	Slotting under upper trim accepts	TFSZZ9648					85.0#	2214
option shown	screen-hung accessories	175229040					03.0#	2234
TFSZZ	Segmentation at 29"Elevated base does not accept power							
11322		TFSZZ4254					57.0#	\$ 1492
TFSZZ	Segmented Flex Screen with Polyester Felt Lower and Upper Core - 54" H	TFSZZ4854					61.0#	1594
11 022	теления орран осто	TFSZZ5454					65.0#	1663
		TFSZZ6054					69.0#	2120
		TFSZZ6654					73.0#	2189
		TFSZZ7254					77.0#	2258
		TFSZZ7854					81.0#	2278
		TFSZZ8454					85.0#	2300
		TFSZZ9054					89.0#	2320
		TFSZZ9654					93.0#	2340
	Segmented Flex Screen with Polyester	TFSZZ4260					61.0#	\$ 1716
TFSZZ	Felt Lower and Upper Core - 60" H	TFSZZ4860					65.0#	1797
		TFSZZ5460					70.0#	1997
		TFSZZ6060					74.0#	2625
		TFSZZ6660					79.0#	2696
		TFSZZ7260					83.0#	2766
		TFSZZ7860					88.0#	2786
		TFSZZ8460					92.0#	2808
		TFSZZ9060					97.0#	2828
		TFSZZ9660					101.0#	2849
		•	0 0	0	•	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect foot option.
FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower polyester felt color.
Refer to the **Product Color Options** page in this price list.

Select upper polyester felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower, Fabric Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower, Fabric Upper Core

		MODEL N	UMBER										
	MODEL	Basic Model	To Foot Ca Option St		im Felt F	abric Pa	orox. Skaged ight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Flex Screen with Polyester	TFSZF4248					54.0#	\$ 1483	\$ 1514	\$ 1544	\$ 1557	\$ 1617	
	Felt Lower, Fabric Upper Core - 48" H	TFSZF4848					57.0#	1560	1591	1623	1637	1699	
	 Flex screen assembly includes aluminur powder-coated frame, core material, all 	m TFSZF5448				I	61.0#	1628	1659	1694	1709	1775	
	trim, and feet	TFSZF6048					64.0#	1933	1972	2009	2029	2107	
	 Upper segment features identical 	TFSZF6648					67.0#	2054	2093	2135	2156	2237	
	tackable fabric core on both sides, fabric						71.0#	2122	2163	2206	2228	2312	
	Polyester felt is pinnable and non-mag-	TFSZF7848					75.0#	2182	2227	2270	2291	2380	
	netic	TFSZF8448					81.0#	2208	2251	2295	2317	2406	
Bridge foot FELB foot Flat foot	Specify adjustable glide feet or non-ad-	TFSZF9048					82.0#	2269	2314	2361	2382	2473	
FFLB foot Flat foot option shown	justable flat/bridge feet • Non-powered; no wire management	TFSZF9648					85.0#	2289	2335	2381	2404	2495	
option onomi	Fully assembled; includes all trim												
TFSZF	 Slotting under upper trim accepts 												
	screen-hung accessories												
	Segmentation at 29"Elevated base does not accept power												
	Segmented Flex Screen with Polyester						57.0#	\$ 1513	\$ 1543	\$ 1573	\$ 1588	\$ 1648	
TFSZF	Felt Lower, Fabric Upper Core - 54"H	TFSZF4854					61.0#	1601	1632	1665	1681	1745	
		TFSZF5454					65.0#	1669	1703	1735	1753	1819	
		TFSZF6054		1			69.0#	1975	2014	2054	2073	2152	
		TFSZF6654					73.0#	2095	2137	2179	2201	2284	
		TFSZF7254		1			77.0#	2163	2207	2250	2272	2360	
		TFSZF7854					81.0#	2227	2270	2314	2338	2428	
		TFSZF8454					85.0#	2251	2297	2341	2364	2455	
		TFSZF9054					89.0#	2313	2361	2406	2430	2522	
		TFSZF9654					93.0#	2335	2381	2429	2450	2544	
	Segmented Flex Screen with Polyester						61.0#	\$ 1709	\$ 1745	\$ 1778	\$ 1796	\$ 1864	
TFSZF	Felt Lower, Fabric Upper Core - 60" H	TFSZF4860					65.0#	1785	1820	1856	1874	1946	
		TFSZF5460					70.0#	1855	1891	1928	1948	2021	
		TFSZF6060					74.0#	2160	2203	2246	2268	2354	
		TFSZF6660					79.0#	2329	2377	2421	2445	2539	
		TFSZF7260					83.0#	2398	2446	2493	2517	2614	
		TFSZF7860					88.0#	2461	2511	2560	2584	2684	
		TFSZF8460		1			92.0#	2488	2537	2586	2612	2712	
		TFSZF9060					97.0#	2550	2602	2652	2677	2779	
		TFSZF9660					01.0#	2571	2623	2674	2700	2802	
		Δ	B (• •	•	•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

Select lower polyester felt color.
Refer to the **Product Color Options** page in this price list.

Select upper fabric color. Refer to <u>ki.com/fabrics</u>

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower, Fluted Polycarbonate Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower, Fluted Polycarbonate Upper Core

		MODEL N	UMBER				
			Тор		Lower Polyester	Approx.	
		Basic	Foot Cap	Frame/Trim	Felt	Packaged	Delivered
	MODEL	Model		Color	Color	Weight	Pricing
^	Segmented Flex Screen with Polyester	TFSZP4248				54.0#	\$ 1449 4510
	Felt Lower, Fluted Polycarbonate Upper Core - 48" H					57.0#	1548
	Flex screen assembly includes aluminum	TFSZP5448				61.0#	1642
	powder-coated frame, core material, all	TFSZP6048				64.0#	1928
	trim, and feet	TFSZP6648				67.0# 71.0#	2022 2115
	 Non-magnetic fluted polycarbonate upper segment 	TFSZP7246				75.0#	2160
	 Polyester felt is pinnable and non-mag- 	TFSZP8448				81.0#	2204
Bridge foot	netic	TFSZP9048				82.0#	2249
FFLB foot Flat foot	 Specify adjustable glide feet or non-ad- justable flat/bridge feet 					85.0#	2293
option shown	Non-powered; no wire management	11 021 3040				00.0π	££30
TFSZP	 Fully assembled; includes all trim 						
11021	 Slotting under upper trim accepts screen-hung accessories 						
	Segmentation at 29"						
	Elevated base does not accept power						
	Fluting runs horizontal						
	Segmented Flex Screen with Polyester	TFSZP4254				57.0#	\$ 1500
TFSZP	Felt Lower, Fluted Polycarbonate Upper	TFSZP4854				61.0#	1590
	Core - 54" H	TFSZP5454				65.0#	1682
		TFSZP6054				69.0#	1971
		TFSZP6654				73.0#	2065
		TFSZP7254				77.0#	2157
		TFSZP7854				81.0#	2203
						85.0#	2247
		TFSZP9054				89.0#	2293
						93.0#	2339
T-0-D	Segmented Flex Screen with Polyester	TFSZP4260				61.0#	\$ 1601
TFSZP	Felt Lower, Fluted Polycarbonate Upper Core - 60" H	TFSZP4860				65.0#	1726
	0016 - 00 11	TFSZP5460				70.0#	1820
		TFSZP6060				74.0#	2109
		TFSZP6660				79.0#	2204
		TFSZP7260				83.0#	2298
		TFSZP7860 TFSZP8460				88.0# 92.0#	2343 2390
		TFSZP8460				92.0#	2435
		TFSZP9060				101.0#	2482
						101.0#	2402
		A	B O	O	3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

Select lower polyester felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Polyester Felt Lower, Acrylic Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Polyester Felt Lower, Acrylic Upper Core

									•
		MODEL N	IUMBER						
				Тор		Lower Polyester	Upper	Approx.	
		Basic	Foot	Cap	Frame/Trim	Felt	Acrylic	Packaged	Delivered
	MODEL	Model	Option			Color	Finish	Weight	Pricing
	Segmented Flex Screen with Polyester	TFSZA4248						72.0#	\$ 1542
	Felt Lower, Acrylic Upper Core - 48" H	TFSZA4848						78.0#	1643
	 Flex screen assembly includes aluminun powder-coated frame, core material, all 							84.0#	1748
	trim, and feet	TFSZA6048						90.0#	2011
	 Non-magnetic acrylic core upper 	TFSZA6648						96.0#	2127
	Polyester felt is pinnable and non-mag- notice							102.0#	2259
	netic • Specify adjustable glide feet or non-ad-	TFSZA7848						108.0#	2280
	justable flat/bridge feet	TFSZA8448						114.0#	2520
Bridge foot Flat foot	Non-powered; no wire management	TFSZA9048						120.0#	2542
FFLB foot Flat foot option shown	Fully assembled; includes all trimSlotting under upper trim accepts	TFSZA9648						126.0#	2564
	screen-hung accessories								
TFSZA	 Segmentation at 29" 								
	Elevated base does not accept power								
	Segmented Flex Screen with Polyester	TFSZA4254						78.0#	\$ 1665
TFSZA	Felt Lower, Acrylic Upper Core - 54" H	TFSZA4854						84.0#	1787
		TFSZA5454						91.0#	1921
		TFSZA6054						98.0#	2186
		TFSZA6654	-					100.0#	2344
		TFSZA7254						111.0#	2415
		TFSZA7854						118.0#	2572
		TFSZA8454						125.0#	2821
		TFSZA9054						132.0#	2844
		TFSZA9654	_	_				138.0#	2866
	Segmented Flex Screen with Polyester	TFSZA4260						83.0#	\$ 1997
TFSZA	Felt Lower, Acrylic Upper Core - 60" H	TFSZA4860						93.0#	2093
		TFSZA5460						98.0#	2302
		TFSZA6060						104.0#	2567
		TFSZA6660						108.0#	2869
		TFSZA7260						120.0#	2942
		TFSZA7860						128.0#	2966
		TFSZA8460						135.0#	3453
		TFSZA9060						143.0#	3479
		TFSZA9660						150.0#	3503
		A	B	•	O	(3	(3)		
		_	_	_	_	_	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable
FFLB - Flat/Bridge

Select top cap style.

F - Flat aluminum top cap (standard) - No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this

price list.

Select lower polyester felt color.

Refer to the **Product Color Options** page in this price list.

Select upper acrylic finish.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower, Magnetic Dry-Erasable Steel Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower, Magnetic Dry-Erasable Steel Upper Core

							<u> </u>					
		MODEL NU	UMBER									
	MODEL	Basic Model	Top Foot Cap Option Style	Frame/Trim Color	Lower Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Flex Screen with Fabric Low-	TFSFE4248				72.0#	\$ 1319	\$ 1345	\$ 1372	\$ 1385	\$ 1437	
	er, Magnetic Dry-Erasable Steel Upper	TFSFE4848				78.0#	1358	1386	1413	1426	1481	
	Core - 48" H	TFSFE5448				84.0#	1513	1542	1572	1586	1648	
	 Flex screen assembly includes aluminum 	TFSFE6048				90.0#	1575	1607	1639	1654	1718	
abc	powder-coated frame, core material, all trim, and feet	TFSFE6648				96.0#	1752	1787	1823	1839	1909	
	Upper segment features dry-erasable	TFSFE7248				102.0#	1817	1853	1888	1907	1979	
	magnetic steel	TFSFE7848				108.0#	1945	1981	2021	2040	2118	
	 Lower segment features identical 	TESEESAAS				114.0#	1967	2007	2046	2066	2143	
Bridge foot	tackable fabric core on both sides, fabric	TFSFE9048				120.0#	1986	2026	2066	2085	2165	
FFLB foot Flat foot	pattern is railroadedSpecify adjustable glide feet or non-ad-	TFSFE9648				126.0#	2025	2065	2106	2126	2207	
option shown	justable flat/bridge feet	11 01 23040				120.0#	2020	2003	2100	2120	2201	
TFSFE	 Non-powered; no wire management 											
IFSFE	Fully assembled; includes all trim											
	 Slotting under upper trim accepts screen-hung accessories 											
	Segmentation at 29"											
	Elevated base does not accept power											
		-						<u> </u>				
	Segmented Flex Screen with Fabric Low-	TFSFE4254				78.0#	\$ 1330	\$ 1356	\$ 1383	\$ 1396	\$ 1450	
TFSFE	er, Magnetic Dry-Erasable Steel Upper	TFSFE4854				84.0#	1441	1470	1497	1514	1571	
	Core - 54"H	TFSFE5454				91.0#	1550	1581	1612	1627	1691	
		TFSFE6054				102.0#	1615	1646	1679	1696	1759	
		TFSFE6654				107.0#	1792	1828	1864	1881	1952	
		TFSFE7254				111.0#	1856	1895	1931	1950	2025	
		TFSFE7854				118.0#	1985	2025	2062	2083	2162	
		TFSFE8454				125.0#	2008	2049	2089	2109	2190	
		TFSFE9054				132.0#	2028	2068	2109	2129	2210	
		TFSFE9654				138.0#	2067	2109	2150	2169	2254	
	Segmented Flex Screen with Fabric Low-	TFSFE4260				83.0#	\$ 1462	\$ 1491	\$ 1520	\$ 1534	\$ 1594	
TFSFE	er, Magnetic Dry-Erasable Steel Upper	TFSFE4860				90.0#	1658	1693	1725	1743	1807	
	Core - 60" H	TFSFE5460				102.0#	1901	1939	1978	1998	2073	
		TFSFE6060				105.0#	1966	2006	2046	2066	2143	
		TFSFE6660				108.0#	2189	2233	2277	2298	2270	
		TFSFE7260				120.0#	2256	2300	2344	2367	2458	
		TFSFE7860				128.0#	2471	2520	2570	2595	2693	
		TFSFE8460				135.0#	2496	2546	2596	2621	2721	
		TFSFE9060				143.0#	2516	2566	2617	2643	2743	
		TFSFE9660				150.0#	2556	2607	2658	2685	2786	
							2000	2007	2000	2000	_,,00	
		(A)	B O	O	(3							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower, Thermally-Fused Laminate Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower, Thermally-Fused Laminate Upper Core

		MODEL NUMBER													
	MODEL	Basic	Foot	Top Cap Frame/ Style Color	Lower Trim Fabric Color	Upper Laminate Color	Approx. Packaged Weight		Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2		
	Segmented Flex Screen with Fabric	TFSFM4248					54.0#		\$ 1223	\$ 1248	\$ 1273	\$ 1285	\$ 1334		
	Lower, Thermally-Fused Laminate Upper	TFSFM4848					57.0#		1288	1314	1340	1352	1403		
	Core - 48" H	TFSFM5448					61.0#		1376	1403	1431	1446	1501		
	Flex screen assembly includes aluminum	TFSFM6048					64.0#		1441	1470	1500	1514	1571		
	powder-coated frame, core material, all trim, and feet	TFSFM6648					67.0#		1573	1604	1636	1652	1716		
	Upper segment features non-magnetic	TFSFM7248					71.0#		1637	1671	1703	1719	1785		
	thermally-fused laminate on both sides	TFSFM7848					75.0#		1676	1708	1744	1759	1827		
	Lower segment features identical	TFSFM8448					81.0#		1699	1734	1767	1785	1853		
Bridge foot	tackable fabric core on both sides, fabric pattern is railroaded	TFSFM9048					82.0#		1719	1753	1787	1804	1873		
FFLB foot Flat foot	Specify adjustable glide feet or non-ad-						85.0#		1757	1792	1827	1845	1914		
option shown	justable flat/bridge feet														
TFSFM	Non-powered; no wire management Fully accomplying the desired and the second sec														
	Fully assembled; includes all trimSlotting under upper trim accepts														
	screen-hung accessories														
	Segmentation at 29"														
	 Elevated base does not accept power 														
		TFSFM4254					57.0#		\$ 1261	\$ 1286	\$ 1312	\$ 1323	\$ 1373		
TFSFM	Segmented Flex Screen with Fabric Lower, Thermally-Fused Laminate Upper						61.0#		1339	1365	1392	1404	1457		
TI OI WI	Core - 54" H	TFSFM5454					65.0#		1441	1469	1497	1513	1571		
		TFSFM6054					69.0#		1505	1534	1565	1581	1641		
		TFSFM6654					73.0#		1637	1671	1704	1721	1785		
		TFSFM7254					77.0#		1703	1736	1772	1787	1856		
		TFSFM7854					81.0#		1743	1776	1812	1828	1898		
		TFSFM8454					85.0#		1743	1802	1837	1855	1925		
		TFSFM9054					89.0#		1785	1823	1857	1876	1947		
		TFSFM9654					93.0#		1825	1860	1898	1915	1988		
		TFSFM4260					61.0#		\$ 1365	\$ 1392	\$ 1420	\$ 1433	\$ 1489		
TFSFM	Segmented Flex Screen with Fabric Lower, Thermally-Fused Laminate Upper						65.0#		1467	1496	1525	1542	1600		
TT OT WI	Core - 60" H	TFSFM5460					70.0#		1571	1602	1634	1649	1711		
		TFSFM6060					74.0#		1636	1668	1702	1718	1783		
		TFSFM6660					74.0# 79.0#		1770	1804	1839	1857	1928		
		TFSFM7260					79.0# 83.0#		1834	1871	1908	1926	2000		
		TFSFM7860					83.0# 88.0#		1874	1911		1967	2000		
		TFSFM7860					92.0#		1899	1937	1949 1976	1995	2071		
		TFSFM9060					97.0#		1920	1958	1997	2015	2092		
		TFSFM9660					101.0#		1959	1999	2038	2057	2136		
		Φ	B	0	(3	(3									

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower fabric color. Refer to ki.com/fabrics

Select upper laminate.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower, Polyester Felt Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower, Polyester Felt Upper Core

		MODEL NU	JMBER										
	MODEL	Basic	Foot Cap Option Style	Frame/Trim Color	Lower Fabric	Upper Polyester Felt Color	Approx. Packaged Weight	Delivered Pricing Fabric Grac 1 & C.O.M.	Delivered Pricing e Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Flex Screen with Fabric Low-	TFSFZ4248					54.0#	\$ 1233	\$ 1255	\$ 1281	\$ 1294	\$ 1343	
	er. Polvester Felt Upper Core - 48" H	TFSF74848					57.0#	1360	1388	1414	1427	1482	
	 Flex screen assembly includes aluminum powder-coated frame, core material, all 	TFSFZ5448					61.0#	1493	1523	1552	1568	1627	
	trim, and feet	TFSFZ6048					64.0#	1742	1775	1810	1827	1897	
	 Upper segment features pinnable, 	TFSFZ6648					67.0#	1873	1909	1948	1966	2041	
	non-magnetic polyester felt • Lower segment features identical	TFSFZ7248					71.0#	1936	1976	2014	2034	2111	
	tackable fabric core on both sides, fabric	TFSFZ7848					75.0#	1976	2015	2055	2073	2152	
	pattern is railroaded	TFSFZ8448					81.0#	1999	2039	2078	2099	2179	
Bridge foot FELB foot Flat foot	Specify adjustable glide feet or non-ad- instable flet/fields feet	TFSFZ9048					82.0#	2017	2058	2099	2119	2200	
FFLB foot Flat foot option shown	justable flat/bridge feet • Non-powered; no wire management	TFSFZ9648					85.0#	2056	2098	2138	2159	2241	
	Fully assembled; includes all trim												
TFSFZ	Slotting under upper trim accepts												
	screen-hung accessories • Segmentation at 29"												
	Elevated base does not accept power												
	Segmented Flex Screen with Fabric Low-						57.0#	\$ 1406	\$ 1434	\$ 1463	\$ 1476	\$ 1533	
TFSFZ	er, Polyester Felt Upper Core - 54" H	TFSFZ4854					61.0#	1467	1496	1525	1541	1600	
		TFSFZ5454					65.0#	1532	1563	1594	1608	1669	
		TFSFZ6054					69.0#	1779	1815	1851	1869	1939	
		TFSFZ6654					73.0#	1911	1950	1988	2007	2085	
		TFSFZ7254					77.0#	1977	2016	2056	2076	2155	
		TFSFZ7854					81.0#	2016	2057	2097	2116	2199	
		TFSFZ8454					85.0#	2040	2081	2123	2142	2226	
		TFSFZ9054					89.0#	2059	2101	2141	2163	2244	
		TFSFZ9654					93.0#	2099	2140	2182	2204	2288	
T-0-7	Segmented Flex Screen with Fabric Low-	TFSFZ4260					61.0#	\$ 1563	\$ 1595	\$ 1625	\$ 1642	\$ 1704	
TFSFZ	er, Polyester Felt Upper Core - 60" H	TFSFZ4860					65.0#	1657	1692	1724	1742	1806	
		TFSFZ5460					70.0#	1845	1881	1919	1937	2011	
		TFSFZ6060					74.0#	2257	2301	2347	2368	2459	
		TFSFZ6660					79.0#	2390	2436	2358	2510	2605	
		TFSFZ7260					83.0#	2455	2504	2552	2577	2675	
		TFSFZ7860					88.0#	2493	2543	2594	2618	2718	
		TFSFZ8460					92.0#	2519	2570	2620	2645	2746	
		TFSFZ9060					97.0#	2540	2591	2641	2666	2768	
		TFSFZ9660					101.0#	2580	2632	2683	2707	2812	
		A	B G	D	(3	(3							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower fabric color. Refer to ki.com/fabrics

Select upper polyester felt color. Refer to the **Product Color Options** page in this SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower and Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower and Upper Core

		MODEL NU	JMBER								
	MODEL	Basic Model	Top Foot Cap Option Style	Frame/Trim	Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Segmented Flex Screen with Fabric	TFSFF4248				54.0#	\$ 1370	\$ 1424	\$ 1479	\$ 1521	\$ 1616
	Lower and Upper Core - 48" H	TFSFF4848				57.0#	1436	1493	1550	1594	1694
	 Flex screen assembly includes aluminum powder-coated frame, core material, all 	TFSFF5448				61.0#	1500	1558	1621	1665	1770
	trim. and feet	TFSFF6048				64.0#	1603	1667	1732	1778	1891
	Upper and lower segments feature iden-					67.0#	1784	1855	1927	1980	2106
	tical tackable fabric core on both sides,	110117210				71.0#	1849	1923	1997	2052	2181
	fabric pattern is railroadedFabric segments are non-magnetic	TFSFF7848				75.0#	1926	2002	2080	2138	2272
	 Specify adjustable glide feet or non-ad- 	TFSFF8448				81.0#	1954	2032	2111	2169	2307
Bridge foot FELB foot Flat foot	justable flat/bridge feet	TFSFF9048				82.0#	2012	2092	2174	2233	2374
FFLB foot Flat foot option shown	Non-powered; no wire managementSlotting under upper trim accepts	TFSFF9648				85.0#	2051	2133	2214	2277	2420
TFSFF	screen-hung accessories Segmentation at 29" Elevated base does not accept power										
	Segmented Flex Screen with Fabric	TFSFF4254				57.0#	\$ 1401	\$ 1456	\$ 1514	\$ 1555	\$ 1654
TFSFF	Lower and Upper Core - 54" H	TFSFF4854				61.0#	1473	1532	1591	1635	1737
		TFSFF5454				65.0#	1537	1600	1659	1707	1814
		TFSFF6054				69.0#	1642	1707	1774	1824	1937
		TFSFF6654				73.0#	1825	1897	1970	2025	2152
		TFSFF7254				77.0#	1888	1964	2039	2097	2229
		TFSFF7854				81.0#	1966	2046	2125	2182	2321
		TFSFF8454				85.0#	1997	2076	2156	2216	2355
		TFSFF9054				89.0#	2055	2137	2219	2281	2423
		TFSFF9654				93.0#	2093	2178	2261	2323	2471
	Segmented Flex Screen with Fabric	TFSFF4260				61.0#	\$ 1592	\$ 1655	\$ 1719	\$ 1767	\$ 1879
TFSFF	Lower and Upper Core - 60" H	TFSFF4860				65.0#	1646	1712	1778	1828	1945
		TFSFF5460				70.0#	1712	1780	1850	1900	2020
		TFSFF6060				74.0#	1817	1888	1962	2017	2143
		TFSFF6660				79.0#	2044	2126	2207	2269	2411
		TFSFF7260				83.0#	2109	2193	2278	2341	2489
		TFSFF7860				88.0#	2188	2276	2363	2430	2582
		TFSFF8460				92.0#	2218	2308	2394	2462	2617
		TFSFF9060				97.0#	2277	2368	2460	2529	2687
		TFSFF9660				101.0#	2317	2409	2501	2571	2734
		A	3 9	0	(3						

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color. Refer to the **Product Color Options** page in this

Select fabric color. Refer to ki.com/fabrics

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower, Fluted Polycarbonate Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower, Fluted Polycarbonate Upper Core

		MODEL N	UMBER									
	MODEL	Basic Model	Top Foot Cap Option Styl	Frame/Trim	Lower Fabric Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2	
	Segmented Flex Screen with Fabric	TFSFP4248				54.0#	\$ 1348	\$ 1374	\$ 1401	\$ 1415	\$ 1469	
	Lower, Fluted Polycarbonate Upper Core	TFSFP4848				57.0#	1424	1453	1481	1495	1552	
	- 48" H	TFSFP5448				61.0#	1513	1543	1573	1586	1648	
	Flex screen assembly includes aluminun	TFSFP6048				64.0#	1600	1631	1663	1679	1744	
	powder-coated frame, core material, all trim, and feet	TFSFP6648				67.0#	1755	1789	1826	1843	1913	
	Upper segment features non-magnetic	TFSFP7248				71.0#	1843	1879	1915	1935	2008	
	semi-transparent fluted polycarbonate	TFSFP7848				75.0#	1904	1940	1979	1999	2075	
	 Lower segment features identical tackable fabric core on both sides, fabric 	TFSFP8448				81.0#	1951	1989	2029	2049	2127	
Bridge foot	pattern is railroaded	TFSFP9048				82.0#	1992	2032	2072	2092	2173	
FFLB foot option shown	 Specify adjustable glide feet or non-ad- 	TFSFP9648				85.0#	2055	2097	2137	2157	2240	
option snown	justable flat/bridge feet											
TFSFP	 Non-powered; no wire management Fully assembled; includes all trim 											
	Slotting under upper trim accepts											
	screen-hung accessories											
	Segmentation at 29" Flavoted base does not accept never											
	 Elevated base does not accept power Fluting runs horizontal 											
	Segmented Flex Screen with Fabric	TFSFP4254				57.0#	\$ 1380	\$ 1407	\$ 1434	\$ 1449	\$ 1504	
TFSFP	Lower, Fluted Polycarbonate Upper Core	TFSFP4854				61.0#	1463	1492	1521	1534	1595	
	- 54" H	TFSFP5454				65.0#	1550	1582	1612	1627	1691	
		TFSFP6054				69.0#	1639	1671	1704	1721	1786	
		TFSFP6654				73.0#	1796	1830	1866	1884	1957	
		TFSFP7254				77.0#	1883	1920	1958	1977	2052	
		TFSFP7854				79.0#	1946	1984	2022	2041	2120	
		TFSFP8454				81.0#	1992	2032	2072	2092	2173	
		TFSFP9054				89.0#	2035	2076	2116	2137	2218	
		TFSFP9654				93.0#	2098	2139	2181	2203	2287	
	Segmented Flex Screen with Fabric	TFSFP4260				61.0#	\$ 1505	\$ 1535	\$ 1565	\$ 1581	\$ 1642	
TFSFP	Lower, Fluted Polycarbonate Upper Core	TFSFP4860				65.0#	1592	1624	1655	1672	1735	
	- 60" H	TFSFP5460				70.0#	1681	1713	1748	1764	1832	
		TFSFP6060				74.0#	1770	1804	1839	1857	1928	
		TFSFP6660				79.0#	1926	1964	2004	2022	2099	
		TFSFP7260				83.0#	2015	2055	2095	2115	2194	
		TFSFP7860				88.0#	2078	2119	2161	2181	2263	
		TFSFP8460				92.0#	2126	2168	2210	2232	2317	
		TFSFP9060				97.0#	2168	2212	2257	2278	2364	
		TFSFP9660				101.0#	2232	2277	2321	2343	2433	
		A	B C	0	3							
		w	<u> </u>	, <u>u</u>	•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

DSelect frame/trim color.

Refer to the **Product Color Options** page in this

price list.

Select lower fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Segmented Flex Screen with Fabric Lower, Acrylic Upper Core



Tattoo™ Flex Screens

Segmented Flex Screen with Fabric Lower, Acrylic Upper Core

		T											
		MODEL N	Foot		Frame/Trim	Lower Upper Fabric Acrylic	Approx. Packaged	Delivered Pricing Fabric Grac	Delivered Pricing Ie Fabric Grade		Delivered Pricing Pallas Vertical Fabric Grade	Delivered Pricing Pallas Vertical Fabric Grade	
	MODEL	Model		,	Color	Color Finish	Weight	1 & C.O.M.	2	PV	PV1	PV2	
	Segmented Flex Screen with Fabric	TFSFA4248		_			72.0#	\$ 1426	\$ 1454	\$ 1483	\$ 1497	\$ 1555	
	Lower, Acrylic Upper Core - 48" H	TFSFA4848					78.0#	1514	1544	1574	1590	1649	
	 Flex screen assembly includes aluminum powder-coated frame, core material, all 						84.0#	1612	1644	1677	1693	1757	
	trim, and feet	TFSFA6048					90.0#	1677	1709	1745	1760	1828	
	Upper segment features non-magnetic	TFSFA6648					96.0#	1854	1890	1928	1947	2021	
	translucent acrylic core • Lower segment features identical	TFSFA7248					102.0#	1978	2017	2057	2078	2156	
	tackable fabric core on both sides, fabric	TFSFA7848		1			108.0#	2017	2057	2098	2118	2200	
	pattern is railroaded	TFSFA8448					114.0#	2249	2293	2339	2361	2450	
Bridge foot	Specify adjustable glide feet or non-ad- ivertable flet/haiden feet						120.0#	2269	2314	2360	2382	2473	
B foot Flat foot on shown	justable flat/bridge feet • Non-powered; no wire management	TFSFA9648					126.0#	2309	2355	2402	2423	2516	
	Fully assembled; includes all trim												
SFA	 Slotting under upper trim accepts 												
	screen-hung accessories												
	Segmentation at 29"Elevated base does not accept power												
	Lievated base does not accept power												
	Segmented Flex Screen with Fabric	TFSFA4254					78.0#	\$ 1527	\$ 1557	\$ 1588	\$ 1603	\$ 1665	
SFA	Lower, Acrylic Upper Core - 54" H	TFSFA4854					84.0#	1649	1682	1716	1732	1798	
		TFSFA5454					91.0#	1775	1810	1846	1864	1935	
		TFSFA6054					102.0#	1840	1878	1914	1933	2006	
		TFSFA6654					107.0#	2059	2100	2015	2162	2244	
		TFSFA7254					111.0#	2126	2167	2210	2231	2315	
		TFSFA7854					118.0#	2293	2339	2384	2408	2499	
		TFSFA8454					125.0#	2532	2570	2633	2658	2759	
		TFSFA9054					132.0#	2554	2605	2656	2681	2783	
		TFSFA9654					138.0#	2594	2646	2698	2724	2827	
	Segmented Flex Screen with Fabric	TFSFA4260		_			83.0#	\$ 1870	\$ 1907	\$ 1946	\$ 1964	\$ 2038	
SFA	Lower, Acrylic Upper Core - 60" H	TFSFA4860					90.0#	1937	1976	2015	2034	2111	
		TFSFA5460					102.0#	2133	2177	2218	2240	2325	
		TFSFA6060					110.0#	2201	2244	2288	2311	2398	
		TFSFA6660					115.0#	2552	2603	2656	2681	2783	
		TFSFA7260					120.0#	2620	2673	2725	2752	2855	
		TFSFA7860					128.0#	2662	2715	2768	2795	2902	
		TFSFA8460					135.0#	3127	3190	3252	3282	3409	
					1		100.0#						
							142 N#	2150	2010	2977	2208	3/133	
		TFSFA9060 TFSFA9660					143.0# 150.0#	3150 3195	3212 3257	3277 3321	3308 3352	3433 3481	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select foot option.

FADJ - Adjustable

FFLB - Flat/Bridge

Select top cap style.

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

OSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

Select lower fabric color. Refer to ki.com/fabrics

• Select upper acrylic finish. Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core



Tattoo[™] Spine Screens Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core

							<u> </u>
		MODEL N	IUMBER				
						-	
					Тор	Approx.	
		Basic	Power	Bezel	Cap Frame	Packaged	Delivered
	MODEL	Model	Option	Color	Style Color	Weight	Pricing
	Powered Monolithic Spine Screen with	TSSPE4848				93.0#	\$ 1950
	Magnetic Dry-Erasable Steel Core - 48"	H TSSPE5448	3 0000			101.0#	2136
	 Spine screens support straight-line 	TSSPE6048	3 0000			109.0#	2218
	power planning only	TSSPE6648				117.0#	2403
0.5	Spine screen assembly includes served aluminum frame core	TSSPE7248				125.0#	2486
ab _c	powder-coated aluminum frame, core material, adjustable foot base, raceway					133.0#	2624
	cover with two power cutouts/bezels,	TSSPE8448				141.0#	2663
	and one data cutout (when specified)	TSSPE9048				149.0#	2802
Adjustable	Frame ships with top cap. Specify "no						
feet	top cap" with accessory toppers. Vertica	TSSPE9648	3 0000			157.0#	2839
	trim is specified separately						
TSSPE	 Steel core is dry-erasable and magnetic 						
	 Standard base raceway on both sides ac 						
	cepts power and data cable distribution						
	 Ships assembled, except for feet which require on site attachment 						
	Slotting under upper trim accepts						
	screen-hung accessories						
	Standard power option includes two 10-	-					
	wire rigid wireways with in-line connect						
	ing jumper. Rigid wireways are factory						
	assembled and attached. Receptacles,						
	infeeds, and screen-to-screen jumpers						
	are specified separately						
	 Hardwired (Chicago) power option includes 2"x3" conventional outlet 						
	boxes factory mounted with brackets						
	to the underside of the screen. All other						
	electrical fittings, wires, receptacles, and						
	face plates are provided by electrician						
	 Optional data cutouts are sized 2.88 x 						
	1.82" with two drill holes to accom-						
	modate a #6-32 screw. Requires a 45						
	degree angled wall plate (not supplied)						
	Powered Monolithic Spine Screen with	TSSPE4854				101.0#	\$ 1961
TSSPE	Magnetic Dry-Erasable Steel Core - 54"					110.0#	2133
· -	•	TSSPE6054				119.0#	2216
		TSSPE6654				128.0#	2402
		TSSPE7254				137.0#	2484
		TSSPE7854				146.0#	2623
		TSSPE8454				155.0#	2671
		TSSPE9054				164.0#	2808
		TSSPE9654	1			173.0#	2846
		A	B	œ	0 3		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power option.

1P - 10-Wire power cutouts on 1 side

only/no cutouts side 2

DP - 10-Wire power cutouts only both

- 10-Wire power cutouts both sides/data cutouts on 1 side only

1D - 10-Wire power w/data cutouts on 1 side only/no cutouts side 2

DD - 10-Wire power w/data cutouts

both sides
CP - Hardwired/Chicago power cutouts only both sides
CD - Hardwired/Chicago power w/data

cutouts both sides

©Select bezel color.

Refer to the **Product Color Options** page in this

OSelect top cap style.

- Flat aluminum top cap (standard) - No top cap (specify for use with toppers)

Select frame color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens Powered Monolithic Spine Screen with Thermally-Fused Laminate Core



Tattoo[™] Spine Screens Powered Monolithic Spine Screen with Thermally-Fused Laminate Core

									<u> </u>
		MODEL N	UMBER						
					Тор			Approx.	
	MODEL	Basic	Power	r Bez	zel Cap	Frame	Laminate	Packaged	Delivered
	MODEL	Model	Option		or Style	Color	Color	Weight	Pricing Pricin
	Powered Monolithic Spine Screen with Thermal	- TSSPM4848	8 🗆 🗆 🗆					93.0#	\$ 1466
	ly-Fused Laminate Core - 48" H	TSSPM5448						101.0#	1614
	Spine screens support straight-line power spine screens	TSSPM6048						109.0#	1686
	planning onlySpine screen assembly includes powder-coated	TSSPM6648	8 🗆 🗆 🗆					117.0#	1760
	aluminum frame, core material, adjustable foot		8					125.0#	1833
1/201/2	base, raceway cover with two power cutouts/	TSSPM7848	8 🗆 🗆 🗆					133.0#	1866
	bezels, and one data cutout (when specified)	TSSPM8448				100		141.0#	1900
201	 Frame ships with top cap. Specify "no top cap" 	TSSPM9048						149.0#	1934
Adjustable	with accessory toppers. Vertical trim is specified	TSSPM9648						157.0#	1966
feet	separately • Thermally-fused laminate is non-tackable and	. 551 1115040						101.5//	
TSSPM	non-magnetic								
TOOT IVI	Standard base raceway on both sides accepts								
	power and data cable distribution								
	 Ships assembled, except for feet which require 								
	on site attachment								
	Slotting under upper trim accepts screen-hung								
	 accessories Standard power includes two 10-wire rigid wire- 								
	ways with in-line connecting jumper. Wireways								
	are factory assembled and attached. Recepta-								
	cles, infeeds, and screen-to-screen jumpers are	:							
	specified separately								
	Hardwired (Chicago) power option includes								
	2"x3" conventional outlet boxes factory mount-								
	ed with brackets to the underside of the screen. All other electrical fittings, wires, receptacles,								
	and face plates are provided by electrician.								
	Optional data cutouts are sized 2.88 x 1.82" with	h							
	two drill holes to accommodate a #6-32 screw.								
	Requires a 45 degree angled wall plate (not								
	supplied)								
		TCCDM4054	4 000					101.0"	ф. 447C
TOODM	Powered Monolithic Spine Screen with Thermal							101.0#	\$ 1476 1605
TSSPM	ly-Fused Laminate Core - 54"H	TSSPM5454						110.0#	1625
		TSSPM6054						119.0#	1697
		TSSPM6654						128.0#	1772
		TSSPM7254						137.0#	1844
		TSSPM7854						146.0#	1877
		TSSPM8454						155.0#	1909
		TSSPM9054	4 🗆 🗆 🗆					164.0#	1945
		TSSPM9654	4 000					173.0#	1977
					9 6	A	•		
		A	<u> </u>		9 0	3	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

A Select basic model.

sides/data cutouts on 1 side only

1 side only/no cutouts side 2

cutouts both sides

©Select bezel color.

Refer to the **Product Color Options** page in this

OSelect top cap style.

HOW TO BUILD A MODEL NUMBER

Select power option.

1P - 10-Wire power cutouts on 1 side

only/no cutouts side 2

DP - 10-Wire pow price list. - 10-Wire power cutouts only both

- 10-Wire power cutouts both

1D - 10-Wire power w/data cutouts on

DD - 10-Wire power w/data cutouts both sides
CP - Hardwired/Chicago power cutouts

only both sides
CD - Hardwired/Chicago power w/data

- Flat aluminum top cap (standard)
- No top cap (specify for use with toppers)

Select frame color.

Refer to the **Product Color Options** page in this

Select laminate.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens Non-Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core



Tattoo[™] Spine Screens Non-Powered Monolithic Spine Screen with Magnetic Dry-Erasable Steel Core

							▼	
		MODEL NU	JMBER					
				Тор		Approx.		
		Basic	Data	Cap	Frame	Packaged	Delivered	
	MODEL	Model	Cutout	Style	Color	Weight	Pricing	
	Non-Powered Monolithic Spine Screen	TSSNE4848				90.0#	\$ 1548	
	with Magnetic Dry-Erasable Steel Core	TSSNE5448				98.0#	1702	
	- 48" H	TSSNE6048				106.0#	1752	
	 Spine Screens are for straight run 	TSSNE6648				114.0#	1905	
0.4	applications only	TSSNE7248				122.0#	1955	
ab _c	 Non-powered spine screen assembly includes powder-coated aluminum 	TSSNE7848				130.0#	2108	
	frame, core material, base cover with	TSSNE8448				138.0#	2159	
	one optional data cutout per side, and	TSSNE0448				146.0#	2311	
Adjustable	adjustable feet.						2362	
feet	Frame ships with top cap when specified Capacita "and top cap" with specified Capacita "and top cap" with specific to the cap."	TSSNE9648				154.0#	2302	
~	fied. Specify "no top cap" with accessor toppers. Vertical trim is specified sepa-	У						
TSSNE	rately.							
	 Steel core is dry-erasable and magnetic 							
	 Ships assembled, except for feet which 							
	require on site attachment							
	Slotting under upper trim accepts							
	screen-hung accessories • Optional data cutouts are sized 2.88 x							
	1.82" with two drill holes to accom-							
	modate a #6-32 screw. Requires a 45							
	degree angled wall plate (not supplied).							
		T001:5 (05 :		-		00.0 "	A 4500	
	Non-Powered Monolithic Spine Screen	TSSNE4854				98.0#	\$ 1560	
TSSNE	with Magnetic Dry-Erasable Steel Core	TSSNE5454				107.0#	1699	
	- 54" H	TSSNE6054				116.0#	1750	
		TSSNE6654				125.0#	1901	
		TSSNE7254				134.0#	1952	
		TSSNE7854				143.0#	2106	
		TSSNE8454				152.0#	2166	
		TSSNE9054				161.0#	2315	
		TSSNE9654				170.0#	2367	
							2001	
		A	$oldsymbol{\Theta}$	Θ	O			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect data cutout.

NC - No cutout either side - Data cutout 1 side

- Data cutout 2 sides

Select top cap style.

F - Flat aluminum top cap (standard) - No top cap (specify for use with toppers)

Select frame color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens Non-Powered Monolithic Spine Screen with Thermally-Fused Laminate Core



Tattoo[™] Spine Screens Non-Powered Monolithic Spine Screen with Thermally-Fused Laminate Core

								<u> </u>
		MODEL NU	JMBER					
				Тор	_		Approx.	
	MODEL	Basic Model	Data Cutout	Cap	Color	Laminate Color	Packaged Weight	Delivered Pricing
		TSSNM4848	_				90.0#	\$ 1113
<u> </u>	Non-Powered Monolithic Spine Screen with Thermally-Fused Laminate Core -	TSSNM5448					98.0#	1233
	48" H	TSSNM6048					106.0#	1277
	Spine Screens are for straight run	TSSNM6648						
	applications only						114.0#	1321
	 Non-powered spine screen assembly 	TSSNM7248					122.0#	1366
	includes powder-coated aluminum	TSSNM7848					130.0#	1411
	frame, core material, base cover with one optional data cutout per side, and	TSSNM8448					138.0#	1454
	adjustable feet.	TSSNM9048					146.0#	1500
Adjustable	 Frame ships with top cap when speci- 	TSSNM9648					154.0#	1546
1661	fied. Specify "no top cap" with accessor	У						
TSSNM	toppers. Vertical trim is specified sepa- rately.							
	Core is non-tackable and non-magnetic							
	 Ships assembled, except for feet which 							
	require on site attachment							
	 Slotting under upper trim accepts screen-hung accessories 							
	 Optional data cutouts are sized 2.88 x 							
	1.82" with two drill holes to accom-							
	modate a #6-32 screw. Requires a 45							
	degree angled wall plate (not supplied).							
	Non-Powered Monolithic Spine Screen	TSSNM4854					98.0#	\$ 1123
TSSNM	with Thermally-Fused Laminate Core -	TSSNM5454					107.0#	1244
10011111	54" H	TSSNM6054					116.0#	1289
		TSSNM6654					125.0#	1332
		TSSNM7254					134.0#	1376
		TSSNM7854					143.0#	1422
		TSSNM8454					143.0#	1422
		TSSNM9054					161.0#	1513
		TSSNM9654					170.0#	1556

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect data cutout.

NC - No cutout either side - Data cutout 1 side

DC - Data cutout 2 sides

Select top cap style.

F - Flat aluminum top cap (standard) - No top cap (specify for use with toppers)

B 0 D B

Select frame color.

Refer to the **Product Color Options** page in this price list.

Select laminate.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Spine Screens Trim Kits for Spine Screens



Tattoo[™] Spine Screens
Trim Kits for Spine Screens

					▼
		MOI	DEL NUMBER		
				Approx.	
		Basic	Frame/Trim	Approx. Packaged	Delivered
	MODEL	H Mode		Weight	Pricing
	End-of-Run Trim Kit	48" TEOF	48 □□	5.0#	\$ 84
	 Specify for end-of-run conditions for Tattoo Spine Screens only Select by screen height 	54" TEOF	54 □□	5.0#	95
	1attoo Spine Screens only				
	Includes end cap and hardware				
	molados ena oup una naraware				
i(i) /					
1 - 4 - 5					
TSTK					
	End-of-Run Spacer Trim Kit	48" TSEC	R48 □□	10.0#	\$ 466
	Specify for end-of-run Tattoo Spine	54" TSEC	R54 □□	10.0#	467
	Screens conditions that do not require an infeed				
	Select by screen height				
	Includes end cap and hardware				
	 Non-powered; does not provide power 				
	access cutout				
	• 3" wide				
¥3"					
TSTK					
				_	
			B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame/trim color. Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Spine Screens Trim Kits for Spine Screens



Tattoo[™] Spine Screens
Trim Kits for Spine Screens



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame/trim color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Spine Screens Electrical - Top Infeed Kits 10-Wire System 6-Circuit



Tattoo[™] Spine Screens
Electrical - Top Infeed Kits 10-Wire System 6-Circuit



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power option.

N - No power; for hardwire (Chicago)

installations - 10 wire, 6 circut power infeed;

NY - New York infeed; add \$712 NY - New York Infeed NOT available on TITF

Select frame/trim color.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens Electrical - Base Infeed Kits 10-Wire System 6-Circuit



Tattoo[™] Spine Screens Electrical - Base Infeed Kits 10-Wire System 6-Circuit

						Y	
		MODE	L NUMBE	:R			
		Basic Model	Option		Color	Approx. Packaged Delivered Weight Pricing	
	Base Infeed Kit - End-of-Run Kit includes power infeed with 8' conduit (when power is specified) and hardware Specify for end-of-run base infeed conditions only					8.0# \$ 73 8.0# 85	
TSIK	Base Infeed Kit - In-Line 48"	TIBF48	П			20.0# \$ 371	
	Kit includes power infeed with 8' conduit and hardware (when power is specified) Specify for in-line base infeed conditions to create 3" of space between two Spine Screens	TIBF54				20.0# 375	
TSIK							
· · · · · · · · · · · · · · · · · · ·	Base Infeed Kit - End-of-Run Spacer Kit includes power infeed with 8' conduit (when power is specified) and hardware Specify for infeed conditions to add 3" of trim to end-of-run					20.0# \$ 427 20.0# 433	
TSIK							
		A	B	Θ	•		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select power option.

N - No power; for hardwire (Chicago)

installations 6 - 10 - 10 wire, 6 circut power infeed;

NY - New York infeed; add \$712

NY - New York Infeed NOT available on TIBF

Select frame/trim color.

Refer to the Product Color Options page in this price list.

Select infeed color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo[™] Spine Screens



Tattoo[™] Spine Screens Receptacle Infeed



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect infeed color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Spine Screens Electrical - Jumpers and Receptacles



Tattoo[™] Spine Screens Electrical - Jumpers and Receptacles

							▼
				MODEL NUI	MBER		
						Approx.	
				Basic		Packaged	Delivered
		Features	L		Color	Weight	Pricing
	In-line Jumper - 6 Circuit		17-3/4"			2.0#	\$ 99
	Specify TSIF.17 to pass power from one in-line Spine Screen to another		21-1/4"	TSIJ.20		2.3#	121
	Specify TSIF.20 to pass power from one						
CO.	Spine Screen to another with an in-line						
	spacer or in-line top feed condition						
HRDPT	Non-directional						
		48" Screen Width		TSPT.48		2.3#	\$ 104
AND THE REAL PROPERTY.	 Specify to pass power through a non-powered Spine to a powered Spine 	54" Screen Width	71.5"	TSPT.54		2.3#	110
	Screen	60" Screen Width	77.5"	TSPT.60		2.3#	118
	 Specify by non-powered screen width 	66" Screen Width	83.5"	TSPT.66		2.3#	122
	 Non-directional 	72" Screen Width	89.5"	TSPT.72		2.3#	129
HRDPT		78" Screen Width	95.5"	TSPT.78		2.3#	133
		84" Screen Width	101.5"	TSPT.84		2.3#	140
		90" Screen Width	107.5"	TSPT.90		2.3#	147
		96" Screen Width	113.5"	TSPT.96		2.3#	152
	15 Amp Duplex Receptacle - 6 Circuit	Circuit 1		TSRC.1		1.0#	\$ 14
	 Plugs into rigid wireway inside base of Spine Screen 	Circuit 2		TSRC.2		1.0#	14
	Isolated receptacles are stamped with	Circuit 3		TSRC.3		1.0#	14
	orange circuit number and isolated	Circuit 4		TSRC.4I		1.0#	14
	triangle designator	Circuit 5		TSRC.5I		1.0#	14
		Circuit 6		TSRC.6I		1.0#	14
HRDPT							
	15 Amp Duplex Receptacle - 6 Circuit -	Circuit 1		TSRC.1C		1.0#	\$ 14
	Controlled	Circuit 2		TSRC.2C		1.0#	14
000	 Marked receptacles are to be used with a customer supplied sensor or timer at the 	Circuit 3		TSRC.3C		1.0#	14
	infeed to conserve energy						
	 Not for use for continuous power draw 						
	applications						
HRDPT	 Plugs into rigid wireway inside base of Spine Screen 						
	opino octoon						
				A	B		
				w	U		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Spine Screens Electrical - Plates



Tattoo[™] Spine Screens Electrical - Plates



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.



Tattoo™ Screens Accessories Screen Topper Kits

			MODEL	. NUMBER	}			
	MODEL	WxH	Basic Model	Acrylic	Polyester	Approx. Packaged Weight	Delivered Pricing	
	Acrylic Topper Kit	42" x 12"				9.0#	\$ 450	
	Includes trim and hardwareTopper is 1/8" undersized from screen	48" x 12"				10.0#	514	
	width for fit tolerance	54" x 12"	TSTPA54			11.0#	523	
	 1/4" radius corners 	60" x 12"	TSTPA60			11.0#	637	
	For attachment to either Spine Screen or Flow Screens	66" x 12"	TSTPA66	i		12.0#	645	
	Flex Screens	72" x 12"	TSTPA72			13.0#	708	
TSTP			TSTPA78			14.0#	716	
		84" x 12"	TSTPA84			15.0#	981	
						16.0#	990	
		96" x 12"				17.0#	1106	
\sim	Polyester Felt Topper Kit	42" x 12"				5.0#	\$ 167	
	Includes trim and hardwareTopper is 1/8" undersized from screen	48" x 12"				6.0#	173	
	width for fit tolerance	54" x 12"				6.0#	204	
	Square corners	60" x 12"	TSTPZ60			7.0#	210	
	 For attachment to either Spine Screen or Flex Screens 					7.0#	254	
*	TICA OCTOORS	72" x 12"				8.0#	263	
TSTP						8.0#	268	
						9.0#	271	
			TSTPZ90			9.0#	278	
		96" x 12"	TSTPZ96	i		10.0#	281	
			A	B	9 0			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect acrylic color. Refer to the **Product Color Options** page in this price list.
- Select polyester felt color. Refer to the **Product Color Options** page in this
- Select frame/trim color. Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Magnetic Polyester Felt Inserts



Tattoo[™] Screens Accessories Magnetic Polyester Felt Inserts

						▼	
			MODEL	NUMBER			
					Approx.		
	MODEL	WxH	Basic Model	Felt Color	Packaged Weight	Delivered Pricing	
			TSMI4248		7.0#	\$ 360	
			TSMI4848		8.0#	360	
	For specification with monolithic	52 x 39"			9.0#	360	
	dry-erasable steel screens only	52 x 39"					
	Magnetic attachment				10.0#	360	
	 May be attached and removed by user Pinnable felt is 1/2" thick 	64 x 39"			11.0#	664	
	Basic model indicates screen size Not offered on 42"H screens	70 x 39"			13.0#	664	
		76 x 39"			14.0#	664	
		82 x 39"			15.0#	664	
		88 x 39"	TSMI9048		16.0#	669	
TSMI			TSMI9648		17.0#	669	
	Solid Polyester Felt Magnetic Insert for		TSMI4254		9.0#	\$ 360	
	54"H Monolithic Screens		TSMI4854		10.0#	360	
	 For specification with monolithic dry-erasable steel screens only 	52 x 45"			11.0#	360	
	Magnetic attachment	58 x 45"			12.0#	360	
	 May be attached and removed by user 		TSMI6654		14.0#	664	
	Pinnable felt is 1/2" thickBasic model indicates screen size	70 x 45"			15.0#	664	
	Not offered on 42"H screens	76 x 45"			16.0#	664	
	Not shorted on 12 11 solitons	82 x 45"	TSMI8454		17.0#	664	
		88 x 45"	TSMI9054		18.0#	669	
TSMI		94 x 45"	TSMI9654		19.0#	669	
			A	ß			
			w	U			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect felt color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Magnetic Polyester Felt Inserts



Tattoo[™] Screens Accessories Magnetic Polyester Felt Inserts

						▼ ·
			MODEL N	IUMBER		
				Dooleanoud/	A == == :	
			Basic	Backgroud/ Froeground	Approx. Packaged	Delivered
	MODEL		Model	Felt Color	Weight	Pricing
	Patterned Polyester Felt Magnetic Insert	40 x 39"	TPMI4248		7.0#	\$ 1123
	for 48"H Monolithic Screens	46 x 39"	TPMI4848		8.0#	1123
	Basic model indicates screen size	52 x 39"	TPMI5448		9.0#	1123
	 For specification with monolithic dry-erasable steel screens only 	58 x 39"	TPMI6048		10.0#	1553
	Magnetic attachment	64 x 39"	TPMI6648		11.0#	1553
	 May be attached and removed by user 		TPMI7248		13.0#	1553
	 Pinnable felt is 5/8" thick Basic model indicates screen size Not offered on 42"H screens 	76 x 39"	TPMI7848		14.0#	1553
		82 x 39"	TPMI8448		15.0#	1553
		88 x 39"	TPMI9048		16.0#	1561
TPMI		94 x 39"	TPMI9648		17.0#	1561
	Patterned Polyester Felt Magnetic Insert		TPMI4254		9.0#	\$ 1123
	for 54"H Monolithic Screens		TPMI4854		10.0#	1123
	Basic model indicates screen size	52 x 45"	TPMI5454		11.0#	1123
	 For specification with monolithic dry-erasable steel screens only 	58 x 45"	TPMI6054		12.0#	1553
1-2-2-	Magnetic attachment	64 x 45"	TPMI6654		14.0#	1553
	May be attached and removed by user	70 x 45"	TPMI7254		15.0#	1553
	Pinnable felt is 5/8" thick Pagia model indicates account airs.	76 x 45"	TPMI7854		16.0#	1553
	 Basic model indicates screen size Not offered on 42"H screens 	82 x 45"	TPMI8454		17.0#	1553
		88 x 45"	TPMI9054		18.0#	1561
TPMI		94 x 45"	TPMI9654		19.0#	1561
				B		
			A	U		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select background/foreground felt color.
Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Magnetic Storage Pieces and Magnetic Tackboard Tiles



Tattoo[™] Screens Accessories Magnetic Storage Pieces and Magnetic Tackboard Tiles

						▼						
			MODEL N	IUMBER								
	MODEL	WxHxD	Basic	Fabric Color Color	Approx. Packaged Weight	Delive Pricing	red 3	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Binder Bin	10x13x3"	TSMABB		2.0#	\$	54					
HRDPT												
HRDPT	File Bin	9-1/2 x 9-1/2 x 3-1/2"	TSMAFB		2.0#	\$	35					
TITIOLI	Low Bin	9-3/8 x 4-1/4 x 3-5/8"	TSMALB		1.0#	\$	24					
HRDPT	20 2	0.00 1 11110 0.00	TOWNES		TiOn	¥						
ППОГІ	Pencil Cup	3 x 4 x 3"	TSMAPC		1.0#	\$	17					
HRDPT	rench cup	3.4 x 3	TSIMAPO		1.U#	\$	17					
ППОГІ	Shelf	10 x 5 x 4"	TSMAS		1.0#	\$	26					
HRDPT	One i	10.70.74	TOWAG		1.0#	Ų	20					
ואטרו	Magnetic Tackboard Tiles	10 v 10 v 1/0"	TTD1010		5.0#	Λ.	1/A	\$ 244	\$ 251	¢ 060	¢ 060	Ф 076
	Tackable surface Magnetic attachement to dry-erasable steel core only	18 x 18 x 1/2" 18 x 24 x 1/2" 24 x 24 x 1/2"	TTB1818 TTB1824 TTB2424			N	I/A I/A I/A	\$ 244 263 282	270 287	\$ 260 280 299	\$ 268 285 305	\$ 276 295 313
TTB												
.10				0 0								
			A	3 9								

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect color. Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Screens Accessories

								•				
			MODEL	. NUMBI	ER							
	MODEL	WxH	Basic Model	Color	Fabric Color	Approx. Packaged Weight	Delivered Pricing	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3 & Pallas Vertical Fabric Grade PV	Delivered Pricing Pallas Vertical Fabric Grade PV1	Delivered Pricing Pallas Vertical Fabric Grade PV2
	Coat Hook Formed powder-coated steel Attaches with flat head allen screw to slotting below upper screen trim The coat Hook The coat Hook Th		TWSCH			2.0#	\$ 41					
IRDPT												
ab ^c >	Sliding Dual-Purpose Board Side A is magnetic dry-erasable steel Side B is tackable fabric; fabric direction is always railroaded Anodized aluminum trim Attaches to and slides along slotting below upper screen trim Reversible by user Cannot be specified for use on Segmented Flex Screens		TSDPB			15.0#	N/A	\$ 229	\$ 234	\$ 242	\$ 245	\$ 254
TSDPB	54 1.5A 00100110											
			A	B	•							

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect color.

Refer to the **Product Color Options** page in this price list.

Select fabric color. Refer to ki.com/fabrics

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Tattoo™ Storage General Information

Features Casters Glides 5 pull options























Pedestal with Cushion Top	Tower, Left Wardrobe	Tower, Right Wardrobe	Vanity, Laminate Top, Left Cupboard	Vanity, Steel Top, Right Cupboard
•	•	•	•	•
	•	•	•	•
•	•	•	•	•

	Low Cupboard	Low Cupboard with Raised Worktop	Low Cupboard with Raised Work- top, Adjustable Screen	Chest
Features				
Casters	•	•	•	•
Glides	•	•	•	•
5 pull options	•	•	•	

Locks

Locks are standard on all units. Locks are a high-security double-bit design. Two KI breakaway keys are included with each lock. Units are standard with random keys in a range of 200 different numbers (994 key numbers are available to order).

Locks can be master keyed. Please see the accessories sections of this price book for ordering keys. Available keys are:

- Lock Core/Keys Lock core and 2 keys are used in P-Series lock housings.
- Master Key Single key which opens any P-Series lock.
- Extractor Key Single key which extracts any P-Series lock core.
- Blank Key Single uncut P-Series key to be cut as required by locksmith.
- Cut Key 2 keys for a specific P-Series lock core number as indicated in the order

All locks have removable and interchangeable plugs. This feature provides for on-site custom keying. Units can be supplied with the lock plugs

installed or shipped separately. To remove lock plugs, a unique key is required. This key is the extractor (core-removal) key and can be found in the storage accessories portions of this price book. Contact customer service to order lock accessories. To order plugs for field installation, specify "no lock core (NLC)" when configuring. Order must specify total quantity of specific key numbered locks.

Example: 30 plugs 3 keyed alike 10 keyed alike 17 keyed alike

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

PRODUCT SPECIFICATIONS

Tattoo™ Storage

October 2021

TECHNICAL SPECIFICATIONS

Construction & Standard Features

All Tattoo storage units are constructed primarily of steel, which is powder-coat painted in standard KI colors. Drawers feature smooth rolling, steel ball-bearing extension slides. Chest, Low Cupboard, Vanity and Tower units are supported off the floor by leg posts of 16-gauge steel which are welded to $\frac{1}{4}$ " thick steel mounting plates and include either a caster or glide option. Leg post lengths are different for either casters or glides to accomplish a uniform 7" distance from the underside of the unit to the floor. Optional $\frac{11}{8}$ " diameter nylon leveling glides allow for height-adjustability of approximately $\frac{3}{4}$ ". Optional $\frac{11}{8}$ " diameter twin-wheel swiveling casters are constructed of soft non-marking plastic, in a set of two locking and two non-locking wheels. Mobile Pedestal is standard with casters only, two locking and two non-locking with one additional non-locking caster at the bottom of the lower drawer front for stability. All storage units are stand-alone units.



Tattoo storage is offered in all standard KI powder-coat finishes. Powder-coat application is a hybrid epoxy, baked on to provide a scratch and stain resistant finish. Doors, drawer fronts, steel lids and locking filler rails (on vanity units) may be specified in different colors than the shell at no up charge. Mechanical components are nickel-chrome plated or finished with other protective coatings. Legs are powder-coated the same finish as the shells.

Tattoo Pulls

All Tattoo storage drawers and doors can be ordered to receive either Connection Zone, Arc or Beveled style pulls in select metallic finishes. Woven nylon Strap pulls are available as well, and come in black or silver tone.

Tattoo Locks

Tattoo storage ships standard with high security double-bit locks, with master key-able P-Series lock cores. The locks are randomly keyed and can be specified with or without lock cores. Wardrobe and Vanity units contain multiple locks but will be keyed alike for each entire unit. Locks are available in black chromate and satin chrome finishes.

Optional Seat Pads & Padded Topper

The Mobile Pedestal and Low Cupboard are offered with optional loose seat pads. The Chest ships with a standard fixed padded topper. Pads are upholstered in a selection of fabrics. Total pad thickness is $1^{1}/_{4}$ ", consisting of $3^{1}/_{4}$ " polyurethane foam of 2.0 average density, 100 average IFD, and glued to $1/_{2}$ " particle board. Loose seat pad bottoms have rubberized non-skid strips to protect surface finishes. Fixed padded toppers are fastened to the steel storage tops using steel machine screws into inserts in the particle board base.

Storage Door/Lid Hinges

Cupboard, Wardrobe, Vanity doors and lid each use two Euro-style "hidden hinges" for a seamless finish. The Chest utilizes a piano-style hinge for maximum durability as a seating surface. Vanity and Chest lids also feature two soft close lid stays for ease of use and silent operation.

Compliance

Tattoo Storage is designed and manufactured to meet or exceed required ANSI/BIFMA x5.9-2012.







Mobile Pedestal

Mobile Pedestal outer upper shell construction is of 20-gauge steel with an 18-gauge steel bottom pan. The primary drawer is constructed of 22-gauge steel and comes standard with side-to-side filing for letter and legal-sized folders. Primary drawer front features an internal pencil drawer behind the drawer front. The hidden drawer is constructed of 20-gauge steel.

Chest

Chest top and sides construction is of 20-gauge steel. Folder rails, bottom pan and its reinforcements are made from 18-gauge steel. Chest allows for side-to-side filing of legal size paper, with folder bars included for front-to-back filing of letter and legal sized paper. An additional pair of folder bars may be ordered separately to file a second set of letter or legal sized paper front-to-back. Chest lid features two soft-closing hinges for ease of use and silent operation of the lid. All chest units are standard with an upholstered padded topper to act as a sitting surface.

Low Cupboard

Low Cupboard case construction is of 20-gauge steel. The shell's top reinforcement, bottom pan and its reinforcements are made from 18-gauge steel. Unit is available with a steel top, or with optional ³/₄" thick raised worktop of HPL laminated particleboard, with a 2mm (73P) edge. Raised Worktop is supported by .060" thick wall aluminum tubing, allowing for 41/2" of clearance between the worktop underside and the top of the unit shell. Raised Worktop Low Cupboard units are also available with a height-adjustable, 1/2" thick polyester felt screen. The screen has a density of 0.5 lb/ft² and is sound absorbing tested to ASTM C423 with an NRC rating of .44 when using no air gap (A Mount testing method) and an NRC rating of .81" with 2" air gap. The polyester felt is in accordance with ASTM-E84 and achieve a Class A Flame Spread. Screen is raised/lowered by hand and is 441/2" high when fully raised. Felt Screen mechanism lowers the screen top to be flush with the worktop surface.

Vanity

Vanity case construction is of 20-gauge steel. The bottom pan and its reinforcements are made from 18-gauge steel. Drawer fronts are constructed of 20-gauge steel, with 18-gauge steel reinforcements. The primary drawer back is constructed of 18-gauge steel. The cupboard door and shelf are constructed of 22-gauge steel.

The Vanity has a flip-up lid to provide additional privacy. The hinged lid has two soft closing hinges for ease of use and silent operation. Lids are available in 18-gauge steel, or laminated particleboard construction. The lid includes a white markerboard surface at the underside. The $^{3}/_{4}$ " laminated particleboard lid has HPL laminate on top, a white markerboard backer surface underneath, a 2 mm (73P) edge and a standard nylon strap pull. A storage space is located below either lid type, with a full-size felt pad to help gently store items.

The vanity cupboard door is either right- or left-hand and determines the hand of the unit. A right-hand unit features a cupboard door on right side of the unit. Inside the vanity cupboard is a removable shelf. The main drawer body is constructed with side access oriented towards the cupboard door. The drawer incorporates a stow-able folder bar, which can be moved out of the way for improved drawer access, or be used to allow front-to-back filing of letter sized paper. A pencil drawer is hidden behind the main drawer front for improved utility and aesthetics. Unit can be ordered with grommets in the upper lid shelf, $1^7/_8$ " overall clearance diameter with a $3^1/_4$ " diameter cord pass through and the rear cupboard grommet with $1^5/_8$ " overall clearance through to route wires. Grommet will be located on the cupboard side.

Towe


Tower case construction is of 20-gauge steel. The bottom pan and its reinforcements are made from 18-gauge steel. Drawer fronts and wardrobe door are constructed of 22-gauge steel. The drawer bodies and backs are constructed of 18-gauge steel. Unit features a pedestal in file/file or box/box/file configuration. File drawers may be filled with letter sized paper front-to-back, or letter or legal sized paper side-to-side. A front- and side-accessible storage shelf is located above the pedestal. The location of the full vertical-height wardrobe, with coat rod bracket and boot tray determine the hand of the unit. A right-hand unit features the wardrobe on the right side of the unit.



Tattoo™ Storage General Information


Mobile Pedestal

External Pedestal Dimensions	Internal File Drawer Dimensions	Internal Hidden Drawer Dimensions			
External Height: 19"	Internal Height: 12 ¹ / ₄ "	Internal Height: 2"			
External Width: 12"	Internal Width: 9"	Internal Width: 9"			
External Depth: 18"	Internal Depth: 16 ¹ / ₄ "	Internal Depth: 16"			




Chest

External Chest Dimensions	Internal Chest Dimensions					
External Height: 20³/8"	Internal Height: 11 ¹ / ₄ "					
External Width: 36"	Internal Width: 341/2"					
External Depth: 18"	Internal Depth: 15"					



Low Cupboard

External Low Cupboard Dimensions	Internal Low Cupboard Dimensions
Steel Top Height: 21¾"	Internal Height: 12¾"
Raised Worktop Height: 27"	Internal Width: 34½"
External Width: 36"	Internal Depth: 17"









Tower

External Tower Dimensions
External Height: 46"
External Width: 24"
External Depth: 22"

Internal Box Drawer Dimensions	Internal File Drawer Dimensions	Internal Open Storage Dimensions	Internal Wardrobe Dimensions
Internal Height: 51/8"	Internal Height: 11"	Internal Height: 12½"	Internal Height: 37³/8"
Internal Width: 12"	Internal Width: 12"	Internal Width: 14 ¹ / ₈ "	Internal Width: 7³/8"
Internal Depth: 15½"	Internal Depth: 15½"	Internal Depth: 20 ³ / ₈ "	Internal Depth: 21"
			Linear Coat Hook Space:

Linear Coat Hook Space: 4¹/₂"






Vanity


External Vanity Dimensions
External Height: 291/8"
External Width: 24"
External Depth: 22"

Internal Pencil Drawer Dimensions	Internal File Drawer Dimensions	Internal Lid Storage Dimensions	Internal Cupboard Dimensions
Internal Height: 2 ³ / ₄ "	Internal Height: 14 ¹ / ₂ "	Internal Height: 1 ¹ / ₄ "	Internal Height: 18 ⁵ / ₈ "
Internal Width: 12"	Internal Width: 12"	Internal Width: 22 ¹ / ₂ "	Internal Width: 81/4"
Internal Depth: 15 ³ / ₈ "	Internal Depth: 17½"	Internal Depth: 19"	Internal Depth: 21"
	•		


Internal Height with Shelf: 87/8" above / below shelf Internal Shelf Depth: 18¹/₄" with a 2" clearance behind to route cables











Glide Leg Option



Customer's Own Material

Specifications Form January 2023


How to Specify

As a standard procedure, KI applies seating upholstery as swatched by the textile distributor. Reference distributor's website. Upholstery that is required to be applied differently than is swatched, will need a Product Modification Request written spec ifying the direction the upholstery is to be applied.

Seating upholstery requiring specific positioning of intricate patterns or patterns repeats on seats and backrests, will need a Product Modification Request written including a sketch noting the specific requirements, as in Diagram A.

C.O.M. must be supplied in continuous yardage.

Yardage requirements listed in price list are based on plain goods 54" wide. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. Consult matrix below for additional yardage needed.



C.O.M. INCREASE MATRIX (yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or K.O.M. upholsteries).

This table is a general guide.

FABRIC	PLAIN	UNDER 7"	8"-13"	14"-21"	22"-27"	28"-33"	34"-40"	41"-48"
WIDTH	FABRIC	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT	REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

Fabric with double repeat: If using a fabric with a double repeat, please follow this formula: take the total amount of the larger and half of the smaller repeat; add together to find the correct overall repeat. Example: 10" vertical with 14" horizontal would be 14+5=19.

If fabric comes in on multiple rolls, one additional yard per roll needs to be added to the yardage requirement.

Leather hides must be a minimum of 50 square feet of usable material. The outer edges cannot be calculated as square feet or yardage. To determine square footage, multiply unit yardage by 18 square feet to obtain the total square footage required per unit.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

Production

Customer's upholstery must be approved prior to acceptance for production.

After approval, a memo swatch of the C.O.M. from the textile distributor must accompany the order. KI assumes no responsibility for wear, defects, or performance of C.O.M. or K.O.M. upholstery.

C.O.M. not received into the appropriate facility 3 weeks prior to acknowledged delivery date may go on hold. See KI C.O.M. Shipping Location listing for the correct facility address by product.

All C.O.M. must be labeled as follows:

- 1. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Testing

When KI requires testing, actual yardage to upholster one chair may be required. The C.O.M. Specialist will confirm model and fabric testing requirements when applicable.

Approved test samples will be applied to the order or will be held for 6 months. After 6 months, the sample will no longer be applied to your order. For all product testing, send fabric samples to the manufacturing facility. See KI C.O.M. Shipping Location listing for the correct facility address by product.

ALL C.O.M. Shipments must be prepaid. Collect shipments will be refused.

Treated Materials

If C.O.M. requires processing such as a stain resistance treatment or acrylic backing, it may shrink. To prevent delays in delivery or back ordering due to shrinkage, please have your processor verify measurement after processing and assure adequate yardage shipped.

Split Orders

If a portion of the shipment which does not require C.O.M. application is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M. due to a change of upholstery or cancellation of an order. If it the customer's responsibility to arrange for return of the material.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to request a split order

Tattoo™ Storage Product Color Options



Tattoo[™] Storage Product Color Options

Laminate Color		Cherry Storm	ECX	Starlight Silver Metallic	TTSX	Nordic	FND
Belair	LBQ	Cocobala	ECC	Surf's Up	TTSP	Poppy Red	FPR
Biltmore Cherry	LBT	Cool Grey	ECG	Twilight Shadow	TTTI	Purple Haze	FPH
Black	LBK	Earthen Clay	EEY	Ultra Blue	TTUB	Rubber Ducky	FRK
Brighton Walnut	LBW	Everglade Shade	EEV	Warm Grey	TTWG	Sand	FSA
Canyon Zephyr	LCA	Flannel	EFN	Zesty Lime	TTZL	Sky Blue	FSK
Castle Oak	LCO	Florence Walnut	EFC	•		Starlight Silver Metallic	FSX
Casual Linen	LCU	Friston Ash	EFH	Shell Paint Color		Surf's Up	FSP
Cherry Storm	LCX	Frosty White	EFW	Black	BL	Twilight Shadow	FTI
Classic Linen	LCI	Hazy Jade	HJ	Blue Grey	GR	Ultra Blue	FUB
Cloud Zephyr	LCL	Honey Bee	EHY	Bronze Metallic	ZM	Warm Grey	FWG
Cocobala	LCC	Italian Silver Ash	EIT	Cayenne	CY	Zesty Lime	FZL
Crisp Linen	LRI	Kensington Maple	EKM	Champagne Metallic	CM	2001, 20	
Desert Zephyr	LDZ	Light Tone	ELG	Cool Grey	CG	Locking filler rail is painted the same	color as the door and drawer
Dove Grey	LDG	Mardi Gras	EMG	Cottonwood	CO	fronts.	
Fired Steel	LIL	Misty Brown	EMY	Earthen Clay	EY	Lock Color	
Flax Linen	LXF	Monticello Maple	EMT	Espresso Metallic	EX	Satin Chrome	SCL
Florence Walnut	LFC	Multiplex	EMB	Everglade Shade	EV	Black	BLL
Forged Steel	LOL	Nemo	ENE	Flannel	FN	Didok	DEL
•			EPR	Glitz Metallic	GZ	Strap Pull Color	
Friston Ash	LFH	Poppy Red	EPH	Hazy Jade	HJ	Black	SBL
Frosty White	LFW	Purple Haze River Cherry	ERY	Honey Bee	HY	Silver	SSR
Graphite Nebula	LGN	•		Light Tone	LG		
Grey	LGE	Rubber Ducky	ERK	Mardi Gras	MG	Screen Felt Color	
High Rise	LHE	Sand	ESA	Misty Brown	MY	Dandelion	FTDD
Hollyberry	LHY	Sky Blue	ESK	Nemo	NE	Fawn	FTFW
Irish Linen	LIH	Sterling Ash	EAZ	Nordic	ND	Flannel	FTFN
Island	LID	Surf's Up	ESP	Poppy Red	PR	Heather	FTHR
Italian Silver Ash	LIT	Twilight Shadow	ETI	Purple Haze	PH	Lava	FTLV
Kensington Maple	LKM	Ultra Blue	EUB	Rubber Ducky	RK	Mallard	FTML
Lapis Blue	LLB	Warm Grey	EWG	Sand	SA	Midnight Blue	FTMB
Markerboard White	LMK	Windsor Mahogany	EWY	Sky Blue	SK	Pepper	FTPR
Misted Zephyr	LMR	Zesty Lime	EZL	Starlight Silver Metallic	SX	Spring	FTSG
Monticello Maple	LMT	Top Paint Color		Surf's Up	SP	Tidal Wave	FTTW
Nickel Evolv	LIV	Black	TTBL	Twilight Shadow	TI		
North Sea	LNA	Blue Grey	TTGR	Ultra Blue	UB		
Ocean	LON	Bronze Metallic	TTZM	Warm Grey	WG		
Pearl Bisque	LPB	Cayenne	TTCY	Zesty Lime	ZL		
Pearl Silver	LPS		TTCM	Zesty Lille	ZL		
Pressed Linen	LPR	Champagne Metallic		Door/Drawer Paint Color			
River Cherry	LRY	Cool Grey	TTCG	Black	FBL		
Rugged Linen	LRG	Cottonwood	TTCO	Blue Grey	FGR		
Satin Stainless	LSS	Earthen Clay	TTEY	Bronze Metallic	FZM		
Shadow Zephyr	LSR	Espresso Metallic	TTEX	Cayenne	FCY		
Silicon evolv	LSV	Everglade Shade	TTEV	Champagne Metallic	FCM		
Sterling Ash	LAZ	Flannel	TTFN	Cool Grey	FCG		
Tailored Linen	LTL	Glitz Metallic	TTGZ	Cottonwood	FCO		
Titanium evolv	LTV	Hazy Jade	TTHJ	Earthen Clay	FEY		
White Nebula	LWL	Honey Bee	TTHY	Espresso Metallic	FEX		
White Sand	LWN	Light Tone	TTLG	Everglade Shade	FEV		
Windsor Mahogany	LWY	Mardi Gras	TTMG		FFN		
• •		Misty Brown	TTMY	Flannel Glitz Metallic	FGZ		
Edge Color for 73P Edge Style		Nemo	TTNE	Hazy Jade	FGZ FHJ		
Belair	EBQ	Nordic	TTND		FHY		
Biltmore Cherry	EBT	Poppy Red	TTPR	Honey Bee			
Black	EBL	Purple Haze	TTPH	Light Tone	FLG		
Blue Grey	EGR	Rubber Ducky	TTRK	Mardi Gras	FMG		
Brighton Walnut	EBW	Sand	TTSA	Misty Brown	FMY		
Castle Oak	ECO	Sky Blue	TTSK	Nemo	FNE		

Finish Cards <u>Paints</u> Wood/Veneer Molded Edges **Hard Plastics** Plastics/Poly View color swatches for items listed within this document. <u>Laminates</u> **Edge Styles** <u>Glass</u>

Tattoo™ Storage Pedestals



Tattoo™ Storage
Pedestals

			MODEL NUMBER																			
	MODEL	WxDxH	Basic Model	Pull Style	Shell Color	Door/Drawer Front Color	Pull Color	Lock Option	Lock L	Jpholstery Color	Approx. Package Weight	l Delivered Pricing	Delivered Pricing C.O.M.	Delivered Pricing Fabric Grade 1	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
Arc pull shown	Mobile File with Pencil Drawer Large drawer for files or personal items Large drawer houses 1-1/2" hidden inne pencil drawer Steel shell and steel front	12 x 18 x 19"	TSPD1218MF								38.0#	\$ 620										
TSPD	5th wheel in lieu of counterbalance weight Optional pad specified separately															<u> </u>	4 100		A 100	A 110		<u> </u>
	Pedestal Pad Foam and medium density fiberboard construction Non-slip pads on underside COM = .5 yd	12 x 18 x 1-1/4"	TSPP1218								0.0#	N/A	\$ 110	\$ 110	\$ 121	\$ 122	\$ 122	\$ 125	\$ 132	\$ 142	\$ 142	\$ 153
TSPP			A	3	•	D	(3	3	G	0												

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull style.

ARCN - Arc pull S6 - Beveled pull Black - Beveled pull Satin Chrome STP - Strap pull

CZP - Connection Zone pull

Select shell color.

Refer to the **Product Color Options** page in this Select upholstery color. price list.

• Select drawer color.

Refer to the **Product Color Options** page in this price list.

Select pull color.
Select if Strap pull (STP) is selected. SBL - Black

- Silver

Refer to the **Product Color Options** page in this price list.

Select lock option.

KS - Key standard

NLC - No lock core

KA - Key alike

GSelect lock color.

BLL - Black SCL - Satin Chrome

Refer to the Product Color Options page in this price list.

Refer to ki.com/fabrics

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Tattoo™ Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect pull style.
- ARCN Arc pull - Beveled pull Black
- Beveled pull Satin Chrome - Strap pull **CZP** - Connection Zone pull
- Select base option. 4CR - 4 casters-2 locking (black)
- 4GL 4 glides (black)
- OSelect shell color. Refer to the **Product Color Options** page in this
- Select door/drawer color. Refer to the **Product Color Options** page in this
- Select pull color.
- Select if Strap Pull (STP) is selected.

SBL - Black

SSR - Silver

Refer to the Product Color Options page in this

GSelect lock option.

KS - Key standard - No lock core - Key alike

Select lock color.

BLL - Black SCL - Satin Chrome

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES **Special Carton Marking**


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Tattoo™ Storage



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

SBL - Black

SSR - Silver

KS - Key standard

- No lock core

- Satin Chrome

Refer to the Product Color Options page in this

- Key alike

GSelect lock option.

Select lock color.

SCL

price list.

BLL - Black

Refer to the Product Color Options page in this

- A Select basic model.
- BSelect pull style.
- ARCN Arc pull - Beveled pull Black
 - Beveled pull Satin Chrome - Strap pull
- **CZP** Connection Zone pull
- Select base option. 4CR - 4 casters-2 locking (black) 4GL - 4 glides (black)
- OSelect shell color.

Refer to the **Product Color Options** page in this price list.

- Select door/drawer color. Refer to the **Product Color Options** page in this
- Select pull color.

Select if Strap Pull (STP) is selected.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping


Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Tattoo[™] Storage

Vanity with Laminate Top



Tattoo™ Storage



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

p conduct backs into acin

Select pull style.

ARCN - Arc pull

- Beveled pull Black
- Beveled pull Satin Chrome
- Strap pull

• CZP - Connection Zone pull

Select base option.

4CR - 4 casters-2 locking (black) 4GL - 4 glides (black)

DSelect grommet.

NG - No grommet
G - Grommet

Select top laminate color.

Refer to the **Product Color Options** page in this price list.

Select edge color.
Refer to the **Product Color Options** page in this

}

GSelect shell color.

price list.

Refer to the **Product Color Options** page in this price list.

Select door/drawer color.

Refer to the $\mbox{\bf Product Color Options}$ page in this price list.

Locking filler rail is painted the same color as the door and drawer fronts.

Select pull color.

SBL - Black SSR - Silver

Refer to the **Product Color Options** page in this price list.

Select lock option.

KS - Key standard
NLC - No lock core
KA - Key alike

Select lock color.

BLL - Black

SCL - Satin Chrome Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, **FOB Pembroke**, **ON K8A 0E1**, **freight prepaid**. Freight class 100.

Tattoo[™] Storage Vanity with Steel Top



Tattoo[™] Storage
Vanity with Steel Top

MODEL NUMBER												
		Basic Model	Pull Style	Base	Grommet Option	Shell Color	Door/Drawer Front Color	Top Paint Color	Pull Color	Lock Option	Lock Color	r Weight Pricing
Arc pulls	24 x 22 x 29"	TSVA2422VSLDR										□ 132.0# \$ 2006
shown												
)												
Casters												
TSVA												
Left Facing Cupboard - Right Facing Drawer Vanity (Steel Top)												
Flip-up steel top with magnetic												
markerboard on underside • Felt lined inside top compartment												
 Larger drawer houses 1-1/2" hidden 												
inner pencil drawer • 48" high when lid is raised												
 Cupboard with removable shelf 												
Bumpers includedAvailable with casters or glides												
Legs field installed												
Arc pulls	24 x 22 x 29"	TSVA2422VSRDR										132.0# \$ 2006
shown												
Casters												
₩												
TSVA												
Right Facing Cupboard - Left Facing Drawer Vanity (Steel Top)												
Flip-up steel top with magnetic												
markerboard on underside												
 Felt lined inside top compartment Larger drawer houses 1-1/2" hidden 												
inner pencil drawer												
48" high when lid is raisedCupboard with removable shelf												
 Bumpers included 												
 Available with casters or glides 												
Legs field installed												
		A	$oldsymbol{\mathbf{B}}$	$oldsymbol{\Theta}$	•	(3	(3)	œ	0	0	•	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull style.

ARCN - Arc pull - Beveled pull Black - Beveled pull Satin Chrome - Strap pull CZP - Connection Zone pull

Select base option.

4CR - 4 casters-2 locking (black) - 4 glides (black)

①Select grommet.

NG - No grommet - Grommet

Select shell color. Refer to the **Product Color Options** page in this price list.

Select door/drawer color.

Refer to the **Product Color Options** page in this

price list. Locking filler rail is painted the same color as the door and drawer fronts.

GSelect top paint color. Refer to the **Product Color Options** page in this price list.

Select pull color.

SBL - Black
SSR - Silver

KA

Refer to the **Product Color Options** page in this

Select lock option. KS - Key standard
NLC - No lock core

- Key alike

Select lock color. BLL - Black
SCL - Satin Chrome

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Tattoo™ Storage Low Cupboard



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull style.

ARCN - Arc pull - Beveled pull Black - Beveled pull Satin Chrome

- Strap pull CZP - Connection Zone pull

Select base option. 4CR - 4 casters-2 locking (black) 4GL - 4 glides (black)

• Select top laminate color. Refer to the **Product Color Options** page in this

Select edge color. Refer to the **Product Color Options** page in this price list.

Select shell color. Refer to the **Product Color Options** page in this

GSelect door/drawer color.

Refer to the **Product Color Options** page in this

price list.

Select pull color.

price list.

Select if Strap Pull (STP) is selected.

Refer to the Product Color Options page in this price list.

Select lock option.

KS - Key standard

NLC - No lock core - Key alike

Select lock color.

BLL - Black

SCL - Satin Chrome

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking


With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.







Refer to the Product Color Options page in this

price list.

Refer to ki.com/fabrics

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect pull style.

ARCN - Arc pull - Beveled pull Black - Beveled pull Satin Chrome - Strap pull CZP - Connection Zone pull

Select base option. 4CR - 4 casters-2 locking (black) 4GL - 4 glides (black)

• Select top laminate color. Refer to the **Product Color Options** page in this price list.

Select edge color. Refer to the **Product Color Options** page in this price list.

Select shell color. Refer to the **Product Color Options** page in this Select screen polyester felt color.

price list.

SBL - Black

GSelect door/drawer color. price list.

Select pull color. Select if Strap Pull (STP) is selected.

- Silver Refer to the **Product Color Options** page in this price list.

Select lock option. KS - Key standard NLC - No lock core - Key alike

Select lock color. BLL - Black SCL - Satin Chrome Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Approx. Delivered

C.O.M.

\$ 1396

Packaged Pricing

Weight

71.0#

Delivered

Fabric Grade

Pricing

\$ 1396

Delivered

Fabric Grade

Pricing

\$ 1417

Delivered

Fabric Grade

Pricing

\$ 1419

Delivered

Pricing

\$ 1419

Vinyl Group

Delivered

Group P0

\$ 1422

Pallas Fabric

Pricing

Delivered

Pricing

Group P1

\$ 1434

Pallas Fabric

Delivered

Pallas Fabric

Group P2

\$ 1452

Pricing

Tattoo™ Storage

Pallas Fabric Pallas Fabric

Delivered

Group P4

\$ 1470


Pricing

Delivered

Group P3

\$ 1453

Pricing



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.

STP - Strap pull

Select unit and drawer color. Refer to the **Product Color Options** page in this price list.

Select pull color.

- Silver

• Select upholstery color. Refer to ki.com/fabrics

GSelect lock option.

- Key standard

Refer to the Product Color Options page in this

- Key alike

NLC - No lock core

SCL - Satin Chrome

KA

price list.

Select lock color.

BLL - Black

BSelect pull style.

• Select base option. 4CR - 4 casters-2 locking (black) 4GL - 4 glides (black)

SBL - Black SSR

Refer to the **Product Color Options** page in this price list.

UPHOLSTERY INFORMATION

When ordering COM upholstery, send the material to the Bonduel, WI facility. Refer to "Ordering COM, COL and COV" page.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Tattoo™ Storage Accessories

					▼	
			MODEL NUMBER			
				Approx.	D."	
	MODEL	Features	Basic Model	Packaged Weight	Delivered Pricing	
	Storage Bumper	1 0010100	2.KP57431	0.0#	\$ 1	
	Self-adhesive Protects storage unit from damaging screens or walls Clear in color 18mm diameter 10mm height Quantity 1 bumper		2 07.101	0.00	• •	
HRDPT						
	P-Series Keys	Lock Core/2 Key Set - Black	2.KP20522	0.4#	\$ 15	
HRDPT	Develop hit design		2.KP20522.SC	0.4#	15	
	Range of 200 different core/key numbers available	S Master Key	2.KP20550	0.2#	11	
	Must specify lock number(s) requested	Extractor Key	2.KP20551	0.2#	11	
	when ordering cut key or lock core/key sets	Blank Key	2.KP20552	0.2#	3	
		Cut Key	2.KP20557	0.2#	4	
		•				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.



Tattoo™ Storage Accessories

					~	
			MODEL NUMBER			
	MODEL	W x D	Basic Model	Approx. Packaged Weight	Delivered Pricing	
HRDPT	Pedestal Pencil Drawer Liner • Felt liner for pedestal hidden inner pencil drawer		2.KP57032.P	0.0#	\$ 40	
	Prevents shifting of items in drawerGrey in color					
HRDPT	Vanity Pencil Drawer Liner Felt liner for vanity hidden inner pencil drawer Prevents shifting of items in drawer	12" x 13-3/4"	2.KP57032.V	0.0#	\$ 40	
	 Grey in color; matches felt inside top compartment of vanity 					
HRDPT	Tower Hanging Folder Bar For filing letter or legal size paper sideto-side in file drawer 1 bar needed for filing Quantity 1 bar		2.KP40268.12	0.0#	\$ 11	
	Chest Hanging Folder Bar		2.KP40268.15	0.0#	\$ 11	
HRDPT	 For filing letter or legal size paper front- to-back in file drawer 2 bars needed for filing; need to 		2.10 40200.13	0.011	Ψ 11	
	purchase 2 per unit to increase filing capacityQuantity 1 bar					

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB Pembroke, ON K8A 0E1, freight prepaid. Freight class 100.

Tattoo™ Seating General Information











	Slim Corner	Slim Seat with Power	Slim Seat with Table
General Dimensions			
Seat width	16"	44"	33"
Seat depth	16"	16"	16"
Seat height	18"	18"	18"
Overall Dimensions			
Width	22"	44"	44"
Depth	22"	22"	22 ^u
Height	29"	29"	29"





	Ottoman	14510
Overall Dimensions		
Width	22"	22"
Depth	22"	22"
Height	18"	18"

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

14

TECHNICAL SPECIFICATIONS

Seat/Backrest & Table Frames

All seat/backrest and table frames are constructed of $^3/_4$ " CNC machined, laminated hardwood plywood. Main frame joints are nailed and glued in addition to interlocking joinery across all stress points. Frames have $^1/_4$ " thick, 2.5 density 45 lb compression "soft feel" foam covering all exposed frame areas under the upholstery.

Seat & Backrest Foam

Seat and backrest foam is 2.5 density 45 lb compression, with $2^1/2^n$ thickness on seat surface and $1^1/2^n$ thick at the backrest front. Both seat and backrest have an additional $1^1/2^n$ layer of 2.6 density, 80 lb compression "topper" foam for tight seat and back upholstery fit. Other exposed surfaces have $1^1/2^n$ thick, 2.5 density 45 lb compression "soft feel" foam under the upholstery.

Base Leg Options

Leg assemblies are specified differently for glides or casters. Legs are constructed of $1^{1}/4^{\circ}$ O.D. by 16-gauge round steel tubing, welded to a 7-gauge steel spider plate at one end and are fitted with $5^{\circ}/16-18$ threaded inserts at the opposite end to accept glides or casters. Overall distance from floor to bottom of seat is 7" for both caster and glide. Length of leg varies to accommodate either caster or glide. Leg assemblies are powder-coat painted in select KI colors and attach to the base structure using $1^{\circ}/4-20 \times 1^{\circ}$ flat head screws.

Glides

Adjustable glides have $1^{1}/4^{n}$ diameter feet in black nylon with 5/16-18 threaded steel stems which twist in and secure to steel legs. Allows for $3/4^{n}$ of adjustability.

Casters

Fully swiveling and locking casters have $1^{1}/2^{n}$ diameter dual-wheels, constructed with soft, non-marring rubber, and are individually rated at 85 lb static loading. Caster stems are $^{5}/_{16}$ -18 and thread into optional caster legs. Casters are 2" tall overall when installed and four caster assemblies are used per seat or table unit.

Tabletop

Table top structure is machined from 45 lb medium density fiberboard core material. The top is finished with .025" to .030" thick high-pressure plastic laminate on five sides, glued in place. Two opposite edges are "waterfall" profile with $\frac{5}{8}$ " radius post formed laminate, and two edges are "self-edge" laminate profile. The overall thickness of the finished table top structure is $\frac{3^3}{4}$ " and it is secured to the upholstered frame structure below.

Optional AC Power & USB Charger


The optional USB/AC power module houses one 125 volt, 15-amp AC outlet and two 5V DC, USB (type 2.0 & type 3.0 compatible) charging, plug-in receptacles with 2.1-amp DC total power (no data). The module's aluminum housing contains the power & USB circuitry. The 72" exposed power cord is 14 AWG, 15-amp NEMA rated, three-conductor SJT, with a three-prong grounded plug. The power cord is strain-relief mounted to the rear of the module's aluminum housing and as it exits the lounge.


The entire electrical power and USB module is UL listed and passes UL spill test rating for protection against liquids. Both USB ports can power and charge two separate mobile devices simultaneously. The power module's optional faceplate/power & USB color combinations are: black/black, white/white and silver/white. Faceplates are finished with powder-coat paint.


Compliance

Tattoo Seating is designed and manufactured to meet or exceed required ANSI/BIFMA x5.4-2012.

TattooSlim Seat w/ Left Facing table








Ganger Assembly


Tattoo[™] Seating General Information


DIMENSIONS

Overall Dimension										
Model	A (width)	B (depth)	C (seat width)	D (seat depth)	E (overall height)	F (seat height)	G (leg length)			
Ottoman (TL3)	22"	22"	22"	22"	18"	18" 18"				
Table (TLE)	22"	22"			18"		7"			
Slim Seat (TLS)	44"	22"	44"	16"	29"	18"	7"			
Slim Seat with Integrated Table (TLSQ/TLSR)	44"	22"	33"	16"	29"	18"	7"			
Slim Corner (TLT)	22"	22"	16"	16"	29"	18"	7"			




Slim Seat (top view)





Slim Corner (top view)







Table (top view)




Tattoo[™] Seating General Information

STATEMENT OF LINE


Slim Seat



Slim Seat with Integrated Table



Slim Corner



1330 Bellevue Street • P.O. Box 8100 • Green Bay, WI 54308-8100 • 1-800-424-2432 • www.ki.com © 2019 Krueger International, Inc. All Rights Reserved • Code KI-TS-000043R1/KI/PDF/0119



Customer's Own Material ■

 ${\sf Specifications}\ {\sf Form}$

January 2017

All fabrics, including COM, COL, KOM and in grades will be applied at the factory's discretion. If a pattern or stripe is to be applied in a certain direction, the customer MUST specify this in writing on the P.O. and attach a sample of the fabric with it running in the application direction to the P.O. Specifying fabric direction may increase the amount of COM or KOM yardage required. Check with KI Customer Service to see if an increase in yardage is necessary BEFORE specifying, ordering and sending COM and COL to the factory or having KOM quoted.

ALL C.O.M AND C.O.L SHIPMENTS

k

MUST BE PREPAID TO:

217 Feld Avenue High Point, NC 27263

COM and COL must be identified as follows:

- I. Name and address
- 2. Your purchase order number
- 3. Our style number to which fabric is to be applied
- 4. Supplier name and fabric name, number, and color

COLLECT SHIPMENTS WILL BE REFUSED.

SHIPMENT SCHEDULE WILL BE GIVEN WHEN ALL FABRIC IS RECEIVED FOR ENTIRE ORDER

YARDAGE REQUIREMENTS LISTED IN PRICE LIST ARE BASED ON PLAIN GOODS 54" WIDE. Fabrics less than 54" wide, or those requiring matching (stripes, plaids, prints, large patterns) will require additional yardage based on the fabric used and the item ordered. CONSULT MATRIX BELOW FOR ADDITIONAL YARDAGE NEEDED.

C.O.M. INCREASE MATRIX (The yardage matrix is also applicable to any reservations of KI Ingrade, Pallas, or KOM upholsteries).

This table is a general guide.

FABRIC WIDTH	PLAIN FABRIC	UNDER 7" REPEAT	8"-13" REPEAT	14"-21" REPEAT	22"-27" REPEAT	28"-33" REPEAT	34"-40" REPEAT	41"-48" REPEAT
54"	0	20%	25%	30%	45%	55%	70%	80%
51"-53"	15%	25%	30%	35%	50%	60%	80%	90%
48"-50"	20%	30%	35%	40%	55%	65%	85%	95%
45"-47"	30%	45%	50%	55%	60%	80%	90%	100%
36"-44"	50%	65%	70%	75%	80%	100%	110%	120%

FABRIC WITH DOUBLE REPEAT: IF USING A FABRIC WITH A DOUBLE REPEAT, PLEASE FOLLOW THIS FORMULA: TAKE THE TOTAL AMOUNT OF THE LARGER AND HALF OF THE SMALLER REPEAT; ADD TOGETHER TO FIND THE CORRECT OVERALL REPEAT. EXAMPLE: 10" VERTICAL WITH 14" HORIZONTAL WOULD BE 14+5=19.

IF FABRIC COMES IN ON MULTIPLE ROLLS, ONE ADDITIONAL YARD PER ROLL NEEDS TO BE ADDED TO THE YARDAGE REQUIREMENT.

SPECIAL NOTE: WE CAN ASSUME NO RESPONSIBILITY FOR THE DURABILITY OR TAILORING QUALITY OF CUSTOMER FURNISHED COVERINGS (C.O.M.) OR KOM. KOM: is fabric that KI will purchase for you at jobber's price (net) plus a nominal charge for handling, shipping, and managing.



Customer's Own Material ■

Specifications Form January 2017


ADDITIONAL NOTES:

- . Orders cannot go into production without the information listed at right.
- Attach memo sample to this approval sheet.
- If your order has been placed, fat PO#.
- The cost of the COM sample will be paid by the dient.
- Even after preliminary approval, KI reserves the right to reject COM/COL if necessary when the quality is not established for the product to be upholstered. KI assumes no responsibility for its overall appearance, flammability, durability, color fastness or any other quality after upholstered on a KI product.

ALL COM MUST BE APPROVED.

Photocopy this form and submit with COM fibric for approval:

(This fabric approval is for the purpose of advising how to apply your COM fabric, verify yardage required, and suitability.)



YOUR COMPANY NAME		
PHONE	FAX	
Material Supplier		
Material Name		
Material Color		
Vertical Repeat	Horizontal Repeat	
Fiber Content		
COM TO BE USED ON THE FOLLOWING	<u>:</u>	

QTY	PRODUCT NAME/NUMBER
	-
=	



How to Specify C.O.M. Upholstery Textile designs often have intricate patterns. Not all individuals will interpret tabric direction in the same manner

As a standard procedure, KI cuts tabrics off the roll in a horizontal fashion as shown in Diagram Aat the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned tabrics are used, they often require more yardage than solid colors.

C.O.M., C.O.L. and C.O.V. Testing KI will require for testing actual yardage to uphoi-ster one chair. The testing requirements depend KI recommends that leather be ordered in

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be lested, send test samples for approved to:

on which chair you have selected on your order.

Altn: C.O.M. Specialist 1687 Westminster Drive, Gute 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.


All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production Customers tabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1º square sample swetch of upholstery material must accompany the order KI assumes no responsibility for wear, detects or performance of customer's own fabrics, vinyl or leather, C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. uphoistered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helptul with directional or patterned uphoistery material. It is critical that cooles of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



yardage. Leather must be usable. The outer edges - ship material to: cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seets or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing For products shipped from Green Bay, Will facility. ship uphoistery material to:

Altn: C.O.M. Storage 1687 Westminster Drive, Gate 3 Green Bay, WI 54302

For products shipped from Bonduel, WI facility,

Attn: C.O. M. Storage 204 West South Street Bondnel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Aftr: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

ing of intricate patterns or pattern repeats on seats and backrests. provide a sketch noting regul rements




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering dué to strinkage, please have your processor remeasure after processing and assure adequale yardage shipment.

Spitt Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early. Ki will enter the order immediately at your request. These split shipments are subject to minimum order

Contect the C.O.M. Specialist at 1-800-424-2432, edt. 2707, with questions or to wertly a split order.

Excess Upholstery Material

KI will dispose of excess uphoistery material at the time of shipment unless expressly requested to return it with the graduat shipment.

Cancelled or Changed Orders
KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of uphoistery or cancellation of an order. If is the customers responsibility to arrange for return of this material.

C.O.M., C.O.L and C.O.V. Information Form Please see information below and check the appropriate box. ■ Test approved. Submitted for production. A copy of this form should accompany test Submitted for testing. requests and production orders. Please fill it out completely, and, if your order has been Purchase Order Number KI Adknowledgement Number acknowledged, provide the acknowledgement Runthesing Ageni (Dealer or buying organization) In all instances, send this form to the C.O.M. Specialist. A Selvage Top and Bottom B^{Selvage Side and Side} New of sealing and number of units of each type

Tattoo[™] Seating Product Color Options



Tattoo™ Seating
Product Color Options

Black BL Beliam BP Black BP BP BP BP BP BP BP B	Base Finish Color		Laminate Color		Power Module Color	
Biles Bile	Black			LBQ		WPBL
Portugu						
Caymon			•			
Code						
Cool Grey CB Castle Dak LOD Cothorwoord CD Cassul Lutern LCX Espresso Metallic EY Cherry Storm LCX Espresso Metallic EY Cloud Zaphyr LCL Flammel FN Cocebals LDC Glitz Metallic G2 Crisp Linen LRI Haay Judie HJ Does Forey LDG Horry Judie LDC Hold Deart Zaphyr LDZ Horry Judie LD LDR LINT LDR Marci Grace MG Fired Steel LUL LDR Marci Grace MG Fired Steel LUL LDR Moral Grace MG Fired Steel LUL LDR Moral Grace MG Fired Steel LDL LDR Moral Grace MG Frost White LDY Moral Grace PA Grosy White LPW Moral Grace PH Grosy White LPW Pulped	•		•			
Cotonwood CO Casaul Linen LDI Earther Day EY Chors / Storm LDX Espresso Metallic EX Closasic Linen LCI Everglade Shade EY Chood Zephyr LCI Glärz Metallic GZ Crosp Linen LRI Haky Jade HJ Dowe Grey LDG Honey Bee HY Dowe Grey LDG Light Tone LE Fired Steel LL Merrid Gras MG Flax Linen LXF Merry Florence Walter LFC Nordic MD Friston Ash LFH Poppe Red PR Froget Steel LDL Nordic MD Fiston Ash LFH Puppe Raze PR Froget Wetter LPH Popp Red PR Froget Wetter LPH Say Stud SX Holly Breze LHE Sky Blue SX Holly Breze LHE Sky Stud SX Holl						
Earners Mirallic Express Mirallic Expres						
Eyrors NotMalife						
Everguide Stande						
File		EV	Cloud Zephyr	LCL		
Mary Jude						
Hay Down Grey LDC	Glitz Metallic	GZ	Crisp Linen			
Hone Be	Hazy Jade	HJ		LDZ		
Light Tone Ligh Fired Stele LIL Mard Gras MG Flax Linen LXF Misty Brown MY Florence Walnut LFC Nemo NE Forged Steel LOL Nordic ND Priston Ash LFH Poppy Red PR Frosty White LFW Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Starright Silver Metallic SX Irish Linen LH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Bile UB Kensington Maple LKM Warm Gray UG Lapis Bilue LIM Vasted Zaphyr LMR Markerboard White LMK Misted Zaphyr LMR Misted Zaphyr LMR Nickel Evolv LNV North Sea LIN LA Per Silver	-					
Misty Brown MY Florence Walnut LFC Nemo NE Forged Steel LOL Nordic ND Friston Ash LFH Poppy Red PR Frosty White LFW Purple Haze PH Graphite Nebula LGN Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Staright Silver Metallic SX Irish Linen LH Sur's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Bue UB Kensington Maple LKM Vam Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zaphyr LMR Misted Zaphyr LMR North Sea LNA Ocean LON Pearl Bloque LPB Pearl Sliver LPS Pearl Sliver	Light Tone	LG		LIL		
Nemo NE Forged Steel LDL Nordic ND Friston Ash LFH Poppy Red PR Frosty White LFW Purple laze PH Graphite Nebuba LGN Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Staright Silver Metallic SX Hish Line LIH Surf's Up SP Island LID Fivilipit Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LIB Zesty Lime ZL Markerboard White LMR Monticello Maple LMR Monticello Maple LMR North Sea LNA Ocean LON Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry	Mardi Gras	MG	Flax Linen	LXF		
Nemo NE Forged Steel LDL Nordic ND Friston Ash LFH Poppy Red PR Frosty White LFW Purple laze PH Graphite Nebuba LGN Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Staright Silver Metallic SX Hish Line LIH Surf's Up SP Island LID Fivilipit Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LIB Zesty Lime ZL Markerboard White LMR Monticello Maple LMR Monticello Maple LMR North Sea LNA Ocean LON Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry	Misty Brown	MY	Florence Walnut	LFC		
Poppy Red PR Frosty White LFW Purple Haze PH Graphite Nebula LGR Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Startight Silver Metallic SK Hollyberry LH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LB Zesty Lime ZL Makerboard White LMK Misted Zephyr LMR Monticello Maple LMT Nicel Evolv LNV Niver Monticello Maple LMT Nicel Evolv LNV Niver Monticello Maple LPB Pearl Bisque LPB Personal Clinen LPB Personal Clinen LPG Pressed Linen LPG River Cherry LSR Sillion evolv LSV<		NE	Forged Steel	LOL		
Purple Haze PH Graphite Nebula LGN Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Starlight Silver Metallic SX Irish Linen LIH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Utra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR LMT Monticello Maple LMT Nickel Evolv LINV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPB Pearl Silver LPS Pressed Linen LPR River Cherry LSY Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titalioned Linen </td <td>Nordic</td> <td>ND</td> <td>Friston Ash</td> <td>LFH</td> <td></td> <td></td>	Nordic	ND	Friston Ash	LFH		
Rubber Ducky RK Grey LGE Sand SA High Rise LHE Sky Blue SK Hollybetry LHY Starlight Silver Metallic SX Irish Linen LIH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPB Pearl Silver LPR PR Pressed Linen LPR River Cherry LRY River Cherry LSR Satin Stainless LSS Shadow Zephyr LSR Silcing Ash LAZ Tailored Linen LTL Titailum evolv LTV White Nebula	Poppy Red	PR	Frosty White	LFW		
Sand SA High Rise LHE Sky Blue SK Hollyberry LHY Starlight Silver Metallic SX Irish Linen LIH Surl's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMR Misted Zephyr LMR Misted Zephyr LMR Monticello Maple LMT North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Sterling Ash LAZ Tailored Linen LTL LTL White Nebula LWN White Nebula LWN	Purple Haze	PH	Graphite Nebula	LGN		
Sky Blue SK Hollyberry LHY Starfight Silver Metallic SX Irish Linen LIH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LIB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR LMR Monticello Maple LMT Nickel Evolv LNV North Sea LINA Coean LON Pearl Silver LPS Pearl Silver LPS Pearl Silver LPS Pressed Linen LPR Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Stering Ash LAZ Tailored Linen LTL Tilanium evolv LTV White Nebula LWN	Rubber Ducky	RK	Grey	LGE		
Starlight Silver Metallic SX Irish Linen LIH Surf's Up SP Island LID Twilight Shadow TI Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pearl Silver LPS Pearl Silver Cherry LRY Rugged Linen LRG Satin Stainless LSS Silicon evolv LSV Sterring Ash LAZ Tailored Linen LTL White Nebula LWL White Sand LWN	Sand	SA	High Rise	LHE		
Surf's Up SP Island LID Twilight Shadow T1 Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR LMT Monticello Maple LMT Nickel Evolv North Sea LNA Ocean LON Pearl Silver LPB Pearl Silver LPS Perssed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Sand LWN	Sky Blue	SK	Hollyberry	LHY		
Twilight Shadow Ti Italian Silver Ash LIT Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSS Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL TITL White Nebula LWL White Sand LWN	Starlight Silver Metallic	SX	Irish Linen	LIH		
Ultra Blue UB Kensington Maple LKM Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN	Surf's Up	SP	Island	LID		
Warm Grey WG Lapis Blue LLB Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL White Nebula LWL White Sand LWN	Twilight Shadow	TI	Italian Silver Ash	LIT		
Zesty Lime ZL Markerboard White LMK Misted Zephyr LMR Monticello Maple LMT Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Perssed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN	Ultra Blue	UB	Kensington Maple	LKM		
Misted Zephyr Monticello Maple Miskel Evolv North Sea LNA Ocean LON Pearl Bisque Pearl Silver Pressed Linen River Cherry Rugged Linen Satin Stainless Shadow Zephyr Silicon evolv Sterling Ash Tailored Linen Titanium evolv White Nebula White Sand	Warm Grey	WG	Lapis Blue	LLB		
Monticello Maple Nickel Evolv North Sea LNA Ocean LON Pearl Bisque Pearl Silver Pressed Linen River Cherry Rugged Linen Satin Stainless Satin Stainless Shadow Zephyr Silicon evolv Sterling Ash Tailored Linen Titainum evolv White Nebula White Sand LWN	Zesty Lime	ZL	Markerboard White	LMK		
Nickel Evolv LNV North Sea LNA Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN				LMR		
North Sea Coean LON Pearl Bisque Pearl Silver Pessed Linen River Cherry Rugged Linen LRG Satin Stainless LSS Shadow Zephyr Silicon evolv Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN			Monticello Maple	LMT		
Ocean LON Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN						
Pearl Bisque LPB Pearl Silver LPS Pressed Linen LPR River Cherry LRY Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand						
Pearl Silver Pressed Linen LPR River Cherry LRY Rugged Linen Satin Stainless LSS Shadow Zephyr LSR Silicon evolv Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN						
Pressed Linen River Cherry Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand						
River Cherry Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN						
Rugged Linen LRG Satin Stainless LSS Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN						
Satin Stainless Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN						
Shadow Zephyr LSR Silicon evolv LSV Sterling Ash LAZ Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN						
Silicon evolv Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN						
Sterling Ash LAZ Tailored Linen LTL Titanium evolv White Nebula White Sand LWN						
Tailored Linen LTL Titanium evolv LTV White Nebula LWL White Sand LWN						
Titanium evolv LTV White Nebula LWL White Sand LWN						
White Nebula LWL White Sand LWN						
White Sand LWN						
wingsor manogany LWY						
			willusor wallogally	LWY		

Tattoo™ Seating

Tattoo™ Seating

MODEL NUMBER Non-Contrast Moisture Power Fabric Approx. Grade Barrier Packaged Grade Grade Basic Power Module Moist. Base Fabric Contrast Grade Grade E & Grade Grade Grade Grade Grade Grade Grade add to list MODEL Features Model Option Color Barrier Finish Contrast 1 2 C.O.M. L Leather M Leather price Non-contrast TLT603/NC 50.0# \$ 1720 \$ 1838 \$ 1870 \$ 1907 \$ 1933 \$ 1981 \$ 2032 \$ 2103 \$ 2219 \$ 2342 \$ 371 Slim Corner, Left Facing **Four-leg on Casters** TLT603/FC 🗆 50.0# 2060 2125 2529 Contrast 1720 1875 1914 1963 1997 2217 2368 2692 Non-contrast C.O.M = 2.5 yd • 1 = Base and Back - C.O.M. = 2.5 yd • 2 = Seat - C.O.M. = .75 yd Overall Dimensions: W=22" D=22" H=29" Seat Dimensions: W=16" D=16" H=18" • Ganging (specify kit separately) TLT803/NC 50.0# \$ 1720 \$ 1838 \$ 1870 \$ 1907 \$ 1933 \$ 1981 \$ 2032 \$ 2103 \$ 2219 \$ 2342 \$ 2467 Non-contrast Slim Corner, Left Facing Four-leg on Glides Contrast 50.0# 1720 1875 1914 1963 1997 2060 2125 2216 2368 2529 3014 2692 Non-contrast C.O.M = 2.5 yd • 1 = Base and Back - C.O.M. = 2.5 yd • 2 = Seat - C.O.M. = .75 yd Overall Dimensions: W=22" D=22" H=29" Seat Dimensions: W=16" D=16" H=18" • Ganging (specify kit separately) TLT8 0 **(** A **(3**) 0 **(3**) **(3**)

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

BSelect power option. NP - No power

NMB - No moisture barrier See pricing column for moisture barrier upcharge.

Select base finish color. Refer to the **Product Color Options** page in this

Select non-contrast or fabric contrast 1.

GSelect fabric contrast 2.

Refer to ki.com/fabrics

A Select basic model.

WP - With power; add \$317

Select power module color.

WPBL - Black/Black power module WPSL - Silver/White power module WPWH - White/White power module

• Select moisture barrier.

MB - Moisture barrier

Refer to ki.com/fabrics

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
TLT603	\$411
TLT604	\$411
TLT803	\$411
TLT804	\$411
TLS600	\$446
TLS800	\$446
TLS60Q	\$446
TLS80Q	\$446
TLS60R	\$446
TLS80R	\$446
TL3600	\$280
TL3800	\$280
TLS600 TLS800 TLS60Q TLS80Q TLS60R TLS80R TLS80R TL3600	\$446 \$446 \$446 \$446 \$446 \$4280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Seating

Tattoo™ Seating
Slim Corner

										•													
			MODEL N	UMBER																			
			Basic	Power	Power Module	Moist.	Base	Non- Contrast or Fabric	Fabric Contrast	Approx. Packaged	Grade	Grade	Grade	Grade E &	Grade	Grade	Moisture Barrier add to list						
	MODEL	Features	Model	Option	Color	Barrier	Finish	Contrast 1	2	Weight	C.O.M.	C	D	C.O.L.	F	G	Н	I	J	K	L Leather		
	Slim Corner, Right Facing	Non-contrast	TLT604/NC							50.0#	\$ 1720	\$ 1838	\$ 1870	\$ 1907	\$ 1933	\$ 1981	\$ 2032	\$ 2103	\$ 2219	\$ 2342	\$ 2467	\$ 2715	\$ 371
	Four-leg on Casters	Contrast	TLT604/FC							50.0#	1720	1875	1914	1963	1997	2060	2125	2217	2368	2529	2692	3014	371
	Non-contrast C.O.M = 3.25 yd December 1 Peach C.O.M = 2.5 yd																						
2-	 1 = Base and Back - C.O.M. = 2.5 yd 2 = Seat - C.O.M. = .75 yd 																						
	Overall Dimensions: W=22" D=22" H=29"																						
	Seat Dimensions: W=16" D=16" H=18" • Ganging (specify kit separately)																						
⊌	Ganging (specify kit separately)																						
TLT6																							
	Slim Corner, Right Facing	Non-contrast	TLT804/NC							50.0#	\$ 1720	\$ 1838	\$ 1870	\$ 1907	\$ 1933	\$ 1981	\$ 2032	\$ 2103	\$ 2219	\$ 2342	\$ 2467	\$ 2715	\$ 371
	Four-leg on Glides	Contrast	TLT804/FC							50.0#	1720	1875	1914	1963	1997	2060	2125	2216	2368	2529	2692	3014	371
	 Non-contrast C.O.M = 2.5 yd 1 = Base and Back - C.O.M. = 2.5 yd 																						
2-	 2 = Seat - C.O.M. = .75 yd 																						
	Overall Dimensions: W=22" D=22" H=29"																						
	Seat Dimensions: W=16" D=16" H=18" • Ganging (specify kit separately)																						
¥	danging (Speeds kit separately)																						
TLT8																							
			A	B	•	0	3	(3)	G														
			-		-	-	-	-	-														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

WP - With power; add \$317

OSelect moisture barrier.

NMB - No moisture barrier

See pricing column for moisture barrier upcharge.

Select non-contrast or fabric contrast 1.

GSelect fabric contrast 2. Refer to <u>ki.com/fabrics</u>

A Select basic model.

BSelect power option.

NP - No power

Select power module color.

WPBL - Black/Black power module
WPSL - Silver/White power module WPWH - White/White power module

MB - Moisture barrier

Select base finish color. Refer to the **Product Color Options** page in this

Refer to ki.com/fabrics

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
TLT603	\$411
TLT604	\$411
TLT803	\$411
TLT804	\$411
TLS600	\$446
TLS800	\$446
TLS60Q	\$446
TLS80Q	\$446
TLS60R	\$446
TLS80R	\$446
TL3600	\$280
TL3800	\$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C


Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Seating



Tattoo™ Seating



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER Refer to ki.com/fabrics A Select basic model. GSelect fabric contrast 2. Refer to ki.com/fabrics **B**Select power option. WPLF - Left Facing Power; add \$317 - No power - Right Facing Power; add \$317 Select power module color. WPBL - Black/Black power module WPSL - Silver/White power module WPWH - White/White power module Select moisture barrier. MB - Moisture barrier NMB - No moisture barrier See pricing column for moisture barrier upcharge. Select base finish color. Refer to the **Product Color Options** page in this

Select non-contrast or fabric contrast 1.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
TLT603	\$411
TLT604	\$411
TLT803	\$411
TLT804	\$411
TLS600	\$446
TLS800	\$446
TLS60Q	\$446
TLS80Q	\$446
TLS60R	\$446
TLS80R	\$446
TL3600	\$280
TL3800	\$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo[™] Seating Slim Seat with Table



			MODEL NU	JMBER							
	MODEL	Features	Basic Model	Power Option	Power Module Color	Moist. B Barrier F	Non- Contrast or ase Fabric nish Contrast	Fabric Contrast 2	Lam. Color	Moisture Approx. Grade price	
	Slim Seat w/Table, Left-Facing,	Non-contrast	TLS60Q/NC							82.0# \$ 2450 \$ 2616 \$ 2658 \$ 2711 \$ 2747 \$ 2816 \$ 2886 \$ 2985 \$ 3147 \$ 3321 \$ 3495 \$ 3843 \$ 390	_
	Four-Leg on Casters	Contrast	TLS60Q/FC							82.0# 2450 2627 2674 2729 2766 2842 2916 3022 3196 3382 3570 3942 390	
	 Non-contrast C.O.M = 3.25 yd 1=Base and Back - C.O.M. = 2.50 yd 										
2	• 2=Seat - C.O.M. = 1.25 yd										
	Overall Dimensions:										
	W=44" D=22" H=29" Seat Dimensions: W=22" D=16" H=18"										
TI CC	Table Dimensions: W=11" D=16"										
TLS6	 Ganging (specify kit separately) 										
	Slim Seat w/Table, Left-Facing,	Non-contrast	TLS80Q/NC							82.0# \$ 2450 \$ 2616 \$ 2658 \$ 2711 \$ 2747 \$ 2816 \$ 2886 \$ 2985 \$ 3147 \$ 3321 \$ 3495 \$ 3843 \$ 390	
	Four-Leg on Glides	Contrast	TLS80Q/FC							82.0# 2450 2627 2674 2729 2766 2842 2916 3022 3196 3382 3570 3942 390	
1	 Non-contrast C.O.M = 3.5 yd 	Contract	120000.10							52101 2100 2521 2511 2125 2110 3512 5110 5522 5110 5532 5510 5510	
2	 1=Base and Back - C.O.M. = 2.50 yd 2=Seat - C.O.M. = 1.25 yd 										
	Overall Dimensions:										
	W=44" D=22" H=29"										
•	Seat Dimensions: W=22" D=16" H=18" Table Dimensions: W=11" D=16"										
TLS8	• Ganging (specify kit separately)										
			A	ß	•	D	3	(0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select power option.

 NP No power
 - WP With power; add \$317
- Select power module color.
- WPBL Black/Black power module WPSL - Silver/White power module WPWH - White/White power module
- ①Select moisture barrier.

MB - Moisture barrier
NMB - No moisture barrier See pricing column for moisture barrier upcharge.

- Select base finish color. Refer to the **Product Color Options** page in this
- Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

GSelect fabric contrast 2. Refer to <u>ki.com/fabrics</u>

Select laminate color.

Refer to the **Product Color Options** page in this price list.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

\$411
\$411
\$411
\$411
\$446
\$446
\$446
\$446
\$446
\$446
\$280
\$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Seating Slim Seat with Table



			MODEL NUMBER																						
			Basic	Power	Power Module Color	Moist.	Base	Non- Contrast or Fabric	Fabric Contrast	Lam.	Appro Packa	aged	Grade	Grade	Grade	Grade E &	Grade	Moisture Barrier add to lis							
	MODEL	Features	Model	Option	Color	Barrier	Finish	Contrast 1	2	Color	Weigl		C.O.M.	С	D	C.O.L.	F	G	Н	1	J	K	L Leather	M Leather	price
TLS6	Slim Seat w/Table, Right-Facing, Four-Leg on Casters Non-contrast C.O.M = 3.5 yd 1=Base and Back - C.O.M. = 2.25 yd 2=Seat - C.O.M. = 1.25 yd Overall Dimensions: W=44" D=22" H=29" Seat Dimensions: W=22" D=16" H=18" Table Dimensions: W=11" D=16" Ganging (specify kit separately)	Non-contrast Contrast	TLS60R/NC TLS60R/FC									2.0#	\$ 2450 2450	\$ 2616 2627	\$ 2658 2674	\$ 2711 2729	\$ 2747 2766	\$ 2816 2842	\$ 2886 2916	\$ 2985 3022	\$ 3147 3196	\$ 3321 3382	\$ 3495 3570	\$ 3843 3942	\$ 3
TLS8	Slim Seat w/Table, Right-Facing, Four-Leg on Glides Non-contrast C.O.M = 3.5 yd 1=Base and Back - C.O.M. = 2.5 yd 2=Seat - C.O.M. = 1.25 yd Overall Dimensions: W=44" D=22" H=29" Seat Dimensions: W=22" D=16" H=18" Table Dimensions: W=11" D=16" Ganging (specify kit separately)	Non-contrast Contrast	TLS80R/NC TLS80R/FC									2.0#	\$ 2450 2450	\$ 2616 2627	\$ 2658 2674	\$ 2711 2729	\$ 2747 2766	\$ 2816 2842	\$ 2886 2916	\$ 2985 3022	\$ 3147 3196	\$ 3321 3382	\$ 3495 3570	\$ 3843 3942	\$ 3
			•	B	•	•	3	G	G	0															

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select power option.

 NP No power
 - WP With power; add \$317
- Select power module color. WPBL - Black/Black power module
 - WPSL Silver/White power module WPWH - White/White power module
- ①Select moisture barrier.

MB - Moisture barrier NMB - No moisture barrier

See pricing column for moisture barrier upcharge.

- Select base finish color.

 Refer to the **Product Color Options** page in this
- Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

GSelect fabric contrast 2. Refer to <u>ki.com/fabrics</u>

Select laminate color.

Refer to the **Product Color Options** page in this price list.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

\$411
\$411
\$411
\$411
\$446
\$446
\$446
\$446
\$446
\$446
\$280
\$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Seating



Tattoo™ Seating
Ottoman

			MODEL NI	IIMRED						•											
	MODEL	Features	Basic Model	Moist. Barrier	Base Finish	Non- Contrast or Fabric Contrast 1	Fabric Contrast 2	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	Ottoman, Four-Leg on Casters	Non-contrast	TL3600/NC					35.0#	\$ 1293	\$ 1375	\$ 1397	\$ 1422	\$ 1441	\$ 1475	\$ 1511	\$ 1559	\$ 1640	\$ 1728	\$ 1814	\$ 1989	\$ 253
2	Non-contrast C.O.M = 2 yd	Full-contrast	TL3600/FC					35.0#	1293	1387	1412	1442	1461	1501	1541	1598	1691	1790	1889	2088	253
	 1=Base - C.O.M. = 1 yd 2=Seat - C.O.M. = 1 yd 																				
	Overall Dimensions: W=22" D=22" H=18"																				
	Seat Dimensions: W=22" D=22" H=18"																				
9"																					
TL36																					
	Ottoman, Four-Leg on Glides	Non-contrast	TL3800/NC					35.0#	\$ 1293	\$ 1375	\$ 1397	\$ 1422	\$ 1441	\$ 1475	\$ 1511	\$ 1559	\$ 1640	\$ 1728	\$ 1814	\$ 1989	\$ 253
2	 Non-contrast C.O.M = 2 yd 1=Base - C.O.M. = 1 yd 	Contrast	TL3800/FC					35.0#	1293	1387	1412	1442	1461	1501	1541	1598	1691	1790	1889	2088	253
	• 2=Seat - C.O.M. = 1 yd																				
	Overall Dimensions: W=22" D=22" H=18"																				
	Seat Dimensions: W=22" D=22" H=18"																				
-																					
TL38																					
			A	B	(0	A														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select moisture barrier.

MB - Moisture barrier

NMB - No moisture barrier See pricing column for moisture barrier

Select base finish color. Refer to the **Product Color Options** page in this

OSelect non-contrast or fabric contrast 1. Refer to <u>ki.com/fabrics</u>

Select fabric contrast 2. Refer to ki.com/fabrics

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model TLT603 \$411 TLT604 \$411 TLT803 \$411 TLT804 \$411 TLS600 \$446 TLS800 \$446 TLS60Q \$446 TLS80Q \$446 TLS60R \$446 TLS80R \$446 TL3600 \$280 TL3800 \$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo[™] Seating Occasional Table



Tattoo™ Seating Occasional Table

		MODEL NUMBER																				
				Power Module Color	Moist. Barrier	Base Finish	Non- Contrast or Fabric Contrast 1	Lam. Color	Approx. Packaged Weight	Grade C.O.M.	Grade C	Grade D	Grade E & C.O.L.	Grade F	Grade G	Grade H	Grade I	Grade J	Grade K	Grade L Leather	Grade M Leather	Moisture Barrier add to list price
	Occasional Table, Four Leg on Casters • Non-contrast C.O.M = 1 yd Overall Dimensions: W=22" D=22" H=18" Table Dimensions: W=22" D=22" H=18"	TLE600							57.0#	\$ 1769	\$ 1802	\$ 1811	\$ 1824	\$ 1830	\$ 1845	\$ 1861	\$ 1881	\$ 1917	\$ 1954	\$ 1991	\$ 2066	\$ 176
TLE6																						
	Occasional Table, Four Leg on Glides Non-contrast C.O.M = 1 yd Overall Dimensions: W=22" D=22" H=18" Table Dimensions: W=22" D=22" H=18"	TLE800							57.0#	\$ 1769	\$ 1802	\$ 1811	\$ 1824	\$ 1830	\$ 1845	\$ 1861	\$ 1881	\$ 1917	\$ 1954	\$ 1991	\$ 2066	\$ 176
TLE8																						
		A	3	Θ	O	(3	•	О														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect power option.

 NP No power
 - WP With power; add \$317
- Select power module color.
- WPBL Black/Black power module WPSL - Silver/White power module WPWH - White/White power module
- ①Select moisture barrier.
 - MB Moisture barrier

NMB - No moisture barrier See pricing column for moisture barrier upcharge.

- Select base finish color. Refer to the **Product Color Options** page in this
- Select non-contrast or fabric contrast 1. Refer to ki.com/fabrics

© Select laminate color. Refer to the **Product Color Options** page in this price list.

California TB133 Fire Safety Code

For California Technical Bulletin 133 compliant models, a Product Modification Request is required. Contact Customer Service for details.

Model	
TLT603	\$411
TLT604	\$411
TLT803	\$411
TLT804	\$411
TLS600	\$446
TLS800	\$446
TLS60Q	\$446
TLS80Q	\$446
TLS60R	\$446
TLS80R	\$446
TL3600	\$280
TL3800	\$280

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping

Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Seating
Accessories



Tattoo™ Seating Accessories

MODEL NUMBER Approx. Packaged Weight Basic Model Delivered MODEL Pricing Ganger Assembly GNGR.ASSM 2.1# \$ 72 Order one ganger assembly for each intersecting point Each ganger assembly includes two identical sets of component parts to join two Seating models together



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES **Special Carton Marking**

With specially marked information N/C

Shipping Ships assembled, FOB High Point, NC 27263, freight prepaid. Freight class 175

Tattoo™ Tables General Information



Tattoo[™] Tables
General Information









	Rectangular (18" High)	Rectangular (29" High)	Square (18" High)	Square (29" High)
Features				
Fixed	•	•	•	•
Adjustable glides	•	•	•	•
General Dimensions				
Height	18"	29"	18"	29"
Тор	30"W x 44"D	30"W x 44"D	30"W x 30"D	30"W x 30"D
Square Base	23"	23"	20"	20"



Laminate; 3/4" rigid Poly edge; square corner (73P)

INFORMATION

WarrantyRefer to KI Terms & Conditions document or visit ki.com

General Information

TECHNICAL SPECIFICATIONS

Base

The table base assembly consists of a column upright with a base plate at the floor and a table support plate attached at the top, both attach to the column using $^5/_{16}$ -18 cap head screws. The column is 3" in diameter and is constructed of 14-gauge steel, with threaded straps welded in each end for base and table support plate attachment. The square base plate is constructed of $^1/_4$ " thick steel plate with $^1/_2$ " radiused corners and has $^3/_4$ " steel glide bushings welded near each corner for adjustable glides. All 30" x 44" rectangular tops receive a $23^3/_4$ " x $23^3/_4$ " base plate and 30" x 30" tops use a 20" x 20" base plate. The table support plate is of 7-gauge steel and attaches to the underside of the table using #12 x $^3/_4$ " Phillips pan head screws.

Glides

Adjustable glides are 1" diameter, nickel plated with $\frac{5}{16}$ " stems and offer $\frac{1}{2}$ " of adjustability.

Laminate Table Surfaces

Laminate tops feature a $^{3}/_{4}$ " high-density particleboard core with a .030" thick high-pressure laminate top and a .028" thick phenolic backer (bottom). The table edge is 2mm polypropylene (73P) edge. Tops are pre-drilled for the table bases.

Base Finishes


The base components are finished in electrostatically applied hybrid powdercoating. The coating is then fused and cured in a baking oven to form a smooth, continuous finish that is chemical-resistant, hard, tough and mar-resistant. Powder-coated paint is available in all standard KI paint colors except for chrome.


Compliance

Tattoo Table is designed and manufactured to meet or exceed required ANSI/BIFMA x5.5-2014.

DIMENSIONS

Overall Dimension													
Table Model	A Height	В	С	D	E	F							
TADAA3044	29"	29.93"	43.93"	20.5"	10"	3"							
TADDA3044	18"	29.93"	43.93"	20.5"	10"	3"							
TADAC30	29"	29.93"	29.93"	13.5"	5"	5"							
TADDC30	18"	29.93"	29.93"	13.5"	5"	5"							









Tattoo™ Tables

STATEMENT OF LINE

29" Height Table



18" Height Table



Tattoo™ Tables Product Color Options



Tattoo™ Tables
Product Color Options

Laminate Color		Cayenne	ECY	Surf's Up	SP
Belair	LBQ	Cherry Storm	ECX	Twilight Shadow	TI
Biltmore Cherry	LBT	Cocobala	ECC	Ultra Blue	UB
Black	LBK	Cool Grey	ECG	Warm Grey	WG
Brighton Walnut	LBW	Earthen Clay	EEY	Zesty Lime	ZL
Canyon Zephyr	LCA	Everglade Shade	EEV		
Castle Oak	LCO	Flannel	EFN		
Casual Linen	LCU	Florence Walnut	EFC		
Cherry Storm	LCX	Friston Ash	EFH		
Classic Linen	LCI	Frosty White	EFW		
Cloud Zephyr	LCL	Hazy Jade	EHJ		
Cocobala	LCC	Honey Bee	EHY		
Crisp Linen	LRI	Italian Silver Ash	EIT		
Desert Zephyr	LDZ	Kensington Maple	EKM		
Dove Grey	LDG	Light Tone	ELG		
Fired Steel	LIL	Mardi Gras	EMG		
Flax Linen	LXF	Misty Brown	EMY		
Florence Walnut	LFC	Monticello Maple	EMT		
Forged Steel	LOL	Nemo	ENE		
Friston Ash	LFH	Nordic	END		
Frosty White	LFW	Poppy Red	EPR		
Graphite Nebula	LGN	Purple Haze	EPH		
Grey	LGE	River Cherry	ERY		
High Rise	LHE	Rubber Ducky	ERK		
Hollyberry	LHY	Sand	ESA		
Irish Linen	LIH	Sky Blue	ESK		
Island	LID	Sterling Ash	EAZ		
Italian Silver Ash	LIT	Surf's Up	ESP		
Kensington Maple	LKM	Twilight Shadow	ETI		
Lapis Blue	LLB	Ultra Blue	EUB		
Markerboard White	LMK	Warm Grey	EWG		
Misted Zephyr	LMR	Windsor Mahogany	EWY		
Monticello Maple	LMT	Zesty Lime	EZL		
Nickel Evolv	LNV	Zooty Ziiilo	222		
North Sea	LNA	Base Finish			
Ocean	LON	Black	BL		
Pearl Bisque	LPB	Blue Grey	GR		
Pearl Silver	LPS	Bronze Metallic	ZM		
Pressed Linen	LPR	Cayenne	CY		
River Cherry	LRY	Champagne Metallic	CM		
Rugged Linen	LRG	Cool Grey	CG		
Satin Stainless	LSS	Cottonwood	CO		
Shadow Zephyr	LSR	Earthen Clay	EY		
	LSV	Espresso Metallic	EX		
Silicon evolv	LAZ	Everglade Shade	EV		
Sterling Ash Tailored Linen	LAZ LTL	Flannel	FN		
		Glitz Metallic	GZ		
Titanium evolv	LTV	Hazy Jade	HJ		
White Nebula White Sand	LWL LWN	Honey Bee	НҮ		
		Light Tone	LG		
Windsor Mahogany	LWY	Mardi Gras	MG		
Edge Color for 73P Edge		Misty Brown	MY		
Belair	EBQ	Nemo	NE		
Biltmore Cherry	EBT	Nordic	ND		
Black	EBL	Purple Haze	PH		
Blue Grey	EGR	Rubber Ducky	RK		
Brighton Walnut	EBW	Sand	SA		
Castle Oak	ECO	Starlight Silver Metallic	SX		


Finish Cards **Hard Plastics** <u>Paints</u> Wood/Veneer <u>Molded Edges</u> View color swatches for items listed within this document. Plastics/Poly <u>Laminates</u> Edge Styles <u>Glass</u>

Tattoo™ Tables

Column Base - 18" High



Tattoo™ Tables



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
73P - 73P edge

©Select edge color.

Refer to the **Product Color Options** page in this price list.

Select surface finish.

Refer to the **Product Color Options** page in this price list.

Select base finish.

Refer to the Product Color Options page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.

Tattoo™ Tables Column Base - 29" High



Tattoo[™] Tables
Column Base - 29" High

								▼		
		MODEL N	UMBER							
MODEL	A x B	Basic Model	Edge Style	Edge Color	Surface Finish	Base Finish	Approx. Packaged Weight	Delivered Pricing		
Rectangle Table	30 x 44"	TADAA3044	73P				89.4 kg	\$ 968		
• 3" column • 23" square base • Adjustable glides										
TADAA										
Square Table • 3" column • 20" square base • Adjustable glides	30 x 30"	TADAC30	73P				67.3 kg	\$ 864		
TADAC										
		A	₿	•	0	(3				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect edge style.
73P - 73P edge

Select edge color.
Refer to the **Product Color Options** page in this price list.

②Select surface finish.
Refer to the **Product Color Options** page in this price list.

Select base finish.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.



TECHNICAL SPECIFICATIONS

Toggle Dual & Triple Motor Electric-Base (Model EL, ELC & SS)

General

The Model EL table consists of two adjustable height T-bases (centered column on a horizontal foot). The Model ELC table consists of two adjustable height C-Bases (off centered column on a horizontal foot). Bases attach to a tabletop support that spans the two bases. The Model SS table consists of three adjustable height C-Bases (off centered column on a horizontal foot). Bases attach to the tabletop support that spans the three bases. All tabletops adjusts between 25" and 51" from the floor by means of electric controls that can be located at either end of the table.

Base

The base consists of a column assembly and foot both finished with baked-on 30-sheen powder-coat paint. The column assembly consists of an outer member, an intermediate member and an inner member. The outer member consists of a $2^3/_8$ " x $4^3/_8$ " rectangular 14-gauge steel tubing with a $1/_4$ " steel plate welded on the top end. The intermediate member consists of a $2^{11} \times 4^{11} \times 4^{11}$

Tabletop Support

The tabletop support consists of a 14-gauge $1" \times 1"$ steel tubing attached to each leg column with 6 mm bolts. An 11-gauge U-shaped cross member connects each leg assembly for stability.

Tabletop

Tabletops are constructed with $1^{1}/8^{\circ}$ thick 45 lb density particleboard core. The top surface is covered with high-pressure laminate. The bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high-impact plastic edging. Model EL and ELC tabletops are pre-drilled and attached to the bases using eight M5.5 x 22 pan head screws. Model SS tabletops are pre-drilled and attached to the bases using sixteen M5.5 x 22 pan head screws.

Control Box

The control box comes standard with an integrated two button controller. Tables also ship standard with a more compact corded two-button remote control switch. This allows two switch options for every customer. All table controllers come standard with programmable container/shelf stop, and ISP (Intelligent System Protection). The stand-by power consumption is 0.3 watts. Refer to "Toggle Control Unit Product Specifications" (KI-62686) for more details.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.

Polyester Felt Modesty Panel

Modesty panels are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The panel is $^1/_2$ " thick with a density of .05 lb/ft. Panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are $9^1/_4$ " high by $46^1/_2$ ", $52^1/_2$ ", $58^1/_2$ ", $64^1/_2$ ", $70^1/_2$ " and $82^1/_2$ " wide.

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels $46\frac{1}{2}$ " wide use two hooks per panel. Panels $52\frac{1}{2}$ ", $58\frac{1}{2}$ ", $64\frac{1}{2}$ ", $70\frac{1}{2}$ " and $82\frac{1}{2}$ " wide use three hooks per panel.

TECHNICAL SPECIFICATIONS

Dual Motor T-Leg Electric-Base Table Operating Capacity Chart

Model Number	Operating Load Capacity
TOGL2448EL	220 lb
TOGL2454EL	215 lb
TOGL2460EL	210 lb
TOGL2466EL	205 lb
TOGL2472EL	200 lb
TOGL3048EL	210 lb
TOGL3054EL	205 lb
TOGL3060EL	200 lb
TOGL3066EL	192 ¹ / ₂ lb
TOGL3072EL	185 lb
TOGL3648EL	200 lb
TOGL3654EL	1921/2 lb
TOGL3660EL	185 lb
TOGL3666EL	177 ¹ / ₂ lb
TOGL3672EL	170 lb
TOGLC3048ELC	180 lb

Triple Motor C-Leg Electric-Base Square Shoe Table Operating Capacity Chart

Model Number	Operating Load Capacity
TOGLSS244860	260 lb
TOGLSS244866	255 lb
TOGLSS244872	250 lb
TOGLSS244884	240 lb
TOGLSS246048	260 lb
TOGLSS246648	255 lb
TOGLSS247248	250 lb
TOGLSS248448	240 lb
TOGLSS304860	250 lb
TOGLSS304866	245 lb
TOGLSS304872	235 lb
TOGLSS304884	225 lb
TOGLSS306048	250 lb
TOGLSS306648	245 lb
TOGLSS307248	235 lb
TOGLSS308448	225 lb

Dual Motor C-Leg Electric-Base Table Operating Capacity Chart

Model Number	Operating Load Capacity
TOGL2448ELC	220 lb
TOGL2454ELC	215 lb
TOGL2460ELC	210 lb
TOGL2466ELC	205 lb
TOGL2472ELC	200 lb
TOGL3048ELC	210 lb
TOGL3054ELC	205 lb
TOGL3060ELC	200 lb
TOGL3066ELC	192¹/₂ lb
TOGL3072ELC	185 lb
TOGL3648ELC	200 lb
TOGL3654ELC	192¹/₂ lb
TOGL3660ELC	185 lb
TOGL3666ELC	1771/ ₂ lb
TOGL3672ELC	170 lb
TOGLC3048ELC	I 80 lb
·	·

Toggle® Table

TECHNICAL SPECIFICATIONS

Toggle Fixed-Base (Model FX)

General

The table consists of two T-bases (centered column on a horizontal foot) supporting a tabletop. The top of the tabletop is 29" from the floor. See page 11 for top sizes.

Base

The base consists of a top plate, column and foot all finished with baked-on 30-sheen powder-coat paint. The top plate is 6-gauge thick steel. The column consists of a $2^3/_8$ " x $4^3/_8$ " rectangular 14-gauge steel tubing with a $^1/_4$ " thick steel plate welded on the bottom and top end. The top plate is attached to the column with four 6 mm bolts. The foot consists of an extruded aluminum component with a nylon toe cap inserted into each end. The foot is attached to the column with four 6 mm bolts. Two $1^1/_2$ " diameter nylon base leveling glides are threaded into the foot.

Tabletop

Tabletops are constructed with $1^{1}/8^{\circ}$ thick 45 lb density particleboard core. The top surface is covered with high-pressure laminate. The bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high impact plastic edging. The tabletop is pre-drilled and attached to each mounting plate using seven # $10 \times 1^{\circ}$ tapping screws.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations.

Polyester Felt Modesty Panel

Modesty panels are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The panel is $^1/_2$ " thick with a density of .05 lb/ft. Panels are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard sizes are $9^1/_4$ " high by $46^1/_2$ ", $52^1/_2$ ", $58^1/_2$ ", $64^1/_2$ ", $70^1/_2$ " and $82^1/_2$ " wide.

Mounting Hooks

The mounting hooks are 18-gauge steel and attach underneath the tabletop using two steel screws. Panels $46^{1}/2^{n}$ wide use two hooks per panel. Panels $52^{1}/2^{n}$, $58^{1}/2^{n}$, $64^{1}/2^{n}$, $70^{1}/2^{n}$ and $82^{1}/2^{n}$ wide use three hooks per panel.




Toggle® Table


TECHNICAL SPECIFICATIONS

Wire Trough Placement on Dual Motor Electric-Base Tables (Model EL & ELC)


For Dual Motor Electric-Base Tables, an optional wire trough can be mounted directly over the cross support tubes. For 36" deep rectangular tables and 120-degree tables, the optional wire trough may also be mounted behind the cross support tubes if desired.



Rectangular Dual Motor Electric-Base Tables, 24"-36" Deep (24" x 48" Model EL shown)



Rectangular Dual Motor Electric-Base Tables, 30"-36" Deep (30" x 48" Model EL shown)




120° Dual Motor Electric-Base Tables, 30" Deep (30" x 48" Model CELC shown)


TECHNICAL SPECIFICATIONS

Wire Trough Placement on Fixed-Base Tables (Model FX)

For 60" and 72" wide Fixed-Base Tables, an optional wire trough can be mounted centered or along the rear edge of the tabletop. The optional wire troughs are not available for 48" wide rectangular tables due to insufficient clearance between the leg mounting plates.




Rectangular Fixed-Base Tables, 48" Wide (24" x 48" Model FX shown)



Rectangular Fixed-Base Tables, 60"-72" Wide (24" x 60" Model FX shown)






Rectangular Fixed-Base Tables, 60"-72" Wide (24" x 60" Model FX shown)



TECHNICAL SPECIFICATIONS

Wire Trough Placement on Triple Motor Electric-Base Tables (Model SS)
For Triple Motor Electric-Base Tables, an optional wire trough can be mounted directly over the cross support tubes on the left- and right-hand side of the table. Reference the chart below to specify wire troughs for all applicable Triple Motor Electric-Base Table models. The tabletops below will have appropriate pre-drilled holes to accept the wire trough listed.



Square Shoe Triple Motor Electric-Base Tables, (30" x 48" x 72" Model SS shown)


Triple Motor C-Leg Electric-Base Square Shoe Table
Wire Trough Chart

Wire Irough Chart										
Model Number	Left-Side Wire Trough	Right-Side Wire Trough								
TOGLSS244860	24"	36"								
TOGLSS244866	24"	36"								
TOGLSS244872	24"	48"								
TOGLSS244884	24"	48"								
TOGLSS246048	36"	24"								
TOGLSS246648	36"	24"								
TOGLSS247248	48"	24"								
TOGLSS248448	48"	24"								
TOGLSS304860	24"	36"								
TOGLSS304866	24"	36"								
TOGLSS304872	24"	48"								
TOGLSS304884	24"	48"								
TOGLSS306048	36"	24"								
TOGLSS306648	36"	24"								
TOGLSS307248	48"	24"								
TOGLSS308448	48"	24"								

TECHNICAL SPECIFICATIONS

Universal Height-Adjustable Screen on Triple Motor Electric-Base Tables (Model SS)

Reference chart below to specify the privacy screens for all applicable Triple Motor Electric-Base Table models. The tabletops below will have appropriate pre-drilled holes to accept the Universal Height-Adjustable Privacy Screen Model listed.



Square Shoe Triple Motor Electric-Base Tables, (30" x 48" x 72" Model SS shown)

Triple Motor C-Leg Electric-Base Square Shoe Table Universal Height-Adjustable Screen Chart


		0 ,		
Model Number	Left-Side Table Depth Universal Height-Adjustable Screen	Right-Side Table Depth Universal Height-Adjustable Screen	Left-Side Table Width Universal Height-Adjustable Screen	Right-Side Table Width Universal Height-Adjustable Screen
TOGLSS244860	NA	USPF2324	USPF4624	USPF5824
TOGLSS244866	NA	USPF2324	USPF4624	USPF6424
TOGLSS244872	NA	USPF2324	USPF4624	USPF7024
TOGLSS244884	NA	USPF2324	USPF4624	USPF8224
TOGLSS246048	USPF2324	NA	USPF5824	USPF4624
TOGLSS246648	USPF2324	NA	USPF6424	USPF4624
TOGLSS247248	USPF2324	NA	USPF7024	USPF4624
TOGLSS248448	USPF2324	NA	USPF8224	USPF4624
TOGLSS304860	NA	USPF2924	USPF4624	USPF5824
TOGLSS304866	NA	USPF2924	USPF4624	USPF6424
TOGLSS304872	NA	USPF2924	USPF4624	USPF7024
TOGLSS304884	NA	USPF2924	USPF4624	USPF8224
TOGLSS306048	USPF2924	NA	USPF5824	USPF4624
TOGLSS306648	USPF2924	NA	USPF6424	USPF4624
TOGLSS307248	USPF2924	NA	USPF7024	USPF4624
TOGLSS308448	USPF2924	NA	USPF8224	USPF4624




Toggle® Tables

DIMENSIONS - Dual Motor T-Leg Electric-Base Table (Model EL)


	Statement of Line Measurements													
Dimension	Model Number	A Table Depth	B Table Width	C Between Legs	D Between Feet	E Tabletop- to-Leg	F Tabletop- to-Foot	G Tabletop- to-Support	H Foot Size	I Front Edge of Worksurface-to-Leg	J Back Edge of Worksurface-to-Leg			
24 × 48"	TOGL2448EL	23.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	23.625"	12.9"	12.9"			
24 × 54"	TOGL2454EL	23.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	23.625"	12.9"	12.9"			
24 × 60"	TOGL2460EL	23.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	23.625"	12.9"	12.9"			
24 x 66"	TOGL2466EL	23.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	23.625"	12.9"	12.9"			
24 × 72"	TOGL2472EL	23.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	23.625"	12.9"	12.9"			
30 x 48"	TOGL3048EL	29.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	29.625"	15.9"	15.9"			
30 x 54"	TOGL3054EL	29.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	29.625"	15.9"	15.9"			
30 × 60"	TOGL3060EL	29.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	29.625"	15.9"	15.9"			
30 x 66"	TOGL3066EL	29.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	29.625"	15.9"	15.9"			
30 x 72"	TOGL3072EL	29.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	29.625"	15.9"	15.9"			
36 x 48"	TOGL3648EL	35.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	29.625"	18.9"	18.9"			
36 x 54"	TOGL3654EL	35.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	29.625"	18.9"	18.9"			
36 x 60"	TOGL3660EL	35.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	29.625"	18.9"	18.9"			
36 x 66"	TOGL3666EL	35.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	29.625"	18.9"	18.9"			
36 x 72"	TOGL3672EL	35.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	29.625"	18.9"	18.9"			
30 x 48"	TOGLC3048ELC	44.16"	80.5"	47"	45.31"	14.86"	14.47"	12.62"	29.625"	16.33"	23.49"			




Rectangular Dual Motor T-Leg Electric-Base Table



120° Corner Dual Motor T-Leg Electric-Base Table



Rectangular Dual Motor T-Leg Electric-Base Table




120° Corner Dual Motor T-Leg Electric-Base Table




DIMENSIONS - Dual Motor C-Leg Electric-Base Table (Model ELC)


	Statement of Line Measurements													
Dimension	Model Number	A Table Depth	B Table Width	C Between Legs	D Between Feet	E Tabletop- to-Leg	F Tabletop- to-Foot	G Tabletop- to-Support	H Foot Size	I Front Edge of Worksurface-to-Leg	J Back Edge of Worksurface-to-Leg			
24 × 48"	TOGL2448ELC	23.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	23.625"	12.9"	6.24"			
24 x 54"	TOGL2454ELC	23.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	23.625"	12.9"	6.24"			
24 × 60"	TOGL2460ELC	23.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	23.625"	12.9"	6.24"			
24 x 66"	TOGL2466ELC	23.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	23.625"	12.9"	6.24"			
24 x 72"	TOGL2472ELC	23.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	23.625"	12.9"	6.24"			
30 x 48"	TOGL3048ELC	29.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	29.625"	15.9"	9.24"			
30 x 54"	TOGL3054ELC	29.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	29.625"	15.9"	9.24"			
30 × 60"	TOGL3060ELC	29.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	29.625"	15.9"	9.24"			
30 x 66"	TOGL3066ELC	29.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	29.625"	15.9"	9.24"			
30 x 72"	TOGL3072ELC	29.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	29.625"	15.9"	9.24"			
36 x 48"	TOGL3648ELC	35.5"	46.5"	35"	33.31"	3.84"	3.45"	1.60"	29.625"	18.9"	12.24"			
36 x 54"	TOGL3654ELC	35.5"	52.5"	41"	39.31"	3.84"	3.45"	1.60"	29.625"	18.9"	12.24"			
36 x 60"	TOGL3660ELC	35.5"	58.5"	47"	45.31"	3.84"	3.45"	1.60"	29.625"	18.9"	12.24"			
36 x 66"	TOGL3666ELC	35.5"	64.5"	53"	51.31"	3.84"	3.45"	1.60"	29.625"	18.9"	12.24"			
36 x 72"	TOGL3672ELC	35.5"	70.5"	59"	57.31"	3.84"	3.45"	1.60"	29.625"	18.9"	12.24"			
30 x 48"	TOGLC3048ELC	44.16"	80.5"	47"	45.31"	14.86"	14.47"	12.62"	29.625"	19.68"	20.15"			




Rectangular Dual Motor C-Leg Electric-Base Table



Rectangular Dual Motor C-Leg Electric-Base Table




120° Corner Dual Motor C-Leg Electric-Base Table




120° Corner Dual Motor C-Leg Electric-Base Table

DIMENSIONS - Triple Motor C-Leg Electric-Base Table (Model SS)

	Statement of Line Measurements												
Dimension	Model Number	A Left-Side Table Depth	B Left-Side Table Width	C Right-Side Table Width	D Right-Side Table Depth	E Left-Side Between Legs	F Right-Side Between Legs	G Foot Size					
24 x 48 x 60"	TOGLSS244860	23.5"	47.5"	59.5"	23.5"	31"	43"	23.625"					
24 × 48 × 66"	TOGLSS244866	23.5"	47.5"	65.5"	23.5"	31"	49"	23.625"					
24 × 48 × 72"	TOGLSS244872	23.5"	47.5"	71.5"	23.5"	31"	55"	23.625"					
24 x 48 x 84"	TOGLSS244884	23.5"	47.5"	83.5"	23.5"	31"	67"	23.625"					
24 x 60 x 48"	TOGLSS246048	23.5"	59.5"	47.5"	23.5"	43"	31"	23.625"					
24 x 66 x 48"	TOGLSS246648	23.5"	65.5"	47.5"	23.5"	49"	31"	23.625"					
24 x 72 x 48"	TOGLSS247248	23.5"	71.5"	47.5"	23.5"	55"	31"	23.625"					
24 x 84 x 48"	TOGLSS248448	23.5"	83.5"	47.5"	23.5"	67"	31"	23.625"					
30 x 48 x 60"	TOGLSS304860	29.5"	47.5"	59.5"	29.5"	31"	43"	29.625"					
30 x 48 x 66"	TOGLSS304866	29.5"	47.5"	65.5"	29.5"	31"	49"	29.625"					
30 x 48 x 72"	TOGLSS304872	29.5"	47.5"	71.5"	29.5"	31"	55"	29.625"					
30 x 48 x 84"	TOGLSS304884	29.5"	47.5"	83.5"	29.5"	31"	67"	29.625"					
30 x 60 x 48"	TOGLSS306048	29.5"	59.5"	47.5"	29.5"	43"	31"	29.625"					
30 x 66 x 48"	TOGLSS306648	29.5"	65.5"	47.5"	29.5"	49"	31"	29.625"					
30 x 72 x 48"	TOGLSS307248	29.5"	71.5"	47.5"	29.5"	55"	31"	29.625"					
30 x 84 x 48"	TOGLSS308448	29.5"	83.5"	47.5"	29.5"	67"	31"	29.625"					




Square Shoe Triple Motor Electric-Base Table




Square Shoe Triple Motor C-Leg Electric-Base Table

DIMENSIONS - Fixed-Base Table (Model FX)

	Statement of Line Measurements												
Dimension	Model Number	A Table Depth	B Table Width	C Between Legs	D Between Feet	E Tabletop- to-Leg	F Tabletop- to-Foot	G Foot Size	H Front Edge of Worksurface-to-Leg	I Back Edge of Worksurface-to-Leg			
24 x 48"	TOGL2448FX	23.5"	46.5"	35"	34.21"	3.39"	3"	23.625"	9.59"	9.59"			
24 x 54"	TOGL2454FX	23.5"	52.5"	41"	40.21"	3.39"	3"	23.625"	9.59"	9.59"			
24 x 60"	TOGL2460FX	23.5"	58.5"	47"	46.21"	3.39"	3"	23.625"	9.59"	9.59"			
24 x 66"	TOGL2466FX	23.5"	64.5"	53"	52.21"	3.39"	3"	23.625"	9.59"	9.59"			
24 x 72"	TOGL2472FX	23.5"	70.5"	59"	58.21"	3.39"	3"	23.625"	9.59"	9.59"			
30 x 48"	TOGL3048FX	29.5"	46.5"	35"	34.21"	3.39"	3"	29.625"	12.59"	12.59"			
30 x 54"	TOGL3054FX	29.5"	52.5"	41"	40.21"	3.39"	3"	29.625"	12.59"	12.59"			
30 x 60"	TOGL3060FX	29.5"	58.5"	47"	46.21"	3.39"	3"	29.625"	12.59"	12.59"			
30 x 66"	TOGL3066FX	29.5"	64.5"	53"	52.21"	3.39"	3"	29.625"	12.59"	12.59"			
30 x 72"	TOGL3072FX	29.5"	70.5"	59"	58.21"	3.39"	3"	29.625"	12.59"	12.59"			
36 x 48"	TOGL3648FX	35.5"	46.5"	35"	34.21"	3.39"	3"	29.625"	15.59"	15.59"			
36 x 54"	TOGL3654FX	35.5"	52.5"	41"	40.21"	3.39"	3"	29.625"	15.59"	15.59"			
36 x 60"	TOGL3660FX	35.5"	58.5"	47"	46.21"	3.39"	3"	29.625"	15.59"	15.59"			
36 x 66"	TOGL3666FX	35.5"	64.5"	53"	52.21"	3.39"	3"	29.625"	15.59"	15.59"			
36 x 72"	TOGL3672FX	35.5"	70.5"	59"	58.21"	3.39"	3"	29.625"	15.59"	15.59"			







DIMENSIONS - Wire Trough

Wire Trough Width	Dual Motor Table Width
24"	48"
36"	60"
48"	72"

Wire Trough Width	Fixed Table Width
36"	60"
48"	72"







11




DIMENSIONS - Polyester Felt Modesty Panel

Toggle Rectangular Tables
Reference chart below to specify the polyester felt modesty panel screens for all applicable Toggle
Rectangular Table models. The tabletops below will have appropriate pre-drilled holes to accept the polyester felt modesty panel.







Toggle Rectangular Tables with Polyester Felt Modesty Panel (side view)(30" x 54" Model FX shown)

13


	Р	olyester F	elt Modes	ty Pane	Measur	rements	on Rectangula	ar Tables		
Table Dimension	Model Number	A Modesty Panel Height	B Modesty Panel Width	Number of Hooks		Table Dimension	Model Number	A Modesty Panel Height	B Modesty Panel Width	Numbe of Hook
24 x 48"	TOGL2448FX	9.25"	46.5"	2		30 x 66"	TOGL3066EL	9.25"	64.5"	3
24 x 54"	TOGL2454FX	9.25"	52.5"	3		30 x 72"	TOGL3072EL	9.25"	70.5"	3
24 x 60"	TOGL2460FX	9.25"	58.5"	3		36 x 48"	TOGL3648EL	9.25"	46.5"	2
24 x 66"	TOGL2466FX	9.25"	64.5"	3		36 x 54"	TOGL3654EL	9.25"	52.5"	3
24 x 72"	TOGL2472FX	9.25"	70.5"	3		36 x 60"	TOGL3660EL	9.25"	58.5"	3
30 x 48"	TOGL3048FX	9.25"	46.5"	2		36 x 66"	TOGL3666EL	9.25"	64.5"	3
30 x 54"	TOGL3054FX	9.25"	52.5"	3		36 x 72"	TOGL3672EL	9.25"	70.5"	3
30 x 60"	TOGL3060FX	9.25"	58.5"	3		24 x 48"	TOGL2448ELC	9.25"	46.5"	2
30 x 66"	TOGL3066FX	9.25"	64.5"	3		24 x 54"	TOGL2454ELC	9.25"	52.5"	3
30 x 72"	TOGL3072FX	9.25"	70.5"	3		24 x 60"	TOGL2460ELC	9.25"	58.5"	3
36 x 48"	TOGL3648FX	9.25"	46.5"	2		24 x 66"	TOGL2466ELC	9.25"	64.5"	3
36 x 54"	TOGL3654FX	9.25"	52.5"	3		24 x 72"	TOGL2472ELC	9.25"	70.5"	3
36 x 60"	TOGL3660FX	9.25"	58.5"	3		30 x 48"	TOGL3048ELC	9.25"	46.5"	2
36 x 66"	TOGL3666FX	9.25"	64.5"	3		30 x 54"	TOGL3054ELC	9.25"	52.5"	3
36 x 72"	TOGL3672FX	9.25"	70.5"	3		30 x 60"	TOGL3060ELC	9.25"	58.5"	3
24 x 48"	TOGL2448EL	9.25"	46.5"	2		30 x 66"	TOGL3066ELC	9.25"	64.5"	3
24 x 54"	TOGL2454EL	9.25"	52.5"	3		30 x 72"	TOGL3072ELC	9.25"	70.5"	3
24 x 60"	TOGL2460EL	9.25"	58.5"	3		36 x 48"	TOGL3648ELC	9.25"	46.5"	2
24 x 66"	TOGL2466EL	9.25"	64.5"	3		36 x 54"	TOGL3654ELC	9.25"	52.5"	3
24 x 72"	TOGL2472EL	9.25"	70.5"	3		36 x 60"	TOGL3660ELC	9.25"	58.5"	3
30 x 48"	TOGL3048EL	9.25"	46.5"	2		36 x 66"	TOGL3666ELC	9.25"	64.5"	3
30 x 54"	TOGL3054EL	9.25"	52.5"	3		36 x 72"	TOGL3672ELC	9.25"	70.5"	3
30 × 60"	TOGL3060EL	9.25"	58.5"	3						




DIMENSIONS - Polyester Felt Modesty Panel

Toggle 120° Corner Tables

Reference chart below to specify the polyester felt modesty panel screens for all applicable Toggle 120° Corner Table models. The tabletops below will have appropriate pre-drilled holes to accept the polyester felt modesty panel.



Toggle 120° Corner Tables with Polyester Felt Modesty Panel (back view)(30" x 48" Model EL shown)




Toggle 120° Corner Tables with Polyester Felt Modesty Panel (side view)(30" x 48" Model EL shown)


Polyes	Polyester Felt Modesty Panel Measurements on 120° Corner Tables												
Table Dimension	Model Number	A Modesty Panel Height	B Modesty Panel Width	Number of Hooks									
30 x 48"	TOGLC3048EL	9.25"	52.5"	3									
30 x 48"	TOGLC3048ELC	9.25"	52.5"	3									

DIMENSIONS - Polyester Felt Modesty Panel

Toggle Square Shoe Tables
Reference chart below to specify the polyester felt modesty panel screens for all applicable Toggle
Square Shoe Table models. The tabletops below will have appropriate pre-drilled holes to accept the polyester felt modesty panel.



Toggle Square Shoe Tables with Polyester Felt Modesty Panel (back view)(30" x 48" Model EL shown)




Toggle Square Shoe Tables with Polyester Felt Modesty Panel (side view)(30" x 48" Model EL shown)


Polye	ster Felt Mod	esty Panel	Measuren	nents on Sq	uare Shoe	Tables
Table Dimension	Model Number	A Modesty Panel Height	B Rear Modesty Panel Width	Number of Hooks for Rear Modesty Panel	C Side Modesty Panel Width	Number of Hooks for Side Modesty Panel
24 × 48 × 60"	TOGLSS244860	9.25"	46.5"	2	58.5"	3
24 x 48 x 66"	TOGLSS244866	9.25"	46.5"	2	64.5"	3
24 × 48 × 72"	TOGLSS244872	9.25"	46.5"	2	70.5"	3
24 x 48 x 84"	TOGLSS244884	9.25"	46.5"	2	82.5"	3
24 x 60 x 48"	TOGLSS246048	9.25"	58.5"	3	46.5"	2
24 x 66 x 48"	TOGLSS246648	9.25"	64.5"	3	46.5"	2
24 x 72 x 48"	TOGLSS247248	9.25"	70.5"	3	46.5"	2
24 x 84 x 48"	TOGLSS248448	9.25"	82.5"	3	46.5"	2
30 x 48 x 60"	TOGLSS304860	9.25"	46.5"	2	58.5"	3
30 x 48 x 66"	TOGLSS304866	9.25"	46.5"	2	64.5"	3
30 x 48 x 72"	TOGLSS304872	9.25"	46.5"	2	70.5"	3
30 x 48 x 84"	TOGLSS304884	9.25"	46.5"	2	82.5"	3
30 x 60 x 48"	TOGLSS306048	9.25"	58.5"	3	46.5"	2
30 x 66 x 48"	TOGLSS306648	9.25"	64.5"	3	46.5"	2
30 x 72 x 48"	TOGLSS307248	9.25"	70.5"	3	46.5"	2
30 x 84 x 48"	TOGLSS308448	9.25"	82.5"	3	46.5"	2

STATEMENT OF LINE


Toggle Dual Motor T-Leg Electric-Base Table (Model EL)




Toggle Dual Motor C-Leg Electric-Base Table (Model ELC)



Toggle Fixed-Base Table (Model FX)



Toggle Triple Motor C-Leg Electric-Base Table (Model SS)



Toggle® Tables

uct Color Options



loggle® lable

Section 10							—		
Profession	Surface FinishLaminate				Rubber Ducky				
Book	Belair	LBQ	Black		Sand		Spring		
Profession	Biltmore Cherry	LBT					Tidal Wave	FTTW	
Section	Black	LBK							
Second	•				•				
Profession									
Second									
Part					Zesty Lime	EZL			
Part					Edge Color for KN Edge				
Month Mont						FRO			
Sector			_						
Descripton 100					•				
Profession	· · · · · · · · · · · · · · · · · · ·								
Section 10 10 10 10 10 10 10 1									
Second 196 Second 197 Seco	-								
Proposition 15									
Profession									
Polity Name									
Control Cont									
Manual					· · · · · · · · · · · · · · · · · · ·				
Decembro	· ·								
Professor Prof			'						
Post	-								
Select Color Col	Hollyberry								
Marie Mari	Irish Linen								
Same Color									
Marie Mari									
Line Line Line Rame Line Rame Line			•						
Model Agrows May Sy Wine Sy	·								
Marie Mari									
Montace Working L/M Selection San Low Surf Surf Surf EM Montace Working EM Noche Evor L/M Verifying Shardow ETI Montace EII Montace EII Ocean L/M Verifying Shardow EVI Montace EII Montace EII Pearl Silour LPB Windson Mahogary EVI Pearl Silour EPY River Cliency LPB Surf Schardow EII Montace Cliency ERY River Cliency LPB Surf Schardow EII Surf Schardow ERY River Cliency LPB Surf Schardow EII Surf Schardow EIX Salies Stankes LBB Blue Give EIB Surf Schardow EX Silicon evolv LSP Guerral Schardow EIR Surf Schardow EX Silicina evolv LIV Eucher Clue EVI Burbar Schardow EVI Trainnium evol LIV Eucher Schardow EVI Winder Arbodosyn EVI </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Morth Sid	·		•						
Notice Coran Cor					·				
Octate Colination Close Popply Red EPR Pearl Blaque LPS Windsor Mahogany EVS Popply Pleaze EPY Persond Line LPS Vindsor Mahogany EZL River Cherry ERY River Cherry LRY Rughed Line LSS Black EB Sud on Samination ESA Salin Stainless LSS Black EB Surf Sulp ERY EXP Silicon evolv LSS Blue Grey EGR Serlemin Ash EX Surf Sulp EXP Silicon evolv LXZ Cayrence EGR Serlemin Ash EX Surf Sulp EXP Silicon evolv LXZ Cayrence EGR Virtual Status EX EX Silicon evolv LXZ Exerthe Clay EY Utra Blue EX EX Silicon evolv LXZ Exerthe Clay EY Virtua Blue EX EX Winter Sand Windows LW Frosty White EX Exert Midsor Ma			•						
Peat Slure LPS Valid Cuty EMP Purple Haze EMP Peast Slure LPS Vision Mhodgany EW River Cherry ERV River Cherry LPG Sego Cuty for 54B Edge Smither Dubber Ducky ESA Sundow Statiess LSG Black Crey ERV Swy Blue ESA Sindow Sandow LSV Cayenne EGF Surfling Ash EGF Cayenne EGF Utha Bule EUB Titanium evolv LTL Earthen Clay EFF Windoor Mahogany EW Mindoor Mahogany EW Windoor Mahogany LW Frosty Wine EFF Windoor Mahogany EFF Vision Medical Sea EW Windoor Mahogany EW Black BL Marid Gras EM Marid Gras EFF Planel FRV Silver Silver Marid Gras EM Marid Gras FRV Planel FRV Mindoor Mahogany LW Marid Gras EM Planel FRV Plan									
Press Pres	•								
First Firs									
Rugged Linen Rugged Linen Line Rugged Linen Ru			Zesty Lime	EZL					
Sain Sain Sain Sain Sain Sain Sain Sain			Edge Color for 54B Edge		,				
Saladov Zephyr Shadow Zephyr Silcon evolv Scrig Ash La Cool Grey Cool Grey EFY Viris Blue Grey EFY Viris Bus EFY Vi				FRI					
Silicon Volv Silicon Volv Silicon Volv Sterling Ash IAZ Carden Clay Erry ITalanium evolv White Nebula White Nebula White Sand IMP Forsy White Honey Bee									
Sterling Ash LAZ Cool Grey ECG Twilight Shadow ETI Tailored Linen LTL Earthen Clay EEY Utra Blue EUB Titanium evolv LTV Everglade Shade EEV Warm Grey EWG White Nebula LWL Flannel Frw Windsor Mahogany EWY White Sand LWN Foxty White EFW Zesty Lime EZL Windsor Mahogany LWY Hazy Jade EHY Polyester Felt Modesty Panel Black BL Mardi Gras EMG FAWN FTDD Silver SL Misty Brown EMF Famel FTFW White White Benefit Famel FTFW White White FTM FTM White White FTM FTM Wh			•						
Tallored Linen Tallored Linen Titanium evolv Titanium evolv White Nebula White Sand Windsor Mahogany Windsor Mahogany Windsor Mahogany Base and Trough Paint Color Black Silver White Silver White Mony Mony Silver White Mony Silver									
Tidanium evolv LTV Flannel ERV Marm Grey EWG White Nebula LWL Flannel ERV Marm Grey EWG White Sand LWN Forsy White Sand LWN Honey Bee EHV Honey Bee EHY Honey Bee EHY Honey Beard Trough Paint Color Black Black BL Wardi Gras EWG Windsor Manogany Steer Pell Wordsom Silver White Sand Frough Paint Color Black Black BL Wardi Gras EWG Windsor Marogany Steer Pell Wordsom Silver White Sand Trough Paint Color Silver Steer Wardi Gras EWG Windsor Marogany EWG Windsor Wardi Gras EWG Windsor									
Mike Nebula LWL Forty White Aedu LWL Hazy Jade EFW Zesty Lime EFW Vindsor Mahogany EWY Hazy Jade EHW Jadesty Panel EHW Jadesty Panel EHW Hazy Jade EHW Jadesty Panel EHW									
White Sand LWN White Sand Trough Paint Color Base and Trough Paint Color Black Black BL Wardi Gras EM Silver White Silv									
Windsor Mahogany Windsor Mahogany Base and Trough Paint Color Black BL Silver SILver White Whit									
Honey Bee Honey Base and Trough Paint Color Light Tone ELight Tone ELight Tone Elight Gras EMBI Mardi Gras EMBI Misty Brown EMBI Misty Brown EMBI Misty Brown EMBI Misty Brown EMBI Heather FIFIN FIFIN Edge Color for 74P Edge Color for 74P Edge Fire Hones Honey Edge Color for 74P Edge Honey Edge Honey Edge Color for 74P Edge Honey Edge Honey Edge Color for 74P Edge Honey Edge Hone						LLL			
Base and Trough Paint Color Black BL Mardi Gras EMG Fawn FIND Flannel Find Find Find Find Find Find Find Find	Windsor Mahogany	LWY			Polyester Felt Modesty Panel				
Black BL Mardi Gras EMG Fawn FTFW Silver SL Misty Brown EMY Flannel FTFN White WH Nemo ENE Edge Color for 74P Edge Floor for 74P Edge Mardi Gras EMG Fawn FTFW Flannel FTFN Flannel FTFN Flannel FTFN FTFN FTFN FTFN FTFN FTFN FTFW FTRN FTFW FTFW FTFW FTFW FTFW FTFW FTFW FTF	Rase and Trough Paint Color				Dandelion				
Silver SL Misty Brown EMY Flannel FTFN White WH Nemo ENE Heather FTLV Edge Color for 74P Edge Poppy Red EPR Milard EPR Milard FTLV		RI			Fawn				
White WH Nemo ENE Heather FTHR Nordic END Lava FTLV Edge Color for 74P Edge Poppy Red EPR Mallard FTML					Flannel				
Nordic Edge Color for 74P Edge Poppy Red EPR Mallard FTM					Heather				
Edge Color for 74P Edge Poppy Red Poppy Red EPR Mallard FTML Midwight Plus	WHITE	VVIT			Lava				
Toppy flod Lift Midwight Dive	Edge Color for 74P Edge				Mallard				
T diplotitude Li i i		EBQ			Midnight Blue	FTMB			
			. a.p.oa.c	2111					

Toggle® T-Leg Tables





yıc	I-LUY	ιανι
•	•	Fixed E

		MODEL NUI	VIBER											
							Polyester							
							Modesty	Арр		1-1/4" Vinyl	₩			
MODEL	AxB	Basic Model	Edge Style	Modesty Panel	Edge Color	Surface Finish	Panel Color	Pac We		Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	e Knife Edge (KN)	
Rectangular Fixed Base Tables - 24"D	23-1/2 x 46-1/2"	TOGL2448FX						1	35.0#	\$ 609	\$ 699	\$ 728	\$ 750	
A • 29" High	23-1/2 x 52-1/2"	TOGL2454FX							35.0#	631	735	760	791	
	23-1/2 x 58-1/2"	TOGL2460FX							95.0#	640	745	773	811	
	23-1/2 x 64-1/2"	TOGL2466FX							95.0#	656	789	815	878	
TGFX	23-1/2 x 70-1/2"	TOGL2472FX						11	05.0#	678	800	833	900	
Rectangular Fixed Base Tables - 30"D	29-1/2 x 46-1/2"	TOGL3048FX							97.0#	\$ 676	\$ 773	\$ 804	\$ 807	
A • 29" High	29-1/2 x 52-1/2"	TOGL3054FX						•	97.0#	735	847	885	933	
	29-1/2 x 58-1/2"	TOGL3060FX						10	09.0#	747	862	897	944	
В	29-1/2 x 64-1/2"	TOGL3066FX						10	09.0#	780	908	945	1032	
TGFX	29-1/2 x 70-1/2"	TOGL3072FX						1:	21.0#	794	921	959	1047	
Rectangular Fixed Base Tables - 36"D	35-1/2 x 46-1/2"	TOGL3648FX						11	04.0#	\$ 706	\$ 811	\$ 842	\$ 913	
• 29" High	35-1/2 x 52-1/2"	TOGL3654FX						10	04.0#	767	890	928	1013	
	35-1/2 x 58-1/2"	TOGL3660FX						1:	21.0#	783	905	941	1029	
В	35-1/2 x 64-1/2"	TOGL3666FX						1:	21.0#	828	928	964	1335	
TGFX	35-1/2 x 70-1/2"	TOGL3672FX						1;	36.0#	839	936	973	1349	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge

Select modesty panel.

NMP - No modesty panel

PMP - Polyester felt modesty panel; add \$186

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish.
Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

KN - Knife edge (KN) and Postformed edge (PL) on Knife edge (KN) edge (KN) and Postformed edge (PL) on Knife edge (KN) edge

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Toggle® T-Leg Tables Dual Motor Electric Base





			MODEL NUI	/IBER								
						Polyester			(a)			
			Pagio	Edga Madaa	. Edge Curtees B	Modesty	Approx. Packaged		Y Vinyl	74P Edge	Postformed Edge	Vnita Edga
	MODEL	AxBxC	Basic Model	Edge Modes Style Panel		nish Color	Weight	Bullno (54B)		(74P)	(PL)	Knife Edge (KN)
	Rectangular Dual Motor Electric Base	23-1/2 x 46-1/2"	TOGL2448EL				131.0#	\$ 20	078 \$	\$ 2158	\$ 2203	\$ 2245
	Tables - 24"D	23-1/2 x 52-1/2"	TOGL2454EL				131.0#	21	102	2195	2255	2280
	26-52" Electrically adjustable Simple up (down quiteb	23-1/2 x 58-1/2"	TOGL2460EL				141.0#	21	117	2209	2270	2296
В	Simple up/down switchMaximum operating load varies (see	23-1/2 x 64-1/2"	TOGL2466EL				141.0#	21	150	2263	2349	2354
TGEL	chart below)	23-1/2 x 70-1/2"	TOGL2472EL				151.0#	21	165	2273	2362	2364
	3-Stage base											
	Rectangular Dual Motor Electric Base	29-1/2 x 46-1/2"	TOGL3048EL				143.0#	\$ 21	165 \$	\$ 2252	\$ 2310	\$ 2344
	A Tables - 30"D	29-1/2 x 52-1/2"	TOGL3054EL				143.0#	22	225	2324	2398	2417
	26-52" Electrically adjustable Simple up/down switch	29-1/2 x 58-1/2"	TOGL3060EL				155.0#	22	240	2340	2414	2433
В	Maximum operating load varies (see	29-1/2 x 64-1/2"	TOGL3066EL				155.0#	22	280	2392	2490	2502
TGEL	chart below)	29-1/2 x 70-1/2"	TOGL3072EL				168.0#	22	291	2405	2502	2514
	3-Stage base											
	Rectangular Dual Motor Electric Base	35-1/2 x 46-1/2"	TOGL3648EL				151.0#	\$ 21	193 \$	\$ 2285	\$ 2375	\$ 2378
	A Tables - 36"D	35-1/2 x 52-1/2"	TOGL3654EL				151.0#	22	255	2367	2454	2472
	26-52" Electrically adjustable Simple up/down switch	35-1/2 x 58-1/2"	TOGL3660EL				168.0#	22	272	2378	2472	2485
В	Maximum operating load varies (see	35-1/2 x 64-1/2"	TOGL3666EL				168.0#	23	312	2398	2495	2763
TGEL	chart below)	35-1/2 x 70-1/2"	TOGL3672EL				182.0#	23	324	2411	2507	2773
	3-Stage base											

HOW TO ORDER

Indicate the following information on order form: 1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - 74P edge - Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add \$186

DSelect edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish. Refer to the **Product Color Options** page in this

Surface finish offerings are based on edge style selections.

Select base finish.

 $\mathbf{\Theta}$

D 3

Refer to the **Product Color Options** page in this price list.

GSelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

INFORMATION

MAXIMUM OPERATING LOAD

Model Size Maximum Operating Load 2448EL/C 220 Pounds 2460EL/C 210 Pounds 2472EL/C 200 Pounds 210 Pounds 3048EL/C 3060EL/C 200 Pounds 3072EL/C 185 Pounds 3648EL/C 200 Pounds 185 Pounds 3660EL/C 3672EL/C 170 Pounds 3048EL/C (corner) 180 Pounds

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Toggle® C-Leg Tables Dual Motor Electric Base





								V					
			MODEL NUM	IBER									
						Τ			(
							Polyester			6			
							Modesty	Approx.		1-1/4" Vinyl		5	
	MODEL	AxBxC	Basic Model	Edge Mode Style Panel	Surface Finish	Base Finish	Panel Color	Package Weight		Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)
	-	23-1/2 x 46-1/2"	TOGL2448ELC					131.0		\$ 2078	\$ 2158	\$ 2203	\$ 2245
	Rectangular Dual Motor Electric Base												
	Tables - 24"D • 26-52" Electrically adjustable	23-1/2 x 52-1/2"	TOGL2454ELC					131.0 _i		2102	2195	2255	2280
	Simple up/down switch	23-1/2 x 58-1/2"	TOGL2460ELC					141.0	#	2117	2209	2270	2296
В	Maximum operating load varies (see	23-1/2 x 64-1/2"	TOGL2466ELC					141.0 _i	#	2150	2263	2349	2354
TGEC	chart below)	23-1/2 x 70-1/2"	TOGL2472ELC					151.0 _i	#	2165	2273	2362	2364
	3-Stage base												
	Rectangular Dual Motor Electric Base	29-1/2 x 46-1/2"	TOGL3048ELC					143.0;	# 5	\$ 2165	\$ 2252	\$ 2310	\$ 2344
	Tables - 30"D	29-1/2 x 52-1/2"	TOGL3054ELC					143.0	#	2225	2330	2398	2422
		29-1/2 x 58-1/2"	TOGI 3060FLC					155 0	#	2240	2340	2414	2433
B													
TOTO													
IGEC		29-1/2 X /U-1/2	10GL3072ELG					100.Ui	#	2291	2405	2502	2014
	Tectangular Dual Motor Electric Base	35-1/2 x 46-1/2"	TOGL3648ELC					151.0 _i	# 5	\$ 2193	\$ 2285	\$ 2375	\$ 2378
		35-1/2 x 52-1/2"	TOGL3654ELC					151.0 _i	#	2263	2367	2458	2472
	26-52" Electrically adjustable	35-1/2 x 58-1/2"	TOGL3660ELC					168.0 _i	#	2272	2378	2472	2485
<u> </u>								168.0	#	2312	2398	2495	2763
TGEC													
TOLO		00 1/2 x 70-1/2	TOGLOOFZEED					102.01	TF	LULT	2711	2001	2110
TGEC B	• 26-52" Electrically adjustable • Simple up/down switch • Maximum operating load varies (see chart below) • 3-Stage base	29-1/2 x 52-1/2" 29-1/2 x 58-1/2" 29-1/2 x 64-1/2" 29-1/2 x 70-1/2" 35-1/2 x 46-1/2" 35-1/2 x 52-1/2"	TOGL3054ELC TOGL3060ELC TOGL3066ELC TOGL3072ELC TOGL3648ELC TOGL3654ELC					143.0i 155.0i 155.0i 168.0i 151.0i	# # # # #	2225 2240 2280 2291 \$ 2193 2263	2330 2340 2392 2405 \$ 2285 2367	2398 2414 2490 2502 \$ 2375 2458	2422 2433 2502 2514 \$ 2378 2472

HOW TO ORDER

Indicate the following information on order form: 1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add \$186

DSelect edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish. Refer to the **Product Color Options** page in this

A

(3)

 $\mathbf{\Theta}$

O

(3)

(3)

G

Surface finish offerings are based on edge style selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

INFORMATION

MAXIMUM OPERATING LOAD

Model Size Maximum Operating Load 2448EL/C 220 Pounds 2460EL/C 210 Pounds 2472EL/C 200 Pounds 3048EL/C 210 Pounds 3060EL/C 200 Pounds 3072EL/C 185 Pounds 200 Pounds 3648EL/C 3660EL/C 185 Pounds 3672EL/C 170 Pounds 3048EL/C (corner) 180 Pounds

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Toggle® Square Shoe Tables Triple Motor Electric Base



Toggle® Square Shoe Tables Triple Motor Electric Base

			MODEL NUME	BER					
								Polyester	
								Modesty	
	MODEL	AxBxC	Basic Model	Edge Mod Style Pan	desty Edge el Colo		Base Finish	Panel Color	Packaged Bullnose 74P Edge Knife Edge Weight (54B) (74P) (KN)
	Square Shoe Triple Motor Electric Base	24 x 60 x 48"	T0GLSS246048						·
A	Tables (Left) - 24"D • 26-52" Electrically adjustable	24 x 66 x 48"	TOGLSS246648						
	Simple up/down switch	24 x 72 x 48"	T0GLSS247248						
•	Maximum operating load varies (see	24 x 84 x 48"	T0GLSS248448						211.0# 3026 3126 3273
	chart below)								
TGSS	3-Stage base								
	 Includes two modesty panel appropri- ately sized for each non-user side of the 	1							
	table when specified								
B	Square Shoe Triple Motor Electric Base	24 x 48 x 60"	T0GLSS244860						192.0# \$ 2556
A D	Tables (Right) - 24"D	24 x 48 x 66"	T0GLSS244866						
	 26-52" Electrically adjustable 	24 x 48 x 72"	T0GLSS244872						
	Simple up/down switch	24 x 48 x 84"	T0GLSS244884						
	 Maximum operating load varies (see chart below) 	217 10701	100200211001						211.00 0020 0120 0210
TGSS	3-Stage base								
1033	 Includes two modesty panel appropri- 								
	ately sized for each non-user side of the)							
	table when specified								
		00 00 40"	T0010000000						000 0
	Square Shoe Triple Motor Electric Base	30 x 60 x 48"	T0GLSS306048						
	Tables (Left) - 30"D • 26-52" Electrically adjustable	30 x 66 x 48"	T0GLSS306648						
	Simple up/down switch	30 x 72 x 48"	T0GLSS307248						
	Maximum operating load varies (see	30 x 84 x 48"	T0GLSS308448						227.0# 3051 3150 3298
	chart below)								
TGSS	3-Stage base								
	 Includes two modesty panel appropri- ately sized for each non-user side of the 								
	table when specified								
B	Square Shoe Triple Motor Electric Base	30 x 48 x 60"	T0GLSS304860						203.0# \$ 2581
A A	Tables (Right) - 30"D	30 x 48 x 66"	T0GLSS304866						
C	 26-52" Electrically adjustable 	30 x 48 x 72"	T0GLSS304872						
	Simple up/down switch	30 x 48 x 84"	T0GLSS304884						
	 Maximum operating load varies (see chart below) 								
TGSS	• 3-Stage base								
1 000	 Includes two modesty panel appropri- 								
	ately sized for each non-user side of the)							
	table when specified								
			A	B	6 6	(3	(3)	G	

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - 74P edge - Knife edge

Knife edge (KN) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$370

• Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the **Product Color Options** page in this Surface finish offerings are based on edge style

selections.

Select base finish.

Refer to the **Product Color Options** page in this price list.

GSelect modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this price list.

INFORMATION

MAXIMUM OPERATING LOAD

Model Size Operating Load 246048 260 Pounds 246648 255 Pounds 247248 250 Pounds 248448 240 Pounds 244860 260 Pound 244866 255 Pounds 244872 250 Pounds 244884 240 Pounds 306048 250 Pounds 306648 245 Pounds 307248 235 Pounds 308448 225 Pounds 304860 250 Pound 304866 245 Pounds 304872 235 Pounds 225 Pounds 304884 TGB0.3EL.24 330 Pounds TGB0.3EL.30 330 Pounds

SPECIAL SERVICES

Special Carton Marking

With specially marked information

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Toggle® Tables





				*
		MODEL NUMBER		
			Approx.	
		Basic Model	Packaged	Delivered
			Weight	Pricing
~	Deluxe Switch with Presets	TG.REMOTE.LCD.6	1.0#	\$ 117
	 Includes digital display and 3 preset button 			
	Must be ordered separately			
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
HRDPT				
	Caster Kit - 2-Leg Table	TGCA	1.0#	\$ 76
	 Includes mounting plates and 16 thread 			
	cutting screws to mount on the under-			
	side of the feet2 locking and 2 non-locking black			
	casters			
	 Must be ordered separately 			
HRDPT				
TINDET	Undermount R8 Module	14.1450.SLVR	3.0#	\$ 302
	Silver in color	14.1430.3EVI1	J.UT	ψ 502
	 Includes 8-15A, 120 VAC receptacles, 			
2011 II	2 outer most rotated 90 degrees to			
	accommodate large plugs			
	144" power cordUnder table mount attaches with 4			
HRDPT	screws (included)			
	 Module hangs down from surface 1" to 			
	allow easier access to plug in/unplug			
	Inlcudes 4 wire management clipsETL listed for US and Canada			
	• Dimensions are 16.3" x 2.3" x 2.8"			
	Vertical Cable Manager	47.2320.SLVR	1.0#	\$ 112
	Silver in color Multi directional manager holds utimed in			
	 Multi-directional manager holds wires in static and adjustable tables 			
	Weighted base keeps manager in positor			
	 Includes magnetic link to easily attach to 			
	table leg			
	Attaches to underside of table with or without wire management trough			
	without wire management troughIncludes 63 links, 1-3 link magnetic			
	piece, 1 top connector, 2 screws, 1 base			
A	plate			
HRDPT				
וווערו				
		A		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Toggle® Tables





MODEL NUMBER MODEL NUMBER Paint Packaged Weight Paint Packaged Weight Paint Packaged Pricing	
MODEL L Basic Paint Color Weight Delivered Pricing Wire Trough * Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough * Steel construction * Steel construction * Steel construction Delivered Pricing * 92	
MODEL L Basic Paint Color Weight Delivered Pricing Wire Trough * Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough * Steel construction * Steel construction * Steel construction Delivered Pricing * 92	
MODEL L Basic Paint Color Weight Delivered Pricing Wire Trough * Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough * Steel construction * Steel construction * Steel construction Delivered Pricing * 92	
MODEL L Model Color Weight Pricing Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction	
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Steel construction	
 Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction 	
through trough • Steel construction	
Steel construction	
pilot holes	
• Mounting hardware included • 9-1/2" wide x 4-1/4" high x 24" long	
• One kit for 48" rectangle or 48" side of	
square shoe tables	
Wire Trough	
Keeps wires enclosed and tidy	
Open design makes it easy to feed cables through trough	
• Steel construction	
Intended for installation into pre-drilled	
HRDPT pilot holes A Mountain bordware included	
Mounting hardware included 9-1/2" wide x 4-1/4" high x 36" long	
• One kit for 60" rectangle and corner or	
60-66" side of square shoe tables	
Wire Trough 48" TG.TROUGH.72 □□ 10.0# \$ 131	
Keeps wires enclosed and tidy Open design makes it easy to feed cables	
through trough	
Steel construction	
Intended for installation into pre-drilled pilot holes	
Mounting hardware included	
HRDPT • 9-1/2" wide x 4-1/4" high x 48" long • One kit for 72" rectangle or 72-84" side	
• One kit for 72" rectangle or 72-84" side	
of square shoe tables	
$oldsymbol{A}$	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.



WorkUp® Tables

TECHNICAL SPECIFICATIONS

WorkUp Crank-Base (Model CR)

General

The table consists of two adjustable height T-bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface will adjust between 27.11" and 44.83" from the floor by means of a front crank that can be located at either end of the table. A $^{3}/_{4}$ " diameter steel connecting rod spans from column to column to enable simultaneous adjustment of both columns.

Base

The base consists of a column assembly and foot, both finished with baked on 30 sheen powder-coat paint. The column assembly consists of an outer member and an inner member. The outer member is $2^3/4^n$ square, 14-gauge steel tubing with a $1/4^n$ steel plate welded on the bottom end. The inner member is $2^1/2^n$ square, 14-gauge steel tubing with a $1/4^n$ steel plate welded on the top end. The foot is made of two formed and welded 11-gauge steel components and is attached to the column with 8mm bolts. Two $1^1/2^n$ diameter nylon base leveling glides are threaded into the foot. The base adjusts at a rate of $6^1/3^n$ turns per inch.

Worksurface Support

The worksurface support is formed II-gauge steel support members with 1/4" steel attachment plates. The worksurface support is attached to the column with 8mm bolts.

Worksurface

Worksurfaces are constructed of $1^{1}/8^{\circ}$ thick 45 lb. density particle board core. The top surface is covered with high-pressure laminate and the bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high impact plastic edging. The worksurface is pre-drilled and attached to the bases using sixteen $\#12 \times 1^{\circ}$ tapping screws.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.

WorkUp Fixed-Base (Model FX)

General

The table consists of two T-bases (centered column on a horizontal foot) supporting a worksurface. The top of the worksurface will be 29" from the floor. See pages 8 & 9 for top sizes.

Base

The base consists of a top plate, welded to a column and a foot, all finished with baked on 30 sheen powder-coat paint. The top plate is $\frac{1}{4}$ " thick steel. The column is $\frac{2}{2}$ " square, $\frac{14}{2}$ gauge steel tubing with a $\frac{1}{4}$ " steel plate welded on the bottom end. The foot is made of two formed and welded $\frac{11}{2}$ gauge steel components. The top plate and foot is attached to the column with 8mm bolts. Two $\frac{1}{2}$ " diameter nylon base leveling glides are threaded into the foot.

Worksurface

Worksurfaces are constructed of $1^{1}/8^{\circ}$ thick 45 lb. density particle board core. The top surface is covered with high-pressure laminate and the bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high impact plastic edging. The worksurface is pre-drilled and attached to the bases using sixteen $\#12 \times 1^{\circ}$ tapping screws.





Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.

WorkUp ANSI/HFES Electric-Base (Model HF)

General

The table consists of two adjustable height T-bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface will adjust between 22.35" and 48.33" from the floor by means of electric controls that can be located at either end of the table. The leg moves up or down at a speed of 50mm/sec (2"/sec). Maximum amps per table is 4 amps.

Base

The base consists of a column assembly and foot, both finished with baked on 30 sheen powder-coat paint. The column assembly consists of an outer member, an intermediate member and an inner member. The outer member is $2^3/4^n$ square, 14-gauge steel tubing with a $1/4^n$ steel plate welded on the bottom end. The intermediate member is $2^1/2^n$ square, 14-gauge steel tubing. The inner member is $2^1/4^n$ square, 14-gauge steel tubing with a $1/4^n$ steel plate welded on the top end. The foot consists of two formed and welded 11-gauge steel components and is attached to the column with 8mm bolts. Two $1^1/2^n$ diameter nylon base leveling glides are threaded into the foot.

Worksurface Support

The worksurface support is formed 11-gauge steel support members with $^{1}/_{4}$ " steel attachment plates. The worksurface support is attached to the column with 8mm bolts.

Worksurface

Worksurfaces are constructed of $1^{1}/8$ " thick 45 lb. density particle board core. The top surface is covered with high-pressure laminate and the bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high impact plastic edging. The worksurface is pre-drilled and attached to the bases using sixteen #12 x1" tapping screws.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.

WorkUp Ratchet-Base (Model RT)

Genera

The table consists of two adjustable height T-bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface adjusts to thirteen positions between 27.11" and 36.56" from the floor by manually lifting the worksurface.

Base

The base consists of a column assembly and foot, both finished with baked on 30 sheen powder-coat paint. The column assembly consists of an outer member and an inner member. The outer member is $2^3/4^{\circ}$ square, 14-gauge steel tubing with a $1/4^{\circ}$ steel plate welded on the bottom end. The inner member is $2^1/2^{\circ}$ square, 14-gauge steel tubing with a $1/4^{\circ}$ steel plate welded on the top end. The foot consists of two formed and welded 11-gauge steel components and is attached to the column with 8mm bolts. Two $1^1/2^{\circ}$ diameter nylon base leveling glides are threaded into the foot.

Worksurface Support

The worksurface support is formed 11-gauge steel support members with 1/4" steel attachment plates. The worksurface support is attached to the column with 8mm bolts.

1

WorkUp® Tables

Worksurface

Worksurfaces are constructed of $1^{1}/8^{n}$ thick 45 lb. density particle board core. The top surface is covered with high-pressure laminate and the bottom surface is covered with a phenolic backing sheet. The perimeter is finished using high impact plastic edging. The worksurface is pre-drilled and attached to the bases using sixteen #12 x1" tapping screws.

Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.

WorkUp Counterbalance-Base (Model CB)

General

The table consists of two adjustable height T-bases (centered column on a horizontal foot) attached to a worksurface support that spans the two bases and supports a worksurface. The top of the worksurface will adjust between $28^1/4^n$ and $46^3/4^n$ from the floor by activating a release lever and manually lifting or lowering the worksurface. The worksurface weight is counterbalanced by pneumatic springs to minimize the manual force required to move the worksurface. The two bases are synchronized with steel bands to maintain a level worksurface. The column uses a roller bearing system to minimize friction in the column.

Base

The base consists of a column assembly and foot finished with baked-on 30 sheen powder-coat paint. The column assembly consists of an outer member and an inner member. The outer member is $2^3/4^n$ square, 14-gauge steel tubing. The inner member is $2^1/2^n$ square, 14-gauge steel tubing with a $1^1/4^n$ steel plate welded on the bottom end. The foot consists of two formed and welded 11-gauge steel components and is attached to the column with 8mm bolts. Two $1^1/2^n$ diameter nylon base leveling glides are threaded into the foot.

Worksurface Support


The worksurface support consists of two steel end supports and two steel cross supports welded together using rectangular steel tubing, 50mm x 25mm x 2mm wall thickness. The worksurface support is attached to the column with 8mm bolts.


Worksurface

Worksurfaces are constructed of $1^{1}/8^{\circ}$ thick 45 lb. density particle board core. The top surface is covered with high-pressure laminate and the bottom surface is covered with phenolic backing sheet. The perimeter is finished using high impact plastic edging. The worksurface is pre-drilled and attached to the base using M5 x 70mm tapping screws.


Wire Trough

The wire trough is an optional accessory which must be ordered separately. Constructed of 18-gauge steel with a powder-coated finish which may be coordinated to match the color of table legs. Screws are provided for attachment to the underside of the tabletop, and tops are pre-drilled for wire trough locations. Provides six access holes to feed wires or install cable management systems.






WorkUp Fixed-Base (Model FX)




WorkUp ANSI/HFES Electric-Base (Model HF)







WorkUp Ratchet-Base (Model RT)





WorkUp Counterbalance-Base (Model CB)






Wire Trough Width	Table Width
24"	48" & 54"
36"	60" & 66"
48"	72"








24" Wire Trough

36" Wire Trough





48" Wire Trough



Wire Trough Placement (Fixed-Base Tables)


For Fixed-Base Tables (excluding the 36" and 42" wide rectangular models), an optional wire trough can be mounted in the center of the tabletop, under the leg mounting plates. For 36" deep rectangular tables and 120-degree tables, the optional wire trough may also be mounted along the rear edge of the tabletops, behind the leg mounting plates, if desired. The optional wire troughs are not available for 36" and 42" wide rectangular tables due to insufficient clearance between the legs.






WorkUp Rectangular Fixed-Base Tables, 22"-36" Deep (22" x 48" Model FX shown)

24" wire trough (mounted along the rear edge of the tabletop, behind the leg mounting plates)




WorkUp Rectangular Fixed-Base Tables, 36" Deep (36" x 48" Model FX shown)

24" wire trough (mounted along the rear edge of the tabletop, behind the leg mounting plates)



WorkUp 120° Fixed-Base Tables, 24" Deep (24" x 36" Model FX shown)




WorkUp Rectangular Fixed-Base Tables, 36" & 42" Wide (22" x 36" Model FX shown)

Wire Trough Placement (Ratchet, Crank & Counterbalance-Base Tables)


For Ratchet, Crank, and Counterbalance Tables, an optional wire trough can be mounted in the center of the tabletop. For 36" deep rectangular tables and 120-degree tables, the optional wire trough may also be mounted along the rear edge of the tabletops, behind the worksurface support beam, if desired.

24" wire trough (mounted in the center of the tabletop, under the worksurface support beams)





WorkUp Rectangular Ratchet, Crank & Counterbalance-Base Tables, 22"-36" Deep (22" x 48" Model RT shown)

24" wire trough (mounted along the rear edge of the tabletop behind the worksurface support beam)



WorkUp Rectangular Ratchet, Crank & Counterbalance-Base Tables, 36" Deep (36" x 48" Model RT shown)







WorkUp 120° Ratchet, Crank & Counterbalance-Base Tables, 24" Deep (24" x 36" Model RT shown)

Wire Trough Placement (Electric-Base Tables)


For Electric-Base Tables, an optional wire trough can be mounted in the center of the tabletop. For 22" & 24" deep rectangular tables, the optional wire trough can be mounted under the rear support beam. For 36" deep rectangular tables and 120-degree tables, the optional wire trough may also be mounted along the rear edge of the tabletops, behind the worksurface support beam, if desired.






WorkUp Rectangular Electric-Base Tables, 22"-24" Deep (22" x 48" Model HF shown)

24" wire trough (mounted in the center of the tabletop under the worksurface support beams)




WorkUp Rectangular Electric-Base Tables, 22"-36" Deep (22" x 48" Model HF shown)

24" wire trough (mounted along the rear edge of the tabletop behind the worksurface support beam)



WorkUp Rectangular Electric-Base Tables, 36" Deep (36" x 48" Model HF shown)




WorkUp 120° Electric-Base Tables, 30" Deep (30" x 48" Model HF shown)





STATEMENT OF LINE


WorkUp Ratchet, Crank, ANSI/HFES Electric and Counterbalance-Base Models





STATEMENT OF LINE (CONTINUED)

WorkUp Fixed-Base (Model FX)



WorkUp® Tables Product Color Options



Surface FinishLaminate		Earthen Clay	EY			Rubber Ducky	ERK
Belair	LBQ	Everglade Shade	EV	Edge Color for 54B Edge		Sand	ESA
Biltmore Cherry	LBT	Glitz Metallic	GZ	Black	EBL	Sky Blue	ESK
Black	LBK	Hazy Jade	HJ	Blue Grey	EGR	Sterling Ash	EAZ
Brighton Walnut	LBW	Honey Bee	HY	Cayenne	ECY	Surf's Up	ESP
Canyon Zephyr	LCA	Mardi Gras	MG	Cool Grey	ECG	Twilight Shadow	ETI
Castle Oak	LC0	Misty Brown	MY	Earthen Clay	EEY	Ultra Blue	EUB
Casual Linen	LCU	Nemo	NE	Everglade Shade	EEV	Warm Grey	EWG
Cherry Storm	LCX	Purple Haze	PH	Flannel	EFN	Windsor Mahogany	EWY
Classic Linen	LCI	Rubber Ducky	RK	Frosty White	EFW	Zesty Lime	EZL
Cloud Zephyr	LCL	Starlight Silver Metallic	SX	Hazy Jade	EHJ	Lancar Octobra Octobra	
Cocobala	LCC	Surf's Up	SP	Honey Bee	EHY	Inner Column Color	
Crisp Linen	LRI	Twilight Shadow	TI	Light Tone	ELG	Black	IBL
Desert Zephyr	LDZ	Ultra Blue	UB	Mardi Gras	EMG	Silver	ISV
Dove Grey	LDG	Warm Grey	WG	Misty Brown	EMY	White	IWH
Fired Steel	LIL	Zesty Lime	ZL	Nemo	ENE	Polyester Felt Modesty Panel	
Flax Linen	LXF			Nordic	END	Dandelion	FTDD
Florence Walnut	LFC	Edge Color for 74P Edge		Poppy Red	EPR	Fawn	FTFW
Forged Steel	LOL	Belair	EBQ	Purple Haze	EPH	Flannel	FTFN
Friston Ash	LFH	Biltmore Cherry	EBT	Rubber Ducky	ERK	Heather	FTHR
Frosty White	LFW	Black	EBL	Sand	ESA	Lava	FTLV
Graphite Nebula	LGN	Blue Grey	EGR	Sky Blue	ESK	Mallard	FTML
Grey	LGE	Brighton Walnut	EBW	Surf's Up	ESP	Midnight Blue	FTMB
High Rise	LHE	Castle Oak	ECO	Twilight Shadow	ETI	Pepper	FTPR
Hollyberry	LHY	Cayenne	ECY	Ultra Blue	EUB	Spring	FTSG
Irish Linen	LIH	Cherry Storm	ECX	Warm Grey	EWG		FTTW
Island	LID	Cocobala	ECC	Zesty Lime	EZL	Tidal Wave	FIIVV
Italian Silver Ash	LIT	Cool Grey	ECG				
Kensington Maple	LKM	Earthen Clay	EEY	Edge Color for KN Edge			
Lapis Blue	LLB	Everglade Shade	EEV	Belair	EBQ		
Markerboard White	LMK	Flannel	EFN	Biltmore Cherry	EBT		
Misted Zephyr	LMR	Florence Walnut	EFC	Black	EBL		
Monticello Maple	LMT	Friston Ash	EFH	Blue Grey	EGR		
Nickel Evolv	LNV	Frosty White	EFW	Brighton Walnut	EBW		
North Sea	LNA	Hazy Jade	EHJ	Castle Oak	ECO		
Ocean	LON	Honey Bee	EHY	Cayenne	ECY		
Pearl Bisque	LPB	Italian Silver Ash	EIT	Cherry Storm	ECX		
Pearl Silver	LPS	Kensington Maple	EKM	Cocobala	ECC		
Pressed Linen	LPR	Light Tone	ELG	Cool Grey	ECG		
River Cherry	LRY	Mardi Gras	EMG	Earthen Clay	EEY		
Rugged Linen	LRG	Misty Brown	EMY	Everglade Shade	EEV		
Satin Stainless	LSS	Monticello Maple	EMT	Flannel	EFN		
Shadow Zephyr	LSR	Multiplex	EMB	Florence Walnut	EFC		
Silicon evolv	LSV	Nemo	ENE	Friston Ash	EFH		
Sterling Ash	LAZ	Nordic	END	Frosty White	EFW		
Tailored Linen	LTL	Poppy Red	EPR	Hazy Jade	EHJ		
Titanium evolv	LTV	Purple Haze	EPH	Honey Bee	EHY		
White Nebula	LWL	River Cherry	ERY	Italian Silver Ash	EIT		
White Sand	LWN	Rubber Ducky	ERK	Kensington Maple	EKM		
	LWY	Sand	ESA	Light Tone	ELG		
Windsor Mahogany	LVV Y	Sky Blue	ESK	Mardi Gras	EMG		
Base and Trough Paint Color		Sterling Ash	EAZ	Misty Brown	EMY		
Black	BL	Surf's Up	ESP	Monticello Maple	EMT		
Blue Grey	GR	Twilight Shadow	ETI	Nemo	ENE		
Bronze Metallic	ZM	Ultra Blue	EUB	Nordic	END		
Champagne Metallic	CM	Warm Grey	EWG	Poppy Red	EPR		
Cool Grey	CG	Windsor Mahogany	EWY	Purple Haze	EPH		
Cottonwood	CO	Zesty Lime	EZL	River Cherry	ERY		

WorkUp® Tables





			MODEL N	UMBER										
							Polyester			6				
			Basic	Edge Modesty		Edge Surface	Modesty Panel	Approx. Packaged		1/4" Vinyl ıllnose	74P Edge	Postformed Edge	Knife Edge	
	MODEL	AxBxC	Model	Style Panel	Base	Color Finish	Color	Weight		4B)	(74P)	(PL)	(KN)	
<u> </u>	Rectangular Tables - 22"D	21-1/2 x 34-1/2"	WU2236FX					69.0#	\$	696	\$ 791	\$ 822	\$ 850	
A H	29" heightAdjustable glides	21-1/2 x 40-1/2"	WU2242FX					66.0#		728	839	874	903	
	Adjustable glides	21-1/2 x 46-1/2"	WU2248FX					70.0#		735	849	881	908	
		21-1/2 x 52-1/2"	WU2254FX					75.0#		771	900	936	982	
(21-1/2 x 58-1/2"	WU2260FX					79.0#		773	903	940	985	
		21-1/2 x 64-1/2"	WU2266FX					91.0#		822	968	1007	1090	
		21-1/2 x 70-1/2"	WU2272FX					95.0#		826	972	1010	1094	
	Rectangular Tables - 24"D	23-1/2 x 34-1/2"	WU2436FX					64.0#	\$	696	\$ 791	\$ 822	\$ 853	
(29" heightAdjustable glides	23-1/2 x 40-1/2"	WU2442FX					69.0#		728	839	874	903	
	- Adjustable glides	23-1/2 x 46-1/2"	WU2448FX					73.0#		737	848	881	910	
		23-1/2 x 52-1/2"	WU2454FX					78.0#		771	901	936	982	
		23-1/2 x 58-1/2"	WU2460FX					83.0#		773	904	940	985	
		23-1/2 x 64-1/2"	WU2466FX					95.0#		822	970	1007	1090	
		23-1/2 x 70-1/2"	WU2472FX					100.0#		826	972	1013	1094	
	Rectangular Tables - 30"D • 29" height	29-1/2 x 34-1/2"	WU3036FX					75.0#		731	\$ 834	\$ 865	\$ 939	
	Adjustable glides	29-1/2 x 40-1/2"	WU3042FX					81.0#		771	892	928	968	
	, g	29-1/2 x 46-1/2"	WU3048FX					87.0#		819	940	972	977	
		29-1/2 x 52-1/2"	WU3054FX					93.0#		905	1039	1082	1139	
		29-1/2 x 58-1/2"	WU3060FX					99.0#		906	1042	1086	1144	
		29-1/2 x 64-1/2"	WU3066FX					112.0#		957	1112	1156	1261	
		29-1/2 x 70-1/2"	WU3072FX					118.0#		960	1117	1162	1267	
	Rectangular Tables - 36"D • 29" height	35-1/2 x 34-1/2"	WU3636FX					82.0#		796	\$ 904	\$ 941	\$ 1007	
	Adjustable glides	35-1/2 x 40-1/2"	WU3642FX					89.0#		848	977	1017	1097	
		35-1/2 x 46-1/2"	WU3648FX					96.0#		858	985	1023	1104	
		35-1/2 x 52-1/2"	WU3654FX					103.0#		944	1091	1135	1329	
		35-1/2 x 58-1/2"	WU3660FX					110.0#		949	1095	1138	1244	
		35-1/2 x 64-1/2"	WU3666FX					125.0#		1009	1128	1172	1628	
		35-1/2 x 70-1/2"	WU3672FX					132.0#		1018	1135	1180	1635	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- Postformed edge

Knife edge (KN) and Postformed edge (PL) on GSelect base finish. user side only

Select modesty panel.

NMP - No modesty panel PMP - Polyester felt modesty panel; add felt panel is chosen). \$186

• Select base option.

G - Glides

R - Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this price list.

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose

74P - 74P edge

Surface finish offerings are based on edge style selections. KN - Knife edge

selections.

price list.

Select surface finish.

Refer to the $\mbox{\bf Product Color Options}$ page in this price list.

Edge color offerings are based on edge style

Refer to the **Product Color Options** page in this

Select modesty panel color (only if polyester

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Crank Adjustable Height (Sit - Stand)



		MODEL NU	JMBER											
								Polyester	A	4.4/42	' Vinyl			
		Basic	Edge Modesty		Edge Su	rface Bas	Column	Modesty Panel	Approx. Packaged	1-1/4 Bullno	ose 74P	Edge Post	ormed Edge Knife	Edge
	AxBxC	Model	Style Panel	Base	Color Fin			Color	Weight	(54B)	(74) (PL)	(KN)	
	21-1/2 x 46-1/2"	WU2248CR							84.0#	\$ 14				
	21-1/2 x 52-1/2"	WU2254CR							90.0#					718
	21-1/2 x 58-1/2"	WU2260CR							95.0#					731
₩ B	21-1/2 x 64-1/2"	WU2266CR							101.0#					846
	21-1/2 x 70-1/2"	WU2272CR							106.0#	15	590	737 1	805 1	858
WUCR														
Rectangular Tables - 22"D														
 27-44" adjustable heights 														
Adjustable glidesAdjusts at a rate of 6-1/3 turns per														
inch														
	23-1/2 x 46-1/2"	WU2448CR		П					87.0#	\$ 14	168 \$	581 \$ 1	637 \$ 1	641
WUCR	23-1/2 x 40-1/2 23-1/2 x 52-1/2"	WU2446CR WU2454CR							93.0#					722
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2454CR WU2460CR							99.0#					731
•	23-1/2 x 56-1/2 23-1/2 x 64-1/2"	WU2466CR							105.0#					847
27-44" adjustable heights	23-1/2 x 70-1/2"	WU2472CR							111.0#					901
Adjustable glidesAdjusts at a rate of 6-1/3 turns per	23 1/2 X 10 1/2	VV02472011							111.0#	TC .	704	700	1	301
inch														
	29-1/2 x 46-1/2"	WU3048CR			1000 0				103.0#	\$ 15	592 \$	709 \$ 1	779 \$ 1	787
WUCR	29-1/2 x 52-1/2"	WU3054CR							110.0#					918
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060CR							117.0#					930
 27-44" adjustable heights 	29-1/2 x 64-1/2"	WU3066CR							124.0#			907	983 2	056
 Adjustable glides 	29-1/2 x 70-1/2"	WU3072CR							131.0#					068
 Adjusts at a rate of 6-1/3 turns per 														
inch														
	35-1/2 x 46-1/2"	WU3648CR							112.0#	\$ 16		755 \$ 1	826 \$ 1	875
WUCR	35-1/2 x 52-1/2"	WU3654CR							121.0#	17				106
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660CR							129.0#				957 2	028
 27-44" adjustable heights 	35-1/2 x 64-1/2"	WU3666CR							137.0#					412
Adjustable glides	35-1/2 x 70-1/2"	WU3672CR							146.0#	18	308	926	002 2	428
Adjusts at a rate of 6-1/3 turns per														
inch														

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge - Knife edge

B

Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

• Select base option. G - Glides

price list.

foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

G G O

Select surface finish.

0 3

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style

GSelect base finish.

selections.

Refer to the Product Color Options page in this price list.

Select inner column finish.

Refer to the Product Color Options page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

R - Rolling base (1 foot w/rollers, 1 Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables ANSI HFES Electric Adjustable Height





		MODEL NU	JMBER													
										Polyester Modesty	Approx.	1-1/4" Vinyl				
	AxBxC	Basic Model		Modesty Panel	Base	Electrical Control	Surface Finish	Base Finish	Column Finish	Panel Color	Packaged Weight	Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)	
	21-1/2 x 46-1/2"	WU2248HF									95.0#	\$ 2881	\$ 2994	\$ 3055	\$ 3111	
A	21-1/2 x 52-1/2"	WU2254HF									101.0#	2921	3049	3131	3169	
	21-1/2 x 58-1/2"	WU2260HF									106.0#	2933	3062	3143	3184	
В	21-1/2 x 64-1/2"	WU2266HF									112.0#	2992	3140	3258	3261	
WUHF	21-1/2 x 70-1/2"	WU2272HF									117.0#	3000	3149	3269	3273	
Rectangular Tables - 22"D																
22-48" adjustable heights																
Adjustable glides																
	23-1/2 x 46-1/2"	WU2448HF									99.0#	\$ 2881	\$ 2994	\$ 3055	\$ 3111	
WUHF	23-1/2 x 52-1/2"	WU2454HF									104.0#	2921	3050	3131	3169	
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460HF									110.0#	2933	3062	3144	3184	
22-48" adjustable heights	23-1/2 x 64-1/2"	WU2466HF									116.0#	2992	3141	3258	3263	
Adjustable glides	23-1/2 x 70-1/2"	WU2472HF									122.0#	3002	3149	3271	3273	
	29-1/2 x 46-1/2"	WU3048HF									114.0#	\$ 3002	\$ 3121	\$ 3199	\$ 3245	
WUHF	29-1/2 x 52-1/2"	WU3054HF									121.0#	3094	3229	3332	3356	
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060HF									128.0#	3105	3241	3343	3372	
• 22-48" adjustable heights	29-1/2 x 64-1/2"	WU3066HF									135.0#	3162	3319	3452	3469	
Adjustable glides	29-1/2 x 70-1/2"	WU3072HF									142.0#	3173	3333	3465	3481	
	35-1/2 x 46-1/2"	WU3648HF									123.0#	\$ 3040	\$ 3167	\$ 3289	\$ 3293	
WUHF	35-1/2 x 52-1/2"	WU3654HF									132.0#	3135	3281	3411	3520	
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660HF									140.0#	3147	3293	3425	3442	
 22-48" adjustable heights 	35-1/2 x 64-1/2"	WU3666HF									148.0#	3207	3323	3457	3826	
 Adjustable glides 	35-1/2 x 70-1/2"	WU3672HF									156.0#	3218	3338	3469	3837	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- Select edge style.

 54B 1-1/4" Vinyl bullnose
 74P 74P edge - Postformed edge KN - Knife edge
 - Knife edge (KN) and Postformed edge (PL) on user side only
- **©**Select modesty panel.
- NMP No modesty panel PMP - Polyester felt modesty panel; add \$186
- OSelect base option.
- G Glides
 R Rolling base (1 foot w/rollers, 1

foot w/glides); add \$55

Select edge color. Refer to the **Product Color Options** page in this

Edge color offerings are based on edge style selections.

0 0

- Select electric control.
 - Standard switch
 - Deluxe switch; add \$138

G

- **G**Select surface finish.
- Refer to the Product Color Options page in this price list.
- Surface finish offerings are based on edge style selections.
- Select base finish.
- Refer to the **Product Color Options** page in this price list.
- Select inner column finish.
- Refer to the Product Color Options page in this price list.
- Select modesty panel color (only if polyester
- felt panel is chosen). Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Counter Balance Adjustable Height





												•	•			
		MODEL NU	JMBER													
									Frame/ Inner	Polyester Modesty	Approx.		4" Vinyl	1		
	AxBxC	Basic Model	Edge Style	Modesty Panel		Edge Color	Surface		Column	Panel Color	Packaged	Bullr (54B	nose	74P Edge (74P)	Postformed Edge	Knife Edge
			_	_	_		Finish	Finish			Weight	·	·	· · ·	(PL)	(KN)
	21-1/2 x 46-1/2"	WU2248CB									93.0#	\$ 2		\$ 2772	\$ 2778	\$ 2835
	21-1/2 x 52-1/2"	WU2254CB									98.0#		2713	2840	2864	2922
	21-1/2 x 58-1/2"	WU2260CB									102.0#		2732	2860	2883	2938
■ ■ ■ ·	21-1/2 x 64-1/2"	WU2266CB									107.0#		2783	2930	2939	3050
~	21-1/2 x 70-1/2"	WU2272CB									112.0#		2796	2944	2958	3064
WUCB																
Rectangular Tables - 22"D																
 Designed to support 15 to 45 lbs 																
of equipment (non-standard weight																
ranges available through Product																
Modification Request)																
28-47" adjustable heightsFoot Finish is for foot weldments onl	V															
Frame/inner column finish is for	y															
under structure and inner/outer leg																
columns																
	23-1/2 x 46-1/2"	WU2448CB	1000								96.0#	\$ 2	2661	\$ 2772	\$ 2777	\$ 2835
WUCB	23-1/2 x 52-1/2"	WU2454CB			ПП						101.0#		2713	2840	2863	2922
Rectangular Tables - 24"D	23-1/2 x 58-1/2"	WU2460CB									106.0#		2732	2860	2881	2938
· ·	23-1/2 x 64-1/2"	WU2466CB									111.0#		2783	2930	2938	3050
 Designed to support 15 to 45 lbs of equipment (non-standard weight 											116.0#		2796	2944	2957	3064
ranges available through Product	20 1/2 × 10 1/2	WOZHIZOD									110.0#		2130	2011	2301	0004
Modification Request)																
 28-47" adjustable heights 																
Foot Finish is for foot weldments onl	У															
Frame/inner column finish is for																
under structure and inner/outer leg columns																
	20.110.10.110.1	1111100100-									100.0%			A 0004	.	A 2012
	29-1/2 x 46-1/2"	WU3048CB									109.0#	\$ 2		\$ 2834	\$ 2800	\$ 2912
WUCB	29-1/2 x 52-1/2"	WU3054CB									115.0#		2773	2910	2846	3010
Rectangular Tables - 30"D	29-1/2 x 58-1/2"	WU3060CB									122.0#		2786	2925	2864	3024
Designed to support 15 to 45 lbs	29-1/2 x 64-1/2"	WU3066CB									128.0#		2831	2986	2925	3138
of equipment (non-standard weight	29-1/2 x 70-1/2"	WU3072CB									134.0#	2	2843	3000	2939	3150
ranges available through Product																
Modification Request)																
28-47" adjustable heightsFoot Finish is for foot weldments onl	V															
Frame/inner column finish is for	у															
under structure and inner/outer leg																
columns																

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge

- Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

OSelect base option.

price list.

- Rolling base (1 foot w/rollers, 1 foot w/glides); add \$55

Select edge color. Refer to the **Product Color Options** page in this Edge color offerings are based on edge style selections.

Select surface finish.

3 9 9 9 9 0

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style

GSelect foot finish.

selections.

Refer to the **Product Color Options** page in this price list.

Select frame/inner column finish. Refer to the **Product Color Options** page in this

price list.

Select modesty panel color (only if polyester felt panel is chosen).

Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables Counter Balance Adjustable Height

 Foot Finish is for foot weldments only Frame/inner column finish is for under structure and inner/outer leg





		MODEL NU	IMBER														
	AxBxC	Basic Model		Modesty Panel	Base	Edge Color	Surface Finish	Foot Finish	Frame/ Inner Column Finish	Polyester Modesty Panel Color	Approx. Packaged Weight	1-1/4" Vinyl Bullnose (54B)	74P Edge (74P)	Postformed Edge (PL)	Knife Edge (KN)		
	35-1/2 x 46-1/2"	WU3648CB									119.0#	\$ 2767	\$ 2893	\$ 2902	\$ 3014		
WUCB	35-1/2 x 52-1/2"	WU3654CB									126.0#	2826	2973	2948	3212		
Rectangular Tables - 36"D	35-1/2 x 58-1/2"	WU3660CB									134.0#	2843	2992	2965	3142		
• Decigned to support 15 to 45 lbs	35-1/2 x 64-1/2"	WU3666CB									141.0#	2922	3042	3088	3541		
 Designed to support 15 to 45 lbs of equipment (non-standard weight 	35-1/2 x 70-1/2"	WU3672CB									149.0#	2935	3055	3103	3558		
ranges available through Product																	
Modification Request)																	
 28-47" adjustable heights 																	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

A

3

 Θ

0 3

(3)

0

0

Select edge style.

54B - 1-1/4" Vinyl bullnose
74P - 74P edge - Postformed edge - Knife edge

Knife edge (KN) and Postformed edge (PL) on GSelect foot finish. user side only

Select modesty panel.

NMP - No modesty panel - Polyester felt modesty panel; add \$186

• Select base option. G - Glides

foot w/glides); add \$55

Select edge color.

Refer to the **Product Color Options** page in this

price list.

Edge color offerings are based on edge style selections.

Select surface finish.

Refer to the Product Color Options page in this price list. Surface finish offerings are based on edge style

selections.

Refer to the Product Color Options page in this price list.

Select frame/inner column finish.

Refer to the **Product Color Options** page in this price list.

Select modesty panel color (only if polyester felt panel is chosen).

- Rolling base (1 foot w/rollers, 1 Refer to the **Product Color Options** page in this

price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

WorkUp® Tables





MODEL Wire Trough **Reeps wires enclosed and tidy* **Open design makes it easy to feed cables through trough **Intended for installation into pre-drilled pilot holes **Mounting hardware included **9.5° wide x 4.2° high x 42° holgh **Open design makes it easy to feed cables through trough **One kit for 45° and 60° rectangle and 30x45 construction **Intended for installation into pre-drilled pilot holes **Mounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long **Nounting hardware included **9.5° wide x 4.2° high x 48° long						
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5° wide x 4.2° high x 24° long • One kit for 48° rectangle and 24x36 corner table Wire Trough • Keeps wires enclosed and tidy • Neeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5° wide x 4.2° high x 36° long • One kit for 54° and 60° rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5° wide x 4.2° high x 48° long • One kit for 66° and 72° rectangle tables			MODEL NUMB	BER		
Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Wu.TROUGH.60 Wire Trough Keeps wires enclosed and tidy One kit for 48" rectangle and 24x36 corner table Wire Trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Steel construction Intended for installation into pre-drilled pilot holes Wire Trough Steel construction Intended for installation into pre-drilled pilot holes Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables						
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide × 4.2" high × 24" long • One kit for 48" rectangle and 24x36 corner table Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide × 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide × 4.2" high x 48" long • One kit for 66" and 72" rectangle tables • Mounting hardware included • 9.5" wide × 4.2" high x 48" long • One kit for 66" and 72" rectangle tables					Approx	
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 24" long • One kit for 48" rectangle and 24x36 corner table Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables			Basic	Paint	Approx. Packaged	
Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 24" long One kit for 48" rectangle and 24x36 corner table Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction		MODEL L	Model	Color	Weight	
* Keeps wires enclosed and tidy * Open design makes it easy to feed cables through trough * Steel construction * Intended for installation into pre-drilled pilot holes * Mounting hardware included * 9.5" wide x 4.2" high x 24" long * One kit for 48" rectangle and 24x36 corner table Wire Trough * Keeps wires enclosed and tidy * Open design makes it easy to feed cables through trough * Steel construction * Intended for installation into pre-drilled pilot holes * Mounting hardware included * 9.5" wide x 4.2" high x 36" long * One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough * Keeps wires enclosed and tidy * Open design makes and tidy * Open design makes and tidy * Open design makes and tidy * Steel construction * Intended for installation into pre-drilled pilot holes * Mounting hardware included * 9.5" wide x 4.2" high x 48" long * Steel construction * Intended for installation into pre-drilled pilot holes * Mounting hardware included * 9.5" wide x 4.2" high x 48" long * One kit for 66" and 72" rectangle tables			4" WU.TROUGH.48			
through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 24" long One kit for 48" rectangle and 24x36 corner table Wire Trough Keeps wires enclosed and tidy Set el construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Set el construction Vire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Set el construction Intended for installation into pre-drilled pilot holes Mounting hardware included Set el construction Intended for installation into pre-drilled pilot holes Mounting hardware included Set el construction Intended for installation into pre-drilled pilot holes Mounting hardware included One kit for 66" and 72" rectangle tables		 Keeps wires enclosed and tidy 				
Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5° wide x 4.2" high x 24" long One kit for 48" rectangle and 24x36 corner table Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through frough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5° wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through frough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5° wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables		Upen design makes it easy to feed cables through trough				
pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 24" long • One kit for 48" rectangle and 24x36 corner table • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables • Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 8" long • One kit for 66" and 72" rectangle tables	9	Steel construction				
Mounting hardware included 9.5° wide x 4.2° high x 24' long One kit for 48' rectangle and 24x36 corner table Wire Trough • Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough one kit for 54' and 60'' rectangle and 30x48 corner tables Wire Trough • Steel construction Intended for installation into pre-drilled pilot holes One kit for 54'' and 60'' rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5° wide x 4.2° high x 36'' long One kit for 66'' and 72'' rectangle tables	IRDPT					
• 9.5" wide x 4.2" high x 24" long • One kit for 48" rectangle and 24x36 corner table Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables		pilot holes • Mounting hardware included				
One kit for 48" rectangle and 24x36 corner table Wire Trough Keps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Illended for installation into pre-drilled pilot holes Mounting hardware included 9.95" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Illended for installation into pre-drilled pilot holes Mounting hardware included 9.95" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables		• 9.5" wide x 4.2" high x 24" long				
Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5." wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables		One kit for 48" rectangle and 24x36				
Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5." wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables						
Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables			6" WU.TROUGH.60		7.0#	
through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables	2	Keeps wires enclosed and tidy Onen design makes it easy to feed cables				
Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables	200					
pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 36" long • One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables	3	 Steel construction 				
Mounting hardware included 9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables						
9.5" wide x 4.2" high x 36" long One kit for 54" and 60" rectangle and 30x48 corner tables Wire Trough Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables	HRDPT	Mounting hardware included				
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables		• 9.5" wide x 4.2" high x 36" long				
Wire Trough • Keeps wires enclosed and tidy • Open design makes it easy to feed cables through trough • Steel construction • Intended for installation into pre-drilled pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables		One kit for 54" and 60" rectangle and One kit for 54" and 60" rectangle and				
Keeps wires enclosed and tidy Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables						
Open design makes it easy to feed cables through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables			8" WU.TROUGH.72		10.0#	
through trough Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables		Neeps wires enclosed and tidy Open design makes it easy to feed cables				
 Steel construction Intended for installation into pre-drilled pilot holes Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables 		through trough				
pilot holes • Mounting hardware included • 9.5" wide x 4.2" high x 48" long • One kit for 66" and 72" rectangle tables		Steel construction				
 Mounting hardware included 9.5" wide x 4.2" high x 48" long One kit for 66" and 72" rectangle tables 	3	Intended for installation into pre-drilled pilot holes				
		Mounting hardware included				
	HRDPT	• 9.5" wide x 4.2" high x 48" long				
A B		Une kit for 66" and 72" rectangle tables				
A B						
• • • • • • • • • • • • • • • • • • •			A	$oldsymbol{\Theta}$		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select paint color.

Refer to the **Product Color Options** page in this price list.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships knocked down, FOB Bonduel, WI 54107, freight prepaid. Freight class 125.

Universal Height Adjustable Screens General Information



Universal Height Adjustable Screens General Information



Universal Height Adjustable Screen

Features	
Height adjustable by user	•
Material is 100% polyester felt	•
Only standard on select Pirouette fixed leg tables, WorkUp, and Toggle tables. Applications may be possible on other tables through Product Modification Requests. Contact Customer Service for details.	•
Field-installed	•

Adjustable Privacy Screens attach to the back length of a table or to the side depth of a table.

Screen Size (W x H)	Recommended for:
23 x 24	24" deep tops
29 x 24	30" deep tops
35 x 24	36" deep tops
46 x 24	48" long tops
52 x 24	54" long tops
58 x 24	60" long tops
64 x 24	66" long tops
70 x 24	72" long tops
82 x 24	84" long tops

The screens are standard for a variety of models on Pirouette, Toggle and WorkUp tables. These particular tables include pilot holes for mounting the screens to the undersides of the worksurfaces. Reference the following for table models within these products that include and exclude the screen pilot holes:

YES	NO
Toggle Rectangles and Square Shoe	Toggle 120 Degree
WorkUp Rectangles	WorkUp 120 Degree
Pirouette Fixed Training Rectangles	Pirouette Collaborative Rectangles
Pirouette Fixed Chevrons (Straight Side Only)	Pirouette 42" & 48" Deep Rectangles
	Pirouette Nesting Tables
	Pirouette Scale Up Tables
	Pirouette Half Rounds
	Pirouette Trapezoids
	Pirouette Double Chevrons
	Pirouette Guitar Picks
	Pirouette Squares
	Pirquette Rounds

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

SPECIFICATIONS

Screen

Screens are constructed from a sound-absorbing, 100% polyester felt with an acoustic rating of 0.45-0.90 NRC. The screen is 1/2" thick with a density of .05 lb/ft and is 100% tackable. Screens are in accordance with ASTM-E84 and achieve a Class A Flame Spread. Standard screens are 23.75" high by 23["], 29", 35", 46", 52", 58", 64", 70"

The mounting brackets are 14-gauge cold rolled steel and the glide plates are injected molded Delrin. The rack is made from cast aluminum and a nylon pinion gear is synchronized between the brackets with a steel connecting rod. The mounting brackets and rack are powder coated for durability. The PET screens are fastened to the brackets using stainless steel thumb screws (two per bracket). Screen sizes 23", 29", 35", and 46" wide are assembled with two adjustable brackets while screens 52", 58", 64", 70" and 82" have three adjustable brackets.

Universal Height Adjustable Screens Product Color Options

Universal Height Adjustable Screens
Product Color Options

Base Finish Black Blue Grey Bronze Metallic Cayenne

BL GR ZM CY

CM Champagne Metallic Cool Grey CG Cottonwood CO Earthen Clay EY Espresso Metallic EX

EV Everglade Shade Flannel FN GZ Glitz Metallic Hazy Jade HJ Honey Bee HY Light Tone LG Mardi Gras MG Misty Brown MY

Nemo NE Nordic ND PH Purple Haze Rubber Ducky RK

Sand SA Starlight Silver Metallic SX SP Surf's Up TGBL Toggle Black TGSL Toggle Silver Toggle White TGWH

Twilight Shadow TI UB Ultra Blue WG

Warm Grey Zesty Lime ZL

Felt Color Dandelion

FTDD Fawn FTFW Flannel FTFN FTHR Heather FTLV Lava Mallard FTML Midnight Blue FTMB FTPR Pepper FTSG Spring FTTW Tidal Wave

Finish Cards

View color swatches for items listed within this document.

Universal Height Adjustable Screens



Universal Height Adjustable Screens

			MODEL N	IUMBER				
			Basic	Base	Felt	Approx. Packaged	Delivered	
	MODEL	WxH	Model	Finish	Color	Weight	Pricing	
			USPF2324			7.0#	\$ 633	
	Felt, 24" Tall	29 x 24"	USPF2924			8.0#	666	
	Height adjustable by user Corporation flush with tableton when at its					8.0#	698	
	 Screen is flush with tabletop when at its lowest position 	46 x 24"	USPF4624			9.0#	732	
	 Maximum height above worksurface 17" 	52 x 24"	USPF5224			11.0#	804	
	 Screens attach to either the back length 	58 x 24"	USPF5824			12.0#	1024	
			USPF6424			12.0#	1038	
	Monitor arms, modesty panels, and	70 x 24"	USPF7024			13.0#	1052	
USPF	wire troughs may prohibit installation of	82 x 24"	USPF8224			14.0#	1101	
	screens • Screens are standard on select Pirouette							
	Toggle, and WorkUp tables (refer to	,						
	chart on General Information page)							
			A	ß	A			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are avail-

HOW TO BUILD A MODEL NUMBER

- A Select basic model.
- BSelect base finish.

Refer to the **Product Color Options** page in this price list.

Select felt color.

Refer to the **Product Color Options** page in this

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Bonduel, WI 54107, freight prepaid. Freight class 70.



					•
			MODEL NUMBER		
			MODEL NOMBER		
				Approx.	
			Basic	Packaged	Delivered
	MODEL	Features	Model	Weight	Pricing
		Silver finish	CFS03.SL	7.0#	\$ 309
6 %					
		White finish	CFS03.WH	7.0#	309
	10" arm with one wire management clip 10" arm beginterrated wire management.	Black finish	CFS03.BL	7.0#	309
	10" and begintered with management clip				
	10" arm has integrated wire manage-				
	ment channel and cover				
<₩	Swivel/tilt adapter plate for 75 & 100mm				
	hole patterns				
HRDPT	Supports one 14 lb. flat screen monitor				
HNDFI	Can be used on both freestanding tables				
	and panel-mounted worksurfaces				
	360° swivel movement allows monitor				
	to rotate from landscape to portrait				
	orientation				
	Pole allows manual height adjustment				
	through a 9" range to accommodate				
	user preference				
	 Includes parts for either clamp or grom- 				
	met mount				
	 Monitor is not included 				
	12" Post, Single Screen, Height-Adjust-	Silver finish	CFS04.SL	9.0#	\$ 376
fa.		White finish	CFS04.WH	9.0#	376
	grommet mount	Black finish	CFS04.BL	9.0#	376
	One 10" arm and one 9" arm with two				
	wire management cline				
	wire management clips10" arm has integrated wire manage-				
π	ment channel and cover				
	Swivel/tilt adapter plate for 75 & 100mm				
* *	hole patterns				
HRDPT	Supports one 14 lb. flat screen monitor				
111011	• Can be used on both freestanding tables				
	and panel-mounted worksurfaces				
	360° swivel movement allows monitor				
	to rotate from landscape to portrait orientation				
	Pole allows manual height adjustment				
	through a 9" range to accommodate				
	upor professor				
	user preference				
	Includes parts for either clamp or grom- met mount				
	met mount				
	Monitor is not included 24" of forward/backward mayomant				
	24" of forward/backward movement Arm folds healt to post to maximize dealt				
	Arm folds back to post to maximize desk				
	space				
			A		
			VAV		

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.

- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180

Rotation +/-180

Worksurface Range 0-3.5" for table edge mount Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime

Monitor - These products are not included.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

Accessories

Monitor Arms



Accessorie

MODEL NUMBER Approx. Basic Packaged Delivered MODEL Features Model Weight Pricing 12" Post, Dual Screen, Two 10" Arms CFS05.SL 10.0# \$ 591 12" post with table-edge mount or White finish CFS05.WH 10.0# 591 grommet mount Black finish CFS05.BL 10.0# 591 Two 10" arms with two wire management clips Arms have integrated wire management channel and cover Two swivel/tilt adapter plates for 75 & 100mm hole patterns Supports two 14 lb. flat screen monitors Can be used on both freestanding tables and panel-mounted worksurfaces

• 360° swivel movement allows monitor to rotate from landscape to portrait orientation Pole allows manual height adjustment through a 9" range to accommodate user preference · Includes parts for either clamp or grommet mount



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of the \square indicates that no choice is required.
- Alpha-numeric characters in place of
 indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

· Monitors are not included

 Monitors adjust in unison to maintain a level plane and provide consistent vision

SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180 Rotation +/-180

Worksurface Range 0-3.5" for table edge mount

Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime

Monitor - These products are not included.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **assembled**, **FOB Manitowoc**, **WI 54220**, **freight prepaid**. Freight class 70.

Accessories



			MODEL NUMBER				
	MODEL	Features	Basic Model	Approx. Packaged Weight	Delivered Pricing		
	12" Post, Dual Screen, Two Double	Silver finish	CFS06.SL	11.0#	\$ 735		
	Extension Arms	White finish	CFS06.WH	11.0#	735		
	 12" post with table-edge mount or 	Black finish	CFS06.BL	11.0#	735		
	grommet mount		01000.52	11.0%	700		
	Two 10" arms and two 9" arms (one 10"						
	and one 9" arm per monitor) with four						
	wire management clips						
	10" arms have integrated wire manage- ment channel and cover						
	Two swivel/tilt adapter plates for 75 &						
M	100mm hole patterns						
-	Each extended arm supports one 14 lb.						
LIDDOT	flat screen monitor						
HRDPT	Can be used on both freestanding tables						
	and panel-mounted worksurfaces						
	 360° swivel movement allows monitor 						
	to rotate from landscape to portrait						
	orientationPole allows manual height adjustment						
	through a 9" range to accommodate						
	user preference						
	 Includes parts for either clamp or grom- 						
	met mount						
	 Monitors are not included 						
	 24" of forward/backward movement 						
	 Arm folds back to post to maximize desk 						
	space						
	Monitors adjust in unison to maintain a						
	level plane and provide consistent vision						
	line						



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

SPECIFICATIONS

Tilt +1/-90° Swivel +1/-180 Rotation +/-180

Worksurface Range 0-3.5" for table edge mount

Material - Steel and aluminum

Warranty - These products are warranted as follows: Lifetime

Monitor - These products are not included.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Manitowoc, WI 54220, freight prepaid. Freight class 70.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000066/KI/PDF

