



TORSION AIR[®] SEATING

PRICE LIST

January 3, 2011

Updated October 3, 2022

800.424.2432



Ordering COM, COL, COV and Shipping Location		
BONDUEL, GREEN BAY, ONTARIO, and TUPELO		3
Torsion Air® Nesting Chairs		
General Information		4
Color Options		5
Nesting Chairs		6
Torsion Air® Stack Seating		
General Information		8
Color Options		9
Stack Chairs		10
Dolly		12
Torsion Air® Task Seating		
General Information		13
Color Options		14
Chairs		15
Stools		16



How to Specify C.O.M. Upholstery
Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

C.O.M., C.O.L. and C.O.V. Testing
KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive, Gate 3
Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production
Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.


KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing
For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1687 Westminster Drive, Gate 3
Green Bay, WI 54302



For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot
Attn: C.O.M. Storage
1110 S. Mildred Ave.
Ontario, CA 91761

Intricate Patterns
In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.V. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M. SHIPPING LOCATION

Architectural Walls		System 3000..... MN	LaResta Day Beds HN
Evoke.....	MN	Universal Overheads..... MN	LimeLite GB
Genius Walls.....	MN	Wireworks MN	Lyra Lounge Seating..... HN
		Unite..... MN	Maestro Stack Chairs GB
Casegoods			Matrix Stack Chairs..... GB
Aristotle Tackboards.....	MN	Residence Hall Furniture	Medical & Laboratory Stools..... OM
Likha Tackboards.....	MN	RoomScape Furniture MN	MyPlace Lounge Seating HN
Classroom Furniture			MyWay Seating..... HN
Intellect Wave Chairs.....	GB	Screens	Oath Task Chairs and Stools..... GB
Learn2.....	GB	All Terrain..... KP	Opt4..... GB
Ruckus.....	GB	Connection Zone..... BW	Pilot Task Chairs..... OM
		True/Volition KP	Promenade Seating System BW
		Genesis..... KP	Ruckus..... GB
		Tattoo..... MN	Sela Lounge Seating HN
		Universal..... BW	Sift Task Chairs GB
Desking			Signia Task Chairs and Stools OM
700 Series Desking.....	KP	Seating	Soltice Metal Collection..... HN
Balance Overheads.....	MN	400 Series Folding Chairs..... BW	Soltice Multiple, Healthcare & Guest . HN
Genesis Desking.....	MN	600 Series Folding Chairs..... BW	Soltice II Healthcare Seating..... HN
True Desking.....	KP	600 Series Stools..... BW	Strive Multiple, Stack & Task GB
Universal Overheads.....	MN	Affina Collection..... HN	Sway BW
WorkZone Desking.....	MN	Altus Task Chairs..... GB	Tattoo..... HN
		Apply Stack Chairs GB	Torsion-on-the-Go! Nesting Chairs GB
Files & Storage		Auditorium Folding Chairs..... BW	Torsion Air Stack and Task Seating GB
700 Series Pedestal Cushion.....	GB	Calida Lounge Seating HN	Zoetry HN
Connection Zone Pads.....	BW	Diem Task Chairs..... OM	
U-Series Pedestal Cushion.....	GB	Doni Collection..... GB	
Tattoo.....	BW	FourC Seating..... GB	
		Gladly Lounge Seating VQ	
Fixed Seating		Grazie Seating GB	
Concerto Auditorium Seating.....	BW	Hiatus Sleeper Bench HN	
Single Pedestal Seating GB		Hub Modular Lounge Seating..... HN	
Jury Base Seating.....	GB	Impress Task Chairs..... OM	
Lancaster Auditorium Seating BW		Impress Ultra Task Chairs OM	
Sequence Seating.....	GB	Jessa Lounge Seating HN	
University Seating.....	GB	Jubilee Lounge Seating..... VQ	
		Katera Guest Chair..... GB	
Panel Systems		Kurv Benches..... HN	
All Terrain.....	KP		
Balance Overheads.....	MN		

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107	HN KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263	MN KI Manitowoc Attn: COM Storage 1400 S. 41st St. Manitowoc, WI 54220	VQ KI Attn: COM Fabrics 6892 Marlin Circle La Palma, CA 90623
GB KI Green Bay Attn: COM Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302	KP KI Pembroke Attn: COM Storage 1000 Olympic Dr. Pembroke, Ontario K8A6X7	OM KI Attn: COM Storage 1110 S. Mildred Ave. Ontario, CA 91761	



Armless Chair
(TANNA)



Arm Chair
(TANWA)



Piretti Tablet
Arm Chair
(TANTARPT)



Flip-up Tablet
Arm Chair
(TANTARFD)

Features				
Back flex	•	•	•	•
Flip-up seat	•	•	•	•
Nesting	•	•	•	•
Casters	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"	18"
Back width	17"	17"	17"	17"
Back height	16"	16"	16"	16"
Overall Dimensions				
Width	23-7/8"	23-7/8"	25"	27"
Depth	24-1/4"	24-1/4"	30-1/4"	31"
Height	33-1/2"	33-1/2"	33-1/2"	33-1/2"
Top of arm to floor		24-7/8"	28-1/2"	28"
Depth of nesting (two chairs)	28"	28"	34"	35"
Depth of each additional chair	7-1/2"	7-1/2"	7-1/2"	7-1/2"

SPECIFICATIONS

Frame

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1”diameter, 13-gauge high-strength low alloy steel tubing.

Leg Finishes

Baked on electrostatically applied 45 sheen epoxy powder coating or bright nickel chrome plating.

Casters/Glides

Double wheels (60mm) of high-impact thermo-plastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2” high) made of high-impact plastic also available, black only.

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-3/4”) is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is

available in either a poly or upholstered version. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Backrest has an integral “handle.”

Seat flips up to allow chairs to nest for storage and transport.

Seat and back are field replaceable.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Arms

Armcaps are made of polypropylene. Armrests rotate with the back. Armcaps are field replaceable.

Flip-Up Tablet

Available on RH or LH side. The tablet arm support structure is 1-inch diameter, 13-gauge tubing, welded to the main chair frame. A formed steel hinge is welded to the top of the support structure and secured with screws to the underside of the writing surface. Writing surface is nominally 9-1/2” x 20-3/4” x 12-1/2” plywood core of 5/8” thick, 11-ply hardwood, surfaced with 0.030” high-pressure laminate top and plain backer undersurface. Edges are lacquered and sealed. When so equipped, and with the tablet flipped up, chairs will nest with other Torsion Air chairs with tablets, or without.

Piretti Tablet

Available on RH or LH side. The tablet support is 1-3/16”OD x 14-gauge round steel tubing. The support is welded to the chair frame. The tablet mechanism consists of two die cast aluminum

housings and a stamped steel hinge assembly. The main housing is mounted inside the steel support tube and secured with a thread-forming screw. The mechanism has two through-bolted pivot axes with bushing that allow stowing. The mechanism permits 12 degrees of horizontal rotation for ingress/egress without stowing the tablet. With the tablet stowed, the chair will nest with other Torsion Air chairs with or without tablets. The tablet is made from blow-molded high-density polyethylene and is only available in black. The tablet is connected to the mechanism and supported by a 12-gauge steel plate. The tablet has an effective working surface 12” deep by 16” across (overall dimensions are 12” deep by 22” across).

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54” sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Torsion Air® Nesting Chairs

Color Options



Torsion Air® Nesting Chairs

Color Options

Frame Color

Black	BL
Blue Grey	GR
Bronze Metallic	ZM
Cayenne	CY
Champagne Metallic	CM
Chrome	CH
Cool Grey	CG
Cottonwood	CO
Earthen Clay	EY
Espresso Metallic	EX
Everglade Shade	EV
Flannel	FN
Glitz Metallic	GZ
Hazy Jade	HJ
Honey Bee	HY
Light Tone	LG
Mardi Gras	MG
Misty Brown	MY
Nemo	NE
Nordic	ND
Purple Haze	PH
Rubber Ducky	RK
Sand	SA
Starlight Silver Metallic	SX
Surf's Up	SP
Twilight Shadow	TI
Ultra Blue	UB
Warm Grey	WG
Zesty Lime	ZL

Back Mesh

Black	BLMH
Grey	GRMH

Tablet Arm Color - Piretti Tablet

Black	LBK
-------	-----

Finish Cards

View color swatches for items listed within this document.

Paints

Wood/Veneer

Molded Edges

Hard Plastics

Plastics/Poly

Laminates

Edge Styles




Glass

Certain options referenced may not be available on GSA Schedule.

Torsion Air® Nesting Chairs



Torsion Air® Nesting Chairs

		MODEL NUMBER																	
		Basic Model	Frame Color	Tablet Arm Color	Base	Upholstery Color	Fire Code	Mesh Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
 TANC	Armless Chair <ul style="list-style-type: none">• Back flex• Mesh back	TANNA	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	24.0#	\$ 920	\$ 939	\$ 957	\$ 957	\$ 968	\$ 1018	\$ 1038	\$ 1065	\$ 1098	
 TANC	Arm Chair <ul style="list-style-type: none">• Back flex• Mesh back	TANWA	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	25.0#	\$ 956	\$ 982	\$ 996	\$ 996	\$ 1004	\$ 1055	\$ 1078	\$ 1102	\$ 1137	
 TANC	Flip-up Tablet Arm Chair <ul style="list-style-type: none">• Back flex• Mesh back	Flip Tablet, Left Hand	TANTALFT	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	29.0#	\$ 1182	\$ 1201	\$ 1221	\$ 1221	\$ 1230	\$ 1281	\$ 1305	\$ 1328	\$ 1361
		Flip Tablet, Right Hand	TANTARFT	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	29.0#	1182	1201	1221	1221	1230	1281	1305	1328	1361
		A	B	C	D	E	F	G											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- D**Select base option.

G

- Bell glides (black only)

C

- Carpet casters (black only)

S

- Hard floor casters (black only)
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- F**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133

- G**Select back mesh color.

BLMH

- Black

GRMH

- Grey
- Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Added Lead Time=1 week
Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.

TANC

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

- The absence of the ☐ indicates that no choice is required.

A Select basic model.

B Select frame color.
Refer to the **Product Color Options** page in this price list.

D Select upholstery grade/color.
Refer to **ki.com/fabrics**

F Select back mesh color.

BLMH	- Black
GRMH	- Grey

Refer to ki.com/fabrics

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54" wide nondirectional fabric. For orders of 11 or more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

With specially marked information N/C

Shipping
Ships assembled, FOB Green Bay, WI 54302,
freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Torsion Air® Stack Seating

General Information



Torsion Air® Stack Seating

General Information



Four-Leg Armless Chair (TALNA)



Four-Leg Arm Chair (TALWA)



Four-Leg Standard Tablet Arm Chair (TALTAR)

Features			
Back flex	•	•	•
Stackable	•	•	
General Dimensions			
Seat width	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	17"	17"	17"
Back height	16"	16"	16"
Overall Dimensions			
Width	21"	23-1/2"	23"
Depth	23-3/4"	23-3/4"	29-3/4"
Height	34"	34"	34"
Top of arm to floor		25-1/2"	28"
Stacking on Dolly			
Quantity/height	5 Chairs/55" High	5 Chairs/55" High	
Floor space	22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
Stacking on Floor			
Quantity/height	4 Chairs/45" High	4 Chairs/45" High	4 Chairs/45" High
Floor space	21" x 32"	23-1/2" x 32"	23-1/2" x 32"



Standard Flip-Up Tablet Arm



Sled Base Armless Chair (TASNA)



Sled Base Arm Chair (TASWA)

Sled Base Standard Tablet Arm Chair (TASTAR)

Features			
Back flex	•	•	•
Stackable	•	•	
General Dimensions			
Seat width	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"
Seat height	18"	18"	18"
Back width	17"	17"	17"
Back height	16"	16"	16"
Overall Dimensions			
Width	21"	23-1/2"	23"
Depth	23-3/4"	23-3/4"	29-3/4"
Height	34"	34"	34"
Top of arm to floor		25-1/2"	28"
Stacking on Dolly			
Quantity/height	5 Chairs/55" High	5 Chairs/55" High	
Floor space	22-1/2" x 25-1/2"	23-1/2" x 25-1/2"	
Stacking on Floor			
Quantity/height	4 Chairs/45" High	4 Chairs/45" High	
Floor space	21" x 32"	23-1/2" x 32"	

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Armcaps are polypropylene and are field-replaceable.

Full Sled Base Frame (TAS)

The sled base frame consists of two segments of 3/4" 16-gauge seam welded tubular steel and two steel seat supports.

Four Leg Frame (TAL)

The four leg frame consists of two U-shaped sections, one front and one rear, welded together with two support brackets to form the four leg chair. The sections are formed of 15/16" 15-gauge seam welded tubular steel.

Leg Finishes

Baked-on, electrostatically-applied powder-coating, or bright nickel-chrome plating.

Standard Tablet Arms

5/8" 11-ply plywood tablet with high-pressure laminate surface and lacquered edge. Tablet arm support matches frame color. Seating clearance is 13 1/2". Standard tablet measures 19 1/2" long and 12 3/4" wide.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Stacking Vinyl Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl upholstery.

Stacking Vinyl, Polyurethane, and Imitation Leather Upholstered Chairs

It is recommended that chairs to be stacked be covered in material other than vinyl, polyurethane, or imitation leather as an impression in the seat may result. KI does not warrant the effects of stacking on stock or C.O.M. vinyl, polyurethane, or imitation leather upholstery.

Transport Dolly

Tubular and plate steel welded together. 5" casters; two fixed, two swivel. Powder coated finish. Two distinct dollies are available; one for full Sled Base, and one for Four Leg.

Universal Dolly Handle

Tubular steel and plate steel construction. Handle is powder coated. Field-assembled to dolly.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Frame Color		Friston Ash	LFH
Black	BL	Frosty White	LFW
Blue Grey	GR	Graphite Nebula	LGN
Bronze Metallic	ZM	Grey	LGE
Cayenne	CY	High Rise	LHE
Champagne Metallic	CM	Hollyberry	LHY
Chrome	CH	Irish Linen	LIH
Cool Grey	CG	Island	LID
Cottonwood	CO	Italian Silver Ash	LIT
Earthen Clay	EY	Kensington Maple	LKM
Espresso Metallic	EX	Lapis Blue	LLB
Everglade Shade	EV	Markerboard White	LMK
Flannel	FN	Misted Zephyr	LMR
Glitz Metallic	GZ	Monticello Maple	LMT
Hazy Jade	HJ	Nickel Evolv	LNV
Honey Bee	HY	North Sea	LNA
Light Tone	LG	Ocean	LON
Mardi Gras	MG	Pearl Bisque	LPB
Misty Brown	MY	Pearl Silver	LPS
Nemo	NE	Pressed Linen	LPR
Nordic	ND	River Cherry	LRY
Purple Haze	PH	Rugged Linen	LRG
Rubber Ducky	RK	Satin Stainless	LSS
Sand	SA	Shadow Zephyr	LSR
Starlight Silver Metallic	SX	Silicon evolv	LSV
Surf's Up	SP	Sterling Ash	LAZ
Twilight Shadow	TI	Tailored Linen	LTL
Ultra Blue	UB	Titanium evolv	LTV
Warm Grey	WG	White Nebula	LWL
Zesty Lime	ZL	White Sand	LWN
		Windsor Mahogany	LWY
Back Mesh			
Black	BLMH		
Grey	GRMH		
Tablet Arm Color - Piretti Tablet			
Black	LBK		
Tablet Arm Color - Laminate Flip and G-Tablet			
Belair	LBQ		
Biltmore Cherry	LBT		
Black	LBK		
Brighton Walnut	LBW		
Canyon Zephyr	LCA		
Castle Oak	LCO		
Casual Linen	LCU		
Cherry Storm	LCX		
Classic Linen	LCI		
Cloud Zephyr	LCL		
Cocobala	LCC		
Crisp Linen	LRI		
Desert Zephyr	LDZ		
Dove Grey	LDG		
Fired Steel	LIL		
Flax Linen	LXF		
Florence Walnut	LFC		
Forged Steel	LOL		

Finish Cards

View color swatches for items listed within this document.

- Paints
- Plastics/Poly
- Wood/Veneer
- Laminates
- Molded Edges
- Edge Styles
- Hard Plastics
- Glass

Certain options referenced may not be available on GSA Schedule.




Torsion Air® Stack Seating

Stack Chairs



Torsion Air® Stack Seating

Stack Chairs

		MODEL NUMBER																	
		Basic Model	Frame Color	Tablet Arm Color	Glide Option	Upholstery Color	Fire Code	Mesh Color											
MODEL	Features																		
	Four-Leg Armless Chair <ul style="list-style-type: none">• Back flex• Mesh back• Stacking	TALNA	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>											
TALC																			
	Four-Leg Arm Chair <ul style="list-style-type: none">• Back flex• Mesh back• Stacking	TALWA			<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>											
TALC																			
	Four-Leg Tablet Arm Chair <ul style="list-style-type: none">• Back flex• Mesh back• Stacking	Standard Tablet, Left Hand	TALTAL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>										
		Standard Tablet, Right Hand	TALTAR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>										
TALC																			
			A	B	C	D	E	F	G										

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- D**Select glide option.
P - Plastic glides
S - Stainless steel glides
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- F**Select fire code.
NFR - Compliance to TB 117-2013
FR - Compliance to TB 133

- G**Select back mesh color.
BLMH - Black
GRMH - Grey
Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Added Lead Time=1 week
Added list price=\$64

SPECIAL SERVICES




Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER																	
		Basic Model	Frame Color	Tablet Arm Color	Upholstery Color	Fire Code	Mesh Color	Glide Option	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4	
	Sled Base Armless Chair • Back flex • Mesh back • Stacking	TASNA	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	18.0#	\$ 681	\$ 699	\$ 719	\$ 719	\$ 731	\$ 781	\$ 801	\$ 829	\$ 862	
TASC																			
	Sled Base Arm Chair • Back flex • Mesh back • Stacking	TASWA	<input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	20.0#	\$ 718	\$ 735	\$ 760	\$ 760	\$ 767	\$ 814	\$ 839	\$ 865	\$ 897	
TASC																			
	Sled Base Tablet Arm Chair • Back flex • Mesh back • Nonstacking	Standard Tablet, Left Hand	TASTAL	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	28.0#	\$ 944	\$ 960	\$ 986	\$ 986	\$ 993	\$ 1041	\$ 1065	\$ 1089	\$ 1125
		Standard Tablet, Right Hand	TASTAR	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	28.0#	944	960	986	986	993	1041	1065	1089	1125
TASC																			
		A	B	C	D	E	F	G											

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select frame color.
Refer to the **Product Color Options** page in this price list.
- C**Select tablet arm color.
Refer to the **Product Color Options** page in this price list.
- D**Select upholstery grade/color.
Refer to **ki.com/fabrics**
- E**Select fire code.

NFR

- Compliance to TB 117-2013

FR

- Compliance to TB 133
- F**Select back mesh color.

BLMH

- Black

GRMH

- Grey

Refer to **ki.com/fabrics**

- G**Select glide option.

N

- No glides

GNM

- Non-marring glides

GNS

- Non-skid glides

GBL

- Plastic glides

GSS

- Stainless steel glide

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

OPTIONS

California TB133 Fire Safety Code
For California Technical Bulletin 133 compliant models, add the following upcharge:
Added Lead Time=1 week
Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping
Ships **assembled, FOB Green Bay, WI 54302, freight prepaid.** Freight class 125.

Specifications and prices are subject to change without prior notice.




Torsion Air® Stack Seating

Dolly



Torsion Air® Stack Seating

Dolly

	MODEL	MODEL NUMBER		
		Basic Model	Approx. Packaged Weight	Delivered Pricing
 HRDPT	Transport Dolly for Sled Base Chairs <ul style="list-style-type: none">• For full sled base chairs• 5” casters: two fixed, two swivel• Black only	TVD.BL	30.0#	\$ 564
 HRDPT	Transport Dolly for Four-Leg Chairs <ul style="list-style-type: none">• For four-Leg chairs only• 5” casters: two fixed, two swivel• Black only	TLD.BL	31.0#	\$ 564
 HRDPT	Universal Dolly Handle <ul style="list-style-type: none">• Field installable• Provides convenient handle for relocating dolly when empty or loaded• Overall dolly height with handle is 37”	UDH.BL	8.0#	\$ 199

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.



Armless Task Chair
(TAPDNA)



Task Armchair
(TAPDWA)



Armless Task Stool
(TASPNA)



Task Stool with Arms
(TASPWA)

Features				
Back Flex	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•
General Dimensions				
Seat width	17"	17"	17"	17"
Seat depth	18-1/2"	18-1/2"	18-1/2"	18-1/2"
Seat height (stools with polished aluminum base - subtract 1-3/4")	18" - 23"	18" - 23"	23" - 33-1/4"	23" - 33-1/4"
Back width	17"	17"	17"	17"
Back height	16"	16"	16"	16"
Overall Dimensions				
Depth	26-1/2"	26-1/2"	26-1/2"	26-1/2"
Height	33-1/2" x 38-1/2"	33-1/2" x 38-1/2"	38-1/2" x 48-3/4"	38-1/2" x 48-3/4"
Width	26-1/2"	26-1/2"	27-1/2"	27-1/2"
Top of arm to floor		25" - 30"		30" - 40-1/4"

SPECIFICATIONS

Seat and Backrest

Seat is a two-piece construction with a molded polypropylene liner with a molded compound curved polypropylene shroud with a textured finish. Seat is always upholstered. Foam (1-1/2") is applied to the molded polypropylene liner. Fabric is then upholstered over the foam. Backrest frame is molded glass-reinforced nylon. Mesh fabric is 100% polyester. Seat and backrest are field-replaceable.

Torsion Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

Back/Arm Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism. If so equipped, optional armrest structure is integral to the backrest support. Arm caps are polypropylene and are field-replaceable.

Pedestal Casters

Double wheels of high-impact thermoplastic. High-impact plastic frame matches chair color.

Pedestal Base

26" injection-molded, glass-reinforced nylon 5-blade base. Base and cylinder are available in black. An optional polished die-cast aluminum base is available on both chairs and stools.

INFORMATION

C.O.M Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 3/4 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KI
Attn: C.O.M. Specialist
1687 Westminster Drive - Gate 3
Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Product Modification Request written specifying the direction the fabric is to be applied.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com



Back Mesh Color

Black	BLMH
Grey	GRMH

Base Color

Black	BL
Polished Aluminum	PA

Polished aluminum requires an upcharge.

Base color selection includes; seat plate/mechanism and back/arm supports which are always black.

Finish Cards

View color swatches for items listed within this document.

Paints

Plastics/Poly

Wood/Veneer

Laminates

Molded Edges

Edge Styles

Hard Plastics



Glass

Certain options referenced may not be available on GSA Schedule.

Torsion Air® Task Seating
Chairs



Torsion Air® Task Seating
Chairs

MODEL		MODEL NUMBER															
		Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
	Task Armless Chair • Back flex • Mesh back • Base available in black or polished aluminum	TAPDNA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	24.0#	\$ 874	\$ 891	\$ 913	\$ 913	\$ 920	\$ 970	\$ 995	\$ 1020	\$ 1054
TAPD																	
	Task Armchair • Back flex • Mesh back • Base available in black or polished aluminum	TAPDWA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	26.0#	\$ 912	\$ 930	\$ 950	\$ 950	\$ 959	\$ 1009	\$ 1031	\$ 1059	\$ 1090
TAPD																	
		A	B	C	D	E	F										

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See “How To Build a Model Number”.
3. Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

- A**Select basic model.
- B**Select base color.
Refer to the **Product Color Options** page in this price list.
Base color selection includes seat plate/mechanism and back/arm supports and are always black.
*Add \$112 for polished aluminum base.
- C**Select base option.

C_____ - Carpet casters

S_____ - Hard floor casters

Hard floor casters and glides are available only in black.
- D**Select fire code.

NFR_____ - Compliance to TB 117-2013

FR_____ - Compliance to TB 133

See FR upcharge under Options.
- E**Select upholstery grade/color.
Refer to **ki.com/fabrics**

- F**Select back mesh color.

BLMH_____ - Black

GRMH_____ - Grey

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

OPTIONS

California TB133 Fire Safety Code
The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Added Lead Time=1 week
Added list price=\$64



SPECIAL SERVICES

Special Carton Marking
With specially marked information N/C

Shipping
Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.



		MODEL NUMBER														
		Basic Model	Base Color	Base	Fire Code	Upholstery Color	Mesh Color	Approx. Packaged Weight	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2V	Delivered Pricing Pallas Fabric Group P0	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3
 Task Armless Stool <ul style="list-style-type: none">• Back flex• Mesh back• Base available in black or polished aluminum TASP	TASPNA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	29.0#	\$ 999	\$ 1020	\$ 1038	\$ 1038	\$ 1051	\$ 1098	\$ 1122	\$ 1146	\$ 1180
 Task Stool with Arms <ul style="list-style-type: none">• Back flex• Mesh back• Base available in black or polished aluminum TASP	TASPWA	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	31.0#	\$ 1037	\$ 1059	\$ 1078	\$ 1078	\$ 1089	\$ 1137	\$ 1159	\$ 1183	\$ 1219
							A	B	C	D	E	F				

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See “How To Build a Model Number”.
- Any special service required.

Note:

- The ☐ indicates that a choice is required.
- The absence of the ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

ASelect basic model.

BSelect base color.

Refer to the **Product Color Options** page in this price list.

Base color selection includes seat plate/mechanism and back/arm supports and are always black.

*For polished aluminum selection add \$112

CSelect base option.

C_____ - Carpet casters

S_____ - Hard floor casters

Hard floor casters and glides are available only in black.

DSelect fire code.

FR_____ - Compliance to TB 133

NFR_____ - Compliance to TB 117-2013

See FR upcharge under Options.

ESelect upholstery grade/color.

Refer to **ki.com/fabrics**

FSelect back mesh color.

BLMH - Black

GRMH - Grey

Refer to **ki.com/fabrics**

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs or less is 3/4 yard per chair of 54” wide nondirectional fabric. For orders of 11 or more chairs, and for complete information on ordering C.O.M., see “Ordering C.O.M., C.O.V. and C.O.L.” section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133.

Added Lead Time=1 week

Added list price=\$64

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships **knocked down, FOB Green Bay, WI 54302, freight prepaid.** Freight class 100.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street
P.O. Box 8100
Green Bay, WI 54308-8100
800.424.2432
ki.com

KI and Furnishing Knowledge are registered
trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc.
All Rights Reserved.
Code KI-PLW-000453/KI/PDF



Furnishing Knowledge®