

TORSION ON THE GO® SEATING

PRICE LIST

January 3, 2011 Updated October 3, 2022

800.424.2432

Contents
Refer to KI Terms & Conditions document or visit ki.com.



Contents
Refer to KI Terms & Conditions document or visit ki.com.

| Ordering C.O.M., C.O.L., and C.O.V. | | |
|-------------------------------------|-----------------------------------|---|
| , , | io, Tupelo and Shipping Locations | 3 |
| Torsion® on the Go® | | |
| General Information | | 4 |
| Product Color Options | | 5 |
| Moeting Chaire | | 6 |

Architectural Walls


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to uphol ster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

Attn: C.O.M. Specialist 1687 Westminster Drive, Gate 3 Green Bay WI 54302

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1' square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges ship material to: cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

> Attn: C.O.M. Storage 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

For products shipped from Bonduel, WI facility,

Attn: C.O.M. Storage 204 West South Street Bonduel, WI 54107

For products shipped from Ontario, CA facility, ship material to:

> Avail/Impress/Kismet/Medical & Laboratory Stools/Pilot Attn: C.O.M. Storage 1110 S. Mildred Ave. Ontario, CA 91761

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting TA requirements. as in Diagram B, along with 0 right & top to bottom on seat materials for testing, and

with the order.

Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M... C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material

C.O.M. SHIPPING LOCATION



| Evoke | Universal Overheads Wireworks Unite | M |
|--------------------------------|---|------|
| Casegoods | Office | IVII |
| Aristotle TackboardsMN | Residence Hall Furniture | |
| Likha TackboardsMN | RoomScape Furniture | 1M |
| Classroom Furniture | Screens | |
| Intellect Wave ChairsGB | All Terrain | K |
| Learn2GB | Connection Zone | BV |
| RuckusGB | True/Volition | K |
| | Genesis | K |
| Desking | Tattoo | 1M |
| 700 Series DeskingKP | Universal | BV |
| Balance OverheadsMN | | |
| Genesis DeskingMN | Seating | |
| True DeskingKP | 400 Series Folding Chairs | BV |
| Universal OverheadsMN | 600 Series Folding Chairs | BV |
| WorkZone DeskingMN | 600 Series Stools | BV |
| | Affina Collection | 1 |
| Files & Storage | Altus Task Chairs | GI |
| 700 Series Pedestal CushionGB | Apply Stack Chairs | GI |
| Connection Zone PadsBW | Auditorium Folding Chairs | BV |
| U-Series Pedestal CushionGB | Calida Lounge Seating | 1 |
| TattooBW | Diem Task Chairs | O |
| | Doni Collection | GI |
| Fixed Seating | FourC Seating | GI |
| Concerto Auditorium SeatingBW | Gladly Lounge Seating | VC |
| Single Pedestal SeatingGB | Grazie Seating | Gl |
| Jury Base SeatingGB | Hiatus Sleeper Bench | 1H |
| Lancaster Auditorium SeatingBW | Hub Modular Lounge Seating | |
| Sequence SeatingGB | Impress Task Chairs | O |
| University SeatingGB | Impress Ultra Task Chairs | O |
| | Jessa Lounge Seating | 1 |
| Panel Systems | Jubilee Lounge Seating | |
| All TerrainKP | Katera Guest Chair | |
| Balance OverheadsMN | Kurv Benches | 1H |

System 3000

| LaResta Day Beds | .HN |
|--------------------------------------|-----|
| LimeLite | .GB |
| Lyra Lounge Seating | |
| Maestro Stack Chairs | .GB |
| Matrix Stack Chairs | .GB |
| Medical & Laboratory Stools | ОМ |
| MyPlace Lounge Seating | .HN |
| MyWay Seating | |
| Oath Task Chairs and Stools | .GB |
| Opt4 | .GB |
| Pilot Task Chairs | ОМ |
| Promenade Seating System | .BW |
| Ruckus | .GB |
| Sela Lounge Seating | .HN |
| Sift Task Chairs | .GB |
| Signia Task Chairs and Stools | MO. |
| Soltice Metal Collection | .HN |
| Soltice Multiple, Healthcare & Guest | .HN |
| Soltice II Healthcare Seating | .HN |
| Strive Multiple, Stack & Task | .GB |
| Sway | .BW |
| Tattoo | .HN |
| Torsion-on-the-Go! Nesting Chairs | .GB |
| Torsion Air Stack and Task Seating | .GB |
| Zoetry | .HN |
| | |

C.O.M., C.O.L and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement

Type of seating and number of units of each type

Purchasing Agent (Dealer or buying organization) Project Name

Please see information below and check the appropriate box.

☐ Submitted for testing.

Purchase Order Number

KI Acknowledgement Number

Test approved. Submitted for production.

In all instances, send this form to the C.O.M. Specialist.



Selvage Top and Bottom





KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

KI Bonduel Attn: COM Storage 204 West South St. Bonduel, WI 54107

> KI Green Bay Attn: COM Storage

Green Bay, WI 54302

1687 Westminster Drive - Gate 3

KI High Point Attn: COM Storage 217 Feld Avenue High Point, NC 27263

KI Pembroke

Attn: COM Storage

Pembroke, Ontario K8A6X7

1000 Olympic Dr.

1400 S. 41st St. Manitowoc, WI 54220 <u>OM</u>

KI Manitowoc


Attn: COM Storage

Attn: COM Storage 1110 S. Mildred Ave. Ontario CA 91761

Attn: COM Fabrics

6892 Marlin Circle

La Palma, CA 90623








Upholstered Back Arm Chair (TGWAUB)



Upholstered Back Armless Chair (TGNAUB)





Caster















| | (TGNAPB) | (TGWAPB) | (TGTARPB) |
|----------------------------------|-----------|-----------|-----------|
| Features | | | |
| Back flex | • | • | • |
| Flip-up seat | • | • | • |
| Nesting | • | • | • |
| Casters | • | • | • |
| General Dimensions | | | |
| Seat width | 17-1/4" | 17-1/4" | 17-1/4" |
| Seat depth | 18-1/2" | 18-1/2" | 18-1/2" |
| Seat height | 18" | 18" | 18" |
| Back width | 18-14" | 18-1/4" | 18-1/4" |
| Back height | 14" | 14" | 14" |
| Overall Dimensions | | | |
| Width | 23-1/2" | 23-1/2" | 27" |
| Depth | 24-1/4" | 24-1/4" | 31" |
| Height | 32-1/4" | 32-1/4" | 32-1/4" |
| Top of arm to floor | | 24-1/4" | 29" |
| Nesting (two chairs) | 24" x 24" | 24" x 24" | 24" x 24" |
| (Each additional chair - add 5") | | | |

SPECIFICATIONS

Seat and Backrest

Seat is two-piece construction of molded plywood upholstery board with a molded compound curved nylon shroud with a textured finish. Seat is always upholstered. Foam (1-3/4") is applied to the molded plywood upholstery board. Fabric is then upholstered over the foam. Backrest is available in either a polypropylene or upholstered version. Backrest is molded compound curved polypropylene with a textured finish. Backrest has an integral, molded "handle."

Back upholstery liner is molded polypropylene with glued-on foam (1/2"). Fabric is upholstered over the foam. The liner is secured to the backrest by four #10 color-matched machine screws.

Seat flips up to allow chairs to nest for storage and transport.

Backrest Supports

Two welded steel backrest supports attach the backrest to the torsion mechanism.

Torsion® Mechanism

The back flex is achieved by the torsion mechanism. It consists of two flat torsion springs captured at both ends by steel bushings that are welded to the backrest supports. The torsion mechanism creates gradually increasing resistance over the full 12° of back flex.

The frame is made up of four legs welded to a steel mechanism tube. The legs are 1", 13-gauge steel tubing. Reinforcement plates are welded between front and back legs for added strength. Nylon covers fit over the plates.

Casters/Glides

Double wheels (60mm) of high-impact thermoplastic. High-impact plastic frame. Carpet and hard floor casters are always black. Bell glide (2" high) made of high-impact plastic also available, black only.

Leg Finishes

Baked-on electrostatically-applied epoxy powder coating or bright nickel-chrome plating.

Armrests are made of nylon and match the seat and back poly color. Armrests rotate with the

Tablet/Tablet Arm

The tablet is available in a plywood core (5/8" thick, 11-ply hardwood surfaced with .030" high-pressure laminate top and plain backer undersurface) or a black molded polyethylene. It is connected to the mechanism and supported by a 12-gauge steel plate. It has an effective working surface 12" deep by 22" across. The tablet arm is not field addable. The tablet arm is available in right-hand and left-hand versions. The tablet mechanism consists of aluminum die cast housings and through bolted pivots with bushings on two axis. The mechanism allows for horizontal rotation for ingress/egress without stowing the tablet. The mechanism stows the tablet so that the chair will nest with other Torsion® on the Go!® chairs with tablets and Torsion® on the Go!® chairs without tablet or arms.

INFORMATION

C.O.M. Testing and Production Require- in the USA by Krueger International, Inc. under

Designed by Giancarlo Piretti and manufactured

license from Pro-Cord S.p.A.

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

Attn: C.O.M. Specialist 1687 Westminster Drive - Gate 3 Green Bay, WI 54302

Fabric Disclaimer

Fabric will be applied as swatched by the fabric manufacturer. Fabric that is required to be applied differently than is swatched will need a Special Cost Request written specifying the direction the fabric is to be applied. The posted standard lead time will apply to the Special Cost Request.

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Torsion® on the Go® Product Color Options



| Frame Color | | Seat and Back Color - Polypropylene | | Tablet Arm Color - Polyethylene | |
|---|----------------|--|-----------------|---------------------------------|------|
| Black | BL | Non Flame-Retardant | | Black | BLWS |
| Blue Grey | GR | Black | PBL | Black | BLWS |
| Bronze Metallic | ZM | Blue Grey | PGR | | |
| Cayenne | CY | Cool Grey | PCG | Tablet Arm Color - Laminate | |
| Champagne Metallic | CM | Cottonwood | PCO | Belair | LBQ |
| Chrome | CH | Earthen Clay | PEY | Biltmore Cherry | LBT |
| Cool Grey | CG | Everglade Shade | PEV | Black | LBK |
| Cottonwood | CO | Flannel | PFN | Brighton Walnut | LBW |
| Earthen Clay | EY | Hazy Jade | PHJ | Canyon Zephyr | LCA |
| Espresso Metallic | EX | Honey Bee | PHY | Castle Oak | LC0 |
| Everglade Shade | EV | Light Tone | PLG | Casual Linen | LCU |
| Flannel | FN | Mardi Gras | PMG | Cherry Storm | LCX |
| Glitz Metallic | GZ | Misty Brown | PMY | Classic Linen | LCI |
| Hazy Jade | HJ | Nemo | PNE | Cloud Zephyr | LCL |
| Honey Bee | HY | Nordic | PND | Cocobala | LCC |
| Light Tone | LG | Purple Haze | PPH | Crisp Linen | LRI |
| Mardi Gras | MG | Rubber Ducky | PRK | Desert Zephyr | LDZ |
| Misty Brown | MY | Sand | PSA | Dove Grey | LDG |
| Nemo | NE | Surf's Up | PSP | Fired Steel | LIL |
| Nordic | ND | Twilight Shadow | PTI | Flax Linen | LXF |
| Purple Haze | PH | Ultra Blue | PUB | Florence Walnut | LFC |
| Rubber Ducky | RK | Warm Grey | PWG | Forged Steel | LOL |
| Sand | SA | Zesty Lime | PZL | Friston Ash | LFH |
| Starlight Silver Metallic | SX | | | Frosty White | LFW |
| Surf's Up | SP | Seat and Back Color - Polypropylene | | Graphite Nebula | LGN |
| Twilight Shadow | TI | Flame-Retardant | | Grey | LGE |
| Ultra Blue | UB | Black | PBL | High Rise | LHE |
| Warm Grey | WG | The above seating product can be manufactured usi | ina the | Hollyberry | LHY |
| Zesty Lime | ZL | appropriate flame-retardant materials for complianc | | Irish Linen | LIH |
| 200ty Elillo | 21 | Technical Bulletin 133. | | Island | LID |
| When frame color is chrome, the back support ma | tches seat and | TRANSLUCENT colors are available on the upholste | red seat models | Italian Silver Ash | LIT |
| back color. | | only. | Tou oout mouolo | Kensington Maple | LKM |
| | | | | Lapis Blue | LLB |
| | | *NOTE: When FR upholstery is selected, FR poly (b | lack only) must | Markerboard White | LMK |
| | | be selected. NFR poly is not available with FR uphol | | Misted Zephyr | LMR |
| | | , , | • | Monticello Maple | LMT |
| | | | | Nickel Evolv | LNV |
| | | | | North Sea | LNA |
| | | | | Ocean | LON |
| | | | | Pearl Bisque | LPB |
| | | | | Pearl Silver | LPS |
| | | | | Pressed Linen | LPR |
| | | | | River Cherry | LRY |
| | | | | Rugged Linen | LRG |
| | | | | Satin Stainless | LSS |
| | | | | Shadow Zephyr | LSR |
| | | | | Silicon evolv | LSV |
| | | | | Sterling Ash | LAZ |
| | | | | Tailored Linen | LTL |
| | | | | Titanium evolv | LTV |
| | | | | White Nebula | LWL |
| | | | | Willie Webala | |
| | | | | White Sand | LWN |

Torsion® on the Go®



Torsion® on the Go®

| | | | MODEL N | NUMBER | | | | | | | | | | | | | |
|--|-----|--|----------|----------------|---------|---|----------|--------|---------------------------------------|------------------------------|------------------------------|------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------|--------------------------------------|
| Publish Control rights Control right | | | Model | Frame Color | Armrest | | | Weight | Pricing Fabric Grade 1 & C.O.M. | Pricing Fabric Grade 2 | Pricing Fabric Grade 3 | Pricing Vinyl Group 2V | Pricing Pallas Fabric Group P0 | Pricing Pallas Fabric Group P1 | Pricing Pallas Fabric Group P2 | Pricing Pallas Fabric | Pricing Pallas Fabric Group P4 |
| Amrica Clair with Uphotstered Back - Tiley post - Rick Sack - Filty up cat - Rick Sack - Filty up cat - Rick Sack - Filty up cat - Rick Sack - Rick Sa | Ţ | Flex backFlip-up seatNests | TGNAPB | | | | | 32.0# | \$ 842 | \$ 862 | \$ 881 | \$ 881 | \$ 875 | \$ 889 | \$ 933 | \$ 967 | \$ 1007 |
| Arm Chair with Poly Back - Fix back - Fix back - Fix back - Casters or glides - Casters of glides - Casters of glides - Fix back - F | | Flex backFlip-up seatNests | TGNAUB | | | | | 33.0# | \$ 901 | \$ 920 | \$ 940 | \$ 940 | \$ 933 | \$ 946 | \$ 990 | \$ 1023 | \$ 1065 |
| Arm Chair with Upholstered Back - Flex back - Flex back - Fley pseat - Nests - Casters or glides - Poly Armrests TGW - | | Flex back Flip-up seat Nests Casters or glides Armrest color matches seat/back poly | TGWAPB | | | | | 33.0# | \$ 881 | \$ 901 | \$ 919 | \$ 919 | \$ 914 | \$ 929 | \$ 963 | \$ 1004 | \$ 1041 |
| | | Flex backFlip-up seatNestsCasters or glides | TGWAUB | | | | | 35.0# | \$ 939 | \$ 957 | \$ 975 | \$ 975 | \$ 972 | \$ 988 | \$ 1023 | \$ 1062 | \$ 1098 |
| | TGU | | A | B | Θ | • | 3 | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- \bullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

BSelect frame color. Refer to the **Product Color Options** page in this FR - Compliance to TB 133

The metal back support matches the frame

Select seat and back color.

Refer to the **Product Color Options** page in this

Armrest color will match seat/back poly color.

OSelect base option.

- Bell glides (black only)

- Carpet casters (black only)

- Hard floor casters (black only)

 Select upholstery grade/color. Refer to ki.com/fabrics

Select fire code.

NFR - Compliance to TB 117-2013

UPHOLSTERY INFORMATION

C.O.M. Upholstery
C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

Torsion® on the Go® Nesting Chairs



Torsion® on the Go®

| MODEL NUMBER | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|-------------------------|--------------------|-----------------|----------------|--------------------------------|--|----------|---------------------|--|----------------------------|------------|---|---|---|---|---|---|---|---|---|
| | MODEL | Features | Basic Model | Surface Type | Frame Color | Seat/Back/ Armrest Color | Surface Finish/ Plastic Color | Base | Upholstery Color | | Approx Packaç Weight | ed Pricing | Delivered Pricing Fabric Grade 1 | Delivered Pricing Fabric Grade 2 | Delivered Pricing Fabric Grade 3 | Delivered Pricing Vinyl Group 2V | Delivered Pricing Pallas Fabric Group P0 | Delivered Pricing Pallas Fabric Group P1 | Delivered Pricing Pallas Fabric Group P2 | Delivered Pricing Pallas Fabric Group P3 | Delivered Pricing Pallas Fabric Group P4 |
| | Tablet Arm Chair with Poly Back Flex back Flip-up seat Nests Casters or glides This tablet is available in right-hand and left-hand versions | Left Hand Right Hand | TGTALPB TGTARPB | | | | | | 0000 | | 30.0 30.0 | · | \$ 1252 1252 | \$ 1267 1267 | \$ 1290 1290 | \$ 1290 1290 | \$ 1284 1284 | \$ 1298 1298 | \$ 1341 1341 | \$ 1376 1376 | \$ 1415 1415 |
| TGU | Tablet Arm Chair with Upholstered Back Flex back Flip-up seat Nests Casters or glides This tablet is available in right-hand and left-hand versions | Right Hand | TGTALUB TGTARUB | | | | | | | | 31.0 31.0 | | \$ 1308 1308 | \$ 1325 1325 | \$ 1346 1346 | \$ 1346 1346 | \$ 1338 1338 | \$ 1355 1355 | \$ 1395 1395 | \$ 1429 1429 | \$ 1472 1472 |
| TGU | | | • | B | • | D | 3 | 3 | 6 | | | | | | | | | | | | |

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How To Build a Model Number".
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- ullet The absence of the \square indicates that no choice is required.
- ullet Alpha-numeric characters in place of \Box indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select worksurface type.

LW - Laminate worksurface

GSelect upholstery grade/color.

Refer to ki.com/fabrics

- Plastic worksurface

Select frame color.

Refer to the **Product Color Options** page in this price list.

DSelect seat and back color.

Refer to the **Product Color Options** page in this

Armrest color will match seat/back poly color.

Select surface finish.
Refer to the **Product Color Options** page in this

Select base option.

G - Bell glides (black only)

- Carpet casters (black only)

- Hard floor casters (black only)

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for 10 chairs either poly or upholstered is 3/4 yard of 54" wide nondirectional fabric. For orders of 11 of more chairs and for complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping Ships assembled, FOB Green Bay, WI 54302, freight prepaid. Freight class 125.

Specifications and prices are subject to change without prior notice.

1330 Bellevue Street P.O. Box 8100 Green Bay, WI 54308-8100 800.424.2432 ki.com

KI and Furnishing Knowledge are registered trademarks of Krueger International, Inc.

© 2020 Krueger International, Inc. All Rights Reserved. Code KI-PLW-000452/KI/PDF

