Date of issue : 2022/01/05

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: T-FC220U-M

e-STUDIO2520AC series

SDS NO. TFC220UMEN-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Toner for electrophotographic equipment

1.3 Details of the supplier of the safety data sheet

Manufacturer Toshiba TEC Corporation

Address: Gate City Ohsaki West Tower 1-11-1, Osaki, Shinagawa-ku, Tokyo, 141-8562, Japan

Telephone number: +81-3-6830-9100

Supplier

Toshiba America Business Solutions, Inc.

Emergency Telephone No. +1-800-424-9300(CHEMTREC)

For calls within the U.S.only.

+1-703-527-3887(collect calls accepted) (CHEMTREC)

Outside USA and Canada

Toshiba TEC Canada Business Solutions Inc.

75 Tiverton Court, Markham, Ontario, L3R 4M8

Telephone No.+1-905-470-3500

For calls within Canada only.

2. Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

Classification according to Hazard Communication Standard - 2012 (29 CFR 1910.1200)

HEALTH HAZARDS

Acute toxicity (Oral): Out of classification

Acute toxicity (Inhalation):Out of classification

Skin corrosion/irritation: Out of classification

Eye damage/eye irritation : Out of classification

Skin sensitization: Out of classification

Germ cell mutagenicity: Out of classification

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute):Out of classification

(Note) GHS classification without description: Not classified/Classification not possible

2.2 Label elements

No GHS label element

No Signal word

The product does not contain any ingredients designated as Endocrine disrupting properties.

3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name	Content (%)	CAS No.
Polyester resin	75-85	-----
Organic Pigment	<9	-----
Wax	<9	-----
Amorphous silica	<6	7631-86-9
Titanium dioxide	<1	13463-67-7

----- TRADE SECRET

Components contributing to the hazard

The product does not contain any ingredients listed in REACH SVHC candidate list.

4. First-aid measures

4.1 Descriptions of first-aid measures

Inhalation

Remove from exposure area to fresh air immediately.

Contact a physician if there is any difficulty in breathing or other signs of distress.

Skin Contact

Wash with soap and water.

If irritation occurs or is persistent, seek medical attention.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes.

If irritation persists, call a physician.

Ingestion

Dilute stomach contents with several glasses of water.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide, dry chemical, water fog

Unsuitable extinguishing media

None

5.2 Special Hazards

Can form explosive dust-air mixtures when finely dispersed in air.

5.3 Advice for firefighters

Special protective equipment and precautions for fire-fighters

Wear protective gloves/protective clothing/eye protection/face protection.

6. Accidental release measures

6.1 Personnel precautions, protective equipment and emergency procedures

Wear proper protective equipment.

Avoid breathing dust.

6.2 Environmental precautions

Do not wash away into sewers or waterway.

6.3 Methods and materials for containment and cleaning up

Sweep slowly spilled toner/developer and carefully transfer into a waste container.

Choose a dust explosion-proof type if you use the vacuum cleaner.

7. Handling and storage

7.1 Precautions for safe handling

Preventive measures

Do not breathe dust.

(Exhaust/ventilator)

No special ventilation equipment is needed under intended use.

7.2 Storage

Conditions for safe storage

Keep cool.

Store in a dry place.

Keep out of the reach of children.

7.3 Specific end use(s)

Toner for electrophotographic equipment

8. Exposure controls/personal protection

8.1 Control parameters

ACGIH

(Titanium dioxide)

ACGIH(1992) TWA: 10mg/m3 (LRT irr)

OSHA-PEL

(Titanium dioxide)

TWA 15mg/m3

(as the product)

TWA 15mg/m3(Total dust)

5mg/m3(Respirable fraction)

DMG-MAK

(as the product)

4mg/m3 (Inhalable fraction)

1.5mg/m3 (Respirable fraction)

8.2 Exposure controls

Individual protection measures

Respiratory protection

Not required under intended use.

Hand protection

Not required under intended use.

Eye protection

Not required under intended use.

Skin and body protection

Not required under intended use.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state: Powder/granule

Color: Magenta

Odor: None

Melting point/Freezing point: 110-150(Softening point)℃

Solubility:

Solubility in water: Insoluble

Density and/or relative density: 1.1-1.5g/cm3

9.2 Other information

Explosive Properties

Little possibility in intended use.

According to Explosive Evaluation, can form explosive dust-air mixtures when finely dispersed in air, like most finely grained organic powder.

10. Stability and Reactivity

10.1 Reactivity

Reactivity data is not available.

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid

Conditions to avoid data is not available.

10.5 Incompatible materials

None

10.6 Hazardous decomposition products

None

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

LD50 > 2,000mg/kg

(This was the highest attainable mass.)

Acute toxicity (Dust/Mists inhalation), Product

LC50 >5.04mg/l

(This was the highest attainable concentration.)

Irritant properties

Skin corrosion/irritation

Non-irritant.

Serious eye damage/irritation

Minimally irritating.

Sensitization

Skin sensitization

Non-sensitizer

Germ cell mutagenicity

Ames test :Negative

Carcinogenicity

(Titanium dioxide)

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human carcinogen). In animal chronic inhalation studies, carcinogenicity was observed in only specific rats. This is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Epidemiological study to date has not revealed any evidence of the relation between work exposure of titanium dioxide and respiratory diseases.

Reproductive toxicity data is not available.

STOT

Chronic Effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. These findings are attributed to "lung overloading", a general response to excessive amounts of any dust retained in the lungs for

a prolonged period.
Aspiration hazard data is not available.

12. Ecological Information

12.1 Ecotoxicity
Aquatic toxicity

LC50 is greater than	100mg/L	(fish)
EC50 is greater than	100mg/L	(daphnia)
EC50 is greater than	100mg/L	(Algae)

12.2 Persistence and degradability
Persistence and degradability data is not available.
12.3 Bioaccumulative potential
Bioaccumulative potential data is not available.
12.4 Mobility in soil
Mobility in soil data is not available.
12.5 Results of PBT and vPvB assessment
PBT and/or vPvB assessment data is not available.
12.6 Endocrine disrupting properties
Endocrine disrupting properties is not available.
12.7 Other adverse effects
Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging
13.1 Waste treatment methods
Dispose of in accordance with local, state and federal regulations.
Empty plastic container may be recycled.

14. Transport Information

UN No., UN CLASS
UN No. or ID No.: Not applicable

Land DOT 49 CFR,ADR	:Not classified as Dangerous Goods
Sea IMDG Code	:Not classified as Dangerous Goods
Air ICAO-TI,IATA-DGR	:Not classified as Dangerous Goods

Environmental hazards
MARPOL Annex III - Prevention of pollution by harmful substances
Marine pollutants (yes/no) : no

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
The product does not contain any ingredients listed in REACH SVHC candidate list.
US/Canada Information
Toxic Substance Control Act (TSCA)
All chemical substances in this product comply with all applicable rules or orders under TSCA.
California Proposition 65
Not regulated.
OSHA Hazard Communication Standard, 29CFR 1910.1200

Not regulated.
RCRA (40 CFR 261)
Product or components not listed.
CERCLA/SARA Information
Not regulated.
NTP Annual Report on Carcinogens
Not listed as an NTP carcinogen.

Hazardous Products Regulations (Canada)
This product has been classified in accordance with the hazard criteria of the HPR.
Workplace Hazardous Materials Information System (Canada)
No toxicology information available.

EU Information
Regulation (EC) No.1907/2006 (REACH)
All chemical substances in this product comply with all applicable rules or order under REACH.

Australian Information
Not classified as hazardous according to criteria of NOHSC
The substance is being imported or manufactured under a permit granted under section 21U of
the Industrial Chemicals (Notification and Assessment) Act 1989

NewZealand Information
Not classified as hazardous according to criteria of HSNO

China Information
Regulations on Safe Management on Hazardous Chemicals (China Decree 591)
All chemical substances in this product comply with all applicable rules or orders under China Decree 591.

16. Other information

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2021 TLVs and BEIs. (ACGIH)
Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats
H.Muhle et.al; Fundamental and Applied Toxicology 17.280-299(1991)
Lung Clearance and Retention of Toner, Utilizing a Tracer Technique, during Chronic Inhalation Exposure in Rats
B.Bellmann; Fundamental and Applied Toxicology 17.300-313(1991)

Definitions and Abbreviations

OSHA PEL stands for Permissible Exposure Limit under Occupational Safety and Health Administration (USA)
ACGIH TLV stands for Threshold Limit Value under American Conference of Governmental Industrial Hygienists (USA)
DFG-MAK stands for Maximale Arbeitsplatzkonzentrationen under Deutsche Forschungsgemeinschaft
TWA stands for Time Weighted Average
IARC stands for International Agency for Research on Cancer
NTP stands for National Toxicology Program (USA)

DOT stands for Department of Transportation (USA)
NOHSC stands for National Occupational Health and Safety Commission (Australia)
ADG stands for Australian Dangerous Goods

Restrictions

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.
The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.