

transit

price guide

04.30.2018

teknion

contents

INTRODUCTION	5
PANELS	19
LYFT®	69
PANEL CONNECTIONS & TRIMS	81
ELEMENTS	113
WORKSURFACES & COUNTERTOPS	135
WORKSURFACE SUPPORTS & ACCESSORIES	169
TRANSIT FREESTANDING	201
ABILITY TABLES FREESTANDING	221
ABILITY SCREENS FREESTANDING	241
MOUNTED STORAGE & ACCESSORIES	255
FREESTANDING STORAGE & ACCESSORIES	273

contents

LIGHTING, ELECTRICS & COMMUNICATIONS	289
INTERNATIONAL LIGHTING, ELECTRICS & COMMUNICATIONS . .	339

introduction

introduction

WHERE TO FIND THE INFORMATION YOU NEED	7
HOW TO MAKE THIS GUIDE WORK FOR YOU	8
INDEX – BY SECTION	10
INDEX – BY PRODUCT	14
HOW TO SPECIFY TRANSIT®	16

where to find the information you need

Teknion provides an array of tools and information resources to help you get things done simply and easily. From product pricing to application guidelines to online planning suggestions, you will find what you need when you need it.

product pricing

Online Access to all current pricing in PDF format, can be found at www.teknion.com, by selecting the **products** tab, the desired product line and then **pricing module**.

Printed Price Guides by product line containing product maps, detailed pricing tables and product basics information are available to help you specify correctly. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

application guidelines

Online Access to all current Application Guides in PDF format, can be found at www.teknion.com, by selecting the **tools** tab, **application guides** and the desired product line.

Printed Application Guides by product line containing detailed application guidelines as well as tips to help you plan and specify each of our products are available. These guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

planning tool

Select and view typicals of our products by setting, product, or footprint. Get great ideas and save time!

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **planning tool**.

weights & volumes

Online Access to Weights & Volumes are available on www.teknion.com, by selecting the **products** tab and the desired product line. Download Weights & Volumes.

fabrics & finishes

Teknion's Fabrics and Finishes offering includes the following programs; Finishes + Materials and Teknion Textiles.

Online Access is available on www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**.

Printed Fabrics & Finishes Guides can be ordered online through www.teknion.com, by selecting the **tools** tab and then **print on demand** or by contacting your local Teknion Representative.

product photography & drawings

Online Access to all photos, line drawings and renderings are available on www.teknion.com, by selecting the **tools** tab and selecting either **photography**, **CAD symbols** or **Sketchup 3D Warehouse**.

order forms

All forms (COM Request, TekniPaint and TekniStain forms) are available online at www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**. Download the form you require.

warranty/terms & conditions of sale

Online Access is available on www.teknion.com, by selecting the **Legal & Warranty** link located on the footer of the website.

installation guides

Installation Guides are available for both Online and Print. Contact your Teknion Customer Service Representative for more details.

user feedback

How is our marketing material working for you?

Feedback from the user is very important to the quality of Teknion's marketing material. We ask that if you have suggestions on how you think we could improve content OR if you have found an error, that you please contact your Teknion Technical Services department.

how to make this guide work for you

price guide contents

This guide contains all the information you need to order this product through your specification software. The Introduction section provides everything you need to get started and the subsequent sections provide detailed pricing and specification information by product type. Each of these sections contains Overview and Basics pages to explain key application and specification guidelines that will help you specify the product correctly. The detailed pricing pages follow.

8

price guide	
	Introduction
	Index by section
	Index by product
	Product Maps by section
	Overview and Basics by section
	Pricing by section

basics page at a glance

It is recommended that you review the basics pages before you begin specifying a product. For more detailed application and planning information refer to the appropriate Application Guide available on www.teknion.com.

Section Title

Page Title

Important Product Notes (If applicable)

Page Number

Last update for this page

panels

panels overview

Panels are the basic building block for which all other system components are dependent to create a comprehensive environment.

◆ Transit offers two panel types – Modular Panel with and without raceway (TPM, TPMN) and Super Panel with and without raceway (TPX, TPXN)

2.2

transit price guide – April 30, 2018

• Fabric Elements (THA) are the default elements for both inner and outer sides of the panels

• A variety of optional element styles are available

Power and communications access to panels with raceways is provided at three heights through a power/communications element or at work surface height through an access door

Pass Through Holes are punched into the frame structure to enable the passage of communication cables. Up to 60 Category 5 communication cables can be accommodated in each hole

Panel frames are constructed of welded steel with an integrated baseboard

Levelers are included and have an adjustment range of 2 1/2" to allow for consistency of Panel height


Product Name/Code, application notes, dimensions and finishes (as applicable)

how to make this guide work for you (continued)

pricing details at a glance

Section Title → panels

Product Code/Name → T P X
Super Panel with Raceway

Product Illustration → 

Page Number → 42

Feature and finish options you may select from when specifying →

Product Dimensions in inches and millimetres →

While sizing may be shown in both imperial and metric, products need to be ordered using imperial dimensions. →

Dimensional Codes (listed throughout the text and under options on pricing pages) are nominal figures, they are not actual dimensions. →

Last update for this page →

The Super Panel with Raceway is made up of one 36" high base panel frame and Add-On Modules and allows for power pass-through and power access capabilities.

WHAT'S INCLUDED
Bare Frame: (for build up pricing purposes only) 1 - 36" high base frame with raceway, 15" high bare frame Add-On Modules (quantity depending on the height), 2 levelers, hardware for straight connections.
Complete Panel: 1 - 36" high base frame with Raceway, 15" high Add-On Modules and 15" high THA Elements (quantity depending on height), 2 levelers, hardware for straight connections and 1 top trim.

WHAT'S EXCLUDED
 Top Trim (unless complete panel is ordered) and Baseboard Element are not included.

NOTES
 The TPX42 is composed of a 36" high base and one 6" high Add-On Module.
 Metal Top Trim will be finished to match the frame.
 To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Wood Top Trim Finish
36, 42, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood

SAMPLE ORDER CODE

TPX 66	42	C	PANEL MATRIX	C

DIMENSIONS INCHES / MM

H	W	Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim
36 / 914	18 / 457	284	551 595 614 642 684 727 780 832
36 / 914	24 / 610	296	579 617 636 679 725 770 811 864
36 / 914	30 / 762	303	625 649 673 735 776 815 873 924
36 / 914	36 / 914	307	668 705 743 809 848 886 957 1013
36 / 914	42 / 1067	318	726 759 807 892 934 973 1049 1116
36 / 914	48 / 1219	350	795 843 890 957 1021 1085 1175 1237
36 / 914	54 / 1372	354	849 907 958 1029 1108 1186 1270 1360
36 / 914	60 / 1524	361	883 963 1049 1111 1179 1248 1361 1438
42 / 1067	18 / 457	385	723 773 800 849 907 962 1033 1106
42 / 1067	24 / 610	414	772 820 848 918 977 1032 1094 1167
42 / 1067	30 / 762	428	833 876 912 987 1046 1104 1185 1256
42 / 1067	36 / 914	428	893 945 990 1076 1134 1191 1285 1362
42 / 1067	42 / 1067	457	988 1029 1091 1205 1263 1319 1425 1515
42 / 1067	48 / 1219	501	1075 1138 1196 1293 1382 1471 1595 1688
42 / 1067	54 / 1372	508	1147 1222 1296 1389 1503 1614 1735 1856
42 / 1067	60 / 1524	520	1197 1309 1419 1506 1603 1700 1853 1962

Complete panel build-up pricing is an approximate value; please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31
 If Mica is specified for a 42" high frame, add 40
 If Mica is specified for 18"-36" wide panel with metal top trim, add 6
 If Mica is specified for 42" wide panel with metal top trim, add 7
 If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

Product Description, What's Included, What's Excluded (where applicable) and Notes (where applicable)

Sample Order Code

Pricing table categorized by dimensions and price-relevant finishes (where applicable)

additional information

The following forms are available at www.teknion.com, by selecting the **tools** tab and then **Fabrics & Finishes**, to help you specify and place your order if required:

teknipaint

If you require a custom paint color match, you must submit a TekniPaint form.

using your own material (COM)

If you wish to use your own material on fabric-covered products, you must submit a completed COM form including a sample upholstery and safety testing.

A COM Order Information Sheet must also be submitted. This form captures all relevant ordering and tracking information.

A COM Request for Yardage Calculation form may be sent to Teknion for preliminary yardage requirements.

placing a manual order

Complete an Order Cover Sheet with the information we need to fill your order. This is the most important step. If the Order Cover Sheet is not complete and correct, the order may be delayed.

noting key requirements

If you require that certain pieces share the same locks you will need to specify Set of Keys Alike (SOKL) located in the Price and Product Guide.

index – by section

Section Contents	Product Code	Page No.
INTRODUCTION		
Where to find the information you need		7
How to make this guide work for you		8
How to specify Transit		16
PANELS		
Panels Overview		22
Modular Panel Basics		23
Super Panel Basics		24
Door Panel Basics		25
Privacy Screen Basics		26
Bridge Basics		27
Panel-T Basics		28
Divisional Screen Basics		29
Panel Matrix Order Form		30
Panel Pricing Build-Up Worksheet		31
Panel Pricing Remove/Replace Worksheet		32
Modular Panel with Raceway	TPM	34
Modular Panel without Raceway	TPMN	38
Super Panel with Raceway	TPX	42
Super Panel without Raceway	TPXN	46
Panel Raceway	TPR	50
Door Panel	TPD	51
Add-On Module – 6" High	TPX06	52
Add-On Module – 15" High	TPX15	53
Add-On Module – TPM42	TPXD	54
Add-On Module – 30" High	TPX30	58
Add-On Module – Lay-In	TPXL15	59
Privacy Screen	TPSF	60
Bridge	TP	62
Panel T	TPTB	66
Divisional Screen	TDS	67
LYFT®		
Screen Basics		73
Thin Panel – Standard	HPS	74
Thin Panel – Monolithic	HPM	76
Thin Panel Stabilizer Foot	HPF	77
Add-On Screen – Translucent	TPA	78
PANEL CONNECTIONS & TRIMS		
Panel Connections Overview		84
Panel Connectors – Trim Basics		85
Panel Connectors – Corner Basics		86
Lyft Panels & Connectors Overview		87
Lyft End Run, Mid & Off-Module 90° Connector Basics		87
Lyft Trims & Connections Basics		89
Universal Connector	TUC	91
Two-Way 90°	TCC	92
Three-Way 180°	TCC	93
Four-Way 90°	TCC	94

Section Contents	Product Code	Page No.
Intermediate Two-Way 90°	TCI	95
Intermediate Three-Way 180°	TCI	96
Full-Height Panel Spacer	TCC	97
Full-Height Spacer Cover	TEC	98
Intermediate Panel Spacer	TCI	99
Intermediate Spacer Cover	TEI	100
End Trim	TTE	101
Intermediate Trim	TTI	102
Top Trim	TTT	103
Four-Way – No Cap	TNC	104
Wall Adapter	PWA	105
Mid Run 90° On-Module Connector/Spacer (Lyft)	HCMT	106
End Run 90° Connector/Spacer (Lyft)	HCET	107
Thin Panel Connector 90° (Lyft)	HCH9	108
Thin Panel End Trim (Lyft)	HET	109
Thin Panel Intermediate Trim (Lyft)	HIT	110
ELEMENTS		
Element Basics		116
Acoustic Element	THA	118
Tackable Element	TTA	119
Access Door Element	TAD	120
Power/Communications Element	TPC	121
Wood Power/Communications Element	TFEC	122
International Power/Communications Element	VTPCN	123
Glazed Element – Single or Double	TG	124
Architectural Glazed Element – Single or Double	TAG	125
Accessory Element	TAE	126
Whiteboard Element	TWEN	127
Open Element	TGN	128
Perforated Element	THF	129
Architectural Element	TAR	130
Laminate Element	TLE	131
Wood Element	TFE	132
Baseboard Element	T_B	133
WORKSURFACES & COUNTERTOPS		
Worksurface Basics		139
Worksurface Accessory Basics		140
Edge Trim Style Overview		141
Rectangular Worksurface	TWRR	142
Straight Transition Worksurface	TWST	144
Outside Radius Worksurface	TWOR	146
Standard Corner Worksurface	TWSC	148
Standard Radius Corner Worksurface	TWSR	149
Split Radius Corner Worksurface		
with Keyboard Support	TWRX	150
Split Corner Worksurface with Keyboard Support	TWCX	151
Radius Corner Worksurface with Return	TWCR	152
EDP Worksurface	TWES	154

index – by section

Section Contents	Product Code	Page No.
Bullet Top Worksurface	TWBS	155
P-Top Worksurface	TWPS	156
Modified P-Top Worksurface	TWMP	157
D-Top Worksurface	TWDT	158
Tapered Worksurface	TXTA	159
Standard Corner Worksurface (xm)	TXSC	160
Radius Corner Worksurface with Return (xm)	TXCR	161
Guest Corner Worksurface	TXGC	162
Flask Worksurface	TXFL	163
Straight Countertop	TWCS	164
Bullet Countertop	TWCB	165
Double Bullet Countertop	TWCD	166
Angled Countertop	TWCA	167
WORKSURFACE SUPPORTS & ACCESSORIES		
Worksurface Supports & Accessory Overview		173
Worksurface Floor Support Basics		174
Worksurface Support & Accessory Basics		175
Lyft Worksurface Supports Basics		176
On-Module Cantilever	TLON	177
Altos On-Module Cantilever	FLON	178
Off-Module Cantilever	TLOF	179
Panel Support Foot	TLPS	180
Off-Module Support Kit	TLOK	181
Flush End	TLFE	182
Fixed-Height Gable	TLFL	183
Fixed-Height Metal Gable	TLFF	184
Pedestal Supporting Bracket	KSB	185
C-Leg	TLCL	186
Open End	TLOE	187
Semi-Suspended Monoleg	TLSM	188
Semi-Suspended Post	TLSP	189
xm Post Leg	TXPL	190
On-Module Corner Brackets	TLCB	191
Altos On-Module Corner Brackets	FLCB	191
Flush Plates	TLFP	192
Modesty Panel	ACMP	193
FS Modesty Panel	TLMO	194
Mounting Kits	TLMK	195
Fixed-Height Thin Panel Mount Bracket (Lyft)	HWB	196
Adjustable-Height Thin Panel Mount Bracket (Lyft)	HWBA	196
End Gable (Lyft)	HEG	197
Worksurface Supporting Pedestal Kit (Lyft)	HWP	198
TRANSIT FREESTANDING		
Freestanding Desk Basics		204
Freestanding Edge Trim Style Overview		205
Freestanding Rectangular Desk (Flush Ends)	TDRFF	206
Freestanding Rectangular Desk (C-Legs)	TDRCC	207
Rectangular Return (Flush End/C-Leg)	TRRFC	208

Section Contents	Product Code	Page No.
Rectangular Return (C-Legs)	TRRFC	209
EDP Return (Flush End/C-Leg)	TREFC	210
EDP Return (Flush End)	TREFN	211
Rectangular Bridge	TBRNN	212
Bullet Return	TRBS	214
Radius Corner with Return (Flush End/C-Legs)	TRCFC	216
Corner Linking Worksurface	TLRA	218
ABILITY TABLES		
Work Table Basics		224
Work Table Edge Trim Style Overview		225
Partner Table Basics		226
Partner Table Edge Trim Style Overview		227
Desk-Mounted Table Accessory Basics		228
Rectangular Table	AWRE	230
Racetrack Table	AWRA	232
Hoola®	APHO	234
Blink®	APBL	235
Dew®	APDE	236
Table Tray	ACTT	237
Modesty Panel	ACMP	238
ABILITY SCREENS		
Mobile & Expandable Screen Overview		244
Mobile & Expandable Screen Basics		245
Mobile Screen Translucent	ACMSNA	246
Mobile Screen Whiteboard/Whiteboard	ACMSNB	247
Mobile Screen Whiteboard/Fabric	ACMSNC	248
Mobile Screen Fabric/Fabric	ACMSND	249
Expandable Screen Fixed Translucent/Sliding Fabric	ACEB	250
Expandable Screen Fixed Translucent/Sliding Translucent	ACED	251
Expandable Screen Fixed Fabric/Sliding Fabric	ACEG	252
Expandable Screen Fixed Fabric/Sliding Translucent	ACEH	253
MOUNTED STORAGE & ACCESSORIES		
Mounted Storage Basics		258
Mounted Accessory Basics		259
Overhead Cabinet	TSF	260
Shelf	TSS	261
Corner Shelf	TSC1	262
Book Organizer	TBK6S	263
Organizer Rail	TOR	264
Table Rail	ACTR	265
Monitor Screen	ACMS	266
Table Screen	ACTS	267
Translucent Table Screen	ACTL	268
Curved Shelf	ACCS	269
Locks & Keys	K	270
Set of Keys Alike	SOKL	271

index – by section

Section Contents	Product Code	Page No.
FREESTANDING STORAGE & ACCESSORIES		
Freestanding Pedestal Basics		277
Freestanding Filing Basics		278
Freestanding Storage Basics		279
Pedestal	T D N	280
Pedestal Accessories	D A	281
Casters & Counterweight	W	282
Lateral File	L R L	283
Lateral File Accessories	F A	284
Storage Cabinet	L R S	285
Wardrobe Cabinet	L R W	286
Cabinet Accessories	S A	287
LIGHTING, ELECTRICS & COMMUNICATIONS		
Lighting, Electrics & Communications Overview		294
Lighting Basics		295
Ceiling Feed Basics		296
Base Feed Basics		297
Power Distribution Basics		298
Power Access Basics		299
Communications Access Basics		300
Casual Wiring Basics		301
Universal Light	T U	302
Slim Profile Utility Light	T Y R C	303
Base Feed	B F K	304
Split Base Feed	B F K S	305
Plug-In Base Feed	B F K P	306
Power Pole (Complete)	E P T	307
Power Pole (No Harness)	E P T E	308
Pole Divider	E P D	309
High Capacity Power Pole (Complete)	E P H T	310
High Capacity Power Pole (No Harness)	E P H T E	311
Power Pole Harness (Includes Junction Box)	E P B	312
Receptacle Harness	E S	313
Quadrex Receptacle Harness	E T	314
Panel Pass-Through Harness	E H	315
No Raceway Jumper	E I	316
Four-Way Connector	E F	317
Off-Module Jumper	E G	318
M-Clip	T M C	319
Outlets	E D	320
Outlets (Separate Neutral)	E D 8 N	321
Outlets (Dual Isolated)	E D 8 K	322
Surge Suppressor	E D S 5	323
Outlet Knockout Cover	E D C	324
Raceway Box	E R B	325
Raceway Box (Separate Neutral)	E R B 8 N	326
Raceway Box (Dual Isolated)	E R B 8 K	327
Voice & Data Module	V D M	328
Voice & Data Adapter	V D A	329

Section Contents	Product Code	Page No.
Voice & Data Faceplate Adapters	E V D F	330
Access Door VDM Plates	D M P	331
Chicago Corner Ducts	C H	332
Retractable Power Center	E P C	333
Worksurface Tray	T Z W	334
Panel Tray	T Z P	335
Bridge Tray	T Z B	336
Base Cable Clips (Lyft)	H B C C	337
INTERNATIONAL LIGHTING, ELECTRICS & COMMUNICATIONS		
International Electrics Basics		343
Outlet Box	V E D	344
Interconnecting Power Cable	V C C	345
Input Power Cable	V E P	346
Voice & Data Box	V V D	347
Voice & Data Outlets	V D O	348
Electric Accessories	V A C	349
T/O/S / Transit Outlet Box Panel Mount Brackets	V M B P	350
International Power/Communication Element – Powered	V T P C	351

index – by product

Product Name	Product Code	Page No.
Access Door Element	TAD	120
Access Door VDM Plates	DMP	331
Accessory Element	TAE	126
Acoustic Element	THA	118
Add-On Module – 15" High	TPX15	53
Add-On Module – 30" High	TPX30	58
Add-On Module – 6" High	TPX06	52
Add-On Module – Lay-In	TPXL15	59
Add-On Module – TPM42	TPXD	54
Add-On Screen – Translucent	TPA	78
Adjustable-Height Thin Panel Mount Bracket (Lyft)	HWBA	196
Altos On-Module Cantilever	FLON	178
Altos On-Module Corner Brackets	FLCB	191
Angled Countertop	TWCA	167
Architectural Element	TAR	130
Architectural Glazed Element – Single or Double	TAG	125
Base Cable Clips (Lyft)	HBCC	337
Base Feed	BFK	304
Baseboard Element	T_B	133
Blink®	APBL	235
Book Organizer	TBK6S	263
Bridge	TP	62
Bridge Tray	TZB	336
Bullet Countertop	TWCB	165
Bullet Return	TRBS	214
Bullet Top Worksurface	TWBS	155
C-Leg	TLCL	186
Cabinet Accessories	SA	287
Casters & Counterweight	W	282
Chicago Corner Ducts	CH	332
Corner Linking Worksurface	TLRA	218
Corner Shelf	TSC1	262
Curved Shelf	ACCS	269
D-Top Worksurface	TWDT	158
Dew®	APDE	236
Divisional Screen	TDS	67
Door Panel	TPD	51
Double Bullet Countertop	TWCD	166
EDP Return (Flush End)	TREFN	211
EDP Return (Flush End/C-Leg)	TREFC	210
EDP Worksurface	TWES	154
Electric Accessories	VAC	349
End Gable (Lyft)	HEG	197
End Run 90° Connector/Spacer (Lyft)	HCET	107
End Trim	TTE	101
Expandable Screen Fixed Fabric/Sliding Fabric	ACEG	252
Expandable Screen Fixed Fabric/Sliding Translucent	ACEH	253
Expandable Screen Fixed Translucent/Sliding Fabric	ACEB	250
Expandable Screen Fixed Translucent/Sliding Translucent	ACED	251

Product Name	Product Code	Page No.
Fixed-Height Gable	TLFL	183
Fixed-Height Metal Gable	TLFF	184
Fixed-Height Thin Panel Mount Bracket (Lyft)	HWB	196
Flask Worksurface	TXFL	163
Flush End	TLFE	182
Flush Plates	TLFP	192
Four-Way – No Cap	TNC	104
Four-Way 90°	TCC	94
Four-Way Connector	EF	317
Freestanding Rectangular Desk (C-Legs)	TDRCC	207
Freestanding Rectangular Desk (Flush Ends)	TDRFF	206
FS Modesty Panel	TLMO	194
Full-Height Panel Spacer	TCC	97
Full-Height Spacer Cover	TEC	98
Glazed Element – Single or Double	TG	124
Guest Corner Worksurface	TXGC	162
High Capacity Power Pole (Complete)	EPHT	310
High Capacity Power Pole (No Harness)	EPHTE	311
Hoola®	APHO	234
Input Power Cable	VEP	346
Interconnecting Power Cable	VCC	345
Intermediate Panel Spacer	TCI	99
Intermediate Spacer Cover	TEI	100
Intermediate Three-Way 180°	TCI	96
Intermediate Trim	TTI	102
Intermediate Two-Way 90°	TCI	95
International Power/Communication Element – Powered	VTPC	351
International Power/Communications Element	VTPCN	123
Laminate Element	TLE	131
Lateral File	LRL	283
Lateral File Accessories	FA	284
Locks & Keys	K	270
M-Clip	TMC	319
Mid Run 90° On-Module Connector/Spacer (Lyft)	HCMT	106
Mobile Screen Fabric/Fabric	ACMSND	249
Mobile Screen Translucent	ACMSNA	246
Mobile Screen Whiteboard/Fabric	ACMSNC	248
Mobile Screen Whiteboard/Whiteboard	ACMSNB	247
Modesty Panel	ACMP	193
Modesty Panel	ACMP	238
Modified P-Top Worksurface	TWMP	157
Modular Panel with Raceway	TPM	34
Modular Panel without Raceway	TPMN	38
Monitor Screen	ACMS	266
Mounting Kits	TLMK	195
No Raceway Jumper	EI	316
Off-Module Cantilever	TLOF	179
Off-Module Jumper	EG	318
Off-Module Support Kit	TLOK	181




index – by product

Product Name	Product Code	Page No.
On-Module Cantilever	T L O N	177
On-Module Corner Brackets	T L C B	191
Open Element	T G N	128
Open End	T L O E	187
Organizer Rail	T O R	264
Outlet Box	V E D	344
Outlet Knockout Cover	E D C	324
Outlets	E D	320
Outlets (Dual Isolated)	E D 8 K	322
Outlets (Separate Neutral)	E D 8 N	321
Outside Radius Worksurface	T W O R	146
Overhead Cabinet	T S F	260
P-Top Worksurface	T W P S	156
Panel Pass-Through Harness	E H	315
Panel Raceway	T P R	50
Panel Support Foot	T L P S	180
Panel T	T P T B	66
Panel Tray	T Z P	335
Pedestal	T D N	280
Pedestal Accessories	D A	281
Pedestal Supporting Bracket	K S B	185
Perforated Element	T H F	129
Plug-In Base Feed	B F K P	306
Pole Divider	E P D	309
Power Pole (Complete)	E P T	307
Power Pole (No Harness)	E P T E	308
Power Pole Harness (Includes Junction Box)	E P B	312
Power/Communications Element	T P C	121
Privacy Screen	T P S F	60
Quadrex Receptacle Harness	E T	314
Racetrack Table	A W R A	232
Raceway Box	E R B	325
Raceway Box (Dual Isolated)	E R B 8 K	327
Raceway Box (Separate Neutral)	E R B 8 N	326
Radius Corner with Return (Flush End/C-Legs)	T R C F C	216
Radius Corner Worksurface with Return	T W C R	152
Radius Corner Worksurface with Return (xm)	T X C R	161
Receptacle Harness	E S	313
Rectangular Bridge	T B R N N	212
Rectangular Return (C-Legs)	T R R C C	209
Rectangular Return (Flush End/C-Leg)	T R R F C	208
Rectangular Table	A W R E	230
Rectangular Worksurface	T W R R	142
Retractable Power Center	E P C	333
Semi-Suspended Monoleg	T L S M	188
Semi-Suspended Post	T L S P	189
Set of Keys Alike	S O K L	271
Shelf	T S S	261
Slim Profile Utility Light	T Y R C	303

Product Name	Product Code	Page No.
Split Base Feed	B F K S	305
Split Corner Worksurface with Keyboard Support	T W C X	151
Split Radius Corner Worksurface with Keyboard Support	T W R X	150
Standard Corner Worksurface	T W S C	148
Standard Corner Worksurface (xm)	T X S C	160
Standard Radius Corner Worksurface	T W S R	149
Storage Cabinet	L R S	285
Straight Countertop	T W C S	164
Straight Transition Worksurface	T W S T	144
Super Panel with Raceway	T P X	42
Super Panel without Raceway	T P X N	46
Surge Suppressor	E D S S	323
T/O/S / Transit Outlet Box Panel Mount Brackets	V M B P	350
Table Rail	A C T R	265
Table Screen	A C T S	267
Table Tray	A C T T	237
Tackable Element	T T A	119
Tapered Worksurface	T X T A	159
Thin Panel – Monolithic	H P M	76
Thin Panel – Standard	H P S	74
Thin Panel Connector 90° (Lyft)	H C H 9	108
Thin Panel End Trim (Lyft)	H E T	109
Thin Panel Intermediate Trim (Lyft)	H I T	110
Thin Panel Stabilizer Foot	H P F	77
Three-Way 180°	T C C	93
Top Trim	T T T	103
Translucent Table Screen	A C T L	268
Two-Way 90°	T C C	92
Universal Connector	T U C	91
Universal Light	T U	302
Voice & Data Adapter	V D A	329
Voice & Data Box	V V D	347
Voice & Data Faceplate Adapters	E V D F	330
Voice & Data Module	V D M	328
Voice & Data Outlets	V D O	348
Wall Adapter	P W A	105
Wardrobe Cabinet	L R W	286
Whiteboard Element	T W E N	127
Wood Element	T F E	132
Wood Power/Communications Element	T F E C	122
Worksurface Supporting Pedestal Kit (Lyft)	H W P	198
Worksurface Tray	T Z W	334
xm Post Leg	T X P L	190

how to specify transit

16






determine panel type

Determine the type of Panel frame(s) you will need – Modular Panel with Raceway (TPM), Modular Panel without Raceway (TPMN), Super Panel with Raceway (TPX) or Add-on Modules (TPX06, TPX15, TPX30, TPXL15, TPXD)

build-up panel type using panel pricing worksheets

- Specify panel layout by height, width and type
- Specify appropriate panel connections, intermediate trims and end trims. Panels may be connected on-module, off-module or using a combination of the two
- Panel connections and trims must match top trim edge option (Radius or Square)
- Is power required? If so, Panels must be specified with a raceway and Access Door Elements or Power/Communication Elements
- Are Elements to be all Fabric or will others (Tackable, Open, Accessory, Glazed, etc.) be used as well?
- What is the Fabric grade, name and color?
- Is the top trim Radius (Flintwood only) or Square edge option?




determine worksurface requirements

- Determine worksurface requirements by configuration, shape and size
- Worksurfaces do not have to match panel widths

specify supports


- Specify appropriate supports for panel-mounted worksurfaces
- Worksurfaces may be supported on-module, off-module or using a combination of both

how to specify transit (continued)




determine mounted storage requirements

- Specify mounted storage as required
- Overhead cabinets and shelves mount off-module




determine freestanding storage requirements

Specify freestanding storage as required



determine accessory requirements

- Specify accessories as required
- Refer to Complements: Teknion's Ergonomic & Accessories Program for Personal Organizers (PAX), keyboard trays, etc.



determine electrical requirements

- Are task lights required? If so which type and how many?
- How many circuits are required? This will help determine which wire system to use
- How many outlets are required per station and where are they located? Access door elements or Power/Communication elements must be specified on panels to access electric
- Will power enter through base feed or power pole?

panels

panels


PRODUCT MAP	20
PANELS OVERVIEW	22
MODULAR PANEL BASICS	23
SUPER PANEL BASICS	24
DOOR PANEL BASICS	25
PRIVACY SCREEN BASICS	26
BRIDGE BASICS	27
PANEL T BASICS	28
DIVISIONAL SCREEN BASICS	29
PANEL MATRIX ORDER FORM	30
PANEL PRICING BUILD-UP WORKSHEET	31
PANEL PRICING REMOVE/REPLACE WORKSHEET	32
PRODUCT LISTING	34

product map

T P M Modular Panel with Raceway

Page 34

Height: 36" - 81" / Width: 18" - 60"




Bare Frame Complete Panel

T P M N Modular Panel without Raceway

Page 38

Height: 36" - 81" / Width: 18" - 60"




Bare Frame Complete Panel

T P X Super Panel with Raceway

Page 42

Height: 36" - 81" / Width: 18" - 60"




Bare Frame Complete Panel

T P X N Super Panel without Raceway

Page 46

Height: 36" - 81" / Width: 18" - 60"



Bare Frame Complete Panel

T P R Panel Raceway

Page 50


Width: 18" - 60"



T P D Door Panel

Page 51


Height: 81" / Width: 36" & 42"



T P X 0 6 Add-On Module – 6" High

Page 52


Width: 18" - 60"



T P X 1 5 Add-On Module – 15" High

Page 53


Width: 18" - 60"



T P X D Add-On Module – TPM42

Page 54


Height: 6" - 30" / Width: 18" - 60"



T P X 3 0 Add-On Module – 30" High

Page 58


Width: 18" - 60"



T P X L 1 5 Add-On Module – Lay-In

Page 59

Width: 18" - 60"



T P S F Privacy Screen

Page 60


Height: 51" - 81" / Width: 36" & 42"



product map


T P Bridge

Page 62
Pole & T-End Height: 51" & 66" / Partition
Height: 30" & 45" / Width: 72" - 96"




T P T B Panel T

Page 66
Height: 36" - 66"



T D S Divisional Screen

Page 67
Height: 36" & 51" / Width: 60" - 96"



panels overview


Panels are the basic building block for which all other system components are dependent to create a comprehensive environment.

- ! Transit offers two panel types – Modular Panel with and without raceway (TPM, TPMN) and Super Panel with and without raceway (TPX, TPXN)

- **Fabric Elements (THA)** are the default elements for both inner and outer sides of the panels
- A variety of optional element styles are available

Power and communications access to panels with raceways is provided at three heights through a power/communications element or at worksurface height through an access door

Pass Through Holes are punched into the frame structure to enable the passage of communication cables. Up to 60 Category 5 communication cables can be accommodated in each hole



modular panel basics


Modular Panels (TPM, TPMN) are fully segmented, single frame panels that support the full Element Program and provides both power pass-through and power access capabilities.



- Available with or without a raceway
- Panel connection hardware and trim for corners must be ordered separately
- Optional baseboard elements may be specified separately
- When adding an Add-On Module (TPX, TPXL15, TPXD) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage must be hung with off-module brackets

Finishes

- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains
- Elements can be specified in a selection of panel fabrics from Teknion's Standard Panel Fabric Program



Add-On Modules (TPX, TPXD, TPXL)

- Can be applied to the top of any same width Panel to increase height (42" high panels require TPXD)
- Only one 6" module can be added to the top of each panel – no other add-ons can be stacked above it – cannot be used to support overhead storage
- With Lay-In (TPXL or TPXD-2) includes a lay-in channel for routing communication cables
- Can only be used above level 2
- 30" in height are designed without a cross member for use with 30" Glazed Elements (TG) and Open Elements (TGN)

Ceiling feed entry via Power Pole



- All Panels with a raceway have at least two **knockouts** for outlets
- Panels 48" - 60" wide have four knockouts

The **Raceway** is an enclosed area at level 2 used to carry power and communications cabling – when a non-powered panel is selected, there will be no raceway

Levelers offer a 2 1/2" adjustment range

- A **base feed knockout** is included per side of the Panel
- Cannot use a Baseboard (see Element section) on a panel where base feed is located

- The **frame** can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is a fully segmented, single frame Panel
- Cannot be decreased from original height




super panel basics

Super Panels (TPX, TPXN) are fully segmented panels composed of a 36" high base frame and 15" Add-On Modules to specified height. Panels support the full Element Program and provides both power pass-through and power access capabilities.

- Available with or without a raceway
- Panel connection hardware and trim for corners must be ordered separately
- Optional baseboard elements may be specified separately
- When adding an Add-On Module (TPX, TPXL15, TPXD) to a 36" or 42" high panel with existing wiring, a special bracket is required. Please contact your Teknion Customer Service Representative for more information
- Overhead storage must be hung with off-module brackets

Finishes

- Frame and metal top trim are available in Foundation and Mica colors
- Flintwood top trim is available in Flintwood stains
- Elements can be specified in a selection of panel fabrics from Teknion's Standard Panel Fabric Program



Add-On Modules (TPX, TPXD, TPXL)

- Can be applied to the top of any same width Panel to increase height (42" high panels require TPXD)
- Only one 6" module can be added to the top of each panel – no other add-ons can be stacked above it – cannot be used to support overhead storage
- With Lay-In (TPXL or TPXD-2) includes a lay-in channel for routing communication cables
- Can only be used above level 2
- 30" in height are designed without a cross member for use with 30" Glazed Elements (TG) and Open Elements (TGN)

Ceiling feed entry via Power Pole



- All Panels with raceway have at least two **knockouts** for outlets
- Panels 48" - 60" wide have four knockouts

The **Raceway** is an enclosed area at level 2 used to carry power and communications cabling – when a non-powered panel is selected, there will be no raceway

Levelers offer a 2 1/2" adjustment range

- The **frame** can be ordered as a bare frame with all elements and trim ordered separately or as a complete panel when a panel matrix is used
- Is fully segmented, composed of a 36" base frame and 15" Add-On Modules
- Can be decreased from original height by removing Add-On Modules

- A **base feed knockout** is included per side of the Panel
- Cannot use baseboard on Panel where base feed is located (see Element section)





door panel basics

The Door Panel (TPD) allows for door applications within the panel environment, however does not allow for power pass-through or power access.


- Door Panels must be connected to Panels of the same height or higher
- For wheelchair accessibility, specify the 42" wide Door Panel
- If the Door Panel is to be attached to a Wall Adapter (PWA), Panel Hinges (PH40) must be ordered and can be found in the T/O/S Price Guide

- Add-on Module (TPX) of the same width can be stacked over the Door Panel if the adjoining panels are higher than 81"
- Top trim is included
- Door swing is identified as left and right according to the location of the hinges




Handle Style 1
(Ball Handle
with Lock)


This style is
not available
in the
U.S.A.



Handle Style 3
(Lever Handle No
Lock)



Handle Style 2
(Lever Handle
with Deadbolt)



Handle Style 9
(No Handle)

Door	Door Dimensions (Nominal)	Door Clearance (Frame width: side-to-side)
TPD_8136	79" high x 32" wide	31"
TPD_8142	79" high x 38" wide	37"

Finishes

- Doors are available in Foundation Laminates and Flintwoods stains
- Frame is available in Foundation and Mica colors
- Metal top trims are available in Foundation and Mica colors
- Flintwood top trims are available in Flintwood stains
- Handles, locks and thresholds are finished in a Brushed Chrome

privacy screen basics

The Privacy Screen (TPSF) is a translucent, panel-mounted, sliding partition that offers privacy in a workstation environment.

- Must be mounted on adjacent Panels of same height
- May be mounted to one Panel of equal or greater width or two Panels of lesser width
- May be same width or wider than opening to be covered
- The Privacy Screen is not load bearing
- The direction of the door is determined by the direction in which it slides
- Direction in which the door will slide can be changed in the field
- Comes complete with caps and mounting hardware

Add-On Modules (TPX) cannot be applied on the top of the Panel to which the privacy screen is mounted

Overhead Cabinets cannot be mounted on the same Panel as the Privacy Screen because the brackets will interfere



- **Mounting Brackets** are 3" deep
- The face of the Privacy Screen sits 3" from the face of the Panel to which it is attached
- See diagrams below

51" 66" or 81" h

Right handed Shown

36" or 42" w

- These diagrams illustrate the location of the mounting brackets
- Cannot mount to 30" wide Panels; mounting brackets interfere with panel connections




Finishes

- Screen has a lightweight translucent finish
- Frame is available in Foundation and Mica Colors
- Caps located at the end of the frame will match the Foundation finish color selected for the frame. If Mica frame is selected, caps will be Black

The Bridge (TP) is a tackable space divider which must be attached to a panel on-or off-module.

- The Bridge is non-load bearing. Cannot support shelves, cabinets or worksurfaces
- Not freestanding and is not intended to provide panel support
- Cannot be higher than the panel spine
- A 30" element cannot be applied to a Transit Panel when it is connected to the Bridge
- Only dry erase markers can be used on the whiteboard
- Consists of three parts, T -End, Pole and Frame, but is ordered as one unit
- Different fabric can be specified for each side to provide aesthetic consistency within environments



Finishes


- The pole leveler and bridge tray are Black
- Bridge can be finished with a Whiteboard or Fabric
- Pole, Frame and T-Ends are available in Foundation and Mica colors
- Panel-mounting hardware is available in Foundation colors

panel T basics

The Panel T (TPTB) provides a decorative alternative to standard end trim and acts as a secondary support for a Panel end.

- The Panel T and trim adapter are supplied at the same height
- Does not provide primary support for panel-mounted worksurfaces
- All worksurface support rules still apply


28



Finishes

- Panel T is available in a selection of Foundation and Mica colors
- Trim adapter is available in a selection of Foundation colors
- Panel trim adapter should match the Panel frame not the Panel T
- Hardware is Black

If the Panel T is shorter than the panel to which it is applied, additional intermediate trim must be specified



divisional screen basics

The Divisional Screen (TDS) is adapted from xm and integrates with Transit panels to provide various levels of privacy and space division.


29

Integral top and mid rails enhance functionality by supplying horizontal rails for suspending Personal Organizers, 6" Shelves, Bins and other organizational accessories

The **top rail** accepts Add-On Screens (TPA) to increase privacy height (See Lyft section)

Levelers adapt to variations in floor level with an adjustment range of $-1/2"$ to $+1-3/4"$

Mid rails can be specified single- or double-sided




Finishes

- Screen is available in Source Laminate and Flintwood finishes
- Rails are available in Foundation and Mica colors

panel matrix order form

Panel orders cannot be processed if element placement is not appropriately described on a panel matrix order form.

- 30
- The panel matrix applies to all panels (Modular Panels – TPM/TPMN and Super Panels – TPX/TPXN). To specify panels, a panel matrix order form must be completed identifying placement/finish of the elements and finish for the top trim
 - Transit Panels can be customized to meet client requirements. This can be done by replacing the Acoustic Element (THA) which comes as a default on the panel, with any other in the Transit element offering
 - Panel Matrix order forms may be used for all types of panels, elements or Panel Add-Ons
 - Baseboard Elements are not included on complete panels. They must be ordered separately; see the Elements section. However, they should be indicated on the Panel Matrix Order Form



panel pricing build-up worksheet

The Build-Up Pricing Worksheet is designed to help you price an order for a Panel that deviates significantly from the standard offering of a complete Panel with Acoustic Elements. Total cost is not affected by the pricing method you choose.

Panel type: _____ choose from TPM , TPMN OR TPX , TPXN Panels

	Inner Price		Outer Price	
Top Trim		\$ _____		
Level 5		\$ _____		\$ _____
Level 4		\$ _____		\$ _____
Level 3		\$ _____		\$ _____
Level 2		\$ _____		\$ _____
Level 1		\$ _____		\$ _____
Frame		\$ _____		
	Price		Price	Total Price
	\$ _____		+ \$ _____	\$ _____

The Build Up pricing method requires that you:

- Start with the bare frame price given in the listings for complete panels
 - Turn to Elements, Section 4 and select the elements you desire for the panel. Remember to consider both sides of the panel
 - Prices for each element are available in the element listings. Enter each price in the appropriate spot
 - Total each side of the panel and then total both sides for the price of a full panel
- Please note, panel pricing does not include baseboard element(s). Baseboard elements must be ordered separately; see the Elements section

panel pricing remove/replace worksheet

The Remove/Replace Pricing Worksheet is designed to help you price an order for a Panel where there is minor deviation from the standard offering of a complete Panel with Acoustic Elements. Total cost is not affected by the pricing method you choose.

Panel type: _____ choose from TPM , TPMN OR TPX , TPXN Panels

32


Inner			Outer		
	Remove	Replace	Price	Remove	Replace
Top Trim	\$ _____	\$ _____			
Level 5	\$ _____	\$ _____		\$ _____	\$ _____
Level 4	\$ _____	\$ _____		\$ _____	\$ _____
Level 3	\$ _____	\$ _____		\$ _____	\$ _____
Level 2	\$ _____	\$ _____		\$ _____	\$ _____
Level 1	\$ _____	\$ _____		\$ _____	\$ _____

Complete Panel Price	Element(s) Removed	Element(s) Replaced	Element(s) Removed	Element(s) Replaced	Total Price
\$ _____	-	\$ _____	+	\$ _____	= \$ _____

The Remove/Replace pricing method requires that you:

- Start with price of a complete panel
 - Then identify which elements you wish to replace. Turn to the Elements section, look up the default element(s) and enter that price in the "Remove" column
 - Add up any removals and total them in the space for "Element(s) Removed"
 - Look up the element(s) you would prefer and enter that price in the "Replace" column
 - Add up the prices of the replacement element(s) and total them in the space for "Element(s) Replaced". Be sure to consider both sides of the panel
 - Finally, take the complete panel price, subtract the element(s) removed, add the element(s) replaced and you have a total price which is the figure you enter on your order form
- Please note, panel pricing does not include baseboard element(s). Baseboard elements must be ordered separately; see the Elements section

TPM
Modular Panel with Raceway



The Modular Panel with Raceway supports the Transit element program. Can provide power pass-through and power access capabilities.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame with raceway, hardware for straight connections, 2 levelers.

Complete Panel: 1 frame with raceway, acoustic elements (quantity depending on height), 2 levelers, one top trim, hardware for straight connections.

WHAT'S EXCLUDED

Top Trim (unless complete panel is ordered) and Baseboard Element are not included.

NOTES

Metal Top Trim will be finished to match the frame.

Panel Matrix required.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Wood Top Trim Finish
36, 42, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood

SAMPLE ORDER CODE

TPM 81	36	G	PANEL MATRIX	FN
--------	----	---	--------------	----

DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel							
	Metal	Top	Trim					
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
266	532	575	595	623	667	708	760	812
277	561	598	617	659	705	750	792	846
281	604	628	651	713	754	794	851	903
287	647	684	723	788	828	866	937	992
296	704	737	784	870	911	951	1026	1093
318	761	809	856	922	987	1051	1142	1202
318	811	869	920	991	1071	1149	1234	1325
319	843	922	1009	1071	1140	1208	1323	1398
321	659	710	736	785	843	900	970	1042
340	697	744	773	844	901	958	1019	1093
343	749	791	827	903	962	1019	1099	1172
354	822	874	918	1005	1062	1118	1214	1291
372	904	944	1007	1120	1177	1234	1342	1431
388	962	1024	1084	1181	1270	1358	1483	1575
391	1029	1106	1178	1270	1383	1497	1618	1739
401	1078	1191	1300	1388	1485	1582	1734	1842

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

Modular Panel with Raceway (Continued)

DIMENSIONS INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Complete Panel Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
598	641	659	688	732	774	826	878
633	671	690	733	778	823	866	917
706	730	754	815	855	895	954	1006
750	787	826	892	932	968	1040	1096
833	867	914	999	1040	1080	1155	1222
904	953	999	1065	1129	1194	1284	1347
957	1013	1065	1138	1216	1293	1379	1468
988	1070	1154	1217	1285	1354	1467	1544
725	776	802	851	909	964	1036	1108
770	816	846	916	973	1030	1092	1165
851	893	930	1006	1064	1121	1201	1274
924	978	1022	1108	1165	1221	1316	1395
1033	1074	1136	1250	1307	1362	1470	1560
1106	1166	1225	1324	1413	1501	1624	1718
1174	1250	1324	1416	1529	1641	1763	1883
1224	1335	1446	1533	1631	1727	1879	1990

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P M
Modular Panel with Raceway
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		Foundation	Complete Panel							
H	W	Panel Frame (Bare)	Metal Top Trim							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
51 / 1295	18 / 457	380	754	817	847	889	954	1017	1095	1174
51 / 1295	24 / 610	395	792	850	878	942	1010	1077	1142	1220
51 / 1295	30 / 762	406	860	895	932	1024	1085	1145	1230	1309
51 / 1295	36 / 914	431	939	995	1052	1152	1210	1266	1373	1459
51 / 1295	42 / 1067	448	1029	1078	1150	1279	1338	1399	1513	1613
51 / 1295	48 / 1219	459	1092	1163	1234	1333	1429	1527	1661	1754
51 / 1295	54 / 1372	464	1172	1257	1334	1442	1559	1676	1805	1941
51 / 1295	60 / 1524	464	1216	1335	1464	1557	1660	1764	1934	2048
66 / 1676	18 / 457	557	1039	1123	1162	1219	1305	1390	1493	1598
66 / 1676	24 / 610	573	1085	1161	1198	1284	1375	1464	1551	1655
66 / 1676	30 / 762	574	1163	1211	1258	1381	1463	1543	1657	1762
66 / 1676	36 / 914	631	1289	1366	1440	1574	1650	1725	1868	1981
66 / 1676	42 / 1067	641	1396	1462	1557	1727	1810	1890	2040	2175
66 / 1676	48 / 1219	645	1467	1563	1658	1791	1920	2047	2228	2351
66 / 1676	54 / 1372	652	1574	1688	1792	1934	2091	2247	2418	2599
66 / 1676	60 / 1524	654	1633	1794	1966	2089	2227	2364	2592	2745
81 / 2057	18 / 457	571	1159	1265	1312	1383	1490	1597	1727	1858
81 / 2057	24 / 610	580	1206	1301	1349	1455	1568	1681	1788	1919
81 / 2057	30 / 762	645	1367	1425	1485	1638	1740	1840	1982	2113
81 / 2057	36 / 914	671	1480	1574	1668	1835	1929	2025	2203	2344
81 / 2057	42 / 1067	696	1623	1706	1826	2038	2139	2241	2430	2597
81 / 2057	48 / 1219	703	1717	1835	1953	2120	2280	2440	2666	2819
81 / 2057	54 / 1372	706	1840	1982	2113	2292	2489	2683	2896	3122
81 / 2057	60 / 1524	707	1914	2115	2331	2484	2656	2827	3114	3302

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59

If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Modular Panel with Raceway (Continued)

DIMENSIONS INCHES / MM

H	W
51 / 1295	18 / 457
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	54 / 1372
51 / 1295	60 / 1524
66 / 1676	18 / 457
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	54 / 1372
66 / 1676	60 / 1524
81 / 2057	18 / 457
81 / 2057	24 / 610
81 / 2057	30 / 762
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	48 / 1219
81 / 2057	54 / 1372
81 / 2057	60 / 1524

PRICING

Complete Panel Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
820	883	912	955	1018	1083	1161	1240
866	921	951	1014	1083	1150	1215	1292
962	998	1033	1126	1187	1247	1332	1412
1042	1098	1155	1256	1312	1370	1477	1562
1159	1208	1280	1407	1468	1529	1642	1742
1234	1306	1377	1477	1574	1668	1804	1897
1316	1401	1481	1587	1705	1821	1950	2084
1360	1483	1610	1702	1806	1908	2080	2195
1104	1189	1227	1284	1371	1455	1559	1664
1156	1232	1270	1356	1447	1536	1622	1726
1265	1312	1359	1484	1565	1645	1760	1863
1393	1467	1544	1676	1752	1829	1971	2084
1526	1591	1687	1857	1940	2019	2170	2303
1610	1705	1800	1933	2061	2190	2370	2494
1719	1832	1936	2079	2236	2393	2564	2745
1778	1941	2111	2234	2372	2510	2737	2889
1223	1330	1378	1449	1556	1663	1793	1924
1279	1373	1421	1528	1641	1752	1860	1991
1467	1528	1587	1741	1841	1943	2084	2215
1582	1676	1771	1939	2033	2128	2307	2448
1752	1836	1955	2168	2269	2370	2559	2726
1858	1977	2096	2263	2423	2582	2808	2962
1986	2128	2259	2437	2633	2827	3042	3267
2060	2263	2475	2630	2802	2974	3258	3449

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59


If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

TPMN
Modular Panel without Raceway



The Modular Panel without Raceway supports the Transit element program and allows for power pass-through but not for power access.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame, hardware for straight connections, 2 levelers.

Complete Panel: 1 frame, acoustic upper elements (quantity depending on height), 2 levelers, 1 top trim, hardware for straight connections.

WHAT'S EXCLUDED

Top Trim (unless complete panel is ordered) and Baseboard Element are not included.

NOTES

A Raceway (TPR) may be retrofitted into this panel.

A No Raceway Jumper (EI) required to pass power.

Metal Top Trim will be finished to match the frame.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Wood Top Trim Finish
36, 42, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood

SAMPLE ORDER CODE

TPMN 51	30	E	PANEL MATRIX	FS
---------	----	---	--------------	----

DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
241	508	550	570	598	641	683	736	787	
248	531	570	589	632	677	721	764	816	
245	569	592	616	678	718	758	815	868	
237	597	635	673	739	778	815	887	943	
248	656	690	737	823	864	903	980	1046	
262	706	754	802	868	933	995	1086	1148	
259	752	809	861	934	1011	1090	1175	1265	
250	774	854	940	1003	1071	1140	1253	1329	
297	635	684	711	760	817	875	945	1017	
311	669	716	744	815	873	930	990	1064	
308	714	757	792	869	927	985	1065	1138	
313	780	832	877	962	1019	1076	1172	1250	
326	856	896	959	1073	1130	1187	1293	1383	
335	910	970	1030	1127	1217	1306	1428	1522	
337	977	1051	1125	1218	1331	1444	1564	1686	
341	1018	1129	1240	1327	1424	1522	1673	1784	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P M N

Modular Panel without Raceway (Continued)

DIMENSIONS INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Complete Panel Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
573	616	635	664	706	749	802	853
604	642	660	704	749	794	837	889
671	694	718	780	821	860	917	969
701	738	777	843	880	918	989	1047
785	820	867	953	991	1032	1109	1175
849	895	943	1010	1074	1139	1228	1290
896	955	1007	1077	1155	1234	1320	1411
919	1002	1086	1148	1217	1285	1399	1476
701	750	777	826	883	940	1011	1083
740	787	816	888	944	1003	1063	1138
816	858	894	970	1030	1087	1167	1240
883	936	981	1065	1122	1179	1275	1353
986	1026	1088	1201	1259	1316	1423	1513
1051	1114	1173	1269	1358	1448	1571	1664
1120	1196	1269	1361	1476	1588	1709	1830
1164	1276	1384	1472	1569	1667	1819	1928

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P M N
Modular Panel without Raceway
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		Foundation	Complete Panel							
H	W	Panel Frame (Bare)	Metal Top Trim							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
51 / 1295	18 / 457	352	726	789	820	861	925	989	1069	1147
51 / 1295	24 / 610	369	766	824	852	916	984	1051	1116	1194
51 / 1295	30 / 762	369	825	860	895	988	1049	1110	1195	1274
51 / 1295	36 / 914	391	900	957	1013	1114	1171	1227	1333	1420
51 / 1295	42 / 1067	401	983	1032	1104	1231	1292	1353	1466	1566
51 / 1295	48 / 1219	407	1040	1111	1182	1282	1378	1473	1609	1701
51 / 1295	54 / 1372	407	1114	1198	1278	1383	1503	1619	1747	1882
51 / 1295	60 / 1524	413	1164	1285	1414	1506	1610	1713	1883	1997
66 / 1676	18 / 457	534	1014	1099	1139	1195	1281	1367	1470	1575
66 / 1676	24 / 610	547	1058	1134	1173	1258	1349	1438	1524	1629
66 / 1676	30 / 762	541	1128	1176	1223	1348	1427	1508	1622	1726
66 / 1676	36 / 914	589	1247	1324	1399	1532	1609	1684	1827	1941
66 / 1676	42 / 1067	596	1351	1418	1512	1683	1764	1843	1996	2130
66 / 1676	48 / 1219	602	1425	1520	1615	1748	1877	2004	2184	2309
66 / 1676	54 / 1372	606	1528	1641	1745	1888	2046	2202	2372	2552
66 / 1676	60 / 1524	612	1590	1751	1923	2046	2183	2320	2549	2702
81 / 2057	18 / 457	546	1133	1241	1288	1358	1465	1572	1702	1834
81 / 2057	24 / 610	552	1178	1274	1322	1427	1541	1654	1761	1891
81 / 2057	30 / 762	612	1332	1393	1451	1606	1706	1808	1950	2080
81 / 2057	36 / 914	631	1438	1533	1629	1794	1890	1985	2162	2306
81 / 2057	42 / 1067	645	1572	1656	1773	1988	2089	2190	2380	2546
81 / 2057	48 / 1219	650	1664	1784	1901	2068	2228	2387	2614	2768
81 / 2057	54 / 1372	651	1787	1928	2059	2237	2433	2629	2842	3067
81 / 2057	60 / 1524	668	1874	2076	2290	2444	2616	2788	3073	3261

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59

If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

T P M N

Modular Panel without Raceway (Continued)

DIMENSIONS INCHES / MM

PRICING

		Foundation Panel Frame (Bare)	Complete Panel Flintwood Top Trim							
H	W		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	352	791	855	885	926	990	1055	1133	1213
51 / 1295	24 / 610	369	839	895	924	988	1056	1123	1188	1266
51 / 1295	30 / 762	369	926	962	998	1091	1151	1213	1297	1376
51 / 1295	36 / 914	391	1004	1060	1117	1217	1274	1330	1437	1523
51 / 1295	42 / 1067	401	1113	1162	1232	1360	1422	1483	1596	1696
51 / 1295	48 / 1219	407	1182	1253	1325	1424	1520	1617	1751	1843
51 / 1295	54 / 1372	407	1258	1345	1422	1529	1646	1764	1893	2027
51 / 1295	60 / 1524	413	1310	1431	1559	1653	1756	1858	2030	2142
66 / 1676	18 / 457	534	1080	1165	1202	1260	1347	1431	1535	1640
66 / 1676	24 / 610	547	1130	1207	1245	1330	1421	1511	1596	1700
66 / 1676	30 / 762	541	1230	1279	1326	1449	1530	1610	1724	1829
66 / 1676	36 / 914	589	1351	1426	1503	1635	1712	1788	1929	2044
66 / 1676	42 / 1067	596	1481	1546	1641	1812	1894	1973	2126	2259
66 / 1676	48 / 1219	602	1567	1663	1759	1891	2019	2147	2329	2450
66 / 1676	54 / 1372	606	1672	1787	1891	2033	2190	2345	2517	2699
66 / 1676	60 / 1524	612	1737	1898	2069	2192	2331	2468	2695	2846
81 / 2057	18 / 457	546	1198	1306	1353	1424	1531	1637	1768	1899
81 / 2057	24 / 610	552	1251	1347	1394	1500	1613	1725	1832	1964
81 / 2057	30 / 762	612	1435	1493	1554	1707	1809	1908	2053	2182
81 / 2057	36 / 914	631	1541	1636	1732	1898	1993	2088	2266	2408
81 / 2057	42 / 1067	645	1701	1786	1903	2116	2218	2318	2508	2676
81 / 2057	48 / 1219	650	1806	1925	2044	2209	2370	2530	2755	2910
81 / 2057	54 / 1372	651	1930	2073	2204	2382	2577	2774	2987	3213
81 / 2057	60 / 1524	668	2021	2222	2436	2590	2761	2934	3218	3409

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59


If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

TPX
Super Panel with Raceway



The Super Panel with Raceway is made up of one 36" high base panel frame and Add-On Modules and allows for power pass-through and power access capabilities.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 - 36" high base frame with raceway, 15" high bare frame Add-On Modules (quantity depending on the height), 2 levelers, hardware for straight connections.

Complete Panel: 1 - 36" high base frame with Raceway, 15" high Add-On Modules and 15" high THA Elements (quantity depending on height), 2 levelers, hardware for straight connections and 1 top trim.

WHAT'S EXCLUDED

Top Trim (unless complete panel is ordered) and Baseboard Element are not included.

NOTES

The TPX42 is composed of a 36" high base and one 6" high Add-On Module.

Metal Top Trim will be finished to match the frame.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Wood Top Trim Finish
36, 42, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood

SAMPLE ORDER CODE

TPX 66	42	C	PANEL MATRIX	C
--------	----	---	--------------	---

DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
284	551	595	614	642	684	727	780	832	
296	579	617	636	679	725	770	811	864	
303	625	649	673	735	776	815	873	924	
307	668	705	743	809	848	886	957	1013	
318	726	759	807	892	934	973	1049	1116	
350	795	843	890	957	1021	1085	1175	1237	
354	849	907	958	1029	1108	1186	1270	1360	
361	883	963	1049	1111	1179	1248	1361	1438	
385	723	773	800	849	907	962	1033	1106	
414	772	820	848	918	977	1032	1094	1167	
428	833	876	912	987	1046	1104	1185	1256	
428	893	945	990	1076	1134	1191	1285	1362	
457	988	1029	1091	1205	1263	1319	1425	1515	
501	1075	1138	1196	1293	1382	1471	1595	1688	
508	1147	1222	1296	1389	1503	1614	1735	1856	
520	1197	1309	1419	1506	1603	1700	1853	1962	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P X

Super Panel with Raceway
(Continued)DIMENSIONS
INCHES / MM

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Complete Panel
Flintwood Top Trim

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
617	659	679	707	750	792	846	896
651	690	708	751	798	842	885	937
727	751	776	837	877	917	976	1026
771	808	847	913	951	988	1060	1117
855	889	937	1022	1063	1103	1178	1245
938	985	1032	1098	1163	1227	1317	1379
992	1050	1103	1174	1252	1330	1416	1506
1029	1110	1195	1257	1326	1395	1508	1585
787	838	864	914	970	1028	1098	1171
844	891	919	990	1048	1106	1166	1241
936	979	1013	1090	1148	1206	1286	1357
996	1049	1094	1179	1238	1293	1389	1466
1118	1159	1220	1333	1392	1448	1555	1645
1218	1280	1337	1436	1526	1614	1738	1830
1291	1368	1440	1533	1646	1760	1879	2001
1345	1455	1564	1653	1749	1847	1999	2108

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P X

Super Panel with Raceway
(Continued)

DIMENSIONS INCHES / MM		PRICING								
H	W	Foundation Panel Frame (Bare)	Complete Panel							
			Metal	Top	Trim					
			A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	480	854	918	946	989	1054	1118	1196	1275
51 / 1295	24 / 610	524	921	980	1008	1072	1140	1207	1270	1350
51 / 1295	30 / 762	551	1008	1044	1078	1172	1232	1292	1378	1457
51 / 1295	36 / 914	553	1063	1120	1177	1278	1334	1392	1498	1584
51 / 1295	42 / 1067	596	1177	1227	1298	1426	1487	1549	1661	1762
51 / 1295	48 / 1219	650	1284	1355	1426	1527	1622	1719	1854	1946
51 / 1295	54 / 1372	650	1357	1444	1522	1629	1746	1863	1992	2127
51 / 1295	60 / 1524	691	1442	1563	1691	1785	1887	1991	2161	2274
66 / 1676	18 / 457	674	1154	1241	1279	1334	1421	1506	1610	1716
66 / 1676	24 / 610	757	1268	1346	1382	1467	1558	1649	1734	1838
66 / 1676	30 / 762	803	1392	1438	1486	1609	1690	1770	1884	1990
66 / 1676	36 / 914	808	1466	1543	1619	1751	1828	1903	2046	2160
66 / 1676	42 / 1067	870	1624	1691	1787	1957	2037	2117	2270	2403
66 / 1676	48 / 1219	953	1774	1871	1966	2099	2227	2355	2536	2658
66 / 1676	54 / 1372	954	1874	1988	2092	2234	2392	2548	2720	2900
66 / 1676	60 / 1524	1028	2007	2168	2339	2463	2600	2737	2965	3118
81 / 2057	18 / 457	879	1466	1574	1621	1693	1798	1905	2036	2167
81 / 2057	24 / 610	995	1621	1717	1764	1871	1984	2096	2203	2334
81 / 2057	30 / 762	1064	1787	1844	1904	2059	2160	2262	2403	2534
81 / 2057	36 / 914	1074	1882	1977	2072	2239	2334	2428	2606	2749
81 / 2057	42 / 1067	1162	2090	2174	2292	2505	2606	2707	2896	3063
81 / 2057	48 / 1219	1265	2278	2398	2516	2682	2842	3004	3228	3383
81 / 2057	54 / 1372	1269	2404	2547	2678	2856	3051	3248	3460	3687
81 / 2057	60 / 1524	1380	2586	2789	3004	3157	3328	3501	3786	3975

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59

If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

T P X

Super Panel with Raceway
(Continued)DIMENSIONS
INCHES / MM

PRICING

		Complete Panel Flintwood Top Trim							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	919	984	1012	1055	1119	1184	1262	1340
51 / 1295	24 / 610	994	1051	1080	1144	1213	1280	1345	1422
51 / 1295	30 / 762	1110	1145	1181	1274	1334	1395	1481	1558
51 / 1295	36 / 914	1166	1223	1281	1380	1438	1493	1601	1687
51 / 1295	42 / 1067	1307	1356	1427	1556	1617	1676	1791	1891
51 / 1295	48 / 1219	1426	1498	1568	1668	1765	1861	1996	2089
51 / 1295	54 / 1372	1503	1588	1666	1772	1891	2008	2136	2271
51 / 1295	60 / 1524	1588	1709	1837	1929	2033	2136	2308	2421
66 / 1676	18 / 457	1220	1306	1345	1400	1486	1571	1675	1782
66 / 1676	24 / 610	1342	1418	1455	1540	1631	1721	1806	1909
66 / 1676	30 / 762	1492	1540	1588	1711	1792	1873	1987	2091
66 / 1676	36 / 914	1569	1646	1722	1855	1930	2007	2149	2264
66 / 1676	42 / 1067	1754	1820	1916	2087	2167	2247	2400	2532
66 / 1676	48 / 1219	1919	2012	2108	2241	2368	2497	2678	2801
66 / 1676	54 / 1372	2019	2133	2237	2380	2537	2692	2863	3044
66 / 1676	60 / 1524	2153	2314	2485	2608	2747	2884	3113	3262
81 / 2057	18 / 457	1532	1638	1687	1759	1864	1971	2102	2232
81 / 2057	24 / 610	1694	1789	1836	1943	2056	2168	2274	2406
81 / 2057	30 / 762	1888	1947	2007	2161	2263	2363	2505	2636
81 / 2057	36 / 914	1986	2080	2176	2341	2437	2531	2709	2852
81 / 2057	42 / 1067	2219	2302	2421	2635	2735	2837	3026	3192
81 / 2057	48 / 1219	2421	2540	2658	2824	2985	3145	3370	3525
81 / 2057	54 / 1372	2549	2690	2822	2999	3195	3391	3605	3830
81 / 2057	60 / 1524	2733	2935	3148	3302	3476	3647	3931	4123

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59

If Mica is specified for a 81" high frame, add 75


If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

TPXN

Super Panel without Raceway



The Super Panel without Raceway is made up of one 36" high base panel frame and Add-On Modules and allows for power pass-through but not power access capabilities.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 - 36" high base frame, 15" high bare frame Add-On Modules (quantity depending on the height), 2 levelers, hardware for straight connections.

Complete Panel: 1 - 36" high base frame, 15" high Add-On Modules and 15" high THA Elements (quantity depending on height), 2 levelers, hardware for straight connections and 1 top trim.

WHAT'S EXCLUDED

Top Trim (unless complete panel is ordered) and Baseboard Element are not included.

NOTES

The TPXN42 is composed of a 36" high base and one 6" high Add-On Module.

Raceway (TPR) may be retrofitted into this panel.

A No Raceway Jumper (FT) is required to pass power.

Metal Top Trim will be finished to match the frame.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame & Metal Top Trim Finish	Element Finish	Wood Top Trim Finish
36, 42, 51, 66, 81	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	Flintwood

SAMPLE ORDER CODE

TPXN 66	42	C	PANEL MATRIX	C
---------	----	---	--------------	---

**DIMENSIONS
INCHES / MM**

H	W
36 / 914	18 / 457
36 / 914	24 / 610
36 / 914	30 / 762
36 / 914	36 / 914
36 / 914	42 / 1067
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
42 / 1067	18 / 457
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
42 / 1067	54 / 1372
42 / 1067	60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim									
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7		
259	526	569	588	616	659	702	754	806		
267	550	589	608	650	696	740	783	835		
265	588	612	635	697	737	778	834	887		
257	616	654	692	758	798	834	907	962		
268	677	710	757	843	883	922	999	1065		
290	734	781	828	894	959	1023	1114	1175		
281	776	832	885	956	1034	1113	1197	1288		
280	804	885	969	1031	1099	1169	1283	1358		
358	696	746	772	822	878	936	1007	1077		
385	742	788	817	889	945	1004	1064	1139		
391	796	839	875	951	1009	1067	1148	1219		
393	858	912	957	1042	1099	1155	1251	1329		
408	939	980	1041	1154	1213	1268	1376	1465		
440	1014	1076	1136	1232	1323	1412	1534	1628		
445	1085	1161	1234	1327	1440	1553	1673	1794		
451	1128	1241	1350	1437	1534	1632	1785	1894		

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P X N

Super Panel without Raceway
(Continued)DIMENSIONS
INCHES / MM

PRICING

		Complete Panel Flintwood Top Trim							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36 / 914	18 / 457	591	634	652	681	725	766	820	872
36 / 914	24 / 610	623	660	680	723	769	812	855	909
36 / 914	30 / 762	690	713	737	800	839	879	937	988
36 / 914	36 / 914	719	757	795	861	900	938	1009	1065
36 / 914	42 / 1067	806	839	887	972	1012	1052	1128	1195
36 / 914	48 / 1219	876	922	970	1038	1101	1165	1256	1317
36 / 914	54 / 1372	919	978	1029	1099	1178	1257	1344	1432
36 / 914	60 / 1524	948	1030	1116	1177	1246	1315	1428	1505
42 / 1067	18 / 457	760	810	837	887	943	1002	1072	1143
42 / 1067	24 / 610	814	861	890	961	1018	1075	1138	1211
42 / 1067	30 / 762	898	941	978	1052	1111	1169	1250	1322
42 / 1067	36 / 914	962	1014	1060	1145	1202	1259	1354	1432
42 / 1067	42 / 1067	1069	1109	1171	1284	1342	1398	1505	1595
42 / 1067	48 / 1219	1156	1219	1279	1376	1465	1554	1676	1769
42 / 1067	54 / 1372	1229	1306	1379	1471	1585	1697	1818	1940
42 / 1067	60 / 1524	1275	1385	1494	1584	1681	1777	1929	2038

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 36" high frame, add 31

If Mica is specified for a 42" high frame, add 40

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

Pricing is continued on the following page.

T P X N

Super Panel without Raceway
(Continued)

DIMENSIONS
INCHES / MM

PRICING

		Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
H	W		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	440	814	878	908	948	1013	1077	1155	1234
51 / 1295	24 / 610	497	893	951	980	1044	1111	1178	1243	1322
51 / 1295	30 / 762	517	972	1008	1044	1136	1196	1257	1344	1421
51 / 1295	36 / 914	522	1031	1088	1145	1245	1303	1358	1465	1552
51 / 1295	42 / 1067	546	1127	1177	1248	1377	1438	1498	1612	1711
51 / 1295	48 / 1219	592	1225	1297	1369	1467	1564	1660	1795	1888
51 / 1295	54 / 1372	602	1309	1395	1472	1580	1698	1815	1943	2078
51 / 1295	60 / 1524	620	1372	1492	1621	1715	1817	1921	2091	2205
66 / 1676	18 / 457	646	1126	1213	1250	1307	1394	1478	1582	1687
66 / 1676	24 / 610	728	1241	1316	1354	1439	1530	1620	1705	1810
66 / 1676	30 / 762	765	1354	1401	1449	1572	1654	1734	1848	1952
66 / 1676	36 / 914	765	1424	1500	1576	1709	1786	1861	2003	2116
66 / 1676	42 / 1067	822	1576	1642	1738	1907	1990	2070	2222	2355
66 / 1676	48 / 1219	891	1716	1810	1904	2037	2165	2294	2474	2598
66 / 1676	54 / 1372	915	1836	1950	2055	2198	2355	2510	2681	2861
66 / 1676	60 / 1524	958	1936	2099	2269	2393	2530	2668	2895	3048
81 / 2057	18 / 457	853	1440	1549	1595	1666	1772	1879	2010	2140
81 / 2057	24 / 610	967	1592	1688	1735	1841	1955	2068	2175	2306
81 / 2057	30 / 762	1026	1748	1808	1866	2022	2123	2224	2365	2496
81 / 2057	36 / 914	1031	1839	1934	2030	2196	2291	2385	2564	2706
81 / 2057	42 / 1067	1111	2038	2123	2241	2453	2554	2656	2845	3012
81 / 2057	48 / 1219	1206	2219	2338	2455	2622	2782	2943	3168	3323
81 / 2057	54 / 1372	1206	2340	2482	2614	2791	2987	3183	3397	3622
81 / 2057	60 / 1524	1310	2517	2720	2932	3087	3258	3431	3716	3905

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59

If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

T P X N

Super Panel without Raceway
(Continued)DIMENSIONS
INCHES / MM

PRICING

		Complete Panel Flintwood Top Trim							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	18 / 457	879	943	972	1014	1078	1143	1221	1300
51 / 1295	24 / 610	965	1023	1051	1116	1184	1251	1315	1394
51 / 1295	30 / 762	1074	1110	1145	1239	1300	1358	1445	1523
51 / 1295	36 / 914	1134	1192	1248	1349	1405	1462	1568	1655
51 / 1295	42 / 1067	1257	1307	1378	1506	1566	1628	1741	1840
51 / 1295	48 / 1219	1369	1439	1511	1610	1706	1803	1939	2031
51 / 1295	54 / 1372	1454	1538	1618	1724	1842	1959	2088	2224
51 / 1295	60 / 1524	1518	1638	1767	1860	1964	2066	2237	2351
66 / 1676	18 / 457	1192	1278	1315	1372	1458	1543	1647	1751
66 / 1676	24 / 610	1312	1389	1426	1512	1603	1693	1777	1882
66 / 1676	30 / 762	1457	1504	1552	1674	1756	1836	1950	2055
66 / 1676	36 / 914	1528	1603	1680	1812	1888	1965	2106	2220
66 / 1676	42 / 1067	1705	1771	1866	2037	2118	2200	2351	2484
66 / 1676	48 / 1219	1857	1952	2047	2180	2309	2437	2617	2741
66 / 1676	54 / 1372	1980	2095	2200	2341	2498	2655	2825	3007
66 / 1676	60 / 1524	2082	2244	2415	2539	2677	2814	3042	3193
81 / 2057	18 / 457	1506	1613	1660	1732	1838	1945	2076	2206
81 / 2057	24 / 610	1665	1761	1808	1914	2027	2139	2246	2377
81 / 2057	30 / 762	1851	1908	1969	2124	2225	2324	2468	2598
81 / 2057	36 / 914	1943	2037	2133	2298	2394	2489	2667	2810
81 / 2057	42 / 1067	2168	2251	2370	2583	2684	2785	2975	3142
81 / 2057	48 / 1219	2362	2480	2599	2766	2927	3086	3311	3465
81 / 2057	54 / 1372	2485	2627	2757	2936	3132	3327	3540	3766
81 / 2057	60 / 1524	2663	2864	3078	3232	3404	3577	3862	4052

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica is specified for a 51" high frame, add 48

If Mica is specified for a 66" high frame, add 59


If Mica is specified for a 81" high frame, add 75

If Mica is specified for 18"-36" wide panel with metal top trim, add 6

If Mica is specified for 42" wide panel with metal top trim, add 7

If Mica is specified for 48"-60" wide panel with metal top trim, add 8

TPR
Panel Raceway



The Panel Raceway is an electrical conduit that may be added to panels previously specified without a raceway.

WHAT'S INCLUDED

1 Panel Raceway, horizontal access rail with communications duct, electrical raceway covers, fasteners.

NOTES

18" - 36" wide panels = (2) outlet knockouts.

42" - 60" wide panels = (4) outlet knockouts.

PRODUCT OPTIONS

Width	Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation

SAMPLE ORDER CODE

TPR 36	P
--------	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation
30
33
40
51
61
67
73
82

The Door Panel allows for door applications within the panel environment but does not allow for power pass-through or power access.

WHAT'S INCLUDED

1 door, one door frame, 1 top trim, brushed chrome handle and lock (as per specification), hardware for straight connections.

NOTES

Door Dimensions are as follows:

Door	Door Dimensions (Normal)	Door Clearance (Frame widths: side-to-side)
TPD_8136	79" high x 32" wide	31"
TPD_8142	79" high x 38" wide	37"

For wheelchair accessibility, specify 42" wide door.

Metal Top Trim will be finished to match the frame.

Panel hinges required when attaching to hall adapter (PWA).

Handles, locks and threshold are all brushed chrome.

PRODUCT OPTIONS

Handle Style	Height	Width	Door Swing Direction	Frame & Metal Top Trim Finish	Door Surface Finish	Wood Top Trim Edge Style	Wood Top Trim Finish
1 Ball Handle (With Lock)	81	36, 42	L Left Swing	Foundation	Foundation	R Radius	Flintwood
2 Lever Handle (With Deadbolt)			R Right Swing	Mica	Laminate	S Square	
3 Lever Handle (No Lock)					Flintwood		
9 No Handle							

SAMPLE ORDER CODE

TPD 2	81	36	R	E	WB	S	
-------	----	----	---	---	----	---	--

DIMENSIONS INCHES / MM

H	W
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067

PRICING

METAL TOP TRIM

Foundation Laminate	Flintwood
------------------------	-----------

BALL HANDLE (1)

2147	2549
2316	2781

LEVER HANDLE WITH DEADBOLT (2)

2228	2616
2562	2912

LEVER HANDLE NO LOCK (3)

2108	2495
2445	2794

NO HANDLE (9)

2074	2462
2411	2760

WOOD TOP TRIM

Foundation Laminate	Flintwood
------------------------	-----------

2196	2597
2383	2848


2276	2663
2627	2979

2156	2542
2512	2861


2123	2510
2477	2827

If Mica frame is specified, add 75

TPD Door Panel



TPX06
Add-On Module – 6" High



One 6" Add-On Module may be added to the top of any panel but cannot support overhead storage.

WHAT’S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame, hardware for straight connections.

Complete Module: 1 frame, two Acoustic Elements (THA), hardware for straight connections.

WHAT’S EXCLUDED

Top Trim is not included.

NOTES

Special bracket required for mounting to 36" high panel with existing wiring.

Only one 6" high add-on module can be installed on top of the panel.

The TPXD add-on module is required when mounting to a 42" high panel.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Width	Frame Finish	Element Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric

SAMPLE ORDER CODE

TPX06 30	J	PANEL MATRIX
----------	---	--------------

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim								
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	
104	175	181	189	210	225	238	258	277	
122	196	204	213	242	255	266	284	306	
132	214	234	245	260	279	296	319	339	
138	245	260	267	285	305	324	347	369	
152	276	282	297	326	343	359	389	413	
162	293	307	319	349	374	399	434	464	
167	312	331	352	373	409	442	478	509	
188	342	372	396	421	451	479	518	550	

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica frame is specified, add 14

The Add-On Module – 15" high can be added to the top of any Transit panel and accepts the full range of Transit elements.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame, hardware for straight connections.

Complete Module: 1 frame, 2 Acoustic Elements, hardware for straight connections.

WHAT'S EXCLUDED

Top Trim is not included.


NOTES

Special bracket required for mounting to 36" high panel with existing wiring.

The TPXD add-on module is required when mounting to a 42" high panel.

To order panels, a panel matrix must be completed to identify placement of specific elements.

TPX15 Add-On Module – 15" High



PRODUCT OPTIONS

Width	Frame Finish	Element Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric

SAMPLE ORDER CODE

TPX15 36	E	PANEL MATRIX
----------	---	--------------

DIMENSIONS INCHES / MM

PRICING


W	Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
18 / 457	201	307	329	339	352	395	409	420	448
24 / 610	234	347	367	375	397	442	454	464	489
30 / 762	258	391	402	414	444	485	500	514	541
36 / 914	267	416	436	454	487	526	545	563	590
42 / 1067	290	463	479	503	546	587	605	624	657
48 / 1219	314	504	528	551	586	649	672	694	725
54 / 1372	324	538	567	592	628	706	728	749	794
60 / 1524	362	589	629	672	703	772	801	828	867

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica frame is specified, add 29

TPXD

Add-On Module – TPM42



The Add-On Module – TPM42 is required when added to a **42" high** Transit Modular Panel (TPM or TPMN) only. This module also accepts the full range of Transit elements.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame, hardware for straight connections.

Complete Module: 1 frame, 2 Acoustic Elements, hardware for straight connections.

WHAT'S EXCLUDED

Top Trim is not included.

NOTES

The lay-in trough option is available on 15" height modules only.

Used in place of a TPX06, TPX15, TPX30 or TPXL15 when mounting to a 42" high panel.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Height	Width	Frame Finish	Element Finish	Lay-In Trough (Optional)
06, 15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric	2 With Lay-In Trough

SAMPLE ORDER CODE

TPXD 30	18	E	PANEL MATRIX	
---------	----	---	--------------	--

**DIMENSIONS
INCHES / MM**

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING**WITHOUT LAY-IN TROUGH****Foundation Panel Frame**

Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
104	175	181	189	210	225	238	258	277
122	196	204	213	242	255	266	284	306
132	214	234	245	260	279	296	319	339
138	245	260	267	285	305	324	347	369
152	276	282	297	326	343	359	389	413
162	293	307	319	349	374	399	434	464
167	312	331	352	373	409	442	478	509
188	342	372	396	421	451	479	518	550
201	307	329	339	352	373	395	420	448
234	347	367	375	397	420	442	464	489
258	391	402	414	444	465	485	514	541
267	416	436	454	487	506	526	563	590
290	463	479	503	546	567	587	624	657
314	504	528	551	586	617	649	694	725
324	538	567	592	628	668	706	749	794
362	589	629	672	703	737	772	828	867

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

Pricing is continued on the following page.

TPXD

Add-On Module – TPM42

(Continued)

DIMENSIONS

INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

H	W
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

H	W
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

WITHOUT LAY-IN TROUGH

Mica Panel Frame

Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
119	198	204	226	254	264	274	292	311
135	218	228	257	280	290	300	320	342
146	248	260	275	310	322	334	352	371
155	276	282	302	340	352	364	385	452
166	297	311	340	372	389	405	428	464
177	321	334	365	414	432	448	478	509
181	345	367	388	457	475	494	523	553
202	387	411	437	495	514	531	566	685
231	359	368	383	426	438	451	477	504
262	395	406	427	472	483	494	519	544
287	433	443	475	515	529	544	570	597
296	464	483	517	553	572	590	618	646
319	509	532	575	616	635	654	686	721
344	557	581	615	679	702	724	755	786
353	596	621	657	736	758	779	824	868
391	658	702	733	802	830	857	895	935

Foundation Panel Frame

Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
230	307	329	339	352	373	395	420	448
260	347	367	375	397	420	442	464	489
280	391	402	414	444	465	485	514	541
290	416	436	454	487	506	526	563	590
320	463	479	503	546	567	587	624	657
347	504	528	551	586	617	649	694	725
363	538	567	592	628	668	706	749	794
410	589	629	672	703	737	772	828	867

Mica Panel Frame

Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
260	442	454	480	549	569	588	620	648
292	482	499	531	596	615	632	668	693
312	521	549	577	651	674	697	737	764
321	571	588	647	727	755	782	829	856
352	628	660	720	794	825	855	909	942
380	688	721	772	869	900	931	985	1017
394	743	783	835	955	991	1030	1094	1139
441	831	888	938	1075	1117	1159	1231	1271

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

TPXD
Add-On Module – TPM42
(Continued)

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

WITH LAY-IN TROUGH

Foundation Panel Frame


Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
278	384	406	414	430	451	472	498	523
339	451	471	479	501	524	546	568	594
385	518	529	542	572	593	613	641	668
389	541	558	577	612	631	649	684	713
437	610	626	650	693	713	734	772	805
464	652	677	701	734	765	799	843	874
475	688	717	743	779	817	856	900	944
541	769	808	851	881	916	951	1008	1046

Mica Panel Frame

Bare	Complete Panel							
	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
307	435	443	459	501	515	527	552	577
367	499	508	529	574	587	596	621	593
414	558	571	602	642	657	671	697	723
418	588	606	640	678	696	713	742	770
466	656	680	723	763	783	802	834	867
498	706	730	763	827	850	873	903	934
503	747	773	808	887	909	930	976	1020
570	838	880	912	981	1009	1038	1075	1114

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

TPX30
Add-On Module – 30" High



The Add-On Module – 30" High can be added to the top of any Transit panel and is designed to accept 30" Glazed (TGS, TGD) and Open (TGN) Elements.

WHAT’S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 frame, hardware for straight connections.

Complete Module: 1 frame, 2 elements as specified, hardware for straight connections.

WHAT’S EXCLUDED

Top Trim is not included.

NOTES

All other 30" high elements THA, TFE, TLE, TWEN can be applied to this add-on module.

Special bracket required for mounting to 36" high panel with existing wiring.

The TPXD add-on module is required when mounting to a 42" high panel.

To order panels, a panel matrix must be completed to identify placement of specific elements.

PRODUCT OPTIONS

Width	Frame Finish	Element Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	5 Clear Standard Glass 6 Frost Standard Glass

SAMPLE ORDER CODE

TPX30 18	N	PANEL MATRIX
----------	---	--------------

DIMENSIONS
INCHES / MM

W	Foundation Panel Frame (Bare)		Standard Glass Clear		Standard Glass Frost	
	TGN		TGS	TGD	TGS	TGD
18 / 457	230	395	524	662	554	703
24 / 610	260	440	581	727	617	771
30 / 762	280	504	628	773	665	822
36 / 914	290	534	665	812	701	867
42 / 1067	320	587	746	911	786	970
48 / 1219	347	640	822	1010	872	1076
54 / 1372	363	683	886	1098	939	1169
60 / 1524	410	756	981	1205	1038	1286

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica frame is specified, add 31

The Add-On Module – Lay-In can be added to the top of any Transit panel and accepts a limited range of Transit elements.

WHAT'S INCLUDED

Bare Frame: (for build up pricing purposes only) 1 lay-in frame, hardware for straight connections.

Complete Module: 1 lay-in frame, 2 Acoustic Elements, hardware for straight connections.

WHAT'S EXCLUDED

Top Trim is not included.


NOTES

Special bracket required for mounting to 36" high panel with existing wiring.

The TPXD add-on module is required when mounting to a 42" high panel.

To order panels, a panel matrix must be completed to identify placement of specific elements.

TPXL15 Add-On Module – Lay-In



PRODUCT OPTIONS

Width	Frame Finish	Element Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	Fabric

SAMPLE ORDER CODE

TPXL15 36	E	PANEL MATRIX
-----------	---	--------------

DIMENSIONS INCHES / MM


W	Foundation Panel Frame (Bare)	Complete Panel Metal Top Trim							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
18 / 457	278	385	407	415	431	473	486	499	524
24 / 610	339	452	472	480	502	547	558	569	595
30 / 762	385	518	529	542	572	613	627	641	668
36 / 914	389	540	557	576	610	648	667	683	712
42 / 1067	437	610	626	650	693	734	754	772	805
48 / 1219	464	654	678	702	735	800	823	844	875
54 / 1372	475	688	717	743	779	856	878	900	944
60 / 1524	541	769	808	851	881	951	980	1008	1046

Complete panel build-up pricing is an approximate value, please see specification software for exact pricing.

If Mica frame is specified, add 29

TPSF

Privacy Screen



The Privacy Screen is a translucent panel-mounted, sliding partition that may be mounted to panels.

WHAT'S INCLUDED

1 screen with panel mounting hardware.

NOTES

Handedness can be changed in the field.

Caps are Black when Mica finish is specified.

PRODUCT OPTIONS

Height	Width	Screen Slide Direction	Frame Finish
51, 66, 81	36, 42	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

TPSF 66	36	L	J
---------	----	---	---


DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
66 / 1676	36 / 914
66 / 1676	42 / 1067
81 / 2057	36 / 914
81 / 2057	42 / 1067

PRICING

Foundation	Mica
1151	1194
1215	1285
1278	1325
1310	1350
1347	1400
1455	1526

TP
Bridge



The Bridge is a tackable space divider which can be mounted in an on- or off-module position within a panel environment.

WHAT'S INCLUDED

1 partition, 1 pole, 1 T-end support, panel-mounting hardware (off-module hardware).

NOTES

The Whiteboard portion of the Bridge accepts magnets.

When specified Whiteboard is applied to both sides of outer partition.

Bridge can be mounted on an on-module position using off-module panel-mounting hardware.

PRODUCT OPTIONS

Style	Pole and T-End Height	Partition Height	Width	Pole, Frame and T-End Finish	Bridge Finish (Left)	Bridge Finish (Right)	On/Off-Module	Hardware Finish
B Standard Bridge (Inner and Outer – Fabric only)	51, 66	30, 45	72, 78, 84, 90, 96	Foundation Mica	Fabric	Fabric	2 Off-Module	Foundation
W Bridge with Whiteboard (Inner – Fabric only, Outer – Whiteboard)								

SAMPLE ORDER CODE

TP W	51	45	84	J	T205	T205	2	J
------	----	----	----	---	------	------	---	---

DIMENSIONS
INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

STANDARD BRIDGE (B)								
Foundation Pole, Frame & T-End								
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7	
1786	1821	1847	1886	2010	2134	2360	2534	
1812	1852	1888	1923	2050	2178	2411	2583	
1854	1886	1936	1978	2110	2242	2475	2657	
1891	1929	1959	2001	2134	2267	2506	2688	
1934	1965	1999	2033	2168	2303	2549	2735	
2074	2113	2153	2192	2348	2504	2787	3005	
2106	2156	2199	2242	2402	2562	2845	3066	
2148	2196	2256	2307	2471	2635	2929	3156	
2196	2244	2284	2333	2498	2664	2967	3192	
2240	2284	2324	2370	2540	2708	3011	3248	
2351	2443	2518	2595	2781	2968	3301	3559	
2392	2477	2569	2664	2858	3050	3397	3662	
2425	2520	2608	2707	2903	3097	3449	3717	
2463	2543	2624	2728	2926	3121	3475	3744	
2498	2586	2687	2782	2985	3187	3547	3825	

Pricing is continued on the following page.

T P

Bridge (Continued)

DIMENSIONS INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438
51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438
66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

STANDARD BRIDGE (B)

Mica

Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
1887	1924	1948	1988	2112	2236	2462	2636
1918	1956	1993	2027	2155	2283	2516	2687
1957	1990	2039	2081	2213	2344	2577	2759
1997	2036	2066	2108	2241	2374	2614	2796
2045	2074	2109	2142	2278	2414	2659	2845
2177	2215	2255	2294	2450	2606	2888	3104
2210	2261	2302	2345	2506	2666	2950	3171
2251	2297	2360	2409	2574	2737	3032	3258
2302	2351	2389	2440	2606	2772	3074	3299
2349	2394	2436	2480	2650	2818	3121	3357
2469	2559	2636	2711	2898	3086	3420	3676
2512	2597	2687	2782	2975	3168	3515	3781
2541	2637	2726	2823	3019	3215	3566	3833
2581	2662	2744	2845	3043	3239	3593	3863
2622	2710	2812	2908	3110	3310	3671	3949

Pricing is continued on the following page.

T P

Bridge (Continued)

DIMENSIONS
INCHES / MM

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438

51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438

66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

H	P/H	W
51 / 1295	30 / 762	72 / 1829
51 / 1295	30 / 762	78 / 1981
51 / 1295	30 / 762	84 / 2134
51 / 1295	30 / 762	90 / 2286
51 / 1295	30 / 762	96 / 2438

51 / 1295	45 / 1143	72 / 1829
51 / 1295	45 / 1143	78 / 1981
51 / 1295	45 / 1143	84 / 2134
51 / 1295	45 / 1143	90 / 2286
51 / 1295	45 / 1143	96 / 2438

66 / 1676	45 / 1143	72 / 1829
66 / 1676	45 / 1143	78 / 1981
66 / 1676	45 / 1143	84 / 2134
66 / 1676	45 / 1143	90 / 2286
66 / 1676	45 / 1143	96 / 2438

PRICING

BRIDGE WITH WHITEBOARD (W)

Foundation

Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
2049	2095	2122	2163	2317	2470	2746	2954
2087	2130	2174	2217	2372	2527	2812	3027
2132	2170	2232	2271	2432	2593	2883	3108
2178	2217	2256	2295	2460	2622	2914	3139
2222	2265	2291	2340	2506	2672	2970	3196

2380	2430	2475	2527	2715	2906	3244	3504
2423	2480	2531	2577	2773	2967	3316	3583
2470	2521	2596	2646	2845	3045	3403	3675
2527	2577	2627	2686	2888	3089	3455	3733
2581	2624	2669	2731	2935	3139	3509	3792

2707	2801	2896	2983	3207	3432	3837	4144
2748	2851	2954	3064	3298	3532	3946	4268
2793	2890	2998	3111	3347	3582	4004	4328
2823	2927	3018	3132	3371	3609	4035	4362
2875	2975	3088	3203	3447	3690	4123	4457

Mica


Pole, Frame & T-End

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr.6	Gr. 7
2152	2198	2224	2266	2420	2572	2846	3056
2191	2233	2277	2320	2476	2632	2916	3131
2234	2273	2336	2375	2537	2698	2986	3209
2285	2323	2363	2402	2567	2730	3021	3246
2333	2375	2401	2450	2617	2781	3079	3307

2481	2532	2576	2629	2818	3008	3346	3606
2528	2584	2636	2682	2877	3072	3420	3688
2573	2624	2700	2750	2949	3148	3507	3779
2634	2685	2734	2793	2995	3195	3562	3839
2690	2735	2779	2841	3045	3250	3620	3902

2825	2918	3014	3099	3325	3551	3956	4262
2867	2971	3074	3184	3418	3650	4065	4387
2910	3009	3117	3227	3463	3697	4122	4446
2942	3045	3136	3252	3490	3728	4152	4479
2997	3098	3213	3327	3571	3814	4245	4583

T P T B
Panel T



The Panel T provides an alternative to a panel end trim and acts as a secondary panel support.

WHAT’S INCLUDED
1 Panel T, trim adapter and Black hardware.

NOTES
The Panel T has a leveling range of 3".
Additional trim required if panel is higher than 66".

PRODUCT OPTIONS

Height	Panel T Finish	Trim Adapter Finish
36, 42, 51, 66	Foundation Mica	Foundation

SAMPLE ORDER CODE

TPTB 66	R	E
---------	---	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING

Foundation	Mica
546	616
595	664
748	831
791	872


The Divisional Screen attaches to any Transit Panel on-module or off-module. Provides visual space division and accommodates a variety of accessories.

WHAT'S INCLUDED

1 Divisional Screen, one end gable, top rail, one or two mid rails (as per style), levelers and mounting brackets (as specified).

NOTES

The single-sided and double-sided option refers to the mid rail location (on one or both sides).



PRODUCT OPTIONS

Mid Rail Style	Mounting Kit	Height	Width	Screen Finish	Top Rail & Mid Rail Finish
S Single-Sided	1 Two-Way 180° Connection Mounting Brackets	36, 51	60, 66, 72, 84, 96	Source Laminate Gr. 1	Foundation
D Double-Sided	2 Off-Module Connection Mounting Brackets			Flintwood	Mica

SAMPLE ORDER CODE

TDS S	1	51	96	VB	Q
--------------	----------	-----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829
36 / 914	84 / 2134
36 / 914	96 / 2438
51 / 1295	60 / 1524
51 / 1295	66 / 1676
51 / 1295	72 / 1829
51 / 1295	84 / 2134
51 / 1295	96 / 2438

PRICING

SINGLE-SIDED (S)		DOUBLE-SIDED (D)	
Source Laminate Gr. 1	Flintwood	Source Laminate Gr. 1	Flintwood
1064	2211	1332	2682
1162	2351	1458	2849
1181	2389	1481	2904
1314	2591	1655	3157
1442	2792	1820	3411
1483	3402	1563	3481
1623	3626	1716	3711
1659	3692	1754	3782
1856	4025	1966	4131
2055	4356	2177	4480

If Mica Top & Mid Rail is specified, add 25 for Single-Sided
add 30 for Double-Sided

lyft




PRODUCT MAP	71
SCREEN BASICS	73
PRODUCT LISTING	74

product map


H P S Thin Panel – Standard

Page 74
Height: 42" - 66" / Width: 24" - 60"




H P M Thin Panel – Monolithic

Page 76
Height: 42" - 66" / Widths: 24" - 48"




H P F Thin Panel Stabilizer Foot

Page 77



T P A Add-On Screen – Translucent

Page 78
Height: 15" / Width: 18" - 60"



Lyft provides space division using a variety of Thin Panels and Floor Screens that can be connected to other Thin panels or Transit panels. Thin Panels provide an alternative aesthetic when a thinner profile is required.




- Thin Panels (HPS) are not handed
- Thin Panels do not require top trim
- End Trims (HET), Intermediate Trims (HIT) and connecting hardware must be specified separately
- The mid rail accommodates worksurface connection and support
- The upper rail accepts mounted storage and workstation signage on-module in corners (except Screenweave Floor Screen)
- Lyft Thin Panels support Lyft Shelves (HMS) and Transit Overhead and Standard Storage Overhead Cabinets provided the Lyft panel is attached to a Transit panel. Please see the Mounted Storage section for details
- All dimensions and dimension codes are nominal

Add-On Screen – Translucent (HPM)


- The translucent Add-On Screen provides a casual alternative solution to increase Transit Panel height and visual privacy
- Can span more than one panel
- Cannot be mounted to wood top trims
- Mounting brackets must be clear of worksurface supports
- Mounting brackets accommodate a range of worksurface gaps from 0" to 2" with a secure attachment to insure proper spacing and alignment

- Actual screen width dimensions are 1" shorter than nominal




Thin Panel – Standard (HPS)

- Connects to Transit Panels both on- and off-module or to Lyft Thin Panels and Screens On-Module
- Provides privacy and worksurface support
- Comes complete with top and mid rails




Thin Panel – Monolithic (HPM)

- Designed to provide space division when linked to another panel or as a freestanding screen
- Are not structural, therefore, do not support worksurfaces or storage
- Does not have a center rail




Thin Panel Stabilizer Foot (HPF)

- Provides stability to Lyft Thin Panels beyond an adjacent worksurface or Panel connection
- Can be used on all Lyft Thin Panels to provide stability for Lyft Thin Panel runs and freestanding Lyft Monolithic Thin Panel configurations



H P S

Thin Panel – Standard

Finish Example

Top Segment
Fabric, Grade A
(51" x 36" overall panel) \$189

Bottom Segment
Fabric, Grade A
(36" overall panel
width) \$189

Total \$378

The Standard Thin Panel connects both on- or off-module to Transit Panels or on-module to Lyft Thin Panels and Screens, providing space division. The Standard Thin Panel's mid rail accommodates worksurface connection and support.

WHAT'S INCLUDED

1 panel (finished as specified), straight 180° connections and 2 levelers.

WHAT'S EXCLUDED

End Trims (HET) and Intermediate Trims (HIT).

74

PRODUCT OPTIONS

Height	Width	Frame Finish	Top Segment Finish	Bottom Segment Finish
42, 51, 66	24, 30, 36, 42, 48, 60	Foundation Mica	Fabric Translucent WZ Whiteboard	Fabric Translucent

SAMPLE ORDER CODE

HPS 51	36	G	W024	AM
--------	----	---	------	----

DIMENSIONS
INCHES / MM

PRICING

TOP SEGMENT

Overall Panel Height	Overall Panel Width	Fabric Grade A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	Translucent Ribbed	Translucent Frost	Whiteboard
42 / 1067	24 / 610	152	155	164	179	197	213	233	253	157	354	n/a
42 / 1067	30 / 762	165	167	188	200	218	236	260	281	174	410	n/a
42 / 1067	36 / 914	184	189	203	223	244	265	290	313	199	485	n/a
42 / 1067	42 / 1067	186	192	205	225	250	276	306	330	237	536	n/a
42 / 1067	48 / 1219	196	203	218	237	265	292	324	353	248	554	n/a
42 / 1067	60 / 1524	226	235	245	269	298	326	362	394	283	781	n/a
51 / 1295	24 / 610	191	199	209	223	248	274	301	327	244	522	574
51 / 1295	30 / 762	212	225	233	250	279	307	341	370	268	610	636
51 / 1295	36 / 914	233	245	259	278	310	342	379	411	291	681	700
51 / 1295	42 / 1067	265	276	293	317	352	387	430	467	323	760	792
51 / 1295	48 / 1219	285	300	319	344	384	421	468	508	350	824	860
51 / 1295	60 / 1524	331	346	369	392	434	475	524	573	418	1154	1171
66 / 1676	24 / 610	258	265	283	306	341	374	414	451	317	853	934
66 / 1676	30 / 762	284	291	320	346	386	422	471	511	353	979	1031
66 / 1676	36 / 914	317	323	354	384	427	468	520	566	394	1184	1201
66 / 1676	42 / 1067	350	370	396	434	483	531	589	640	445	1208	1296
66 / 1676	48 / 1219	384	406	435	475	528	582	643	703	485	1312	1405
66 / 1676	60 / 1524	442	459	489	534	590	643	714	778	553	2049	2068

Step 1: Determine Top Segment price.

example: 51" high, 36" wide Thin Panel finished in a Fabric, Grade A is 233

Pricing is continued on the following page.

Thin Panel – Standard (Continued)

DIMENSIONS
INCHES / MM

PRICING

BOTTOM SEGMENT

Overall Panel Width*	Fabric Grade A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr.7	Translucent Ribbed	Translucent Frost
24 / 610	191	199	209	223	248	274	302	327	245	522
30 / 762	212	225	233	250	280	308	342	371	268	612
36 / 914	233	245	259	279	311	343	379	413	291	681
42 / 1067	265	277	293	317	352	388	430	340	324	760
48 / 1219	285	300	320	345	385	421	468	510	352	826
60 / 1524	331	347	370	392	435	476	528	573	418	1155

*(must equal top segment overall width)

Step 2: Determine Bottom Segment price.

example: 36" wide Thin Panel finished in a Fabric, Grade A is 233

Step 3: To determine overall panel price, add Top Segment price and Bottom Segment price.


example: 233 + 233 = 466

If Mica frame is specified, add 29

See illustrated example on previous page.

H P M

Thin Panel – Monolithic



The Monolithic Thin Panel is designed to provide space division when linked to another panel or as a freestanding screen.

WHAT'S INCLUDED

1 panel with ribbed translucent monolithic panel interior, stabilizer foot quantity as specified, panel-to-panel 180° connection.

WHAT'S EXCLUDED

End Trims (HET) and Intermediate Trims (HIT).

76

PRODUCT OPTIONS

Height	Width	Stabilizer Foot Qty	Frame Finish	Stabilizer Foot Finish	Translucent Panel Finish
42, 51, 66	24, 30, 36, 42, 48	1 One Foot 2 Two Feet	Foundation Mica	Foundation Mica	CL Ribbed Clear CG Ribbed Textured

SAMPLE ORDER CODE

HPM 42	30	1	E	E	CL
---------------	-----------	----------	----------	----------	-----------

DIMENSIONS
INCHES / MM

H	W
42 / 1067	24 / 610
42 / 1067	30 / 762
42 / 1067	36 / 914
42 / 1067	42 / 1067
42 / 1067	48 / 1219
51 / 1295	24 / 610
51 / 1295	30 / 762
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	24 / 610
66 / 1676	30 / 762
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219

PRICING

ONE FOOT (1)		TWO FEET (2)	
Foundation Frame	Mica Frame	Foundation Frame	Mica Frame
503	532	610	640
524	553	634	664
553	583	664	693
590	619	700	728
617	646	725	754
522	551	632	660
545	573	652	681
589	618	698	727
634	664	740	771
690	718	795	824
582	612	692	721
681	710	791	821
736	765	842	872
799	827	904	935
866	893	972	1003

If Mica Foot is specified, add 5


If Mica Feet are specified, add 12

The Thin Panel Stabilizer Foot provides stability to Lyft Thin Panels beyond an adjacent worksurface or panel connection.

WHAT’S INCLUDED

1 foot.

HPF
Thin Panel Stabilizer Foot



PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

HPF C

PRICING


Foundation	Mica
107	113

TPA
Add-On Screen – Translucent

Add-On Screen – Translucent provides a casual alternative solution to increase panel height and visual privacy.

WHAT’S INCLUDED
1 screen, attachment hardware and alignment clip.

NOTES
The screen material is translucent frosted acrylic.



78

PRODUCT OPTIONS

Mounting Kit Style	Height	Width	Mounting Hardware Finish
1 Metal Trim Mounting Brackets	15	24, 30, 36, 42, 48, 54, 60	Foundation
2 Wood Trim Mounting Brackets			Mica
3 Divisional Screen Mounting Brackets			

SAMPLE ORDER CODE

TPA 1	15	30	K
-------	----	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

METAL TRIM BRACKETS (1)		WOOD TRIM BRACKETS (2)		DIVISIONAL SCREEN BRACKETS (3)	
Foundation Hardware	Mica Hardware	Foundation Hardware	Mica Hardware	Foundation Hardware	Mica Hardware
231	253	231	253	231	253
244	267	244	267	244	267
275	296	275	296	275	296
302	324	302	324	302	324
345	369	345	369	345	369
365	388	365	388	365	388
394	417	394	417	394	417
417	440	417	440	417	440

panel connections &
trims

panel connections & trims

PRODUCT MAP	82
PANEL CONNECTIONS OVERVIEW	84
PANEL CONNECTORS – TRIM BASICS	85
PANEL CONNECTORS – CORNER BASICS	86
LYFT PANELS & CONNECTIONS OVERVIEW	87
LYFT END RUN, MID & OFF-MODULE 90° CONNECTOR BASICS	87
LYFT TRIMS & CONNECTIONS BASICS	89
PRODUCT LISTING	91

product map


T U C Universal Connector

Page 91




T C C Two-Way 90°

Page 92
Height: 36" - 87"




T C C Three-Way 180°

Page 93
Height: 36" - 87"




T C C Four-Way 90°

Page 94
Height: 36" - 87"




T C I Intermediate Two-Way 90°

Page 95
Height: 6" - 51"




T C I Intermediate Three-Way 180°

Page 96
Height: 6" - 51"




T C C Full-Height Panel Spacer

Page 97
Height: 36" - 87"




T E C Full-Height Spacer Cover

Page 98
Height: 36" - 87"




T C I Intermediate Panel Spacer

Page 99
Height: 6" - 51"




T E I Intermediate Spacer Cover

Page 100
Height: 6" - 51"




T T E End Trim

Page 101
Height: 36" - 87"



T T I Intermediate Trim


Page 102
Height: 6" - 51"



product map


T T T Top Trim

Page 103
Width: 18" - 60"



T N C Four-Way – No Cap

Page 104
Height: 36" - 87"



P W A Wall Adapter


Page 105
Height: 36" - 96"



lyft


H C M T Mid Run 90° On-Module
Connector/Spacer

Page 106
Spacer Height: 36" - 66"




H C E T End Run 90°
Connector/Spacer

Page 107
Spacer Height: 36" - 66"



H C H 9 Thin Panel Connector 90°

Page 108



H E T Thin Panel End Trim

Page 109
Height: 42" - 66"



H I T Thin Panel Intermediate Trim



Page 110
Height: 9" - 24"




panel connections overview

Panel connections are used to connect panels at various angles and to finish corners and ends.


- Two style options are offered: Radius and Square; Radius and Square styles cannot be combined
- Metal and Flintwood finishes cannot be combined
- Corner connections can be made in 45°, 90° and 180° angles
- Panel Connections allow power and communications cables to travel from panel-to-panel through corners



Panel creep should be accommodated in the planning process to ensure successful installations



Square Edge End and Intermediate Trim
Available in Metal, Fabric or Flintwood



Radius Edge End & Intermediate Trim
Available in PVC or Flintwood

panel connectors – trim basics

Transit trims finish the ends and tops of panels.



- End Trims and Intermediate Trims must be ordered separately from panels
- End Trims and Intermediate Trims are not interchangeable, even though they share some common sizes
- Both Radiused and Square Trims are Metal

Top Trim (TTT)

- Is used as a finishing treatment to cover the top horizontal rail of a Panel
- Is included with a Panel if a complete Panel is ordered – if a bare frame is ordered, a top trim will be required
- Flintwood top trims cannot be applied on top of fabric Panel connections

Wall Adapter (PWA)

- Connects a panel to a fixed wall or column
- Panel hinges must be ordered (from the TOS catalog) when attaching a door panel to a wall adapter
- Available in Foundation colors

panel height*	number of connectors
36"	4 (Use "04" in code)
42"	4 (Use "04" in code)
51"	6 (Use "06" in code)
66"	8 (Use "08" in code)
81"	10 (Use "10" in code)

Universal Connector (TUC)

- Can be applied anywhere along the horizontal rails of two panels at 90° to create an off-module connection
- Does not allow for power and communications to travel between the two Panels that are joined (the Off-Module Jumper (EG) can be specified to route power externally from the base of one Panel into another)
- Amounts required for the creation of off-module Panel connections is listed in chart above

End Trims (TTIR and TTES)

Extend the full height of a Panel to provide a finished covering for the end of the Panel

Intermediate Trims (TTIR and TTIS)

Provide a finished covering to the exposed portions of the Panel at panel connections of different heights

Intermediate Spacer Cover (TEI) (Not shown)

- Is an intermediate-height finishing treatment similar to a panel intermediate trim, which covers the exposed structural portion of corners
- Is not interchangeable with the Panel Intermediate Trim
- Should always be used with the Intermediate Panel Spacer

Finishes

- Trims are available in Foundation
- Corner trims are available in Upholstery
- Metal top trims must be used with Foundation, Mica or Fabric trims (End or Intermediate, any edge)
- Only Radius Flintwood Top Trim can be used with Radius Flintwood End Trim or Intermediate Trim
- Only Square Flintwood Top Trim can be used with Square Flintwood End Trim or Intermediate Trim

panel connectors – corner basics

Transit corner trims finish the corners of panel connections.

86

Two Way Connector 90° (TCC_90)

- The 90° connector creates a full height connection between two panels that join at a 90° angle

Four-Way Connector 90° (TCC_4)

Creates a full-height connection between four Panels which are connected at a 90° angle

Full-Height Panel Spacer (TCC_00) and Intermediate Panel Spacer (TCI_00)

- The Full-Height Panel Spacer creates and covers a full-height space between two Panels which are connected side-by-side at 180°
- To complete a corner, a Full-Height Spacer Cover is required on the other side of the Panel
- The Intermediate Panel Spacer creates and covers an Intermediate-Height space between two Panels which are connected side-by-side at 180°
- To complete a corner, an Intermediate Height Spacer Cover is required on the other side of the Panel

Three Way Connector 180° (TCC_18)

Creates a full-height connection between three Panels where two Panels are connected side-by-side at a 180° angle and the third meets them at a 90° angle

Intermediate Two-Way 90° (TCI_00) and Intermediate Three-Way 180° (TCI_18)


- The two-way connector creates an intermediate-height connection between two Panels that join at a 90° angle
- The three-way connector creates an intermediate-height connection between two Panels that join at a 180° angle

Finishes

Connectors are available in Flintwood Stains and a variety of Foundation and Mica colors

lyft panels & connections overview

Lyft connectors are used to connect Lyft Thin Panels, Screens and Transit Panels at various angles and maintain worksurface to panel alignment.



Finishes

Lyft connectors are available in a variety of Foundation and Mica colors

lyft end run, mid & off-module 90° connector basics

Lyft connectors are used to connect Lyft Thin Panels to Transit panels 90° at angles.




Mid Run 90° On-Module Connector/Spacer (HCMT)

- Creates a full-height 90° mid run connection at the junction between the following:
 - A Lyft Thin Panel and two Transit Panels aligned at 180° (Three-Way Connection)
 - Two Lyft Thin Panels aligned at 180° and two Transit Panels aligned at 180° (Four-Way Connection)
- Adds 1.2" to a Transit Panel run




End Run 90° Connector/Spacer (HCET)

- Creates a finished full-height 90° angle end run connection between a Lyft Panel and a Transit Panel (Two-Way Connection) or two Lyft Panels and a Transit Panel (Three-Way Connection)
- Replaces Transit Panel End Trim




lyft trims & connections basics


Lyft offers a number of connectors and trims that finish ends and corners.




**Thin Panel Connector 90°
– Two-Way (HCH9)**
Creates a full-height 90° connection
between two Lyft Thin Panels



Thin Panel End Trim (HET)
Finishes the full panel end height at
all exposed corner and end run
locations



**Thin Panel Intermediate Trim
(HIT)**
Finishes exposed portions of Lyft
Thin Panels where a full end trim is
not required



The Universal Connector attaches anywhere along the horizontal rails of two perpendicular panels to create off-module connections.

WHAT'S INCLUDED

Universal Connectors (quantity as specified), each with 2 CAM-lock mechanisms, off-module bracket, reinforcing plate and fasteners.

NOTES

Off-Module Jumper (EG) required to pass power.

The number of Universal Connectors required for the creation of off-module panel connections is as follows:

Panel Height	Number of Universal Connectors
36"	4 (Use "04" in code)
42"	4 (Use "04" in code)
51"	6 (Use "06" in code)
66"	8 (Use "08" in code)
81"	10 (Use "10" in code)



PRODUCT OPTIONS

Quantity	Finish
04, 06, 08, 10	Foundation Mica

SAMPLE ORDER CODE

TUC 04	P
---------------	----------

QUANTITY


4
6
8
10

PRICING


Foundation	Mica
86	94
129	139
168	188
212	235

TCC

Two-Way 90°



Radius Edge



Square Edge

The Two-Way 90° Panel Connection creates a full-height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED

1 full-height 90° outer corner cover, 1 full-height 90° inner corner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

If a Flintwood or Fabric corner finish is selected, the corner finish must be specified.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish	Inner Corner Finish (If Flintwood or Fabric corner is selected)
R Radius (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	90 Two-Way 90°	Foundation	Foundation
S Square (Foundation, Mica)			Fabric	Mica
			Mica	

SAMPLE ORDER CODE

TCC S	51	90	S307	E
--------------	-----------	-----------	-------------	----------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676
72 / 1829
81 / 2057
87 / 2210

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric					
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	
84	92	90	93	93	95	97	
104	109	108	112	112	114	118	
105	110	109	113	113	116	121	
113	122	121	124	124	128	130	
114	124	122	127	127	129	131	
134	140	139	145	145	147	151	
139	148	147	151	151	155	158	

SQUARE EDGE (S)

Foundation	Mica	Fabric					
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	
166	178	179	186	186	191	196	
204	218	219	225	225	231	234	
210	222	223	227	227	233	236	
227	237	241	245	245	252	255	
231	242	243	248	248	254	258	
269	280	281	287	287	293	298	
281	292	293	301	301	307	311	

The Three-Way 180° Panel Connection creates a full-height connection between three panels where two panels are connected side-by-side at a 180° angle and the third meets them at a 90° angle.

WHAT'S INCLUDED

1 full-height 180° outer corner cover, 2 full-height 90° inner corner covers, three-way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.


If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

If a Flintwood or Fabric corner finish is selected, the corner finish must be specified.

Flintwood Cathedral finish is only available on Square Edge Style (S).

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

TCC Three-Way 180°



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish	Inner Corner Finish (If Flintwood or Fabric corner is selected)
R Radius (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	18 Three-Way 180°	Foundation Fabric Mica	Foundation Mica
S Square (Foundation, Mica)				


SAMPLE ORDER CODE

TCC S	81	18	R575	J
--------------	-----------	-----------	-------------	----------

DIMENSIONS INCHES / MM

		PRICING						
		RADIUS EDGE (R)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
36 / 914		101	107	107	109	113	116	119
42 / 1067		129	134	134	137	139	142	148
51 / 1295		132	138	137	139	145	147	152
66 / 1676		138	147	146	148	154	156	159
72 / 1829		140	151	148	154	156	159	162
81 / 2057		170	179	178	181	184	188	191
87 / 2210		178	184	184	188	191	196	199
		SQUARE EDGE (S)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
36 / 914		168	183	184	189	196	199	202
42 / 1067		218	227	230	235	241	245	249
51 / 1295		225	233	235	241	245	250	254
66 / 1676		236	245	246	253	258	262	266
72 / 1829		243	252	253	258	262	268	271
81 / 2057		291	301	302	307	312	317	320
87 / 2210		302	311	312	317	324	329	334

TCC
Four-Way 90°



The Four-Way Panel Connection creates a full-height connection between four panels which are connected at 90° angles.

WHAT'S INCLUDED

4 full-height 90° inner corner covers, four-way 90° corner cap, four-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

If a Flintwood corner finish is selected, the corner finish must be specified.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish	Inner Corner Finish (If Flintwood corner is selected)
S Square (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	4 Four-Way 90°	Foundation Mica	Foundation Mica

SAMPLE ORDER CODE

TCC S	36	4	FX	E
-------	----	---	----	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676
72 / 1829
81 / 2057
87 / 2210

PRICING

SQUARE EDGE (S)

Foundation	Mica
112	134
155	186
156	188
159	190
162	197
200	242
203	245

The Intermediate Two-Way 90° Panel Connection creates an intermediate-height connection between two panels that join at a 90° angle.

WHAT'S INCLUDED

1 intermediate-height 90° outer corner cover, 1 intermediate height 90° inner corner cover, two-way 90° corner cap, two-way 90° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.


If a Foundation or Mica corner finish is selected, the inner corner will be finished to match.

If a Flintwood or Fabric corner finish is selected, the corner finish must be specified.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

TCI

Intermediate Two-Way 90°



PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish	Inner Corner Finish (If Flintwood or Fabric corner is selected)
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 21, 24, 30, 36, 39, 45, 51	90 Intermediate Two-Way 90°	Foundation	Foundation
S Square (Foundation, Mica)			Fabric Mica	Mica

SAMPLE ORDER CODE

TCI S	15	90	E	J
-------	----	----	---	---

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
30 / 762
36 / 914
39 / 991
45 / 1143
51 / 1295

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
25	25	29	31	35	37	40
40	40	48	53	56	59	61
42	42	51	55	58	61	63
44	44	53	56	59	62	64
45	45	55	58	61	63	66
48	48	56	59	62	64	67
51	51	58	61	63	66	68
70	70	75	81	84	87	89
71	71	77	82	86	89	92
86	86	92	94	97	101	104
87	87	93	95	100	104	106
95	95	104	106	108	112	115


SQUARE EDGE (S)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
44	58	59	64	70	74	78
82	95	97	104	108	114	121
86	100	101	106	112	119	123
92	102	104	108	114	122	125
94	105	106	112	119	127	130
97	107	108	114	122	129	132
101	109	112	119	127	131	134
138	155	156	161	166	171	175
140	157	159	164	168	174	177
168	181	183	189	196	200	203
171	184	186	191	198	204	208
191	203	204	212	219	225	228

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
30 / 762
36 / 914
39 / 991
45 / 1143
51 / 1295

TCI

Intermediate Three-Way 180°



The Intermediate Three-Way 180° Panel Connection creates a full height connection between three panels where two panels are connected side-by-side at a 180° angle, and the third meets them at a 90° angle.

WHAT'S INCLUDED

1 intermediate-height 180° outer corner cover, 1 intermediate-height 180° inner cover, 2 intermediate-height 90° inner corner covers, three-way 180° corner cap, three-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Cannot combine square and radius edge trims.

Inner corner defaults to foundation finish selected, must be specified for all other finishes.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

PRODUCT OPTIONS

Edge Style	Height	Configuration	Corner Finish	Inner Corner Finish (If Flintwood or Fabric corner is selected)
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 21, 24, 30,	18 Intermediate Three-Way 180°	Foundation	Foundation
S Square (Foundation, Mica)	36, 39, 45, 51		Fabric Mica	Mica

SAMPLE ORDER CODE

TCI S	36	18	FC	E
-------	----	----	----	---

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
30 / 762
36 / 914
39 / 991
45 / 1143
51 / 1295

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
26	26	30	33	36	38	41
27	27	31	35	37	40	42
45	45	55	58	61	63	66
51	51	58	61	63	66	68
58	58	63	66	68	71	73
59	59	64	67	70	73	75
61	61	66	68	71	74	78
87	87	93	95	100	104	106
89	89	94	97	101	105	107
100	100	106	108	112	114	118
101	101	107	109	113	116	119
112	112	119	122	127	129	131

SQUARE EDGE (S)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
48	62	62	67	72	77	82
53	64	64	70	74	82	87
94	106	106	112	119	127	130
101	112	112	119	127	131	133
112	127	127	131	135	140	146
114	129	129	133	138	148	155
119	131	131	135	140	154	159
171	186	186	191	198	204	209
174	189	189	196	200	210	216
198	212	212	219	225	231	234
200	214	214	223	227	233	237
225	236	236	243	248	254	258

The Full-Height Panel Spacer creates and covers a full-height space between two panels which are connected side-by-side at 180°.

WHAT'S INCLUDED

1 full-height 180° outer cover, 1 full-height 180° inner cover, 1 two-way 180° corner cap, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES


Must specify Full-Height Spacer Cover (TEC__18) for other side of panel.

Cannot combine square and radius edge trims.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.

TCC

Full-Height Panel Spacer



PRODUCT OPTIONS

Edge Style	Height	Configuration	Spacer Finish	Top Cap Finish (If Fabric spacer is selected)
R Radius (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	00 Full-Height Panel Spacer	Foundation	Foundation
S Square (Foundation, Mica)			Fabric Mica	Mica

97

SAMPLE ORDER CODE


TCC S	36	00	C806	E
--------------	-----------	-----------	-------------	----------

DIMENSIONS INCHES / MM

		PRICING						
		RADIUS EDGE (R)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
36 / 914		106	112	112	114	119	122	125
42 / 1067		113	122	121	124	128	130	132
51 / 1295		147	156	155	157	161	164	166
66 / 1676		168	178	174	179	183	186	189
72 / 1829		179	186	186	189	192	197	199
81 / 2057		212	222	222	224	226	230	232
87 / 2210		224	231	230	232	235	237	241
		SQUARE EDGE (S)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
36 / 914		168	178	179	186	190	196	198
42 / 1067		183	190	191	198	201	204	208
51 / 1295		235	244	245	250	258	262	266
66 / 1676		274	280	281	285	291	296	300
72 / 1829		285	293	296	301	308	312	315
81 / 2057		341	350	352	357	361	365	369
87 / 2210		357	364	365	371	376	381	385

TEC

Full-Height Spacer Cover



The Full-Height Spacer Cover is a full-height finishing treatment which covers the exposed structural portion of specific corner types.

WHAT'S INCLUDED

1 full-height 180° outer cover, 1 full-height 180° inner cover.

WHAT'S EXCLUDED

Corner Braces, Corner Cap, Posi-Lock and Spring Plate assemblies.

NOTES

Must be specified in conjunction with Full-Height Panel Spacer (TCC_00).

Cannot combine square and radius edge trims.

Cannot be interchanged with End Trim (TTE).

PRODUCT OPTIONS

Edge Style	Height	Configuration	Spacer Finish
R Radius (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	18 Full-Height Panel Spacer Cover 180°	Foundation
S Square (Foundation, Mica)			Mica Fabric

SAMPLE ORDER CODE

TEC S	36	18	N672
--------------	-----------	-----------	-------------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676
72 / 1829
81 / 2057
87 / 2210

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric					
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	
73	73	84	87	90	93	95	
82	82	92	94	97	101	104	
113	113	124	128	130	133	135	
134	134	145	147	151	155	158	
140	140	154	156	159	162	165	
159	159	167	171	174	179	182	
174	174	186	189	192	197	199	

SQUARE EDGE (S)

Foundation	Mica	Fabric					
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	
128	148	151	157	161	166	170	
138	162	164	168	173	181	187	
196	222	223	226	232	241	244	
230	258	259	266	269	277	281	
243	274	275	279	283	292	298	
268	302	303	311	317	321	324	
300	330	331	340	347	352	356	

Intermediate Panel Spacer

The Intermediate Panel Spacer creates and covers an intermediate-height space between two panels which are connected side-by-side at 180°.

WHAT'S INCLUDED


1 intermediate-height 180° outer cover, 1 intermediate-height 180° inner cover, 1 two-way 180° corner cap, two-way 180° corner braces, Posi-Lock and spring plate assemblies.

NOTES

Must be specified in conjunction with Intermediate Spacer Cover (TEI_08).

Cannot combine square and radius edge trims.

If a Cathedral Flintwood corner finish is selected, the top cap will be finished in Standard Flintwood.



PRODUCT OPTIONS

Edge Style	Height	Configuration	Spacer Finish	Top Cap Finish (If Fabric spacer is selected)
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 21, 24, 30, 36, 39, 45, 51	00 Intermediate Panel Spacer	Foundation	Foundation
S Square (Foundation, Mica)			Mica	Mica
			Fabric	

SAMPLE ORDER CODE


TCI S	06	00	FX	E
-------	----	----	----	---

DIMENSIONS INCHES / MM

		PRICING						
		RADIUS EDGE (R)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
6 / 152		25	25	28	30	33	36	38
9 / 229		44	44	51	55	58	61	63
12 / 305		45	45	53	56	59	62	64
15 / 381		45	45	56	59	62	64	67
18 / 457		51	51	58	61	63	66	68
21 / 533		53	53	59	62	64	67	70
24 / 610		53	53	66	68	71	74	78
30 / 762		71	71	77	82	86	89	93
36 / 914		74	74	82	86	89	92	95
39 / 991		75	75	87	90	93	95	99
45 / 1143		81	81	92	94	97	101	105
51 / 1295		84	84	95	100	104	106	109
		SQUARE EDGE (S)						
H		Foundation	Mica	Fabric				
				A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
6 / 152		44	56	56	62	67	72	77
9 / 229		92	101	101	106	112	119	124
12 / 305		94	104	104	108	114	122	127
15 / 381		94	108	108	114	122	129	132
18 / 457		101	112	112	119	127	131	134
21 / 533		104	114	114	122	129	133	136
24 / 610		104	131	131	135	140	154	159
30 / 762		140	159	159	164	168	174	177
36 / 914		154	164	164	168	174	183	189
39 / 991		156	171	171	179	186	191	196
45 / 1143		161	183	183	189	196	200	203
51 / 1295		166	191	191	198	204	212	215

TEI

Intermediate Spacer Cover



The Intermediate Spacer Cover is an intermediate-height finishing treatment which covers the exposed structural portion of specific corner types.

WHAT'S INCLUDED

1 intermediate-height 180° outer cover, 1 intermediate-height 180° inner cover.

WHAT'S EXCLUDED

Corner Braces, Corner Cap, Posi-Lock and Spring Plate assemblies.

NOTES

Must be specified in conjunction with Intermediate Panel Spacer (TEI_00).

Cannot combine square and radius edge trims.

Cannot be interchanged with Intermediate Trim (TIT).

PRODUCT OPTIONS

Edge Style	Height	Configuration	Finish
R Radius (Foundation, Mica) S Square (Foundation, Mica)	06, 09, 12, 15, 18, 21, 24, 30, 36, 39, 45, 51	18 Intermediate Spacer Cover 180°	Foundation Mica Fabric

SAMPLE ORDER CODE

TEI S	30	18	N
--------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
30 / 762
36 / 914
39 / 991
45 / 1143
51 / 1295

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
24	24	27	29	31	35	37
26	26	29	31	35	37	40
28	28	33	36	38	42	44
55	55	59	62	64	67	69
58	58	63	66	68	71	73
61	61	66	68	71	74	78
63	63	68	71	74	77	81
68	68	74	77	82	86	89
95	95	104	106	108	112	115
100	100	107	109	113	116	121
106	106	114	119	122	127	129
112	112	127	129	132	134	136

SQUARE EDGE (S)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
30	35	36	40	43	48	52
33	38	40	43	48	55	58
37	44	45	53	56	61	64
73	77	81	86	90	94	97
77	86	87	92	95	101	105
84	90	92	95	101	106	110
87	94	95	101	106	109	112
95	105	106	109	114	119	123
133	140	145	148	155	159	161
137	148	151	156	160	164	166
148	160	161	165	168	173	176
159	171	173	179	186	190	193

The End Trim extends the full height of a panel to provide a finished covering for the end of the panel.

WHAT'S INCLUDED


1 End Trim.

NOTES

Cannot combine square and radius edge trims.

End Trim and Intermediate Trim are not interchangeable.

T T E End Trim



PRODUCT OPTIONS

Edge Style	Height	Trim Finish	Trim Detail Finish (If Fabric trim is selected)
R Radius (Foundation, Mica)	36, 42, 51, 66, 72, 81, 87	Foundation	Foundation
S Square (Foundation, Mica)		Mica	Mica
		Fabric	

IOI

SAMPLE ORDER CODE

TTE S	36	N662	E
--------------	-----------	-------------	----------

DIMENSIONS INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676
72 / 1829
81 / 2057
87 / 2210

PRICING

RADIUS EDGE (R)


Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
20	26	25	27	29	31	35
25	30	29	31	35	37	40
28	35	33	36	38	42	44
37	43	44	48	53	56	59
40	45	48	53	56	59	61
48	58	56	59	62	64	67
53	61	59	62	64	67	69

SQUARE EDGE (S)


Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
27	37	35	38	43	48	52
35	45	43	48	55	59	61
40	55	51	56	61	64	67
59	71	68	72	75	82	86
63	74	72	75	82	87	90
72	86	82	87	92	95	99
75	90	87	92	95	101	105

TTI

Intermediate Trim



Radius Edge



Square Edge

The Intermediate Trim provides a finished covering to the exposed portions of the panel at panel connections.

WHAT'S INCLUDED

1 Intermediate Trim.

NOTES

Cannot combine square and radius edge trims.

End Trims and Intermediate Trims are not interchangeable.

PRODUCT OPTIONS

Edge Style	Height	Trim Finish	Trim Detail Finish (If Fabric corner is selected)
R Radius (Foundation, Mica)	06, 09, 12, 15, 18, 21, 24, 30, 36, 39, 45, 51	Foundation	Foundation
S Square (Foundation, Mica)		Mica	Mica
		Fabric	

SAMPLE ORDER CODE

TTI S	06	VA	E
--------------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H
6 / 152
9 / 229
12 / 305
15 / 381
18 / 457
21 / 533
24 / 610
30 / 762
36 / 914
39 / 991
45 / 1143
51 / 1295

PRICING

RADIUS EDGE (R)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
4	9	8	20	23	25	27
4	9	8	20	23	25	27
7	15	21	24	26	28	30
7	15	21	24	26	28	30
8	20	23	25	27	29	31
8	20	23	25	27	29	31
8	20	23	25	27	29	31
20	26	25	27	29	31	35
20	26	25	27	29	31	35
26	31	30	33	36	38	41
26	31	30	33	36	38	41
29	36	35	37	40	44	48

SQUARE EDGE (S)

Foundation	Mica	Fabric				
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4
6	26	21	27	30	35	37
6	26	21	27	30	35	37
20	30	28	31	36	40	42
20	30	28	31	36	40	42
21	33	30	35	38	43	47
21	33	30	35	38	43	47
21	33	30	35	38	43	47
27	37	35	38	43	48	52
27	37	35	38	43	48	52
36	48	44	51	56	61	64
36	48	44	51	56	61	64
43	58	55	59	63	68	71

Top Trim is a finishing treatment which covers the top horizontal rail of the panel.

WHAT'S INCLUDED

1 Top Trim.

NOTES

Cannot combine square and radius edge trims.


Top Trim is included with complete panel.

Cannot combine Metal and Wood finishes.

Top trim not available in fabric.

Cathedral Flintwood is not available on top trim.

TTT Top Trim



PRODUCT OPTIONS

Edge Style	Width	Finish
S Square (Foundation, Mica, Flintwood Standard)	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica Flintwood

103

SAMPLE ORDER CODE

TTT S	18	Q
--------------	-----------	----------


DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation	Mica	Flintwood
53	62	119
56	64	129
58	66	159
61	68	164
62	70	191
64	73	206
67	75	211
68	77	213

T N C
Four-Way – No Cap



The Four-Way 90 Panel Connection – No Cap creates a full-height connection between four panels which are connected at 90° angles. This connection does not include a corner cap.

WHAT’S INCLUDED
4 full-height 90° inner corner covers, four-way 90° corner braces, Posi-Lock and spring plate assemblies.

WHAT’S EXCLUDED
Top cap.

PRODUCT OPTIONS

Height	Configuration	Inner Corner Finish
36, 42, 51, 66, 72, 81, 87	4 Four-Way 90°	Foundation

SAMPLE ORDER CODE

TNC 51	4	J
--------	---	---

DIMENSIONS INCHES / MM
H
36 / 914
42 / 1067
51 / 1295
66 / 1676
72 / 1829
81 / 2057
87 / 2210

PRICING
Foundation
86
105
113
128
145
179
188

The Wall Adapter connects a panel to a fixed wall or column.


WHAT'S INCLUDED

1 Wall Adapter, Posi-Lock and spring-plate assemblies, 1 alignment disk.

WHAT'S EXCLUDED

Wall/Column mounting hardware.

**PWA
Wall Adapter**



PRODUCT OPTIONS

Height	Finish
36, 42, 51, 57, 60, 66, 72, 78, 81, 87, 96	Foundation Mica

105

SAMPLE ORDER CODE

PWA 81	P
--------	---


**DIMENSIONS
INCHES / MM**

H
36 / 914
42 / 1067
51 / 1295
57 / 1448
60 / 1524
66 / 1676
72 / 1829
78 / 1981
81 / 2057
87 / 2210
96 / 2438

PRICING

Foundation	Mica
75	84
81	89
84	92
86	93
87	94
95	102
114	124
122	129
128	133
132	138
135	142

HCMT
Mid Run 90° On-Module
Connector/Spacer (Lyft)



The Mid Run 90° On-Module Connector/Spacer creates a finished full height 90° mid run connection at the junction between a Lyft Thin Panel and two Transit Panels aligned at 180° (three-way connection) or two Lyft Thin Panels aligned at 180° and two Transit Panels aligned at 180° (four-way connection).

WHAT'S INCLUDED
1 mid run spacer (including cap), 2 left connection brackets, 2 right connection brackets.

PRODUCT OPTIONS

Spacer Height	Finish
36, 42, 51, 66	Foundation Mica

SAMPLE ORDER CODE

HCMT 36	J
---------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING


Foundation	Mica
171	186
180	196
188	201
201	213

The End Run 90° Connector/Spacer creates a finished full height 90° angle end run connection between a Lyft Thin Panel and a Transit Panel (two-way connection) or two Lyft Thin Panels and a Transit Panel (three-way connection).

WHAT'S INCLUDED

1 end run spacer (including cap), 2 left connection brackets, 2 right connection brackets.

HCET
End Run 90° Connector/Spacer
(Lyft)



PRODUCT OPTIONS

Spacer Height	Finish
36, 42, 51, 66	Foundation Mica

SAMPLE ORDER CODE

HCET 42	Q
---------	---

DIMENSIONS
INCHES / MM

H
36 / 914
42 / 1067
51 / 1295
66 / 1676

PRICING

Foundation	Mica
180	196
188	201
196	206
209	224

HCH9
Thin Panel Connector 90° (Lyft)


The 90° Thin Panel Connector creates a full height 90° connection between two Lyft Thin Panels.

WHAT’S INCLUDED

Two-Way: Two two-way 90° connectors.

Three-Way: Two three way 90° connectors.

Four-Way: One three-way 90° connector, one two-way 90° connector, one four-way spoke assembly, one four-way top cap.



PRODUCT OPTIONS

Panel Junction		Finish
2	Two-Way 90°	Foundation
3	Three-Way 90°	Mica
4	Four-Way 90°	

SAMPLE ORDER CODE

HCH9 2	C
--------	---

PANEL JUNCTION

2
3
4

PRICING

Foundation	Mica
71	77
94	101
107	113


Thin Panel End Trim finishes the full panel end height at all exposed corner and end run locations.

WHAT'S INCLUDED

1 end trim, as specified.

H E T

Thin Panel End Trim (Lyft)



PRODUCT OPTIONS

Height	Finish
42, 51, 66	Foundation Mica

SAMPLE ORDER CODE

HET 42	C
--------	---

DIMENSIONS INCHES / MM
H
42 / 1067
51 / 1295
66 / 1676


PRICING
23
24
26

H I T

Thin Panel Intermediate Trim (Lyft)

Thin Panel Intermediate Trim finishes exposed portions of Lyft Thin Panels where a full end trim is not required.

WHAT'S INCLUDED
1 intermediate trim, as specified.



PRODUCT OPTIONS

Height	Finish
09, 15, 24	Foundation Mica

SAMPLE ORDER CODE

HIT 15	E
--------	---

DIMENSIONS INCHES / MM
H
9 / 229
15 / 381
24 / 610

PRICING
12
14
20

elements

elements

PRODUCT MAP114


ELEMENT BASICS116

PRODUCT LISTING118

product map


T H A Acoustic Element

Page 118
Height: 6" - 30" / Width: 18" - 60"




T T A Tackable Element

Page 119
Height: 15" / Width: 18" - 60"




T A D Access Door Element

Page 120
Height: 15" / Width (Single): 18" - 60" / Width (Double): 36" - 60"




T P C Power/Communications Element

Page 121
Height: 15" / Width: 36" - 60"




T F E C Wood Power/Communications Element

Page 122
Height: 15" / Width: 36" - 60"




V T P C N International Power/Communication Element

Page 123
Height: 15" / Width: 24" - 60"




T G Glazed Element – Single or Double

Page 124
Height: 15" / Width: 18" - 60"




T A G Architectural Glazed Element – Single or Double

Page 125
Height: 15" & 30" / Width: 18" - 60"




T A E Accessory Element

Page 126
Height: 6" & 15" / Width: 18" - 60"




T W E N Whiteboard Element

Page 127
Height: 15" & 30" / Width: 18" - 60"



T G N Open Element

Page 128
Height: 15" & 30" / Width: 18" - 60"




product map

T H F Perforated Element



Page 129

Height: 15" / Width: 18" - 60

**T A R Architectural Element**


Page 130

Height: 15" & 30" / Width: 18" - 60

Embossed,
Square SoloEmbossed,
Square Collective**T L E Laminate Element**


Page 131

Height: 6" & 75" / Width: 18" - 60

**T F E Wood Element**


Page 132

Height: 6" & 75" / Width: 18" - 60


**T _ B Baseboard Element**

Page 133


Height: 6" / Width: 18" - 60



Laminate



Flintwood



Metal

element basics

Elements are installed on both sides of a bare frame to complete the panel assembly and are available in a wide variety of fabric and finishes. The following Elements are commonly found on the inside of a workstation.


- ! Elements must be specified on the Panel Matrix
- Glazed and Open Elements finish both sides of the panel
- Perforated Elements cannot be used at level 2 on Raceway panels or at any level where electrical cables are present
- Elements are interchangeable in the field
- Overheads (TSF), Shelves (TSS), and the Off-Module Bracket (TUC) and worksurfaces cannot be applied to 30" high elements

Tackable Element (TTA)


- Is a fabric wrapped, tackable bulletin board with limited acoustic properties
- Can be used at all levels

Architectural Glazed Elements – Single or Double (TAG)

- Made of a single or double pane of tempered glass in a variety of patterns
- Single pane makes a shallow sill on one side
- 15" high can be used at all levels without a raceway
- 30" high can only be applied to 30" Add-On Module



Square Solo



Square Collective




Louvered

Power/Communications Element (TPC)

- Provides direct access to power and communications at desk height
- Can be applied to levels 1 and 3 or 2 with a raceway
- Access door application (TPCA) can only be applied at level 2 with a raceway & comes with a Filler panel
- Double-sided Raceway Boxes (ERBD) require Power/Communication Elements on both sides

International Power/Communications Element (VTPCN)

Outlet boxes with 2 power configurations (VED2) must be purchased separately



Acoustic Element (THA)

- Is fabric wrapped with acoustic properties
- 15" in height is standard at all levels of the panel
- 6" height is standard for level 3 of 42" panel

Open Element (TGN)

- Creates an opening by providing a frame that finishes both sides of the panel
- Is "Self locking" and requires no additional mounting hardware

Whiteboard Element (TWEN)

- Is an erasable, magnetic message board with tray
- 15" in height can not be used at level 2 of a panel with a raceway
- 30" height cannot be used at levels 1 & 2, or 2 & 3 of a panel with a raceway
- Tray can be specified on the (TWEN) and will be the same width as the element

Wood Power/Communications Element (TFEC)

- Provides direct access to power and communications at desk height
- Can be applied to levels 1 and 3 or 2 with a raceway
- Double-sided Raceway Boxes (ERBD) require Power/Communication Elements on both sides

Accessory Element (TAE)

- Designed to support Personal Organizers (PAX)
- Used in any 6" or 15" element
- Cannot be used in an access door location


Access Door (TADS, TADD) and Access Door – Solid (TCDS, TCDD)

- Single or double hinged door that allows for desk height access to power and communications.
- Include knockouts in two different sizes at both ends of the access door
- Internal electrical outlets should not be used where face-mounted VDMs have been installed
- Double provides user access in off-module applications
- Trim finish color must be specified


element basics (continued)

Elements can be installed on both sides of a bare panel frame and are available in a wide variety of types. The following Elements are typically found on the outside of a workstation.

- ❗ Perforated and Glazed Elements cannot be used at level 2 on panels with Raceway or at any level where electrical cables are present
- Elements are interchangeable in the field if required



THA
Acoustic Element



The Acoustic Element is a fabric-wrapped element with acoustic properties.

WHAT'S INCLUDED
1 element.

NOTES
On-module worksurface supports will not fit with elements purchased prior to July, 1997.
For further information regarding element placement, see Transit's Application Guide.
The 6" high acoustic element is used at level 3 of 42" high panels.

PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 30	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

THA 15	42	D402
--------	----	------

DIMENSIONS
INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 45
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Fabric							
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
36	40	43	53	61	68	77	87
37	42	46	61	67	72	82	93
42	51	58	64	73	82	94	104
53	61	64	73	84	93	105	114
62	66	72	87	95	104	119	131
66	72	78	94	107	119	135	151
72	82	93	104	121	137	156	171
77	93	105	116	132	146	165	181
53	64	69	75	87	97	110	124
58	67	71	82	93	105	114	129
67	72	78	94	105	113	129	140
74	84	94	110	121	130	147	161
87	95	107	129	138	148	167	183
95	107	119	135	152	167	190	205
107	122	134	152	173	191	212	235
113	134	156	171	188	205	234	253
74	92	97	110	128	145	164	180
78	95	104	121	136	152	170	188
95	105	119	133	152	170	192	212
109	125	133	162	183	203	231	254
128	137	155	183	203	222	252	278
137	155	171	197	220	244	276	303
155	175	196	222	252	280	318	349
166	196	224	248	282	317	359	395

The Tackable Element is a fabric-wrapped tackable “bulletin board” with limited acoustic properties.

WHAT'S INCLUDED

1 element.


NOTES

For further information regarding element placement, see Transit's Application Guide.

Can be used at any level.

On-module worksurface supports will not fit with elements purchased prior to July 1997.

TTA Tackable Element



PRODUCT OPTIONS

Height	Width	Element Finish
15	18, 24, 30, 36, 42, 48, 54, 60	Fabric

SAMPLE ORDER CODE

TTA 15	48	M404
--------	----	------

DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
63	67	72	82	93	105	119	130
64	70	75	89	100	110	127	135
71	75	87	101	111	122	135	151
78	93	101	114	129	140	159	171
94	102	112	133	147	159	179	198
102	112	127	142	160	179	201	222
112	129	140	159	181	203	230	248
122	140	161	186	201	214	245	269

T A D
Access Door Element

The Access Door Element snaps into place to provide hinged user access to power and communications outlets at worksurface height within the panel.

WHAT’S INCLUDED


1 element, divider brackets (for Double) and Mounting screws (for Double).

NOTES

Do not locate electrical outlets where face mounted VDM’s have been installed.

Must specify finish for trim.

Divider bracket on the Double Access Door Element will be finished to match the trim.



PRODUCT OPTIONS

Style	Height	Single Width	Double Width	Door & Shield Finish	Trim Finish
S Single	15	18, 24, 30, 36, 42, 48, 54, 60	36, 42, 48, 54, 60	Fabric	Foundation
D Double					Mica

SAMPLE ORDER CODE

TAD S	15	24		C212	Q
--------------	-----------	-----------	--	-------------	----------

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

SINGLE (S)

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
73	78	87	93	107	119	135	151
89	94	100	104	118	133	154	167
97	102	106	112	130	146	166	183
110	116	122	129	147	165	189	206
121	128	131	135	157	178	203	223
130	133	139	145	167	189	213	236
139	145	152	156	180	204	234	257
157	164	167	174	200	226	257	281

DOUBLE (D)

Fabric

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
151	157	167	178	201	224	254	280
155	165	178	189	215	241	275	301
166	178	190	201	227	254	290	319
178	189	201	209	237	266	303	330
189	201	210	230	260	290	330	363

Power/Communications Element


Power/Communications Elements provide access to Raceway Boxes (ERB) for face-mounted power/communication plug-ins. Elements are available for power or power and communication access.

WHAT'S INCLUDED

1 element with electrical or electrical/VDM cut-outs complete with clear translucent bezels, and filler panel (for access door only).

NOTES

Must specify trim finish.

**PRODUCT OPTIONS**

Application	Height	Width	Configuration	Element Finish	PVC Trim Finish (If Application A is specified)
A Access Door Element (Level 2)	15	36, 42, 48, 54, 60	1 Power (2 Knockouts)	Fabric	Foundation
B Standard Access Element (Level 1 or 3)			2 Power/Communications (3 Knockouts)		Mica
D Standard Access Element (Level 2)					

I2I

SAMPLE ORDER CODE

TPC D	15	42	1	S901	Q
--------------	-----------	-----------	----------	-------------	----------

**DIMENSIONS
INCHES / MM**

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

POWER ONLY (1) PRICING**ACCESS DOOR ELEMENT (LEVEL 2)****Fabric**

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
171	175	186	196	209	223	238	250
183	186	198	205	223	238	259	274
196	200	210	222	242	261	279	301
204	206	223	234	256	278	305	321
212	214	234	246	268	289	314	340

STANDARD ACCESS ELEMENT (LEVEL 1, 2 OR 3)**Fabric**


A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
130	131	140	151	162	175	196	205
147	148	159	168	184	201	222	235
168	170	183	196	214	233	250	270
180	183	198	210	231	250	277	300
192	196	206	226	246	266	291	312

If the Power/Communications option is specified, add 2

TFEC
Wood Power/Communications
Element

Wood Power/Communications Elements provide access to Raceway Boxes (ERB) for face-mounted power/communication plug-ins. Elements are available for power or power and communication access.

WHAT'S INCLUDED
1 element with electrical or electrical VDM cut-outs with bezels.



PRODUCT OPTIONS

Application	Height	Width	Configuration	Element Finish
A Level 2 B Level 1 or 3	15	36, 42, 48, 54, 60	2 Power and Communications	Flintwood

SAMPLE ORDER CODE

TFEC A	15	36	2	FN
--------	----	----	---	----

DIMENSIONS
INCHES / MM

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Flintwood
366
392
418
443
476

International Power/Communication Elements provide access to face-mounted power/communication plug-in.

WHAT'S INCLUDED

1 element with 1 or 2 cut-outs (as specified).


WHAT'S EXCLUDED

Electrics are not included with this element. Outlet Boxes (VED2) with 2 power must be specified separately.

NOTES

24" and 30" element is only available with 1 cut out.

VTPCN International Power/ Communication Element



PRODUCT OPTIONS

Application	Height	Width	Number of Cut Outs	Element Finish
B Level 1 or 3 D Level 2	15	24, 30, 36, 42, 48, 54, 60	1 1 Cut Out 2 2 Cut Outs (Shown)	Fabric

123

SAMPLE ORDER CODE

VTPCN D	15	48	2	S901
----------------	-----------	-----------	----------	-------------

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

H	W
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

1 Cut Out


A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
109	110	121	128	159	190	218	238
119	121	129	135	170	203	234	258
122	124	131	137	173	206	237	261
130	131	138	147	184	223	256	280
136	137	147	157	197	235	270	297
152	154	164	173	215	259	297	327
159	160	170	180	226	270	312	344

2 Cut Outs

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
130	131	140	151	188	226	260	287
147	148	159	168	211	254	292	321
168	170	183	196	243	291	335	369
180	183	198	210	262	314	363	397
192	196	206	226	283	340	389	428

T G

Glass Element – Single or Double



The Glass Element finishes both sides of the panel and is made of a single or double pane of tempered glass.

WHAT’S INCLUDED
1 element, installation hardware.

NOTES
Cannot be used with on-module worksurface supports.
Cannot locate glass elements at level 2 on a raceway panel.
30" high glass elements are only for use with 30" add-on modules.

PRODUCT OPTIONS

Style	Height	Width	Frame Finish	Glass Finish
S Single D Double	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica	5 Clear 6 Frost

SAMPLE ORDER CODE

TG S	30	42	N	5
------	----	----	---	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

SINGLE (S)				DOUBLE (D)			
Foundation		Mica		Foundation		Mica	
Standard Glass Clear	Frost	Standard Glass Clear	Frost	Standard Glass Clear	Frost	Standard Glass Clear	Frost
204	226	219	241	297	326	318	345
224	245	237	265	321	353	343	376
242	262	259	279	342	375	364	401
259	287	277	310	362	397	386	428
292	321	313	342	409	448	435	478
326	362	346	388	461	505	489	540
362	397	386	428	461	555	489	631
395	436	421	465	506	609	541	682
296	327	320	354	434	475	467	510
320	357	346	388	466	510	503	549
347	385	376	414	494	542	534	583
374	411	406	443	523	575	568	621
426	466	461	501	590	650	636	704
475	523	511	571	662	728	712	787
523	575	568	621	737	807	795	870
571	628	617	675	796	877	861	951

Architectural Glass Elements finish both sides of the panel and are available with single or double panes of tempered glass in a variety of finish patterns.

WHAT'S INCLUDED


1 element.

NOTES

Cannot locate at level 2 on a raceway panel.

30" high glass elements are only for use with 30" add-on modules.

TAG Architectural Glass Element – Single or Double



PRODUCT OPTIONS

Style	Glass Pattern	Height	Width	Frame Finish
S Single	1 Square Solo	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation
D Double	2 Square Collective			Mica
	4 Louvered			


SAMPLE ORDER CODE

TAG S	1	15	48	P
--------------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

		PRICING			
		SINGLE (S)		DOUBLE (D)	
H	W	Foundation	Mica	Foundation	Mica
15 / 381	18 / 457	236	257	335	362
15 / 381	24 / 610	281	306	413	444
15 / 381	30 / 762	328	357	489	532
15 / 381	36 / 914	375	407	571	618
15 / 381	42 / 1067	422	459	646	701
15 / 381	48 / 1219	450	486	692	746
15 / 381	54 / 1372	514	554	807	872
15 / 381	60 / 1524	563	606	883	956
30 / 762	18 / 457	366	396	565	610
30 / 762	24 / 610	444	480	708	769
30 / 762	30 / 762	523	567	854	921
30 / 762	36 / 914	604	656	995	1077
30 / 762	42 / 1067	682	738	1142	1232
30 / 762	48 / 1219	761	824	1285	1389
30 / 762	54 / 1372	842	910	1428	1543
30 / 762	60 / 1524	920	995	1571	1697

T A E
Accessory Element



The Accessory Element is designed to support Personal Organizers (PAX) and to facilitate organization of the workspace.

WHAT’S INCLUDED
1 element.

NOTES
For further information regarding element placement, see *Application Guidelines Elements* and *Element Compatibility Charts* at the beginning of this section.
Cannot use accessory element at level 2 of raceway panel.

PRODUCT OPTIONS

Height	Width	Finish
06, 15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica

SAMPLE ORDER CODE

TAE 06	48	9
--------	----	---

DIMENSIONS
INCHES / MM

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

Foundation	Mica/Accent
107	135
119	148
131	160
145	173
157	191
167	200
179	206
191	223
156	212
167	226
191	248
213	274
241	300
269	327
318	375
363	420

The Whiteboard Element serves as an erasable message board, providing a clean frameless design profile with an optional tray.

WHAT'S INCLUDED

1 element and tray (if specified) for writing support and containment of ink dust.

NOTES


This product accepts magnets.

Only dry erase markers can be used.

The width of the tray equals the width of the element.

Cannot use open element at level 2 of raceway panel.

TWEN Whiteboard Element



PRODUCT OPTIONS

Tray Option	Height	Width	Tray Finish
N No Tray	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation
T With Tray			Mica

SAMPLE ORDER CODE

TWEN N	15	30	
--------	----	----	--


DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

NO TRAY (N)	WITH TRAY (T)	
	Foundation	Mica
191	233	261
196	238	274
258	307	346
261	314	357
265	320	364
266	326	369
357	420	477
443	514	582
259	301	342
266	311	350
361	410	465
369	419	475
372	428	483
375	436	495
502	568	642
615	683	774

T G N
Open Element



The Open Element finishes both sides of the panel to create a framed opening.

WHAT’S INCLUDED
1 element, installation hardware.

NOTES
Cannot use open element at level 2 of raceway panel.
Cannot be used with On-Module worksurface support.
30" high open element can only be used with 30" Add-On Modules.

PRODUCT OPTIONS

Height	Width	Frame Finish
15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

TGN 15	48	P
--------	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Foundation	Mica
95	105
104	113
129	138
138	155
154	166
167	186
183	200
198	218
167	186
179	198
225	246
244	268
266	292
292	321
321	353
346	381

The Perforated Element allows passive air circulation between adjacent work areas.

WHAT'S INCLUDED


1 element, installation hardware.

NOTES

Cannot used Perforated Element at level 2 of raceway panel.

Cannot be used with on-module worksurface supports.

THF Perforated Element



PRODUCT OPTIONS

Height	Width	Finish
15	18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

THF 15	24	D
--------	----	---

DIMENSIONS INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING


Foundation	Mica
139	174
147	181
164	199
181	214
197	231
222	254
236	274
257	291

T A R
Architectural Element

Architectural Elements are available with a Perforated or Embossed metal surface.

WHAT'S INCLUDED
1 element.

NOTES
Cannot use Architectural Elements at level 2 of raceway panel.



PRODUCT OPTIONS

Style	Pattern	Height	Width	Finish
E Embossed P Perforated	1 Square Solo 2 Square Collective	15, 30	18, 24, 30, 36, 42, 48, 54, 60	Foundation Accent Mica

SAMPLE ORDER CODE

TAR E	2	15	24	K
-------	---	----	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	18 / 457
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524
30 / 762	18 / 457
30 / 762	24 / 610
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

Foundation	Mica/Accent
97	113
106	128
122	142
132	156
151	174
170	197
184	212
196	225
142	171
164	197
189	225
209	248
235	279
266	313
290	344
311	365

The Laminate Element provides a low pressure laminate finish to the panel surface.

WHAT'S INCLUDED


1 element.

NOTES

The 6" high Laminate Element can be used on the Add-on Module 6" high (TPX06).

The 30" high Laminate Element can be used to cover any two levels of any panel type with or without raceway (i.e., it can be used over level 1 and 2, 2 and 3, 3 and 4 etc.).

For further information regarding element placement, see Transit's Application Guide.



PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 30, 36, 45, 60, 75	18, 24, 30, 36, 42, 48, 54, 60	Source Laminate Gr. 1

SAMPLE ORDER CODE

TLE 15	48	XS
---------------	-----------	-----------

DIMENSIONS INCHES / MM


H	W	Source Laminate
6 / 152	18 / 457	70
6 / 152	24 / 610	74
6 / 152	30 / 762	92
6 / 152	36 / 914	108
6 / 152	42 / 1067	130
6 / 152	48 / 1219	145
6 / 152	54 / 1372	161
6 / 152	60 / 1524	178
15 / 381	18 / 457	101
15 / 381	24 / 610	109
15 / 381	30 / 762	132
15 / 381	36 / 914	157
15 / 381	42 / 1067	184
15 / 381	48 / 1219	209
15 / 381	54 / 1372	233
15 / 381	60 / 1524	257
30 / 762	18 / 457	155
30 / 762	24 / 610	166
30 / 762	30 / 762	190
30 / 762	36 / 914	248
30 / 762	42 / 1067	293
30 / 762	48 / 1219	330
30 / 762	54 / 1372	349
30 / 762	60 / 1524	428
36 / 914	18 / 457	218
36 / 914	24 / 610	235
36 / 914	30 / 762	274
36 / 914	36 / 914	347
36 / 914	42 / 1067	411
36 / 914	48 / 1219	461
36 / 914	54 / 1372	495
36 / 914	60 / 1524	587

DIMENSIONS INCHES / MM

H	W	Source Laminate
45 / 1143	18 / 457	246
45 / 1143	24 / 610	268
45 / 1143	30 / 762	312
45 / 1143	36 / 914	393
45 / 1143	42 / 1067	465
45 / 1143	48 / 1219	523
45 / 1143	54 / 1372	566
45 / 1143	60 / 1524	665
60 / 1524	18 / 457	300
60 / 1524	24 / 610	323
60 / 1524	30 / 762	369
60 / 1524	36 / 914	483
60 / 1524	42 / 1067	572
60 / 1524	48 / 1219	642
60 / 1524	54 / 1372	675
60 / 1524	60 / 1524	831
75 / 1905	18 / 457	394
75 / 1905	24 / 610	433
75 / 1905	30 / 762	498
75 / 1905	36 / 914	634
75 / 1905	42 / 1067	749
75 / 1905	48 / 1219	849
75 / 1905	54 / 1372	903
75 / 1905	60 / 1524	1078

T F E

Wood Element



The Wood Element provides a wood finish for the panel surface.

WHAT'S INCLUDED

1 element.

NOTES

The 6" high Wood Element can be used on the Add-On Module 6" high (TPX06).

The 30" high Wood Element can be used to cover any two levels of any panel type with or without raceway (i.e., it can be used over level 1 and 2, 2 and 3, 3 and 4, etc.).

For further information regarding element placement, see Transit's Application Guide.

Please note that if replacement of a Cathedral Wood Element is required, all the Wood Elements in the same panel must also be replaced, to keep the grain match consistent.

For details of the grain direction, see Transit's Application Guide.

60" wide Wood Element is **not** available for 60" or 75" heights.

PRODUCT OPTIONS

Height	Width	Element Finish
06, 15, 30, 36, 45, 60, 75	18, 24, 30, 36, 42, 48, 54, 60	Flintwood

SAMPLE ORDER CODE

TFE 30	60	VB
--------	----	----

**DIMENSIONS
INCHES / MM**

H	W	Flintwood
6 / 152	18 / 457	105
6 / 152	24 / 610	110
6 / 152	30 / 762	131
6 / 152	36 / 914	159
6 / 152	42 / 1067	190
6 / 152	48 / 1219	210
6 / 152	54 / 1372	235
6 / 152	60 / 1524	259
15 / 381	18 / 457	147
15 / 381	24 / 610	161
15 / 381	30 / 762	192
15 / 381	36 / 914	230
15 / 381	42 / 1067	268
15 / 381	48 / 1219	305
15 / 381	54 / 1372	342
15 / 381	60 / 1524	371
30 / 762	18 / 457	226
30 / 762	24 / 610	242
30 / 762	30 / 762	277
30 / 762	36 / 914	362
30 / 762	42 / 1067	430
30 / 762	48 / 1219	484
30 / 762	54 / 1372	510
30 / 762	60 / 1524	625
36 / 914	18 / 457	318
36 / 914	24 / 610	343
36 / 914	30 / 762	395
36 / 914	36 / 914	504
36 / 914	42 / 1067	599
36 / 914	48 / 1219	673
36 / 914	54 / 1372	723
36 / 914	60 / 1524	855

**DIMENSIONS
INCHES / MM**

H	W	Flintwood
45 / 1143	18 / 457	441
45 / 1143	24 / 610	472
45 / 1143	30 / 762	536
45 / 1143	36 / 914	652
45 / 1143	42 / 1067	757
45 / 1143	48 / 1219	844
45 / 1143	54 / 1372	907
45 / 1143	60 / 1524	1048
60 / 1524	18 / 457	596
60 / 1524	24 / 610	632
60 / 1524	30 / 762	700
60 / 1524	36 / 914	864
60 / 1524	42 / 1067	992
60 / 1524	48 / 1219	1099
60 / 1524	54 / 1372	1150
75 / 1905	18 / 457	738
75 / 1905	24 / 610	786
75 / 1905	30 / 762	883
75 / 1905	36 / 914	1084
75 / 1905	42 / 1067	1254
75 / 1905	48 / 1219	1396
75 / 1905	54 / 1372	1481

T _ B

Baseboard Element

The Baseboard Elements provide an attractive finish for the baseboard level of the panel.

WHAT'S INCLUDED

1 element, installation hardware.


NOTES

For further information regarding element placement, see Transit's Application Guide.

Baseboards are ordered as single items. Therefore, if required for both sides of panel, two elements must be specified.

Baseboard Elements cannot be used where base feed enters panel.

Cannot use baseboards where privacy screen is mounted.

**PRODUCT OPTIONS**

Finish Style	Height	Width	Flintwood Baseboard Finish	Metal Baseboard Finish	Laminate Baseboard Finish
F Flintwood M Metal L Laminate	06	18, 24, 30, 36, 42, 48, 54, 60	Flintwood	Foundation Mica	Source Laminate Gr. 1

SAMPLE ORDER CODE

TFB	06	48	FD		
------------	-----------	-----------	-----------	--	--

**DIMENSIONS
INCHES / MM**

H	W
6 / 152	18 / 457
6 / 152	24 / 610
6 / 152	30 / 762
6 / 152	36 / 914
6 / 152	42 / 1067
6 / 152	48 / 1219
6 / 152	54 / 1372
6 / 152	60 / 1524

PRICING

Foundation	Mica	Source Laminate Gr. 1	Flintwood
29	31	125	155
33	36	129	159
35	37	135	168
37	40	146	180
42	44	152	189
44	51	161	201
58	63	166	206
64	68	178	222

worksurfaces &
countertops

worksurfaces & countertops

PRODUCT MAP136

WORKSURFACE BASICS139

WORKSURFACE ACCESSORY BASICS140


EDGE TRIM STYLE OVERVIEW141

PRODUCT LISTING142

product map


T W R R Rectangular Worksurface

Page 142
Depth: 24" & 30" / Widths: 24" - 72"




T W S T Straight Transition Worksurface

Page 144
Depth A: 24" & 30" / Width: 36" - 72" /
Depth B: 30" & 36"




T W O R Outside Radius Worksurface

Page 146
Depth: 24" & 30" / Width: 36" - 72"




T W S C Standard Corner Worksurface

Page 148
Depth: 19" & 30" / Width: 36" - 48"




T W S R Standard Radius Corner Worksurface

Page 149
Depth: 24" & 30" / Width: 36" - 48"




T W R X Split Radius Corner Worksurface with Keyboard Support

Page 150
Depth: 24" & 30" / Width: 42" & 48"




T W C X Split Corner Worksurface with Keyboard Support

Page 151
Depth: 24" & 30" / Width: 42" & 48"




T W C R Radius Corner Worksurface with Return

Page 152
Depth A: 24" & 30" / Width A: 36" - 48" /
Width B: 48" - 72"




T W E S EDP Worksurface

Page 154
Depth A: 19" & 24" / Width: 24" - 72" /
Depth B: 24" & 30"




T W B S Bullet Top Worksurface

Page 155
Depth: 24" - 36" / Width: 48" - 72"




T W P S P-Top Worksurface

Page 156
Depth: 24" - 36" / Width: 60" - 72"



T W M P Modified P-Top Worksurface


Page 157
Depth: 24" & 30" / Width: 36" - 72"




T W D T D-Top Worksurface

Page 158

Depth: 24" & 30" / Width: 52" & 64"


**T X T A Tapered Worksurface**

Page 159


Depth A: 24" & 30" / Width: 36" - 72" /
Depth B: 30" & 36"**T X S C Standard Corner Worksurface (xm)**

Page 160


Depth: 24" & 30" / Width: 36" - 48"

**T X C R Radius Corner Worksurface with Return (xm)**


Page 161

Depth A: 24" & 30" / Depth B: 24" & 30" /
Width A: 48" / Width B: 60" - 72"**T X G C Guest Corner Worksurface**

Page 162


Depth: 15" & 24" / Width A: 36" - 48" /
Width B: 60" - 72"**T X F L Flask Worksurface**

Page 163

Depth A: 24" & 30" / Depth B: 34" & 40" /
Width A: 24" & 30" / Width B: 60" - 72"**T W C S Straight Countertop**


Page 164

Width: 18" - 72" / Depth: 15"

**T W C B Bullet Countertop**


Page 165

Width: 18" - 72" / Depth: 15"

**T W C D Double Bullet Countertop**


Page 166

Width: 18" - 72" / Depth: 15"

**T W C A Angled Countertop**

Page 167


Width: 18" - 72" / Depth: 15"



worksurface basics

Transit worksurfaces may be panel-mounted, semi-suspended or freestanding and are available in a variety of shapes and finishes.

- Worksurfaces include a 1" wire management gap, and are equipped with inserts that allow for panel-mounted supports or freestanding applications
- The Transit xm worksurface collection may be used in panel-mounted applications only
- Transit worksurfaces may be mounted on-module to Altos walls
- Worksurfaces may not span more than 60" without additional support. Supports are ordered separately unless otherwise indicated



- **Straight Worksurfaces** Include Rectangular Worksurfaces, Transition Worksurfaces, Outside Radius Worksurfaces
- Panel mount and provide a primary or secondary surface
- Can be used on- or off-module when suspended from a Panel
- Keyboard surfaces can be mounted anywhere beneath the worksurface

- **Corner Worksurfaces** are available with and without keyboard trays, in standard and extended sizes
- Not all worksurface sizes can accommodate the full range of keyboard trays
- Are used primarily as a dedicated corner for computer monitors and keyboards

- **Countertops** include Straight, Bullet, Double Bullet, and Angled Countertops
- Mount on top of a Panel to provide a transaction surface
- Can be used alone or with other countertops



- **Guesting Worksurfaces** provide a large semi-supported meeting area for both single and shared workstation runs
- Available in a Bullet Top, P-Top, Modified P-Top, and D-Top Worksurface

- **Seamless Finish Worksurfaces** greater than 48" in width will be accompanied by an adjustable support beam
- Support beam can be fitted to the left or right when applying pedestal storage underneath
- Accept Keyboard Trays and Accessories

- With a support beam must include a Spacer Bracket. Please see Complements: *Teknion's Ergonomics & Accessories Program*
- With a support beam will not accept Pelican Drawers (DPD21, DPD61)
- Will not accept Stretch Pedestals or Two-High Laterals with worksurfaces greater than 48" in width

Finishes


- Worksurfaces are available in Foundation Laminate, Flintwood, and Seamless colors
- Edge trim styles include Flat and Bullnose, Seamless Knife, Seamless Flat and Seamless Eased
- Flintwood edge trims and Seamless edge trims will be finished to match the surface
- Supports, when included are available in Foundation, Mica and Accent colors



worksurface accessory basics

Accessories can be added to Transit Worksurfaces to provide extra storage, wire management and privacy.











! Accessories must be ordered separately



edge trim style overview

The chart below indicates which edge trim style can be specified with all Transit Worksurface finishes.

! Shading indicates user edge

		Foundation Laminate Surface	Seamless Color Surface	Flintwood Surface	Non-User Edge
Flat (8) All Edges			n/a	n/a	Flat (8)
Bullnose (2) User Edge Only			n/a	n/a	Finished in a coordinating PVC flat trim
Flintwood * Flat (9) User Edge Only		n/a	n/a		See legend below
Flintwood * Bullnose (3) User Edge Only		n/a	n/a		See legend below
Seamless Knife (K) User Edge Only		n/a		n/a	Finished in a coordinating flat trim
Seamless Flat (G) All Edges		n/a		n/a	Seamless Flat (G)
Seamless Eased (E) User Edge Only		n/a		n/a	Finished in a coordinating flat trim

* If Flintwood Trim is specified with a Foundation Laminate Surface, a coordinating PVC Flat Trim is applied to the non-user edges, with the exception of Pecan Flintwood Trim. A coordinating Flintwood Flat Trim is applied when Pecan Trim is specified.

The coordinating Flintwood/PVC Edge Trim Color combinations are:


- | | | |
|--|--|---|
| 1. Flintwood Flax/PVC Maple Tone | 4. Flintwood Red Cherry/PVC Cherry | 7. Flintwood Medium Sycamore/PVC Mahogany |
| 2. Flintwood Sable/PVC Black | 5. Flintwood Pecan/PVC Pecan Flintwood | 8. Flintwood Dark Walnut/PVC Black |
| 3. Flintwood Chianti/PVC Mahogany Tone | 6. Flintwood Sycamore/PVC Italian Yew Tone | 9. Flintwood Black Walnut/PVC Black |

T W R R
Rectangular Worksurface

The Rectangular Worksurface is a straight worksurface having square corners designed for use within a panel-mounted, semi-supported or freestanding environment.

WHAT'S INCLUDED
1 worksurface.

WHAT'S EXCLUDED
Panel-mounted worksurfaces are not included.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	21, 24, 27, 30, 33, 36, 39, 40, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWRR 30	39	FY	2	FY
---------	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	21 / 533
24 / 610	24 / 610
24 / 610	27 / 686
24 / 610	30 / 762
24 / 610	33 / 838
24 / 610	36 / 914
24 / 610	39 / 991
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	57 / 1448
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	66 / 1676
24 / 610	69 / 1753
24 / 610	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
270	376	636	326	599	669
276	380	639	329	602	672
279	391	705	331	665	744
283	401	778	341	732	821
303	422	849	362	792	892
321	437	852	391	803	901
328	441	861	393	808	915
328	441	861	393	808	915
331	442	890	397	831	936
335	443	903	399	838	948
337	444	932	407	860	962
418	546	965	572	891	1018
465	596	979	628	893	1029
497	634	1024	662	932	1076
524	668	1065	697	965	1123
543	700	1069	726	972	1148
568	728	1092	757	980	1152
568	736	1094	760	983	1167
569	748	1125	761	995	1174

Pricing is continued on the following page.

T W R R
Rectangular Worksurface
(Continued)

DIMENSIONS
INCHES / MM

D	W
30 / 762	24 / 610
30 / 762	27 / 686
30 / 762	30 / 762
30 / 762	33 / 838
30 / 762	36 / 914
30 / 762	39 / 991
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	51 / 1295
30 / 762	54 / 1372
30 / 762	57 / 1448
30 / 762	60 / 1524
30 / 762	63 / 1600
30 / 762	66 / 1676
30 / 762	69 / 1753
30 / 762	72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
301	426	783
303	427	849
306	430	861
339	459	883
366	475	893
371	477	908
371	477	908
375	494	920
395	498	936
413	522	948
484	613	1005
519	662	1008
537	678	1028
546	696	1051
576	730	1093
626	784	1123
645	808	1160
662	829	1187

SEAMLESS COLOR


Seamless Edge
359
364
366
406
440
444
444
453
476
499
650
696
710
728
761
821
841
861

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
809	883
826	907
834	919
843	938
856	956
867	978
867	978
876	995
889	1018
900	1024
912	1032
930	1057
948	1085
963	1107
999	1151
1026	1181
1057	1220
1087	1251

T W S T

Straight Transition Worksurface



The Straight Transition Worksurface is a rectangular worksurface that transitions from one depth to another.

WHAT’S INCLUDED
1 worksurface.

WHAT’S EXCLUDED
If an Open End (TLOE) or a Flush End (TLFE) is not the primary support for the 36" deep end, a Semi-Suspended Post (TLSP) or xm Post Leg (TXPL) must be used as a secondary support in addition to the primary support.

PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 39, 40, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	30, 36	L Left (Shown) R Right	Foundation Laminate Seamless Color Flintwood	2 Bullnose	Edge Trim Colors Flintwood
					3 Flintwood Bullnose	
					8 Flat	
					9 Flintwood Flat	
					K Seamless Knife	
					G Seamless Flat	
					E Seamless Eased	

SAMPLE ORDER CODE

TWST 24	42	36	L	FY	3	FY
---------	----	----	---	----	---	----

DIMENSIONS
INCHES / MM

Da	W	Db
24 / 610	36 / 914	30 / 762
24 / 610	39 / 991	30 / 762
24 / 610	40 / 1016	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	45 / 1143	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	51 / 1295	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	57 / 1448	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	63 / 1600	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	69 / 1753	30 / 762
24 / 610	72 / 1829	30 / 762

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
489	522	1274	594	1184	1309
508	541	1278	609	1230	1373
508	541	1278	609	1230	1373
512	543	1298	612	1239	1381
522	553	1320	628	1244	1388
529	563	1330	636	1254	1399
652	692	1394	853	1302	1467
667	706	1424	870	1324	1497
678	723	1477	889	1367	1556
707	748	1523	919	1411	1603
791	838	1559	1021	1435	1640
799	846	1568	1028	1449	1652
803	851	1638	1033	1499	1725
816	866	1663	1052	1526	1752

Pricing is continued on the following page.

T W S T

**Straight Transition Worksurface
(Continued)**

**DIMENSIONS
INCHES / MM**

Da	W	Db
24 / 610	36 / 914	36 / 914
24 / 610	39 / 991	36 / 914
24 / 610	40 / 1016	36 / 914
24 / 610	42 / 1067	36 / 914
24 / 610	45 / 1143	36 / 914
24 / 610	48 / 1219	36 / 914
24 / 610	51 / 1295	36 / 914
24 / 610	54 / 1372	36 / 914
24 / 610	57 / 1448	36 / 914
24 / 610	60 / 1524	36 / 914
24 / 610	63 / 1600	36 / 914
24 / 610	66 / 1676	36 / 914
24 / 610	69 / 1753	36 / 914
24 / 610	72 / 1829	36 / 914
30 / 762	36 / 914	36 / 914
30 / 762	39 / 991	36 / 914
30 / 762	40 / 1016	36 / 914
30 / 762	42 / 1067	36 / 914
30 / 762	45 / 1143	36 / 914
30 / 762	48 / 1219	36 / 914
30 / 762	51 / 1295	36 / 914
30 / 762	54 / 1372	36 / 914
30 / 762	57 / 1448	36 / 914
30 / 762	60 / 1524	36 / 914
30 / 762	63 / 1600	36 / 914
30 / 762	66 / 1676	36 / 914
30 / 762	69 / 1753	36 / 914
30 / 762	72 / 1829	36 / 914

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
549	580	1450
605	641	1464
605	641	1464
625	660	1493
646	692	1606
679	721	1668
852	902	1691
868	918	1722
887	938	1732
916	969	1734
941	996	1739
947	1006	1754
953	1009	1832
968	1026	1858
583	617	1533
640	678	1557
640	678	1557
659	698	1575
681	728	1622
730	772	1636
900	954	1641
916	969	1672
935	988	1735
979	1033	1813
1005	1063	1855
1010	1072	1870
1014	1074	1953
1029	1092	1978

SEAMLESS COLOR

Seamless Edge	
677	
704	
704	
708	
733	
763	
1025	
1048	
1065	
1103	
1129	
1138	
1140	
1160	
716	
732	
732	
743	
771	
817	
1085	
1104	
1125	
1177	
1205	
1213	
1215	
1232	

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1397	1530
1416	1556
1416	1556
1442	1569
1470	1607
1506	1621
1530	1637
1538	1666
1540	1733
1594	1789
1624	1832
1642	1844
1700	1928
1732	1958
1476	1617
1505	1631
1505	1631
1522	1657
1558	1728
1614	1759
1623	1789
1636	1828
1663	1882
1700	1907
1730	1955
1751	1966
1815	2055
1844	2082

T W O R

Outside Radius Worksurface


The Outside Radius Worksurface is a worksurface which provides a rounded edge on one corner of a rectangular worksurface.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

Panel-mounted worksurfaces are not included.



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 39, 40, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72	L Left (Shown) R Right	Foundation Laminate Flintwood	2 Bullnose	Edge Trim Colors Flintwood
				3 Flintwood Bullnose	
				8 Flat	
				9 Flintwood Flat	

SAMPLE ORDER CODE

TWOR 30	60	R	PD	8	SA
---------	----	---	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	36 / 914
24 / 610	39 / 991
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	57 / 1448
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	66 / 1676
24 / 610	69 / 1753
24 / 610	72 / 1829

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
296	313	1194	936	1259
388	413	1330	1055	1400
388	413	1330	1055	1400
401	418	1337	1062	1407
411	436	1423	1134	1494
422	506	1429	1142	1505
498	596	1460	1156	1535
512	537	1466	1164	1543
528	553	1499	1184	1576
545	572	1507	1188	1588
625	658	1545	1216	1628
634	667	1555	1220	1635
639	671	1595	1247	1681
645	675	1602	1251	1688

Pricing is continued on the following page.

T W O R
Outside Radius Worksurface
(Continued)

DIMENSIONS
INCHES / MM

PRICING


		FOUNDATION LAMINATE			FLINTWOOD	
D	W	Flat Trim	Bullnose Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
30 / 762	36 / 914	388	413	1427	1118	1500
30 / 762	39 / 991	484	512	1480	1153	1556
30 / 762	40 / 1016	484	512	1480	1153	1556
30 / 762	42 / 1067	498	521	1489	1162	1567
30 / 762	45 / 1143	512	543	1554	1217	1634
30 / 762	48 / 1219	528	553	1564	1221	1647
30 / 762	51 / 1295	625	658	1602	1248	1688
30 / 762	54 / 1372	634	667	1607	1256	1693
30 / 762	57 / 1448	639	671	1654	1282	1737
30 / 762	60 / 1524	645	679	1658	1290	1747
30 / 762	63 / 1600	743	779	1734	1353	1826
30 / 762	66 / 1676	752	791	1743	1361	1834
30 / 762	69 / 1753	757	795	1819	1425	1916
30 / 762	72 / 1829	769	806	1829	1432	1925

T W S C
Standard Corner Worksurface

The Standard Corner Worksurface is a panel-mounted surface for use in a 90° corner. This worksurface is ideal for the application of a keyboard tray.

WHAT’S INCLUDED
1 worksurface.

NOTES
Please refer to Dimension 'A' to determine the applicability of a keyboard and mouse support.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
19, 24, 30	36, 40, 42, 45, 48	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWSC 30	48	FC	3	FC
---------	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
19 / 483	36 / 914
19 / 483	42 / 1067
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	48 / 1219

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
497	626	1118	592	1073	1169
612	721	1139	735	1078	1177
626	738	1205	749	1096	1199
626	738	1205	749	1096	1199
639	760	1219	765	1138	1283
645	778	1268	776	1201	1334
668	801	1292	800	1222	1362
668	801	1292	800	1222	1362
697	835	1348	841	1278	1420

OTHER DIMENSIONS


'A'
24 / 610
31 / 787
22 / 559
22 / 559
25 / 635
28 / 711
33 / 838
16 / 406
25 / 635

The Standard Radius Corner is a panel-mounted corner worksurface which provides a curved edge on the user edge.

WHAT'S INCLUDED

1 worksurface.

T W S R Standard Radius Corner Worksurface



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 40, 42, 45, 48	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWSR 24	36	MB	3	FN
----------------	-----------	-----------	----------	-----------


149

DIMENSIONS INCHES / MM

		PRICING				OTHER DIMENSIONS	
		FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
D	W	Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
24 / 610	36 / 914	610	737	1265	735	1202	1297
24 / 610	40 / 1016	703	820	1302	842	1252	1347
24 / 610	42 / 1067	703	820	1302	842	1252	1347
24 / 610	45 / 1143	736	875	1309	901	1266	1373
24 / 610	48 / 1219	748	883	1358	908	1267	1380
30 / 762	40 / 1016	777	908	1366	934	1315	1436
30 / 762	42 / 1067	777	908	1366	934	1315	1436
30 / 762	45 / 1143	799	930	1397	938	1348	1468
30 / 762	48 / 1219	831	969	1454	989	1405	1532
						'A'	
						17 / 432	
						22 / 559	
						26 / 660	
						30 / 762	

T W R X

Split Radius Corner Worksurface
with Keyboard Support



The Split Radius Corner Worksurface with Keyboard Support provides a wide keyboard tray and mouse support solution in panel-mounted environments.

WHAT’S INCLUDED
1 worksurface with keyboard support, 1 keyboard support backstop, keyboard Support with dual-arm mechanism and mounting hardware.

NOTES
The 24" deep corner worksurfaces must be used with a 12" Cantilever. The 30" deep corner must be used with the 17" Cantilever.

The Keyboard Support Mechanism has a : 13" height adjustment range of (6 1/2" below surface).

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	42, 48	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWRX 30	48	LW	2	JY
---------	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	48 / 1219

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1806	1874	2789	2938	2938
1955	2027	3021	3182	3182
2032	2108	3140	3306	3306

OTHER DIMENSIONS

'A'	'B'
24 / 610	10 / 254
24 / 610	10 / 254
24 / 610	11 / 279

The Split Corner Worksurface with Keyboard Support provides a large sit-stand keyboard tray and mouse support solution in panel-mounted environments.

WHAT'S INCLUDED


1 worksurface with keyboard support, 1 keyboard support backstop, 1 keyboard Support with dual-arm mechanism and mounting hardware.

NOTES

The 24" deep corner worksurfaces must be used with a 12" Cantilever. The 30" deep corner must be used with the 17" Cantilever.

The Keyboard Support Mechanism has a : 13" height adjustment range of (6 1/2" below surface).

T W C X Split Corner Worksurface with Keyboard Support



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Soft Palmrest
24, 30	42, 48	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	P Palmrest

SAMPLE ORDER CODE

TWCX 30	48	MB	3	FN	P
----------------	-----------	-----------	----------	-----------	----------

151

DIMENSIONS INCHES / MM

D	W
24 / 610	42 / 1067
24 / 610	48 / 1219
30 / 762	48 / 1219

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
1792	1857	2767
1940	2011	2997
2008	2083	3103

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
2912	2912
3157	3157
3267	3267

OTHER DIMENSIONS


'A'	'B'
24 / 610	10 / 254
24 / 610	10 / 254
24 / 610	11 / 279

If Palmrest is specified, add 113

worksurface & countertops

T W C R

Radius Corner Worksurface with Return



The Radius Corner Worksurface with Return is a rectangular surface combined with a transitional corner which can be connected to a surface of a different depth within the panel environment.

WHAT'S INCLUDED

1 worksurface with return.

NOTES

This product does not accept a keyboard support.

Panel-mounted worksurfaces may not span more than 60" without additional support.

PRODUCT OPTIONS

Depth A	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 40, 42, 48	48, 51, 54, 57, 60, 63, 66, 69, 72	L Left (Shown) R Right	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWCR 30	42	63	L	RA	8	BL
----------------	-----------	-----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

Da	Wa	Wb
24 / 610	36 / 914	48 / 1219
24 / 610	36 / 914	51 / 1295
24 / 610	36 / 914	54 / 1372
24 / 610	36 / 914	57 / 1448
24 / 610	36 / 914	60 / 1524
24 / 610	36 / 914	63 / 1600
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	69 / 1753
24 / 610	36 / 914	72 / 1829
24 / 610	40 / 1016	48 / 1219
24 / 610	40 / 1016	51 / 1295
24 / 610	40 / 1016	54 / 1372
24 / 610	40 / 1016	57 / 1448
24 / 610	40 / 1016	60 / 1524
24 / 610	40 / 1016	63 / 1600
24 / 610	40 / 1016	66 / 1676
24 / 610	40 / 1016	69 / 1753
24 / 610	40 / 1016	72 / 1829
24 / 610	42 / 1067	48 / 1219
24 / 610	42 / 1067	51 / 1295
24 / 610	42 / 1067	54 / 1372
24 / 610	42 / 1067	57 / 1448
24 / 610	42 / 1067	60 / 1524
24 / 610	42 / 1067	63 / 1600
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	69 / 1753
24 / 610	42 / 1067	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
826	874	1939	990	1871	1940
853	904	1944	1094	1882	2047
867	915	1967	1110	1903	2069
867	917	2000	1111	1919	2103
867	918	2001	1122	1925	2111
888	940	2008	1130	1939	2114
908	963	2049	1156	1958	2158
908	967	2123	1156	2016	2233
915	970	2130	1166	2025	2240
838	890	2048	1008	1979	2158
867	917	2064	1109	1980	2170
879	936	2077	1125	2010	2184
879	941	2108	1127	2025	2222
879	944	2113	1139	2034	2228
901	954	2120	1148	2046	2231
920	979	2160	1171	2059	2271
920	983	2232	1172	2123	2352
927	986	2243	1182	2135	2360
838	890	2048	1008	1979	2158
867	917	2064	1109	1980	2170
879	936	2077	1125	2010	2184
879	941	2108	1127	2025	2222
879	944	2113	1139	2034	2228
901	954	2120	1148	2046	2231
920	979	2160	1171	2059	2271
920	983	2232	1172	2123	2352
927	986	2243	1182	2135	2360

Pricing is continued on the following page.

T W C R

Radius Corner Worksurface with
Return (Continued)

DIMENSIONS
INCHES / MM

Da	W	Db
24 / 610	48 / 1219	51 / 1295
24 / 610	48 / 1219	54 / 1372
24 / 610	48 / 1219	57 / 1448
24 / 610	48 / 1219	60 / 1524
24 / 610	48 / 1219	63 / 1600
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	69 / 1753
24 / 610	48 / 1219	72 / 1829
30 / 762	36 / 914	48 / 1219
30 / 762	36 / 914	51 / 1295
30 / 762	36 / 914	54 / 1372
30 / 762	36 / 914	57 / 1448
30 / 762	36 / 914	60 / 1524
30 / 762	36 / 914	63 / 1600
30 / 762	36 / 914	66 / 1676
30 / 762	36 / 914	69 / 1753
30 / 762	36 / 914	72 / 1829
30 / 762	40 / 1016	48 / 1219
30 / 762	40 / 1016	51 / 1295
30 / 762	40 / 1016	54 / 1372
30 / 762	40 / 1016	57 / 1448
30 / 762	40 / 1016	60 / 1524
30 / 762	40 / 1016	63 / 1600
30 / 762	40 / 1016	66 / 1676
30 / 762	40 / 1016	69 / 1753
30 / 762	40 / 1016	72 / 1829
30 / 762	42 / 1067	48 / 1219
30 / 762	42 / 1067	51 / 1295
30 / 762	42 / 1067	54 / 1372
30 / 762	42 / 1067	57 / 1448
30 / 762	42 / 1067	60 / 1524
30 / 762	42 / 1067	63 / 1600
30 / 762	42 / 1067	66 / 1676
30 / 762	42 / 1067	69 / 1753
30 / 762	42 / 1067	72 / 1829
30 / 762	48 / 1219	48 / 1219
30 / 762	48 / 1219	51 / 1295
30 / 762	48 / 1219	54 / 1372
30 / 762	48 / 1219	57 / 1448
30 / 762	48 / 1219	60 / 1524
30 / 762	48 / 1219	63 / 1600
30 / 762	48 / 1219	66 / 1676
30 / 762	48 / 1219	69 / 1753
30 / 762	48 / 1219	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim Wood Bullnose Trim
915	969	2183	1097	2127 2299
920	980	2232	1172	2161 2349
920	983	2246	1174	2174 2366
927	984	2262	1184	2196 2372
927	985	2273	1189	2217 2407
927	986	2288	1195	2228 2434
936	988	2321	1202	2234 2469
941	998	2354	1210	2240 2479
838	890	1977	1091	1909 2080
867	918	1988	1195	1912 2081
879	934	1995	1216	1933 2101
879	936	2021	1217	1939 2139
879	941	2035	1227	1946 2146
901	956	2040	1239	1951 2149
920	962	2079	1266	1988 2188
920	978	2160	1282	2049 2271
927	989	2167	1314	2070 2273
873	924	2065	1130	1995 2174
873	925	2077	1200	1997 2184
873	926	2090	1201	2001 2196
873	927	2096	1205	2011 2206
873	1026	2310	1332	2080 2410
969	1028	2316	1333	2182 2430
969	1030	2335	1340	2201 2461
969	1038	2355	1354	2237 2479
969	1049	2472	1361	2338 2555
873	924	2065	1130	1995 2174
873	925	2077	1200	1997 2184
873	926	2090	1201	2001 2196
873	927	2096	1205	2011 2206
873	1026	2310	1332	2080 2410
969	1028	2316	1333	2182 2430
969	1030	2335	1340	2201 2461
969	1038	2355	1354	2237 2479
969	1049	2472	1361	2338 2555
860	938	2182	1148	2110 2296
888	940	2188	1219	2123 2326
888	943	2209	1223	2150 2355
888	962	2317	1230	2184 2426
888	1073	2502	1384	2400 2633
1011	1078	2510	1404	2406 2638
1024	1087	2546	1409	2427 2672
1024	1093	2580	1424	2451 2712
1024	1098	2595	1437	2468 2735

worksurface & countertops

T W E S

EDP Worksurface

The EDP Worksurface is a panel-mounted worksurface. It has an angled or curved end that is designed to be used adjacent to a Corner Worksurface to create a recessed area for a keyboard support or to provide a cockpit area.


WHAT'S INCLUDED

1 worksurface.

NOTES

Panel-mounted worksurfaces may not span more than 60" without additional support.

Depth 'A' should match depth of Standard Corner Worksurface (TWSC).



PRODUCT OPTIONS

Profiles	Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
1 Straight 2 Curved (Shown)	19, 24	24, 30, 36, 42, 48, 54, 60, 66, 72	24, 30	L Left R Right (Shown)	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWES 1	24	48	30	L	WB	8	MT
---------------	-----------	-----------	-----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

Da	W	Db
19 / 483	24 / 610	24 / 610
19 / 483	30 / 762	24 / 610
19 / 483	36 / 914	24 / 610
19 / 483	42 / 1067	24 / 610
19 / 483	48 / 1219	24 / 610
19 / 483	54 / 1372	24 / 610
19 / 483	60 / 1524	24 / 610
19 / 483	66 / 1676	24 / 610
19 / 483	72 / 1829	24 / 610
19 / 483	24 / 610	30 / 762
19 / 483	30 / 762	30 / 762
19 / 483	36 / 914	30 / 762
19 / 483	42 / 1067	30 / 762
19 / 483	48 / 1219	30 / 762
19 / 483	54 / 1372	30 / 762
19 / 483	60 / 1524	30 / 762
19 / 483	66 / 1676	30 / 762
19 / 483	72 / 1829	30 / 762
24 / 610	24 / 610	30 / 762
24 / 610	30 / 762	30 / 762
24 / 610	36 / 914	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	72 / 1829	30 / 762

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
281	300	770	341	714	807
313	330	855	379	796	901
352	374	962	421	895	1012
388	414	1062	468	956	1119
436	462	1177	522	1050	1252
576	612	1236	760	1132	1302
645	685	1296	854	1200	1414
668	705	1400	872	1243	1488
760	806	1484	984	1347	1699
293	311	803	353	746	849
329	352	904	396	839	953
369	392	1011	444	934	1063
413	438	1127	497	1011	1187
550	586	1223	662	1093	1288
633	671	1253	828	1163	1319
660	703	1388	866	1230	1461
757	802	1413	977	1342	1609
763	808	1626	992	1490	1716
445	476	991	536	927	1045
473	502	1051	565	982	1104
512	545	1142	613	1065	1201
540	572	1200	642	1121	1264
571	605	1268	685	1181	1334
645	685	1280	846	1186	1347
664	705	1350	868	1236	1420
771	817	1426	991	1298	1500
786	834	1531	1014	1388	1612

OTHER DIMENSIONS

'C'	'D'
18 / 457	8 / 203
24 / 610	8 / 203
30 / 762	8 / 203
36 / 914	8 / 203
42 / 1067	8 / 203
48 / 1219	8 / 203
54 / 1372	8 / 203
60 / 1524	8 / 203
66 / 1676	8 / 203
12 / 305	16 / 406
18 / 457	16 / 406
24 / 610	16 / 406
30 / 762	16 / 406
36 / 914	16 / 406
42 / 1067	16 / 406
48 / 1219	16 / 406
54 / 1372	16 / 406
60 / 1524	16 / 406
18 / 457	7 / 178
24 / 610	7 / 178
30 / 762	7 / 178
36 / 914	7 / 178
42 / 1067	7 / 178
48 / 1219	7 / 178
54 / 1372	7 / 178
60 / 1524	7 / 178
66 / 1676	7 / 178

The Bullet Top Worksurface is designed to accommodate multiple guests on three sides in a semi-supported, panel-mounted or freestanding application.

WHAT'S INCLUDED


1 worksurface, 1 reinforcing bar, mounting hardware.

WHAT'S EXCLUDED

Worksurface support hardware must be ordered separately.

T W B S

Bullet Top Worksurface



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWBS 24	72	FX	9	FX
----------------	-----------	-----------	----------	-----------

155

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING


FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
451	500	1837	565	1520	1933
466	517	1894	651	1566	1993
479	531	1952	670	1615	2055
537	561	2069	732	1694	2177
590	639	2181	802	1783	2295
564	604	1891	698	1565	1991
580	625	1950	787	1615	2049
599	641	2007	808	1660	2113
643	677	2126	886	1745	2236
724	761	2240	957	1826	2360
733	754	2497	900	2196	2627
754	777	2575	994	2263	2709
777	802	2655	1024	2332	2792
822	864	2782	1065	2428	2931
863	918	2914	1123	2527	3066

T W P S
P-Top Worksurface

The P-Top Worksurface combines the features of a rectangular top with a round multiple guest end for meetings. This product can be used in a panel-mounted, semi-supported, or freestanding environment.

WHAT’S INCLUDED
1 worksurface.

WHAT’S EXCLUDED
Worksurface support hardware must be ordered separately.



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30, 36	60, 66, 72	L Left R Right (Shown)	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWPS 30	60	L	MG	2	GR
---------	----	---	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
935	1026	1948	1754	2048
998	1085	2061	1882	2169
1017	1128	2175	1981	2290
991	1094	2070	1862	2178
1064	1153	2191	2002	2307
1083	1201	2314	2110	2434
1084	1192	2257	2033	2374
1161	1256	2389	2179	2516
1181	1307	2520	2296	2655

OTHER DIMENSIONS

'A'	'B'
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
36 / 914	46 / 1168
36 / 914	52 / 1321
36 / 914	58 / 1473
42 / 1067	43 / 1092
42 / 1067	49 / 1245
42 / 1067	55 / 1397

The Modified P-Top dual depth worksurface combines the features of a rectangular top with a curved end ideal for conferencing. This item can be panel-mounted, semi-supported or used in freestanding applications.

WHAT'S INCLUDED

1 worksurface.


WHAT'S EXCLUDED

Worksurface support hardware must be ordered separately.

NOTES

For freestanding applications, worksurface width must be 48" - 72".

T W M P Modified P-Top Worksurface



PRODUCT OPTIONS

Depth	Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 39, 42, 45, 48, 51, 54, 60, 63, 66, 69, 72	L Left (Shown) R Right	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TWMP 24	42	L	MW	8	BL
---------	----	---	----	---	----

157

DIMENSIONS INCHES / MM

D	W
24 / 610	36 / 914
24 / 610	39 / 991
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
24 / 610	51 / 1295
24 / 610	54 / 1372
24 / 610	57 / 1448
24 / 610	60 / 1524
24 / 610	63 / 1600
24 / 610	66 / 1676
24 / 610	69 / 1753
24 / 610	72 / 1829
30 / 762	36 / 914
30 / 762	39 / 991
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219
30 / 762	51 / 1295
30 / 762	54 / 1372
30 / 762	57 / 1448
30 / 762	60 / 1524
30 / 762	63 / 1600
30 / 762	66 / 1676
30 / 762	69 / 1753
30 / 762	72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
639	700	1783
669	733	1857
697	761	1936
725	792	2014
752	823	2095
849	920	2466
939	1019	2839
945	1023	2843
948	1026	2849
1041	1123	3096
1128	1218	3345
1134	1221	3353
1138	1224	3356
678	739	1830
708	774	1914
739	806	1993
772	838	2073
801	872	2157
893	969	2470
988	1072	2785
991	1075	2849
994	1077	2912
1087	1173	3160
1177	1267	3409
1184	1270	3468
1186	1275	3526

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1195	1874
1251	1957
1303	2038
1356	2122
1407	2204
1688	2596
1966	2989
1969	2994
1973	2998
2160	3259
2342	3520
2345	3526
2352	3533
1236	1927
1290	2012
1347	2099
1400	2182
1455	2269
1732	2599
2011	2934
2014	2998
2019	3064
2204	3326
2389	3584
2433	3649
2480	3714

OTHER DIMENSIONS

'B'
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524
63 / 1600
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524
63 / 1600

worksurface & countertops

T W D T D-Top Worksurface


The D-Top Worksurface provides a conferencing area at the end of two parallel panel-mounted, semi-supported or freestanding worksurfaces.

WHAT'S INCLUDED

1 worksurface.

WHAT'S EXCLUDED

This product does not accept keyboard supports.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	52, 64	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Ease	Edge Trim Colors Flintwood

sample order code

TWDT 24	52	LS	2	SA
----------------	-----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	W
24 / 610	52 / 1321
30 / 762	64 / 1626

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
499	524	1702	598	1526	1793
619	659	2077	807	1857	2184

The Tapered Worksurface is a rectangular worksurface with a transition in depth that can be mounted on- or off-module.

WHAT'S INCLUDED

1 worksurface.


NOTES

This worksurface cannot be used in freestanding applications. If freestanding applications are required, please see *Desking* in the *xm Price and Product Guide*.

Panel-mounted worksurfaces may not span more than 60" without additional support.

T X T A

Tapered Worksurface



PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 40, 42, 48, 54, 60, 66, 72	30, 36	L Left R Right (Shown)	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TXTA 30	42	36	R	LS	2	SA
----------------	-----------	-----------	----------	-----------	----------	-----------

159


DIMENSIONS INCHES / MM

Da	W	Db
24 / 610	36 / 914	30 / 762
24 / 610	40 / 1016	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762
24 / 610	66 / 1676	30 / 762
24 / 610	72 / 1829	30 / 762
30 / 762	36 / 914	36 / 914
30 / 762	40 / 1016	36 / 914
30 / 762	42 / 1067	36 / 914
30 / 762	48 / 1219	36 / 914
30 / 762	54 / 1372	36 / 914
30 / 762	60 / 1524	36 / 914
30 / 762	66 / 1676	36 / 914
30 / 762	72 / 1829	36 / 914

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
388	413	1182	467	1136	1243
484	512	1234	577	1171	1300
512	543	1244	612	1184	1309
524	554	1320	632	1243	1388
640	678	1370	837	1273	1439
658	696	1414	854	1309	1489
763	808	1500	984	1384	1579
777	824	1585	999	1451	1666
434	459	1323	563	1284	1393
575	610	1380	643	1329	1455
583	617	1395	658	1347	1465
599	634	1468	671	1400	1546
834	886	1526	1008	1451	1604
851	901	1576	1024	1482	1660
907	960	1680	1088	1571	1764
920	979	1769	1104	1652	1863

TXSC
Standard Corner Worksurface (xm)



The Standard Corner Worksurface (xm) is a panel-mounted surface for use in a 90° corner. This worksurface is ideal for the application of a keyboard tray.

WHAT’S INCLUDED
1 worksurface.

NOTES
This worksurface cannot be used in freestanding applications. If freestanding applications are required, please see *Desking* in the *xm Price and Product Guide*.

Please refer to dimension 'A' to determine the applicability of a keyboard and mouse support.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	36, 40, 42, 45, 48	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat K Seamless Knife G Seamless Flat E Seamless Eased	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TXSC 24	42	KG	8	BL
---------	----	----	---	----

DIMENSIONS
INCHES / MM

D	W
24 / 610	36 / 914
24 / 610	40 / 1016
24 / 610	42 / 1067
24 / 610	45 / 1143
24 / 610	48 / 1219
30 / 762	40 / 1016
30 / 762	42 / 1067
30 / 762	45 / 1143
30 / 762	48 / 1219

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim'
504	609	1122	605	1073	1182
679	804	1243	820	1200	1307
697	822	1266	833	1220	1332
700	831	1330	835	1242	1400
701	841	1373	838	1301	1446
683	823	1330	822	1259	1400
700	837	1353	835	1282	1426
711	850	1356	854	1266	1428
716	860	1388	n/a	1314	1462

OTHER DIMENSIONS

A'
17 / 432
23 / 584
26 / 660
30 / 762
34 / 864
14 / 356
17 / 432
22 / 559
26 / 660

The Radius Corner Worksurface with Return (xm) is a transitional corner which provides a dedicated corner for a computer monitor and a keyboard.

WHAT'S INCLUDED

1 worksurface with return, 1 keyboard support mechanism (if specified), 1 keyboard support backstop, mounting hardware.


NOTES

This worksurface cannot be used in freestanding applications. If freestanding applications are required, please see *Desking* in the *xm Price Guide*.

Panel-mounted worksurfaces may not span more than 60" without additional support.

T X C R

Radius Corner Worksurface with Return (xm)



PRODUCT OPTIONS

Keyboard Support Style	Depth A	Depth B	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
S Standard	24, 30	24, 30	48	60, 66, 72	L Left (Shown)	Foundation Laminate	2 Bullnose	Edge Trim Colors
W Without Keyboard					R Right	Flintwood	3 Flintwood Bullnose	Flintwood
							8 Flat	
							9 Flintwood Flat	

SAMPLE ORDER CODE

TXCR W	24	24	48	66	R	CB	3	VB
---------------	-----------	-----------	-----------	-----------	----------	-----------	----------	-----------

161

DIMENSIONS – INCHES FOR MM X BY 25.4

Da	Db	Wa	Wb
24	24	48	60
24	24	48	66
24	24	48	75
30	24	48	60
30	24	48	66
30	24	48	72
24	24	48	60
24	24	48	66
24	24	48	72
24	30	48	60
24	30	48	66
24	30	48	72
30	24	48	60
30	24	48	66
30	24	48	72
30	30	48	60
30	30	48	66
30	30	48	72

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
-----------	---------------	--------------------

WITH KEYBOARD

2064	2183	5080
2200	2332	5333
2234	2370	5585
2120	2247	5246
2266	2402	5506
2300	2436	5770

WITHOUT KEYBOARD

937	991	2310
996	1058	2425
1017	1077	2537
940	995	2319
1004	1063	2434
1021	1085	2551
963	1022	2386
1028	1093	2502
1048	1109	2622

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
----------------	--------------------

4876	5346
5091	5615
5311	5876
5040	5522
5260	5799
5487	6073


2213	2429
2314	2552
2416	2672
2228	2445
2324	2564
2427	2683
2290	2513
2393	2636
2493	2758

2300	2523
2402	2647
2504	2775

worksurface & countertops

TXGC

Guest Corner Worksurface



The Guest Corner Worksurface offers a deep corner for the placement of a computer monitor as well as a guest area at the opposite end.

WHAT'S INCLUDED

1 worksurface.

NOTES

This worksurface cannot be used in freestanding applications. If freestanding applications are required, please see *Desking* in the *xm Price Guide*.

Panel-mounted worksurfaces may not span more than 60" without additional support.

PRODUCT OPTIONS

Depth	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish
15, 24	36, 40, 42, 48	60, 66, 72	L Left (Shown) R Right	Foundation Laminate Seamless Color Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TXGC 15	40	72	L	CC	9	FC
----------------	-----------	-----------	----------	-----------	----------	-----------

DIMENSIONS INCHES / MM

D	Wa	Wb
15 / 381	36 / 914	60 / 1524
15 / 381	36 / 914	66 / 1676
15 / 381	36 / 914	72 / 1829
15 / 381	40 / 1016	60 / 1524
15 / 381	40 / 1016	66 / 1676
15 / 381	40 / 1016	72 / 1829
15 / 381	42 / 1067	60 / 1524
15 / 381	42 / 1067	66 / 1676
15 / 381	42 / 1067	72 / 1829
15 / 381	48 / 1219	60 / 1524
15 / 381	48 / 1219	66 / 1676
15 / 381	48 / 1219	72 / 1829
24 / 610	40 / 1016	66 / 1676
24 / 610	40 / 1016	72 / 1829
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	72 / 1829
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
15 / 381" GUEST CORNER WORKSURFACE					
956	1014	1756	1213	2307	2891
1025	1088	1886	1300	2479	3110
1111	1177	1958	1401	2490	3232
1005	1064	1848	1273	2426	3043
1083	1148	1987	1366	2610	3275
1171	1240	2064	1470	2621	3407
1024	1087	2142	1300	2479	3098
1103	1169	2306	1392	2664	3332
1193	1265	2393	1501	2679	3466
1087	1152	2452	1372	2627	3552
1169	1240	2546	1470	2829	3821
1266	1340	2596	1587	2842	3970
24 / 610" GUEST CORNER WORKSURFACE					
1126	1192	2069	1418	2714	3410
1219	1290	2147	1531	2733	3547
1149	1218	2399	1446	2777	3472
1244	1319	2490	1560	2788	3609
1218	1290	2651	1531	2945	3977
1320	1398	2706	1717	2960	4136

The Flask Worksurface is an aesthetic alternative to the Bullet Top Worksurface (TWBS).

WHAT'S INCLUDED

1 worksurface, 1 reinforcing bar, 2 xm Post Legs (as specified), 1 monoleg (as specified), leg mounting hardware.


NOTES

This unit must be connected to other worksurfaces via shared supports.

Xm Post Leg leveller is available in Anodized Aluminum only.

T X F L

Flask Worksurface



PRODUCT OPTIONS

Support Options	Depth A	Depth B	Width A	Width B	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Finish	Monoleg Levelers Finish
M Monoleg (Shown)	24, 30	34, 40	24, 30	60, 66, 72	Foundation Laminate	2 Bullnose	Edge Trim Colors	Foundation	Foundation
P Two Post Legs					Seamless Color Flintwood	3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Flintwood	Mica	

SAMPLE ORDER CODE

TXFL P	30	30	34	66	UW	3	ST	Q	
---------------	-----------	-----------	-----------	-----------	-----------	----------	-----------	----------	--

163

DIMENSIONS – INCHES FOR MM X BY 25.4

				FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Da	Db	Wa	Wb	Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
				WITH MONOLEG (M)					
24	34	24	60	947	1160	1988	1177	1636	2094
24	34	24	66	998	1300	2349	1309	1933	2470
24	34	24	72	1065	1323	2364	1332	1953	2489
24	34	30	66	1052	1372	2497	1381	2056	2627
24	34	30	72	1125	1398	2515	1402	2077	2645
30	40	24	60	979	1242	2147	1256	1766	2262
30	40	24	66	1067	1397	2540	1400	2090	2673
30	40	24	72	1142	1418	2555	1424	2113	2689
30	40	30	66	1126	1477	2703	1477	2226	2843
30	40	30	72	1205	1503	2722	1501	2247	2864
				WITH TWO POST LEGS (P)					
24	34	24	60	1054	1266	2064	1284	1717	2170
24	34	24	66	1108	1404	2422	1416	2010	2549
24	34	24	72	1174	1428	2436	1438	2033	2565
24	34	30	66	1156	1480	2570	1487	2133	2706
24	34	30	72	1231	1503	2589	1507	2153	2724
30	40	24	60	1085	1348	2224	1362	1847	2338
30	40	24	66	1175	1500	2614	1505	2168	2750
30	40	24	72	1248	1526	2629	1531	2191	2768
30	40	30	66	1232	1584	2777	1584	2300	2919
30	40	30	72	1309	1607	2792	1607	2324	2942


If Mica monoleg is specified, add 30
Post legs are 74

TWCS
Straight Countertop

The Straight Countertop may be mounted off-module alone or together with other countertop types to create transaction surfaces as required.

WHAT'S INCLUDED
1 countertop, panel-mounting hardware.

NOTES
Mounts over top trim.



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Foundation Laminate Seamless Color Flintwood	2 Bullnose	Edge Trim Colors Flintwood	8 Metal	Foundation Mica
		3 Flintwood Bullnose		9 Flintwood	
		8 Flat			
		9 Flintwood Flat			
		G Seamless Flat			

SAMPLE ORDER CODE

TWCS 36	WB	2	MT	8	E
---------	----	---	----	---	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

FOUNDATION LAMINATE			SEAMLESS COLOR	FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Seamless Edge	Wood Flat Trim	Wood Bullnose Trim
133	191	364	162	244	386
139	199	371	168	250	391
162	224	440	196	297	462
189	258	484	226	324	508
211	307	551	254	374	580
227	311	603	274	406	635
244	339	650	293	422	681
267	364	678	321	442	714
339	451	843	406	457	889

If Mica hardware is specified, add 5

The Bullet Countertop may be mounted off-module alone or together with other countertop types to create transaction surfaces as required. The curved end finishes the run.


WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.

T W C B Bullet Countertop



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

TWCB 36	FC	9	FC	9	E
---------	----	---	----	---	---

165

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
155	209	499
162	214	504
179	245	568
209	287	612
244	326	682
250	340	735
257	361	784
291	391	853
353	467	1011

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
435	522
441	531
512	598
587	642
664	721
734	772
799	826
875	898
1023	1062

OTHER DIMENSIONS

'B'
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
78 / 1981


If Mica hardware is specified, add 5

TWCD
Double Bullet Countertop

The Double Bullet Countertop mounts off-module and is for use as a stand-alone transaction surface.

WHAT'S INCLUDED
1 countertop, panel-mounting hardware.

NOTES
Mounts over top trim.



PRODUCT OPTIONS

Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

TWCD 30	WB	2	MT	9	E
---------	----	---	----	---	---

DIMENSIONS
INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

FOUNDATION LAMINATE			FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
262	320	590	435	522
269	327	598	441	531
290	358	665	512	598
320	401	706	587	642
357	438	779	664	721
361	448	832	734	772
384	477	873	799	826
406	504	913	875	898
466	583	1115	1023	1062

OTHER DIMENSIONS

'B'
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829
84 / 2134

If Mica hardware is specified, add 5

The Angled Countertop mounts off-module and can be used alone or together with other countertop types to create transaction surfaces for Two-Way 90° panel connection configurations.


WHAT'S INCLUDED

1 countertop, panel-mounting hardware.

NOTES

Mounts over top trim.

T W C A Angled Countertop



PRODUCT OPTIONS

Width	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Top Trim Style	Hardware Finish
18, 24, 30, 36, 42, 48, 54, 60, 72	L Left R Right	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	8 Metal 9 Flintwood	Foundation Mica

SAMPLE ORDER CODE

TWCA 42	L	MG	8	GR	8	G
---------	---	----	---	----	---	---

167

DIMENSIONS INCHES / MM

W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Bullnose Trim
253	311	650
262	321	658
274	329	665
302	380	738
313	385	796
339	413	841
354	438	886
388	485	967
419	529	1052

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
504	681
512	693
522	700
575	777
612	837
634	887
654	932
702	1019
746	1108

OTHER DIMENSIONS

'B'
25 / 635
31 / 787
37 / 940
43 / 1092
49 / 1245
55 / 1397
61 / 1549
67 / 1702
79 / 2007

If Mica hardware is specified, add 5

worksurface supports &
accessories

worksurface supports & accessories

PRODUCT MAP170

WORKSURFACE SUPPORTS & ACCESSORY OVERVIEW173

WORKSURFACE FLOOR SUPPORT BASICS174

WORKSURFACE SUPPORT & ACCESSORY BASICS175


LYFT WORKSURFACE SUPPORTS BASICS176

PRODUCT LISTING177

product map


T L O N On-Module Cantilever

Page 177
Depth: 12" - 23"




F L O N Altos On-Module Cantilever

Page 178
Depth: 12" - 23"




T L O F Off-Module Cantilever

Page 179
Depth: 12" - 23" / Height: 29"




T L P S Panel Support Foot

Page 180
Depth: 15"




T L O K Off-Module Support Kit

Page 181



T L F E Flush End


Page 182
Depth: 24" & 30" / Height: 28"



170


T L F L Fixed-Height Gable

Page 183
Depth: 24" & 30" / Height: 28"




T L F F Fixed-Height Metal Gable

Page 184
Depth: 24" & 30" / Height: 28"




K S B Pedestal Supporting Bracket

Page 185
Storage Depth: 18" - 28" /
Worksurface Depth: 24" & 30"




T L C L C-Leg

Page 186
Depth: 15" - 30" / Height: 28"




T L O E Open End

Page 187
Depth: 24" - 36" / Height: 29"



T L S M Semi-Suspended Monoleg


Page 188
Height: 29"



product map


T L S P Semi-Suspended Post

Page 189
Height: 29"




T X P L xm Post Leg

Page 190
Fixed Height: 29" / Adjustable Height: 26" - 35"




T L C B On-Module Corner Brackets

Page 191




F L C B Altos On-Module Corner Brackets

Page 191




T L F P Flush Plates

Page 192




A C M P Modesty Panel

Page 193
Width: 15" - 60" / Height: 15"




T L M O FS Modesty Panel

Page 194
Width: 24" - 72" / Height: 20"



T L M K Mounting Kits

Page 195




See Lyft products on the following page.

product map

lyft

**H W B Fixed-Height Thin Panel
Mount Bracket**

Page 196




**H W B A Adjustable-Height Thin
Panel Mount Bracket**

Page 196
Adjustable Height: 26" - 32"




H E G End Gable

Page 197
Depth: 24" & 30"



**H W P Worksurface Supporting
Pedestal Kit**


Page 198
Pedestal Depth: 18" - 28"
Worksurface Depth: 24" & 30"



worksurface supports & accessory overview


Transit offers a variety of worksurface supports for panel-mounted, and semi suspended applications.

- One support is required at the end of each worksurface (may be shared)
- On- and Off-Module Cantilevers, C-Legs, and xm Post Legs may be used as single or shared supports between adjacent worksurfaces. All other worksurface supports may only be used as single supports
- Worksurfaces may not span more than 60" without additional support or 120" without additional floor support (Off-Module Cantilever with foot, C-Leg, xm Post Leg or Semi-Suspended Post)
- Always use the longest support available for the worksurface depth chosen




worksurface floor support basics

The following supports are used primarily for attaching worksurfaces to Panels and where additional floor support is required.




xm Post Leg (TXPL)

- Provides a non-handed support at the end of a run of worksurfaces or to join adjacent worksurfaces
- An aesthetic alternative to the Semi-Suspended Post Leg (TLSP)
- May be used to support Transit panel-mounted and wall-mounted worksurfaces
- Can be used inset to support worksurfaces with Lyft Thin Panel applications
- Cannot be used to create freestanding desks
- Is not compatible with xm desks




Semi-Suspended Post (TLSP)

- Provides a secondary support at the front of a worksurface 36" or deeper
- Must be used with a primary worksurface support
- Cannot be combined with worksurfaces to create freestanding tables





Semi-Suspended Mono Leg (TLSM)

- Supports the free end of a panel-mounted or freestanding worksurface
- Cannot be used to support freestanding tables and desks



C-Leg (TLCL)

- Provides a non handed, height-adjustable worksurface support
- Can be used in panel-mounted, semi-supported or freestanding applications (see Mounting Kit options)
- Various mounting kits are available, to that the c-leg can migrate between these applications
- Can be used for single or shared support




Flush End (TLFE)

- Provides a fully enclosed support at the end of a run of panel-mounted worksurfaces, semi-supported worksurfaces, or Transit freestanding surfaces by using various mounting kits
- Can be retrofitted in the field to accept other mounting kits
- Can be mounted on- or off-module to provide worksurface and panel stability
- Non-handed
- Mounting Kit options can be used panel-mounted, semi-suspended and freestanding

Off-Module Mounting Kits (TLMK)

Mounting kits enable C-Leg Flush End supports to be attached to a panel or a FS Modesty Panel




Fixed-Height Metal Gable (TLFF)

- Provides a metal non-handed support at the end of panel-mounted worksurfaces
- Can be used on- or off-module
- Designed to match 24" deep and 30" deep worksurfaces
- Non-handed


Open End (TLOE)

- Provides non-handed height adjustable support for semi-supported worksurfaces
- Two open ends can be used to support worksurfaces and create freestanding tables



Fixed-Height Gable (TLFL)

- Provides a non-handed enclosed support at the end of a run of panel-mounted worksurfaces and Altos wall-mounted worksurfaces
- Can be mounted on- or off-module to panels, and on-module only to Altos
- Designed to match 24" deep and 30" deep worksurfaces




Pedestal Supporting Bracket (KSB)

- In combination with a Pedestal provides a fully enclosed support at the end of a run of panel-mounted worksurfaces
- On-module only
- Metal finish
- Shipped either left or right handed
- Is compatible with all Teknion 27" high under-worksurface storage products
- Designed to match the depth of all standard worksurfaces (24" deep support and a 24" deep worksurface)

worksurface support & accessory basics


The following supports are used primarily for attaching worksurfaces to Panels, and not for additional floor support.

- ❗ On- and Off-Module Cantilevers are best used where free movement beneath the worksurface is required
- The 12" On- and Off-Module Cantilever provides support to 24" deep worksurfaces with split keyboards, a 17" or 23" deep Cantilever may be necessary to support adjacent surfaces
- All supports allow for the worksurface to be mounted 29" above the finished floor which is considered the average working height




Modesty Panel (ACMP)

- Provides seated privacy to freestanding and semi-supported worksurfaces
- Complete with an integral wire management tray and allows easy wire flow, a 1" gap provides wire management between the Modesty Panel and the table
- A flexible PVC trim covers the 1.25" gap between the underside of the worksurface and the top of the Modesty Panel
- Can be mounted in any location beneath a worksurface
- Should be recessed 7.5" from the back edge to allow knee clearance
- Does not provide any structural support or attach to worksurface supports



Worksurface Reinforcement Channel (UNRC)


- Adds rigidity to worksurfaces to reduce deflection
- Must be used on all worksurfaces with an unsupported span over 48" wide
- Reinforcement Channel is specified 12" shorter than the unsupported span of the worksurface it is being applied to (6" on either side to allow for mounting plates of other supports)



Also Available:

FS Modesty Panel (TLMO)

- Provides structural support and visual privacy to Transit Freestanding units
- Must be specified with appropriate supports, (TLCL, TLFE) mounting kits and worksurfaces
- includes an integral wire tray allowing continuous lay-in wire management
- Matches the width of the corresponding worksurface
- Regular Type panel is used with all straight applications
- Corner Type panel is used with a C-Leg support and is 1" less in width than the Regular Type panel




On-Module Corner Brackets (TLCB)

- Provides on-module worksurface support in a corner or at the end of a worksurface
- Can be applied in a right or left handed position
- Designed with an integral safety hook that prevents dislocation from the Panel
- 1" incremental height adjustment

Off-Module Cantilever (TLOF)

- Is an off-module worksurface support that attaches anywhere along the Panel's horizontal rail to provide support height adjustable support 26" - 32" in 1" increments
- Provides maximum lateral flexibility beneath the worksurface



Panel Support Foot (TLPS)

- Provides additional panel run support when attached to an Off-Module Cantilever
- Worksurfaces cannot span more than 60" without additional support




Off-Module Support Kit (TLOK)

- Components can be added to the off-modular cantilever to enhance its capabilities

lyft worksurface supports basics

Lyft Thin Panels require specific supports for mounting to worksurfaces.


! Worksurface can be mounted on- or off-module to Lyft Thin Panels



Height adjustable from 26" - 32"


Adjustable Height Thin Panel Mount Bracket (HWBA)

- Mounts to the mid rail and lower rail of Lyft Standard and Segmented Thin Panels, providing worksurface support
- The Bracket positions the back edge of worksurfaces to Lyft Panels with the same spacing as Transit Panels to worksurfaces
- Can be used in a shared configuration off-module
- When supporting two adjoining worksurfaces a Flush Plate (TLFP) (ordered separately) is required to secure the front end of the two worksurfaces



Fixed-Height Thin Panel Mount Bracket (HWB)

- Mounts to the mid rail of Lyft Standard and Segmented Thin Panels, providing worksurface support at a standard height of 29". This is the primary worksurface support component used with Lyft Thin Panel applications
- Positions the edge of worksurfaces to Lyft Thin Panels with the same spacing as Transit Panels to worksurfaces
- A Fixed-Height Thin Panel Mount Bracket (HWB) is also required mid span for single worksurfaces that span over 60"
- For on-module worksurface applications where two worksurfaces meet, two Fixed Height or Adjustable Height Thin Panel Mount Brackets are required at the junction, one for each worksurface
- A Flush Plate (TLFP) is also required to join the worksurfaces at the front
- Where two worksurfaces meet off-module to a Lyft Thin Panel, one Fixed Height or Adjustable Height Thin Panel Mount Bracket can be shared




Worksurface Supporting Pedestal Kit (WSPK)

- In combination with a pedestal provides structural support when mounted to worksurfaces and Lyft Thin Panels
- Can be applied to mount Teknion worksurfaces and pedestals to Lyft Thin Panels
- The kit is non-handed
- Pedestal depth must be less than the worksurface depth to which it is applied
- Is not to be used as a shared worksurface support. Its application is to support end of worksurface runs
- Is compatible with Lyft Standard and Segmented Thin Panels only
- An optional Filler Panel is available to fully enclose end run worksurface applications

End Gable (HEG)

- Connects to Lyft Thin Panels and worksurfaces to provide structural support at the end of a worksurface run
- Is non-handed and can be mounted on- or off-module to Standard Lyft Thin Panels and Segmented Lyft Thin Panels
- Cannot be mounted to a Transit panel
- Is not to be used as a shared worksurface support
- Worksurfaces are supported at a fixed height of 29" with leveling capability
- Match End Gable depth specification to the depth of the worksurface it is applied
- An optional non-handed Infill Panel is available to enclose the under-worksurface area to the same raised height as Lyft Thin Panels



Without Infill Panel With Infill Panel

Finishes

- Lyft products are available in Foundation and Mica colors
- Finish color for panel attachment bracket must be specified if infill panel is not ordered, otherwise bracket and infill color finish specification is the same
- Under-worksurface rails are always Black

The On-Module Cantilever is applied on-module (in the panel hingeway) to support worksurfaces. It fits flush beneath panel-mounted worksurfaces to allow knee clearance. It can be applied in a right hand, left hand or shared position.

WHAT'S INCLUDED


1 Cantilever with integral safety hook, 2 shared brackets, fasteners.

NOTES

Use Flush Plates (TLFP) in addition to the cantilever on 30" deep worksurfaces.

Use deepest cantilever on worksurface.

TLON On-Module Cantilever



PRODUCT OPTIONS

Depth	Orientation	Finish
12, 17, 23	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

TLON 12	R	P
---------	---	---

DIMENSIONS INCHES / MM

D
12 / 305
17 / 432
23 / 584


PRICING

Foundation	Mica
51	59
58	64
63	69

FLON
Altos On-Module Cantilever

An Altos On-Module Cantilever is applied on-module (in the wall slotted vertical) to support worksurfaces. It fits flush beneath wall-mounted worksurfaces to allow knee clearance. It can be applied in a right hand, left hand or shared position.

WHAT'S INCLUDED
1 Cantilever with integral safety hook, 2 shared brackets, fasteners.



PRODUCT OPTIONS

Depth	Orientation	Finish
23	L Left R Right	Foundation Mica

SAMPLE ORDER CODE

FLON 23	L	E
---------	---	---

I78

DIMENSIONS INCHES / MM
D
23 / 584

PRICING	
Foundation	Mica
71	77


The Off-Module Cantilever attaches anywhere along the panel horizontal rail to provide maximum lateral flexibility beneath worksurfaces.

WHAT'S INCLUDED

1 cantilever, angled bracket, anti-dislodgement clip, fasteners, 3" leveler, safety lock, foot (if specified).

T L O F

Off-Module Cantilever



PRODUCT OPTIONS

Depth	Orientation	Cantilever & Post Finish	Foot Option	Foot Finish
12, 17, 23	L Left R Right S Shared	Foundation	1 Foot Required	Foundation Mica

SAMPLE ORDER CODE

TLOF 12	R	Q	1	Q
---------	---	---	---	---


**DIMENSIONS
INCHES / MM**

D
12 / 305
17 / 432
23 / 584

PRICING

WITHOUT FOOT		WITH FOOT	
Foundation		Foundation	Mica
164		284	296
170		291	303
178		300	314

TLPS
Panel Support Foot



The Panel Support Foot provides additional panel run support when attached to an Off-Module Cantilever.

WHAT’S INCLUDED
1 foot, mounting bracket, fasteners.

WHAT'S EXCLUDED
Off-Module Cantilever (TLOF) is not included.

NOTES
The Panel Support Foot can also be ordered as part of the Off-Module Cantilever (TLOF) assembly.

PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

TLPS 8

180

PRICING


Foundation	Mica
184	200

An Off-Module Support Kit can be added to the Off-Module Cantilever to provide shared support, offset support or additional support at 90°.

WHAT'S INCLUDED

1 Off-Module Support Kit.

T L O K
Off-Module Support Kit



PRODUCT OPTIONS

Kit Option	Depth	Finish
S Shared Kit	12, 17, 23	Foundation
O Offset Kit		Mica
C Cantilever Kit		

SAMPLE ORDER CODE

TLOK 0	23	C
---------------	-----------	----------


DIMENSIONS
INCHES / MM

D
12 / 305
17 / 432
23 / 584

PRICING

SHARED (S)		OFFSET (O)		CANTILEVER (C)	
Foundation	Mica	Foundation	Mica	Foundation	Mica
n/a	n/a	n/a	n/a	64	70
28	35	n/a	n/a	64	70
29	36	44	53	68	73

TLFE
Flush End



The Flush End provides non-handed fully-enclosed height-adjustable support at the end of a run of panel-mounted worksurfaces, semi-supported worksurfaces, or with Transit freestanding units.

WHAT’S INCLUDED

1 Flush End, fasteners, levelers, mounting kit (if specified).

NOTES

The FS Single Mounting Kit is finished to match the support.

Modesty panel required for freestanding application.

Mounting Kits may be retrofitted.

The Panel Mount Kit is Black.

PRODUCT OPTIONS

Depth	Finish	Mounting Kit
24, 30	Foundation Mica	1 Panel Mount 2 None 3 FS Single

SAMPLE ORDER CODE

TLFE 30	E	1
---------	---	---

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

PANEL MOUNT (1)		NONE (2)		FS SINGLE (3)	
Foundation	Mica	Foundation	Mica	Foundation	Mica
448	485	380	417	380	417
461	501	393	434	393	434

The Fixed Height Gable is a non-handed support providing fully enclosed support at the end of a run of panel-mounted (on- or off-module) worksurfaces and Altos wall mounted worksurfaces.


WHAT'S INCLUDED

1 Gable, levelers, mounting kit (as specified), mounting hardware.

NOTES

Mounting Kits are Black.

TLFL Fixed-Height Gable



PRODUCT OPTIONS

Depth	Mounting Kit	Hardware Finish	Gable Finish	Edge Trim Style	Edge Trim Finish
24, 30	1 Panel Mount	Foundation	Foundation Laminate	8 Flat	Edge Trim Colors
	2 Altos			9 Flintwood Flat	

SAMPLE ORDER CODE

TLFL 24	1	G	MG	8	GR
---------	---	---	----	---	----

DIMENSIONS INCHES / MM


D	Foundation Laminate		Flintwood
	Flat Trim	Wood Flat Trim	Wood Flat Trim
24 / 610	387	434	462
30 / 762	417	450	540

TLFF
Fixed-Height Metal Gable

The Fixed Height Metal Gable is a non-handed support providing fully enclosed support at the end of a run of panel-mounted (on- or off-module) worksurfaces.

WHAT'S INCLUDED
1 Gable, levelers and mounting hardware.

NOTES
Mounting hardware is Black.



PRODUCT OPTIONS

Depth	Mounting Kit	Finish
24, 30	1 Panel Mount	Foundation Mica

SAMPLE ORDER CODE

TLFF 24	1	Q
---------	---	---

184

DIMENSIONS INCHES / MM
D
24 / 610
30 / 762

PRICING	
Foundation	Mica
311	342
326	363

The Pedestal Supporting Bracket in combination with a Pedestal provides a fully enclosed on-module support at the end of a run of Transit panel-mounted worksurfaces.

WHAT'S INCLUDED


1 Pedestal Supporting Bracket and hardware.

NOTES

This bracket is compatible with all Teknion 27" height under-worksurface storage products.

The storage depth must always be less than the worksurface.

K S B Pedestal Supporting Bracket



PRODUCT OPTIONS

Storage Depth	Worksurface Depth	Orientation	Finish
18, 20, 22, 28	24, 30	L Left R Right (Shown)	Foundation Mica

SAMPLE ORDER CODE

KSB 22	24	L	Q
--------	----	---	---


DIMENSIONS INCHES / MM

SD	WD
18 / 457	24 / 610
18 / 457	30 / 762
20 / 508	24 / 610
20 / 508	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762
28 / 711	30 / 762

PRICING

Foundation	Mica
140	160
140	160
140	160
140	160
140	160
140	160
140	160

TLCL
C-Leg



The C-Leg provides non-handed, height-adjustable worksurface support within a panel-mounted, semi-supported or freestanding application.

WHAT’S INCLUDED

1 C-Leg, integral levelers, hardware, Mounting Kit (if specified).

NOTES

The FS Mounting Kit (TLCL3/4/5) is finished to match the support.

The Panel-Mounting Kit is finished in Black.

Modesty Panel required for freestanding applications.

Mounting Kits may be retrofitted.

Use flush plates in addition to cantilever on 30" deep worksurfaces.

Use deepest support on worksurfaces.

PRODUCT OPTIONS

Depth	Finish	Mounting Kit
15, 24, 30	Foundation Mica	1 Panel Mount (Shown) 2 None (Shown) 3 FS Single 4 FS Shared 5 FS Corner

SAMPLE ORDER CODE

TLCL 24	D	1
---------	---	---

DIMENSIONS
INCHES / MM

D
15 / 381
24 / 610
30 / 762

15 / 381
24 / 610
30 / 762

PRICING

PANEL MOUNT (1)		NONE (2)		FS SINGLE (3)	
Foundation	Mica	Foundation	Mica	Foundation	Mica
461	501	393	434	393	434
477	514	410	445	410	445
n/a	n/a	422	462	422	462

FS SHARED (4)		FS CORNER (5)	
Foundation	Mica	Foundation	Mica
393	434	393	434
410	445	n/a	n/a
422	462	n/a	n/a

OTHER DIMENSIONS

W
5 1/4 / 133
4 / 102
4 / 102

5 1/4 / 133
4 / 102
4 / 102

The Open End is a non-handed, height-adjustable support. It provides support for semi-supported worksurfaces or freestanding tables.

WHAT'S INCLUDED


1 Open End, levelers, fasteners.

NOTES

Depth of open end must match depth of the worksurface.

Levelers are Black.

TLOE Open End



PRODUCT OPTIONS

Depth	Finish
24, 30, 36	Foundation Mica

SAMPLE ORDER CODE

TLOE 36	Y
---------	---

DIMENSIONS INCHES / MM


D
24 / 610
30 / 762
36 / 914

PRICING

Foundation	Mica
319	357
349	387
363	402

TL S M

Semi-Suspended Monoleg



The Semi-Suspended Monoleg provides height adjustable support to the free end of a panel-mounted or semi-supported worksurface such as a Bullet Top, D-Top, Cove or P-Top.

WHAT’S INCLUDED
1 Monoleg, integral leveler, fasteners.

NOTES
Cannot be used to create freestanding worksurfaces.

PRODUCT OPTIONS

Leg Finish	Leveler Finish
Foundation	Foundation
Mica	

SAMPLE ORDER CODE

TL S M N	E
----------	---

PRICING

Foundation	Mica
227	266

The Semi-Suspended Post provides height-adjustable secondary support at the front of a worksurface 36" or deeper.

WHAT'S INCLUDED


1 Post, integral leveler, fasteners.

NOTES

Cannot be used to create freestanding worksurfaces.

Must be used with additional support.

TLSP
Semi-Suspended Post



PRODUCT OPTIONS

Post Finish	Leveler Finish
Foundation	Foundation
Mica	

SAMPLE ORDER CODE


TLSP G	G
--------	---

PRICING

Foundation	Mica
166	183

TXPL

xm Post Leg



The xm Post Leg non handed height adjustable secondary support used at the front of a worksurface as an aesthetic alternative to the Semi-Suspended Post Leg (TLSP).

WHAT'S INCLUDED

1 xm Post Leg (as specified) and mounting hardware.

NOTES

Cannot be used to create freestanding worksurfaces.

Levelers have an Anodized Aluminum finish.

PRODUCT OPTIONS

Leg Type	Finish
1 Fixed	Foundation
2 Adjustable	Mica

SAMPLE ORDER CODE

TXPL 1	N
--------	---

LEG TYPE	PRICING	
	Foundation	Mica
1	130	145
2	166	183

On-Module Corner Brackets provide on-module worksurface support in a corner or at the end of a worksurface. It can be applied in a right or left hand position.


WHAT'S INCLUDED

2 brackets (left & right), with integral safety hook, 2 anti-dislodgement clips.

NOTES

This product can only be used with Acoustic Elements (THA), Tackable Elements (TTA) or Wood Elements (TFE).

T L C B
On-Module Corner Brackets



Altos On-Module Corner Brackets provide on-module worksurface support in a corner or at the end of a worksurface. It can be applied in a right or left hand position.


WHAT'S INCLUDED

2 brackets (left & right), with integral safety hook, 2 anti-dislodgement clips.

NOTES

This product attaches to the wall-slotted vertical. Height can be adjusted in 1" increments at the time of installation or reconfiguration.

F L C B
Altos On-Module Corner Brackets



PRODUCT OPTIONS

Finish

Foundation

Mica

SAMPLE ORDER CODE

FLCB


TLCB
ON-MODULE CORNER BRACKETS

Foundation	Mica
30 / Pair	30 / Pair

FLCB
ALTOS ON-MODULE CORNER BRACKETS

Foundation	Mica
35 / Pair	35 / Pair

T L F P
Flush Plates



The Flush Plate ensures alignment between adjacent worksurfaces and is used in conjunction with other worksurface supports.

WHAT’S INCLUDED
2 Flush Plates, fasteners.

NOTES
This product is Black.

PRICING

44 / Pair

The Modesty Panel provides seated privacy to freestanding and semi-supported workspaces. It has an integral wire management tray and allows easy wire flow.

WHAT'S INCLUDED


1 Modesty Panel, wire tray, and mounting screws.

NOTES

Please see the worksurface dimensions page to determine the appropriate width of the Modesty Panel to be specified.

Wire tray and mounting hardware are Black.

A C M P
Modesty Panel



PRODUCT OPTIONS

Width	Finish
15, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	Foundation Mica

SAMPLE ORDER CODE

ACMP 27	8
---------	---


DIMENSIONS
INCHES / MM

W
15 / 381
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524

PRICING

Foundation	Mica
201	225
222	243
227	250
243	267
250	275
258	284
267	292
275	302
291	321
300	328
308	340
314	347
331	369
344	380
350	386

T L M O
FS Modesty Panel



The FS Modesty Panel is used with c-leg or flush end supports and provides structural support and visual privacy to Transit Freestanding units.

WHAT’S INCLUDED

1 FS Modesty Panel, integral wire tray.

NOTES

The FS Modesty Panel width matches the width of the corresponding worksurface.

The Regular Type Modesty (TLM01) is used with all straight applications.

The Corner Type Modesty (TLM02) is used with a corner c-leg support (TLCL_5) and is 1" less in width than the regular FS Modesty Panel.

PRODUCT OPTIONS

Type	Width	Finish
1 Regular	24, 30, 36, 42, 48, 54, 60, 66, 72	Foundation
2 Corner		Mica

SAMPLE ORDER CODE

TLMO 2	60	J
--------	----	---

194

DIMENSIONS
INCHES / MM

W
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524
66 / 1676
72 / 1829

PRICING

Foundation	Mica
225	262
241	278
265	302
285	324
310	347
328	365
352	389
375	413
395	436

Mounting Kits are used to retrofit supports used in freestanding or panel-mounted applications.

WHAT'S INCLUDED


Mounting Kit, fasteners.

NOTES

The Panel-Mounted Kits (1C, 1F) are Black.

T L M K

Mounting Kits



PRODUCT OPTIONS

Type	Finish
1C TLCL Panel Mount	Foundation Mica
1F TLFE Panel Mount	
3C TLCL FS Single	
3F TLFE FS Single	
4C TLCL FS Shared	
5C TLCL FS Corner	

SAMPLE ORDER CODE

TLMK 4C	9
---------	---

TYPE

1C
1F
3C
3F
4C
5C

PRICING


Foundation	Mica
68	n/a
68	n/a
68	68
68	68
68	68
68	68

H W B

Fixed-Height Thin Panel Mount Bracket (Lyft)

Fixed Height Thin Panel Mount Brackets mount to the mid rail of Lyft Standard and Segmented Thin Panels, providing worksurface support.

WHAT'S INCLUDED
2 Brackets.




H W B A

Adjustable-Height Thin Panel Mount Bracket (Lyft)

The Adjustable Height Thin Panel Mount Bracket mounts to Lyft Standard and Segmented Thin Panels, providing worksurface support with a height-adjustment range of 26" to 32".

WHAT'S INCLUDED
1 bracket.



196

PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

HWBA

HWB FIXED-HEIGHT THIN PANEL MOUNT BRACKET (LYFT)	
Foundation	Mica
59 / Pair	63 / Pair


HWBA ADJUSTABLE-HEIGHT THIN PANEL MOUNT BRACKET (LYFT)	
Foundation	Mica
159	165

The End Gable connects to Lyft Thin Panels and worksurfaces to provide structural support at the end of a worksurface run.

WHAT'S INCLUDED

End Gable, bracket, infill panel (if specified).

HEG
End Gable (Lyft)



PRODUCT OPTIONS

Depth	Infill Panel	Finish
24, 30	0 None 1 One	Foundation Mica

SAMPLE ORDER CODE

HEG 24	1	J
--------	---	---

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

WITHOUT INFILL PANEL (0)		WITH INFILL PANEL (1)	
Foundation	Mica	Foundation	Mica
236	250	280	293
266	279	310	323


HWP

Worksurface Supporting Pedestal
Kit (Lyft)

The Worksurface Supporting Pedestal Kit in combination with a Pedestal provides structural support when mounted to worksurfaces and Lyft Thin Panels.

WHAT'S INCLUDED

Worksurface support rail, panel attachment bracket and hardware, infill panel (as specified).



PRODUCT OPTIONS

Pedestal Depth	Worksurface Depth	Filler Panel	Finish
18, 20, 22, 28	24, 30	0 None 1 One	Foundation Mica

SAMPLE ORDER CODE

HWP 18	24	1	E
--------	----	---	---

198

DIMENSIONS
INCHES / MM

PD	WD
18 / 457	24 / 610
18 / 457	30 / 762
20 / 508	24 / 610
20 / 508	30 / 762
22 / 559	24 / 610
22 / 559	30 / 762
28 / 711	24 / 610
28 / 711	30 / 762

PRICING

WITHOUT INFILL PANEL (0)		WITH INFILL PANEL (1)	
Foundation	Mica	Foundation	Mica
107	113	165	179
107	113	165	179
107	113	165	179
107	113	165	179
107	113	165	179
107	113	165	179
107	113	165	179

transit freestanding

transit freestanding

PRODUCT MAP203

FREESTANDING DESK BASICS204

FREESTANDING EDGE TRIM STYLE OVERVIEW205


PRODUCT LISTING206

product map

T D R F F Freestanding Rectangular Desk (Flush Ends)


Page 206

Depth: 24" & 30" / Width: 30" - 72"

**T D R C C Freestanding Rectangular Desk (C-Legs)**


Page 207

Depth: 24" & 30" / Width: 30" - 72"

**T R R F C Rectangular Return (Flush End/C-Leg)**


Page 208

Depth: 24" & 30" / Width: 30" - 60"

**T R R C C Rectangular Return (C-Legs)**


Page 209

Depth: 24" / Width: 30" - 60"

**T R E F C EDP Return (Flush End/C-Leg)**


Page 210

Depth A: 24" / Width: 30" - 60" / Depth B: 30"

**T R E F N EDP Return (Flush End)**


Page 211

Depth A: 24" / Width: 30" - 60" / Depth B: 30"

**T B R N N Rectangular Bridge**


Page 212

Depth: 24" & 30" / Width: 30" - 60"

**T R B S Bullet Return**


Page 214

Depth: 24" - 36" / Width: 48" - 72"

**T R C F C Radius Corner with Return (Flush End/C-Legs)**


Page 216

Depth: 24" & 30" / Width A: 36" - 48" / Width B: 48" - 72"

**T L R A Corner Linking Worksurface**

Page 218

Depth: 24" & 30"




transit freestanding

freestanding desk basics

Freestanding Transit is a desking system that can be used on its own or in a variety of other environments including Altos and drywall offices. It combines existing Transit worksurfaces, Modesty Panels, and supports into preconfigured units.




! All freestanding units are height-adjustable



freestanding edge trim style overview

The chart below indicates which edge trim style can be specified with all Transit worksurface finishes.

! Shading indicates user edge

	Foundation Laminate Surface	Flintwood Surface	Non-User Edge
Flat (8) All Edges		n/a	Finished in a matching PVC Flat Trim
Bullnose (2) User Edge Only		n/a	Finished in a matching PVC Flat Trim
Flintwood * Flat (9) User Edge Only	n/a		See legend below
Flintwood * Bullnose (3) User Edge Only	n/a		See legend below


* Where a Flat Trim is specified for user edge only, non-user edges are also finished with matching Flat Trim.

* If Flintwood Trim is specified with a Foundation Laminate surface, a matching default PVC Trim is applied to the non-user edges. Pecan Flintwood Trim is an exception. A matching Flintwood trim is applied when Pecan trim is specified. The matching Flintwood/PVC combinations are:

- | | | |
|--|--|---|
| 1. Flintwood Flax/Maple Tone PVC | 4. Flintwood Red Cherry/Cherry PVC | 7. Flintwood Medium Sycamore/Mahogany PVC |
| 2. Flintwood Sable/Black PVC | 5. Flintwood Pecan/Pecan Flintwood | 8. Flintwood Dark Walnut/Black PVC |
| 3. Flintwood Chianti/Mahogany Tone PVC | 6. Flintwood Sycamore/Italian Yew Tone PVC | 9. Flintwood Black Walnut/Black PVC |

T D R F F

Freestanding Rectangular Desk (Flush Ends)



The Freestanding Rectangular Desk (Flush Ends) can stand alone or be used in combination with other freestanding units and can migrate between freestanding and panel applications.

WHAT'S INCLUDED

1 Rectangular Worksurface (TWRR), 2 Flush Ends (TLFE_3), 1 FS Modesty Panel (TLMO).

NOTES

The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24, 30	30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TDRFF 30	60	RG	2	GR	G
-----------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

D	W
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1222	1315	1499	1567
1275	1375	1617	1697
1380	1488	1767	1862
1426	1540	1828	1936
1541	1672	1864	1992
1598	1728	1905	2045
1660	1812	1957	2111
1718	1863	2007	2172
1296	1397	1652	1718
1367	1470	1795	1879
1519	1623	1857	1953
1551	1666	1896	2005
1637	1784	1950	2071
1660	1837	2002	2135
1795	1956	2090	2240
1872	2044	2196	2355

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1576	1652
1698	1789
1861	1961
1924	2038
1966	2097
2005	2152
2061	2224
2113	2287
1734	1809
1891	1977
1956	2056
1997	2112
2049	2179
2105	2247
2202	2360
2310	2480

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829

If Mica is specified, add 113

The Freestanding Rectangular Desk (C-Legs) can stand alone or be used in combination with other freestanding units and can migrate between freestanding and panel applications.


WHAT'S INCLUDED

1 Rectangular Worksurface (TWRR), 2 C-Legs (TLCL_3), 1 FS Modesty Panel (TLMO).

NOTES

The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

T D R C C Freestanding Rectangular Desk (C-Legs)



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24, 30	30, 36, 42, 48, 54, 60, 66, 72	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TDRCC 30	72	RG	2	GR	G
-----------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

D	W
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1285	1376	1557	1624
1336	1436	1672	1757
1440	1546	1826	1922
1487	1602	1886	1994
1603	1732	1924	2048
1658	1791	1962	2103
1722	1872	2013	2168
1775	1925	2066	2231
1354	1458	1705	1773
1426	1533	1854	1935
1576	1686	1919	2010
1608	1727	1955	2065
1698	1842	2005	2130
1722	1896	2058	2196
1856	2014	2148	2296
1929	2104	2252	2414

FLINTWOOD


Wood Flat Trim	Wood Bullnose Trim
1637	1713
1761	1850
1923	2022
1986	2100
2025	2158
2068	2211
2120	2280
2174	2345
1795	1870
1952	2037
2014	2115
2057	2172
2112	2240
2167	2310
2263	2421
2367	2540

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829

If Mica is specified, add 113

TRRFC
Rectangular Return
(Flush End/C-Leg)



The Rectangular Return (Flush End/C-Leg) is a semi-supported unit that may be used as a return or at the end of a run of desks and can migrate between freestanding and panel applications.

WHAT’S INCLUDED
1 Rectangular Worksurface (TWRR), 1 Flush End (TLFE_3), 1 C-Leg (TLCL_4), 1 FS Modesty Panel (TLMO).

NOTES
The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24, 30	30, 36, 42, 48, 54, 60	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TRRFC 30	54	FN	3	FN	R
----------	----	----	---	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1240	1331	1513	1582	1594	1663
1291	1392	1628	1716	1717	1800
1398	1503	1785	1879	1878	1977
1439	1557	1842	1952	1939	2055
1559	1688	1882	2005	1979	2112
1615	1745	1921	2061	2021	2168
1309	1409	1661	1730	1752	1821
1379	1488	1812	1893	1905	1992
1533	1637	1873	1968	1971	2071
1565	1684	1912	2021	2011	2128
1655	1795	1962	2084	2068	2198
1680	1852	2013	2149	2120	2265

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524

If Mica is specified, add 113

The Rectangular Return (C-Legs) is a semi-supported unit. It is used as a return or that may be end of a run of desks and can migrate between freestanding and panel applications.


WHAT'S INCLUDED

1 Rectangular Worksurface (TWRR), 2 C-Legs (1 TLCL_3, 1 TLCL_4), 1 FS Modesty Panel (TLMO).

NOTES

The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

TRRCC Rectangular Return (C-Legs)



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24	30, 36, 42, 48, 54, 60	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TRRCC 24	66	FC	2	JY	J
-----------------	-----------	-----------	----------	-----------	----------

DIMENSIONS INCHES / MM

D	W
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1268	1361	1540	1608
1323	1423	1657	1742
1427	1533	1813	1906
1468	1588	1872	1979
1589	1719	1909	2035
1642	1774	1950	2089

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1623	1694
1745	1831
1906	2007
1969	2083
2010	2142
2049	2200


OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524

If Mica is specified, add 113

TREFC

EDP Return (Flush End/C-Leg)



The EDP Return (Flush End/C-Leg) is a semi-supported unit that may be used as a return or at the end of a run of units and can migrate between freestanding and panel applications.

WHAT'S INCLUDED
1 EDP Worksurface (TWES), Flush End (TLFE_3), 1 C-Leg (TLCL_4) 1 FS Modesty Panel (TLMO).

NOTES
The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24	30, 36, 42, 48, 54, 60	30	L Left (Shown) R Right	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TREFC 24	42	30	L	FN	9	FN	E
----------	----	----	---	----	---	----	---

DIMENSIONS
INCHES / MM

Da	W	Db
24 / 610	30 / 762	30 / 762
24 / 610	36 / 914	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1507	1536	1907	2025	2008	2132
1559	1589	1981	2105	2087	2214
1607	1640	2058	2190	2167	2306
1659	1693	2137	2273	2248	2394
1773	1813	2185	2343	2303	2466
1800	1842	2240	2415	2360	2542

OTHER DIMENSIONS

'A'	Worksurface Tray Width	Table Rail Width
24 / 610	12 / 305	24 / 610
30 / 762	18 / 457	30 / 762
36 / 914	24 / 610	36 / 914
42 / 1067	39 / 991	42 / 1067
48 / 1219	45 / 1143	48 / 1219
54 / 1372	51 / 1295	54 / 1372

If Mica is specified, add 113

The EDP Return (Flush End) is a semi-supported unit that may be used as a return or at the end of a run of units and can migrate between freestanding and panel applications.


WHAT'S INCLUDED

1 EDP Worksurface (TWES), Flush End (TLFE_3), 1 FS Modesty Panel (TLMO), fasteners.

NOTES

The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

TREFN EDP Return (Flush End)



PRODUCT OPTIONS

Depth A	Width	Depth B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24	30, 36, 42, 48, 54, 60	30	L Left R Right (Shown)	Foundation Laminate Wood Veneer Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TREFN 24	60	30	L	FN	9	FN	E
----------	----	----	---	----	---	----	---

DIMENSIONS INCHES / MM

Da	W	Db
24 / 610	30 / 762	30 / 762
24 / 610	36 / 914	30 / 762
24 / 610	42 / 1067	30 / 762
24 / 610	48 / 1219	30 / 762
24 / 610	54 / 1372	30 / 762
24 / 610	60 / 1524	30 / 762

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1097	1127	1520	1635
1150	1181	1595	1718
1200	1231	1668	1798
1251	1285	1748	1886
1367	1402	1797	1955
1395	1432	1853	2025

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1600	1722
1681	1809
1759	1895
1840	1986
1894	2057
1951	2132


OTHER DIMENSIONS

'A'	Worksurface Tray Width	Table Rail Width
24 / 610	12 / 305	24 / 610
30 / 762	18 / 457	30 / 762
36 / 914	24 / 610	36 / 914
42 / 1067	39 / 991	42 / 1067
48 / 1219	45 / 1143	48 / 1219
54 / 1372	51 / 1295	54 / 1372

If Mica is specified, add 113

T B R N N

Rectangular Bridge



The Rectangular Bridge is used to connect two adjacent semi-supported units and can migrate between freestanding and panel applications.

WHAT’S INCLUDED
1 Rectangular Worksurface (TWRR), 1 FS Modesty Panel (TLMO).

NOTES
The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24, 30	30, 36, 42, 48, 54, 60	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TBRNN 24	48	LN	3	FX	E
----------	----	----	---	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	30 / 762
24 / 610	36 / 914
24 / 610	42 / 1067
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
30 / 762	30 / 762
30 / 762	36 / 914
30 / 762	42 / 1067
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524

PRICING


FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
466	555	778	850	822	891
519	617	893	979	940	1028
625	730	1050	1143	1104	1205
668	784	1109	1218	1164	1282
785	915	1148	1270	1207	1337
838	970	1186	1325	1248	1397
505	605	901	967	947	1019
575	682	1049	1128	1103	1188
730	834	1110	1205	1167	1267
761	879	1149	1257	1208	1324
852	991	1200	1323	1264	1393
873	1049	1252	1384	1319	1461

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
18 / 457	30 / 762
24 / 610	36 / 914
30 / 762	42 / 1067
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524

If Mica is specified, add 37

TRBS
Bullet Return



The Buller Return is a semi-supported unit that may be used as a return and can migrate between freestanding and panel applications.

WHAT’S INCLUDED
1 Bullet Top Worksurface (TWBS), 2 C-Legs (TLCL_3, TLCL_4), 1 Monoleg (TLSM) or Open End (TLOE), 1 FS Modesty Panel (TLMO).

NOTES
The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

End Support	Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
M Monoleg O Open End	24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TRBS M	30	48	FS	3	FS	E
--------	----	----	----	---	----	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
MONOLEG END SUPPORT (M)					
1691	1737	2621	3013	2757	3172
1704	1757	2664	3070	2805	3231
1721	1768	2710	3128	2853	3295
1775	1797	2787	3249	2935	3416
1830	1880	2868	3360	3021	3536
1818	1858	2679	3086	2818	3249
1837	1879	2724	3141	2868	3307
1854	1897	2773	3197	2916	3366
1901	1933	2849	3318	2998	3490
1978	2014	2928	3434	3083	3615
2010	2034	3298	3714	3473	3906
2034	2057	3363	3788	3540	3990
2057	2081	3429	3868	3612	4076
2100	2144	3522	3998	3709	4211
2142	2200	3616	4130	3805	4348

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
33 / 838	36 / 914
39 / 991	48 / 1219
45 / 1143	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
33 / 838	36 / 914
39 / 991	48 / 1219
45 / 1143	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
33 / 838	36 / 914
39 / 991	48 / 1219
45 / 1143	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676

If Mica is specified, add 154

Pricing is continued on the following page.

T R B S

Bullet Return (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
-----------	---------------	----------------	--------------------

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
----------------	--------------------

MONOLEG END SUPPORT (M)

1785	1829	2708	3098	2849	3261
1795	1848	2751	3158	2897	3325
1813	1861	2797	3217	2944	3385
1870	1891	2875	3331	3026	3508
1923	1971	2955	3447	3111	3628
1939	1980	2792	3196	2942	3365
1957	2001	2839	3256	2989	3426
1974	2019	2885	3316	3037	3489
2022	2055	2964	3432	3121	3613
2100	2137	3042	3550	3202	3735
2147	2169	3427	3842	3609	4045
2169	2196	3493	3921	3676	4126
2196	2215	3558	3998	3746	4211
2236	2279	3650	4129	3844	4347
2278	2335	3744	4259	3941	4483


OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
33 / 838	36 / 914
39 / 991	48 / 1219
45 / 1143	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676
33 / 838	36 / 914
39 / 991	48 / 1219
45 / 1143	54 / 1372
51 / 1295	60 / 1524
51 / 1295	66 / 1676

If Mica is specified, add 154

TRCFC

Radius Corner with Return
(Flush End/C-Legs)



The Radius Corner with Return (Flush End/C-Leg) is a semi-supported that may be used in conjunction with returns or bridge units and can migrate between freestanding and panel applications.

- WHAT'S INCLUDED**
- 1 Radius Corner Worksurface with Return (TWCR), Flush End (TLFE_3), 2 C-Legs (TLCL_4, TLCL_5), 2 FS Modesty, Panels (TLMO_2).
- NOTES**
- The modesty panel and supports can only be specified in one finish. For other finish combinations, the desk can be built up by components.

PRODUCT OPTIONS

Depth	Width A	Width B	Orientation	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Modesty & Support Finish
24, 30	36, 42, 48	48, 54, 60, 66, 72	L Left (Shown) R Right	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood	Foundation Mica

SAMPLE ORDER CODE

TRCFC 24	48	72	L	LS	2	NV	J
----------	----	----	---	----	---	----	---

DIMENSIONS
INCHES / MM

D	Wa	Wb
24 / 610	36 / 914	48 / 1219
24 / 610	36 / 914	54 / 1372
24 / 610	36 / 914	60 / 1524
24 / 610	36 / 914	66 / 1676
24 / 610	36 / 914	72 / 1829
24 / 610	42 / 1067	48 / 1219
24 / 610	42 / 1067	54 / 1372
24 / 610	42 / 1067	60 / 1524
24 / 610	42 / 1067	66 / 1676
24 / 610	42 / 1067	72 / 1829
24 / 610	48 / 1219	54 / 1372
24 / 610	48 / 1219	60 / 1524
24 / 610	48 / 1219	66 / 1676
24 / 610	48 / 1219	72 / 1829

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
2317	2352	3350	3488	3525	3671
2595	2644	3414	3566	3594	3755
2630	2682	3472	3643	3652	3833
2711	2767	3573	3761	3760	3960
2750	2805	3672	3881	3866	4083
2366	2402	3524	3672	3710	3866
2658	2711	3591	3760	3781	3958
2701	2751	3650	3839	3844	4042
2780	2838	3760	3967	3959	4177
2817	2877	3868	4093	4076	4309
2725	2781	3777	3961	3976	4170
2766	2819	3840	4046	4044	4257
2849	2911	3959	4181	4165	4403
2888	2950	4077	4317	4287	4545

OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829

If Mica is specified, add 190

Pricing is continued on the following page.

T R C F C **Radius Corner with Return** **(Flush End/C-Legs) (Continued)**

DIMENSIONS **INCHES / MM**

D	Wa	Wb
30 / 762	36 / 914	48 / 1219
30 / 762	36 / 914	54 / 1372
30 / 762	36 / 914	60 / 1524
30 / 762	36 / 914	66 / 1676
30 / 762	36 / 914	72 / 1829
36 / 914	42 / 1067	48 / 1219
36 / 914	42 / 1067	54 / 1372
36 / 914	42 / 1067	60 / 1524
36 / 914	42 / 1067	66 / 1676
36 / 914	42 / 1067	72 / 1829
36 / 914	48 / 1219	48 / 1219
36 / 914	48 / 1219	54 / 1372
36 / 914	48 / 1219	60 / 1524
36 / 914	48 / 1219	66 / 1676
36 / 914	48 / 1219	72 / 1829

If Mica is specified, add 190

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
2349	2386	3415	3557
2637	2685	3482	3640
2673	2725	3538	3716
2753	2812	3643	3837
2791	2849	3744	3959
2400	2437	3594	3750
2703	2755	3665	3834
2738	2792	3727	3919
2822	2883	3834	4048
2863	2919	3947	4178
2458	2496	3766	3929
2770	2829	3862	4048
2808	2866	3926	4136
2896	2958	4046	4278
2935	2996	4163	4416

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
3596	3744
3665	3828
3725	3910
3833	4038
3941	4165
3782	3947
3858	4036
3923	4124
4036	4259
4155	4398
3966	4136
4064	4260
4131	4352
4257	4501
4383	4651


OTHER DIMENSIONS

Worksurface Tray Width	Table Rail Width
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829
36 / 914	48 / 1219
42 / 1067	54 / 1372
48 / 1219	60 / 1524
54 / 1372	66 / 1676
60 / 1524	72 / 1829

TLRA
Corner Linking Worksurface

The Corner Linking Worksurface connects units in 90° applications and must be connected to other freestanding or semi supported units of the same depth.

WHAT'S INCLUDED
1 worksurface.



PRODUCT OPTIONS

Depth	Worksurface Finish	Edge Trim Style	Edge Trim Finish
24, 30	Foundation Laminate Flintwood	2 Bullnose 3 Flintwood Bullnose 8 Flat 9 Flintwood Flat	Edge Trim Colors Flintwood

SAMPLE ORDER CODE

TLRA 24	FC	9	FC
---------	----	---	----

DIMENSIONS
INCHES / MM

D
24 / 610
30 / 762

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
254	331	810	898	855	944
395	486	1085	1193	1142	1257

ability tables

ability tables

PRODUCT MAP223

WORK TABLE BASICS224

WORK TABLE EDGE TRIM STYLE OVERVIEW225

PARTNER TABLE BASICS226


PARTNER TABLE EDGE TRIM STYLE OVERVIEW227

DESK-MOUNTED TABLE ACCESSORY BASICS228

PRODUCT LISTING230


A W R E Rectangular Table

Page 230
Depth: 24", 30 & 36" / Width: 48" – 72"



A W R A Racetrack Table

Page 232
Depth: 24", 30" & 36" / Width: 48" – 72"



A P H O Hoola

Page 234
Diameter: 36" & 42"



A P B L Blink

Page 235
Depth: 24" & 30" / Width: 36" & 42"




A P D E Dew

Page 236
Depth: 24" & 30" / Width: 36" & 42"




A C T T Table Tray

Page 237
Width: 12" – 72"



A C M P Modesty Panel



Page 238
Width: 15" – 60" / Height: 15"




work table basics

Work Tables are multi-purpose mobile tables that can be moved easily within and between open plan and systems environments.


- Ability Work Tables are functionally and aesthetically compatible with T/O/S, Transit and Leverage systems
- Work Table surfaces are 1" thick and are available in a selection of Flintwood stains and Foundation and colors with four edge trim styles, Bullnose, Flat, Flintwood Bullnose and Flintwood Flat
- Two dual leg supports are the standard surface support for all Work Tables and are available in Foundation and Mica colors
- Can be ordered with casters, levelers, or lockable casters (two back casters will be lockable, if lockable casters are specified). Casters and levelers are Black
- A Table Tray can be ordered as part of all Work Tables, excluding the Bean Table (AWBE), or it can be ordered as a separate product. The Table Tray is Black
- All dimensions and dimension codes are nominal



Adds approx. 1" height to table




1" leveling range



Leg Supports

- Height can be adjusted, (in 1" increments) by simply adjusting the screw positions on each leg
- Height adjustment range of 26" – 32" with levelers
- Height adjustment range of 27" – 33" with casters








Rectangular Table (AWRE)

Racetrack Table (AWRA)

work table edge trim style overview

The chart below indicates which edge trim style can be specified with all Ability table surface finishes.


 Shading indicates user edge

	Foundation Laminate Surface	Flintwood Surface
Flat (8) All Edges		n/a
Bullnose (2) All Edges		n/a
Flintwood Flat (9) All Edges		
Flintwood Bullnose (3) All Edges		

partner table basics

Partner Tables are collaborative mobile tables that can be moved easily within and between open plan and systems environments providing a surface to accommodate up to four guests.



- Ability Partner Tables are functionally and aesthetically compatible with T/O/S, Transit and Leverage systems
- Four single leg supports are the standard surface support for all Partner Tables and are available in Foundation and Mica colors
- Surfaces are 1" thick and are available in a selection of Flintwood stains and Foundation colors with four edge trim styles, Bullnose, Flat, Flintwood Bullnose and Flintwood Flat
- Can be ordered with casters, levelers, or lockable casters. When lockable casters are specified, all four casters will be lockable. Casters and levelers are Black
- Partner Tables do **not** accept Table Accessories
- Partner Tables are wider than standard doorways; therefore, they **cannot** be rolled through doorways
- All dimensions and dimension codes are nominal




226

Leg Supports

- Height can be adjusted, (in 1" increments) by simply adjusting the screw positions on each leg
- Height adjustment range of 26" – 32" with levelers
- Height adjustment range of 27" – 33" with casters




Adds approx.
1" height to table




1" leveling range


Surface Shape Options



Hoola (APHO)



Blink (APBL)








Dew (APDE)

partner table edge trim style overview

The chart below indicates which edge trim style can be specified with all Ability table surface finishes.


 Shading indicates user edge

	Foundation Laminate Surface	Flintwood Surface
Flat (8) All Edges		n/a
Bullnose (2) All Edges		n/a
Flintwood Flat (9) All Edges		
Flintwood Bullnose (3) All Edges		

desk-mounted table accessory basics

Ability offers desk-mounted accessories to enhance workspace organization.

! All dimensions and dimension codes are nominal



Modesty Panel (ACMP)

- Provides non-tackable seated privacy at Ability Tables
- Mounts beneath the surface between the rear legs
- Should be positioned 7 1/2" from the edge of the surface for adequate knee space
- Can be applied in conjunction with table accessories such as Table Rail (ACTR) and Table Tray (ACTT)
- A 1" **wire management gap** at the top allows cables to be brought to worksurface level
- Modesty Panel widths differ depending on the size and shape of the table to which is it being applied
- Available in Foundation and Mica colors





Table Tray (ACTT)

- Attaches to the underside of a table and is intended for routing wires externally from a panel environment to the table or from table-to-table
- **Not** intended for the routing of extension cords
- Can be used only on straight edges
- **Not** visible above the worksurface
- Can be ordered as part of the table or separately
- **Cannot** be used on the Bean Table
- Tray widths differ depending on the size and shape of the table to which is it being applied. See chart on the following pages
- If a Table Tray (ACTT) is being applied to the same surface as the Table Rail (ACTR), the Table Tray width must be at least 12" (nominal) less than the Table Rail width in order to clear the Table Rail clamps
- Finished in Black

AWRE
Rectangular Table



The Rectangular Table is mobile with height-adjustable legs available with casters or levelers.

WHAT’S INCLUDED
1 worksurface, 2 dual leg supports, levelers or casters (as specified), Table Tray (ACTT) (if specified).

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Assembly Finish	Table Tray	Caster/Leveler
24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate Flintwood	2 Bullnose Trim 3 Flintwood Bullnose Trim 8 Flat Trim 9 Flintwood Flat Trim	Edge Trim Colors Flintwood	Foundation Mica	1 Yes 2 No	C Casters L Levelers K Lockable Casters

SAMPLE ORDER CODE

AWRE 30	60	LN	8	NV	G	2	K
---------	----	----	---	----	---	---	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

No Table Tray (2)					
FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
991	1041	1462	1478	1877	2649
1091	1144	1538	1546	1926	2713
1098	1151	1646	1661	1970	2774
1164	1219	1763	1798	2026	2853
1172	1232	1831	1847	2075	2928
1089	1141	1546	1577	1930	2726
1155	1214	1658	1694	1994	2807
1164	1222	1760	1787	2045	2885
1268	1332	1863	1883	2160	3045
1273	1338	1969	1977	2269	3201
1281	1345	1804	2108	2532	3572
1455	1528	2047	2394	2878	4058
1462	1535	2060	2411	2894	4081
1570	1647	2211	2585	3108	4384
1580	1658	2224	2602	3122	4405

If Lockable Casters are specified, add 30
If Mica is specified, add 61

Additional pricing is continued on the following page.

A W R E

Rectangular Table (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

With Table Tray (1)

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1029	1076	1500	1513
1128	1184	1577	1584
1137	1191	1688	1700
1204	1262	1803	1839
1217	1278	1875	1894
1126	1177	1582	1613
1193	1250	1696	1732
1202	1262	1798	1827
1307	1372	1901	1925
1314	1378	2007	2016
1317	1380	1840	2144
1492	1565	2084	2430
1503	1575	2100	2449
1610	1689	2252	2625
1618	1697	2262	2642

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
1914	2685
1964	2752
2008	2812
2068	2896
2120	2971
1967	2763
2032	2843
2084	2927
2200	3085
2310	3239
2572	3609
2916	4097
2933	4120
3146	4421
3163	4445


If Lockable Casters are specified, add 30

If Mica is specified, add 61

AWRA
Racetrack Table

The Racetrack Table is mobile with height-adjustable legs available with casters or levelers.

WHAT'S INCLUDED
1 worksurface, 2 dual leg supports, levelers or casters (as specified), Table Tray (ACTT) (if specified).



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Assembly Finish	Table Tray	Caster/Leveler
24, 30, 36	48, 54, 60, 66, 72	Foundation Laminate Flintwood	2 Bullnose Trim 3 Flintwood Bullnose Trim 8 Flat Trim 9 Flintwood Flat Trim	Edge Trim Colors Flintwood	Foundation Mica	1 Yes 2 No	C Casters L Levelers K Lockable Casters

SAMPLE ORDER CODE

AWRA 36	66	LN	2	NV	G	1	C
---------	----	----	---	----	---	---	---

DIMENSIONS

PRICING

No Table Tray (2)							
FOUNDATION LAMINATE				FLINTWOOD			
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim		
24 / 610	48 / 1219	1023	1073	1996	2401	2521	3057
24 / 610	54 / 1372	1119	1176	2321	2776	2592	3172
24 / 610	60 / 1524	1127	1182	2344	2820	2662	3283
24 / 610	66 / 1676	1198	1256	2517	3047	2751	3424
24 / 610	72 / 1829	1205	1267	2541	3078	2840	3558
30 / 762	48 / 1219	1119	1176	2227	2635	2656	3205
30 / 762	54 / 1372	1186	1246	2592	3115	2749	3345
30 / 762	60 / 1524	1197	1256	2622	3140	2841	3485
30 / 762	66 / 1676	1298	1362	2695	3245	3022	3722
30 / 762	72 / 1829	1305	1371	2701	3266	3206	3967
36 / 914	48 / 1219	1312	1378	2433	2868	3075	3673
36 / 914	54 / 1372	1484	1560	2643	3131	3183	3829
36 / 914	60 / 1524	1492	1568	2855	3397	3288	3980
36 / 914	66 / 1676	1602	1681	3043	3659	3501	4258
36 / 914	72 / 1829	1612	1693	3124	3777	3714	4532

If Lockable Casters are specified, add 30
If Mica is specified, add 61

Additional pricing is continued on the following page.

AWRA

Racetrack Table (Continued)

DIMENSIONS INCHES / MM

D	W
24 / 610	48 / 1219
24 / 610	54 / 1372
24 / 610	60 / 1524
24 / 610	66 / 1676
24 / 610	72 / 1829
30 / 762	48 / 1219
30 / 762	54 / 1372
30 / 762	60 / 1524
30 / 762	66 / 1676
30 / 762	72 / 1829
36 / 914	48 / 1219
36 / 914	54 / 1372
36 / 914	60 / 1524
36 / 914	66 / 1676
36 / 914	72 / 1829

PRICING

With Table Tray (1)

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1058	1108	2030	2436
1156	1215	2359	2812
1165	1221	2383	2860
1237	1295	2555	3086
1246	1305	2580	3118
1154	1210	2261	2670
1222	1281	2626	3150
1232	1292	2659	3175
1336	1403	2735	3283
1346	1410	2739	3304
1346	1411	2466	2902
1518	1594	2677	3167
1529	1603	2889	3431
1638	1718	3079	3695
1650	1732	3167	3817

FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
2555	3091
2627	3208
2701	3322
2791	3463
2879	3597
2690	3239
2785	3380
2878	3521
3064	3764
3245	4004
3108	3707
3217	3864
3326	4016
3538	4294
3754	4572

If Lockable Casters are specified, add 30

If Mica is specified, add 61

APHO
Hoola

The Hoola is a mobile table available with casters or levelers and can accommodate up to four guests.

WHAT’S INCLUDED
1 worksurface, 4 single legs, levelers or casters (as specified).



PRODUCT OPTIONS

Diameter	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Assembly Finish	Caster/Leveler
36, 42	Foundation Laminate Flintwood	2 Bullnose Trim	Edge Trim Colors Flintwood	Foundation Mica	C Casters K Lockable Casters L Levelers
		3 Flintwood Bullnose Trim			
		8 Flat Trim			
		9 Flintwood Flat Trim			

SAMPLE ORDER CODE

APHO 36	RA	2	BL	E	L
---------	----	---	----	---	---

DIMENSIONS
INCHES / MM

Dia
36 / 914
42 / 1067

PRICING

FOUNDATION LAMINATE				FLINTWOOD	
Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1062	1112	1602	2040	1874	2426
1217	1279	1827	2276	2169	2735

If Lockable Casters are specified, add 30
If Mica is specified, add 61

The Blink is a mobile table available with casters or levelers and can accommodate up to four guests.


A P B L Blink

WHAT'S INCLUDED

1 worksurface, 4 single legs, levelers or casters (as specified).

NOTES

Not all depth/width combinations are available. Please see pricing for exact offering.



PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Assembly Finish	Caster/Leveler
24, 30	36, 42	Foundation Laminate Flintwood	2 Bullnose Trim 3 Flintwood Bullnose Trim 8 Flat Trim 9 Flintwood Flat Trim	Edge Trim Colors Flintwood	Foundation Mica	C Casters K Lockable Casters L Levelers

SAMPLE ORDER CODE

APBL 30	42	WE	8	TY	P	K
---------	----	----	---	----	---	---

DIMENSIONS INCHES / MM

D	W
24 / 610	36 / 914
30 / 762	42 / 1067

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1169	1226	1901	2475
1335	1402	2076	2595


FLINTWOOD

Wood Flat Trim	Wood Bullnose Trim
2254	2972
2475	3122

If Lockable Casters are specified, add 30

If Mica is specified, add 61

APDE
Dew



The Dew is a mobile table available with casters or levelers and can accommodate up to four guests.

WHAT’S INCLUDED

1 worksurface, 4 single legs, levelers or casters (as specified).

NOTES

Not all depth/width combinations are available. Please see pricing for exact offering.

PRODUCT OPTIONS

Depth	Width	Worksurface Finish	Edge Trim Style	Edge Trim Finish	Leg Assembly Finish	Caster/Leveler
24, 30	36, 42	Foundation Laminate Flintwood	2 Bullnose Trim 3 Flintwood Bullnose Trim 8 Flat Trim 9 Flintwood Flat Trim	Edge Trim Colors Flintwood	Foundation Mica	C Casters K Lockable Casters L Levelers

SAMPLE ORDER CODE

APDE 30	42	RD	2	SA	Y	L
---------	----	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W
24 / 610	36 / 914
30 / 762	42 / 1067

PRICING

FOUNDATION LAMINATE

Flat Trim	Bullnose Trim	Wood Flat Trim	Wood Bullnose Trim
1134	1189	1908	2492
1300	1362	2092	2622

FLINTWOOD

Wood Flat Trim	Wood Trim
2269	2998
2497	3157

If Lockable Casters are specified, add 30
If Mica is specified, add 61

The Table Tray attaches to the underside of an Ability table to manage casual wiring.


WHAT’S INCLUDED

1 tray with mounting screws.

NOTES

This product can be used only on straight edges.

ACTT
Table Tray



PRODUCT OPTIONS

Width
12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72

SAMPLE ORDER CODE


ACTT 57

DIMENSIONS INCHES / MM	PRICING
W	
12 / 305	31
15 / 381	31
18 / 457	33
21 / 533	33
24 / 610	33
27 / 686	34
30 / 762	34
33 / 838	35
36 / 914	36
39 / 991	36
42 / 1067	37
45 / 1143	38
48 / 1219	38
51 / 1295	41
54 / 1372	41
57 / 1448	43
60 / 1524	43
63 / 1600	43
66 / 1676	45
69 / 1753	45
72 / 1829	45

ACMP
Modesty Panel

The Modesty Panel provides seated privacy to Ability Work Tables and has an integral wire management tray which allows for easy wire flow.

WHAT'S INCLUDED
1 Modesty Panel, wire tray, and mounting screws.



PRODUCT OPTIONS

Width	Finish
15, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	Foundation Mica

SAMPLE ORDER CODE

ACMP 27	Y
---------	---

DIMENSIONS
INCHES / MM

W
15 / 381
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524

PRICING

Foundation	Mica
200	223
219	241
226	249
241	265
249	271
256	283
265	291
271	301
290	321
297	327
306	336
313	346
332	367
342	378
348	384

ability screens

ability screens

PRODUCT MAP243

MOBILE & EXPANDABLE SCREEN OVERVIEW244


MOBILE & EXPANDABLE SCREEN BASICS245

PRODUCT LISTING246

product map


A C M S N A Mobile Screen Translucent

Page 246
Height: 51", 66" & 72" / Width: 36" – 48"




A C M S N B Mobile Screen Whiteboard/ Whiteboard

Page 247
Height: 51", 66" & 72" / Width: 36", 42" & 48"




A C M S N C Mobile Screen Whiteboard/Fabric

Page 248
Height: 51", 66" & 72" / Width: 36", 42" & 48"




A C M S N D Mobile Screen Fabric/Fabric

Page 249
Height: 51", 66" & 72" / Width: 36" – 60"




A C E B Expandable Screen Fixed Translucent/ Sliding Fabric

Page 250
Height 51" & 66" / Width 72"




A C E D Expandable Screen Fixed Translucent/ Sliding Translucent

Page 251
Height 51" & 66" / Width 72" & 84"




A C E G Expandable Screen Fixed Fabric/Sliding Fabric

Page 252
Height 51" & 66" / Width 72"




A C E H Expandable Screen Fixed Fabric/ Sliding Translucent

Page 253
Height 51" & 66" / Width 72"




mobile & expandable screen overview


mobile screens




Mobile Translucent Screen (ACMSNA)
Available in widths of 36", 42" and 48"



Mobile Whiteboard/ Whiteboard Screen (ACMSNB)
Available in widths of 36", 42" and 48"




Mobile Whiteboard/ Fabric Screen (ACMSNC)
Available in widths of 36", 42" and 48"




Mobile Fabric/Fabric Screen (ACMSND)
Available in widths of 36", 42", 48" and 60"


expandable screens




Expandable Screen Fixed Translucent/Sliding Fabric (ACEB)
Available in 72" width



Expandable Screen Fixed Translucent/Sliding Translucent (ACED)
Available in 72" width




Expandable Screen Fixed Fabric/Sliding Fabric (ACEG)
Available in 72" width



Expandable Screen Fixed Fabric/Sliding Translucent (ACEH)
Available in 72" width

mobile & expandable screen basics

The Ability collection of mobile screens and expandable screens are designed to integrate with Teknion's broad product portfolio to provide utility, privacy and space division through the workplace.


**Mobile Screen (ACMSN_)**

- Provides a large scale boundary partition with a variety of finish options including translucent, whiteboard and fabric
- Available with casters or glides
- Whiteboard option includes one tray for markers
- Heights include 51", 66" and 72" and widths include 36", 42", 48" and 60" width depending on finish
- Dual sided fabric screens are tackable but when whiteboard is on the backside, the fabric is **not** tackable
- Fabric is applied "off the bolt", see *Fabrics and Finish Program* guide for more information
- The maximum width for whiteboards and translucent screen is 48" width

Expandable Screen (ACE_)

- Provides a mobile freestanding large scale partition with a combination of functional and aesthetic surfaces including, fabric and translucent
- Is expandable to provide visual and territorial privacy and provides a "door" solution for workstations and casual break out and lounge environments
- All options available in heights of 51" and 66"
- Available in 72" width (two 36" sections)
- Fabric is applied "off the bolt", see *Fabrics and Finish Program* guide for more information
- The sliding portion is always 36" width
- Expandable screens are handed

ACMSNA
Mobile Screen Translucent



The Mobile Screen Translucent provides visual privacy and space division.

WHAT'S INCLUDED
1 screen (as specified).

NOTES
Ribbed Frost (CG Textured) has horizontal ribs.
Standard Frost (FT) is Acrylic.

PRODUCT OPTIONS

Height	Width	Base	Screen Finish	Frame Finish
51, 66, 72	36, 42, 48	C Casters G Glide	CG Ribbed Textured FT Standard Frost	AC Anodized Foundation Mica

SAMPLE ORDER CODE

ACMSNA 51	48	C	FT	AC
-----------	----	---	----	----

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
72 / 1829	36 / 914
72 / 1829	42 / 1067
72 / 1829	48 / 1219

PRICING

TRANSLUCENT SCREEN

Ribbed Textured	Standard Frost
968	1423
1061	1483
1150	1544
1180	2118
1236	2179
1319	2240
1236	2300
1326	2361
1416	2421


If Mica Frame is specified, add 42
If Anodized Frame is specified, add 108

The Mobile Screen Whiteboard/Whiteboard provides visual privacy and space division with dual whiteboards.

WHAT'S INCLUDED

1 screen and 1 Platinum Grey tray included for markers.

ACMSNB Mobile Screen Whiteboard/Whiteboard



PRODUCT OPTIONS

Height	Width	Base	Frame Finish
51, 66, 72	36, 42, 48	C Casters G Glide	AC Anodized Foundation Mica

SAMPLE ORDER CODE

ACMSNB 51	36	C	AC
-----------	----	---	----

DIMENSIONS INCHES / MM


H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
72 / 1829	42 / 1067
72 / 1829	48 / 1219

PRICING

WHITEBOARD SCREEN

Foundation Frame	Mica Frame	Anodized Frame
1271	1314	1380
1513	1556	1622
1756	1798	1865
1786	1829	1896
1865	1906	1973
1938	1979	2046
2088	2132	2199
2149	2191	2258

ACMSNC
Mobile Screen Whiteboard/Fabric



The Mobile Screen Whiteboard/Fabric provides visual privacy and space division with whiteboard.

WHAT’S INCLUDED

1 screen and 1 Platinum Grey tray included for markers.

NOTES

Fabric is **not** tackable.

PRODUCT OPTIONS

Height	Width	Base	Screen Finish Side A	Screen Finish Side B	Frame Finish
51, 66, 72	36, 42, 48	C Casters G Glide	Whiteboard	Fabric	AC Anodized Foundation Mica

SAMPLE ORDER CODE

ACMSNC 66	36	C	W	M401	AZ
-----------	----	---	---	------	----

DIMENSIONS
INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
72 / 1829	42 / 1067
72 / 1829	48 / 1219

PRICING

WHITEBOARD/FABRIC SCREEN

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
1241	1247	1272	1300	1338	1378	1406	1448
1302	1307	1458	1488	1533	1578	1611	1659
1603	1611	1642	1676	1726	1777	1814	1870
1658	1665	1699	1734	1786	1838	1875	1933
1808	1816	1852	1892	1947	2004	2045	2106
1959	1968	2007	2048	2110	2172	2215	2283
1928	1938	1975	2014	2076	2137	2181	2247
2078	2088	2132	2175	2240	2306	2352	2424

If Mica Frame is specified, add 42

If Anodized Frame is specified, add 108

The Mobile Screen Fabric/Fabric provides visual privacy and space division with tackable fabric.

WHAT'S INCLUDED


1 screen (as specified).

NOTES

Fabric is tackable.

Can specify side A and side B with different Fabrics.

To determine overall price add screen finish side A plus side B as well as Frame Finish upcharges.



ACMSND Mobile Screen Fabric/Fabric

PRODUCT OPTIONS

Height	Width	Base	Screen Finish Side A	Screen Finish Side B	Frame Finish
51, 66, 72	36, 42, 48, 60	C Casters G Glide	Fabric	Fabric	AC Anodized Foundation Mica

SAMPLE ORDER CODE

ACMSND 66	36	L	M401	M401	AZ
-----------	----	---	------	------	----

DIMENSIONS INCHES / MM

H	W
51 / 1295	36 / 914
51 / 1295	42 / 1067
51 / 1295	48 / 1219
51 / 1295	60 / 1524
66 / 1676	36 / 914
66 / 1676	42 / 1067
66 / 1676	48 / 1219
66 / 1676	60 / 1524
72 / 1829	36 / 914
72 / 1829	42 / 1067
72 / 1829	48 / 1219
72 / 1829	60 / 1524

PRICING

FABRIC SCREEN

SCREEN FINISH SIDE A

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
525	529	550	574	609	643	669	710
554	561	582	607	643	679	706	749
594	599	624	649	688	728	757	803
657	664	691	718	761	804	836	889
629	635	660	688	730	771	802	850
659	667	693	721	764	807	839	892
697	702	732	761	807	853	887	939
765	772	803	835	886	936	973	1033
720	727	756	786	833	879	915	970
756	763	795	827	876	926	963	1022
792	800	832	865	916	968	1007	1068
834	841	875	910	966	1022	1063	1127

SCREEN FINISH SIDE B


A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
525	529	550	574	609	643	669	710
554	561	582	607	643	679	706	749
594	599	624	649	688	728	757	803
657	664	691	718	761	804	836	889
629	635	660	688	730	771	802	850
659	667	693	721	764	807	839	892
697	702	732	761	807	853	887	939
765	772	803	835	886	936	973	1033
720	727	756	786	833	879	915	970
756	763	795	827	876	926	963	1022
792	800	832	865	916	968	1007	1068
834	841	875	910	966	1022	1063	1127

If Mica Frame is specified, add 42

If Anodized Frame is specified, add 108

ACEB

Expandable Screen
Fixed Translucent/Sliding Fabric



The Expandable Screen Fixed Translucent/Sliding Fabric provides visual privacy and space division with tackable fabric.

WHAT'S INCLUDED
2 screens (as specified).

NOTES
Screen Finish Sliding Outer and Sliding Inner can have different fabrics specified.
Sliding screen is always 36" wide.
To determine overall price, add Fixed Outer/Inner plus Sliding Outer plus Sliding Inner as well as Frame Finish upcharges.

PRODUCT OPTIONS

Height	Width	Sliding Screen Hand	Fixed Inner/Outer	Screen Finish Sliding Outer	Screen Finish Sliding Inner	Frame Finish
51, 66	72 (36 + 36)	L Left R Right (shown)	CG Ribbed Textured FT Standard Frost	Fabric	Fabric	Foundation Mica

SAMPLE ORDER CODE

ACEB 66	72	R	FT	M401	M401	Q
---------	----	---	----	------	------	---

DIMENSIONS
INCHES / MM

H	W
51 / 1295	72 / 1829
66 / 1676	72 / 1829

PRICING

FIXED TRANSLUCENT SCREEN

OUTER/INNER

Ribbed Textured	Standard Frost
1016	1493

1240	2226
------	------

SLIDING FABRIC SCREEN

OUTER FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
552	557	579	603	640	676	702	746
660	669	696	723	766	809	842	894

INNER FABRIC

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
552	557	579	603	640	676	702	746
660	669	696	723	766	809	842	894

If Mica Frame is specified, add 72

The Expandable Screen Fixed Translucent/Sliding Translucent provides visual privacy and division.

WHAT'S INCLUDED

2 screens (as specified).


NOTES

Sliding screen is always 36" wide.

To determine overall price, add Fixed Outer/Inner plus Sliding Outer/Inner as well as Frame Finish upcharges.

A C E D

Expandable Screen Fixed Translucent/Sliding Translucent



PRODUCT OPTIONS

Height	Width	Sliding Screen Hand	Fixed Inner/Outer	Screen Finish Sliding Inner/Outer	Frame Finish
51, 66	72 (36 + 36)	L Left R Right (shown)	CG Ribbed Textured FT Standard Frost	CG Ribbed Textured FT Standard Frost	Foundation Mica

SAMPLE ORDER CODE

ACED 66	72	R	FT	FT	Q
----------------	-----------	----------	-----------	-----------	----------

DIMENSIONS INCHES / MM

H	W
51 / 1295	72 / 1829
66 / 1676	72 / 1829

H	W
51 / 1295	72 / 1829
66 / 1676	72 / 1829

PRICING

FIXED TRANSLUCENT SCREEN

OUTER/INNER

Ribbed Textured	Standard Frost
1016	1493

1240	2226
------	------

SLIDING TRANSLUCENT SCREEN


OUTER/INNER

Ribbed Textured	Standard Frost
1016	1493

1240	2226
------	------

If Mica Frame is specified, add 72

ACEG
Expandable Screen
Fixed Fabric/Sliding Fabric



The Expandable Screen Fixed Fabric/Sliding Fabric provides visual privacy and space division with tackable fabric.

WHAT'S INCLUDED
2 screens (as specified).

NOTES
Screen Finish Fixed Outer and Fixed Inner can have different types of fabrics specified.
Sliding screen is always 36" wide.
To determine overall price add Fixed Outer plus Fixed Inner as well as Frame upcharges.

PRODUCT OPTIONS

Height	Width	Sliding Screen Hand	Screen Finish Fixed Inner/Outer	Screen Finish Fixed Inner/Outer	Frame Finish
51, 66	72 (36 + 36)	L Left R Right (shown)	Fabric	Fabric	Foundation Mica

SAMPLE ORDER CODE

ACEG 66	72	R	M401	M401	Q
---------	----	---	------	------	---

DIMENSIONS
INCHES / MM

		PRICING															
		FIXED FABRIC SCREEN															
H	W	OUTER								INNER							
		A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	72 / 1829	1104	1113	1158	1205	1279	1351	1405	1490	1104	1113	1158	1205	1279	1351	1405	1490
66 / 1676	72 / 1829	1323	1335	1389	1445	1532	1619	1684	1786	1323	1335	1389	1445	1532	1619	1684	1786

If Mica Frame is specified, add 72

The Expandable Screen Fixed Fabric/Sliding Translucent provides visual privacy and space division with tackable fabric.

WHAT'S INCLUDED

2 screens (as specified).

NOTES


Screen Finish Fixed Outer and Fixed Inner can have different types of fabrics specified.

Sliding screen is always 36" wide.

To determine overall price add Fixed Outer plus Fixed Inner, plus Sliding Outer/Inner as well as Frame upcharges.

A C E H

Expandable Screen Fixed Fabric/Sliding Translucent



PRODUCT OPTIONS

Height	Width	Sliding Screen Hand	Screen Finish Fixed Outer	Screen Finish Fixed Inner	Screen Finish Sliding Inner/Outer	Frame Finish
51, 66	72 (36 + 36)	L Left R Right (shown)	Fabric	Fabric	CG Ribbed Textured FT Standard Frost	Foundation Mica

SAMPLE ORDER CODE

ACEH 66	72	R	M401	M401	FT	Q
----------------	-----------	----------	-------------	-------------	-----------	----------

DIMENSIONS INCHES / MM

		PRICING															
		FIXED FABRIC SCREEN															
		OUTER								INNER							
H	W	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7	A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
51 / 1295	72 / 1829	552	557	579	603	640	676	702	746	552	557	579	603	640	676	702	746
66 / 1676	72 / 1829	660	669	696	723	766	809	842	894	660	669	696	723	766	809	842	894
		SLIDING TRANSLUCENT SCREEN															
		OUTER/INNER															
H	W	Ribbed Textured				Standard Frost											
51 / 1295	72 / 1829	1016				1493											
66 / 1676	72 / 1829	1240				2226											

If Mica Frame is specified, add 72

mounted storage &
accessories


mounted storage & accessories

PRODUCT MAP	257
MOUNTED STORAGE BASICS	258
MOUNTED ACCESSORY BASICS	259
PRODUCT LISTING	260

product map


T S F Overhead Cabinet

Page 260
Depth: 13" & 16" / Width: 30" - 60" / Height: 15"



T S S Shelf

Page 261
Width: 18" - 60" / Depth: 13" / Height: 15"




T S C 1 Corner Shelf

Page 262
Width: 41" / Depth: 13"




T B K 6 S Book Organizer

Page 263




T O R Organizer Rail

Page 264
Height: 15" / Width: 17"




A C T R Table Rail

Page 265
Width: 24" - 72" / Height: 9"




A C M S Monitor Screen

Page 266
Width: 23" / Height: 15"




A C T S Table Screen

Page 267
Width: 24" - 72" / Height: 19"




A C T L Translucent Table Screen

Page 268
Width: 24" - 72" / Height: 19"




A C C S Curved Shelf

Page 269
Width: 23" / Depth: 8"



K Lock & Keys

Page 270



S O K L Set of Keys Alike

Page 271


mounted storage basics

Options for Transit mounted storage include open and closed storage, organizer rails and book organizers.

- Overhead cabinets and shelves cannot be mounted on 30" high elements
- Cabinets are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- Overhead storage cabinets and shelves mount off-module anywhere along the horizontal panel rail
- Universal (TU) and Utility (TYC) Task Lights can be used on overhead cabinets and shelves



Corner Shelf (TSC1)

- Mounts along horizontal panel rail within 90° corner panel connections
- Locks into position using a safety lock to prevent dislodgement
- Accepts Book Organizers (TBK6S)
- Is available in one size only



Overhead Cabinet (TSF)

- Doors are available in metal and retract inside the cabinet
- Interior is equipped with rail that accepts most Personal Organizers (PAX) and Book Organizers (TBK6S)



Book Organizer (TBK6S)


- Is used to separate books, binders and other items
- Mounts anywhere along back of Shelf or Corner Shelf and within Overhead Cabinets
- Is sold in packages of six

Organizer Rail (TOR)

- Mounts over Acoustic or Tackable Elements to provide moveable support for Personal Organizers (PAX) ordered separately
- Can be mounted anywhere along horizontal panel rail except where two panels meet

Shelf (TSS)

- Is panel-mounted off-module to provide open storage within the workstation
- Locks into position using a safety lock to prevent dislodgement
- Cannot be mounted over Glazed (TG), Open (TGN) or Access Door (TAD) Elements
- Accepts Book Organizers (TBK6S)




Finishes

- Mounted storage products are available in Foundation, Accent and Mica colors unless otherwise specified
- Case and fronts are available in Foundation and Mica colors
- Handles are finished in Foundation colors

mounted accessory basics


Mounted accessories may be specified for use with semi-suspended and freestanding worksurfaces to enhance functionality.



Finishes

- Table Screen can be upholstered in fabrics from Teknion's Standard Panel Fabric Program
- Screens and rails are available in Foundation, Accent and Mica colors
- Shelf is available in Foundation Laminates and Flintwood stains
- Edges can be specified in Bullnose or Flintwood Bullnose Trims

TSF
Overhead Cabinet



The Overhead Cabinet is a lockable storage unit that mounts along the horizontal rail.

WHAT’S INCLUDED

1 cabinet, panel-mounting off-module hardware, door handle with fasteners, lock and keys.

NOTES

Cannot mount to 30" high element.

Cannot mount over glazed, open or access door elements.

PRODUCT OPTIONS

Depth	Width	Case Finish	Door Front Finish Style	Handle Finish	Key Style
13, 16	30, 36, 42, 48, 54, 60	Foundation Mica	D1 Metal Front (will match case)	Foundation	K Keyed Alike R Keyed Randomly

SAMPLE ORDER CODE

TSF 16	48	N	D1	N	R
--------	----	---	----	---	---

DIMENSIONS
INCHES / MM

D	W
13 / 330	30 / 762
13 / 330	36 / 914
13 / 330	42 / 1067
13 / 330	48 / 1219
13 / 330	54 / 1372
13 / 330	60 / 1524
16 / 406	30 / 762
16 / 406	36 / 914
16 / 406	42 / 1067
16 / 406	48 / 1219
16 / 406	54 / 1372
16 / 406	60 / 1524

PRICING

FOUNDATION CASE

Metal Front
726
769
855
940
984
1021
817
863
957
1052
1096
1140

If Mica is specified for Case and Front, add 109

The Shelf provides open storage that mounts anywhere along the horizontal panel rail.

WHAT'S INCLUDED

1 shelf, safety lock.


NOTES

Cannot mount to 30" high element.

Cannot mount over glazed, open or access door elements.

The safety lock is Black.

TSS Shelf



PRODUCT OPTIONS

Width	Finish
18, 24, 30, 36, 42, 48, 54, 60	Foundation Mica

SAMPLE ORDER CODE

TSS 54	R
--------	---

DIMENSIONS INCHES / MM


W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING

Foundation	Mica
178	211
186	222
200	233
214	250
231	265
244	279
260	293
275	308

T S C 1

Corner Shelf



The Corner Shelf mounts along panel horizontal rails within a 90° panel connection to provide open, corner storage.

WHAT’S INCLUDED

1 shelf, safety lock.

PRODUCT OPTIONS

Finish
Foundation
Mica

SAMPLE ORDER CODE

TSC1 Y

PRICING


Foundation	Mica
301	321

The Book Organizer can be applied to the Shelf (TSS), Corner Shelf (TSC1) or within the Overhead Cabinet (TSF) to separate books, binders and other items.

WHAT'S INCLUDED

Six organizers.

T B K 6 S
Book Organizer



PRODUCT OPTIONS

Finish
Foundation
Accent
Mica

SAMPLE ORDER CODE

TBK6S T

PRICING


Foundation	Mica/Accent
73	84

T O R
Organizer Rail

The Organizer Rail mounts along the horizontal panel rail and over Acoustic Element (THA) or Tackable Element (TTA) to provide off-module support for Personal Organizers (PAX).

WHAT’S INCLUDED
1 rail.

NOTES
Cannot be mounted to 30" high elements.



PRODUCT OPTIONS

Height	Width	Finish
15	17	Foundation Accent Mica

SAMPLE ORDER CODE

TOR 15	17	K
--------	----	---

DIMENSIONS
INCHES / MM

H	W
15 / 381	17 / 432

PRICING


Foundation	Mica/Accent
84	94

The Table Rail mounts to freestanding or semi supported worksurface and allows for the application of various desk accessories.

WHAT'S INCLUDED

1 rail.

ACTR Table Rail



PRODUCT OPTIONS

Width	Finish
24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 66, 72	Foundation Accent Mica

SAMPLE ORDER CODE

ACTR 48	M
---------	---

DIMENSIONS INCHES / MM

W
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524
66 / 1676
72 / 1829


PRICING

Foundation	Mica/Accent
178	203
188	213
197	224
203	232
213	242
226	253
236	262
244	274
254	281
265	291
275	300
281	310
291	319
310	339
327	354

ACMS
Monitor Screen

The Monitor Screen mounts anywhere along the Table Rail (ACTR) and conceals wires connected to the back of a monitor.

WHAT'S INCLUDED
1 screen, fasteners.



PRODUCT OPTIONS

Width	Finish
23	Foundation Accent Mica

SAMPLE ORDER CODE

ACMS 23	Z
---------	---

DIMENSIONS
INCHES / MM

W
23 / 584

PRICING


Foundation	Mica/Accent
71	87

The Table Screen mounts anywhere along the Table Rail to provides a tackable surface as well as visual privacy.

WHAT'S INCLUDED

1 screen, mounting hardware.

ACTS Table Screen



PRODUCT OPTIONS

Width	Frame Finish	Screen Finish
24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 66, 72	Foundation Accent Mica	Fabric

SAMPLE ORDER CODE

ACTS 57	B	K675
---------	---	------

DIMENSIONS INCHES / MM

W
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524
66 / 1676
72 / 1829

PRICING


Foundation	Mica/Accent						
A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 4	Gr. 5	Gr. 6	Gr. 7
210	223	232	243	282	321	352	379
226	236	250	262	304	344	376	407
241	252	266	280	322	364	401	433
254	266	280	293	341	387	420	453
268	280	292	310	359	409	444	478
279	290	307	321	371	420	461	495
287	300	317	331	385	436	476	511
293	307	324	343	394	444	486	522
301	312	329	350	405	456	499	534
321	330	353	362	422	484	529	568
343	353	375	376	445	514	564	603
349	361	384	394	459	523	574	617
357	369	389	414	475	536	587	631
369	381	402	426	489	n/a	n/a	n/a
381	392	414	438	503	n/a	n/a	n/a

If Mica/Accent frame is specified, add 26

ACTL
Translucent Table Screen

The Translucent Table Screen mounts anywhere along the Table Rail (ACTR) to provides visual and territorial privacy.

WHAT'S INCLUDED
1 screen assembly, mounting hardware.



PRODUCT OPTIONS

Width	Frame Finish
24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60	Foundation Accent Mica

SAMPLE ORDER CODE

ACTL 51	D
---------	---

DIMENSIONS
INCHES / MM

W
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524

PRICING


Foundation	Mica/Accent
254	283
274	302
287	319
301	329
317	349
330	361
343	371
359	389
371	402
381	410
391	414
409	437
434	462

The Curved Shelf mounts anywhere along the Table Rail (ACTR) and rests on the worksurface.

WHAT'S INCLUDED

1 shelf, shelf supports and hardware.

ACCS
Curved Shelf



PRODUCT OPTIONS

Shelf Finish	User Edge Trim Style	Edge Trim Finish	Hardware Finish
Foundation Laminate	2 Bullnose Trim	Edge Trim Colors	Foundation
Flintwood	3 Flintwood Bullnose Trim	Flintwood	Mica

SAMPLE ORDER CODE


ACCS PG	2	JY	J
---------	---	----	---

PRICING

FOUNDATION LAMINATE		FLINTWOOD
Bullnose Trim	Wood Bullnose Trim	Wood Bullnose Trim
301	409	476

If Mica hardware is specified, add 5

K
Lock & Keys



WHAT'S INCLUDED
 Style K: 2 Keys (1 package) with number as specified, on a ring. (1 of the keys has a jacket.)
 Style M: 1 Master Key.
 Style R: 1 Lock Removal Key.
 Style C: 1 Lock Core and Keys.

NOTES
 The Numbered Keys are additional keys or replacement keys for lost or misplaced keys.
 The Master Key unlocks any storage unit.
 The Lock Removal Key removes lock cores from storage units.
 Lock Cores and Keys are replacements for those currently installed.

PRODUCT OPTIONS

Style
K Numbered Keys M Master Key R Lock Removal Key C Lock Core and Key

SAMPLE ORDER CODE

K K

KEY TYPE	PRICING
K	6
M	6
R	6
C	21

WHAT'S INCLUDED

Each set of cores include a lock & core and 2 identical keys.

NOTES

All storage furniture is shipped with the lock housing pre-installed in each unit ready to receive the required lock plug cores. Based on the product option, lock cores and keys are shipped either numbered randomly or in "keyed-alike" sets. Quantity of lock cores and keys will match the quantities required for the locking components on the order.

SPECIFICATION NOTES

Count the number of locking components in each workstation. Enter the number of locks into the Quantity column, and then assign a SET to each quantity.

Office Number	Quantity	Set #	Set Total
T1	4	SOKL - 4	1
T2	2	SOKL - 2	1
T3	4	SOKL - 4	1
T4	3	SOKL - 3	1

Total the number of SOKL (Sets of Keys Alike) quantities and transfer each total quantity to your Purchase Order.

Sets ordered in the incorrect quantities that are required for the order may result in the order being placed on hold.

Please verify the quantity by reviewing the plan carefully to ensure that all products with locks have been identified. Remember that some products may have more than one lock core per unit based on size and configuration.

For further details on how to specify locks, please see the Teknion Lock Specification Guide on our website.

PRODUCT OPTIONS

Number of Sets of Cores

01 1 Set of Cores	07 7 Sets of Cores	13 13 Sets of Cores	19 19 Sets of Cores
02 2 Sets of Cores	08 8 Sets of Cores	14 14 Sets of Cores	20 20 Sets of Cores
03 3 Sets of Cores	09 9 Sets of Cores	15 15 Sets of Cores	
04 4 Sets of Cores	10 10 Sets of Cores	16 16 Sets of Cores	
05 5 Sets of Cores	11 11 Sets of Cores	17 17 Sets of Cores	
06 6 Sets of Cores	12 12 Sets of Cores	18 18 Sets of Cores	

SAMPLE ORDER CODE

SOKL 02

S O K L

Set of Keys Alike

freestanding storage &
accessories

freestanding storage & accessories


PRODUCT MAP	274
FREESTANDING PEDESTAL BASICS	277
FREESTANDING FILING BASICS	278
FREESTANDING STORAGE BASICS	279
PRODUCT LISTING	280

product map

T D N Pedestal


Page 280

Depth: 18", 22", 28" / Width: 15"




D A Pedestal Accessories

Page 281



W Casters and Counterweight


Page 282



L R L Lateral File


Page 283

Width: 30" - 42" / Depth: 18"



F A Lateral File Accessories


Page 284



L R S Storage Cabinet


Page 285

Width: 30" - 42" / Depth: 18"


**L R W Wardrobe Cabinet**

Page 286

Width: 30" - 42" / Depth: 18" / Height: 65"

**S A Cabinet Accessories**

Page 287





freestanding pedestal basics

Transit offers various options for freestanding pedestals.

- Pedestals are available with locks keyed alike to match other storage components or keyed randomly for a dedicated lock
- Counterweights are required for all pedestals with or without casters, with the exception of 27.2" high pedestals (BBF, LF) permanently situated under a worksurface
- A distinctive pull handle is standard on all freestanding storage and ensures visual continuity between components


Pedestals (TDN)

- Fits beneath worksurfaces to provide drawer storage while preserving floor space
- A box, file configuration (20.8" high) must be specified for use under panel mounted, height-adjustable worksurfaces
- May be specified to support a worksurface when Box, Box, File (BBF) or Large File, File (LF) drawer configurations are selected
- Drawer interiors extend the full interior depth of the pedestal except for 28" deep Box (B) and Pencil Box (P). For these drawer sizes the interior drawer depth is actually 22"



Pedestal Accessories (DA)

Included with pedestals as noted on the product page; additional accessories may be ordered separately as necessary



Finishes

- Pedestals are available in metal front
- Case is available in Foundation or Mica colors
- Handles are available in Foundation colors
- Accessories, casters and counterweights are Black except Hanging File Bars which have a Chrome finish
- Locks have a brushed chrome finish





freestanding filing basics

Transit offers various options for freestanding filing cabinets.

- ! A distinctive pull handle is standard on all freestanding storage and ensures visual continuity between components
- Counterweights are required for all cabinets not located under a worksurface

Lateral File (LRL)


- Is available in a variety of heights to provide high density filing and organized storage
- Heights and widths correspond with the Storage Cabinet (LRS)
- One-high may be stacked on top of another file unit and must be securely bolted together; a counterweight is required in the lower file unit



278

Lateral File Accessories (FA)

Included with Laterals as noted on the product page; additional accessories may be ordered separately as necessary



Finishes

- Lateral Files are available with metal fronts in Foundation or Mica colors
- Locks are available in a Brushed Chrome finish
- Lateral File Accessories are Black except Cross File Bars which have a Chrome finish


freestanding storage basics

Transit offers various options for freestanding storage cabinets.

- ! A distinctive pull handle is standard on all freestanding storage and ensures visual continuity between components


Cabinets (LRS and LRW)

- Heights of 51" & 66" will align with panel heights
- Interior walls are slotted in 1" increments for shelf adjustment




Wardrobe Cabinets (LRW)

- Are available in divided or undivided configurations to provide enclosed storage for garments and other items
- Standard interior options are factory installed
- Coat rod is hung front-to-back to accommodate hangers
- Hat shelves in the 36" and 42" wide cabinets are the same size




Storage Cabinets (LRS)

- Are available in a variety of heights with or without adjustable shelves to provide enclosed storage
- Heights and widths correspond with Lateral Files (LRL)



Cabinet Accessories (SA)

Included with cabinets as noted on the product page; additional accessories may be ordered separately as necessary.




Finishes

- Storage Cabinets and Wardrobe Cabinets are available with metal fronts in Foundation or Mica colors
- Locks are available in a Brushed Chrome finish
- Cabinet Accessories are available in Foundation and Mica colors

freestanding storage & accessories

T D N Pedestal



Box, File Pencil, Box, File Box, Box, File Large File, File

The Pedestal allows for full depth storage beneath the worksurface and is available in three drawer configurations.

WHAT'S INCLUDED

1 case, drawers (as specified), lock and keys, leveler and accessories detailed:

	Drawer Combinations			
	BF	PBF	BBF	LF
Accessories	1	1	1	n/a
Pencil Tray	1	1	1	n/a
Drawer Divider	1	1	1	n/a
Hanging File Bar (22" and 28" depth only)	1	1	1	2

NOTES

Worksurface Supporting option does **not** apply to Box, File (BF) and Pencil, Box, File (PBF) drawer combinations.

The Casters & Counterweight option is **not** available when Worksurface Supporting option is selected.

Casters and Counterweights (W1) can only be applied to 22" depth pedestals.

PRODUCT OPTIONS

Drawer Combination	Depth	Width	Drawer Front Style	Case Finish & Metal Front	Handle Finish	Key Style	Worksurface Supporting	Casters & Counterweight
BF Box, File	18, 22, 28	15	D1 Metal Front	Foundation	Foundation	K Keyed Alike	1 Yes	W1
PBF Pencil, Box, File				Mica		R Keyed Randomly	2 No	Casters & Counterweight
BBF Box, Box, File								W2
LF Large File, File								Counterweight

SAMPLE ORDER CODE

TDN BBF	22	15	D1	E	E	K	2	W2
----------------	-----------	-----------	-----------	----------	----------	----------	----------	-----------

DIMENSIONS INCHES / MM

D
18 / 457
22 / 559
28 / 711

PRICING

FOUNDATION CASE

BOX, FILE (BF)

606
639
671

MICA CASE

BOX, FILE (BF)

685
717
749

PENCIL, BOX, FILE (PBF)

772
806
839

PENCIL, BOX, FILE (PBF)

854
888
921

BOX, BOX, FILE (BBF)

769
801
832

BOX, BOX, FILE (BBF)

846
877
910

LARGE FILE, FILE (LF)

728
760
792

LARGE FILE, FILE (LF)

806
838
870

If Counterweight is specified, add 75
If Casters and Counterweight are specified, add 154

Pedestal Accessories are organizational tools for use in Transit Pedestals.

WHAT'S INCLUDED


1 Hanging File Bar with mounting ends or 1 Drawer Divider or 1 Pencil Tray or 1 Stationary Insert.

NOTES


The Drawer Dividers, Pencil Tray and Stationary Insert are Black. The Hanging File Bars have a Chrome finish.

D A


Pedestal Accessories




Hanging File Bar




Drawer Divider
(Single Wall)



Drawer Divider
(Double Wall)



Pencil Tray



Stationary Insert

PRODUCT OPTIONS

Style

- S** Drawer Divider (Single Wall)
- D** Drawer Divider (Double Wall)
- B** Hanging File Bar
- T** Pencil Tray
- I** Stationary Insert

SAMPLE ORDER CODE


DA T

STYLE

PRICING

S	31
D	31
B	35
T	58
I	95

W
Casters & Counterweight



Casters can be applied to pedestals to create mobile storage. The counterweight can be applied to pedestals to prevent tipping.

WHAT’S INCLUDED
Casters and Counterweight: 1 set of 4 Casters, 1 Counterweight and installation hardware.
Counterweight Only: 1 Counterweight, installation hardware.

NOTES
Casters must not be installed without the accompanying Counterweight.

PRODUCT OPTIONS

Style	Pedestal Style (If Casters are specified)	Pedestal Depth
1 Casters and Counterweight Kit	1 Leverage Pedestal (KDN)	1 18"
2 Counterweight Kit	2 T/O/S (DSA, DSB, DSC) & Transit (TDN) Pedestals	2 22" or 28"
	3 Ledger (LPFN) & ie (JSLP) Pedestals	

SAMPLE ORDER CODE

W 2		1
-----	--	---

STYLE	PRICING
1	154
2	74

Lateral Files are available in a variety of heights to provide high density filing and organized storage.

WHAT'S INCLUDED

1 case, drawers (as specified), file bars, lock and keys.


NOTES

Drawer front finish matches case finish. Handle finish must be specified separately.

Counterweights are required for freestanding lateral files.

LRL

Lateral File



PRODUCT OPTIONS

Configuration	Width	Case & Front Finish	Drawer Front Style	Handle Finish	Key Style	Counterweight
10 One-High (17")	30, 36, 42	Foundation Mica	D1 Metal Front	Foundation	K Keyed Alike R Keyed Randomly	W2 Counterweight only
20 Two-High (27")						
30 Three-High (40")						
40 Four-High (51")						
44 Four-High (54")						
50 Five-High (66")						

SAMPLE ORDER CODE

LRL 40	30	8	D1	E	K	W2
---------------	-----------	----------	-----------	----------	----------	-----------

DIMENSIONS INCHES / MM

W	PRICING	
	FOUNDATION CASE	MICA CASE
	Metal Front	Metal Front
	ONE-HIGH (10)	ONE-HIGH (10)
30 / 762	639	760
36 / 914	769	889
42 / 1067	864	985
	TWO-HIGH (19)	TWO-HIGH (19)
30 / 762	852	1019
36 / 914	962	1129
42 / 1067	1075	1243
	THREE-HIGH (29)	THREE-HIGH (29)
30 / 762	1185	1400
36 / 914	1310	1529
42 / 1067	1439	1656
	FOUR-HIGH (40 & 44)	FOUR-HIGH (40 & 44)
30 / 762	1504	1766
36 / 914	1650	1912
42 / 1067	1792	2056
	FIVE-HIGH (48)	FIVE-HIGH (48)
30 / 762	1921	2232
36 / 914	2079	2392
42 / 1067	2239	2552

If Counterweights are specified, add 154

FA
Lateral File Accessories

Lateral File Accessories are organizational tools for use in Lateral Files (LRL).

WHAT’S INCLUDED

Accessories (quantities) are listed with pricing below.


NOTES

The following number and type of counterweights for laterals are required:

Counterweight:

Width	Two-High	Three-High	Four-High	Five-High
30 / 762"	2 FA08	2 FA08	2 FA08	2 FA08
36 / 914"	2 FA09	2 FA09	2 FA08	2 FA08
42 / 1067"	2 FA09	2 FA09	2 FA08	2 FA08

All Lateral File Accessories, except Cross File Bars are Black. Cross File Bars have a Chrome finish.



Style	
01 Hanging File Bars, 30" wide	10 Divider Plates
02 Hanging File Bars, 36" wide	11 Legal-to-Letter Adapters, 30" wide
03 Hanging File Bars, 42" wide	12 Legal-to-Letter Adapters, 36" wide
07 Cross File Bars	13 Legal-to-Letter Adapters, 42" wide
08 Counterweight A	20 EDP Adapters
09 Counterweight B	

SAMPLE ORDER CODE

FA 03

STYLE	PRICING	
		Qty.
01	35	2
02	35	2
03	35	2
07	29	2
08	74	See above chart
09	74	See above chart
10	36	3
11	20	1
12	20	1
13	20	1
20	36	2


freestanding storage & accessories

Storage Cabinets are available in a variety of heights with or without adjustable shelves to provide enclosed storage.

WHAT'S INCLUDED

1 case, 2 doors, shelves (if specified), lock and keys, levelers.

L R S Storage Cabinet



PRODUCT OPTIONS

Configuration	Width	Case & Front Finish	Handle Finish	Key Style
20 Two-High (27"): doors, no shelf	30, 36, 42	Foundation Mica	Foundation	K Keyed Alike R Keyed Randomly
21 Two-High (27"): doors, 1 shelf				
30 Three-High (40"): doors, no shelf				
31 Three-High (40"): doors, 2 shelves				
40 Four-High (51"): doors, no shelf				
41 Four-High (51"): doors, 3 shelves				
44 Four-High (54"): doors, no shelf				
45 Four-High (54"): doors, 4 shelves				
50 Five-High (66"): doors, no shelf				
51 Five-High (66"): doors, 4 shelves				

SAMPLE ORDER CODE

LRS 51	36	Y	N	K
---------------	-----------	----------	----------	----------

DIMENSIONS INCHES / MM

	PRICING	
	FOUNDATION CASE	MICA CASE
	Metal Front	Metal Front
TWO-HIGH NO SHELF (20)		
W		
30 / 762	639	760
36 / 914	721	838
42 / 1067	801	919
TWO-HIGH WITH SHELF (21)		
30 / 762	691	807
36 / 914	769	889
42 / 1067	850	967
THREE-HIGH NO SHELVES (30)		
30 / 762	760	903
36 / 914	855	996
42 / 1067	954	1095
THREE-HIGH WITH SHELVES (31)		
30 / 762	855	996
36 / 914	954	1095
42 / 1067	1029	1175


DIMENSIONS INCHES / MM

	PRICING	
	FOUNDATION CASE	MICA CASE
	Metal Front	Metal Front
FOUR-HIGH NO SHELVES (51") (40)		
W		
30 / 762	850	1017
36 / 914	959	1127
42 / 1067	1073	1241
FOUR-HIGH WITH SHELVES (51") (41)		
30 / 762	990	1160
36 / 914	1104	1270
42 / 1067	1217	1382
FOUR-HIGH NO SHELVES (54") (44)		
30 / 762	850	1017
36 / 914	959	1127
42 / 1067	1073	1241
FOUR-HIGH WITH SHELVES (54") (45)		
30 / 762	990	1160
36 / 914	1104	1270
42 / 1067	1217	1382
FIVE-HIGH NO SHELVES (50)		
30 / 762	967	1160
36 / 914	1095	1288
42 / 1067	1241	1431
FIVE-HIGH WITH SHELVES (51)		
30 / 762	1160	1350
36 / 914	1288	1481
42 / 1067	1431	1623

transit price guide – April 30, 2018

L R W

Wardrobe Cabinet



Wardrobe Cabinets are available in divided or undivided configurations to provide an enclosed space for garments and other items.

WHAT'S INCLUDED

Undivided Wardrobe: 1 Undivided Wardrobe Cabinet (30" wide), 1 shelf, 1 coat rod, 4 hooks, lock and keys.

Divided Wardrobe: 1 Divided Wardrobe Cabinet (36" or 42" wide), 1 shelf, 1 coat rod, 3 hat shelves, lock and keys.

NOTES

Door front finish matches case finish.

PRODUCT OPTIONS

Configuration	Case & Front Finish	Handle Finish	Key Style
30 30" (Five-High, 1 shelf, coat rod, 4 hooks, undivided)	Foundation	Foundation	K Keyed Alike
36 36" (Five-High, 1 shelf, 3 hat shelves, divided)	Mica		R Keyed Randomly
42 42" (Five-High, 1 shelf, 3 hat shelves, divided)			

SAMPLE ORDER CODE

TSW 36	J	J	R
---------------	----------	----------	----------

DIMENSIONS INCHES / MM

W
30 / 762
36 / 914
42 / 1067

PRICING

Foundation	Mica
1360	1600
1560	1797
1761	2001

Storage and Wardrobe Cabinet Accessories are optional organizational tools for use in Storage and Wardrobe Cabinets (LRS, LRW).

SA Cabinet Accessories

WHAT'S INCLUDED


Shelf: 1 Shelf.

Slotted Shelf: 1 Slotted Shelf.

Hat Shelf: 1 Hat Shelf.

Max Store module: 1 Max Store Module with 12 Max Store Trays creating 15 cubbyholes.

Max Store Trays: 12 Max Store Trays.



PRODUCT OPTIONS

Style	Width	Finish
1 Shelf (Non-slotted)	30, 36, 42 (Shelf, Slotted Shelf)	Foundation
2 Slotted Shelf	12 (Hat Shelf)	Mica
3 Hat Shelf	36 (Max Store Module)	
5 Max Store Module		
6 Max Store Trays		

SAMPLE ORDER CODE

SA 2	36	N
------	----	---

DIMENSIONS INCHES / MM

	PRICING	
	Foundation	Mica
NON-SLOTTED SHELF (1)		
W		
30 / 762	62	70
36 / 914	70	81
42 / 1067	74	89
SLOTTED SHELF (2)		
30 / 762	74	89
36 / 914	82	95
42 / 1067	89	102
HAT SHELF (3)		
12 / 305	70	81
MAX STOR MODULE (5)		
36 / 914	720	833
MAX STOR TRAYS (6)		
•	196	226

lighting, electrics &
communications

lighting, electrics & communications


289

PRODUCT MAP	290
LIGHTING, ELECTRICS & COMMUNICATIONS OVERVIEW	294
LIGHTING BASICS	295
CEILING FEED BASICS	296
BASE FEED BASICS	297
POWER DISTRIBUTION BASICS	298
POWER ACCESS BASICS	299
COMMUNICATIONS ACCESS BASICS	300
CASUAL WIRE BASICS	301
PRODUCT LISTING	302

product map


T U Universal Light

Page 302




T Y R C Slim Profile Utility Light

Page 303




B F K Base Feed

Page 304




B F K S Split Base Feed

Page 305



B F K P Plug-In Base Feed

Page 306




E P T Power Pole (Complete)

Page 307



E P T E Power Pole (No Harness)

Page 308




E P D Pole Divider

Page 309



E P H T High Capacity Power Pole (Complete)

Page 310




E P H T E High Capacity Power Pole (No Harness)

Page 311




E P B Power Pole Harness (Includes Junction Box)

Page 312




E S Receptacle Harness

Page 313



E T Quadrex Receptacle Harness


Page 314

**E H Panel Pass-Through Harness**


Page 315

**E I No Raceway Jumper**


Page 316

**E F Four-Way Connector**


Page 317

**E G Off-Module Jumper**


Page 318

**T M C M-Clip**

Page 319

**E D Outlets**

Page 320




Duplex

Triplex

E D 8 N Outlets (Separate Neutral)

Page 321




Duplex

Triplex

E D 8 K Outlets (Dual Isolated)

Page 322




Duplex


Triplex

E D S 5 Surge Suppressor


Page 323

**E D C Outlet Knockout Cover**

Page 324

**E R B Raceway Box**

Page 325




Single

Double

product map


E R B 8 N Raceway Box (Separate Neutral)

Page 326




E R B 8 K Raceway Box (Dual Isolated)

Page 327




V D M Voice & Data Module

Page 328




V D A Voice & Data Adapter

Page 329




E V D F Voice & Data Faceplate Adapter

Page 330




D M P Access Door VDM Plates

Page 331




C H Chicago Corner Ducts

Page 332




E P C Retractable Power Center

Page 333




T Z W Worksurface Tray

Page 334
Widths: 15" - 87"




T Z P Panel Tray

Page 335
Widths: 18" - 60"



T Z B Bridge Tray


Page 336
Widths: 72" - 96"



lyft

H B C C Base Cable Clips

Page 337




lighting, electrics & communications overview

Transit offers a variety of lighting, electrical and communications components to accommodate all electrical needs.


294

- Transit has six different wire systems to accommodate a broad range of power requirements
- The electrical contractor is responsible for power distribution in order to obtain a balanced system within the limits of the building
- Local codes must be checked to ensure compliance




Also available but not illustrated above:


Chicago Corner Ducts (CH)




M-Clip (TMC)




Worksurface Tray (TZW), Panel Tray (TZP) or Bridge Tray (TZB)



No Raceway Jumper (EI)




The following lighting options are available in Transit.



Universal Light (TU)

- Magnetically mounts anywhere along the underside of the Overhead Cabinet (TSF) or Shelf (TSS)
- Is equipped with an energy-efficient warm fluorescent tube and an asymmetrical reflector that aids in the elimination of veiling reflection
- Complete with a 108" long cord which can be concealed in the vertical upright of the panel, and is managed with a wire management clip that routes it to power at the access level




Also Available:

Conflux Undercabinet (YLCU)

Please see Complements: *Teknion's Ergonomics & Accessories Program*

Finishes

All lighting products are available in Foundation and Mica colors



Slim Profile Utility Light (TYRC)


- Mounts to the underside of the Overhead Cabinet (TSF) to provide moveable side-to-side task lighting for the worksurface
- Is equipped with an energy-efficient, cool white fluorescent tube and a multi-faceted plastic lens which spreads light uniformly over the worksurface
- Electronic ballasts (normal power factor) are cooler, quieter and more energy efficient than standard ballasts
- When applying this light to an overhead cabinet, specify the width one size smaller than the width of the cabinet
- Complete with a 108" long cord which can be concealed in the vertical upright of the panel, and is managed with a wire management clip that routes it to power at the access level

ceiling feed basics

Transit offers several options for bringing the power to a workstation from the ceiling. They are outlined below.


296

- The top trim style of the panel on which a power pole is mounted must be specified so that appropriate top trim plates can be supplied
- Electrical harnesses and communication cables should not be used together within a pole without a pole divider
- The electrical contractor is responsible for power distribution in order to obtain a balanced system within the electrical limits of the building



Power Pole (Complete) (EPT)

- Routes power or communications directly from the building supply in the ceiling to the raceway level of the panel, and includes an electrical harness and a junction box
- Poles are provided with a 111" harness





Power Pole (No Harness) (EPTE)

Does not include electrical harnesses or a junction box, but provides a safe enclosure in which to route power and communications from the ceiling to the top of the panel



Pole Divider (EPD)

- Enables the separation of electrical harnesses and communication cables within a power pole
- This divider is not for use with high capacity power poles which come complete with an integral divider



High Capacity Power Pole (Complete) (EPHT)

- Provides a larger route than the power pole for power and communications from the ceiling to the raceway level of the panel and includes the electrical harness and junction box
- The length of harness provided is 111"
- Can not be routed through a glass panel



High Capacity Power Pole (No Harness) (EPHTE)

- Provides a larger route than the power pole but does not include electrical harnesses or a junction box
- Is equipped with a built-in pole divider so can be used to enclose both electrical harnesses and communication cables

Power Pole Harness (Includes Junction Box) (EPB)


- Designed for use with pole poles with no harness
- Available in 11" or 135" lengths which represents the portion of harness encased in flexible conduit – an additional 12" of exposed wires is provided on the interior portion of the harness for connection with the raceway to an appropriate receptacle harness
- The power pole and harness uses one outlet cut out in the panel frame, therefore it cannot be used for power

base feed basics

Transit offers several options for bringing the power to a workstation from the base. They are outlined below.

- All Base Feeds can be connected to any compatible Receptacle Harness, Panel Pass-Through Harness or Four-Way Connector. They carry power to the raceway level only and additional harnesses are equipped to carry power through to other panels
- The external section of Base Feed Kits are enclosed in liquid-tight PVC-covered, flexible steel conduit, is 72" long and is designed for hard-wiring. The internal sections, enclosed in flexible steel conduit, are 30" long and must be secured within the panel
- Base Feed Kits cannot be installed on panels with baseboards

297




power distribution basics

Harnesses and Connectors are available to transport power throughout the panels.

298




- Harnesses can make turns around 90° corners
- Harnesses are equipped with clips that attach to the edge of the raceway and ground the furniture panel



Outlets can be installed at various heights on a panel either face mounted or accessed through an access door.



- Outlets are available for all Transit wire systems and connect to any compatible receptacle harness
- All outlet knockouts in the panel access rail are for triplex outlets, so all duplex outlets are equipped with an adapter plate to allow them to fit




Raceway Box (ERB)

- Provides face mounted access to power/communications at various heights
- Consists of two duplex outlets and one communication opening per side, with the communication opening being 1.850" x 2.875"
- Available as a single or double (access from one side or both sides) two single-sided boxes can go into the panel back-to-back to allow upgrades from single-sided to double-sided

- Can be mounted at three levels, base, worksurface height and 51" high
- Communication cables are shielded from power cables
- Must be specified with a Power/Communication Element
- Cannot be used with the 8N wiring system
- Cannot be used in the 18", 24" or 30" wide panel


Raceway Box (Separate Neutral) (ERB8N)

- Provides face mounted access to power/communications at various heights
- Can only be used with the 8N wiring system




Raceway Box (Dual Isolated) (ERB8K)

- Provides face mounted access to power/communications at various heights
- Can only be used with the 8K wiring system



Outlets (ED)

- Provide access to power at worksurface height through the access element
- The Duplex has two plug in points, and the Triplex has three plug in points
- Can be used with all wiring systems except 8N and 8K



Outlets (Separate Neutral) (ED8N)


Used only with the 8N Separate Neutral wiring system and provide access to power at worksurface height

Outlets (Dual Isolated) (EK8K)

Used only with the 8K Dual Isolated wiring system and provides access to power at worksurface height

Surge Suppressor (EDS5)

- An isolated ground outlet that protects equipment against electrical power surges up to 6000 volts
- Provides access to power at worksurface height through the access door
- Equipped with a light that indicates when power is present



Outlet Knockout Cover (EDC)


Covers an outlet opening in the receptacle rail when no outlet is being used




communications access basics

Transit offers adapters to provide access to communication outlets.


300

**Voice & Data Module (VDM)**

- Provides user access to communication connectors at worksurface height
- Is installed over the communication duct opening in the access area and can accommodate a variety of connectors

**Voice & Data Faceplate Adapter (EVDF)**


Allows the installation of modular furniture voice and data faceplates in Decora Faceplate sized cut-outs

**Voice & Data Adapter (VDA)**

Provides an interface between the panel and the voice and data module when communications are being brought in from the top of the panel and the VDM is hanging upside down

**Access Door VDM Plates (DMP)**

- Allows voice and data outlets to be mounted onto the face of the Transit Access Door Element
- The cover plate "DMPC" is used to cover the hole in the element when a connector is removed
- When applying access door VDM Plates wires should be routed through the strain relief clip to protect voice and data cable connections

**Base Cable Clips (HBCC)**

- Attach to the base rail of Lyft Thin Panels to support casual wire routing
- Do not require tools to secure clips

Also available:**Chicago Corner Ducts (CH)**

- Enclose electrical cables between corner panel connections
- Are designed to meet electrical requirements for inter-panel connections in Chicago
- Installed at raceway height where raceways exist, and are not for use with panels without raceways

Two-Way
45°Two-Way
90°Three-Way
180°Four-Way
90°Two-Way
180°Straight
Connection


Transit provides power centers and tray for casual wiring applications.

- ! The worksurface and panel trays include a sliding 12" joiner to conceal a continuous run of wires if desired


301

Retractable Power Center (EPC)

- Is a receptacle that slides up through the worksurface to provide easy access to outlets concealed beneath the surface
- Retracts completely when not in use allowing full use of the worksurface
- Includes three electrical outlets and is equipped with a circuit breaker




Also available but not illustrated:




Worksurface Tray (TZW)

- Attaches to the rear underside of the worksurface and facilitates wire management along semi-supported worksurfaces
- Can only be used on straight surfaces
- When mounted along the depth of a worksurface, the worksurface support must be inset from the edge
- When attached to a panel mounted worksurface, the tray width must be at least 6" less than the worksurface width to ensure worksurface support clearance



Panel Tray (TZP)


- Attaches to the face of the panel to provide casual wire management where an access door is not available
- Can also provide casual wiring distribution to off-module wing panels
- Can mount at 21", 36", 51" or 66" level of panel, but is most commonly used at 21" high
- Actual width is 3" less than the panel in order to accommodate worksurface supports




Bridge Tray (TZB)

- Manages data and communications wire along the bridge, and distributes wires to panels, tables or semi-suspended worksurfaces
- Can be applied to one or both sides of the bridge
- Actual width of the tray is 4" less than the nominal size


T U
Universal Light



Standard Plug



Built-In
Resettable Breaker



The Universal Light is magnetically mounted anywhere along the underside of the Shelf (TSS), Corner Shelf (TSC1), Overhead Cabinet (TSF) and provides task lighting for the worksurface.

WHAT’S INCLUDED

1 light, 1 13 watt fluorescent tube (PL-S), 2 wire management clips.

NOTES

A built-in resettable breaker option is available for installation in Canada/U.S.A. only. The Universal Light must not extend beyond the face of the product it is being applied to.

When Ebony, Granite, Latte, Espresso or Bronze finish is specified for the Universal Light, the cord will be Black.

When Grey, Nevada, Storm White Platinum or Silver finish is specified, the cord will be Grey.

If country of Installation (Y) is selected, cord will come with a Wieland Connector at the end. A Power Input Cable (with plug) (VEPP) must be ordered separately.

PRODUCT OPTIONS

Plug Style		Country of Installation	Finish
210	Standard Plug	A Canada/U.S.A. G UK F Germany Y International	Foundation
212	Built-In Resettable Breaker		7 Platinum (Mica)
			K Silver (Mica)
			R Bronze (Mica)

SAMPLE ORDER CODE

TU 210	A	N
--------	---	---

COUNTRY
OF INSTALLATION

A
G, F, Y

PRICING

FOUNDATION

Standard Plug (210)	Built-In Resettable Breaker (212)
303	457
303	n/a

If Mica is specified, add 12

The Slim Profile Utility Light is clip-mounted to the underside of the Overhead Cabinet (TSF). It provides movable side-to-side task lighting for the worksurface.



WHAT'S INCLUDED

1 utility light, 1 lens cover, 1 fluorescent tube (T5), 2 mounting brackets, cord, wire management clip.


NOTES

When applying the Utility Light to an overhead cabinet, specify the width one size smaller than the width of the cabinet (the 24" wide Utility Light should be used with a 30" wide overhead cabinet).

TYRC Slim Profile Utility Light



Standard Plug



Built-In
Resettable Breaker

PRODUCT OPTIONS

Width	Plug Option	Product Option	Country of Installation	Finish
24, 36, 48	0 Standard 2 Built-In Resettable Breaker	0 Light Only	A Canada/U.S.A.	51 Granite (Foundation) 52 Ebony (Foundation) 74 Storm White (Foundation) 75 Latte (Foundation) 60 Platinum (Mica)

SAMPLE ORDER CODE

TYRC 24	0	0	A	51
----------------	----------	----------	----------	-----------

DIMENSIONS

W
24 / 610
36 / 914
48 / 1219


PRICING

PLUG OPTION

Standard Plug (0)	Built-In Resettable Breaker (2)
352	436
433	514
466	549

If Mica is specified, add 42

B F K
Base Feed



The Base Feed is hard-wired to the building power supply and enters in the base opening of the panel and feeds power up into the panel raceway only.

WHAT'S INCLUDED
1 base feed, 1 electrical conduit support plate, hardware.

NOTES
Not approved for use in New York City.
Cannot install on panels with baseboard element.

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	72	A Canada/U.S.A.

SAMPLE ORDER CODE

BFK 5D	72	A
--------	----	---

WIRE SYSTEM	PRICING
4B	342
5D	342
7G	347
8T	369
8N	422
8K	467

The Split Base Feed is hard-wired to the building power supply in two places and enters in the base opening of the panel and feeds power up into the panel raceway only.

WHAT'S INCLUDED

1 split base feed, 1 electrical conduit support plate, 1 wiring junction box, hardware.


NOTES

Approved for use in NY York City.

Cannot install on panel with baseboard element.

B F K S

Split Base Feed


305

PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire	72	A Canada/U.S.A.
5D 5-Wire		
7G 7-Wire Isolated Ground		
8T 8-Wire Isolated Ground		
8N 8-Wire Separate Neutral		
8K 8-Wire Dual Isolated		

SAMPLE ORDER CODE

BFKS 4B	72	A
----------------	-----------	----------

WIRE SYSTEM

PRICING

4B	330
5D	380
7G	406
8T	422
8N	487
8K	537

B F K P
Plug-In Base Feed

The Plug-In Base Feed can be plugged into the building power supply and enters in the base opening of the panel and feeds power up into the panel raceway only.


WHAT'S INCLUDED

1 plug-in base feed, 1 electrical conduit support plate, hardware.

NOTES

Not approved for U.S.A.

Cannot be installed on panel with baseboard.



PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire	24, 72	A Canada/U.S.A.

SAMPLE ORDER CODE

BFKP 4B	24	A
---------	----	---

DIMENSIONS
INCHES / MM

L
24 / 610
72 / 1829

PRICING

233
302

Power Pole (Complete)

The Power Pole includes an electrical harness and a junction box and routes power or communications directly from the building supply in the ceiling to the raceway level of the panel.

WHAT'S INCLUDED


1 power pole, electrical harness, junction box, ceiling plates, top trim plates, attachment hardware.

WHAT'S EXCLUDED

Pole Divider (EPD) is not included.

NOTES

Power Pole Harness enters raceway through receptacle knockout.

**PRODUCT OPTIONS**

Wire Option	Height	Country of Installation	Finish	Top Trim Style	Electrical Certification
4B 4-Wire	48, 72, 96	A Canada/U.S.A.	Foundation Mica	8 Metal	CSA Canada
5D 5-Wire				9 Flintwood	UL U.S.A.
7G 7-Wire Isolated Ground					
8T 8-Wire Isolated Ground					
8N 8-Wire Separate Neutral					
8K 8-Wire Dual Isolated					

SAMPLE ORDER CODE

EPT 5D	72	A	J	8	UL
---------------	-----------	----------	----------	----------	-----------

**DIMENSIONS
INCHES / MM**

H
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438

PRICING**4-WIRE (4B)**

266
293
310

5-WIRE (5D)

300
370
387

7-WIRE ISOLATED GROUND (7G)

330
385
402

8-WIRE ISOLATED GROUND (8T)

330
385
402

8-WIRE SEPARATE NEUTRAL (8N)

384
441
462

8-WIRE DUAL ISOLATED (8K)

419
486
506

If Mica is specified, add 25

E P T E

Power Pole (No Harness)

The Power Pole (No Harness) does not include electrical harnesses or a junction box, but provides a safe enclosure in which to route power or communications from the ceiling to the top of the panel.


WHAT’S INCLUDED

1 power pole, ceiling plates, top trim plates, attachment hardware.

WHAT’S EXCLUDED

Electrical harness junction box is not included.

308



PRODUCT OPTIONS

Height	Finish	Top Trim Style (For Mounting Purposes)
48, 72, 96	Foundation Mica	8 Metal 9 Flintwood

SAMPLE ORDER CODE

EPTE 96	J	8
---------	---	---

DIMENSIONS
INCHES / MM

L
48 / 1219
72 / 1829
96 / 2438

PRICING

Foundation
225
274
339

If Mica is specified, add 25

The Pole Divider enables the separation of electrical harnesses and communication cables within a Power Pole.

WHAT'S INCLUDED
1 pole divider.

EPD
Pole Divider



309

PRODUCT OPTIONS

Height
48, 72, 96

SAMPLE ORDER CODE

EPD 96

DIMENSIONS INCHES / MM	PRICING
L	
48 / 1219	33
72 / 1829	61
96 / 2438	81


E P H T**High Capacity Power Pole
(Complete)**

The High Capacity Power Pole includes electrical harnesses and a junction box. It provides a larger route than the Power Pole (EPT) for power and communications from the ceiling to the raceway level of the panel.

WHAT'S INCLUDED

1 high capacity power pole (includes built-in pole divider), electrical harness, junction box, ceiling plates, top trim plates, attachment hardware.

310

**PRODUCT OPTIONS**

Wire System	Height	Country of Installation	Finish	Top Trim Style (For Mounting Purposes)	Electrical Certification
4B 4-Wire	48, 72, 96	A Canada/U.S.A.	Foundation Mica	8 Metal	CSA Canada
5D 5-Wire				9 Flintwood	UL U.S.A.
7G 7-Wire Isolated Ground					
8T 8-Wire Isolated Ground					
8N 8-Wire Separate Neutral					
8K 8-Wire Dual Isolated					

SAMPLE ORDER CODE

EPHT 8T	72	A	J	9	CSA
----------------	-----------	----------	----------	----------	------------

**DIMENSIONS
INCHES / MM**

H
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438
48 / 1219
72 / 1829
96 / 2438

PRICING**4-WIRE (4B)**

434
461
475

5-WIRE (5D)

466
536
552

7-WIRE ISOLATED GROUND (7G)

500
550
569

8-WIRE ISOLATED GROUND (8T)

500
550
569

8-WIRE SEPARATE NEUTRAL (8N)

574
634
652

8-WIRE DUAL ISOLATED (8K)

633
698
720

If Mica is specified, add 25

The High Capacity Power Pole (No Harness) does not include electrical harnesses or a junction box. It provides a larger route than the Power Pole (No Harness) (EPT) for power and communications from the ceiling to the top of the panel.

WHAT'S INCLUDED


1 high capacity power pole (includes built-in pole divider), ceiling plates, top trim plates, attachment hardware.

WHAT'S EXCLUDED

Electrical Harness or Junction Box is not included.

EPHTE

High Capacity Power Pole (No Harness)



311

PRODUCT OPTIONS

Height	Finish	Top Trim Style (For Mounting Purposes)
48, 72, 96	Foundation Mica	8 Metal 9 Flintwood

SAMPLE ORDER CODE

EPHTE 96	J	8
-----------------	----------	----------

**DIMENSIONS
INCHES / MM**

H
48 / 1219
72 / 1829
96 / 2438

PRICING

Foundation
214
262
278

If Mica is specified, add 25

E P B**Power Pole Harness
(Includes Junction Box)**

The Power Pole Harness and junction box kit is designed for use with Power Poles (No Harness) (EPT) and High Capacity Power Poles (No Harness) (EPHT).


WHAT'S INCLUDED

1 power pole harness, 1 junction box, hardware.

WHAT'S EXCLUDED

Power Pole (EPT) is not included.

312

**PRODUCT OPTIONS**

Wire System	Length	Country of Installation	Electrical Certification
4B 4-Wire	111, 135	A Canada/U.S.A.	CSA Canada
5D 5-Wire			UL U.S.A.
7G 7-Wire Isolated Ground			
8T 8-Wire Isolated Ground			
8N 8-Wire Separate Neutral			
8K 8-Wire Dual Isolated			

SAMPLE ORDER CODE

EPB 4B	111	A	CSA
---------------	------------	----------	------------

**DIMENSIONS
INCHES / MM**

L
111 / 2819
135 / 3429
111 / 2819
135 / 3429
111 / 2819
135 / 3429
111 / 2819
135 / 3429
111 / 2819
135 / 3429
111 / 2819
135 / 3429

PRICING

4-WIRE (4B)
275
327
5-WIRE (5D)
342
410
7-WIRE ISOLATED GROUND (7G)
357
428
8-WIRE ISOLATED GROUND (8T)
386
462
8-WIRE SEPARATE NEUTRAL (8N)
442
531
8-WIRE DUAL ISOLATED (8K)
486
583


The Receptacle Harness routes power to outlets in the panel raceway to be accessed through access elements and also carries power through the raceway to adjacent panels.

WHAT'S INCLUDED

1 Receptacle Harness, grounding clips.

E S

Receptacle Harness

313


PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	36, 66	A Canada/U.S.A.

SAMPLE ORDER CODE

ES 7G	66	A
--------------	-----------	----------

DIMENSIONS INCHES / MM

L
36 / 914
66 / 1676
36 / 914
66 / 1676
36 / 914
66 / 1676
36 / 914
66 / 1676
36 / 914
66 / 1676
36 / 914
66 / 1676

PRICING


4-WIRE (4B)
132
132
5-WIRE (5D)
148
148
7-WIRE ISOLATED GROUND (7G)
165
165
8-WIRE ISOLATED GROUND (8T)
184
184
8-WIRE SEPARATE NEUTRAL (8N)
211
211
8-WIRE DUAL ISOLATED (8K)
232
232

ET
Quadrex Receptacle Harness

The Quadrex Receptacle Harness routes power to outlets in 42", 48", 54" and 60" wide panel raceways and also carries power through the raceway to adjacent panels. Outlets are accessed through access elements.

WHAT'S INCLUDED
1 receptacle harness, grounding clips.

NOTES
For use in panels 42" wide or wider.



PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	66	A Canada/U.S.A.

SAMPLE ORDER CODE

ET 5D	66	A
-------	----	---

WIRE SYSTEM	PRICING
4B	127
5D	137
7G	159
8T	174
8N	202
8K	225

Panel Pass-Through Harness

The Panel Pass-Through Harness routes power at the raceway level to adjacent panels but does not connect to outlets. This item is for use with panels which do not require worksurface-height power access.

WHAT'S INCLUDED

1 panel pass-through harness, grounding clips.

NOTES

Specify at least 6" longer than panel width.

**PRODUCT OPTIONS**

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	36, 66, 102	A Canada/U.S.A.

SAMPLE ORDER CODE

EH 7G	36	A
--------------	-----------	----------

**DIMENSIONS
INCHES / MM**

L
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591
36 / 914
66 / 1676
102 / 2591

PRICING

4-WIRE (4B)
64
68
71
5-WIRE (5D)
74
77
87
7-WIRE ISOLATED GROUND (7G)
86
89
100
8-WIRE ISOLATED GROUND (8T)
97
101
124
8-WIRE SEPARATE NEUTRAL (8N)
112
114
140
8-WIRE DUAL ISOLATED (8K)
124
128
157


E I

No Raceway Jumper

The No Raceway Jumper is designed specifically for panels without a raceway. It routes power through the base of the panel.

WHAT'S INCLUDED

1 no raceway jumper.



PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	24, 30, 36, 42, 48, 54, 60	A Canada/U.S.A.

SAMPLE ORDER CODE

EI 8T	54	A
--------------	-----------	----------

DIMENSIONS INCHES / MM

L	4-WIRE (4B)
24 / 610	109
30 / 762	109
36 / 914	113
42 / 1067	119
48 / 1219	124
54 / 1372	128
60 / 1524	132
L	5-WIRE (5D)
24 / 610	106
30 / 762	109
36 / 914	113
42 / 1067	119
48 / 1219	124
54 / 1372	129
60 / 1524	132
L	7-WIRE ISOLATED GROUND (7G)
24 / 610	183
30 / 762	188
36 / 914	192
42 / 1067	199
48 / 1219	202
54 / 1372	209
60 / 1524	212

DIMENSIONS INCHES / MM

L	8-WIRE ISOLATED GROUND (8T)
24 / 610	235
30 / 762	243
36 / 914	250
42 / 1067	257
48 / 1219	262
54 / 1372	269
60 / 1524	278
L	8-WIRE SEPARATE NEUTRAL (8N)
24 / 610	269
30 / 762	280
36 / 914	285
42 / 1067	293
48 / 1219	302
54 / 1372	311
60 / 1524	319
L	8-WIRE DUAL ISOLATED (8K)
24 / 610	297
30 / 762	310
36 / 914	314
42 / 1067	323
48 / 1219	330
54 / 1372	342
60 / 1524	350

E F


Four-Way Connector

317

The Four-Way Connector connects to receptacle or pass-through harness to route power in three directions for distribution between two to four adjacent panels. Outlets cannot be connected to the Four-Way Connector.

WHAT'S INCLUDED

1 four-way connector.



PRODUCT OPTIONS

Wire System	Country of Installation
4B 4-Wire	A Canada/U.S.A.
5D 5-Wire	
7G 7-Wire Isolated Ground	
8T 8-Wire Isolated Ground	
8N 8-Wire Separate Neutral	
8K 8-Wire Dual Isolated	

SAMPLE ORDER CODE

EF 5D	A
-------	---


WIRE SYSTEM	PRICING
4B	92
5D	92
7G	124
8T	124
8N	140
8K	157

E G
Off-Module Jumper

This Off-Module Jumper is used when panels are connected off-module using a Universal Connector (TUC) and routes power externally from the base of one panel into the base of another.

WHAT'S INCLUDED
1 off-module jumper.

NOTES
Cannot install on panels with baseboard elements.



PRODUCT OPTIONS

Wire System	Length	Country of Installation
4B 4-Wire 5D 5-Wire 7G 7-Wire Isolated Ground 8T 8-Wire Isolated Ground 8N 8-Wire Separate Neutral 8K 8-Wire Dual Isolated	24, 36, 48, 60, 72	A Canada/U.S.A.

SAMPLE ORDER CODE

EG 4B	72	A
-------	----	---

DIMENSIONS INCHES / MM
L
24 / 610
36 / 914
48 / 1219
60 / 1524
72 / 1829

PRICING
4-WIRE (4B)
410
410
475
484
514
5-WIRE (5D)
428
428
499
505
541
7-WIRE ISOLATED GROUND (7G)
437
437
505
519
551


DIMENSIONS INCHES / MM
L
24 / 610
36 / 914
48 / 1219
60 / 1524
72 / 1829

PRICING
8-WIRE ISOLATED GROUND (8T)
441
441
514
523
563
8-WIRE SEPARATE NEUTRAL (8N)
505
505
589
603
643
8-WIRE DUAL ISOLATED (8K)
555
555
650
665
708

The M-Clip attaches behind element to horizontal rail to route voice and data cables.

WHAT'S INCLUDED
6 clips.

T M C
M-Clip



319


PRICING

6

ED

Outlets

320



Outlets provide access to power at worksurface height through the access element and attach to compatible receptacle harness.

WHAT'S INCLUDED

Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.

Triplex Outlet: 1 Triplex Outlet.

NOTES

Not for use with 8N Wire System.

This item is available only in White.

PRODUCT OPTIONS

Outlet Configuration	Country of Installation
11 Duplex Outlet, Circuit 1 (for use with 4B, 5D, 7G, 8T or 8K)	A Canada/U.S.A.
22 Duplex Outlet, Circuit 2 (for use with 4B, 5D, 7G, 8T or 8K)	
33 Duplex Outlet, Circuit 3 (for use with 5D or 8T)	
55 Duplex Outlet, Circuit 5 (for use with 4C, 7G, 8T or 8K)	
111 Triplex Outlet, Circuit 1 (for use with 4B, 5D, 7G, 8T or 8K)	
123 Triplex Outlet, Circuits 1, 2 & 3 (for use with 5D or 8T)	
125 Triplex Outlet, Circuits 1, 2 & 5 (for use with 7G or 8T)	
135 Triplex Outlet, Circuits 1, 3 & 5 (for use with 8T)	
222 Triplex Outlet, Circuit 2 (for use with 4B, 5D, 7G, 8T or 8K)	
333 Triplex Outlet, Circuit 3 (for use with 5D or 8T)	
555 Triplex Outlet, Circuits 5 (for use with 4C, 7G or 8T)	

SAMPLE ORDER CODE

ED 123	A
--------	---

OUTLET CONFIGURATION

PRICING

11	61
22	61
33	61
55	61
111	68
123	68
125	68
135	68
222	68
333	68
555	68

Outlets (Separate Neutral) provide access to power at worksurface height through the access door using the 8N (Separate Neutral) wiring system only.

WHAT'S INCLUDED

Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.


Triplex Outlet: 1 Triplex Outlet.

NOTES

This item is available only in White.

ED8N

Outlets (Separate Neutral)



321

PRODUCT OPTIONS

Outlet Configuration	Country of Installation
11 Duplex Outlet, Circuit 1	A Canada/U.S.A.
22 Duplex Outlet, Circuit 2	
55 Duplex Outlet, Circuit 5	
111 Triplex Outlet, Circuit 1	
125 Triplex Outlet, Circuits 1, 2 & 5	
222 Triplex Outlet, Circuit 2	
555 Triplex Outlet, Circuits 5	

SAMPLE ORDER CODE

ED8N 125	A
----------	---

OUTLET
CONFIGURATION

PRICING

11	68
22	68
55	68
111	77
125	77
222	77
555	77

ED8K
Outlets (Dual Isolated)

Outlets (Dual Isolated) provide access to power at worksurface height through the access door using the 8K (Dual Isolated) wiring system only.

WHAT'S INCLUDED


Duplex Outlet: 1 Duplex Outlet, 1 adapter plate.

Triplex Outlet: 1 Triplex Outlet.

NOTES

This item is available only in White.

322



PRODUCT OPTIONS

Outlet Configuration		Country of Installation
55 Duplex Outlet, Circuit 5	156 Triplex Outlet, Circuits 1, 2 & 6	A Canada/U.S.A.
56 Duplex Outlet, Circuit 5 & 6	256 Triplex Outlet, Circuits 2, 5 & 6	
66 Duplex Outlet, Circuit 6	555 Triplex Outlet, Circuit 5	
125 Triplex Outlet, Circuits 1, 2 & 5	666 Triplex Outlet, Circuit 6	
126 Triplex Outlet, Circuits 1, 2 & 6		

SAMPLE ORDER CODE

ED8K 126	A
----------	---


OUTLET CONFIGURATION	PRICING
55	74
56	74
66	74
125	87
126	87
156	87
256	87
555	87
666	87

The Surge Suppressor attaches to an isolated circuit as a standard duplex outlet to provides protection (up to 6000 volts) to sensitive equipment.

WHAT'S INCLUDED

1 surge suppressor, hardware.

EDS5
Surge Suppressor



323

PRODUCT OPTIONS

Country of Installation
A Canada/U.S.A.

SAMPLE ORDER CODE

EDS5 A

PRICING

320


E D C
Outlet Knockout Cover

The Outlet Knockout Cover covers an outlet opening in the receptacle rail when the outlet has been removed for reconfiguration purposes.

WHAT'S INCLUDED
1 outlet knockout cover, attachment hardware.

NOTES
This item is Black.

324



PRICING

9

Raceway boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at various heights and must be specified with Power/Communication Elements (TPC).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, two VDM cover plates.

NOTES


Not for use with 8N wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

ERB Raceway Box



325

PRODUCT OPTIONS

Application	Outlet Configuration				Country of Installation
S Single-Sided	Single-Sided		Double-Sided		A Canada/U.S.A.
D Double-Sided	11 Circuits 1 & 1	23 Circuits 2 & 3	1212 Circuits 1 & 2	2323 Circuits 2 & 3	
	12 Circuits 1 & 2	25 Circuits 2 & 5	1313 Circuits 1 & 3	2525 Circuits 2 & 5	
	13 Circuits 1 & 3	33 Circuits 3 & 3	1515 Circuits 1 & 5	2535 Circuits 2 & 5, 3 & 5	
	15 Circuits 1 & 5	35 Circuits 3 & 5	1525 Circuits 1 & 5, 2 & 5	3535 Circuits 3 & 5, 3 & 5	
	22 Circuits 2 & 2	55 Circuits 5 & 5	1535 Circuits 1 & 5, 3 & 5		

SAMPLE ORDER CODE


ERB D	1525	A
--------------	-------------	----------

OUTLET CONFIGURATION

PRICING

SINGLE-SIDED (S)	
11	287
12	287
13	287
15	287
22	287
23	287
25	287
33	287
35	287
55	287
DOUBLE-SIDED (D)	
1212	369
1313	369
1515	369
1525	369
1535	369
2323	369
2525	369
2535	369
3535	369

ERB8N
Raceway Box (Separate Neutral)



Raceway boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at various heights and must be specified with Power/Communication Elements (TPC).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, 2 VDM cover plates.

NOTES

For use with 8N wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

PRODUCT OPTIONS

Application	Outlet Configuration		Country of Installation
S Single-Sided	Single-Sided	Double-Sided	A Canada/U.S.A.
D Double-Sided	11 Circuits 1 & 1	1212 Circuits 1 & 2	
	12 Circuits 1 & 2	1515 Circuits 1 & 5	
	15 Circuits 1 & 5	1525 Circuits 1 & 5, 2 & 5 (both sides)	
	22 Circuits 2 & 2	2525 Circuits 2 & 5	
	25 Circuits 2 & 5		
	55 Circuits 5 & 5		

SAMPLE ORDER CODE

ERB8N D	1525	A
---------	------	---

OUTLET CONFIGURATION	PRICING
	SINGLE-SIDED (S)
11	329
12	329
15	329
22	329
25	329
55	329
	DOUBLE-SIDED (D)
1212	422
1515	422
1525	422
2525	422

Raceway boxes are available for single- and double-sided applications. They provide face mounted access to power/communications at various heights and must be specified with Power/Communication Elements (TPC).

WHAT'S INCLUDED

1 raceway box (single- or double-sided), electrical harness, outlets, mounting hardware, 2 VDM cover plates.

NOTES


For use with 8K wire system.

Must specify Power/Communication Element.

Cannot be used with panels less than 36" wide.

This item is Black.

ERB8K Raceway Box (Dual Isolated)



327

PRODUCT OPTIONS

Application	Outlet Configuration		Country of Installation
S Single-Sided	Single-Sided	Double-Sided	A Canada/U.S.A.
D Double-Sided	15 Circuits 1 & 5	1515 Circuits 1 & 5 (both sides)	
	16 Circuits 1 & 6	1525 Circuits 1 & 5, 2 & 5 (both sides)	
	25 Circuits 2 & 5	1526 Circuits 1 & 5, 2 & 6 (both sides)	
	26 Circuits 2 & 6	1616 Circuits 1 & 6 (both sides)	
	55 Circuits 5 & 5	1626 Circuits 1 & 6, 2 & 6 (both sides)	
	56 Circuits 5 & 6	2525 Circuits 2 & 5 (both sides)	
	66 Circuits 6 & 6	2626 Circuits 2 & 6 (both sides)	

SAMPLE ORDER CODE

ERB8K D	1525	A
----------------	-------------	----------

OUTLET CONFIGURATION

11
16
25
26
55
56
66
1515
1525
1526
1616
1626
2525
2626

PRICING

SINGLE-SIDED (S)

363
363
363
363
363
363
363

DOUBLE-SIDED (D)

467
467
467
467
467
467
467


V D M
Voice & Data Module

The Voice & Data Module installs over the Communication duct opening in the panel and provides access to communication connectors at worksurface height.

WHAT'S INCLUDED
1 voice and data module.

NOTES
Custom configurations are available. Please consult Teknion Customer Service.
This product is Black.

328



PRODUCT OPTIONS

Connector Compatibility Option	
2100	AMP Flexmode, Panduit Minicom, Siemon CT Series with adapter, Northern Telecom MDVO with adapter, Hubbell Series with adapter
2150	Hubbell 106 Series, Leviton Infotap + 106 Duplex Series, AT&T 106 Series mounting frames
2200	AMP/ACO Flexmode
300	AMP/ACO Flexmode (vertical position)

SAMPLE ORDER CODE

VDM 2150


CONNECTOR COMPATIBILITY	PRICING
2100	9
2150	27
2200	26
300	30

The Voice & Data adapter is used where communication cables enter from the top of the panel and the VDM is hanging upside down.

WHAT'S INCLUDED

1 voice and data adapter, mounting hardware.

V D A
Voice & Data Adapter



329

PRICING

9


E V D F
Voice & Data Faceplate Adapter

The Voice & Data Faceplate Adapter allows the installation of face mounted modular furniture voice and data faceplates in decora faceplate sized cut-outs.

WHAT'S INCLUDED
1 modular furniture faceplate adapter.

NOTES
For use with Transit raceway boxes and power/communication elements.
This product is available only in Black.

330



PRICING

6

The Access Door VDM Plates allow voice and data outlets to be mounted on the face of the Transit Access Door Elements (TADS/TADD).

WHAT'S INCLUDED

1 access door VDM Plate, fasteners.


NOTES

Most existing special adapter plates will fit onto Transit Access Door Elements ordered after July 1997. For details, please see *Application Guidelines Access Door* at the beginning of the *Elements* section.

Special plates can be provided to accommodate non-standard Voice & Data Modules. Please contact your Teknion Customer Service Representative.

This item is Black.

D M P
Access Door VDM Plates



331

PRODUCT OPTIONS

Connector Compatibility Option

C Cover

2150 Hubbell 106 Series, Leviton Infotap + 106 Duplex Series, AT&T 106 Series mounting frames

2200 AMP/ACO Flexmode

SAMPLE ORDER CODE

DMP 2200

**CONNECTOR
COMPATIBILITY**

C
2150
2200

PRICING

20
20
20

CH
Chicago Corner Ducts

Chicago Corner Ducts are required by code in Chicago and enclose electrical cables between corner panel connections in raceway panels.

WHAT'S INCLUDED
1 corner duct, hardware.



Two-Way 45°



Two-Way 90°




Three-Way 180°



Four-Way 90°



Two-Way 180°



Straight
Connection

PRODUCT OPTIONS

Panel Connection	
45	Two-Way 45°
90	Two-Way 90°
180	Three-Way 180°
4	Four-Way 90°
G	Two-Way 180°
S	Straight Connection

SAMPLE ORDER CODE

CH 45

PANEL CONNECTION	PRICING
45	68
90	68
180	97
4	122
G	75
S	51

The Retractable Power Center is field installed and slides up through the worksurface to provide easy access to outlets concealed beneath the surface. It retracts to allow use of entire worksurface.


WHAT'S INCLUDED

1 retractable power center, grommet, 72" power cord, wire management sleeve, template.

NOTES

This product is Black.

E P C
Retractable Power Center



333

PRODUCT OPTIONS

Country of Installation

A Canada/U.S.A.

SAMPLE ORDER CODE

EPC A


PRICING

214

T Z W

Worksurface Tray

334



The Worksurface Tray is attached to the underside of the straight edge of a worksurface and facilitates wire management along semi-suspended worksurfaces.

WHAT’S INCLUDED

1 worksurface tray, joiner section, mounting screws.

NOTES

Not for use on worksurfaces manufactured prior to July 1997.

If also using table rail, tray must be 9" shorten.

This item is Black.

PRODUCT OPTIONS

Width
15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 87

SAMPLE ORDER CODE

TZW 30

DIMENSIONS INCHES / MM
W
15 / 381
18 / 457
21 / 533
24 / 610
27 / 686
30 / 762
33 / 838
36 / 914
39 / 991
42 / 1067
45 / 1143
48 / 1219
51 / 1295
54 / 1372
57 / 1448
60 / 1524
63 / 1600
66 / 1676
69 / 1753
72 / 1829
75 / 1905
78 / 1981
81 / 2057
84 / 2134
87 / 2210

PRICING
31
31
33
33
33
33
33
35
36
36
36
36
37
37
37
38
40
40
40
40
42
48
51
51
51
53
53
53

The Panel Tray attaches to the face of the panel to provide casual wire management of data and communication wires.

WHAT'S INCLUDED

1 panel tray, joiner section.


NOTES

Specify same width or shorter than the panel.

Not for use with worksurfaces manufactured prior to July 1997.

This item is Black.

T Z P
Panel Tray



PRODUCT OPTIONS

Width
18, 24, 30, 36, 42, 48, 54, 60

SAMPLE ORDER CODE

TZP 36

DIMENSIONS INCHES / MM
W
18 / 457
24 / 610
30 / 762
36 / 914
42 / 1067
48 / 1219
54 / 1372
60 / 1524

PRICING
31
35
37
38
40
42
45
51


T Z B
Bridge Tray

The Bridge Tray provides wire management to one or both sides of the bridge.

WHAT'S INCLUDED
1 bridge tray.

NOTES
Specify same width or shorter than bridge.
This item is Black.

336



PRODUCT OPTIONS

Width
(Select width according to Bridge width, or shorter)
72, 78, 84, 90, 96

SAMPLE ORDER CODE

TZB 72


DIMENSIONS INCHES / MM
W
72 / 1829
78 / 1981
84 / 2134
90 / 2286
96 / 2438

PRICING
51
53
55
58
61

Base Cable Clips attach to the base rail of Lyft Thin Panels to support casual wire routing.

WHAT'S INCLUDED
4 clips.

H B C C
Base Cable Clips (Lyft)



337

PRICING

42 / 4 clips


international
lighting, electrics &
communications

international lighting, electrics & communications

PRODUCT MAP	341
INTERNATIONAL ELECTRICS BASICS	343
PRODUCT LISTING	344


V E D Outlet Box

Page 344




V C C Interconnecting Power Cable

Page 345
Length: 1 – 3 meters




V E P Input Power Cable

Page 346
Length: 1 – 3 meters




V V D Voice & Data Box

Page 347




V D O Voice & Data Outlets

Page 348




V A C Electric Accessories

Page 349




V M B P T/O/S / Transit Outlet Box Panel Mount Brackets

Page 350



V T P C International Power/Communication Element – Powered

Page 351




Specific Electrical Components are required for International applications.


⚠ Local authority approval must be obtained prior to energizing outlet box. All outlets are rated for a maximum of 16 amps (240 Volts). For alternative requirements, please contact Customer Service for details and pricing.

Outlet Type	Country of Installation
	Australia
	Germany
	U.K.


Electric Accessories (VAC)




Cover Cap (VACEC) is a safety cover for an unutilized female terminal on an Outlet Box (VED) or Distribution Box (VACB)



Desk-Mounting Clips (VACB6) mounts an Outlet Box to a desk or work surface





Distribution Block (VACB)
Redirects power distribution. One male connector directs power in and three female connectors direct power out

**Outlet Box (VED)**

- Provides access to power at worksurface height through the access door (shown)
- Outlets have a socket angle of 15°
- Includes an earth lead with every outlet box. Some jurisdictions require the earth lead to be connected to a panel
- May require fuse and switch in some jurisdictions
- Desk-Mounted clips may be purchased separately from Electric Accessories to desk-mount the Outlet Box (VACB6)
- For application onto the T/O/S panel, mounting brackets 'P' (Panel mount for T/O/S or Transit) must be selected




International Power/Communications Element – Powered (VTPC)

- Provides access to face-mounted power/communication plug-in
- Is available in power only or power and communication access
- Can be applied at level 1 or level 3
- Is not tackable
- Outlet box is installed in the center of the element and the optional communication cut-out will always be to the right of the outlet box
- May require a fuse and switch on the outlet box in some jurisdictions
- Non-Powered (VTCPN) element also available. See the Elements Section in the PPG

**Interconnecting Power Cable (VCC)**

- Routes power between Outlet Boxes in panel access areas and also carried power through the adjacent panel
- Can be connected to any compatible Outlet Box (VED) or Input Power Cable (VEP)
- Accepts one circuit per cable

Also Available:

**Voice & Data Box (VVD)****Voice & Data Outlet (VDO)****Input Power Cable (VEP)**

- Brings power from the building to the panel and is installed in the base opening of the panel and feeds power up to the panel raceway
- Can be connected to any compatible Outlet Box (VED) or Interconnecting Power Cable (VCC)
- Accepts one circuit per cable

VED Outlet Box

Provides access to power at worksurface height. Outlet boxes can be mounted onto a Panel (accessible through an Access Door or an Element), or mounted to the edge of a desk or table.

WHAT'S INCLUDED

1 outlet box.


NOTES

Socket Angles will always be 15°.

When Panel Mount for T/O/S or Transit (P) is selected, the Outlet Box will mount to the inside of the raceway. Access door will need to open to access power.

If desk-mounted option is desired, Desk-Mounting Clip (VACB6) (Electric Accessories VAC_) must be purchased separately.

UPS option is only available with UK Outlets (G).



Two Outlets

Four Outlets

PRODUCT OPTIONS

Number of Outlet	Power Type	Fuse & Switch Option	Mounting Bracket	Country of Installation
2 2 Outlets	S Standard	N No Fuse & Switch	N None	F Germany
4 4 Outlets	U UPS	M Master Fuse & Master Switch	P Panel Mount for T/O/S or Transit	G U.K./Ireland
		S Individual Fuse & Individual Switch	E Panel Mount for Leverage	I Australia & Argentina

SAMPLE ORDER CODE

VED 2	S	M	E	F
-------	---	---	---	---

NUMBER OF OUTLETS

PRICING


	No Fuse & Switch (N)	Master Fuse & Master Switch (M)	Individual Fuse & Individual Switch (S)
WITHOUT PANEL MOUNT (N)			
2	93	146	186
4	173	238	292
WITH PANEL MOUNTS (P, E)			
2	129	181	223
4	209	276	328

Routes power between Outlet Boxes in panel access areas and also carries power through the adjacent panel.

WHAT'S INCLUDED

1 interconnecting power cable.

V C C
Interconnecting Power Cable



PRODUCT OPTIONS

Length	Power Type
10 1 Meter	S Standard
20 2 Meters	U UPS
30 3 Meters	

SAMPLE ORDER CODE

VCC 10	U
--------	---

DIMENSIONS
L
10
20
30

PRICING
63
74
90

VEP
Input Power Cable


The Input Power Cable brings power from the building to the panel. It can be installed in the base opening of the panel to feed power up to the panel raceway or worksurface level. It can also be brought down from the ceiling to the workstation via a power plate.

WHAT'S INCLUDED

1 input power cable with strain relief.

NOTES

Country of Installation required when Plug option is chosen.



PRODUCT OPTIONS

Length	Plug Type	Power Type	Country of Installation
10 1 Meter	H Hard Wired	S Standard	F Germany
20 2 Meters	P Plug	U UPS	G U.K./Ireland
30 3 Meters			I Australia

SAMPLE ORDER CODE

VEP 10	P	S	G
---------------	----------	----------	----------

DIMENSIONS

L
10
20
30

PRICING

Hard Wired (H)	Plug (P)
69	102
95	129
108	140

The Voice & Data Box is designed to bring access to communications and data to the user.


WHAT'S INCLUDED

1 Voice & Data Box, with Blank or Shutter faces (as specified).


WHAT'S EXCLUDED

Voice & Data Outlets (VDO) with drop leads must be ordered separately. Mounting Brackets (VMPB) for T/O/S or Transit must be ordered separately.

VVD
Voice & Data Box



Four Shutters



Four Blank Fascias

PRODUCT OPTIONS


Configuration	Shutter (If Applicable)
BBBB Blank Fascias	K Keystone A AT&T N Nordx
SSSS 4 Shutters	

SAMPLE ORDER CODE

VVD BBBB	K
----------	---

CONFIGURATION	PRICING
BBBB	59
SSSS	73

V D O
Voice & Data Outlets



348

The Voice & Data Outlets are inserted into the Voice & Data Box (VVD).

WHAT’S INCLUDED
1 Voice or Data Outlet, with appropriate length drop lead (if specified).

WHAT’S EXCLUDED
Voice & Data Boxes (VVD) must be ordered separately.

NOTES
One must remove the blank facades in the boxes to allow placement of these items.
Drop Lead may be specified according to the size required.

PRODUCT OPTIONS

Outlet Type	Voice Outlet (Applies to Voice Outlet only)	Data Outlet	Drop Lead Option
V Voice D Data	01 RJ11	05 RJ45 Cat 5e Unshielded	N None 2 2 meters 3 3 meters 8 8 meters

SAMPLE ORDER CODE

VDO D	01	05	3
--------------	-----------	-----------	----------

OUTLET TYPE	PRICING			
	None	2 Meters	3 Meters	8 Meters
V	61	70	73	106
D	61	121	125	173

The Distribution Block redirects power distribution. The Cover Cap is a safety cover for Outlet Boxes and Distribution Blocks. The Desk-Mounting Clips attach an Outlet Box to a desk or worksurface.

WHAT'S INCLUDED


1 distribution block or 1 Cover Cap or 1 pair of Desk-Mounting Clips for Outlet Box.

WHAT'S EXCLUDED


Outlet Box and all Interconnecting and Power Input Cables must be ordered separately.

NOTES


The Distribution Block has one male connector that directs power in and three female connectors that direct power out.




Desk-Mounted Clips
for Outlet Box



Cover Cap



Distribution
Block



V A C
Electric Accessories

PRODUCT OPTIONS


Accessory Type		Power Option (For Distribution Block)	
EC	Cover Cap	S	Standard
B6	Desk-Mounted Clips for Outlet Box	U	UPS
EB	Distribution Block		

SAMPLE ORDER CODE

VAC EB	S
--------	---

ACCESSORY TYPE	PRICING
EC	12
B6	58
EB	104

V M B P
T/O/S / Transit Outlet Box Panel
Mount Brackets



Mounting Brackets attach to the Outlet Box (VED) or the Voice & Data Box (VVD) to the panel.

WHAT’S INCLUDED
1 pair brackets (as specified).

WHAT’S EXCLUDED
Outlet Box (VED) or Voice & Data Box (VVD) must be specified separately.

NOTES
Panel-mounted brackets for T/O/S and Transit mount the Outlet Box (VED) to the inside of the raceway. Access Door will need to open in order to access power.

PRICING

International Power/Communication Elements provide access to face-mounted power/communication plug-in. Elements are available for power only or power and communication access.

WHAT'S INCLUDED

Element with outlet box (mounting bracket, earth lead and bezel included), lock and optional communication faceplate cut-out.

WHAT'S EXCLUDED


Cables and communication faceplate not included.

NOTES

To purchase element without the outlet box included, please see International Power/Communication Element (VTPCN) in the Element section.

VTPC

International Power/ Communication Element – Powered



351

PRODUCT OPTIONS

Application	Height	Width	Number of Outlets	Fuse & Switch	Country of Installation	Configuration	Element Finish
B Level 1 or 3 D Level 2	15	24, 30, 36, 42, 48, 54, 60	2 2 Outlets	N No Fuse, No Switch M Master Fuse and Master Switch	F Germany G U.K./Ireland I Australia	1 Power Only 2 Power/Communication	Fabric

SAMPLE ORDER CODE

VTPC D	15	24	2	3	F	1	S901
---------------	-----------	-----------	----------	----------	----------	----------	-------------

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

LEVEL 2

NO FUSE, NO SWITCH (N)

A/COM	Gr.1	Gr.2	Gr.3	Gr.5	Gr.6	Gr.7
237	241	243	246	269	280	290
245	245	252	257	279	290	301
248	250	257	262	285	301	311
257	258	265	274	301	314	327
265	266	275	281	313	329	346
279	281	290	301	340	358	375
285	290	300	310	347	369	386

MASTER FUSE AND MASTER SWITCH (M)

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
307	308	311	314	340	349	358
313	313	320	324	347	358	369
317	319	324	329	354	369	380
324	326	330	341	369	385	394
330	331	342	350	384	396	414
347	350	358	369	408	426	442
354	358	365	379	416	437	453

If Power/Communication option is specified, add 2

DIMENSIONS INCHES / MM

H	W
15 / 381	24 / 610
15 / 381	30 / 762
15 / 381	36 / 914
15 / 381	42 / 1067
15 / 381	48 / 1219
15 / 381	54 / 1372
15 / 381	60 / 1524

PRICING

LEVEL 1 OR 3

NO FUSE, NO SWITCH (N)

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
237	241	243	246	269	280	290
245	245	252	257	279	290	301
248	250	257	262	285	301	311
257	258	265	274	301	314	327
265	266	275	281	313	329	346
279	281	290	301	340	358	375
285	290	300	310	347	369	386

MASTER FUSE AND MASTER SWITCH (M)

A/COM	Gr. 1	Gr. 2	Gr. 3	Gr. 5	Gr. 6	Gr. 7
307	308	311	314	340	349	358
313	313	320	324	347	358	369
317	319	324	329	354	369	380
324	326	330	341	369	385	394
330	331	342	350	384	396	414
347	350	358	369	408	426	442
354	358	365	379	416	437	453

If Power/Communication option is specified, add 2

teknion

www.teknion.com

IN CANADA:
1150 Flint Road
Toronto, Ontario
M3J 2J5 Canada
Tel 866.teknion
866.835.6466

IN THE USA:
350 Fellowship Road
Mt Laurel, New Jersey
08054 USA
Tel 877.teknion
877.835.6466

OTHER OFFICES LOCATED IN:
Europe, South and Central America
Middle East, Asia and Russia
For regional contact information
go to www.teknion.com

CAN/US/INT 04-30
©Teknion 2018

®, ™ trade marks of Teknion
Corporation and/or its subsidiaries or
licensed to it. Patents may be pending.

Some products may not be available in
all markets. Contact your local
Teknion Representative for availability.

APRI7-TRA-PG